

LABEL

FCC ID: 2AA55HUNHE40

For Model: SBD1103-YQL40; SBF6103-YQL40; SBD1110-YQL40

SBF6107-YQL40

For Model: SBD1103-YQL40

CAUTION:

RISK OF ELECTRIC SHOCK

DO NOT USE WHERE DIRECTLY

NOT FOR USE IN TOTALLY

ENCLOSED RECESSED FIXTURES



FCC ID:2AA55HUNHE40

SBD1103-YQL40

Factory Lamp

Voltage:100~277V 50/60Hz

Light source: Induction Lamp

Wattage: 40W

CCT: □2700K □3500K □4000K □5000K □6500K

IP Grade: IP66

Manufacturing Date:

Made in China

Shanghai Senben Lighting Technology Incorporated Company

For Model: SBF6103-YQL40

CAUTION:

RISK OF ELECTRIC SHOCK

DO NOT USE WHERE DIRECTLY

NOT FOR USE IN TOTALLY

ENCLOSED RECESSED FIXTURES



FCC ID:2AA55HUNHE40

SBF6103-YQL40

Factory Lamp

Voltage:100~277V 50/60Hz

Light source: Induction Lamp

Wattage: 40W

CCT: □2700K □3500K □4000K □5000K □6500K

IP Grade: IP66

Manufacturing Date:

Made in China

Shanghai Senben Lighting Technology Incorporated Company

For Model: SBD1110-YQL40

CAUTION:

RISK OF ELECTRIC SHOCK
DO NOT USE WHERE DIRECTLY
NOT FOR USE IN TOTALLY
ENCLOSED RECESSED FIXTURES



FCC ID:2AA55HUNHE40

SBD1110-YQL40

Factory Lamp

Voltage:100~277V 50/60Hz

Light source: Induction Lamp

Wattage: 40W

CCT: □2700K □3500K □4000K □5000K □6500K

IP Grade: IP66

Manufacturing Date:

Made in China

Shanghai Senben Lighting Technology Incorporated Company

For Model: SBF6107-YQL40

CAUTION:

RISK OF ELECTRIC SHOCK
DO NOT USE WHERE DIRECTLY
NOT FOR USE IN TOTALLY
ENCLOSED RECESSED FIXTURES



FCC ID:2AA55HUNHE40

SBF6107-YQL40

Factory Lamp

Voltage:100~277V 50/60Hz

Light source: Induction Lamp

Wattage: 40W

CCT: □2700K □3500K □4000K □5000K □6500K

IP Grade: IP66

Manufacturing Date:

Made in China

Shanghai Senben Lighting Technology Incorporated Company