




802.11ax(HEW40) MCH 6165MHz RU484 Left Ant1 NTN




802.11ax(HEW40) HCH 6405MHz RU484 Left Ant1 NTN




802.11ax(HEW80)_LCH_5985MHz_RU996_Left_Ant1_NTNV




802.11ax(HEW80)_MCH_6145MHz_RU996_Left_Ant1_NTNV




802.11ax(HEW80) HCH 6385MHz RU996 Left Ant1 NTN




802.11ax(HEW160) LCH 6025MHz 2xRU996 Left Ant1 NTN




802.11ax(HEW160) MCH_6185MHz_2xRU996 Left_Ant1 NTN




802.11ax(HEW160) HCH_6345MHz_2xRU996 Left_Ant1 NTN




2.2.3 OBW




802.11ax(HEW20) HCH 6855MHz RU242 Left Ant1 NTN




802.11ax(HEW40) LCH 6565MHz RU484 Left Ant1 NTN




802.11ax(HEW40)_MCH_6685MHz_RU484_Left_Ant1_NTNV




802.11ax(HEW40)_HCH_6845MHz_RU484_Left_Ant1_NTNV



802.11ax(HEW80)_LCH_6625MHz_RU996_Left_Ant1_NTNV




802.11ax(HEW80)_MCH_6705MHz_RU996_Left_Ant1_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


802.11ax(HEW80) HCH 6785MHz RU996 Left Ant1 NTN




802.11ax(HEW160) MCH 6665MHz 2xRU996 Left Ant1 NTN




2.2.4 26dB BW




802.11ax(HEW20) HCH 6855MHz RU242 Left Ant1 NTN




802.11ax(HEW40) LCH 6565MHz RU484 Left Ant1 NTN



802.11ax(HEW40) MCH 6685MHz RU484 Left Ant1 NTN



802.11ax(HEW40) HCH 6845MHz RU484 Left Ant1 NTN




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


802.11ax(HEW80) LCH 6625MHz RU996 Left Ant1 NTNV




802.11ax(HEW80) MCH 6705MHz RU996 Left Ant1 NTNV



802.11ax(HEW80) HCH 6785MHz RU996 Left Ant1 NTN



802.11ax(HEW160) MCH 6665MHz 2xRU996 Left Ant1 NTN



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	RU52	Left	-10.61	-11.30	-11.19	-11.28	-5.06	/	Pass
				RU52+26	Left	-8.48	-9.32	-9.12	-9.33	-3.03	/	Pass
				RU242	Left	-3.58	-4.96	-4.62	-4.31	1.68	/	Pass
			6175	RU52	Mid	-9.54	-10.92	-11.03	-10.53	-4.44	/	Pass
				RU52+26	Right	-9.67	-10.66	-11.13	-10.54	-4.45	/	Pass
				RU242	Left	-4.83	-5.74	-6.42	-6.13	0.28	/	Pass
			6415	RU52	Right	-11.29	-10.78	-11.27	-11.12	-5.09	/	Pass
				RU52+26	Right	-9.20	-8.79	-9.21	-9.06	-3.04	/	Pass
				RU242	Left	-5.03	-4.23	-4.72	-4.12	1.51	/	Pass
	802.11ax (HEW40)	MIMO	5965	RU52	Left	-10.50	-11.42	-11.29	-11.03	-5.02	/	Pass
				RU52+26	Left	-8.50	-9.11	-9.28	-8.86	-2.91	/	Pass
				RU484	Left	-1.27	-2.73	-2.27	-1.92	4.01	/	Pass
			6165	RU52	Mid	-9.73	-10.65	-10.48	-10.35	-4.27	/	Pass
				RU52+26	Mid	-8.24	-9.51	-9.95	-9.21	-3.16	/	Pass
				RU484	Left	-2.65	-3.29	-3.84	-3.84	2.64	/	Pass
			6405	RU52	Right	-10.80	-11.08	-11.16	-11.00	-4.99	/	Pass
				RU52+26	Right	-8.95	-8.90	-9.00	-8.88	-2.91	/	Pass
				RU484	Left	-2.92	-2.26	-2.53	-1.94	3.62	/	Pass
	802.11ax (HEW80)	MIMO	5985	RU52	Left	-9.98	-11.16	-11.08	-11.28	-4.82	/	Pass
				RU52+26	Left	-8.39	-9.12	-8.76	-9.18	-2.83	/	Pass
				RU996	Left	1.34	-0.56	-0.07	0.06	6.27	/	Pass
			6145	RU52	Mid	-9.54	-10.82	-12.21	-10.67	-4.69	/	Pass
				RU52+26	Mid	-7.61	-9.11	-10.00	-8.87	-2.79	/	Pass
				RU996	Left	1.31	0.30	0.28	-0.19	6.48	/	Pass
			6385	RU52	Right	-11.12	-11.03	-11.24	-10.91	-5.05	/	Pass
				RU52+26	Right	-9.39	-9.12	-9.10	-8.91	-3.11	/	Pass
				RU996	Left	0.74	0.45	0.16	0.71	6.54	/	Pass
	802.11ax (HEW160)	MIMO	6025	RU52	Left	-11.29	-10.44	-11.84	-12.08	-5.35	/	Pass
				RU52+26	Left	-10.21	-9.50	-10.62	-10.75	-4.22	/	Pass
				2xRU996	Left	2.28	1.18	0.77	0.80	7.32	/	Pass
			6185	RU52	Mid	-9.36	-10.92	-10.81	-9.99	-4.20	/	Pass
				RU52+26	Mid	-8.35	-9.73	-9.67	-9.03	-3.14	/	Pass
				2xRU996	Left	2.94	1.29	1.56	1.16	7.82	/	Pass
			6345	RU52	Right	-10.13	-10.50	-10.54	-10.31	-4.35	/	Pass
				RU52+26	Right	-9.55	-9.44	-9.26	-9.37	-3.38	/	Pass
				2xRU996	Left	2.42	2.49	1.76	2.02	8.20	/	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3.1.2 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	RU52	Left	-6.08	-6.60	-7.01	-6.78	-0.58	<=14	Pass
				RU52+26	Left	-3.95	-4.62	-4.94	-4.83	1.45	<=14	Pass
				RU242	Left	0.95	-0.26	-0.44	0.19	6.16	<=14	Pass
			6175	RU52	Mid	-5.01	-6.22	-6.85	-6.03	0.04	<=14	Pass
				RU52+26	Right	-5.14	-5.96	-6.95	-6.04	0.05	<=14	Pass
				RU242	Left	-0.30	-1.04	-2.24	-1.63	4.78	<=14	Pass
			6415	RU52	Right	-6.76	-6.08	-7.09	-6.62	-0.60	<=14	Pass
				RU52+26	Right	-4.67	-4.09	-5.03	-4.56	1.45	<=14	Pass
				RU242	Left	-0.50	0.47	-0.54	0.38	6.00	<=14	Pass
	802.11ax (HEW40)	MIMO	5965	RU52	Left	-5.97	-6.72	-7.11	-6.53	-0.54	<=14	Pass
				RU52+26	Left	-3.97	-4.41	-5.10	-4.36	1.58	<=14	Pass
				RU484	Left	3.26	1.97	1.91	2.58	8.49	<=14	Pass
			6165	RU52	Mid	-5.20	-5.95	-6.30	-5.85	0.21	<=14	Pass
				RU52+26	Mid	-3.71	-4.81	-5.77	-4.71	1.33	<=14	Pass
				RU484	Left	1.88	1.41	0.34	0.66	7.14	<=14	Pass
			6405	RU52	Right	-6.27	-6.38	-6.98	-6.50	-0.50	<=14	Pass
				RU52+26	Right	-4.42	-4.20	-4.82	-4.38	1.57	<=14	Pass
				RU484	Left	1.61	2.44	1.65	2.56	8.11	<=14	Pass
	802.11ax (HEW80)	MIMO	5985	RU52	Left	-5.45	-6.46	-6.90	-6.78	-0.34	<=14	Pass
				RU52+26	Left	-3.86	-4.42	-4.58	-4.68	1.65	<=14	Pass
				RU996	Left	5.87	4.14	4.11	4.56	10.75	<=14	Pass
			6145	RU52	Mid	-5.01	-6.12	-8.03	-6.17	-0.18	<=14	Pass
				RU52+26	Mid	-3.08	-4.41	-5.82	-4.37	1.71	<=14	Pass
				RU996	Left	5.84	5.00	4.46	4.31	10.97	<=14	Pass
			6385	RU52	Right	-6.59	-6.33	-7.06	-6.41	-0.57	<=14	Pass
				RU52+26	Right	-4.86	-4.42	-4.92	-4.41	1.37	<=14	Pass
				RU996	Left	5.27	5.15	4.34	5.21	11.03	<=14	Pass
	802.11ax (HEW160)	MIMO	6025	RU52	Left	-6.76	-5.74	-7.66	-7.58	-0.84	<=14	Pass
				RU52+26	Left	-5.68	-4.80	-6.44	-6.25	0.28	<=14	Pass
				2xRU996	Left	6.81	5.88	4.95	5.30	11.81	<=14	Pass
			6185	RU52	Mid	-4.83	-6.22	-6.63	-5.49	0.28	<=14	Pass
				RU52+26	Mid	-3.82	-5.03	-5.49	-4.53	1.35	<=14	Pass
				2xRU996	Left	7.47	5.99	5.74	5.66	12.30	<=14	Pass
			6345	RU52	Right	-5.60	-5.80	-6.36	-5.81	0.14	<=14	Pass
				RU52+26	Right	-5.02	-4.74	-5.08	-4.87	1.10	<=14	Pass
				2xRU996	Left	6.95	7.19	5.94	6.52	12.70	<=14	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3.1.3 Power

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	RU52	Left	-10.10	-11.17	-11.88	-11.29	-5.04	/	Pass
				RU52+26	Left	-8.30	-9.47	-10.02	-9.49	-3.25	/	Pass
				RU242	Left	-3.56	-4.07	-4.98	-4.70	1.73	/	Pass
			6695	RU52	Mid	-10.54	-10.55	-11.53	-11.50	-4.98	/	Pass
				RU52+26	Right	-8.87	-8.66	-9.10	-9.16	-2.92	/	Pass
				RU242	Left	-4.26	-3.83	-3.95	-5.13	1.76	/	Pass
			6855	RU52	Right	-10.92	-11.08	-10.44	-11.13	-4.86	/	Pass
				RU52+26	Right	-9.08	-8.87	-8.44	-9.02	-2.82	/	Pass
				RU242	Left	-4.40	-4.45	-3.82	-4.59	1.72	/	Pass
	802.11ax (HEW40)	MIMO	6565	RU52	Left	-10.22	-11.74	-12.08	-11.70	-5.35	/	Pass
				RU52+26	Left	-8.68	-9.90	-9.99	-9.45	-3.45	/	Pass
				RU484	Left	-1.75	-2.48	-2.95	-3.53	3.39	/	Pass
			6685	RU52	Mid	-10.40	-10.46	-11.40	-11.37	-4.86	/	Pass
				RU52+26	Mid	-8.53	-8.54	-9.17	-9.36	-2.86	/	Pass
				RU484	Left	-1.63	-1.30	-1.65	-2.37	4.30	/	Pass
			6845	RU52	Right	-10.97	-11.07	-10.22	-11.17	-4.82	/	Pass
				RU52+26	Right	-8.87	-8.85	-8.40	-9.06	-2.77	/	Pass
				RU484	Left	-2.16	-2.39	-1.36	-2.29	3.99	/	Pass
	802.11ax (HEW80)	MIMO	6625	RU52	Left	-10.65	-10.97	-12.12	-11.71	-5.30	/	Pass
				RU52+26	Left	-8.74	-9.27	-9.93	-9.62	-3.35	/	Pass
				RU996	Left	1.07	0.66	-0.44	-0.15	6.35	/	Pass
			6705	RU52	Mid	-10.95	-10.54	-11.13	-11.30	-4.95	/	Pass
				RU52+26	Mid	-8.79	-8.69	-9.18	-9.43	-2.99	/	Pass
				RU996	Left	1.57	1.66	1.54	0.60	7.38	/	Pass
			6785	RU52	Right	-10.49	-10.75	-9.77	-11.54	-4.57	/	Pass
				RU52+26	Right	-8.58	-8.74	-8.32	-9.91	-2.83	/	Pass
				RU996	Left	1.18	1.54	1.25	0.93	7.25	/	Pass
	802.11ax (HEW160)	MIMO	6665	RU52	Right	-11.43	-11.42	-11.67	-11.89	-5.58	/	Pass
				RU52+26	Right	-9.75	-8.96	-9.42	-9.80	-3.45	/	Pass
				2xRU996	Left	2.62	2.42	1.92	1.58	8.17	/	Pass

3.1.4 EIRP

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	E.I.R.P (dBm)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	RU52	Left	-6.01	-6.05	-7.55	-6.21	-0.39	<=14	Pass
				RU52+26	Left	-4.21	-4.35	-5.69	-4.41	1.39	<=14	Pass
				RU242	Left	0.53	1.05	-0.65	0.38	6.39	<=14	Pass
			6695	RU52	Mid	-6.45	-5.43	-7.20	-6.42	-0.31	<=14	Pass
				RU52+26	Right	-4.78	-3.54	-4.77	-4.08	1.76	<=14	Pass
				RU242	Left	-0.17	1.29	0.38	-0.05	6.42	<=14	Pass
			6855	RU52	Right	-6.83	-5.96	-6.11	-6.05	-0.20	<=14	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233114

Page: 296 of 403

				RU52+26	Right	-4.99	-3.75	-4.11	-3.94	1.85	<=14	Pass
				RU242	Left	-0.31	0.67	0.51	0.49	6.38	<=14	Pass
	802.11ax (HEW40)	MIMO	6565	RU52	Left	-6.13	-6.62	-7.75	-6.62	-0.72	<=14	Pass
				RU52+26	Left	-4.59	-4.78	-5.66	-4.37	1.20	<=14	Pass
				RU484	Left	2.34	2.64	1.38	1.55	8.03	<=14	Pass
				RU52	Mid	-6.31	-5.34	-7.07	-6.29	-0.19	<=14	Pass
			6685	RU52+26	Mid	-4.44	-3.42	-4.84	-4.28	1.81	<=14	Pass
				RU484	Left	2.46	3.82	2.68	2.71	8.97	<=14	Pass
				RU52	Right	-6.88	-5.95	-5.89	-6.09	-0.16	<=14	Pass
			6845	RU52+26	Right	-4.78	-3.73	-4.07	-3.98	1.90	<=14	Pass
				RU484	Left	1.93	2.73	2.97	2.79	8.64	<=14	Pass
				RU52	Left	-6.56	-5.85	-7.79	-6.63	-0.63	<=14	Pass
	802.11ax (HEW80)	MIMO	6625	RU52+26	Left	-4.65	-4.15	-5.60	-4.54	1.32	<=14	Pass
				RU996	Left	5.16	5.78	3.89	4.93	11.01	<=14	Pass
			6705	RU52	Mid	-6.86	-5.42	-6.80	-6.22	-0.26	<=14	Pass
				RU52+26	Mid	-4.70	-3.57	-4.85	-4.35	1.68	<=14	Pass
				RU996	Left	5.66	6.78	5.87	5.68	12.04	<=14	Pass
			6785	RU52	Right	-6.40	-5.63	-5.44	-6.46	0.06	<=14	Pass
				RU52+26	Right	-4.49	-3.62	-3.99	-4.83	1.81	<=14	Pass
				RU996	Left	5.27	6.66	5.58	6.01	11.93	<=14	Pass
	802.11ax (HEW160)	MIMO	6665	RU52	Right	-7.34	-6.30	-7.34	-6.81	-0.91	<=14	Pass
				RU52+26	Right	-5.66	-3.84	-5.09	-4.72	1.24	<=14	Pass
				2xRU996	Left	6.71	7.54	6.25	6.66	12.84	<=14	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	RU52	Left	-15.81	-16.30	-16.38	-16.46	-10.50	/	Pass
				RU52+26	Left	-15.64	-16.31	-15.82	-16.05	-10.23	/	Pass
				RU242	Left	-15.26	-16.60	-16.28	-15.66	-10.19	/	Pass
			6175	RU52	Mid	-15.06	-15.94	-16.14	-15.97	-10.04	/	Pass
				RU52+26	Right	-16.58	-17.63	-18.02	-17.41	-11.68	/	Pass
				RU242	Left	-16.43	-17.16	-17.54	-17.62	-11.57	/	Pass
			6415	RU52	Right	-16.45	-15.84	-16.44	-15.87	-10.52	/	Pass
				RU52+26	Right	-15.92	-15.40	-16.25	-15.46	-10.06	/	Pass
				RU242	Left	-16.60	-15.71	-16.22	-15.76	-10.42	/	Pass
	802.11ax (HEW40)	MIMO	5965	RU52	Left	-15.64	-16.49	-16.27	-16.31	-10.50	/	Pass
				RU52+26	Left	-15.25	-16.52	-16.12	-15.86	-10.16	/	Pass
				RU484	Left	-15.73	-16.96	-16.88	-16.47	-10.78	/	Pass
			6165	RU52	Mid	-14.91	-16.10	-16.00	-15.98	-9.98	/	Pass
				RU52+26	Mid	-15.82	-16.59	-16.74	-16.37	-10.65	/	Pass
				RU484	Left	-17.25	-17.71	-18.03	-18.36	-12.08	/	Pass
			6405	RU52	Right	-16.29	-16.27	-16.46	-16.15	-10.54	/	Pass
				RU52+26	Right	-15.96	-15.88	-16.22	-16.11	-10.44	/	Pass
				RU484	Left	-17.66	-16.85	-17.23	-16.53	-11.27	/	Pass
	802.11ax (HEW80)	MIMO	5985	RU52	Left	-15.45	-16.60	-16.49	-16.67	-10.59	/	Pass
				RU52+26	Left	-15.45	-16.46	-16.16	-16.47	-10.29	/	Pass
				RU996	Left	-15.68	-18.27	-17.57	-17.48	-11.70	/	Pass
			6145	RU52	Mid	-15.21	-17.01	-17.47	-16.50	-10.60	/	Pass
				RU52+26	Mid	-14.80	-16.31	-17.31	-16.16	-10.36	/	Pass
				RU996	Left	-16.28	-16.90	-17.09	-17.65	-11.28	/	Pass
			6385	RU52	Right	-16.38	-16.45	-16.28	-16.22	-10.57	/	Pass
				RU52+26	Right	-16.32	-16.29	-16.13	-16.09	-10.40	/	Pass
				RU996	Left	-16.89	-17.21	-17.41	-16.77	-11.53	/	Pass
	802.11ax (HEW160)	MIMO	6025	RU52	Left	-17.08	-16.03	-16.81	-17.48	-11.11	/	Pass
				RU52+26	Left	-17.54	-16.74	-17.95	-18.22	-11.77	/	Pass
				2xRU996	Left	-17.50	-19.18	-19.31	-19.25	-13.20	/	Pass
			6185	RU52	Mid	-15.14	-16.42	-16.59	-15.45	-9.96	/	Pass
				RU52+26	Mid	-15.30	-16.92	-16.98	-16.73	-10.66	/	Pass
				2xRU996	Left	-18.08	-19.10	-18.58	-19.46	-13.16	/	Pass
			6345	RU52	Right	-15.39	-15.63	-15.74	-15.86	-9.88	/	Pass
				RU52+26	Right	-16.45	-16.62	-16.82	-16.36	-10.63	/	Pass
				2xRU996	Left	-17.89	-17.89	-18.49	-18.13	-12.43	/	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233114

Page: 298 of 403

4.1.2 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	RU52	Left	-11.28	-11.60	-12.20	-11.96	-5.73	<=-5	Pass
				RU52+26	Left	-11.11	-11.61	-11.64	-11.55	-5.45	<=-5	Pass
				RU242	Left	-10.73	-11.90	-12.10	-11.16	-5.42	<=-5	Pass
			6175	RU52	Mid	-10.53	-11.24	-11.96	-11.47	-5.25	<=-5	Pass
				RU52+26	Right	-12.05	-12.93	-13.84	-12.91	-6.87	<=-5	Pass
				RU242	Left	-11.90	-12.46	-13.36	-13.12	-6.65	<=-5	Pass
			6415	RU52	Right	-11.92	-11.14	-12.26	-11.37	-5.63	<=-5	Pass
				RU52+26	Right	-11.39	-10.70	-12.07	-10.96	-5.23	<=-5	Pass
				RU242	Left	-12.07	-11.01	-12.04	-11.26	-5.55	<=-5	Pass
	802.11ax (HEW40)	MIMO	5965	RU52	Left	-11.11	-11.79	-12.09	-11.81	-5.66	<=-5	Pass
				RU52+26	Left	-10.72	-11.82	-11.94	-11.36	-5.41	<=-5	Pass
				RU484	Left	-11.20	-12.26	-12.70	-11.97	-5.98	<=-5	Pass
			6165	RU52	Mid	-10.38	-11.40	-11.82	-11.48	-5.22	<=-5	Pass
				RU52+26	Mid	-11.29	-11.89	-12.56	-11.87	-5.86	<=-5	Pass
				RU484	Left	-12.72	-13.01	-13.85	-13.86	-7.31	<=-5	Pass
			6405	RU52	Right	-11.76	-11.57	-12.28	-11.65	-5.79	<=-5	Pass
				RU52+26	Right	-11.43	-11.18	-12.04	-11.61	-5.53	<=-5	Pass
				RU484	Left	-13.13	-12.15	-13.05	-12.03	-6.54	<=-5	Pass
	802.11ax (HEW80)	MIMO	5985	RU52	Left	-10.92	-11.90	-12.31	-12.17	-5.77	<=-5	Pass
				RU52+26	Left	-10.92	-11.76	-11.98	-11.97	-5.61	<=-5	Pass
				RU996	Left	-11.15	-13.57	-13.39	-12.98	-6.64	<=-5	Pass
			6145	RU52	Mid	-10.68	-12.31	-13.29	-12.00	-5.95	<=-5	Pass
				RU52+26	Mid	-10.27	-11.61	-13.13	-11.66	-5.53	<=-5	Pass
				RU996	Left	-11.75	-12.20	-12.91	-13.15	-6.45	<=-5	Pass
			6385	RU52	Right	-11.85	-11.75	-12.10	-11.72	-5.83	<=-5	Pass
				RU52+26	Right	-11.79	-11.59	-11.95	-11.59	-5.71	<=-5	Pass
				RU996	Left	-12.36	-12.51	-13.23	-12.27	-6.56	<=-5	Pass
	802.11ax (HEW160)	MIMO	6025	RU52	Left	-12.55	-11.33	-12.63	-12.98	-6.31	<=-5	Pass
				RU52+26	Left	-13.01	-12.04	-13.77	-13.72	-7.06	<=-5	Pass
				2xRU996	Left	-12.97	-14.48	-15.13	-14.75	-8.23	<=-5	Pass
			6185	RU52	Mid	-10.61	-11.72	-12.41	-10.95	-5.35	<=-5	Pass
				RU52+26	Mid	-10.77	-12.22	-12.80	-12.23	-5.92	<=-5	Pass
				2xRU996	Left	-13.55	-14.40	-14.40	-14.96	-8.28	<=-5	Pass
			6345	RU52	Right	-10.86	-10.93	-11.56	-11.36	-5.15	<=-5	Pass
				RU52+26	Right	-11.92	-11.92	-12.64	-11.86	-6.05	<=-5	Pass
				2xRU996	Left	-13.36	-13.19	-14.31	-13.63	-7.58	<=-5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233114

Page: 299 of 403

4.1.3 PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	RU52	Left	-14.99	-16.25	-17.20	-16.30	-10.47	/	Pass
				RU52+26	Left	-15.14	-15.78	-16.83	-16.27	-10.28	/	Pass
				RU242	Left	-15.07	-15.67	-16.26	-16.10	-10.18	/	Pass
			6695	RU52	Mid	-16.00	-16.04	-16.83	-16.86	-10.69	/	Pass
				RU52+26	Right	-16.06	-15.41	-16.28	-15.88	-10.23	/	Pass
				RU242	Left	-15.83	-15.23	-15.58	-16.22	-10.05	/	Pass
			6855	RU52	Right	-16.56	-16.20	-15.60	-16.33	-10.44	/	Pass
				RU52+26	Right	-16.14	-15.82	-15.29	-15.89	-10.14	/	Pass
				RU242	Left	-15.93	-15.93	-15.24	-16.07	-10.11	/	Pass
	802.11ax (HEW40)	MIMO	6565	RU52	Left	-15.91	-16.47	-17.41	-16.96	-10.98	/	Pass
				RU52+26	Left	-15.64	-16.34	-16.61	-16.48	-10.43	/	Pass
				RU484	Left	-16.18	-17.12	-17.17	-17.73	-11.40	/	Pass
			6685	RU52	Mid	-16.07	-16.13	-16.80	-16.75	-10.58	/	Pass
				RU52+26	Mid	-15.75	-15.79	-16.14	-16.15	-10.25	/	Pass
				RU484	Left	-16.34	-15.49	-16.29	-16.67	-10.46	/	Pass
			6845	RU52	Right	-16.31	-16.50	-15.44	-16.26	-10.25	/	Pass
				RU52+26	Right	-15.96	-15.93	-15.19	-15.96	-9.95	/	Pass
				RU484	Left	-16.74	-17.09	-15.98	-17.06	-10.99	/	Pass
	802.11ax (HEW80)	MIMO	6625	RU52	Left	-15.99	-16.53	-17.49	-17.34	-11.01	/	Pass
				RU52+26	Left	-15.89	-16.05	-16.92	-16.76	-10.53	/	Pass
				RU996	Left	-16.23	-16.21	-17.14	-16.87	-10.94	/	Pass
			6705	RU52	Mid	-16.17	-16.19	-16.30	-16.67	-10.62	/	Pass
				RU52+26	Mid	-15.69	-15.94	-16.19	-16.90	-10.41	/	Pass
				RU996	Left	-15.94	-15.70	-16.00	-16.65	-10.42	/	Pass
			6785	RU52	Right	-15.77	-15.84	-14.95	-17.31	-10.22	/	Pass
				RU52+26	Right	-15.50	-15.78	-15.20	-16.78	-9.84	/	Pass
				RU996	Left	-16.50	-16.13	-16.15	-16.67	-10.70	/	Pass
	802.11ax (HEW160)	MIMO	6665	RU52	Right	-16.87	-16.45	-16.74	-17.40	-11.10	/	Pass
				RU52+26	Right	-16.83	-16.39	-16.44	-17.06	-10.92	/	Pass
				2xRU996	Left	-17.64	-17.42	-18.11	-18.64	-12.34	/	Pass

4.1.4 E.I.R.PSD

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	RU52	Left	-10.90	-11.13	-12.87	-11.22	-5.44	<=-5	Pass
				RU52+26	Left	-11.05	-10.66	-12.50	-11.19	-5.28	<=-5	Pass
				RU242	Left	-10.98	-10.55	-11.93	-11.02	-5.07	<=-5	Pass
			6695	RU52	Mid	-11.91	-10.92	-12.50	-11.78	-5.72	<=-5	Pass
				RU52+26	Right	-11.97	-10.29	-11.95	-10.80	-5.17	<=-5	Pass
				RU242	Left	-11.74	-10.11	-11.25	-11.14	-5.00	<=-5	Pass
			6855	RU52	Right	-12.47	-11.08	-11.27	-11.25	-5.46	<=-5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233114

Page: 300 of 403

				RU52+26	Right	-12.05	-10.70	-10.96	-10.81	-5.08	<=-5	Pass
				RU242	Left	-11.84	-10.81	-10.91	-10.99	-5.10	<=-5	Pass
	802.11ax (HEW40)	MIMO	6565	RU52	Left	-11.82	-11.35	-13.08	-11.88	-5.97	<=-5	Pass
				RU52+26	Left	-11.55	-11.22	-12.28	-11.40	-5.57	<=-5	Pass
				RU484	Left	-12.09	-12.00	-12.84	-12.65	-6.36	<=-5	Pass
			6685	RU52	Mid	-11.98	-11.01	-12.47	-11.67	-5.73	<=-5	Pass
				RU52+26	Mid	-11.66	-10.67	-11.81	-11.07	-5.26	<=-5	Pass
				RU484	Left	-12.25	-10.37	-11.96	-11.59	-5.46	<=-5	Pass
			6845	RU52	Right	-12.22	-11.38	-11.11	-11.18	-5.43	<=-5	Pass
				RU52+26	Right	-11.87	-10.81	-10.86	-10.88	-5.06	<=-5	Pass
				RU484	Left	-12.65	-11.97	-11.65	-11.98	-6.03	<=-5	Pass
	802.11ax (HEW80)	MIMO	6625	RU52	Left	-11.90	-11.41	-13.16	-12.26	-6.12	<=-5	Pass
				RU52+26	Left	-11.80	-10.93	-12.59	-11.68	-5.69	<=-5	Pass
				RU996	Left	-12.14	-11.09	-12.81	-11.79	-5.89	<=-5	Pass
			6705	RU52	Mid	-12.08	-11.07	-11.97	-11.59	-5.64	<=-5	Pass
				RU52+26	Mid	-11.60	-10.82	-11.86	-11.82	-5.48	<=-5	Pass
				RU996	Left	-11.85	-10.58	-11.67	-11.57	-5.37	<=-5	Pass
			6785	RU52	Right	-11.68	-10.72	-10.62	-12.23	-5.24	<=-5	Pass
				RU52+26	Right	-11.41	-10.66	-10.87	-11.70	-5.12	<=-5	Pass
				RU996	Left	-12.41	-11.01	-11.82	-11.59	-5.66	<=-5	Pass
	802.11ax (HEW160)	MIMO	6665	RU52	Right	-12.78	-11.33	-12.41	-12.32	-6.16	<=-5	Pass
				RU52+26	Right	-12.74	-11.27	-12.11	-11.98	-5.97	<=-5	Pass
				2xRU996	Left	-13.55	-12.30	-13.78	-13.56	-7.24	<=-5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233114

Page: 301 of 403

TPC_L:

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	RU52	Left	-21.56	-22.31	-21.95	-20.57	-15.86	/	Pass
				RU106	Left	-22.03	-22.81	-21.94	-20.94	-16.09	/	Pass
				RU242	Left	-22.56	-23.61	-23.28	-21.90	-17.16	/	Pass
			6175	RU52	Mid	-22.23	-23.97	-22.15	-22.30	-16.88	/	Pass
				RU106	Right	-21.89	-24.27	-22.05	-21.93	-16.70	/	Pass
				RU242	Left	-22.37	-24.46	-22.14	-22.35	-16.88	/	Pass
			6415	RU52	Right	-21.98	-23.78	-21.38	-21.93	-16.34	/	Pass
				RU106	Right	-22.44	-24.29	-21.61	-21.97	-16.72	/	Pass
				RU242	Left	-21.19	-21.09	-22.10	-22.01	-15.86	/	Pass
	802.11ax (HEW40)	MIMO	5965	RU52	Left	-21.87	-22.99	-21.96	-20.87	-16.13	/	Pass
				RU106	Left	-21.47	-22.65	-22.06	-21.12	-16.01	/	Pass
				RU484	Left	-21.19	-21.99	-21.86	-22.26	-16.06	/	Pass
			6165	RU52	Mid	-21.75	-23.36	-22.06	-21.52	-16.27	/	Pass
				RU106	Mid	-21.70	-23.47	-21.61	-21.36	-16.37	/	Pass
				RU484	Left	-21.45	-21.25	-22.21	-22.14	-16.14	/	Pass
			6405	RU52	Right	-21.58	-23.69	-21.40	-21.64	-16.19	/	Pass
				RU106	Right	-21.69	-23.84	-21.75	-21.82	-16.44	/	Pass
				RU484	Left	-21.62	-21.52	-22.34	-22.20	-16.32	/	Pass
	802.11ax (HEW80)	MIMO	5985	RU52	Left	-21.43	-23.29	-21.81	-20.57	-15.94	/	Pass
				RU106	Left	-21.53	-22.38	-21.83	-20.77	-15.88	/	Pass
				RU996	Left	-20.79	-22.41	-21.71	-21.86	-16.10	/	Pass
			6145	RU52	Mid	-21.30	-23.80	-21.42	-20.65	-15.90	/	Pass
				RU106	Mid	-21.10	-23.82	-21.89	-21.04	-16.28	/	Pass
				RU996	Left	-20.54	-21.37	-22.62	-21.95	-16.03	/	Pass
			6385	RU52	Right	-21.93	-23.83	-21.78	-21.77	-16.45	/	Pass
				RU106	Right	-22.20	-23.48	-21.86	-21.92	-16.47	/	Pass
				RU996	Left	-21.74	-21.31	-22.46	-22.04	-16.40	/	Pass
	802.11ax (HEW160)	MIMO	6025	RU52	Left	-23.04	-23.51	-21.36	-21.87	-16.43	/	Pass
				RU106	Left	-22.69	-23.25	-21.93	-22.11	-16.53	/	Pass
				2xRU996	Left	-20.69	-21.36	-22.32	-22.88	-16.23	/	Pass
			6185	RU52	Mid	-21.26	-22.96	-20.96	-21.16	-15.61	/	Pass
				RU106	Mid	-21.84	-23.39	-21.68	-21.31	-16.29	/	Pass
				2xRU996	Left	-21.29	-21.51	-22.12	-22.02	-16.19	/	Pass
			6345	RU52	Right	-21.23	-23.35	-21.03	-21.41	-15.84	/	Pass
				RU106	Right	-21.43	-23.10	-21.27	-21.26	-15.86	/	Pass
				2xRU996	Left	-21.89	-21.50	-22.72	-22.06	-16.53	/	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233114

Page: 302 of 403

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	5955	RU52	Left	-17.03	-17.61	-17.77	-16.07	-11.05	<=-5	Pass
				RU106	Left	-17.50	-18.11	-17.76	-16.44	-11.39	<=-5	Pass
				RU242	Left	-18.03	-18.91	-19.10	-17.40	-12.28	<=-5	Pass
			6175	RU52	Mid	-17.70	-19.27	-17.97	-17.80	-12.12	<=-5	Pass
				RU106	Right	-17.36	-19.57	-17.87	-17.43	-11.95	<=-5	Pass
				RU242	Left	-17.84	-19.76	-17.96	-17.85	-12.26	<=-5	Pass
			6415	RU52	Right	-17.45	-19.08	-17.20	-17.43	-11.71	<=-5	Pass
				RU106	Right	-17.91	-19.59	-17.43	-17.47	-12.00	<=-5	Pass
				RU242	Left	-16.66	-16.39	-17.92	-17.51	-11.06	<=-5	Pass
	802.11ax (HEW40)	MIMO	5965	RU52	Left	-17.34	-18.29	-17.78	-16.37	-11.37	<=-5	Pass
				RU106	Left	-16.94	-17.95	-17.88	-16.62	-11.29	<=-5	Pass
				RU484	Left	-16.66	-17.29	-17.68	-17.76	-11.30	<=-5	Pass
			6165	RU52	Mid	-17.22	-18.66	-17.88	-17.02	-11.63	<=-5	Pass
				RU106	Mid	-17.17	-18.77	-17.43	-16.86	-11.48	<=-5	Pass
				RU484	Left	-16.92	-16.55	-18.03	-17.64	-11.23	<=-5	Pass
			6405	RU52	Right	-17.05	-18.99	-17.22	-17.14	-11.51	<=-5	Pass
				RU106	Right	-17.16	-19.14	-17.57	-17.32	-11.71	<=-5	Pass
				RU484	Left	-17.09	-16.82	-18.16	-17.70	-11.39	<=-5	Pass
	802.11ax (HEW80)	MIMO	5985	RU52	Left	-16.90	-18.59	-17.63	-16.07	-11.18	<=-5	Pass
				RU106	Left	-17.00	-17.68	-17.65	-16.27	-11.09	<=-5	Pass
				RU996	Left	-16.26	-17.71	-17.53	-17.36	-11.16	<=-5	Pass
			6145	RU52	Mid	-16.77	-19.10	-17.24	-16.15	-11.16	<=-5	Pass
				RU106	Mid	-16.57	-19.12	-17.71	-16.54	-11.34	<=-5	Pass
				RU996	Left	-16.01	-16.67	-18.44	-17.45	-11.03	<=-5	Pass
			6385	RU52	Right	-17.40	-19.13	-17.60	-17.27	-11.77	<=-5	Pass
				RU106	Right	-17.67	-18.78	-17.68	-17.42	-11.84	<=-5	Pass
				RU996	Left	-17.21	-16.61	-18.28	-17.54	-11.35	<=-5	Pass
	802.11ax (HEW160)	MIMO	6025	RU52	Left	-18.51	-18.81	-17.18	-17.37	-11.89	<=-5	Pass
				RU106	Left	-18.16	-18.55	-17.75	-17.61	-11.98	<=-5	Pass
				2xRU996	Left	-16.16	-16.66	-18.14	-18.38	-11.21	<=-5	Pass
			6185	RU52	Mid	-16.73	-18.26	-16.78	-16.66	-11.04	<=-5	Pass
				RU106	Mid	-17.31	-18.69	-17.50	-16.81	-11.50	<=-5	Pass
				2xRU996	Left	-16.76	-16.81	-17.94	-17.52	-11.21	<=-5	Pass
			6345	RU52	Right	-16.70	-18.65	-16.85	-16.91	-11.19	<=-5	Pass
				RU106	Right	-16.90	-18.40	-17.09	-16.76	-11.22	<=-5	Pass
				2xRU996	Left	-17.36	-16.80	-18.54	-17.56	-11.50	<=-5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233114

Page: 303 of 403

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	RU52	Left	-22.66	-23.11	-22.34	-21.69	-16.67	/	Pass
				RU106	Left	-22.44	-23.17	-22.19	-22.00	-16.65	/	Pass
				RU242	Left	-22.25	-23.07	-21.73	-21.97	-16.60	/	Pass
			6695	RU52	Mid	-22.06	-22.65	-21.25	-22.24	-16.37	/	Pass
				RU106	Right	-22.62	-22.92	-22.16	-23.20	-16.96	/	Pass
				RU242	Left	-22.46	-22.82	-21.70	-22.81	-16.78	/	Pass
			6855	RU52	Right	-21.79	-21.81	-21.82	-21.70	-16.14	/	Pass
				RU106	Right	-21.93	-22.43	-21.93	-22.04	-16.34	/	Pass
				RU242	Left	-21.83	-22.20	-21.75	-21.85	-16.25	/	Pass
	802.11ax (HEW40)	MIMO	6565	RU52	Left	-22.61	-22.45	-21.23	-22.20	-16.44	/	Pass
				RU106	Left	-23.01	-22.99	-22.14	-22.43	-16.96	/	Pass
				RU484	Left	-21.72	-22.57	-20.89	-22.06	-16.10	/	Pass
			6685	RU52	Mid	-22.84	-22.90	-21.39	-22.80	-16.74	/	Pass
				RU106	Mid	-23.11	-23.48	-21.91	-23.24	-17.17	/	Pass
				RU484	Left	-22.06	-22.59	-21.47	-22.58	-16.53	/	Pass
			6845	RU52	Right	-22.12	-21.88	-23.08	-21.96	-16.51	/	Pass
				RU106	Right	-22.27	-22.15	-22.03	-21.97	-16.39	/	Pass
				RU484	Left	-22.69	-22.56	-22.58	-22.69	-16.94	/	Pass
	802.11ax (HEW80)	MIMO	6625	RU52	Left	-22.09	-22.55	-21.17	-21.75	-16.09	/	Pass
				RU106	Left	-22.24	-22.33	-20.77	-21.87	-15.99	/	Pass
				RU996	Left	-22.78	-22.81	-21.67	-22.93	-16.90	/	Pass
			6705	RU52	Mid	-22.16	-22.10	-20.66	-22.47	-16.12	/	Pass
				RU106	Mid	-22.53	-22.67	-20.93	-22.48	-16.32	/	Pass
				RU996	Left	-21.94	-22.28	-21.10	-22.23	-16.32	/	Pass
			6785	RU52	Right	-24.75	-22.07	-23.11	-21.98	-17.06	/	Pass
				RU106	Right	-23.01	-21.92	-22.01	-21.82	-16.31	/	Pass
				RU996	Left	-22.77	-21.93	-21.66	-22.02	-16.52	/	Pass
	802.11ax (HEW160)	MIMO	6665	RU52	Right	-22.80	-22.84	-21.21	-22.71	-16.42	/	Pass
				RU106	Right	-22.45	-22.48	-21.55	-22.43	-16.33	/	Pass
				2xRU996	Left	-22.65	-22.89	-21.71	-22.78	-16.94	/	Pass

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum E.I.R.PSD (dBm/MHz)						Verdict
						ANT1	ANT2	ANT3	ANT4	MIMO	Limit	
NTNV	802.11ax (HEW20)	MIMO	6535	RU52	Left	-18.57	-17.99	-18.01	-16.61	-11.71	<=-5	Pass
				RU106	Left	-18.35	-18.05	-17.86	-16.92	-11.74	<=-5	Pass
				RU242	Left	-18.16	-17.95	-17.40	-16.89	-11.55	<=-5	Pass
			6695	RU52	Mid	-17.97	-17.53	-16.92	-17.16	-11.36	<=-5	Pass
				RU106	Right	-18.53	-17.80	-17.83	-18.12	-12.04	<=-5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 Shenzhen Branch (SZEMC) Testing Laboratory. 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR230700233114

Page: 304 of 403

				RU242	Left	-18.37	-17.70	-17.37	-17.73	-11.76	<=-5	Pass
				RU52	Right	-17.70	-16.69	-17.49	-16.62	-11.08	<=-5	Pass
			6855	RU106	Right	-17.84	-17.31	-17.60	-16.96	-11.39	<=-5	Pass
				RU242	Left	-17.74	-17.08	-17.42	-16.77	-11.22	<=-5	Pass
	802.11ax (HEW40)	MIMO	6565	RU52	Left	-18.52	-17.33	-16.90	-17.12	-11.40	<=-5	Pass
				RU106	Left	-18.92	-17.87	-17.81	-17.35	-11.93	<=-5	Pass
				RU484	Left	-17.63	-17.45	-16.56	-16.98	-11.11	<=-5	Pass
			6685	RU52	Mid	-18.75	-17.78	-17.06	-17.72	-11.77	<=-5	Pass
				RU106	Mid	-19.02	-18.36	-17.58	-18.16	-12.23	<=-5	Pass
				RU484	Left	-17.97	-17.47	-17.14	-17.50	-11.49	<=-5	Pass
			6845	RU52	Right	-18.03	-16.76	-18.75	-16.88	-11.51	<=-5	Pass
				RU106	Right	-18.18	-17.03	-17.70	-16.89	-11.40	<=-5	Pass
				RU484	Left	-18.60	-17.44	-18.25	-17.61	-11.93	<=-5	Pass
	802.11ax (HEW80)	MIMO	6625	RU52	Left	-18.00	-17.43	-16.84	-16.67	-11.18	<=-5	Pass
				RU106	Left	-18.15	-17.21	-16.44	-16.79	-11.08	<=-5	Pass
				RU996	Left	-18.69	-17.69	-17.34	-17.85	-11.84	<=-5	Pass
			6705	RU52	Mid	-18.07	-16.98	-16.33	-17.39	-11.13	<=-5	Pass
				RU106	Mid	-18.44	-17.55	-16.60	-17.40	-11.43	<=-5	Pass
				RU996	Left	-17.85	-17.16	-16.77	-17.15	-11.19	<=-5	Pass
			6785	RU52	Right	-20.66	-16.95	-18.78	-16.90	-12.05	<=-5	Pass
				RU106	Right	-18.92	-16.80	-17.68	-16.74	-11.43	<=-5	Pass
				RU996	Left	-18.68	-16.81	-17.33	-16.94	-11.36	<=-5	Pass
	802.11ax (HEW160)	MIMO	6665	RU52	Right	-18.71	-17.72	-16.88	-17.63	-11.67	<=-5	Pass
				RU106	Right	-18.36	-17.36	-17.22	-17.35	-11.53	<=-5	Pass
				2xRU996	Left	-18.56	-17.77	-17.38	-17.70	-11.81	<=-5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.2 Test Graph


4.2.1 PSD




802.11ax(HEW20) LCH 5955MHz RU242 Left MIMO NTN




802.11ax(HEW20) MCH 6175MHz RU52 Mid MIMO NTN



802.11ax(HEW20) MCH 6175MHz RU52+26 Right MIMO NTN




802.11ax(HEW20) MCH 6175MHz RU242 Left MIMO NTN




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

802.11ax(HEW20) HCH 6415MHz RU52 Right MIMO NTN



802.11ax(HEW20) HCH 6415MHz RU52+26 Right MIMO NTN




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

802.11ax(HEW20) HCH_6415MHz RU242 Left MIMO NTN



802.11ax(HEW40) LCH_5965MHz RU52 Left MIMO NTN




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

802.11ax(HEW40) LCH 5965MHz RU52+26 Left MIMO NTN



802.11ax(HEW40) LCH 5965MHz RU484 Left MIMO NTN




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

802.11ax(HEW40)_MCH_6165MHz_RU52_Mid_MIMO_NTNV



802.11ax(HEW40)_MCH_6165MHz_RU52+26_Mid_MIMO_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com