



TEST REPORT

No.B20N00042-SAR

For

i.safe MOBILE GmbH

LTE SMARTPHONE

Model Name: M33A01

With

Hardware Version: V1.00

Software Version: LA6925(IS330)_IS330_EEA_1.0.0.0.0_1_

20200103_MultiDownload_ 202001101536_user

FCC ID: 2AACZ-M33A01

Issued Date: 2020-04-22

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

Test Laboratory:

SAICT, Shenzhen Academy of Information and Communications Technology

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518026.

Tel: +86(0)755-33322000, Fax: +86(0)755-33322001

Email: yewu@caict.ac.cn, www.saict.ac.cn



Picture 1: Front side of the sample



Picture 2: Back side of the sample

Test positions for Head:



Picture 3: Left Touch Position



Picture 4: Left Tilt 15° Position



Picture 5: Right Touch Position



Picture 6: Right Tilt 15° Position

Test positions for body:



Picture 7: Front Side (10mm)



Picture 8: Rear Side (10mm)



Picture 9: Left Side (10mm)



Picture 10: Right Side (10mm)



Picture 11: Top Side (10mm)



Picture 12: Bottom Side (10mm)



Picture 13: Front Side (15mm)



Picture 13: Rear Side (15mm)