




DUTY CYCLE TEST RESULT

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11A-CDD	Ant8	5180	2.09	2.11	99.05
	Ant9	5180	2.09	2.11	99.05
	Ant8	5260	2.10	2.12	99.06
	Ant9	5260	2.10	2.12	99.06
	Ant8	5500	2.10	2.12	99.06
	Ant9	5500	2.10	2.12	99.06
	Ant8	5745	2.09	2.11	99.05
	Ant9	5745	2.09	2.11	99.05
11N20MIMO	Ant8	5180	30.00	30.00	100.00
	Ant9	5180	5.43	5.45	99.63
	Ant8	5260	5.43	5.45	99.63
	Ant9	5260	5.42	5.44	99.63
	Ant8	5500	5.43	5.45	99.63
	Ant9	5500	5.43	5.44	99.82
	Ant8	5745	5.43	5.45	99.63
	Ant9	5745	5.43	5.45	99.63
11N40MIMO	Ant8	5190	5.43	5.44	99.82
	Ant9	5190	5.42	5.44	99.63
	Ant8	5270	5.43	5.45	99.63
	Ant9	5270	5.43	5.45	99.63
	Ant8	5510	5.43	5.45	99.63
	Ant9	5510	5.43	5.45	99.63
	Ant8	5755	5.43	5.45	99.63
	Ant9	5755	5.42	5.44	99.63
11AC80MIMO	Ant8	5210	5.43	5.45	99.63
	Ant9	5210	5.42	5.44	99.63
	Ant8	5290	5.42	5.44	99.63
	Ant9	5290	5.43	5.45	99.63
	Ant8	5530	5.43	5.45	99.63
	Ant9	5530	5.43	5.45	99.63
	Ant8	5775	5.43	5.45	99.63
	Ant9	5775	5.42	5.44	99.63
11AX20MIMO	Ant8	5180	5.44	5.46	99.63
	Ant9	5180	5.45	5.47	99.63
	Ant8	5260	5.44	5.46	99.63
	Ant9	5260	5.45	5.47	99.63
	Ant8	5500	5.45	5.47	99.63
	Ant9	5500	5.44	5.46	99.63
	Ant8	5745	5.45	5.46	99.82
	Ant9	5745	5.44	5.46	99.63
11AX40MIMO	Ant8	5190	5.45	5.46	99.82
	Ant9	5190	5.45	5.47	99.63
	Ant8	5270	5.44	5.46	99.63
	Ant9	5270	5.44	5.46	99.63





BUREAU
VERITAS

Reference No.: W7L-P24030018RF03

	Ant8	5510	5.45	5.47	99.63
	Ant9	5510	5.45	5.46	99.82
	Ant8	5755	4.10	4.14	99.03
	Ant9	5755	4.10	4.14	99.03
11AX80MIMO	Ant8	5210	2.22	2.24	99.11
	Ant9	5210	2.22	2.24	99.11
	Ant8	5290	2.33	2.36	98.73
	Ant9	5290	2.33	2.37	98.31
	Ant8	5530	2.33	2.37	98.31
	Ant9	5530	2.33	2.36	98.73
	Ant8	5775	2.33	2.36	98.73
	Ant9	5775	2.33	2.37	98.31

TEST GRAPHS








Reference No.: W7L-P24030018RF03






Reference No.: W7L-P24030018RF03



11A-CDD Ant9 5745




11N20MIMO Ant8 5180



BUREAU
VERITAS


Reference No.: W7L-P24030018RF03






BUREAU
VERITAS

Reference No.: W7L-P24030018RF03



11N20MIMO Ant9 5260




11N20MIMO Ant8 5500




BUREAU
VERITAS

Reference No.: W7L-P24030018RF03



11N20MIMO Ant9 5500




11N20MIMO Ant8 5745




BUREAU
VERITAS


Reference No.: W7L-P24030018RF03



11N20MIMO Ant9 5745




11N40MIMO Ant8 5190






Reference No.: W7L-P24030018RF03



11N40MIMO Ant9 5270




11N40MIMO Ant8 5510




BUREAU
VERITAS


Reference No.: W7L-P24030018RF03



11N40MIMO Ant9 5510




11N40MIMO Ant8 5755






BUREAU
VERITAS



Reference No.: W7L-P24030018RF03



11AC80MIMO_Ant9_5290




11AC80MIMO_Ant8_5530






Reference No.: W7L-P24030018RF03








Reference No.: W7L-P24030018RF03



11AX20MIMO_Ant9_5260




11AX20MIMO_Ant8_5500




BUREAU
VERITAS


Reference No.: W7L-P24030018RF03



11AX20MIMO_Ant9_5500




11AX20MIMO_Ant8_5745






BUREAU
VERITAS


Reference No.: W7L-P24030018RF03



11AX40MIMO_Ant9_5270




11AX40MIMO_Ant8_5510






Reference No.: W7L-P24030018RF03






BUREAU
VERITAS

Reference No.: W7L-P24030018RF03



11AX80MIMO_Ant9_5210




11AX80MIMO_Ant8_5290




BUREAU
VERITAS


Reference No.: W7L-P24030018RF03




11AX80MIMO_Ant9_5290



11AX80MIMO_Ant8_5530





MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT CHANNEL POWER

BV Power Table For U-NII-1										
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5180	Ant8	11.82	≤24.00	----	11.62	≤22.20	Pass	13
			Ant9	10.43	≤24.00	----	10.23	≤22.20	Pass	13
			Total	14.19	≤24.00	----	13.99	≤22.20	Pass	13
		5200	Ant8	11.77	≤24.00	----	11.57	≤22.19	Pass	13
			Ant9	10.50	≤24.00	----	10.30	≤22.19	Pass	13
			Total	14.19	≤24.00	----	13.99	≤22.19	Pass	13
		5240	Ant8	11.82	≤24.00	----	11.62	≤22.19	Pass	13
			Ant9	11.12	≤24.00	----	10.92	≤22.19	Pass	13
			Total	14.49	≤24.00	----	14.29	≤22.19	Pass	13
11N20	MIMO	5180	Ant8	9.60	≤24.00	----	9.40	≤22.52	Pass	11
			Ant9	8.14	≤24.00	----	7.94	≤22.52	Pass	11
			Total	11.94	≤24.00	----	11.74	≤22.52	Pass	11
		5200	Ant8	9.65	≤24.00	----	9.45	≤22.52	Pass	11
			Ant9	8.31	≤24.00	----	8.11	≤22.52	Pass	11
			Total	12.04	≤24.00	----	11.8	≤22.5	Pass	11

			I				4	2		
		5240	Ant8	10.01	≤ 24.00	----	9.81	≤ 22.5 2	Pass	11
			Ant9	8.41	≤ 24.00	----	8.21	≤ 22.5 2	Pass	11
			Tota I	12.29	≤ 24.00	----	12.0 9	≤ 22.5 2	Pass	11
11N40	MIM O	5190	Ant8	9.72	≤ 24.00	----	9.52	≤ 23.0 1	Pass	11
			Ant9	8.43	≤ 24.00	----	8.23	≤ 23.0 1	Pass	11
			Tota I	12.13	≤ 24.00	----	11.9 3	≤ 23.0 1	Pass	11
		5230	Ant8	10.15	≤ 24.00	----	9.95	≤ 23.0 1	Pass	11
			Ant9	8.64	≤ 24.00	----	8.44	≤ 23.0 1	Pass	11
			Tota I	12.47	≤ 24.00	----	12.2 7	≤ 23.0 1	Pass	11
11AC20	MIM O	5180	Ant8	8.60	≤ 24.00	----	8.40	≤ 22.5 2	Pass	10
			Ant9	7.41	≤ 24.00	----	7.21	≤ 22.5 2	Pass	10
			Tota I	11.06	≤ 24.00	----	10.8 6	≤ 22.5 2	Pass	10
		5200	Ant8	8.64	≤ 24.00	----	8.44	≤ 22.5 2	Pass	10
			Ant9	7.58	≤ 24.00	----	7.38	≤ 22.5 2	Pass	10
			Tota I	11.15	≤ 24.00	----	10.9 5	≤ 22.5 2	Pass	10
		5240	Ant8	8.92	≤ 24.00	----	8.72	≤ 22.5 2	Pass	10
			Ant9	7.87	≤ 24.00	----	7.67	≤ 22.5 2	Pass	10
			Tota I	11.44	≤ 24.00	----	11.2 4	≤ 22.5 2	Pass	10
11AC40	MIM O	5190	Ant8	8.62	≤ 24.00	----	8.42	≤ 23.0 1	Pass	10
			Ant9	7.28	≤ 24.00	----	7.08	≤ 23.0 1	Pass	10

		5230	Tota I	11.01	≤24.00	----	10.8 1	≤23.0 1	Pass	10
			Ant8	9.18	≤24.00	----	8.98	≤23.0 1	Pass	10
			Ant9	7.54	≤24.00	----	7.34	≤23.0 1	Pass	10
			Tota I	11.45	≤24.00	----	11.2 5	≤23.0 1	Pass	10
11AC80	MIM O	5210	Ant8	8.02	≤24.00	----	7.82	≤23.0 1	Pass	9
			Ant9	6.59	≤24.00	----	6.39	≤23.0 1	Pass	9
			Tota I	10.37	≤24.00	----	10.1 7	≤23.0 1	Pass	9
11AX20	MIM O	5180	Ant8	8.58	≤24.00	----	8.38	≤22.7 9	Pass	10
			Ant9	7.38	≤24.00	----	7.18	≤22.7 9	Pass	10
			Tota I	11.03	≤24.00	----	10.8 3	≤22.7 9	Pass	10
		5200	Ant8	8.57	≤24.00	----	8.37	≤22.7 9	Pass	10
			Ant9	7.51	≤24.00	----	7.31	≤22.7 9	Pass	10
			Tota I	11.08	≤24.00	----	10.8 8	≤22.7 9	Pass	10
		5240	Ant8	8.83	≤24.00	----	8.63	≤22.7 9	Pass	10
			Ant9	7.81	≤24.00	----	7.61	≤22.7 9	Pass	10
			Tota I	11.36	≤24.00	----	11.1 6	≤22.7 9	Pass	10
11AX40	MIM O	5190	Ant8	8.58	≤24.00	----	8.38	≤23.0 1	Pass	10
			Ant9	7.25	≤24.00	----	7.05	≤23.0 1	Pass	10
			Tota I	10.98	≤24.00	----	10.7 8	≤23.0 1	Pass	10
		5230	Ant8	9.11	≤24.00	----	8.91	≤23.0 1	Pass	10
			Ant9	7.50	≤24.00	----	7.30	≤23.0	Pass	10

			Tota I	11.39	≤24.00	----	11.1 9	≤23.0 1	Pass	10
11AX80	MIM O	5210	Ant8	8.20	≤24.00	----	8.00	≤23.0 1	Pass	9
			Ant9	6.87	≤24.00	----	6.67	≤23.0 1	Pass	9
			Tota I	10.60	≤24.00	----	10.4 0	≤23.0 1	Pass	9
Tx 11ax20 5G_FULL_R U	MIM O	5180	Ant8	8.54	≤24.00	----	8.34	≤22.7 9	Pass	10
			Ant9	7.30	≤24.00	----	7.10	≤22.7 9	Pass	10
			Tota I	10.97	≤24.00	----	10.7 7	≤22.7 9	Pass	10
		5200	Ant8	8.48	≤24.00	----	8.28	≤22.7 9	Pass	10
			Ant9	7.50	≤24.00	----	7.30	≤22.7 9	Pass	10
			Tota I	11.03	≤24.00	----	10.8 3	≤22.7 9	Pass	10
		5240	Ant8	8.78	≤24.00	----	8.58	≤22.7 9	Pass	10
			Ant9	7.73	≤24.00	----	7.53	≤22.7 9	Pass	10
			Tota I	11.30	≤24.00	----	11.1 0	≤22.7 9	Pass	10
Tx 11ax40 5G_FULL_R U	MIM O	5190	Ant8	8.50	≤24.00	----	8.30	≤23.0 1	Pass	10
			Ant9	7.16	≤24.00	----	6.96	≤23.0 1	Pass	10
			Tota I	10.89	≤24.00	----	10.6 9	≤23.0 1	Pass	10
		5230	Ant8	9.09	≤24.00	----	8.89	≤23.0 1	Pass	10
			Ant9	7.41	≤24.00	----	7.21	≤23.0 1	Pass	10
			Tota I	11.34	≤24.00	----	11.1 4	≤23.0 1	Pass	10
Tx 11ax80 5G_FULL_R	MIM O	5210	Ant8	8.12	≤24.00	----	7.92	≤23.0 1	Pass	9



Reference No.: W7L-P24030018RF03

U			Ant9	6.79	≤24.00	----	6.59	≤23.0 1	Pass	9
			Total	10.52	≤24.00	----	10.3 2	≤23.0 1	Pass	9

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For_U-NII-2A											
Test Mode	Tx Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5260	Ant8	9.92	≤24.00	≤23.19	9.72	≤30.00	≤29.19	Pass	13
			Ant9	8.87	≤24.00	≤23.19	8.67	≤30.00	≤29.19	Pass	13
			Total	12.44	≤24.00	≤23.19	12.24	≤30.00	≤29.19	Pass	13
		5300	Ant8	11.71	≤24.00	≤23.20	11.51	≤30.00	≤29.20	Pass	13
			Ant9	11.05	≤24.00	≤23.20	10.85	≤30.00	≤29.20	Pass	13
			Total	14.40	≤24.00	≤23.20	14.20	≤30.00	≤29.20	Pass	13
		5320	Ant8	11.71	≤24.00	≤23.20	11.51	≤30.00	≤29.20	Pass	13
			Ant9	11.09	≤24.00	≤23.20	10.89	≤30.00	≤29.20	Pass	13
			Total	14.42	≤24.00	≤23.20	14.22	≤30.00	≤29.20	Pass	13
11N20	MIMO	5260	Ant8	9.81	≤24.00	≤23.50	9.61	≤30.00	≤29.51	Pass	11
			Ant9	8.69	≤24.00	≤23.50	8.49	≤30.00	≤29.51	Pass	11
			Total	12.30	≤24.00	≤23.50	12.10	≤30.00	≤29.51	Pass	11
		5300	Ant8	9.53	≤24.00	≤23.50	9.33	≤30.00	≤29.51	Pass	11
			Ant9	8.63	≤24.00	≤23.50	8.43	≤30.00	≤29.51	Pass	11
			Total	12.11	≤24.00	≤23.50	11.91	≤30.00	≤29.51	Pass	11
		5320	Ant8	9.61	≤24.00	≤23.50	9.41	≤30.00	≤29.51	Pass	11
			Ant9	8.83	≤24.00	≤23.50	8.63	≤30.00	≤29.51	Pass	11
			Total	12.25	≤24.00	≤23.50	12.05	≤30.00	≤29.51	Pass	11
11N40	MIMO	5270	Ant8	9.85	≤24.00	≤24.00	9.65	≤30.00	≤30.00	Pass	11
			Ant9	8.85	≤24.00	≤24.00	8.65	≤30.00	≤30.00	Pass	11
			Total	12.39	≤24.00	≤24.00	12.19	≤30.00	≤30.00	Pass	11
		5310	Ant8	9.72	≤24.00	≤24.00	9.52	≤30.00	≤30.00	Pass	11
			Ant9	8.99	≤24.00	≤24.00	8.79	≤30.00	≤30.00	Pass	11
			Total	12.38	≤24.00	≤24.00	12.18	≤30.00	≤30.00	Pass	11
11AC20	MIMO	5260	Ant8	8.93	≤24.00	≤23.50	8.73	≤30.00	≤29.51	Pass	10
			Ant9	7.92	≤24.00	≤23.50	7.72	≤30.00	≤29.51	Pass	10
			Total	11.46	≤24.00	≤23.50	11.26	≤30.00	≤29.51	Pass	10
		5300	Ant8	8.68	≤24.00	≤23.50	8.48	≤30.00	≤29.51	Pass	10



Reference No.: W7L-P24030018RF03

			Ant9	7.94	≤24.00	≤23.50	7.74	≤30.00	≤29.51	Pass	10
			Total	11.34	≤24.00	≤23.50	11.14	≤30.00	≤29.51	Pass	10
		5320	Ant8	8.66	≤24.00	≤23.50	8.46	≤30.00	≤29.51	Pass	10
			Ant9	7.65	≤24.00	≤23.50	7.45	≤30.00	≤29.51	Pass	10
			Total	11.19	≤24.00	≤23.50	10.99	≤30.00	≤29.51	Pass	10
11AC40	MIMO	5270	Ant8	8.96	≤24.00	≤24.00	8.76	≤30.00	≤30.00	Pass	10
			Ant9	7.67	≤24.00	≤24.00	7.47	≤30.00	≤30.00	Pass	10
			Total	11.37	≤24.00	≤24.00	11.17	≤30.00	≤30.00	Pass	10
		5310	Ant8	8.53	≤24.00	≤24.00	8.33	≤30.00	≤30.00	Pass	10
			Ant9	7.65	≤24.00	≤24.00	7.45	≤30.00	≤30.00	Pass	10
			Total	11.12	≤24.00	≤24.00	10.92	≤30.00	≤30.00	Pass	10
11AC80	MIMO	5210	Ant8	8.01	≤24.00	≤24.00	7.81	≤30.00	≤30.00	Pass	9
			Ant9	6.90	≤24.00	≤24.00	6.70	≤30.00	≤30.00	Pass	9
			Total	10.50	≤24.00	≤24.00	10.30	≤30.00	≤30.00	Pass	9
11AX20	MIMO	5260	Ant8	8.92	≤24.00	≤23.79	8.72	≤30.00	≤29.81	Pass	10
			Ant9	7.85	≤24.00	≤23.79	7.65	≤30.00	≤29.81	Pass	10
			Total	11.43	≤24.00	≤23.79	11.23	≤30.00	≤29.81	Pass	10
		5300	Ant8	8.61	≤24.00	≤23.79	8.41	≤30.00	≤29.81	Pass	10
			Ant9	7.84	≤24.00	≤23.79	7.64	≤30.00	≤29.81	Pass	10
			Total	11.25	≤24.00	≤23.79	11.05	≤30.00	≤29.81	Pass	10
		5320	Ant8	8.59	≤24.00	≤23.80	8.39	≤30.00	≤29.81	Pass	10
			Ant9	7.58	≤24.00	≤23.80	7.38	≤30.00	≤29.81	Pass	10
			Total	11.12	≤24.00	≤23.80	10.92	≤30.00	≤29.81	Pass	10
11AX40	MIMO	5270	Ant8	8.91	≤24.00	≤24.00	8.71	≤30.00	≤30.00	Pass	10
			Ant9	7.65	≤24.00	≤24.00	7.45	≤30.00	≤30.00	Pass	10
			Total	11.34	≤24.00	≤24.00	11.14	≤30.00	≤30.00	Pass	10
		5310	Ant8	8.91	≤24.00	≤24.00	8.71	≤30.00	≤30.00	Pass	10
			Ant9	7.65	≤24.00	≤24.00	7.45	≤30.00	≤30.00	Pass	10
			Total	11.10	≤24.00	≤24.00	10.90	≤30.00	≤30.00	Pass	10
11AX80	MIMO	5290	Ant8	8.16	≤24.00	≤24.00	7.96	≤30.00	≤30.00	Pass	9
			Ant9	7.08	≤24.00	≤24.00	6.88	≤30.00	≤30.00	Pass	9
			Total	10.66	≤24.00	≤24.00	10.46	≤30.00	≤30.00	Pass	9
Tx 11ax20 5G_FULL_RU	MIMO	5260	Ant8	8.83	≤24.00	≤23.79	8.63	≤30.00	≤29.81	Pass	10
			Ant9	7.84	≤24.00	≤23.79	7.64	≤30.00	≤29.81	Pass	10
			Total	11.37	≤24.00	≤23.79	11.17	≤30.00	≤29.81	Pass	10
		5300	Ant8	8.54	≤24.00	≤23.79	8.34	≤30.00	≤29.81	Pass	10
			Ant9	7.82	≤24.00	≤23.79	7.62	≤30.00	≤29.81	Pass	10
			Total	11.21	≤24.00	≤23.79	11.01	≤30.00	≤29.81	Pass	10
		5320	Ant8	8.50	≤24.00	≤23.80	8.30	≤30.00	≤29.81	Pass	10
			Ant9	7.52	≤24.00	≤23.80	7.32	≤30.00	≤29.81	Pass	10
			Total	11.05	≤24.00	≤23.80	10.85	≤30.00	≤29.81	Pass	10



Reference No.: W7L-P24030018RF03

Tx 11ax40 5G_FULL_RU	MIMO	5270	Ant8	8.90	≤24.00	≤24.00	8.70	≤30.00	≤30.00	Pass	10
			Ant9	7.62	≤24.00	≤24.00	7.42	≤30.00	≤30.00	Pass	10
			Total	11.32	≤24.00	≤24.00	11.12	≤30.00	≤30.00	Pass	10
		5310	Ant8	8.42	≤24.00	≤24.00	8.22	≤30.00	≤30.00	Pass	10
			Ant9	7.59	≤24.00	≤24.00	7.39	≤30.00	≤30.00	Pass	10
			Total	11.04	≤24.00	≤24.00	10.84	≤30.00	≤30.00	Pass	10
Tx 11ax80 5G_FULL_RU	MIMO	5290	Ant8	8.12	≤24.00	≤24.00	7.92	≤30.00	≤30.00	Pass	9
			Ant9	7.07	≤24.00	≤24.00	6.87	≤30.00	≤30.00	Pass	9
			Total	10.64	≤24.00	≤24.00	10.44	≤30.00	≤30.00	Pass	9

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For_U-NII-2C											
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5500	Ant8	12.35	≤24.00	≤23.21	12.15	≤30.00	≤29.21	Pass	13
			Ant9	11.51	≤24.00	≤23.21	11.31	≤30.00	≤29.21	Pass	13
			Total	14.96	≤24.00	≤23.21	14.76	≤30.00	≤29.21	Pass	13
		5580	Ant8	11.71	≤24.00	≤23.22	11.51	≤30.00	≤29.22	Pass	13
			Ant9	10.73	≤24.00	≤23.22	10.53	≤30.00	≤29.22	Pass	13
			Total	14.26	≤24.00	≤23.22	14.06	≤30.00	≤29.22	Pass	13
		5700	Ant8	11.61	≤24.00	≤23.22	11.41	≤30.00	≤29.22	Pass	13
			Ant9	10.60	≤24.00	≤23.22	10.40	≤30.00	≤29.22	Pass	13
			Total	14.14	≤24.00	≤23.22	13.94	≤30.00	≤29.22	Pass	13
		5720	Ant8	11.58	≤24.00	≤23.22	11.38	≤30.00	≤29.22	Pass	13
			Ant9	10.43	≤24.00	≤23.22	10.23	≤30.00	≤29.22	Pass	13
			Total	14.05	≤24.00	≤23.22	13.85	≤30.00	≤29.22	Pass	13
11N20	MIMO	5500	Ant8	10.42	≤24.00	≤23.49	10.22	≤30.00	≤29.29	Pass	11
			Ant9	9.43	≤24.00	≤23.49	9.23	≤30.00	≤29.29	Pass	11
			Total	12.96	≤24.00	≤23.49	12.76	≤30.00	≤29.29	Pass	11
		5580	Ant8	9.93	≤24.00	≤23.49	9.73	≤30.00	≤29.29	Pass	11
			Ant9	8.47	≤24.00	≤23.49	8.27	≤30.00	≤29.29	Pass	11
			Total	12.27	≤24.00	≤23.49	12.07	≤30.00	≤29.29	Pass	11
		5700	Ant8	9.68	≤24.00	≤23.50	9.48	≤30.00	≤29.50	Pass	11
			Ant9	8.42	≤24.00	≤23.50	8.22	≤30.00	≤29.50	Pass	11
			Total	12.11	≤24.00	≤23.50	11.91	≤30.00	≤29.50	Pass	11
		5720	Ant8	9.55	≤24.00	≤23.50	9.35	≤30.00	≤29.50	Pass	11
			Ant9	8.26	≤24.00	≤23.50	8.06	≤30.00	≤29.50	Pass	11
			Total	11.96	≤24.00	≤23.50	11.76	≤30.00	≤29.50	Pass	11

11N40	MIMO	5510	Ant8	10.53	≤24.00	≤24.00	10.33	≤30.00	≤30.00	Pass	11
			Ant9	9.35	≤24.00	≤24.00	9.15	≤30.00	≤30.00	Pass	11
			Total	12.99	≤24.00	≤24.00	12.79	≤30.00	≤30.00	Pass	11
		5550	Ant8	10.37	≤24.00	≤24.00	10.17	≤30.00	≤30.00	Pass	11
			Ant9	9.23	≤24.00	≤24.00	9.03	≤30.00	≤30.00	Pass	11
			Total	12.85	≤24.00	≤24.00	12.65	≤30.00	≤30.00	Pass	11
		5670	Ant8	9.62	≤24.00	≤24.00	9.42	≤30.00	≤30.00	Pass	11
			Ant9	8.57	≤24.00	≤24.00	8.37	≤30.00	≤30.00	Pass	11
			Total	12.14	≤24.00	≤24.00	11.94	≤30.00	≤30.00	Pass	11
		5710	Ant8	9.71	≤24.00	≤24.00	9.51	≤30.00	≤30.00	Pass	11
			Ant9	8.40	≤24.00	≤24.00	8.20	≤30.00	≤30.00	Pass	11
			Total	12.11	≤24.00	≤24.00	11.91	≤30.00	≤30.00	Pass	11
11AC20	MIMO	5500	Ant8	9.47	≤24.00	≤23.49	9.27	≤30.00	≤29.29	Pass	10
			Ant9	8.62	≤24.00	≤23.49	8.42	≤30.00	≤29.29	Pass	10
			Total	12.08	≤24.00	≤23.49	11.88	≤30.00	≤29.29	Pass	10
		5580	Ant8	9.10	≤24.00	≤23.49	8.90	≤30.00	≤29.29	Pass	10
			Ant9	7.87	≤24.00	≤23.49	7.67	≤30.00	≤29.29	Pass	10
			Total	11.54	≤24.00	≤23.49	11.34	≤30.00	≤29.29	Pass	10
		5700	Ant8	8.90	≤24.00	≤23.50	8.70	≤30.00	≤29.50	Pass	10
			Ant9	7.56	≤24.00	≤23.50	7.36	≤30.00	≤29.50	Pass	10
			Total	11.29	≤24.00	≤23.50	11.09	≤30.00	≤29.50	Pass	10
		5720	Ant8	8.87	≤24.00	≤23.50	8.67	≤30.00	≤29.50	Pass	10
			Ant9	7.40	≤24.00	≤23.50	7.20	≤30.00	≤29.50	Pass	10
			Total	11.21	≤24.00	≤23.50	11.01	≤30.00	≤29.50	Pass	10
11AC40	MIMO	5510	Ant8	9.45	≤24.00	≤24.00	9.25	≤30.00	≤30.00	Pass	10
			Ant9	8.65	≤24.00	≤24.00	8.45	≤30.00	≤30.00	Pass	10
			Total	12.08	≤24.00	≤24.00	11.88	≤30.00	≤30.00	Pass	10
		5550	Ant8	9.37	≤24.00	≤24.00	9.17	≤30.00	≤30.00	Pass	10
			Ant9	8.23	≤24.00	≤24.00	8.03	≤30.00	≤30.00	Pass	10
			Total	11.85	≤24.00	≤24.00	11.65	≤30.00	≤30.00	Pass	10
		5670	Ant8	8.48	≤24.00	≤24.00	8.28	≤30.00	≤30.00	Pass	10
			Ant9	7.36	≤24.00	≤24.00	7.16	≤30.00	≤30.00	Pass	10
			Total	10.97	≤24.00	≤24.00	10.77	≤30.00	≤30.00	Pass	10
		5710	Ant8	8.64	≤24.00	≤24.00	8.44	≤30.00	≤30.00	Pass	10
			Ant9	7.22	≤24.00	≤24.00	7.02	≤30.00	≤30.00	Pass	10
			Total	11.00	≤24.00	≤24.00	10.80	≤30.00	≤30.00	Pass	10
11AC80	MIMO	5530	Ant8	8.39	≤24.00	≤24.00	8.19	≤30.00	≤24.00	Pass	9
			Ant9	7.25	≤24.00	≤24.00	7.05	≤30.00	≤24.00	Pass	9
			Total	10.87	≤24.00	≤24.00	10.67	≤30.00	≤24.00	Pass	9
		5610	Ant8	7.20	≤24.00	≤24.00	7.00	≤30.00	≤24.00	Pass	9
			Ant9	6.56	≤24.00	≤24.00	6.36	≤30.00	≤24.00	Pass	9



Reference No.: W7L-P24030018RF03

			Total	9.90	≤24.00	≤24.00	9.70	≤30.00	≤24.00	Pass	9
		5690	Ant8	7.79	≤24.00	≤24.00	7.59	≤30.00	≤24.00	Pass	9
			Ant9	6.62	≤24.00	≤24.00	6.42	≤30.00	≤24.00	Pass	9
			Total	10.25	≤24.00	≤24.00	10.05	≤30.00	≤24.00	Pass	9
11AX20	MIMO	5500	Ant8	9.40	≤24.00	≤23.78	9.20	≤30.00	≤29.78	Pass	10
			Ant9	8.60	≤24.00	≤23.78	8.40	≤30.00	≤29.78	Pass	10
			Total	12.03	≤24.00	≤23.78	11.83	≤30.00	≤29.78	Pass	10
		5580	Ant8	9.04	≤24.00	≤23.79	8.84	≤30.00	≤29.79	Pass	10
			Ant9	7.80	≤24.00	≤23.79	7.60	≤30.00	≤29.79	Pass	10
			Total	11.47	≤24.00	≤23.79	11.27	≤30.00	≤29.79	Pass	10
		5700	Ant8	8.81	≤24.00	≤23.79	8.61	≤30.00	≤29.79	Pass	10
			Ant9	7.50	≤24.00	≤23.79	7.30	≤30.00	≤29.79	Pass	10
			Total	11.21	≤24.00	≤23.79	11.01	≤30.00	≤29.79	Pass	10
		5720	Ant8	8.80	≤24.00	≤23.78	8.60	≤30.00	≤29.78	Pass	10
			Ant9	7.30	≤24.00	≤23.78	7.10	≤30.00	≤29.78	Pass	10
			Total	11.12	≤24.00	≤23.78	10.92	≤30.00	≤29.78	Pass	10
11AX40	MIMO	5510	Ant8	9.38	≤24.00	≤24.00	9.18	≤30.00	≤30.00	Pass	10
			Ant9	8.58	≤24.00	≤24.00	8.38	≤30.00	≤30.00	Pass	10
			Total	12.01	≤24.00	≤24.00	11.81	≤30.00	≤30.00	Pass	10
		5550	Ant8	9.36	≤24.00	≤24.00	9.16	≤30.00	≤30.00	Pass	10
			Ant9	8.18	≤24.00	≤24.00	7.98	≤30.00	≤30.00	Pass	10
			Total	11.82	≤24.00	≤24.00	11.62	≤30.00	≤30.00	Pass	10
		5670	Ant8	8.43	≤24.00	≤24.00	8.23	≤30.00	≤30.00	Pass	10
			Ant9	7.36	≤24.00	≤24.00	7.16	≤30.00	≤30.00	Pass	10
			Total	10.94	≤24.00	≤24.00	10.74	≤30.00	≤30.00	Pass	10
		5710	Ant8	8.56	≤24.00	≤24.00	8.36	≤30.00	≤30.00	Pass	10
			Ant9	7.20	≤24.00	≤24.00	7.00	≤30.00	≤30.00	Pass	10
			Total	10.94	≤24.00	≤24.00	10.74	≤30.00	≤30.00	Pass	10
11AX80	MIMO	5530	Ant8	8.53	≤24.00	≤24.00	8.33	≤30.00	≤30.00	Pass	9
			Ant9	7.50	≤24.00	≤24.00	7.30	≤30.00	≤30.00	Pass	9
			Total	11.06	≤24.00	≤24.00	10.86	≤30.00	≤30.00	Pass	9
		5690	Ant8	7.17	≤24.00	≤24.00	6.97	≤30.00	≤30.00	Pass	9
			Ant9	6.62	≤24.00	≤24.00	6.42	≤30.00	≤30.00	Pass	9
			Total	9.91	≤24.00	≤24.00	9.71	≤30.00	≤30.00	Pass	9
		5690	Ant8	7.84	≤24.00	≤24.00	7.64	≤30.00	≤30.00	Pass	9
			Ant9	6.67	≤24.00	≤24.00	6.47	≤30.00	≤30.00	Pass	9
			Total	10.30	≤24.00	≤24.00	10.10	≤30.00	≤30.00	Pass	9
Tx 11ax20 5G_FULL_RU	MIMO	5500	Ant8	9.33	≤24.00	≤23.78	9.13	≤30.00	≤29.78	Pass	10
			Ant9	8.55	≤24.00	≤23.78	8.35	≤30.00	≤29.78	Pass	10
			Total	11.97	≤24.00	≤23.78	11.77	≤30.00	≤29.78	Pass	10
		5580	Ant8	9.02	≤24.00	≤23.79	8.82	≤30.00	≤29.79	Pass	10