

Tx 11ax40 5G_FULL_RU	MIMO	5700	Ant9	7.75	≤24.00	≤23.79	7.55	≤30.00	≤29.79	Pass	10
			Total	11.44	≤24.00	≤23.79	11.24	≤30.00	≤29.79	Pass	10
			Ant8	8.75	≤24.00	≤23.79	8.55	≤30.00	≤29.79	Pass	10
		5720	Ant9	7.46	≤24.00	≤23.79	7.26	≤30.00	≤29.79	Pass	10
			Total	11.16	≤24.00	≤23.79	10.96	≤30.00	≤29.79	Pass	10
			Ant8	8.73	≤24.00	≤23.78	8.53	≤30.00	≤29.78	Pass	10
		5510	Ant9	7.20	≤24.00	≤23.78	7.00	≤30.00	≤29.78	Pass	10
			Total	11.04	≤24.00	≤23.78	10.84	≤30.00	≤29.78	Pass	10
			Ant8	9.31	≤24.00	≤24.00	9.11	≤30.00	≤30.00	Pass	10
		5550	Ant9	8.57	≤24.00	≤24.00	8.37	≤30.00	≤30.00	Pass	10
			Total	11.97	≤24.00	≤24.00	11.77	≤30.00	≤30.00	Pass	10
			Ant8	9.29	≤24.00	≤24.00	9.09	≤30.00	≤30.00	Pass	10
Tx 11ax80 5G_FULL_RU	MIMO	5670	Ant9	8.13	≤24.00	≤24.00	7.93	≤30.00	≤30.00	Pass	10
			Total	11.76	≤24.00	≤24.00	11.56	≤30.00	≤30.00	Pass	10
			Ant8	8.36	≤24.00	≤24.00	8.16	≤30.00	≤30.00	Pass	10
		5710	Ant9	7.28	≤24.00	≤24.00	7.08	≤30.00	≤30.00	Pass	10
			Total	10.86	≤24.00	≤24.00	10.66	≤30.00	≤30.00	Pass	10
			Ant8	8.50	≤24.00	≤24.00	8.30	≤30.00	≤30.00	Pass	10
		5530	Ant9	7.14	≤24.00	≤24.00	6.94	≤30.00	≤30.00	Pass	10
			Total	10.88	≤24.00	≤24.00	10.68	≤30.00	≤30.00	Pass	10
			Ant8	8.53	≤24.00	≤24.00	8.33	≤30.00	≤30.00	Pass	9
		5610	Ant9	7.50	≤24.00	≤24.00	7.30	≤30.00	≤30.00	Pass	9
			Total	11.06	≤24.00	≤24.00	10.86	≤30.00	≤30.00	Pass	9
			Ant8	7.12	≤24.00	≤24.00	6.92	≤30.00	≤30.00	Pass	9
		5690	Ant9	6.54	≤24.00	≤24.00	6.34	≤30.00	≤30.00	Pass	9
			Total	9.85	≤24.00	≤24.00	9.65	≤30.00	≤30.00	Pass	9
			Ant8	7.78	≤24.00	≤24.00	7.58	≤30.00	≤30.00	Pass	9
		5785	Ant9	6.62	≤24.00	≤24.00	6.42	≤30.00	≤30.00	Pass	9
			Total	10.25	≤24.00	≤24.00	10.05	≤30.00	≤30.00	Pass	9
			Ant8	11.63	≤30.00	11.43	≤36.00	Pass	13		

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For_U-NII-3									
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5745	Ant8	11.63	≤30.00	11.43	≤36.00	Pass	13
			Ant9	10.18	≤30.00	9.98	≤36.00	Pass	13
			Total	13.98	≤30.00	13.78	≤36.00	Pass	13
		5785	Ant8	11.51	≤30.00	11.31	≤36.00	Pass	13

			Ant9	9.95	≤30.00	9.75	≤36.00	Pass	13
			Total	13.81	≤30.00	13.61	≤36.00	Pass	13
		5825	Ant8	11.63	≤30.00	11.43	≤36.00	Pass	13
			Ant9	10.04	≤30.00	9.84	≤36.00	Pass	13
			Total	13.92	≤30.00	13.72	≤36.00	Pass	13
11N20	MIMO	5745	Ant8	9.54	≤30.00	9.34	≤36.00	Pass	11
			Ant9	7.98	≤30.00	7.78	≤36.00	Pass	11
			Total	11.84	≤30.00	11.64	≤36.00	Pass	11
		5785	Ant8	9.51	≤30.00	9.31	≤36.00	Pass	11
			Ant9	8.07	≤30.00	7.87	≤36.00	Pass	11
			Total	11.86	≤30.00	11.66	≤36.00	Pass	11
		5825	Ant8	9.65	≤30.00	9.45	≤36.00	Pass	11
			Ant9	7.82	≤30.00	7.62	≤36.00	Pass	11
			Total	11.84	≤30.00	11.64	≤36.00	Pass	11
11N40	MIMO	5755	Ant8	9.56	≤30.00	9.36	≤36.00	Pass	11
			Ant9	8.33	≤30.00	8.13	≤36.00	Pass	11
			Total	12.00	≤30.00	11.80	≤36.00	Pass	11
		5795	Ant8	9.57	≤30.00	9.37	≤36.00	Pass	11
			Ant9	8.35	≤30.00	8.15	≤36.00	Pass	11
			Total	12.01	≤30.00	11.81	≤36.00	Pass	11
11AC20	MIMO	5745	Ant8	8.66	≤30.00	8.46	≤36.00	Pass	10
			Ant9	7.15	≤30.00	6.95	≤36.00	Pass	10
			Total	10.98	≤30.00	10.78	≤36.00	Pass	10
		5785	Ant8	8.64	≤30.00	8.44	≤36.00	Pass	10
			Ant9	7.17	≤30.00	6.97	≤36.00	Pass	10
			Total	10.98	≤30.00	10.78	≤36.00	Pass	10
		5825	Ant8	8.99	≤30.00	8.79	≤36.00	Pass	10
			Ant9	6.98	≤30.00	6.78	≤36.00	Pass	10
			Total	11.11	≤30.00	10.91	≤36.00	Pass	10
11AC40	MIMO	5755	Ant8	8.28	≤30.00	8.08	≤36.00	Pass	10
			Ant9	7.12	≤30.00	6.92	≤36.00	Pass	10
			Total	10.75	≤30.00	10.55	≤36.00	Pass	10
		5795	Ant8	8.32	≤30.00	8.12	≤36.00	Pass	10
			Ant9	7.56	≤30.00	7.36	≤36.00	Pass	10
			Total	10.97	≤30.00	10.77	≤36.00	Pass	10
11AC80	MIMO	5775	Ant8	7.54	≤30.00	7.34	≤36.00	Pass	9
			Ant9	5.87	≤30.00	5.67	≤36.00	Pass	9
			Total	9.80	≤30.00	9.60	≤36.00	Pass	9
11AX20	MIMO	5745	Ant8	8.57	≤30.00	8.37	≤36.00	Pass	10
			Ant9	7.10	≤30.00	6.90	≤36.00	Pass	10
			Total	10.91	≤30.00	10.71	≤36.00	Pass	10



**BUREAU
VERITAS**

Reference No.: PSZ-NQN2412090319RF03

		5785	Ant8	8.55	≤30.00	8.35	≤36.00	Pass	10
			Ant9	7.16	≤30.00	6.96	≤36.00	Pass	10
			Total	10.92	≤30.00	10.72	≤36.00	Pass	10
		5825	Ant8	8.95	≤30.00	8.75	≤36.00	Pass	10
			Ant9	6.94	≤30.00	6.74	≤36.00	Pass	10
			Total	11.07	≤30.00	10.87	≤36.00	Pass	10
11AX40	MIMO	5755	Ant8	8.36	≤30.00	8.16	≤36.00	Pass	10
			Ant9	7.13	≤30.00	6.93	≤36.00	Pass	10
			Total	10.80	≤30.00	10.60	≤36.00	Pass	10
		5795	Ant8	8.32	≤30.00	8.12	≤36.00	Pass	10
			Ant9	7.46	≤30.00	7.26	≤36.00	Pass	10
			Total	10.92	≤30.00	10.72	≤36.00	Pass	10
11AX80	MIMO	5775	Ant8	7.64	≤30.00	7.44	≤36.00	Pass	9
			Ant9	5.88	≤30.00	5.68	≤36.00	Pass	9
			Total	9.86	≤30.00	9.66	≤36.00	Pass	9
Tx 11ax20 5G_FULL_RU	MIMO	5745	Ant8	8.53	≤30.00	8.33	≤36.00	Pass	10
			Ant9	7.06	≤30.00	6.86	≤36.00	Pass	10
			Total	10.87	≤30.00	10.67	≤36.00	Pass	10
		5785	Ant8	8.53	≤30.00	8.33	≤36.00	Pass	10
			Ant9	7.07	≤30.00	6.87	≤36.00	Pass	10
			Total	10.87	≤30.00	10.67	≤36.00	Pass	10
		5825	Ant8	8.87	≤30.00	8.67	≤36.00	Pass	10
			Ant9	6.85	≤30.00	6.65	≤36.00	Pass	10
			Total	10.99	≤30.00	10.79	≤36.00	Pass	10
Tx 11ax40 5G_FULL_RU	MIMO	5755	Ant8	8.27	≤30.00	8.07	≤36.00	Pass	10
			Ant9	7.03	≤30.00	6.83	≤36.00	Pass	10
			Total	10.70	≤30.00	10.50	≤36.00	Pass	10
		5795	Ant8	8.29	≤30.00	8.09	≤36.00	Pass	10
			Ant9	7.37	≤30.00	7.17	≤36.00	Pass	10
			Total	10.86	≤30.00	10.66	≤36.00	Pass	10
Tx 11ax80 5G_FULL_RU	MIMO	5775	Ant8	7.61	≤30.00	7.41	≤36.00	Pass	9
			Ant9	5.82	≤30.00	5.62	≤36.00	Pass	9
			Total	9.82	≤30.00	9.62	≤36.00	Pass	9

Note: The Maximum Conducted Power with duty cycle factor.

Note : The Duty Cycle Factor is compensated in the graph.

MAXIMUM POWER SPECTRAL DENSITY TEST RESULT

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A-CDD	Ant8	5180	0.09	≤11.00	-0.11	≤10.00	PASS
	Ant9	5180	-2.23	≤11.00	-2.43	≤10.00	PASS
	total	5180	2.09	≤11.00	1.89	≤10.00	PASS
	Ant8	5200	-0.24	≤11.00	-0.44	≤10.00	PASS
	Ant9	5200	-2.10	≤11.00	-2.3	≤10.00	PASS
	total	5200	1.94	≤11.00	1.74	≤10.00	PASS
	Ant8	5240	0.73	≤11.00	0.53	≤10.00	PASS
	Ant9	5240	-1.41	≤11.00	-1.61	≤10.00	PASS
	total	5240	2.80	≤11.00	2.6	≤10.00	PASS
	Ant8	5260	0.28	≤11.00	0.08	---	PASS
	Ant9	5260	-1.33	≤11.00	-1.53	---	PASS
	total	5260	2.56	≤11.00	2.36	---	PASS
	Ant8	5280	0.25	≤11.00	0.05	---	PASS
	Ant9	5280	-1.52	≤11.00	-1.72	---	PASS
	total	5280	2.46	≤11.00	2.26	---	PASS
	Ant8	5320	-0.12	≤11.00	-0.32	---	PASS
	Ant9	5320	-1.03	≤11.00	-1.23	---	PASS
	total	5320	2.46	≤11.00	2.26	---	PASS
	Ant8	5500	0.81	≤11.00	0.61	---	PASS
	Ant9	5500	-0.33	≤11.00	-0.53	---	PASS
	total	5500	3.29	≤11.00	3.09	---	PASS
	Ant8	5580	0.35	≤11.00	0.15	---	PASS
	Ant9	5580	-1.06	≤11.00	-1.26	---	PASS
	total	5580	2.71	≤11.00	2.51	---	PASS
	Ant8	5700	-0.32	≤11.00	-0.52	---	PASS
	Ant9	5700	-1.73	≤11.00	-1.93	---	PASS
	total	5700	2.04	≤11.00	1.84	---	PASS
	Ant8	5720_UNII-2C	-0.49	≤11.00	-0.69	---	PASS
	Ant9	5720_UNII-2C	-1.97	≤11.00	-2.17	---	PASS
	total	5720_UNII-2C	1.84	≤11.00	1.64	---	PASS
	Ant8	5745	-3.23	≤30.00	-3.43	---	PASS
	Ant9	5745	-4.75	≤30.00	-4.95	---	PASS
	total	5745	-0.91	≤30.00	-1.11	---	PASS
	Ant8	5785	-2.94	≤30.00	-3.14	---	PASS
	Ant9	5785	-4.42	≤30.00	-4.62	---	PASS
	total	5785	-0.61	≤30.00	-0.81	---	PASS
	Ant8	5825	-2.94	≤30.00	-3.14	---	PASS
	Ant9	5825	-4.47	≤30.00	-4.67	---	PASS
	total	5825	-0.57	≤30.00	-0.77	---	PASS
11N20MIMO	Ant8	5180	-0.39	≤11.00	-0.59	≤10.00	PASS
	Ant9	5180	-2.35	≤11.00	-2.55	≤10.00	PASS



**BUREAU
VERITAS**

Reference No.: PSZ-NQN2412090319RF03

	total	5180	1.75	≤11.00	1.55	≤10.00	PASS
	Ant8	5200	-0.51	≤11.00	-0.71	≤10.00	PASS
	Ant9	5200	-2.51	≤11.00	-2.71	≤10.00	PASS
	total	5200	1.61	≤11.00	1.41	≤10.00	PASS
	Ant8	5240	0.36	≤11.00	0.16	≤10.00	PASS
	Ant9	5240	-1.92	≤11.00	-2.12	≤10.00	PASS
	total	5240	2.38	≤11.00	2.18	≤10.00	PASS
	Ant8	5260	0.09	≤11.00	-0.11	---	PASS
	Ant9	5260	-1.86	≤11.00	-2.06	---	PASS
	total	5260	2.23	≤11.00	2.03	---	PASS
	Ant8	5280	-0.08	≤11.00	-0.28	---	PASS
	Ant9	5280	-1.55	≤11.00	-1.75	---	PASS
	total	5280	2.26	≤11.00	2.06	---	PASS
	Ant8	5320	-0.55	≤11.00	-0.75	---	PASS
	Ant9	5320	-1.56	≤11.00	-1.76	---	PASS
	total	5320	1.98	≤11.00	1.78	---	PASS
	Ant8	5500	0.13	≤11.00	-0.07	---	PASS
	Ant9	5500	-0.72	≤11.00	-0.92	---	PASS
	total	5500	2.74	≤11.00	2.54	---	PASS
	Ant8	5580	-0.15	≤11.00	-0.35	---	PASS
	Ant9	5580	-1.61	≤11.00	-1.81	---	PASS
	total	5580	2.19	≤11.00	1.99	---	PASS
	Ant8	5700	-0.94	≤11.00	-1.14	---	PASS
	Ant9	5700	-2.37	≤11.00	-2.57	---	PASS
	total	5700	1.41	≤11.00	1.21	---	PASS
	Ant8	5720_UNII-2C	-1.07	≤11.00	-1.27	---	PASS
	Ant9	5720_UNII-2C	-2.30	≤11.00	-2.50	---	PASS
	total	5720_UNII-2C	1.37	≤11.00	1.17	---	PASS
	Ant8	5720_UNII-3	-4.43	≤30.00	-4.63	---	PASS
	Ant9	5720_UNII-3	-5.65	≤30.00	-5.85	---	PASS
	total	5720_UNII-3	-1.99	≤30.00	-2.19	---	PASS
	Ant8	5745	-3.44	≤30.00	-3.64	---	PASS
	Ant9	5745	-4.98	≤30.00	-5.18	---	PASS
	total	5745	-1.13	≤30.00	-1.33	---	PASS
	Ant8	5785	-3.39	≤30.00	-3.59	---	PASS
	Ant9	5785	-5.03	≤30.00	-5.23	---	PASS
	total	5785	-1.12	≤30.00	-1.32	---	PASS
	Ant8	5825	-3.25	≤30.00	-3.45	---	PASS
	Ant9	5825	-5.04	≤30.00	-5.24	---	PASS
	total	5825	-1.04	≤30.00	-1.24	---	PASS
11N40MIMO	Ant8	5190	-3.23	≤11.00	-3.43	≤10.00	PASS
	Ant9	5190	-5.42	≤11.00	-5.62	≤10.00	PASS
	total	5190	-1.18	≤11.00	-1.38	≤10.00	PASS
	Ant8	5230	-2.55	≤11.00	-2.75	≤10.00	PASS
	Ant9	5230	-5.14	≤11.00	-5.34	≤10.00	PASS
	total	5230	-0.64	≤11.00	-0.84	≤10.00	PASS
	Ant8	5270	-3.16	≤11.00	-3.36	---	PASS



**BUREAU
VERITAS**

Reference No.: PSZ-NQN2412090319RF03

	Ant9	5270	-4.84	≤11.00	-5.04	---	PASS
	total	5270	-0.91	≤11.00	-1.11	---	PASS
	Ant8	5310	-3.22	≤11.00	-3.42	---	PASS
	Ant9	5310	-4.60	≤11.00	-4.80	---	PASS
	total	5310	-0.85	≤11.00	-1.05	---	PASS
	Ant8	5510	-2.96	≤11.00	-3.16	---	PASS
	Ant9	5510	-4.18	≤11.00	-4.38	---	PASS
	total	5510	-0.52	≤11.00	-0.72	---	PASS
	Ant8	5550	-2.94	≤11.00	-3.14	---	PASS
	Ant9	5550	-4.08	≤11.00	-4.28	---	PASS
	total	5550	-0.46	≤11.00	-0.66	---	PASS
	Ant8	5670	-3.86	≤11.00	-4.06	---	PASS
	Ant9	5670	-4.76	≤11.00	-4.96	---	PASS
	total	5670	-1.28	≤11.00	-1.48	---	PASS
	Ant8	5710_UNII-2C	-3.97	≤11.00	-4.17	---	PASS
	Ant9	5710_UNII-2C	-5.13	≤11.00	-5.33	---	PASS
	total	5710_UNII-2C	-1.50	≤11.00	-1.70	---	PASS
	Ant8	5710_UNII-3	-7.78	≤30.00	-7.98	---	PASS
	Ant9	5710_UNII-3	-9.02	≤30.00	-9.22	---	PASS
	total	5710_UNII-3	-5.35	≤30.00	-5.55	---	PASS
	Ant8	5755	-6.65	≤30.00	-6.85	---	PASS
	Ant9	5755	-7.96	≤30.00	-8.16	---	PASS
	total	5755	-4.25	≤30.00	-4.45	---	PASS
	Ant8	5795	-6.65	≤30.00	-6.85	---	PASS
	Ant9	5795	-7.81	≤30.00	-8.01	---	PASS
	total	5795	-4.18	≤30.00	-4.38	---	PASS
11AC80MIM O	Ant8	5210	-8.47	≤11.00	-8.67	≤10.00	PASS
	Ant9	5210	-10.53	≤11.00	-10.73	≤10.00	PASS
	total	5210	-6.37	≤11.00	-6.57	≤10.00	PASS
	Ant8	5290	-8.47	≤11.00	-8.67	---	PASS
	Ant9	5290	-10.01	≤11.00	-10.21	---	PASS
	total	5290	-6.16	≤11.00	-6.36	---	PASS
	Ant8	5530	-8.62	≤11.00	-8.82	---	PASS
	Ant9	5530	-10.12	≤11.00	-10.32	---	PASS
	total	5530	-6.30	≤11.00	-6.50	---	PASS
	Ant8	5610	-10.01	≤11.00	-10.21	---	PASS
	Ant9	5610	-10.51	≤11.00	-10.71	---	PASS
	total	5610	-7.24	≤11.00	-7.44	---	PASS
	Ant8	5690_UNII-2C	-9.24	≤11.00	-9.44	---	PASS
	Ant9	5690_UNII-2C	-10.38	≤11.00	-10.58	---	PASS
	total	5690_UNII-2C	-6.76	≤11.00	-6.96	---	PASS
	Ant8	5690_UNII-3	-13.56	≤30.00	-13.76	---	PASS
	Ant9	5690_UNII-	-15.24	≤30.00	-15.44	---	PASS



**BUREAU
VERITAS**

Reference No.: PSZ-NQN2412090319RF03

		3					
	total	5690_UNII-3	-11.31	≤30.00	-11.51	---	PASS
	Ant8	5775	-11.84	≤30.00	-12.04	---	PASS
	Ant9	5775	-13.81	≤30.00	-14.01	---	PASS
	total	5775	-9.70	≤30.00	-9.90	---	PASS
	Ant8	5180	-1.49	≤11.00	-1.69	≤10.00	PASS
	Ant9	5180	-3.72	≤11.00	-3.92	≤10.00	PASS
	total	5180	0.55	≤11.00	0.35	≤10.00	PASS
	Ant8	5200	-1.84	≤11.00	-2.04	≤10.00	PASS
	Ant9	5200	-3.90	≤11.00	-4.10	≤10.00	PASS
	total	5200	0.26	≤11.00	0.06	≤10.00	PASS
	Ant8	5240	-1.43	≤11.00	-1.63	≤10.00	PASS
	Ant9	5240	-3.29	≤11.00	-3.49	≤10.00	PASS
	total	5240	0.75	≤11.00	0.55	≤10.00	PASS
	Ant8	5260	-1.49	≤11.00	-1.69	---	PASS
	Ant9	5260	-3.32	≤11.00	-3.52	---	PASS
	total	5260	0.70	≤11.00	0.50	---	PASS
	Ant8	5280	-1.38	≤11.00	-1.58	---	PASS
	Ant9	5280	-3.18	≤11.00	-3.38	---	PASS
	total	5280	0.82	≤11.00	0.62	---	PASS
	Ant8	5320	-2.14	≤11.00	-2.34	---	PASS
	Ant9	5320	-3.24	≤11.00	-3.44	---	PASS
	total	5320	0.36	≤11.00	0.16	---	PASS
	Ant8	5500	-1.10	≤11.00	-1.30	---	PASS
	Ant9	5500	-2.33	≤11.00	-2.53	---	PASS
	total	5500	1.34	≤11.00	1.14	---	PASS
	Ant8	5580	-1.49	≤11.00	-1.69	---	PASS
	Ant9	5580	-2.88	≤11.00	-3.08	---	PASS
	total	5580	0.88	≤11.00	0.68	---	PASS
	Ant8	5700	-2.23	≤11.00	-2.43	---	PASS
	Ant9	5700	-3.38	≤11.00	-3.58	---	PASS
	total	5700	0.24	≤11.00	0.04	---	PASS
	Ant8	5720_UNII-2C	-2.50	≤11.00	-2.70	---	PASS
	Ant9	5720_UNII-2C	-3.51	≤11.00	-3.71	---	PASS
	total	5720_UNII-2C	0.03	≤11.00	-0.17	---	PASS
	Ant8	5720_UNII-3	-5.83	≤30.00	-6.03	---	PASS
	Ant9	5720_UNII-3	-6.61	≤30.00	-6.81	---	PASS
	total	5720_UNII-3	-3.19	≤30.00	-3.39	---	PASS
	Ant8	5745	-4.49	≤30.00	-4.69	---	PASS
	Ant9	5745	-6.28	≤30.00	-6.48	---	PASS
	total	5745	-2.28	≤30.00	-2.48	---	PASS
	Ant8	5785	-4.92	≤30.00	-5.12	---	PASS
	Ant9	5785	-6.06	≤30.00	-6.26	---	PASS
	total	5785	-2.44	≤30.00	-2.64	---	PASS
	Ant8	5825	-4.74	≤30.00	-4.94	---	PASS
	Ant9	5825	-6.45	≤30.00	-6.65	---	PASS

11AX20MIM
O



**BUREAU
VERITAS**

Reference No.: PSZ-NQN2412090319RF03

11AX40MIM O	total	5825	-2.50	≤30.00	-2.70	---	PASS
	Ant8	5190	-4.84	≤11.00	-5.04	≤10.00	PASS
	Ant9	5190	-6.79	≤11.00	-6.99	≤10.00	PASS
	total	5190	-2.70	≤11.00	-2.90	≤10.00	PASS
	Ant8	5230	-4.08	≤11.00	-4.28	≤10.00	PASS
	Ant9	5230	-6.33	≤11.00	-6.53	≤10.00	PASS
	total	5230	-2.05	≤11.00	-2.25	≤10.00	PASS
	Ant8	5270	-4.56	≤11.00	-4.76	---	PASS
	Ant9	5270	-6.04	≤11.00	-6.24	---	PASS
	total	5270	-2.23	≤11.00	-2.43	---	PASS
	Ant8	5310	-5.11	≤11.00	-5.31	---	PASS
	Ant9	5310	-5.94	≤11.00	-6.14	---	PASS
	total	5310	-2.49	≤11.00	-2.69	---	PASS
	Ant8	5510	-4.24	≤11.00	-4.44	---	PASS
	Ant9	5510	-4.90	≤11.00	-5.10	---	PASS
	total	5510	-1.55	≤11.00	-1.75	---	PASS
	Ant8	5550	-4.30	≤11.00	-4.50	---	PASS
	Ant9	5550	-5.30	≤11.00	-5.50	---	PASS
	total	5550	-1.76	≤11.00	-1.96	---	PASS
	Ant8	5670	-5.27	≤11.00	-5.47	---	PASS
	Ant9	5670	-6.04	≤11.00	-6.24	---	PASS
	total	5670	-2.63	≤11.00	-2.83	---	PASS
	Ant8	5710_UNII-2C	-5.31	≤11.00	-5.51	---	PASS
	Ant9	5710_UNII-2C	-6.54	≤11.00	-6.74	---	PASS
	total	5710_UNII-2C	-2.87	≤11.00	-3.07	---	PASS
	Ant8	5710_UNII-3	-9.62	≤30.00	-9.82	---	PASS
	Ant9	5710_UNII-3	-10.50	≤30.00	-10.70	---	PASS
	total	5710_UNII-3	-7.03	≤30.00	-7.23	---	PASS
	Ant8	5755	-8.01	≤30.00	-8.21	---	PASS
	Ant9	5755	-8.86	≤30.00	-9.06	---	PASS
	total	5755	-5.40	≤30.00	-5.60	---	PASS
	Ant8	5795	-7.95	≤30.00	-8.15	---	PASS
	Ant9	5795	-9.00	≤30.00	-9.20	---	PASS
	total	5795	-5.43	≤30.00	-5.63	---	PASS
11AX80MIM O	Ant8	5210	-7.66	≤11.00	-7.86	≤10.00	PASS
	Ant9	5210	-10.13	≤11.00	-10.33	≤10.00	PASS
	total	5210	-5.71	≤11.00	-5.91	≤10.00	PASS
	Ant8	5290	-8.19	≤11.00	-8.39	---	PASS
	Ant9	5290	-10.04	≤11.00	-10.24	---	PASS
	total	5290	-6.01	≤11.00	-6.21	---	PASS
	Ant8	5530	-8.65	≤11.00	-8.85	---	PASS
	Ant9	5530	-9.88	≤11.00	-10.08	---	PASS
	total	5530	-6.21	≤11.00	-6.41	---	PASS
	Ant8	5610	-9.56	≤11.00	-9.76	---	PASS
	Ant9	5610	-10.33	≤11.00	-10.53	---	PASS
	total	5610	-6.92	≤11.00	-7.12	---	PASS
	Ant8	5690_UNII-	-8.75	≤11.00	-8.95	---	PASS




Reference No.: PSZ-NQN2412090319RF03

		2C					
	Ant9	5690_UNII-2C	-9.64	≤11.00	-9.84	---	PASS
	total	5690_UNII-2C	-6.16	≤11.00	-6.36	---	PASS
	Ant8	5690_UNII-3	-13.25	≤30.00	-13.45	---	PASS
	Ant9	5690_UNII-3	-14.49	≤30.00	-14.69	---	PASS
	total	5690_UNII-3	-10.82	≤30.00	-11.02	---	PASS
	Ant8	5775	-11.95	≤30.00	-12.15	---	PASS
	Ant9	5775	-13.19	≤30.00	-13.39	---	PASS
	total	5775	-9.52	≤30.00	-9.72	---	PASS

Note : 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.


TEST GRAPHS






BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11A-CDD Ant9 5200



11A-CDD Ant8 5240



BUREAU
VERITAS


Reference No.: PSZ-NQN2412090319RF03






BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11A-CDD Ant9 5260



11A-CDD Ant8 5280




BUREAU
VERITAS


Reference No.: PSZ-NQN2412090319RF03



11A-CDD Ant9 5280



11A-CDD Ant8 5320



11A-CDD Ant9 5320




11A-CDD Ant8 5500




BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11A-CDD Ant9 5500




11A-CDD Ant8 5580




BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11A-CDD Ant9 5580




11A-CDD Ant8 5700




BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11A-CDD Ant9 5700




11A-CDD Ant8 5720 UNII-2C




BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11A-CDD Ant9 5720 UNII-2C




11A-CDD Ant8 5745




BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11A-CDD Ant9 5745



11A-CDD Ant8 5785




BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11A-CDD Ant9 5785



11A-CDD Ant8 5825




BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11A-CDD Ant9 5825



11N20MIMO Ant8 5180



BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11N20MIMO_Ant9_5180




11N20MIMO_Ant8_5200




BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11N20MIMO Ant9 5200




11N20MIMO Ant8 5240




BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11N20MIMO_Ant9_5240



11N20MIMO_Ant8_5260




Reference No.: PSZ-NQN2412090319RF03






BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11N20MIMO Ant9 5280



11N20MIMO Ant8 5320



11N20MIMO_Ant9_5320




11N20MIMO_Ant8_5500




BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11N20MIMO_Ant9_5500



11N20MIMO_Ant8_5580




BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11N20MIMO Ant9 5580



11N20MIMO Ant8 5700




BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11N20MIMO_Ant9_5700




11N20MIMO_Ant8_5720_UNII-2C




BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11N20MIMO_Ant9_5720_UNII-2C



11N20MIMO_Ant8_5720_UNII-3




BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11N20MIMO_Ant9_5720_UNII-3



11N20MIMO_Ant8_5745




BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11N20MIMO Ant9 5745



11N20MIMO Ant8 5785




BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11N20MIMO Ant9 5785



11N20MIMO Ant8 5825




BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11N20MIMO Ant9 5825



11N40MIMO Ant8 5190



BUREAU
VERITAS

Reference No.: PSZ-NQN2412090319RF03



11N40MIMO_Ant9_5190



11N40MIMO_Ant8_5230