

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.29	-13.91	7.23	<=34.77	Pass
			2	23.35	-13.91	7.29	<=34.77	Pass
			5	23.22	-13.91	7.16	<=34.77	Pass
		3	0	23.43	-13.91	7.37	<=34.77	Pass
			2	23.44	-13.91	7.38	<=34.77	Pass
			3	23.46	-13.91	7.40	<=34.77	Pass
		6	0	22.48	-13.91	6.42	<=34.77	Pass
	836.5	1	0	23.36	-13.91	7.30	<=34.77	Pass
			2	23.47	-13.91	7.41	<=34.77	Pass
			5	23.47	-13.91	7.41	<=34.77	Pass
		3	0	23.52	-13.91	7.46	<=34.77	Pass
			2	23.53	-13.91	7.47	<=34.77	Pass
			3	23.57	-13.91	7.51	<=34.77	Pass
		6	0	22.62	-13.91	6.56	<=34.77	Pass
	848.3	1	0	22.73	-13.91	6.67	<=34.77	Pass
			2	22.69	-13.91	6.63	<=34.77	Pass
			5	22.70	-13.91	6.64	<=34.77	Pass
		3	0	22.67	-13.91	6.61	<=34.77	Pass
			2	22.67	-13.91	6.61	<=34.77	Pass
			3	22.67	-13.91	6.61	<=34.77	Pass
		6	0	22.71	-13.91	6.65	<=34.77	Pass
16QAM	824.7	1	0	22.33	-13.91	6.27	<=34.77	Pass
			2	22.36	-13.91	6.30	<=34.77	Pass
			5	22.53	-13.91	6.47	<=34.77	Pass
		3	0	22.64	-13.91	6.58	<=34.77	Pass
			2	22.45	-13.91	6.39	<=34.77	Pass
			3	22.52	-13.91	6.46	<=34.77	Pass
		6	0	21.55	-13.91	5.49	<=34.77	Pass
	836.5	1	0	22.39	-13.91	6.33	<=34.77	Pass
			2	22.61	-13.91	6.55	<=34.77	Pass
			5	22.47	-13.91	6.41	<=34.77	Pass
		3	0	22.52	-13.91	6.46	<=34.77	Pass
			2	22.78	-13.91	6.72	<=34.77	Pass
			3	22.60	-13.91	6.54	<=34.77	Pass
		6	0	21.59	-13.91	5.53	<=34.77	Pass
	848.3	1	0	22.54	-13.91	6.48	<=34.77	Pass
			2	22.59	-13.91	6.53	<=34.77	Pass
			5	22.67	-13.91	6.61	<=34.77	Pass
		3	0	22.70	-13.91	6.64	<=34.77	Pass
			2	22.88	-13.91	6.82	<=34.77	Pass
			3	22.85	-13.91	6.79	<=34.77	Pass
		6	0	21.67	-13.91	5.61	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.30	-13.91	7.24	<=34.77	Pass
			7	23.41	-13.91	7.35	<=34.77	Pass
			14	23.23	-13.91	7.17	<=34.77	Pass
		8	0	22.51	-13.91	6.45	<=34.77	Pass
			4	22.51	-13.91	6.45	<=34.77	Pass
			7	22.44	-13.91	6.38	<=34.77	Pass
		15	0	22.45	-13.91	6.39	<=34.77	Pass
	836.5	1	0	23.31	-13.91	7.25	<=34.77	Pass
			7	23.43	-13.91	7.37	<=34.77	Pass
			14	23.34	-13.91	7.28	<=34.77	Pass
		8	0	22.50	-13.91	6.44	<=34.77	Pass
			4	22.56	-13.91	6.50	<=34.77	Pass
			7	22.49	-13.91	6.43	<=34.77	Pass
		15	0	22.51	-13.91	6.45	<=34.77	Pass
	847.5	1	0	23.40	-13.91	7.34	<=34.77	Pass
			7	23.47	-13.91	7.41	<=34.77	Pass
			14	23.37	-13.91	7.31	<=34.77	Pass
		8	0	22.62	-13.91	6.56	<=34.77	Pass
			4	22.61	-13.91	6.55	<=34.77	Pass
			7	22.60	-13.91	6.54	<=34.77	Pass
		15	0	22.56	-13.91	6.50	<=34.77	Pass
16QAM	825.5	1	0	22.27	-13.91	6.21	<=34.77	Pass
			7	22.93	-13.91	6.87	<=34.77	Pass
			14	22.42	-13.91	6.36	<=34.77	Pass
		8	0	21.55	-13.91	5.49	<=34.77	Pass
			4	21.67	-13.91	5.61	<=34.77	Pass
			7	21.41	-13.91	5.35	<=34.77	Pass
		15	0	21.48	-13.91	5.42	<=34.77	Pass
	836.5	1	0	22.45	-13.91	6.39	<=34.77	Pass
			7	22.48	-13.91	6.42	<=34.77	Pass
			14	22.83	-13.91	6.77	<=34.77	Pass
		8	0	21.48	-13.91	5.42	<=34.77	Pass
			4	21.66	-13.91	5.60	<=34.77	Pass
			7	21.69	-13.91	5.63	<=34.77	Pass
		15	0	21.48	-13.91	5.42	<=34.77	Pass
	847.5	1	0	22.96	-13.91	6.90	<=34.77	Pass
			7	22.68	-13.91	6.62	<=34.77	Pass
			14	22.44	-13.91	6.38	<=34.77	Pass
		8	0	21.75	-13.91	5.69	<=34.77	Pass
			4	21.60	-13.91	5.54	<=34.77	Pass
			7	21.66	-13.91	5.60	<=34.77	Pass
		15	0	21.63	-13.91	5.57	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.48	-13.91	7.42	<=34.77	Pass
			13	23.57	-13.91	7.51	<=34.77	Pass
			24	23.48	-13.91	7.42	<=34.77	Pass
		12	0	22.45	-13.91	6.39	<=34.77	Pass
			6	22.51	-13.91	6.45	<=34.77	Pass
			13	22.49	-13.91	6.43	<=34.77	Pass
		25	0	22.49	-13.91	6.43	<=34.77	Pass
	836.5	1	0	23.51	-13.91	7.45	<=34.77	Pass
			13	23.63	-13.91	7.57	<=34.77	Pass
			24	23.59	-13.91	7.53	<=34.77	Pass
		12	0	22.48	-13.91	6.42	<=34.77	Pass
			6	22.60	-13.91	6.54	<=34.77	Pass
			13	22.56	-13.91	6.50	<=34.77	Pass
		25	0	22.54	-13.91	6.48	<=34.77	Pass
	846.5	1	0	23.60	-13.91	7.54	<=34.77	Pass
			13	23.70	-13.91	7.64	<=34.77	Pass
			24	23.64	-13.91	7.58	<=34.77	Pass
		12	0	22.64	-13.91	6.58	<=34.77	Pass
			6	22.67	-13.91	6.61	<=34.77	Pass
			13	22.61	-13.91	6.55	<=34.77	Pass
		25	0	22.66	-13.91	6.60	<=34.77	Pass
16QAM	826.5	1	0	22.32	-13.91	6.26	<=34.77	Pass
			13	22.83	-13.91	6.77	<=34.77	Pass
			24	22.59	-13.91	6.53	<=34.77	Pass
		12	0	21.42	-13.91	5.36	<=34.77	Pass
			6	21.55	-13.91	5.49	<=34.77	Pass
			13	21.48	-13.91	5.42	<=34.77	Pass
		25	0	21.50	-13.91	5.44	<=34.77	Pass
	836.5	1	0	22.63	-13.91	6.57	<=34.77	Pass
			13	22.49	-13.91	6.43	<=34.77	Pass
			24	22.85	-13.91	6.79	<=34.77	Pass
		12	0	21.49	-13.91	5.43	<=34.77	Pass
			6	21.55	-13.91	5.49	<=34.77	Pass
			13	21.60	-13.91	5.54	<=34.77	Pass
		25	0	21.61	-13.91	5.55	<=34.77	Pass
	846.5	1	0	22.85	-13.91	6.79	<=34.77	Pass
			13	22.84	-13.91	6.78	<=34.77	Pass
			24	22.54	-13.91	6.48	<=34.77	Pass
		12	0	21.63	-13.91	5.57	<=34.77	Pass
			6	21.61	-13.91	5.55	<=34.77	Pass
			13	21.61	-13.91	5.55	<=34.77	Pass
		25	0	21.67	-13.91	5.61	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.53	-13.91	7.47	<=34.77	Pass
			25	23.55	-13.91	7.49	<=34.77	Pass
			49	23.54	-13.91	7.48	<=34.77	Pass
		25	0	22.47	-13.91	6.41	<=34.77	Pass
			13	22.57	-13.91	6.51	<=34.77	Pass
			25	22.51	-13.91	6.45	<=34.77	Pass
		50	0	22.51	-13.91	6.45	<=34.77	Pass
	836.5	1	0	23.54	-13.91	7.48	<=34.77	Pass
			25	23.57	-13.91	7.51	<=34.77	Pass
			49	23.67	-13.91	7.61	<=34.77	Pass
		25	0	22.51	-13.91	6.45	<=34.77	Pass
			13	22.61	-13.91	6.55	<=34.77	Pass
			25	22.59	-13.91	6.53	<=34.77	Pass
		50	0	22.53	-13.91	6.47	<=34.77	Pass
	844	1	0	23.61	-13.91	7.55	<=34.77	Pass
			25	23.69	-13.91	7.63	<=34.77	Pass
			49	23.73	-13.91	7.67	<=34.77	Pass
		25	0	22.62	-13.91	6.56	<=34.77	Pass
			13	22.66	-13.91	6.60	<=34.77	Pass
			25	22.55	-13.91	6.49	<=34.77	Pass
		50	0	22.60	-13.91	6.54	<=34.77	Pass
16QAM	829	1	0	22.72	-13.91	6.66	<=34.77	Pass
			25	22.75	-13.91	6.69	<=34.77	Pass
			49	22.75	-13.91	6.69	<=34.77	Pass
		25	0	21.45	-13.91	5.39	<=34.77	Pass
			13	21.61	-13.91	5.55	<=34.77	Pass
			25	21.53	-13.91	5.47	<=34.77	Pass
		50	0	21.52	-13.91	5.46	<=34.77	Pass
	836.5	1	0	23.13	-13.91	7.07	<=34.77	Pass
			25	22.75	-13.91	6.69	<=34.77	Pass
			49	22.66	-13.91	6.60	<=34.77	Pass
		25	0	21.58	-13.91	5.52	<=34.77	Pass
			13	21.65	-13.91	5.59	<=34.77	Pass
			25	21.69	-13.91	5.63	<=34.77	Pass
		50	0	21.53	-13.91	5.47	<=34.77	Pass
	844	1	0	22.63	-13.91	6.57	<=34.77	Pass
			25	22.70	-13.91	6.64	<=34.77	Pass
			49	22.70	-13.91	6.64	<=34.77	Pass
		25	0	21.71	-13.91	5.65	<=34.77	Pass
			13	21.75	-13.91	5.69	<=34.77	Pass
			25	21.68	-13.91	5.62	<=34.77	Pass
		50	0	21.63	-13.91	5.57	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	23.40	-13.91	7.34	<=34.77	Pass
			38	23.53	-13.91	7.47	<=34.77	Pass
			74	23.51	-13.91	7.45	<=34.77	Pass
		36	0	22.48	-13.91	6.42	<=34.77	Pass
			18	22.51	-13.91	6.45	<=34.77	Pass
			39	22.51	-13.91	6.45	<=34.77	Pass
		75	0	22.52	-13.91	6.46	<=34.77	Pass
	836.5	1	0	23.47	-13.91	7.41	<=34.77	Pass
			38	23.56	-13.91	7.50	<=34.77	Pass
			74	23.61	-13.91	7.55	<=34.77	Pass
		36	0	22.50	-13.91	6.44	<=34.77	Pass
			18	22.56	-13.91	6.50	<=34.77	Pass
			39	22.63	-13.91	6.57	<=34.77	Pass
		75	0	22.59	-13.91	6.53	<=34.77	Pass
	841.5	1	0	23.48	-13.91	7.42	<=34.77	Pass
			38	23.68	-13.91	7.62	<=34.77	Pass
			74	23.63	-13.91	7.57	<=34.77	Pass
		36	0	22.50	-13.91	6.44	<=34.77	Pass
			18	22.62	-13.91	6.56	<=34.77	Pass
			39	22.61	-13.91	6.55	<=34.77	Pass
		75	0	22.58	-13.91	6.52	<=34.77	Pass
16QAM	831.5	1	0	23.04	-13.91	6.98	<=34.77	Pass
			38	23.16	-13.91	7.10	<=34.77	Pass
			74	23.08	-13.91	7.02	<=34.77	Pass
		36	0	21.48	-13.91	5.42	<=34.77	Pass
			18	21.59	-13.91	5.53	<=34.77	Pass
			39	21.55	-13.91	5.49	<=34.77	Pass
		75	0	21.51	-13.91	5.45	<=34.77	Pass
	836.5	1	0	22.81	-13.91	6.75	<=34.77	Pass
			38	22.97	-13.91	6.91	<=34.77	Pass
			74	22.96	-13.91	6.90	<=34.77	Pass
		36	0	21.49	-13.91	5.43	<=34.77	Pass
			18	21.55	-13.91	5.49	<=34.77	Pass
			39	21.60	-13.91	5.54	<=34.77	Pass
		75	0	21.53	-13.91	5.47	<=34.77	Pass
	841.5	1	0	22.62	-13.91	6.56	<=34.77	Pass
			38	22.81	-13.91	6.75	<=34.77	Pass
			74	22.78	-13.91	6.72	<=34.77	Pass
		36	0	21.49	-13.91	5.43	<=34.77	Pass
			18	21.65	-13.91	5.59	<=34.77	Pass
			39	21.60	-13.91	5.54	<=34.77	Pass
		75	0	21.61	-13.91	5.55	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	-5.021	-0.0061	-2.5 to 2.5	Pass
					3.85	-5.651	-0.0069	-2.5 to 2.5	Pass
					4.43	-2.589	-0.0031	-2.5 to 2.5	Pass
				-30	3.85	-3.362	-0.0041	-2.5 to 2.5	Pass
				-20	3.85	-4.535	-0.0055	-2.5 to 2.5	Pass
				-10	3.85	-3.791	-0.0046	-2.5 to 2.5	Pass
				0	3.85	-2.317	-0.0028	-2.5 to 2.5	Pass
				10	3.85	-4.005	-0.0049	-2.5 to 2.5	Pass
				30	3.85	-0.916	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-1.874	-0.0023	-2.5 to 2.5	Pass
				50	3.85	-0.458	-0.0006	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	-0.401	-0.0005	-2.5 to 2.5	Pass
					3.85	-0.486	-0.0006	-2.5 to 2.5	Pass
					4.43	-1.960	-0.0023	-2.5 to 2.5	Pass
				-30	3.85	0.386	0.0005	-2.5 to 2.5	Pass
				-20	3.85	-5.522	-0.0066	-2.5 to 2.5	Pass
				-10	3.85	-2.232	-0.0027	-2.5 to 2.5	Pass
				0	3.85	-0.887	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-2.861	-0.0034	-2.5 to 2.5	Pass
				30	3.85	-1.674	-0.0020	-2.5 to 2.5	Pass
				40	3.85	-0.443	-0.0005	-2.5 to 2.5	Pass
				50	3.85	-0.858	-0.0010	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	-1.302	-0.0015	-2.5 to 2.5	Pass
					3.85	-1.874	-0.0022	-2.5 to 2.5	Pass
					4.43	-5.064	-0.0060	-2.5 to 2.5	Pass
				-30	3.85	-2.704	-0.0032	-2.5 to 2.5	Pass
				-20	3.85	0.072	0.0001	-2.5 to 2.5	Pass
				-10	3.85	-4.492	-0.0053	-2.5 to 2.5	Pass
				0	3.85	-6.824	-0.0080	-2.5 to 2.5	Pass
				10	3.85	-1.488	-0.0018	-2.5 to 2.5	Pass
				30	3.85	-3.319	-0.0039	-2.5 to 2.5	Pass
				40	3.85	-5.908	-0.0070	-2.5 to 2.5	Pass
16QAM	824.7	6	0	20	3.27	3.476	0.0042	-2.5 to 2.5	Pass
					3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
					4.43	-3.290	-0.0040	-2.5 to 2.5	Pass
				-30	3.85	-2.632	-0.0032	-2.5 to 2.5	Pass
				-20	3.85	-2.632	-0.0032	-2.5 to 2.5	Pass
				-10	3.85	-0.200	-0.0002	-2.5 to 2.5	Pass
				0	3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
				10	3.85	-3.262	-0.0040	-2.5 to 2.5	Pass
				30	3.85	-3.533	-0.0043	-2.5 to 2.5	Pass
				40	3.85	-5.536	-0.0067	-2.5 to 2.5	Pass
				50	3.85	-3.548	-0.0043	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	-4.849	-0.0058	-2.5 to 2.5	Pass
					3.85	-1.330	-0.0016	-2.5 to 2.5	Pass
					4.43	-3.390	-0.0041	-2.5 to 2.5	Pass
				-30	3.85	-5.207	-0.0062	-2.5 to 2.5	Pass
				-20	3.85	-3.204	-0.0038	-2.5 to 2.5	Pass
				-10	3.85	-5.622	-0.0067	-2.5 to 2.5	Pass

				0	3.85	-7.353	-0.0088	-2.5 to 2.5	Pass
				10	3.85	-3.519	-0.0042	-2.5 to 2.5	Pass
				30	3.85	-4.864	-0.0058	-2.5 to 2.5	Pass
				40	3.85	-8.326	-0.0100	-2.5 to 2.5	Pass
				50	3.85	-2.818	-0.0034	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	-1.588	-0.0019	-2.5 to 2.5	Pass
					3.85	-2.017	-0.0024	-2.5 to 2.5	Pass
					4.43	-6.638	-0.0078	-2.5 to 2.5	Pass
				-30	3.85	-5.193	-0.0061	-2.5 to 2.5	Pass
				-20	3.85	-3.319	-0.0039	-2.5 to 2.5	Pass
				-10	3.85	-2.246	-0.0026	-2.5 to 2.5	Pass
				0	3.85	-3.161	-0.0037	-2.5 to 2.5	Pass
				10	3.85	-5.050	-0.0060	-2.5 to 2.5	Pass
				30	3.85	-3.905	-0.0046	-2.5 to 2.5	Pass
				40	3.85	-5.708	-0.0067	-2.5 to 2.5	Pass
				50	3.85	-4.334	-0.0051	-2.5 to 2.5	Pass

2.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.27	-6.623	-0.0080	-2.5 to 2.5	Pass
					3.85	-2.446	-0.0030	-2.5 to 2.5	Pass
					4.43	-2.260	-0.0027	-2.5 to 2.5	Pass
				-30	3.85	-2.818	-0.0034	-2.5 to 2.5	Pass
				-20	3.85	-3.247	-0.0039	-2.5 to 2.5	Pass
				-10	3.85	-1.731	-0.0021	-2.5 to 2.5	Pass
				0	3.85	-0.830	-0.0010	-2.5 to 2.5	Pass
				10	3.85	-3.862	-0.0047	-2.5 to 2.5	Pass
				30	3.85	-3.018	-0.0037	-2.5 to 2.5	Pass
				40	3.85	-2.832	-0.0034	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	-3.390	-0.0041	-2.5 to 2.5	Pass
					3.85	-4.921	-0.0059	-2.5 to 2.5	Pass
					4.43	-1.531	-0.0018	-2.5 to 2.5	Pass
				-30	3.85	-4.249	-0.0051	-2.5 to 2.5	Pass
				-20	3.85	-8.769	-0.0105	-2.5 to 2.5	Pass
				-10	3.85	-3.734	-0.0045	-2.5 to 2.5	Pass
				0	3.85	-4.764	-0.0057	-2.5 to 2.5	Pass
				10	3.85	-4.764	-0.0057	-2.5 to 2.5	Pass
				30	3.85	-2.375	-0.0028	-2.5 to 2.5	Pass
				40	3.85	-1.101	-0.0013	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	-1.431	-0.0017	-2.5 to 2.5	Pass
					3.85	-5.207	-0.0061	-2.5 to 2.5	Pass
					4.43	-3.419	-0.0040	-2.5 to 2.5	Pass
				-30	3.85	-1.445	-0.0017	-2.5 to 2.5	Pass
				-20	3.85	-5.064	-0.0060	-2.5 to 2.5	Pass
				-10	3.85	-0.272	-0.0003	-2.5 to 2.5	Pass
				0	3.85	-3.648	-0.0043	-2.5 to 2.5	Pass
				10	3.85	-1.917	-0.0023	-2.5 to 2.5	Pass
				30	3.85	-0.973	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-1.502	-0.0018	-2.5 to 2.5	Pass
16QAM	825.5	15	0	20	3.27	-4.177	-0.0051	-2.5 to 2.5	Pass
					3.85	-2.947	-0.0036	-2.5 to 2.5	Pass
					4.43	-4.249	-0.0051	-2.5 to 2.5	Pass

				-30	3.85	-0.329	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-1.602	-0.0019	-2.5 to 2.5	Pass
				-10	3.85	-4.735	-0.0057	-2.5 to 2.5	Pass
				0	3.85	-4.849	-0.0059	-2.5 to 2.5	Pass
				10	3.85	-2.904	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-1.187	-0.0014	-2.5 to 2.5	Pass
				40	3.85	-3.247	-0.0039	-2.5 to 2.5	Pass
				50	3.85	-3.591	-0.0044	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	-1.945	-0.0023	-2.5 to 2.5	Pass
					3.85	-0.458	-0.0005	-2.5 to 2.5	Pass
					4.43	-2.646	-0.0032	-2.5 to 2.5	Pass
				-30	3.85	-0.043	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	-3.347	-0.0040	-2.5 to 2.5	Pass
				-10	3.85	-1.760	-0.0021	-2.5 to 2.5	Pass
				0	3.85	-2.832	-0.0034	-2.5 to 2.5	Pass
				10	3.85	-3.662	-0.0044	-2.5 to 2.5	Pass
				30	3.85	-0.772	-0.0009	-2.5 to 2.5	Pass
				40	3.85	-1.345	-0.0016	-2.5 to 2.5	Pass
				50	3.85	-2.217	-0.0027	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	-0.587	-0.0007	-2.5 to 2.5	Pass
					3.85	-3.505	-0.0041	-2.5 to 2.5	Pass
					4.43	-0.515	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	-1.345	-0.0016	-2.5 to 2.5	Pass
				-20	3.85	-5.293	-0.0062	-2.5 to 2.5	Pass
				-10	3.85	-2.346	-0.0028	-2.5 to 2.5	Pass
				0	3.85	-2.389	-0.0028	-2.5 to 2.5	Pass
				10	3.85	-2.704	-0.0032	-2.5 to 2.5	Pass
				30	3.85	-3.161	-0.0037	-2.5 to 2.5	Pass
				40	3.85	-2.904	-0.0034	-2.5 to 2.5	Pass
				50	3.85	-2.933	-0.0035	-2.5 to 2.5	Pass

2.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	-2.604	-0.0032	-2.5 to 2.5	Pass
					3.85	-2.146	-0.0026	-2.5 to 2.5	Pass
					4.43	-4.091	-0.0049	-2.5 to 2.5	Pass
				-30	3.85	-3.819	-0.0046	-2.5 to 2.5	Pass
				-20	3.85	-2.933	-0.0035	-2.5 to 2.5	Pass
				-10	3.85	-2.217	-0.0027	-2.5 to 2.5	Pass
				0	3.85	-2.775	-0.0034	-2.5 to 2.5	Pass
				10	3.85	-5.679	-0.0069	-2.5 to 2.5	Pass
				30	3.85	-2.704	-0.0033	-2.5 to 2.5	Pass
				40	3.85	-0.801	-0.0010	-2.5 to 2.5	Pass
				50	3.85	-3.448	-0.0042	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	-9.212	-0.0110	-2.5 to 2.5	Pass
					3.85	-3.304	-0.0039	-2.5 to 2.5	Pass
					4.43	-4.234	-0.0051	-2.5 to 2.5	Pass
				-30	3.85	-4.735	-0.0057	-2.5 to 2.5	Pass
				-20	3.85	-5.107	-0.0061	-2.5 to 2.5	Pass
				-10	3.85	-0.901	-0.0011	-2.5 to 2.5	Pass
				0	3.85	-1.688	-0.0020	-2.5 to 2.5	Pass
				10	3.85	-3.476	-0.0042	-2.5 to 2.5	Pass
				30	3.85	-3.061	-0.0037	-2.5 to 2.5	Pass
				40	3.85	-3.519	-0.0042	-2.5 to 2.5	Pass
				50	3.85	-1.459	-0.0017	-2.5 to 2.5	Pass

	846.5	25	0	20	3.27	-2.775	-0.0033	-2.5 to 2.5	Pass
					3.85	-4.048	-0.0048	-2.5 to 2.5	Pass
					4.43	-2.575	-0.0030	-2.5 to 2.5	Pass
				-30	3.85	-5.322	-0.0063	-2.5 to 2.5	Pass
				-20	3.85	-3.762	-0.0044	-2.5 to 2.5	Pass
				-10	3.85	-5.407	-0.0064	-2.5 to 2.5	Pass
				0	3.85	-1.016	-0.0012	-2.5 to 2.5	Pass
				10	3.85	-2.990	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-3.762	-0.0044	-2.5 to 2.5	Pass
				40	3.85	-3.834	-0.0045	-2.5 to 2.5	Pass
				50	3.85	-3.948	-0.0047	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	3.27	-2.933	-0.0035	-2.5 to 2.5	Pass
					3.85	-1.030	-0.0012	-2.5 to 2.5	Pass
					4.43	-2.546	-0.0031	-2.5 to 2.5	Pass
				-30	3.85	-2.818	-0.0034	-2.5 to 2.5	Pass
				-20	3.85	-3.490	-0.0042	-2.5 to 2.5	Pass
				-10	3.85	-4.077	-0.0049	-2.5 to 2.5	Pass
				0	3.85	-4.120	-0.0050	-2.5 to 2.5	Pass
				10	3.85	-2.847	-0.0034	-2.5 to 2.5	Pass
				30	3.85	-2.089	-0.0025	-2.5 to 2.5	Pass
				40	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				50	3.85	-2.174	-0.0026	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	-5.622	-0.0067	-2.5 to 2.5	Pass
					3.85	-3.977	-0.0048	-2.5 to 2.5	Pass
					4.43	-5.207	-0.0062	-2.5 to 2.5	Pass
				-30	3.85	-4.320	-0.0052	-2.5 to 2.5	Pass
				-20	3.85	-7.138	-0.0085	-2.5 to 2.5	Pass
				-10	3.85	-2.403	-0.0029	-2.5 to 2.5	Pass
				0	3.85	-2.847	-0.0034	-2.5 to 2.5	Pass
				10	3.85	-4.320	-0.0052	-2.5 to 2.5	Pass
				30	3.85	-1.774	-0.0021	-2.5 to 2.5	Pass
				40	3.85	-2.232	-0.0027	-2.5 to 2.5	Pass
				50	3.85	-4.148	-0.0050	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	-4.735	-0.0056	-2.5 to 2.5	Pass
					3.85	-5.035	-0.0059	-2.5 to 2.5	Pass
					4.43	-1.159	-0.0014	-2.5 to 2.5	Pass
				-30	3.85	-2.174	-0.0026	-2.5 to 2.5	Pass
				-20	3.85	-6.695	-0.0079	-2.5 to 2.5	Pass
				-10	3.85	-1.960	-0.0023	-2.5 to 2.5	Pass
				0	3.85	-2.875	-0.0034	-2.5 to 2.5	Pass
				10	3.85	-2.961	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-2.689	-0.0032	-2.5 to 2.5	Pass
				40	3.85	-5.736	-0.0068	-2.5 to 2.5	Pass
				50	3.85	-3.548	-0.0042	-2.5 to 2.5	Pass

2.1.4 B26b 10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.27	-2.933	-0.0035	-2.5 to 2.5	Pass
					3.85	-3.176	-0.0038	-2.5 to 2.5	Pass
					4.43	-1.316	-0.0016	-2.5 to 2.5	Pass
				-30	3.85	-4.020	-0.0048	-2.5 to 2.5	Pass
				-20	3.85	-3.176	-0.0038	-2.5 to 2.5	Pass
				-10	3.85	-2.131	-0.0026	-2.5 to 2.5	Pass
				0	3.85	-2.704	-0.0033	-2.5 to 2.5	Pass
				10	3.85	-1.416	-0.0017	-2.5 to 2.5	Pass

				30	3.85	-3.204	-0.0039	-2.5 to 2.5	Pass
				40	3.85	-1.659	-0.0020	-2.5 to 2.5	Pass
				50	3.85	-2.260	-0.0027	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	-1.645	-0.0020	-2.5 to 2.5	Pass
					3.85	-1.931	-0.0023	-2.5 to 2.5	Pass
					4.43	-2.389	-0.0029	-2.5 to 2.5	Pass
				-30	3.85	-1.087	-0.0013	-2.5 to 2.5	Pass
				-20	3.85	-1.559	-0.0019	-2.5 to 2.5	Pass
				-10	3.85	-1.674	-0.0020	-2.5 to 2.5	Pass
				0	3.85	-1.144	-0.0014	-2.5 to 2.5	Pass
				10	3.85	-1.960	-0.0023	-2.5 to 2.5	Pass
				30	3.85	-0.343	-0.0004	-2.5 to 2.5	Pass
				40	3.85	-1.059	-0.0013	-2.5 to 2.5	Pass
				50	3.85	-1.788	-0.0021	-2.5 to 2.5	Pass
	844	50	0	20	3.27	-5.193	-0.0062	-2.5 to 2.5	Pass
					3.85	-2.074	-0.0025	-2.5 to 2.5	Pass
					4.43	-3.662	-0.0043	-2.5 to 2.5	Pass
				-30	3.85	-4.234	-0.0050	-2.5 to 2.5	Pass
				-20	3.85	-1.616	-0.0019	-2.5 to 2.5	Pass
				-10	3.85	-4.148	-0.0049	-2.5 to 2.5	Pass
				0	3.85	-3.633	-0.0043	-2.5 to 2.5	Pass
				10	3.85	-4.907	-0.0058	-2.5 to 2.5	Pass
				30	3.85	-4.764	-0.0056	-2.5 to 2.5	Pass
				40	3.85	-3.304	-0.0039	-2.5 to 2.5	Pass
				50	3.85	-2.432	-0.0029	-2.5 to 2.5	Pass
16QAM	829	50	0	20	3.27	-2.131	-0.0026	-2.5 to 2.5	Pass
					3.85	-2.604	-0.0031	-2.5 to 2.5	Pass
					4.43	-2.890	-0.0035	-2.5 to 2.5	Pass
				-30	3.85	-1.416	-0.0017	-2.5 to 2.5	Pass
				-20	3.85	-1.860	-0.0022	-2.5 to 2.5	Pass
				-10	3.85	-3.490	-0.0042	-2.5 to 2.5	Pass
				0	3.85	-2.146	-0.0026	-2.5 to 2.5	Pass
				10	3.85	-1.574	-0.0019	-2.5 to 2.5	Pass
				30	3.85	-2.117	-0.0026	-2.5 to 2.5	Pass
				40	3.85	-4.163	-0.0050	-2.5 to 2.5	Pass
				50	3.85	-3.562	-0.0043	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	-2.561	-0.0031	-2.5 to 2.5	Pass
					3.85	-3.319	-0.0040	-2.5 to 2.5	Pass
					4.43	-3.161	-0.0038	-2.5 to 2.5	Pass
				-30	3.85	-3.047	-0.0036	-2.5 to 2.5	Pass
				-20	3.85	-2.689	-0.0032	-2.5 to 2.5	Pass
				-10	3.85	-2.317	-0.0028	-2.5 to 2.5	Pass
				0	3.85	-1.016	-0.0012	-2.5 to 2.5	Pass
				10	3.85	-3.576	-0.0043	-2.5 to 2.5	Pass
				30	3.85	-1.888	-0.0023	-2.5 to 2.5	Pass
				40	3.85	-3.891	-0.0047	-2.5 to 2.5	Pass
				50	3.85	-3.033	-0.0036	-2.5 to 2.5	Pass
	844	50	0	20	3.27	-3.719	-0.0044	-2.5 to 2.5	Pass
					3.85	-3.562	-0.0042	-2.5 to 2.5	Pass
					4.43	-2.689	-0.0032	-2.5 to 2.5	Pass
				-30	3.85	-4.792	-0.0057	-2.5 to 2.5	Pass
				-20	3.85	-1.931	-0.0023	-2.5 to 2.5	Pass
				-10	3.85	-2.031	-0.0024	-2.5 to 2.5	Pass
				0	3.85	-2.546	-0.0030	-2.5 to 2.5	Pass
				10	3.85	-1.760	-0.0021	-2.5 to 2.5	Pass
				30	3.85	-2.003	-0.0024	-2.5 to 2.5	Pass
				40	3.85	-2.632	-0.0031	-2.5 to 2.5	Pass
				50	3.85	-4.206	-0.0050	-2.5 to 2.5	Pass

2.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	831.5	75	0	20	3.27	-4.563	-0.0055	-2.5 to 2.5	Pass
					3.85	-2.718	-0.0033	-2.5 to 2.5	Pass
					4.43	-3.233	-0.0039	-2.5 to 2.5	Pass
				-30	3.85	-3.576	-0.0043	-2.5 to 2.5	Pass
				-20	3.85	-2.890	-0.0035	-2.5 to 2.5	Pass
				-10	3.85	-1.502	-0.0018	-2.5 to 2.5	Pass
				0	3.85	-3.848	-0.0046	-2.5 to 2.5	Pass
				10	3.85	-3.591	-0.0043	-2.5 to 2.5	Pass
				30	3.85	-4.749	-0.0057	-2.5 to 2.5	Pass
				40	3.85	-3.819	-0.0046	-2.5 to 2.5	Pass
				50	3.85	-2.174	-0.0026	-2.5 to 2.5	Pass
	836.5	75	0	20	3.27	-3.633	-0.0043	-2.5 to 2.5	Pass
					3.85	-3.133	-0.0037	-2.5 to 2.5	Pass
					4.43	-3.405	-0.0041	-2.5 to 2.5	Pass
				-30	3.85	-1.802	-0.0022	-2.5 to 2.5	Pass
				-20	3.85	-3.805	-0.0045	-2.5 to 2.5	Pass
				-10	3.85	-2.975	-0.0036	-2.5 to 2.5	Pass
				0	3.85	0.601	0.0007	-2.5 to 2.5	Pass
				10	3.85	-1.745	-0.0021	-2.5 to 2.5	Pass
				30	3.85	-2.618	-0.0031	-2.5 to 2.5	Pass
				40	3.85	-3.748	-0.0045	-2.5 to 2.5	Pass
				50	3.85	-1.917	-0.0023	-2.5 to 2.5	Pass
	841.5	75	0	20	3.27	-1.717	-0.0020	-2.5 to 2.5	Pass
					3.85	-1.960	-0.0023	-2.5 to 2.5	Pass
					4.43	-3.390	-0.0040	-2.5 to 2.5	Pass
				-30	3.85	-2.546	-0.0030	-2.5 to 2.5	Pass
				-20	3.85	-2.704	-0.0032	-2.5 to 2.5	Pass
				-10	3.85	-4.177	-0.0050	-2.5 to 2.5	Pass
				0	3.85	-4.292	-0.0051	-2.5 to 2.5	Pass
				10	3.85	-3.133	-0.0037	-2.5 to 2.5	Pass
				30	3.85	-3.104	-0.0037	-2.5 to 2.5	Pass
				40	3.85	-3.104	-0.0037	-2.5 to 2.5	Pass
16QAM	831.5	75	0	20	3.27	-2.360	-0.0028	-2.5 to 2.5	Pass
					3.85	-3.734	-0.0045	-2.5 to 2.5	Pass
					4.43	-3.662	-0.0044	-2.5 to 2.5	Pass
				-30	3.85	-2.589	-0.0031	-2.5 to 2.5	Pass
				-20	3.85	-3.233	-0.0039	-2.5 to 2.5	Pass
				-10	3.85	-2.832	-0.0034	-2.5 to 2.5	Pass
				0	3.85	-1.845	-0.0022	-2.5 to 2.5	Pass
				10	3.85	-1.988	-0.0024	-2.5 to 2.5	Pass
				30	3.85	-1.330	-0.0016	-2.5 to 2.5	Pass
				40	3.85	-3.076	-0.0037	-2.5 to 2.5	Pass
				50	3.85	-0.472	-0.0006	-2.5 to 2.5	Pass
	836.5	75	0	20	3.27	-2.918	-0.0035	-2.5 to 2.5	Pass
					3.85	-4.549	-0.0054	-2.5 to 2.5	Pass
					4.43	-2.460	-0.0029	-2.5 to 2.5	Pass
				-30	3.85	-3.419	-0.0041	-2.5 to 2.5	Pass
				-20	3.85	-4.020	-0.0048	-2.5 to 2.5	Pass
				-10	3.85	-4.277	-0.0051	-2.5 to 2.5	Pass
				0	3.85	-2.275	-0.0027	-2.5 to 2.5	Pass
				10	3.85	-3.219	-0.0038	-2.5 to 2.5	Pass
				30	3.85	-2.761	-0.0033	-2.5 to 2.5	Pass
				40	3.85	-2.232	-0.0027	-2.5 to 2.5	Pass
				50	3.85	-3.133	-0.0037	-2.5 to 2.5	Pass

	841.5	75	0	20	3.27	-3.076	-0.0037	-2.5 to 2.5	Pass
					3.85	-1.774	-0.0021	-2.5 to 2.5	Pass
					4.43	-4.220	-0.0050	-2.5 to 2.5	Pass
				-30	3.85	-2.789	-0.0033	-2.5 to 2.5	Pass
				-20	3.85	-2.317	-0.0028	-2.5 to 2.5	Pass
				-10	3.85	-3.076	-0.0037	-2.5 to 2.5	Pass
				0	3.85	-2.389	-0.0028	-2.5 to 2.5	Pass
				10	3.85	-3.591	-0.0043	-2.5 to 2.5	Pass
				30	3.85	-2.203	-0.0026	-2.5 to 2.5	Pass
				40	3.85	-2.389	-0.0028	-2.5 to 2.5	Pass
				50	3.85	-2.832	-0.0034	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

3.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	50	0	Refer To Test Graph		Pass

3.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	




QPSK	836.5	75	0	Refer To Test Graph	Pass
16QAM	836.5	75	0	Refer To Test Graph	Pass

3.2 Test Graph


3.2.1 B26b_1.4MHz




3.2.2 B26b_3MHz




3.2.3 B26b_5MHz



3.2.4 B26b_10MHz



3.2.5 B26b_15MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26b_OBW

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.119	/	Pass
		836.5	6	0	1.110	/	Pass
		848.3	6	0	1.127	/	Pass
	16QAM	824.7	6	0	1.114	/	Pass
		836.5	6	0	1.112	/	Pass
		848.3	6	0	1.101	/	Pass
3	QPSK	825.5	15	0	2.724	/	Pass
		836.5	15	0	2.730	/	Pass
		847.5	15	0	2.722	/	Pass
	16QAM	825.5	15	0	2.731	/	Pass
		836.5	15	0	2.728	/	Pass
		847.5	15	0	2.728	/	Pass
5	QPSK	826.5	25	0	4.539	/	Pass
		836.5	25	0	4.529	/	Pass
		846.5	25	0	4.559	/	Pass
	16QAM	826.5	25	0	4.530	/	Pass
		836.5	25	0	4.534	/	Pass
		846.5	25	0	4.551	/	Pass
10	QPSK	829	50	0	9.038	/	Pass
		836.5	50	0	9.019	/	Pass
		844	50	0	9.014	/	Pass
	16QAM	829	50	0	9.043	/	Pass
		836.5	50	0	9.038	/	Pass
		844	50	0	9.024	/	Pass
15	QPSK	831.5	75	0	13.567	/	Pass
		836.5	75	0	13.571	/	Pass
		841.5	75	0	13.503	/	Pass
	16QAM	831.5	75	0	13.554	/	Pass
		836.5	75	0	13.566	/	Pass
		841.5	75	0	13.550	/	Pass


4.1.2 Band26b_XDB

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.303	/	Pass
		836.5	6	0	1.304	/	Pass
		848.3	6	0	1.301	/	Pass
	16QAM	824.7	6	0	1.292	/	Pass
		836.5	6	0	1.302	/	Pass
		848.3	6	0	1.300	/	Pass
3	QPSK	825.5	15	0	3.033	/	Pass
		836.5	15	0	3.052	/	Pass
		847.5	15	0	3.033	/	Pass


	16QAM	825.5	15	0	3.072	/	Pass
		836.5	15	0	3.040	/	Pass
		847.5	15	0	3.018	/	Pass
5	QPSK	826.5	25	0	4.993	/	Pass
		836.5	25	0	4.994	/	Pass
		846.5	25	0	5.010	/	Pass
	16QAM	826.5	25	0	4.980	/	Pass
		836.5	25	0	5.011	/	Pass
		846.5	25	0	4.975	/	Pass
10	QPSK	829	50	0	9.916	/	Pass
		836.5	50	0	9.899	/	Pass
		844	50	0	9.888	/	Pass
	16QAM	829	50	0	9.880	/	Pass
		836.5	50	0	9.850	/	Pass
		844	50	0	9.896	/	Pass
15	QPSK	831.5	75	0	14.908	/	Pass
		836.5	75	0	14.906	/	Pass
		841.5	75	0	14.735	/	Pass
	16QAM	831.5	75	0	14.857	/	Pass
		836.5	75	0	14.896	/	Pass
		841.5	75	0	14.785	/	Pass

4.2 Test Graph


4.2.1 Band26b_OBW




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




4.2.2 Band26b_XDB




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB 6 0 NTNv




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB 6 0 NTNv




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV



Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV



Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV



Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV

