



LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1652.47	-33.79	9.56	9.72	-33.95	-13.00	-20.95	H
2478.90	-34.64	10.50	10.86	-35.00	-13.00	-22.00	H
3305.68	-32.67	12.78	11.57	-31.46	-13.00	-18.46	H
1652.47	-35.17	9.56	9.72	-35.33	-13.00	-22.33	V
2478.90	-34.21	10.50	10.86	-34.57	-13.00	-21.57	V
3305.68	-33.11	12.78	11.57	-31.90	-13.00	-18.90	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.59	-34.15	9.56	9.72	-34.31	-13.00	-21.31	H
2508.75	-35.36	10.50	10.86	-35.72	-13.00	-22.72	H
3345.33	-33.05	12.78	11.57	-31.84	-13.00	-18.84	H
1672.59	-34.83	9.56	9.72	-34.99	-13.00	-21.99	V
2508.75	-34.82	10.50	10.86	-35.18	-13.00	-22.18	V
3345.33	-32.72	12.78	11.57	-31.51	-13.00	-18.51	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1692.30	-33.77	9.56	9.72	-33.93	-13.00	-20.93	H
2538.85	-34.89	10.50	10.86	-35.25	-13.00	-22.25	H
3385.57	-32.53	12.78	11.57	-31.32	-13.00	-18.32	H
1692.30	-35.57	9.56	9.72	-35.73	-13.00	-22.73	V
2538.85	-34.30	10.50	10.86	-34.66	-13.00	-21.66	V
3385.57	-32.62	12.78	11.57	-31.41	-13.00	-18.41	V



LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1657.69	-34.41	9.56	9.72	-34.57	-13.00	-21.57	H
2486.47	-34.81	10.50	10.86	-35.17	-13.00	-22.17	H
3315.24	-33.27	12.78	11.57	-32.06	-13.00	-19.06	H
1657.69	-35.86	9.56	9.72	-36.02	-13.00	-23.02	V
2486.47	-34.57	10.50	10.86	-34.93	-13.00	-21.93	V
3315.24	-32.54	12.78	11.57	-31.33	-13.00	-18.33	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1672.45	-33.86	9.56	9.72	-34.02	-13.00	-21.02	H
2508.87	-34.39	10.50	10.86	-34.75	-13.00	-21.75	H
3345.08	-32.47	12.78	11.57	-31.26	-13.00	-18.26	H
1672.45	-35.99	9.56	9.72	-36.15	-13.00	-23.15	V
2508.87	-34.68	10.50	10.86	-35.04	-13.00	-22.04	V
3345.08	-32.94	12.78	11.57	-31.73	-13.00	-18.73	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1687.58	-34.32	9.56	9.72	-34.48	-13.00	-21.48	H
2531.39	-34.19	10.50	10.86	-34.55	-13.00	-21.55	H
3375.86	-33.60	12.78	11.57	-32.39	-13.00	-19.39	H
1687.58	-35.20	9.56	9.72	-35.36	-13.00	-22.36	V
2531.39	-34.61	10.50	10.86	-34.97	-13.00	-21.97	V
3375.86	-31.85	12.78	11.57	-30.64	-13.00	-17.64	V



LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5005.30	-34.75	12.66	15.86	-37.95	-25.00	-12.95	H
7507.86	-34.71	11.46	19.28	-42.53	-25.00	-17.53	H
10010.55	-33.43	12.79	23.19	-43.83	-25.00	-18.83	H
5005.30	-35.08	12.66	15.86	-38.28	-25.00	-13.28	V
7507.86	-34.81	11.46	19.28	-42.63	-25.00	-17.63	V
10010.55	-32.96	12.79	23.19	-43.36	-25.00	-18.36	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5069.78	-34.59	12.72	15.86	-37.73	-25.00	-12.73	H
7604.75	-35.33	11.46	19.28	-43.15	-25.00	-18.15	H
10139.66	-33.14	12.09	23.19	-44.24	-25.00	-19.24	H
5069.78	-35.17	12.72	15.86	-38.31	-25.00	-13.31	V
7604.75	-34.48	11.46	19.28	-42.30	-25.00	-17.30	V
10139.66	-31.83	12.09	23.19	-42.93	-25.00	-17.93	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5133.79	-33.65	12.76	15.86	-36.75	-25.00	-11.75	H
7701.28	-35.01	11.45	19.28	-42.84	-25.00	-17.84	H
10268.42	-32.54	12.28	23.19	-43.45	-25.00	-18.45	H
5133.79	-34.95	12.76	15.86	-38.05	-25.00	-13.05	V
7701.28	-34.08	11.45	19.28	-41.91	-25.00	-16.91	V
10268.42	-32.15	12.28	23.19	-43.06	-25.00	-18.06	V



LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5010.23	-33.71	12.66	15.86	-36.91	-25.00	-11.91	H
7515.27	-34.62	11.46	19.28	-42.44	-25.00	-17.44	H
10020.35	-32.21	12.79	23.19	-42.61	-25.00	-17.61	H
5010.23	-34.78	12.66	15.86	-37.98	-25.00	-12.98	V
7515.27	-34.10	11.46	19.28	-41.92	-25.00	-16.92	V
10020.35	-32.13	12.79	23.19	-42.53	-25.00	-17.53	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5069.66	-34.26	12.72	15.86	-37.40	-25.00	-12.40	H
7604.74	-34.36	11.46	19.28	-42.18	-25.00	-17.18	H
10139.71	-33.37	12.09	23.19	-44.47	-25.00	-19.47	H
5069.66	-34.60	12.72	15.86	-37.74	-25.00	-12.74	V
7604.74	-34.15	11.46	19.28	-41.97	-25.00	-16.97	V
10139.71	-31.74	12.09	23.19	-42.84	-25.00	-17.84	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5129.37	-34.84	12.76	15.86	-37.94	-25.00	-12.94	H
7693.99	-34.56	11.45	19.28	-42.39	-25.00	-17.39	H
10258.79	-32.78	12.28	23.19	-43.69	-25.00	-18.69	H
5129.37	-35.36	12.76	15.86	-38.46	-25.00	-13.46	V
7693.99	-34.95	11.45	19.28	-42.78	-25.00	-17.78	V
10258.79	-31.83	12.28	23.19	-42.74	-25.00	-17.74	V



LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5015.86	-34.15	12.66	15.86	-37.35	-25.00	-12.35	H
7523.91	-34.79	11.46	19.28	-42.61	-25.00	-17.61	H
10031.98	-32.74	12.79	23.19	-43.14	-25.00	-18.14	H
5015.86	-34.99	12.66	15.86	-38.19	-25.00	-13.19	V
7523.91	-34.09	11.46	19.28	-41.91	-25.00	-16.91	V
10031.98	-31.96	12.79	23.19	-42.36	-25.00	-17.36	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5069.86	-34.19	12.72	15.86	-37.33	-25.00	-12.33	H
7605.05	-35.03	11.46	19.28	-42.85	-25.00	-17.85	H
10140.00	-32.82	12.09	23.19	-43.92	-25.00	-18.92	H
5069.86	-35.51	12.72	15.86	-38.65	-25.00	-13.65	V
7605.05	-34.81	11.46	19.28	-42.63	-25.00	-17.63	V
10140.00	-31.92	12.09	23.19	-43.02	-25.00	-18.02	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5123.10	-34.92	12.76	15.86	-38.02	-25.00	-13.02	H
7524.02	-35.27	11.45	19.28	-43.10	-25.00	-18.10	H
10031.82	-33.42	12.28	23.19	-44.33	-25.00	-19.33	H
5123.10	-34.56	12.76	15.86	-37.66	-25.00	-12.66	V
7524.02	-33.83	11.45	19.28	-41.66	-25.00	-16.66	V
10031.82	-32.63	12.28	23.19	-43.54	-25.00	-18.54	V



LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5020.83	-34.70	12.66	15.86	-37.90	-25.00	-12.90	H
7531.12	-34.85	11.46	19.28	-42.67	-25.00	-17.67	H
10258.79	-33.42	12.79	23.19	-43.82	-25.00	-18.82	H
5020.83	-35.81	12.66	15.86	-39.01	-25.00	-14.01	V
7531.12	-35.21	11.46	19.28	-43.03	-25.00	-18.03	V
10258.79	-32.07	12.79	23.19	-42.47	-25.00	-17.47	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5070.04	-33.94	12.72	15.86	-37.08	-25.00	-12.08	H
7604.82	-35.46	11.46	19.28	-43.28	-25.00	-18.28	H
10139.73	-32.96	12.09	23.19	-44.06	-25.00	-19.06	H
5070.04	-35.02	12.72	15.86	-38.16	-25.00	-13.16	V
7604.82	-34.76	11.46	19.28	-42.58	-25.00	-17.58	V
10139.73	-32.60	12.09	23.19	-43.70	-25.00	-18.70	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
5118.95	-34.88	12.76	15.86	-37.98	-25.00	-12.98	H
7678.27	-34.34	11.45	19.28	-42.17	-25.00	-17.17	H
10237.86	-32.75	12.28	23.19	-43.66	-25.00	-18.66	H
5118.95	-34.99	12.76	15.86	-38.09	-25.00	-13.09	V
7678.27	-34.69	11.45	19.28	-42.52	-25.00	-17.52	V
10237.86	-33.00	12.28	23.19	-43.91	-25.00	-18.91	V



LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1399.07	-34.54	8.17	9.34	-35.71	-13.00	-22.71	H
2099.09	-35.35	9.53	10.42	-36.24	-13.00	-23.24	H
2798.59	-32.78	11.27	11.12	-32.63	-13.00	-19.63	H
1399.07	-35.48	8.17	9.34	-36.65	-13.00	-23.65	V
2099.09	-34.16	9.53	10.42	-35.05	-13.00	-22.05	V
2798.59	-33.00	11.27	11.12	-32.85	-13.00	-19.85	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1414.52	-34.03	8.17	9.34	-35.20	-13.00	-22.20	H
2122.44	-35.07	9.53	10.42	-35.96	-13.00	-22.96	H
2829.77	-32.27	11.27	11.12	-32.12	-13.00	-19.12	H
1414.52	-35.17	8.17	9.34	-36.34	-13.00	-23.34	V
2122.44	-34.06	9.53	10.42	-34.95	-13.00	-21.95	V
2829.77	-32.84	11.27	11.12	-32.69	-13.00	-19.69	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1430.45	-33.86	8.17	9.34	-35.03	-13.00	-22.03	H
2145.56	-34.39	9.53	10.42	-35.28	-13.00	-22.28	H
2861.11	-33.31	11.27	11.12	-33.16	-13.00	-20.16	H
1430.45	-35.89	8.17	9.34	-37.06	-13.00	-24.06	V
2145.56	-35.01	9.53	10.42	-35.90	-13.00	-22.90	V
2861.11	-31.73	11.27	11.12	-31.58	-13.00	-18.58	V



LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1400.73	-34.87	8.17	9.34	-36.04	-13.00	-23.04	H
2101.23	-35.25	9.53	10.42	-36.14	-13.00	-23.14	H
2801.65	-33.29	11.27	11.12	-33.14	-13.00	-20.14	H
1400.73	-35.65	8.17	9.34	-36.82	-13.00	-23.82	V
2101.23	-34.89	9.53	10.42	-35.78	-13.00	-22.78	V
2801.65	-32.57	11.27	11.12	-32.42	-13.00	-19.42	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1414.70	-34.04	8.17	9.34	-35.21	-13.00	-22.21	H
2122.01	-35.23	9.53	10.42	-36.12	-13.00	-23.12	H
2829.56	-32.45	11.27	11.12	-32.30	-13.00	-19.30	H
1414.70	-34.65	8.17	9.34	-35.82	-13.00	-22.82	V
2122.01	-34.24	9.53	10.42	-35.13	-13.00	-22.13	V
2829.56	-32.67	11.27	11.12	-32.52	-13.00	-19.52	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1428.89	-34.01	8.17	9.34	-35.18	-13.00	-22.18	H
2143.10	-34.98	9.53	10.42	-35.87	-13.00	-22.87	H
2857.71	-33.23	11.27	11.12	-33.08	-13.00	-20.08	H
1428.89	-35.20	8.17	9.34	-36.37	-13.00	-23.37	V
2143.10	-33.83	9.53	10.42	-34.72	-13.00	-21.72	V
2857.71	-32.54	11.27	11.12	-32.39	-13.00	-19.39	V



LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1402.71	-33.76	8.17	9.34	-34.93	-13.00	-21.93	H
2104.42	-34.06	9.53	10.42	-34.95	-13.00	-21.95	H
2805.91	-33.63	11.27	11.12	-33.48	-13.00	-20.48	H
1402.71	-35.54	8.17	9.34	-36.71	-13.00	-23.71	V
2104.42	-33.99	9.53	10.42	-34.88	-13.00	-21.88	V
2805.91	-32.54	11.27	11.12	-32.39	-13.00	-19.39	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1414.57	-34.41	8.17	9.34	-35.58	-13.00	-22.58	H
2122.41	-34.16	9.53	10.42	-35.05	-13.00	-22.05	H
2829.89	-33.46	11.27	11.12	-33.31	-13.00	-20.31	H
1414.57	-34.58	8.17	9.34	-35.75	-13.00	-22.75	V
2122.41	-34.71	9.53	10.42	-35.60	-13.00	-22.60	V
2829.89	-31.84	11.27	11.12	-31.69	-13.00	-18.69	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1426.82	-33.48	8.17	9.34	-34.65	-13.00	-21.65	H
2140.48	-35.33	9.53	10.42	-36.22	-13.00	-23.22	H
2853.87	-32.70	11.27	11.12	-32.55	-13.00	-19.55	H
1426.82	-35.85	8.17	9.34	-37.02	-13.00	-24.02	V
2140.48	-33.83	9.53	10.42	-34.72	-13.00	-21.72	V
2853.87	-32.97	11.27	11.12	-32.82	-13.00	-19.82	V



LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1407.68	-33.99	8.17	9.34	-35.16	-13.00	-22.16	H
2111.89	-34.20	9.53	10.42	-35.09	-13.00	-22.09	H
2815.83	-33.39	11.27	11.12	-33.24	-13.00	-20.24	H
1407.68	-35.68	8.17	9.34	-36.85	-13.00	-23.85	V
2111.89	-34.03	9.53	10.42	-34.92	-13.00	-21.92	V
2815.83	-32.19	11.27	11.12	-32.04	-13.00	-19.04	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1414.92	-34.66	8.17	9.34	-35.83	-13.00	-22.83	H
2122.01	-34.54	9.53	10.42	-35.43	-13.00	-22.43	H
2829.74	-32.95	11.27	11.12	-32.80	-13.00	-19.80	H
1414.92	-35.27	8.17	9.34	-36.44	-13.00	-23.44	V
2122.01	-34.46	9.53	10.42	-35.35	-13.00	-22.35	V
2829.74	-33.12	11.27	11.12	-32.97	-13.00	-19.97	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1421.58	-34.69	8.17	9.34	-35.86	-13.00	-22.86	H
2132.75	-34.09	9.53	10.42	-34.98	-13.00	-21.98	H
2843.90	-32.31	11.27	11.12	-32.16	-13.00	-19.16	H
1421.58	-35.58	8.17	9.34	-36.75	-13.00	-23.75	V
2132.75	-33.83	9.53	10.42	-34.72	-13.00	-21.72	V
2843.90	-32.51	11.27	11.12	-32.36	-13.00	-19.36	V



LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1413.38	-33.55	8.17	9.34	-34.72	-13.00	-21.72	H
2120.41	-34.46	9.53	10.42	-35.35	-13.00	-22.35	H
2826.44	-33.31	11.27	11.12	-33.16	-13.00	-20.16	H
1413.38	-35.08	8.17	9.34	-36.25	-13.00	-23.25	V
2120.41	-34.80	9.53	10.42	-35.69	-13.00	-22.69	V
2826.44	-33.19	11.27	11.12	-33.04	-13.00	-20.04	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1419.96	-34.74	8.17	9.34	-35.91	-13.00	-22.91	H
2130.10	-34.55	9.53	10.42	-35.44	-13.00	-22.44	H
2839.94	-32.57	11.27	11.12	-32.42	-13.00	-19.42	H
1419.96	-35.97	8.17	9.34	-37.14	-13.00	-24.14	V
2130.10	-33.95	9.53	10.42	-34.84	-13.00	-21.84	V
2839.94	-31.87	11.27	11.12	-31.72	-13.00	-18.72	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1426.29	-34.49	8.17	9.34	-35.66	-13.00	-22.66	H
2139.19	-34.62	9.53	10.42	-35.51	-13.00	-22.51	H
2852.43	-33.41	11.27	11.12	-33.26	-13.00	-20.26	H
1426.29	-35.87	8.17	9.34	-37.04	-13.00	-24.04	V
2139.19	-34.98	9.53	10.42	-35.87	-13.00	-22.87	V
2852.43	-32.67	11.27	11.12	-32.52	-13.00	-19.52	V



LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1418.03	-33.72	8.17	9.34	-34.89	-13.00	-21.89	H
2127.28	-34.01	9.53	10.42	-34.90	-13.00	-21.90	H
2836.50	-32.64	11.27	11.12	-32.49	-13.00	-19.49	H
1418.03	-35.33	8.17	9.34	-36.50	-13.00	-23.50	V
2127.28	-35.02	9.53	10.42	-35.91	-13.00	-22.91	V
2836.50	-32.88	11.27	11.12	-32.73	-13.00	-19.73	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1419.90	-34.91	8.17	9.34	-36.08	-13.00	-23.08	H
2129.99	-35.32	9.53	10.42	-36.21	-13.00	-23.21	H
2840.11	-33.02	11.27	11.12	-32.87	-13.00	-19.87	H
1419.90	-35.23	8.17	9.34	-36.40	-13.00	-23.40	V
2129.99	-34.29	9.53	10.42	-35.18	-13.00	-22.18	V
2840.11	-32.36	11.27	11.12	-32.21	-13.00	-19.21	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1421.29	-34.93	8.17	9.34	-36.10	-13.00	-23.10	H
2132.07	-34.87	9.53	10.42	-35.76	-13.00	-22.76	H
2842.44	-33.22	11.27	11.12	-33.07	-13.00	-20.07	H
1421.29	-35.32	8.17	9.34	-36.49	-13.00	-23.49	V
2132.07	-33.98	9.53	10.42	-34.87	-13.00	-21.87	V
2842.44	-32.79	11.27	11.12	-32.64	-13.00	-19.64	V



LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3701.38	-34.15	12.60	12.93	-34.48	-13.00	-21.48	H
5552.02	-35.22	13.10	17.11	-39.23	-13.00	-26.23	H
7402.72	-32.98	11.50	22.20	-43.68	-13.00	-30.68	H
3701.38	-35.16	12.60	12.93	-35.49	-13.00	-22.49	V
5552.02	-34.57	13.10	17.11	-38.58	-13.00	-25.58	V
7402.72	-32.68	11.50	22.20	-43.38	-13.00	-30.38	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3759.96	-34.83	12.60	12.93	-35.16	-13.00	-22.16	H
5640.00	-35.46	13.10	17.11	-39.47	-13.00	-26.47	H
7520.10	-32.36	11.50	22.20	-43.06	-13.00	-30.06	H
3759.96	-34.84	12.60	12.93	-35.17	-13.00	-22.17	V
5640.00	-35.12	13.10	17.11	-39.13	-13.00	-26.13	V
7520.10	-31.74	11.50	22.20	-42.44	-13.00	-29.44	V
LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3818.20	-33.61	12.60	12.93	-33.94	-13.00	-20.94	H
5727.52	-35.18	13.10	17.11	-39.19	-13.00	-26.19	H
7636.98	-33.17	11.50	22.20	-43.87	-13.00	-30.87	H
3818.20	-35.64	12.60	12.93	-35.97	-13.00	-22.97	V
5727.52	-33.95	13.10	17.11	-37.96	-13.00	-24.96	V
7636.98	-31.74	11.50	22.20	-42.44	-13.00	-29.44	V



LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3703.08	-34.27	12.60	12.93	-34.60	-13.00	-21.60	H
5554.34	-35.35	13.10	17.11	-39.36	-13.00	-26.36	H
7405.93	-33.45	11.50	22.20	-44.15	-13.00	-31.15	H
3703.08	-35.90	12.60	12.93	-36.23	-13.00	-23.23	V
5554.34	-35.09	13.10	17.11	-39.10	-13.00	-26.10	V
7405.93	-32.32	11.50	22.20	-43.02	-13.00	-30.02	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3759.94	-33.61	12.60	12.93	-33.94	-13.00	-20.94	H
5640.14	-34.16	13.10	17.11	-38.17	-13.00	-25.17	H
7519.88	-32.35	11.50	22.20	-43.05	-13.00	-30.05	H
3759.94	-34.62	12.60	12.93	-34.95	-13.00	-21.95	V
5640.14	-34.64	13.10	17.11	-38.65	-13.00	-25.65	V
7519.88	-33.06	11.50	22.20	-43.76	-13.00	-30.76	V
LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3817.02	-34.24	12.60	12.93	-34.57	-13.00	-21.57	H
5725.35	-34.03	13.10	17.11	-38.04	-13.00	-25.04	H
7634.24	-32.54	11.50	22.20	-43.24	-13.00	-30.24	H
3817.02	-34.83	12.60	12.93	-35.16	-13.00	-22.16	V
5725.35	-33.98	13.10	17.11	-37.99	-13.00	-24.99	V
7634.24	-32.83	11.50	22.20	-43.53	-13.00	-30.53	V



LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3705.22	-33.50	12.60	12.93	-33.83	-13.00	-20.83	H
5557.54	-34.98	13.10	17.11	-38.99	-13.00	-25.99	H
7410.26	-33.58	11.50	22.20	-44.28	-13.00	-31.28	H
3705.22	-35.74	12.60	12.93	-36.07	-13.00	-23.07	V
5557.54	-34.17	13.10	17.11	-38.18	-13.00	-25.18	V
7410.26	-32.14	11.50	22.20	-42.84	-13.00	-29.84	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3759.91	-33.63	12.60	12.93	-33.96	-13.00	-20.96	H
5639.82	-34.11	13.10	17.11	-38.12	-13.00	-25.12	H
7519.94	-32.24	11.50	22.20	-42.94	-13.00	-29.94	H
3759.91	-35.44	12.60	12.93	-35.77	-13.00	-22.77	V
5639.82	-34.34	13.10	17.11	-38.35	-13.00	-25.35	V
7519.94	-32.43	11.50	22.20	-43.13	-13.00	-30.13	V
LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3815.03	-33.69	12.60	12.93	-34.02	-13.00	-21.02	H
5722.17	-35.41	13.10	17.11	-39.42	-13.00	-26.42	H
7630.15	-32.85	11.50	22.20	-43.55	-13.00	-30.55	H
3815.03	-34.59	12.60	12.93	-34.92	-13.00	-21.92	V
5722.17	-33.83	13.10	17.11	-37.84	-13.00	-24.84	V
7630.15	-32.22	11.50	22.20	-42.92	-13.00	-29.92	V



LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3710.39	-33.48	12.60	12.93	-33.81	-13.00	-20.81	H
5565.16	-34.50	13.10	17.11	-38.51	-13.00	-25.51	H
7420.05	-33.49	11.50	22.20	-44.19	-13.00	-31.19	H
3710.39	-34.55	12.60	12.93	-34.88	-13.00	-21.88	V
5565.16	-34.14	13.10	17.11	-38.15	-13.00	-25.15	V
7420.05	-32.11	11.50	22.20	-42.81	-13.00	-29.81	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3760.03	-34.36	12.60	12.93	-34.69	-13.00	-21.69	H
5640.17	-35.25	13.10	17.11	-39.26	-13.00	-26.26	H
7520.09	-33.57	11.50	22.20	-44.27	-13.00	-31.27	H
3760.03	-34.85	12.60	12.93	-35.18	-13.00	-22.18	V
5640.17	-33.93	13.10	17.11	-37.94	-13.00	-24.94	V
7520.09	-31.92	11.50	22.20	-42.62	-13.00	-29.62	V
LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3809.96	-33.88	12.60	12.93	-34.21	-13.00	-21.21	H
5714.87	-34.59	13.10	17.11	-38.60	-13.00	-25.60	H
7619.88	-32.28	11.50	22.20	-42.98	-13.00	-29.98	H
3809.96	-35.44	12.60	12.93	-35.77	-13.00	-22.77	V
5714.87	-35.04	13.10	17.11	-39.05	-13.00	-26.05	V
7619.88	-31.78	11.50	22.20	-42.48	-13.00	-29.48	V



LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3714.90	-33.82	12.60	12.93	-34.15	-13.00	-21.15	H
5572.34	-34.29	13.10	17.11	-38.30	-13.00	-25.30	H
7430.40	-32.27	11.50	22.20	-42.97	-13.00	-29.97	H
3714.90	-35.47	12.60	12.93	-35.80	-13.00	-22.80	V
5572.34	-34.96	13.10	17.11	-38.97	-13.00	-25.97	V
7430.40	-32.77	11.50	22.20	-43.47	-13.00	-30.47	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3759.96	-33.88	12.60	12.93	-34.21	-13.00	-21.21	H
5639.82	-34.25	13.10	17.11	-38.26	-13.00	-25.26	H
7520.18	-33.30	11.50	22.20	-44.00	-13.00	-31.00	H
3759.96	-34.82	12.60	12.93	-35.15	-13.00	-22.15	V
5639.82	-34.77	13.10	17.11	-38.78	-13.00	-25.78	V
7520.18	-32.55	11.50	22.20	-43.25	-13.00	-30.25	V
LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3804.97	-34.79	12.60	12.93	-35.12	-13.00	-22.12	H
5707.60	-34.70	13.10	17.11	-38.71	-13.00	-25.71	H
7609.87	-33.03	11.50	22.20	-43.73	-13.00	-30.73	H
3804.97	-35.95	12.60	12.93	-36.28	-13.00	-23.28	V
5707.60	-33.82	13.10	17.11	-37.83	-13.00	-24.83	V
7609.87	-32.23	11.50	22.20	-42.93	-13.00	-29.93	V



LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3720.38	-34.60	12.60	12.93	-34.93	-13.00	-21.93	H
5580.37	-34.34	13.10	17.11	-38.35	-13.00	-25.35	H
7439.73	-33.01	11.50	22.20	-43.71	-13.00	-30.71	H
3720.38	-35.32	12.60	12.93	-35.65	-13.00	-22.65	V
5580.37	-33.90	13.10	17.11	-37.91	-13.00	-24.91	V
7439.73	-31.91	11.50	22.20	-42.61	-13.00	-29.61	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3760.12	-34.57	12.60	12.93	-34.90	-13.00	-21.90	H
5639.99	-34.79	13.10	17.11	-38.80	-13.00	-25.80	H
7519.80	-32.50	11.50	22.20	-43.20	-13.00	-30.20	H
3760.12	-35.09	12.60	12.93	-35.42	-13.00	-22.42	V
5639.99	-34.92	13.10	17.11	-38.93	-13.00	-25.93	V
7519.80	-31.90	11.50	22.20	-42.60	-13.00	-29.60	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
3799.74	-34.02	12.60	12.93	-34.35	-13.00	-21.35	H
5699.88	-34.40	13.10	17.11	-38.41	-13.00	-25.41	H
7599.82	-32.65	11.50	22.20	-43.35	-13.00	-30.35	H
3799.74	-35.02	12.60	12.93	-35.35	-13.00	-22.35	V
5699.88	-34.17	13.10	17.11	-38.18	-13.00	-25.18	V
7599.82	-31.85	11.50	22.20	-42.55	-13.00	-29.55	V



LTE Band 26-Part 90 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1629.08	-34.84	9.56	9.72	-35.00	-13.00	-22.00	H
2444.34	-34.72	10.50	10.86	-35.08	-13.00	-22.08	H
3258.60	-33.05	12.78	11.57	-31.84	-13.00	-18.84	H
1629.08	-35.21	9.56	9.72	-35.37	-13.00	-22.37	V
2444.34	-33.92	10.50	10.86	-34.28	-13.00	-21.28	V
3258.60	-31.74	12.78	11.57	-30.53	-13.00	-17.53	V
LTE Band 26-Part 90 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1638.06	-34.37	9.56	9.72	-34.53	-13.00	-21.53	H
2457.08	-35.22	10.50	10.86	-35.58	-13.00	-22.58	H
3276.18	-32.94	12.78	11.57	-31.73	-13.00	-18.73	H
1638.06	-35.48	9.56	9.72	-35.64	-13.00	-22.64	V
2457.08	-34.84	10.50	10.86	-35.20	-13.00	-22.20	V
3276.18	-33.14	12.78	11.57	-31.93	-13.00	-18.93	V
LTE Band 26-Part 90 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1646.31	-34.83	9.56	9.72	-34.99	-13.00	-21.99	H
2469.80	-34.28	10.50	10.86	-34.64	-13.00	-21.64	H
3292.84	-33.47	12.78	11.57	-32.26	-13.00	-19.26	H
1646.31	-34.99	9.56	9.72	-35.15	-13.00	-22.15	V
2469.80	-34.70	10.50	10.86	-35.06	-13.00	-22.06	V
3292.84	-32.42	12.78	11.57	-31.21	-13.00	-18.21	V



LTE Band 26-Part 90 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1631.14	-34.34	9.56	9.72	-34.50	-13.00	-21.50	H
2446.27	-34.91	10.50	10.86	-35.27	-13.00	-22.27	H
3262.25	-32.88	12.78	11.57	-31.67	-13.00	-18.67	H
1631.14	-34.58	9.56	9.72	-34.74	-13.00	-21.74	V
2446.27	-34.91	10.50	10.86	-35.27	-13.00	-22.27	V
3262.25	-32.46	12.78	11.57	-31.25	-13.00	-18.25	V
LTE Band 26-Part 90 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1638.16	-34.65	9.56	9.72	-34.81	-13.00	-21.81	H
2456.86	-34.10	10.50	10.86	-34.46	-13.00	-21.46	H
3276.18	-32.24	12.78	11.57	-31.03	-13.00	-18.03	H
1638.16	-35.23	9.56	9.72	-35.39	-13.00	-22.39	V
2456.86	-33.80	10.50	10.86	-34.16	-13.00	-21.16	V
3276.18	-32.18	12.78	11.57	-30.97	-13.00	-17.97	V
LTE Band 26-Part 90 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1644.82	-34.10	9.56	9.72	-34.26	-13.00	-21.26	H
2467.34	-34.55	10.50	10.86	-34.91	-13.00	-21.91	H
3290.09	-32.79	12.78	11.57	-31.58	-13.00	-18.58	H
1644.82	-35.07	9.56	9.72	-35.23	-13.00	-22.23	V
2467.34	-34.95	10.50	10.86	-35.31	-13.00	-22.31	V
3290.09	-32.99	12.78	11.57	-31.78	-13.00	-18.78	V



LTE Band 26-Part 90 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1632.85	-34.91	9.56	9.72	-35.07	-13.00	-22.07	H
2448.71	-34.51	10.50	10.86	-34.87	-13.00	-21.87	H
3265.78	-33.24	12.78	11.57	-32.03	-13.00	-19.03	H
1632.85	-35.96	9.56	9.72	-36.12	-13.00	-23.12	V
2448.71	-33.87	10.50	10.86	-34.23	-13.00	-21.23	V
3265.78	-32.58	12.78	11.57	-31.37	-13.00	-18.37	V

LTE Band 26-Part 90 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1642.86	-34.85	9.56	9.72	-35.01	-13.00	-22.01	H
2464.06	-34.84	10.50	10.86	-35.20	-13.00	-22.20	H
3285.81	-33.38	12.78	11.57	-32.17	-13.00	-19.17	H
1642.86	-34.81	9.56	9.72	-34.97	-13.00	-21.97	V
2464.06	-33.83	10.50	10.86	-34.19	-13.00	-21.19	V
3285.81	-33.06	12.78	11.57	-31.85	-13.00	-18.85	V

LTE Band 26-Part 90 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1693.33	-34.74	9.56	9.72	-34.90	-13.00	-21.90	H
2539.28	-34.82	10.50	10.86	-35.18	-13.00	-22.18	H
3385.87	-33.18	12.78	11.57	-31.97	-13.00	-18.97	H
1693.33	-35.85	9.56	9.72	-36.01	-13.00	-23.01	V
2539.28	-34.45	10.50	10.86	-34.81	-13.00	-21.81	V
3385.87	-32.93	12.78	11.57	-31.72	-13.00	-18.72	V

LTE Band 26-Part 90 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1637.96	-33.68	9.56	9.72	-33.84	-13.00	-20.84	H
2457.12	-35.05	10.50	10.86	-35.41	-13.00	-22.41	H
3276.11	-32.47	12.78	11.57	-31.26	-13.00	-18.26	H
1637.96	-35.10	9.56	9.72	-35.26	-13.00	-22.26	V
2457.12	-34.85	10.50	10.86	-35.21	-13.00	-22.21	V
3276.11	-32.25	12.78	11.57	-31.04	-13.00	-18.04	V



LTE Band 26-Part 22 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1649.44	-33.70	9.56	9.72	-33.86	-13.00	-20.86	H
2473.39	-35.30	10.50	10.86	-35.66	-13.00	-22.66	H
3298.52	-33.11	12.78	11.57	-31.90	-13.00	-18.90	H
1649.44	-34.84	9.56	9.72	-35.00	-13.00	-22.00	V
2473.39	-34.74	10.50	10.86	-35.10	-13.00	-22.10	V
3298.52	-32.46	12.78	11.57	-31.25	-13.00	-18.25	V
LTE Band 26-Part 22 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1673.02	-33.83	9.56	9.72	-33.99	-13.00	-20.99	H
2509.18	-34.76	10.50	10.86	-35.12	-13.00	-22.12	H
3346.25	-32.90	12.78	11.57	-31.69	-13.00	-18.69	H
1673.02	-35.69	9.56	9.72	-35.85	-13.00	-22.85	V
2509.18	-33.89	10.50	10.86	-34.25	-13.00	-21.25	V
3346.25	-31.93	12.78	11.57	-30.72	-13.00	-17.72	V
LTE Band 26-Part 22 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea (dBm)	Limit (dBm)	Margin (dBm)	Polarity
1696.31	-33.73	9.56	9.72	-33.89	-13.00	-20.89	H
2544.60	-34.13	10.50	10.86	-34.49	-13.00	-21.49	H
3392.84	-33.13	12.78	11.57	-31.92	-13.00	-18.92	H
1696.31	-34.98	9.56	9.72	-35.14	-13.00	-22.14	V
2544.60	-33.99	10.50	10.86	-34.35	-13.00	-21.35	V
3392.84	-32.85	12.78	11.57	-31.64	-13.00	-18.64	V