

# FCC Test Report

Report No.: AGC04834210304FE07

**FCC ID** : 2AAJGR3000-LG

**APPLICATION PURPOSE** : Original Equipment

**PRODUCT DESIGNATION** : Industrial LoRaWAN Gateway

**BRAND NAME** :  robustel

**MODEL NAME** : R3000-LG4LB, R3000-LG4LA

**APPLICANT** : Guangzhou Robustel LTD

**DATE OF ISSUE** : Apr. 23, 2021

FCC Part 22 Rules

FCC Part 24 Rules

FCC Part 27 Rules

FCC Part 90 Rules

**REPORT VERSION** : V1.0



**Attestation of Global Compliance (Shenzhen) Co., Ltd.**



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp", is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



**REPORT REVISE RECORD**

Report Version	Revise Time	Issued Date	Valid Version	Notes
V1.0	/	Apr. 23, 2021	Valid	Initial Release

Note: The test results refer module certification report No. (HR/2019/1001601, brand name is **Quectel**, model name is **EC25-G**, Hardware version is **R1.0** and Software version is **EG25GGBR07A06M4G**.)

Except for radiated power and radiated spurious re-evaluation. The rest of the test data can be referred to Module FCC ID: XMR201903EG25G.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



**TABLE OF CONTENTS**

<b>VERIFICATION OF COMPLIANCE</b>	4
<b>1. GENERAL INFORMATION</b>	5
1.1 PRODUCT DESCRIPTION	5
1.2 RELATED SUBMITTAL(S) / GRANT (S)	8
1.3 TEST METHODOLOGY	8
1.4 DEVICE CAPABILITIES	8
1.5 ADDRESS OF THE TEST LABORATORY	9
1.6 TEST FACILITY	9
1.7 ENVIRONMENTAL CONDITIONS	10
1.8 MEASUREMENT UNCERTAINTY	10
1.9 SPECIAL ACCESSORIES	10
1.10 EQUIPMENT MODIFICATIONS	10
<b>2. SYSTEM TEST CONFIGURATION</b>	11
2.1 EUT CONFIGURATION	11
2.2 EUT EXERCISE	11
2.3 CONFIGURATION OF EUT SYSTEM	11
<b>3. SUMMARY OF TEST RESULTS</b>	12
3.1 TEST CONDITION : RADIATED TEST	12
<b>4. DESCRIPTION OF TEST MODES</b>	13
4.1 EMISSION DESIGNATOR	19
<b>5. LIST OF TEST EQUIPMENT</b>	20
<b>6. RADIATED POWER</b>	21
6.1 MEASUREMENT OVERVIEW	21
6.2 MEASUREMENT METHOD	21
6.3 MEASUREMENT SETUP	22
6.4 MEASUREMENT RESULT	24
<b>7. RADIATED SPURIOUS EMISSION</b>	68
7.1. PROVISIONS APPLICABLE	68
7.2. MEASUREMENT PROCEDURE	68
7.3. MEASUREMENT SETUP	70
7.4 MEASUREMENT RESULT	71
<b>APPENDIX E PHOTOGRAPHS OF TEST SETUP</b>	96
<b>APPENDIX F: PHOTOGRAPHS OF EUT</b>	98

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



**VERIFICATION OF COMPLIANCE**

<b>Applicant</b>	Guangzhou Robustel LTD
<b>Address</b>	ROOM F315, NO.95 DAGUAN MIDDLE ROAD, TIANHE DISTRICT, Guangzhou, China
<b>Manufacturer</b>	Guangzhou Robustel LTD
<b>Address</b>	ROOM F315, NO.95 DAGUAN MIDDLE ROAD, TIANHE DISTRICT, Guangzhou, China
<b>Factory</b>	Guangzhou Robustel LTD
<b>Address</b>	Room 501, Building 2, No. 63, Yong' an Avenue, Huangpu District, Guangzhou
<b>Product Designation</b>	Industrial LoRaWAN Gateway
<b>Brand Name</b>	 robustel
<b>Test Model</b>	R3000-LG4LB
<b>Series Model</b>	R3000-LG4LA
<b>Difference Description</b>	All the same except the model name.
<b>Date of test</b>	Mar. 19, 2021~Apr. 23, 2021
<b>Deviation</b>	No any deviation from the test method.
<b>Condition of Test Sample</b>	Normal

**WE HEREBY CERTIFY THAT:**

The above equipment was tested by Attestation of Global Compliance(Shenzhen) Co., Ltd. The data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI/TIA-603-E-2016. The sample tested as described in this report is in compliance with the FCC Rules Part 22, 24, 27and 90. The test results of this report relate only to the tested sample identified in this report.

Prepared By

Donjon Huang  
(Project Engineer)

Apr. 23, 2021

Reviewed By

Calvin Liu  
(Reviewer)

Apr. 23, 2021

Approved By

Forrest Lei  
Authorized Officer

Apr. 23, 2021

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



## 1. GENERAL INFORMATION

### 1.1 PRODUCT DESCRIPTION

A major technical description of EUT is described as following:

Radio System Type:	LTE FUNCTION			
Frequency Bands:	<input checked="" type="checkbox"/> FDD Band 2 <input checked="" type="checkbox"/> FDD Band 12 <input checked="" type="checkbox"/> TDD Band 38 <input type="checkbox"/> FDD Band 71 <input type="checkbox"/> FDD Band 1 <input type="checkbox"/> FDD Band 20	<input checked="" type="checkbox"/> FDD Band 4 <input checked="" type="checkbox"/> FDD Band 13 <input type="checkbox"/> TDD Band 40 <input type="checkbox"/> FDD Band 3 <input type="checkbox"/> FDD Band 28	<input checked="" type="checkbox"/> FDD Band 5 <input checked="" type="checkbox"/> FDD Band 25 <input checked="" type="checkbox"/> TDD Band 41 <input type="checkbox"/> FDD Band 8 <input type="checkbox"/> TDD Band 38	<input checked="" type="checkbox"/> FDD Band 7 <input checked="" type="checkbox"/> FDD Band 26 <input type="checkbox"/> TDD Band 66 <input type="checkbox"/> FDD Band 19 <input type="checkbox"/> TDD Band 39
Transmission Frequency Range:	LTE-Band 2	1850.7 MHz – 1909.3 MHz---(1.4MHz)		
		1851.5 MHz – 1908.5 MHz---(3.0MHz)		
		1852.5 MHz – 1907.5 MHz---(5.0MHz)		
		1855.0 MHz – 1905.0 MHz---(10.0MHz)		
		1857.5 MHz – 1902.5 MHz---(15.0MHz)		
		1860.0 MHz – 1900.0 MHz---(20.0MHz)		
	LTE-Band 4	1710.7 MHz – 1754.3 MHz---(1.4MHz)		
		1711.5 MHz – 1753.5 MHz---(3.0MHz)		
		1712.5 MHz – 1752.5 MHz---(5.0MHz)		
		1715.0 MHz – 1750.0 MHz---(10.0MHz)		
		1717.5 MHz – 1747.5 MHz---(15.0MHz)		
		1720.0 MHz – 1745.0 MHz---(20.0MHz)		
	LTE-Band 5	824.7 MHz – 848.3 MHz---(1.4MHz)		
		825.5 MHz – 847.7 MHz---(3.0MHz)		
		826.5 MHz – 846.5 MHz---(5.0MHz)		
		829.0 MHz – 844.0 MHz---(10.0MHz)		
	LTE-Band 7	2502.5 MHz – 2567.5 MHz---(5.0MHz)		
		2505.0 MHz – 2565.0 MHz---(10.0MHz)		
		2507.5 MHz – 2562.5 MHz---(15.0MHz)		
		2510.0 MHz – 2560.0 MHz---(20.0MHz)		
	LTE-Band 12	699.7 MHz – 715.3 MHz---(1.4MHz)		
		700.5 MHz – 714.5 MHz---(3.0MHz)		
		701.5 MHz – 713.5 MHz---(5.0MHz)		
		704.0 MHz – 711.0 MHz---(10.0MHz)		
	LTE-Band 13	779.5 MHz – 784.5 MHz---(5.0MHz)		

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



	LTE-Band 25	782.0 MHz – 782.0 MHz---(10.0MHz)		
		1850.7 MHz – 1914.3 MHz---(1.4MHz)		
		1851.5 MHz – 1913.5 MHz---(3.0MHz)		
		1852.5 MHz – 1912.5 MHz---(5.0MHz)		
		1855.0 MHz – 1910.0 MHz---(10.0MHz)		
		1857.5 MHz – 1907.5 MHz---(15.0MHz)		
		1860 MHz – 1905 MHz---(20.0MHz)		
	LTE-Band 26A	824.7 MHz – 848.3 MHz---(1.4MHz)		
		825.5 MHz – 847.5 MHz---(3.0MHz)		
		826.5 MHz – 846.5 MHz ---(5.0MHz)		
		829 MHz – 844 MHz---(10.0MHz)		
		831.5 MHz – 841.5 MHz ---(15.0MHz)		
	LTE-Band 26B	814.7 MHz – 823.3 MHz ---(1.4MHz)		
		815.5 MHz – 822.5 MHz---(3.0MHz)		
		816.5 MHz – 821.5 MHz---(5.0MHz)		
		819.0 MHz – 819.0 MHz---(10.0MHz)		
	LTE-Band 38	2572.5 MHz – 2617.5 MHz ---(5.0MHz)		
		2575 MHz – 2615MHz---(10.0MHz)		
		2577.5 MHz – 2612.5 MHz ---(15.0MHz)		
		2580 MHz – 2610 MHz---(20.0MHz)		
	LTE-Band 41	2498.5 MHz – 2687.5 MHz---(5.0MHz)		
		2501.0 MHz – 2685.0 MHz---(10.0MHz)		
		2503.5 MHz – 2682.5 MHz---(15.0MHz)		
		2506.0 MHz – 2680.0 MHz---(20.0MHz)		
Hardware Version:	TP-79-RF-V1.4.2			
Software Version:	EC25AFFAR07A08M4G			
Antenna Type:	PIFA Antenna			
Type of Modulation:	QPSK/16QAM			
Antenna gain: (Suction Cup Antenna)	Band 2: 3.5dBi	Band 4: 3.5dBi	Band 5: 3.5dBi	Band 7: 3.5dBi
	Band 12: 3.5dBi	Band 13: 3.5dBi	Band 25: 3.5dBi	Band 26: 3.5dBi
	Band 38: 3.5dBi	Band 41: 3.5dBi		
Antenna gain: (Glue Stick Antenna)	Band 2: 3.45dBi	Band 4: 3.5dBi	Band 5: 3.45dBi	Band 7: 3.45dBi
	Band 12: 3.45dBi	Band 13: 3.45dBi	Band 25: 3.45dBi	Band 26: 3.45dBi
	Band 38: 3.45dBi	Band 41: 3.45dBi		
Power Supply:	DC 12V by adapter			

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp", is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Dual Card:	LTE Card Slot
Power Class:	3
Extreme Vol. Limits:	DC10.2V to 13.8V (Normal: DC 12V)
Temperature range:	-20°C to +50°C
<b>Note1:</b> The High Voltage DC8.51V and Low Voltage DC6.29V were declared by manufacturer, The EUT couldn't be operating normally with higher or lower voltage..	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



## 1.2 RELATED SUBMITTAL(S) / GRANT (S)

This submittal(s) (test report) is intended for **FCC ID:2AAJGR3000-LG** , filing to comply with the FCC Part 22, Part 24 and Part 27 requirements.

## 1.3 TEST METHODOLOGY

The tests were performed according to following standards:

**FCC Part 22** Public Mobile Services.

**FCC Part 24** Personal Communications Services.

**FCC Part 27** Miscellaneous Wireless Communications Services.

**FCC Part 90** Private Land Mobile Radio Services

**FCC Part 2** Frequency allocations and radio treaty matters, general rules and regulations.

**TIA/EIA 603 E: March 2016** Land Mobile FM or PM Communications Equipment Measurement and Performance Standards.

**ANSI-C63.26:2015** American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services

**KDB971168 D01 v03r01** Measurement Guidance For Certification Of Licensed Digital Transmitters.

## 1.4 DEVICE CAPABILITIES

This device contains the following capabilities:

850/1900 GPRS/EGPRS,850/1700/1900 HSPA, Multi-Band LTE for DTS(LoRa).

This device uses a tuner circuit that dynamically updates the antenna impedance parameters to optimize antenna performance for certain bands and modes of operation. The tuner for this device was set to simulate a "free space" condition where the transmit antenna is matched to the medium into which it is transmitting and, thus, the power is at its maximum level.

LTE Band 12 (698 - 716 MHz) overlaps the entire frequency range of LTE Band 17 (704 - 716 MHz). Therefore, test data provided in this report covers Band 17 as well as Band 12.

LTE Band 26 (814.7-849 MHz) overlaps the entire frequency range of LTE Band 5 (824 – 849 MHz).

Therefore, test data provided in this report covers Band 5 and the portion of Band 26 subject to Part 22.

LTE Band 25 (1850-1915 MHz) overlaps the entire frequency range of LTE Band 2 (1850 - 1910 MHz).

Therefore, test data provided in this report covers Band 2 as well as Band 25.

LTE Band 41 (2496-2690MHz) overlaps the entire frequency range of LTE Band 38 (2570 - 2620 MHz).

Therefore, test data provided in this report covers Band 38 as well as Band 41.

For emissions from 1GHz – 18GHz, low, mid, and high channels were tested with highest power and worst case configuration.

The emissions below 1GHz and above 18GHz were tested with the highest transmitting power channel and the worst case configuration.

The EUT was manipulated through three orthogonal planes of X-orientation (flatbed), Y-orientation (landscape), and Z-orientation (portrait) during the testing. Only the worst case emissions were reported in this test report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



## 1.5 ADDRESS OF THE TEST LABORATORY

Laboratory: Attestation of Global Compliance (Shenzhen) Co., Ltd

Address: 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

## 1.6 TEST FACILITY

The test facility is recognized, certified, or accredited by the following organizations:

### **CNAS-Lab Code: L5488**

Attestation of Global Compliance (Shenzhen) Co., Ltd. has been assessed and proved to be in compliance with CNAS-CL01 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC17025: 2017 General Requirements) for the Competence of Testing and Calibration Laboratories

### **A2LA-Lab Cert. No.: 5054.02**

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been accredited by A2LA for technical competence in the field of electrical testing, and proved to be in compliance with ISO/IEC 17025: 2017 General Requirements for the Competence of Testing and Calibration Laboratories and any additional program requirements in the identified field of testing.

### **FCC-Registration No.: 975832**

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files with Registration 975832.

### **IC-Registration No.: 24842**

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the Certification and Engineering Bureau of Industry Canada. The acceptance letter from the IC is maintained in our files with Registration 24842

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc@agc-cert.com](mailto:agc@agc-cert.com).

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: [agc@agc-cert.com](mailto:agc@agc-cert.com) Web: <http://cn.agc-cert.com/>



## 1.7 ENVIRONMENTAL CONDITIONS

	<b>NORMAL CONDITIONS</b>	<b>EXTREME CONDITIONS</b>
Temperature range	15~35°C	-20°C~50°C
Humidity range	20 % to 75 %.	20 % to 75 %.
Pressure range	86-106kPa	86-106kPa
Power supply	DC 12.0V	LV:10.2VHV:13.8

Note: The Extreme Temperature and Extreme Voltages declared by the manufacturer.

## 1.8 MEASUREMENT UNCERTAINTY

<b>Test</b>	<b>Measurement Uncertainty</b>	<b>Notes</b>
Transmitter power conducted	±0.57 dB	(1)
Transmitter power Radiated	±2.20 dB	(1)
Conducted spurious emission 9KHz-40 GHz	±2.20 dB	(1)
Occupied Bandwidth	±0.01ppm	(1)
Radiated Emission 30~1000MHz	±4.10dB	(1)
Radiated Emission Above 1GHz	±4.32dB	(1)
Conducted Disturbance0.15~30MHz	±3.20dB	(1)
Radio Frequency	± 6.5 x 10-8	(1)
RF Power, Conducted	± 0.9 dB	(1)

Note: This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

## 1.9 SPECIAL ACCESSORIES

The battery was supplied by the applicant were used as accessories and being tested with EUT intended for FCC grant together.

## 1.10 EQUIPMENT MODIFICATIONS

Not available for this EUT intended for grant.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



## 2. SYSTEM TEST CONFIGURATION

### 2.1 EUT CONFIGURATION

The EUT configuration for testing is installed on RF field strength measurement to meet the Commission's requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

### 2.2 EUT EXERCISE

The Transmitter was operated in the maximum output power mode through Communication Tester. The TX frequency was fixed which was for the purpose of the measurements.

### 2.3 CONFIGURATION OF EUT SYSTEM




Table 2-1 Equipment Used in EUT System

Item	Equipment	Model No.	ID or Specification	Remark
1	Industrial LoRaWAN Gateway	R3000-LG4LB	2AAJGR3000-LG	EUT
2	Adapter	GQ24-120150-AX	Input:100-240V AC 50/60Hz, 1.0A Output:DC 12V 1.5A	AE
3	Suction Cup Antenna	--	--	AE
4	Glue Stick Antenna	--	--	AE

**Note:**

1. All the accessories have been used during the test. The following "EUT" in setup diagram means EUT system.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



### 3. SUMMARY OF TEST RESULTS

#### 3.1 TEST CONDITION : RADIATED TEST

Item	Test Description	FCC Rules	Result
1	Effective Radiated Power Equivalent Isotropic Radiated Power	§90.635, §22.913(a)(5), §27.50(c)(10) §27.50(h)(2) §27.50(b), 27.50(d)(4), §24.232(c)	Pass
2	Radiated Spurious and Harmonic Emissions	§2.1053, §90.691, §22.917(a), §27.53(g) §27.53(m) (4) §27.53(c), §27.53(h), §24.238(a)	Pass
3	Undesirable Emissions in the 1559-1610 MHz band	§2.1053, 27.53(f)	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



#### 4. DESCRIPTION OF TEST MODES

During the testing, the EUT was controlled via Rhode & Schwarz Digital Radio Communication Tester (CMW 500) to ensure max power transmission and proper modulation. Three channels (The top channel, the middle channel and the bottom channel) were chosen for testing on both LTE frequency band.

The worst condition was recorded in the test report if no other modes test data.

LTE Band 2 Channel and Frequency List				
BW [MHz]	Channel/Frequency (MHz)	Lowest	Middle	Highest
20	Channel	18700	18900	19100
	Frequency	1860	1880	1900
15	Channel	18675	18900	19125
	Frequency	1857.5	1880	1902.5
10	Channel	18650	18900	19150
	Frequency	1855	1880	1905
5	Channel	18625	18900	19175
	Frequency	1852.5	1880	1907.5
3	Channel	18615	18900	19185
	Frequency	1851.5	1880	1908.5
1.4	Channel	18607	18900	19193
	Frequency	1850.7	1880	1909.3

LTE Band 4 Channel and Frequency List				
BW [MHz]	Channel/Frequency (MHz)	Lowest	Middle	Highest
20	Channel	20050	20175	20300
	Frequency	1720	1732.5	1745
15	Channel	20025	20175	20325
	Frequency	1717.5	1732.5	1747.5
10	Channel	20000	20175	20350
	Frequency	1715	1732.5	1750
5	Channel	19975	20175	20375
	Frequency	1712.5	1732.5	1752.5
3	Channel	19965	20175	20385
	Frequency	1711.5	1732.5	1753.5
1.4	Channel	19957	20175	20393
	Frequency	1710.7	1732.5	1754.3

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp", is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE Band 5 Channel and Frequency List				
BW [MHz]	Channel/Frequency (MHz)	Lowest	Middle	Highest
10	Channel	20450	20525	20600
	Frequency	829	836.5	844
5	Channel	20425	20525	20625
	Frequency	826.5	836.5	846.5
3	Channel	20415	20525	20635
	Frequency	825.5	836.5	847.5
1.4	Channel	20407	20525	20643
	Frequency	824.7	836.5	848.3

LTE Band 7 Channel and Frequency List				
BW [MHz]	Channel/Frequency (MHz)	Lowest	Middle	Highest
20	Channel	20850	21100	21350
	Frequency	2510	2535	2560
15	Channel	20825	21100	21375
	Frequency	2507.5	2535	2562.5
10	Channel	20800	21100	21400
	Frequency	2505	2535	2565
5	Channel	20775	21100	21425
	Frequency	2502.5	2535	2567.5

LTE Band 12 Channel and Frequency List				
BW [MHz]	Channel/Frequency (MHz)	Lowest	Middle	Highest
10	Channel	23060	23095	23130
	Frequency	704	707.5	711
5	Channel	23035	23095	23155
	Frequency	701.5	707.5	713.5
3	Channel	23025	23095	23165
	Frequency	700.5	707.5	714.5
1.4	Channel	23017	23095	23173
	Frequency	699.7	707.5	715.3

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE Band 13 Channel and Frequency List				
BW [MHz]	Channel/Frequency (MHz)	Lowest	Middle	Highest
10	Channel	-	23230	-
	Frequency	-	782	-
5	Channel	23205	23230	23255
	Frequency	779.5	782	784.5

LTE Band 25 Channel and Frequency List				
BW [MHz]	Channel/Frequency (MHz)	Lowest	Middle	Highest
20	Channel	26140	26340	26590
	Frequency	1860	1880	1905
15	Channel	26115	26340	26615
	Frequency	1857.5	1880	1907.5
10	Channel	26090	26340	26640
	Frequency	1855	1880	1910
5	Channel	26065	26340	26665
	Frequency	1852.5	1880	1912.5
3	Channel	26055	26340	26675
	Frequency	1851.5	1880	1913.5
1.4	Channel	26047	26340	26683
	Frequency	1850.7	1880	1914.3

LTE Band 26A Channel and Frequency List				
BW [MHz]	Channel/Frequency (MHz)	Lowest	Middle	Highest
15	Channel	26865	26915	26965
	Frequency	831.5	836.5	841.5
10	Channel	26840	26915	26990
	Frequency	829	836.5	844
5	Channel	26815	26915	27015
	Frequency	826.5	836.5	846.5
3	Channel	26805	26915	27025
	Frequency	825.5	836.5	847.5
1.4	Channel	26797	26915	27033
	Frequency	824.7	836.5	848.3

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE Band 26B Channel and Frequency List				
BW [MHz]	Channel/Frequency (MHz)	Lowest	Middle	Highest
10	Channel	--	26740	--
	Frequency	--	819.0	--
5	Channel	26715	26740	26765
	Frequency	816.5	819.0	821.5
3	Channel	26705	26740	26775
	Frequency	815.5	819.0	822.5
1.4	Channel	26697	26740	26783
	Frequency	814.7	819.0	823.3

LTE Band 38 Channel and Frequency List				
BW [MHz]	Channel/Frequency (MHz)	Lowest	Middle	Highest
20	Channel	37850	38000	38150
	Frequency	2580	2595	2610
15	Channel	37825	38000	38175
	Frequency	2577.5	2595	2612.5
10	Channel	37800	38000	38200
	Frequency	2575	2595	2615
5	Channel	37775	38000	38225
	Frequency	2572.5	2595	2617.5

LTE Band 41 Channel and Frequency List				
BW [MHz]	Channel/Frequency (MHz)	Lowest	Middle	Highest
20	Channel	39750	40620	41490
	Frequency	2506.0	2593.0	2680.0
15	Channel	39725	40620	41515
	Frequency	2503.5	2593.0	2682.5
10	Channel	39700	40620	41540
	Frequency	2501.0	2593.0	2685.0
5	Channel	39675	40620	41565
	Frequency	2498.5	2593.0	2687.5

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Test Mode	Test Modes Description
LTE BAND 2	LTE system, QPSK modulation
	LTE system, 16QAM modulation
LTE BAND 4	LTE system, QPSK modulation
	LTE system, 16QAM modulation
LTE BAND 5	LTE system, QPSK modulation
	LTE system, 16QAM modulation
LTE BAND 7	LTE system, QPSK modulation
	LTE system, 16QAM modulation
LTE BAND 12	LTE system, QPSK modulation
	LTE system, 16QAM modulation
LTE BAND 13	LTE system, QPSK modulation
	LTE system, 16QAM modulation
LTE BAND 25	LTE system, QPSK modulation
	LTE system, 16QAM modulation
LTE BAND 26A	LTE system, QPSK modulation
	LTE system, 16QAM modulation
LTE BAND 26B	LTE system, QPSK modulation
	LTE system, 16QAM modulation
LTE BAND 38	LTE system, QPSK modulation
	LTE system, 16QAM modulation
LTE BAND 41	LTE system, QPSK modulation
	LTE system, 16QAM modulation

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



**ACCORDING TO 3GPP 36.521 SUB-CLAUSE 6.2.3.3, THE MAXIMUM OUTPUT POWER IS ALLOWED TO BE REDUCED BY FOLLOWING THE TABLE.**

TABLE 6.2.3.3-1: MAXIMUM POWER REDUCTION (MPR) FOR POWER CLASS 3

Modulation	Channel bandwidth / Transmission bandwidth configuration [RB]						MPR (dB)
	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz	
QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1
16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1
16 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2

The device supports MPR to solve linearity issues (ACLR or SEM) due to the higher peak-to average ratios (PAR) of the HSUPA signal. This prevents saturating the full range of the TX DAC inside of device and provides a reduced power output to the RF transceiver chip according to the Cubic Metric (For PRACH, PUCCH and SRS transmission, the allowed MPR is according to that specified for PUSCH QPSK modulation for the corresponding transmission bandwidth.).

When PRACH, PUCCH are present the beta gains on those channels are reduced firsts to try to get the power under the allowed limit. If the beta gains are lowered as far as possible, then a hard limiting is applied at the maximum allowed level.

For each subframe, the MPR is evaluated per slot and given by the maximum value taken over the transmission(s) within the slot, the maximum MPR over the two slots is then applied for the entire subframe.

For the UE maximum output power modified by MPR, the power limits specified in subclause 6.2.5.3 apply. The normative reference for this requirement is TS 36.101 clause 6.2.3.

The end effect is that the DUT output power is identical to the case where there is no MPR in the device.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



## 4.1 EMISSION DESIGNATOR

### GSM Emission Designator

**Emission Designator = 249KGXW**

GSM BW = 249 kHz

G = Phase Modulation

X = Cases not otherwise covered

W = Combination (Audio/Data)

### WCDMA Emission Designator

**Emission Designator = 4M17F9W**

WCDMA BW = 4.17 MHz

F = Frequency Modulation

9 = Composite Digital Info

W = Combination (Audio/Data)

### QAM Modulation

**Emission Designator = 4M48W7D**

LTE BW = 4.48 MHz

W = Amplitude/Angle Modulated

7 = Quantized/Digital Info

D = Data transmission; telemetry; telecommand

### EDGE Emission Designator

**Emission Designator = 249KG7W**

GSM BW = 249 kHz

G = Phase Modulation

7 = Quantized/Digital Info

W = Combination (Audio/Data)

### QPSK Modulation

**Emission Designator = 4M48G7D**

LTE BW = 4.48 MHz

G = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission; telemetry; telecommand

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



## 5. LIST OF TEST EQUIPMENT

Equipment	Manufacturer	Model	S/N	Cal. Date	Cal. Due
TEST RECEIVER	R&S	ESPI	101206	May 15, 2020	May 14, 2021
LISN	R&S	ESH2-Z5	100086	Jul. 03, 2020	Jul. 02, 2021
TEST RECEIVER	R&S	ESCI	10096	May 15, 2020	May 14, 2021
EXA Signal Analyzer	Agilent	N9010A	MY53470504	Dec.07, 2020	Dec.06, 2021
EXA Signal Analyzer	Agilent	N9020B	MY56101792	Jul. 15, 2020	Jul. 14, 2021
Horn antenna	SCHWARZBECK	BBHA 9170	#768	Oct. 20, 2019	Oct. 19, 2022
preamplifier	ChengYi	EMC184045SE	980508	Sep. 21, 2020	Sep. 20, 2021
Double-Ridged Waveguide Horn	ETS LINDGREN	3117	00034609	May. 17, 2019	May. 16, 2021
Broadband Preamplifier	SCHWARZBECK	00073	BBHA 9120 J	Sep. 27, 2019	Sep. 26, 2021
ANTENNA	SCHWARZBECK	VULB9168	D69250	Sep.20, 2019	Sep.19, 2021
SIGNAL ANALYZER	Agilent	N9020A	MY52090123	Sep. 03, 2020	Sep. 02, 2021
USB Wideband Power Sensor	Agilent	U2021XA	MY54110007	Jun. 08, 2020	Jun. 07, 2021
Wireless communicationtest	R&S	CMW500	120909	Oct. 24, 2020	Oct. 23, 2021
Power Splitter	Agilent	11636A	34	Jun.10, 2020	Jun.09, 2021
Attenuator	JFW	50FHC-006-50	N/A	Jun.10, 2020	Jun.09, 2021

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



## 6. RADIATED POWER

### 6.1 MEASUREMENT OVERVIEW

The radiation test is carried out in a semi-anechoic chamber.

According to the test, put the device under test on a non-conductive platform 3 meters away from the receiving antenna (ANSI/TIA-603-E-2016 Article 2.2.17).

The following rules are for the maximum radiated power limit requirements of the product:

Mode	Nominal Peak Power
LTE Band 2	< 2 Watts max. EIRP (33dBm)
LTE Band 4	< 1 Watts max. EIRP (30dBm)
LTE Band 5	< 7 Watts max. ERP (38.45dBm)
LTE Band 7	< 2 Watts max. EIRP (33dBm)
LTE Band 12	< 3 Watts max. ERP (34.77dBm)
LTE Band 13	< 3 Watts max. ERP (34.77dBm)
LTE Band 25	< 3 Watts max. ERP (34.77dBm)
LTE Band 26A	< 7 Watts max. ERP (38.45dBm)
LTE Band 26B	< 100 Watts max. ERP (50dBm)
LTE Band 38	< 2 Watts max. EIRP (33dBm)
LTE Band 41	< 2 Watts max. EIRP (33dBm)

### 6.2 MEASUREMENT METHOD

1. Radiated power measurements are performed using the signal analyzer's "channel power" measurement capability for signals with continuous operation.
2. RBW = 1 – 5% of the expected OBW, not to exceed 1MHz
3. VBW  $\geq$  3 x RBW
4. Span = 1.5 times the OBW
5. No. of sweep points  $>$  2 x span / RBW
6. Detector = RMS
7. Trigger is set to "free run" for signals with continuous operation with the sweep times set to "auto".
8. The integration bandwidth was roughly set equal to the measured OBW of the signal for signals with continuous operation.
9. Trace mode = trace averaging (RMS) over 100 sweeps
10. The trace was allowed to stabilize.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



### Radiation Construction Method:

1. The turntable is rotated through 360 degrees, and the receiving antenna scans in order to determine the level of the maximized emission.
2. A half wave dipole is then substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator and the previously recorded signal was duplicated.

The power is calculated by the following formula:



$$P_d(\text{dBm}) = P_g(\text{dBm}) - \text{cable loss (dB)} + \text{antenna gain (dB)}$$

Where:  $P_d$  is the dipole equivalent power and  $P_g$  is the generator output power into the substitution antenna.

3. The maximum value is calculated by adding the forward power to the calibrated source plus its appropriate gain value. These steps are repeated with the receiving antenna in both vertical and horizontal polarization. the difference between the gain of the horn and an isotropic antenna are taken into consideration
4. The EUT was tested in three orthogonal planes (X, Y, Z) and in all possible test configurations and positioning.
5. All measurements are performed as RMS average measurements while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies.

### 6.3 MEASUREMENT SETUP

Radiated Below 1GHz



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



### Radiated Above 1 GHz



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc@agc-cert.com](mailto:agc@agc-cert.com).

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: [agc@agc-cert.com](mailto:agc@agc-cert.com) Web: <http://cn.agc-cert.com/>



## 6.4 MEASUREMENT RESULT

Suction Cup Antenna:

### EIRP for LTE Band 2

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
1850.7	1.4	QPSK	1/0	12.6	V	7.95	0.79	20.03	33
1880.0	1.4	QPSK	1/0	12.89	V	7.95	0.79	20.99	33
1909.3	1.4	QPSK	1/0	12.55	V	7.95	0.79	20.06	33
1850.7	1.4	QPSK	1/0	15.02	H	7.95	0.79	21.79	33
1880.0	1.4	QPSK	1/0	15.00	H	7.95	0.79	21.78	33
1909.3	1.4	QPSK	1/0	14.93	H	7.95	0.79	21.93	33
1850.7	1.4	16-QAM	1/5	13.48	V	7.95	0.79	20.93	33
1880.0	1.4	16-QAM	1/0	12.97	V	7.95	0.79	20.58	33
1909.3	1.4	16-QAM	1/0	13.02	V	7.95	0.79	20.66	33
1850.7	1.4	16-QAM	1/5	15.89	H	7.95	0.79	20.61	33
1880.0	1.4	16-QAM	1/0	14.97	H	7.95	0.79	20.01	33
1909.3	1.4	16-QAM	1/0	15.03	H	7.95	0.79	20.01	33
1851.5	3	QPSK	1/0	14.13	V	7.95	0.79	19.96	33
1880.0	3	QPSK	1/0	13.98	V	7.95	0.79	19.99	33
1908.5	3	QPSK	1/0	13.09	V	7.95	0.79	21.94	33
1851.5	3	QPSK	1/0	16.12	H	7.95	0.79	21.91	33
1880.0	3	QPSK	1/0	15.98	H	7.95	0.79	22.01	33
1908.5	3	QPSK	1/0	14.94	H	7.95	0.79	20.83	33
1851.5	3	16-QAM	1/0	12.99	V	7.95	0.79	20.84	33
1880.0	3	16-QAM	1/0	12.91	V	7.95	0.79	20.89	33
1908.5	3	16-QAM	1/0	13.44	V	7.95	0.79	20.77	33
1851.5	3	16-QAM	1/0	14.85	H	7.95	0.79	21.56	33
1880.0	3	16-QAM	1/0	14.92	H	7.95	0.79	21.11	33
1908.5	3	16-QAM	1/0	15.57	H	7.95	0.79	21.24	33
1852.5	5	QPSK	1/0	12.66	V	7.95	0.79	20.35	33
1880.0	5	QPSK	1/0	12.89	V	7.95	0.79	20.47	33
1907.5	5	QPSK	1/24	12.52	V	7.95	0.79	20.13	33
1852.5	5	QPSK	1/0	14.43	H	7.95	0.79	20.04	33
1880.0	5	QPSK	1/0	14.77	H	7.95	0.79	21.96	33
1907.5	5	QPSK	1/24	14.48	H	7.95	0.79	22.25	33
1852.5	5	16-QAM	1/0	12.18	V	7.95	0.79	20.16	33

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



1880.0	5	16-QAM	1/0	12.01	V	7.95	0.79	20.86	33
1907.5	5	16-QAM	1/24	12.22	V	7.95	0.79	20.86	33
1852.5	5	16-QAM	1/0	13.92	H	7.95	0.79	21.93	33
1880.0	5	16-QAM	1/0	13.86	H	7.95	0.79	21.81	33
1907.5	5	16-QAM	1/24	13.91	H	7.95	0.79	21.51	33
1855	10	QPSK	1/0	11.76	V	7.95	0.79	20.61	33
1880	10	QPSK	1/49	11.67	V	7.95	0.79	20.63	33
1905	10	QPSK	1/0	11.71	V	7.95	0.79	19.98	33
1855	10	QPSK	1/0	13.86	H	7.95	0.79	19.98	33
1880	10	QPSK	1/49	13.74	H	7.95	0.79	20.06	33
1905	10	QPSK	1/0	13.85	H	7.95	0.79	20.01	33
1855	10	16-QAM	1/0	14.48	V	7.95	0.79	19.68	33
1880	10	16-QAM	1/49	14.11	V	7.95	0.79	20.00	33
1905	10	16-QAM	1/0	13.31	V	7.95	0.79	20.03	33
1855	10	16-QAM	1/0	16.24	H	7.95	0.79	21.82	33
1880	10	16-QAM	1/49	16.11	H	7.95	0.79	21.79	33
1905	10	16-QAM	1/0	15.74	H	7.95	0.79	21.74	33
1857.5	15	QPSK	1/0	12.6	V	7.95	0.79	20.97	33
1880	15	QPSK	1/74	12.89	V	7.95	0.79	20.83	33
1902.5	15	QPSK	1/0	12.55	V	7.95	0.79	20.86	33
1857.5	15	QPSK	1/0	15.02	H	7.95	0.79	20.91	33
1880	15	QPSK	1/74	15	H	7.95	0.79	20.97	33
1902.5	15	QPSK	1/0	14.93	H	7.95	0.79	20.97	33
1857.5	15	16-QAM	1/0	13.48	V	7.95	0.79	20.98	33
1880	15	16-QAM	1/74	12.97	V	7.95	0.79	19.89	33
1902.5	15	16-QAM	1/0	13.02	V	7.95	0.79	20.23	33
1857.5	15	16-QAM	1/0	15.89	H	7.95	0.79	21.64	33
1880	15	16-QAM	1/74	14.97	H	7.95	0.79	21.73	33
1902.5	15	16-QAM	1/0	15.03	H	7.95	0.79	21.69	33
1860	20	QPSK	1/99	14.13	V	7.95	0.79	20.41	33
1880	20	QPSK	1/99	13.98	V	7.95	0.79	20.13	33
1900	20	QPSK	1/0	13.09	V	7.95	0.79	20.00	33
1860	20	QPSK	1/99	16.12	H	7.95	0.79	21.00	33
1880	20	QPSK	1/99	15.98	H	7.95	0.79	20.98	33
1900	20	QPSK	1/0	14.94	H	7.95	0.79	21.07	33
1860	20	16-QAM	1/99	12.99	V	7.95	0.79	21.13	33

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



1880	20	16-QAM	1/99	13.75	V	7.95	0.79	20.91	33
1900	20	16-QAM	1/0	13.74	V	7.95	0.79	20.90	33
1860	20	16-QAM	1/99	13.83	H	7.95	0.79	20.99	33
1880	20	16-QAM	1/99	14.74	H	7.95	0.79	21.90	33
1900	20	16-QAM	1/0	14.70	H	7.95	0.79	21.86	33

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc@agc-cert.com](mailto:agc@agc-cert.com).

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: [agc@agc-cert.com](mailto:agc@agc-cert.com) Web: <http://cn.agc-cert.com/>



## EIRP for LTE Band 4

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
1710.7	1.4	QPSK	1/0	14.62	V	7.95	0.79	21.78	30
1732.5	1.4	QPSK	1/0	14.74	V	7.95	0.79	21.90	30
1754.3	1.4	QPSK	1/0	14.66	V	7.95	0.79	21.82	30
1710.7	1.4	QPSK	1/0	15.70	H	7.95	0.79	22.86	30
1732.5	1.4	QPSK	1/0	15.71	H	7.95	0.79	22.87	30
1754.3	1.4	QPSK	1/0	15.66	H	7.95	0.79	22.82	30
1710.7	1.4	16-QAM	1/5	13.79	V	7.95	0.79	20.95	30
1732.5	1.4	16-QAM	1/0	13.62	V	7.95	0.79	20.78	30
1754.3	1.4	16-QAM	1/0	13.67	V	7.95	0.79	20.83	30
1710.7	1.4	16-QAM	1/5	15.67	H	7.95	0.79	22.83	30
1732.5	1.4	16-QAM	1/0	16.62	H	7.95	0.79	23.78	30
1754.3	1.4	16-QAM	1/0	16.70	H	7.95	0.79	23.86	30
1711.5	3	QPSK	1/0	15.68	V	7.95	0.79	22.84	30
1732.5	3	QPSK	1/0	15.66	V	7.95	0.79	22.82	30
1753.5	3	QPSK	1/0	14.25	V	7.95	0.79	21.41	30
1711.5	3	QPSK	1/0	16.59	H	7.95	0.79	23.75	30
1732.5	3	QPSK	1/0	16.77	H	7.95	0.79	23.93	30
1753.5	3	QPSK	1/0	16.68	H	7.95	0.79	23.84	30
1711.5	3	16-QAM	1/0	15.63	V	7.95	0.79	22.79	30
1732.5	3	16-QAM	1/0	15.66	V	7.95	0.79	22.82	30
1753.5	3	16-QAM	1/0	15.66	V	7.95	0.79	22.82	30
1711.5	3	16-QAM	1/0	15.61	H	7.95	0.79	22.77	30
1732.5	3	16-QAM	1/0	15.76	H	7.95	0.79	22.92	30
1753.5	3	16-QAM	1/0	15.66	H	7.95	0.79	22.82	30
1712.5	5	QPSK	1/0	14.70	V	7.95	0.79	21.86	30
1732.5	5	QPSK	1/0	14.72	V	7.95	0.79	21.88	30
1752.5	5	QPSK	1/24	14.68	V	7.95	0.79	21.84	30
1712.5	5	QPSK	1/0	14.73	H	7.95	0.79	21.89	30
1732.5	5	QPSK	1/0	15.63	H	7.95	0.79	22.79	30
1752.5	5	QPSK	1/24	15.69	H	7.95	0.79	22.85	30
1712.5	5	16-QAM	1/0	13.86	V	7.95	0.79	21.02	30
1732.5	5	16-QAM	1/0	14.62	V	7.95	0.79	21.78	30
1752.5	5	16-QAM	1/24	14.57	V	7.95	0.79	21.73	30
1712.5	5	16-QAM	1/0	15.62	H	7.95	0.79	22.78	30
1732.5	5	16-QAM	1/0	14.72	H	7.95	0.79	21.88	30
1752.5	5	16-QAM	1/24	15.80	H	7.95	0.79	22.96	30

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



1715	10	QPSK	1/0	13.20	V	7.95	0.79	20.36	30
1732.5	10	QPSK	1/49	13.40	V	7.95	0.79	20.56	30
1750	10	QPSK	1/0	13.26	V	7.95	0.79	20.42	30
1715	10	QPSK	1/0	15.89	H	7.95	0.79	23.05	30
1732.5	10	QPSK	1/49	15.77	H	7.95	0.79	22.93	30
1750	10	QPSK	1/0	14.66	H	7.95	0.79	21.82	30
1715	10	16-QAM	1/0	14.17	V	7.95	0.79	21.33	30
1732.5	10	16-QAM	1/49	13.89	V	7.95	0.79	21.05	30
1750	10	16-QAM	1/0	14.79	V	7.95	0.79	21.95	30
1715	10	16-QAM	1/0	16.55	H	7.95	0.79	23.71	30
1732.5	10	16-QAM	1/49	16.74	H	7.95	0.79	23.90	30
1750	10	16-QAM	1/0	16.73	H	7.95	0.79	23.89	30
1717.5	15	QPSK	1/0	15.76	V	7.95	0.79	22.92	30
1732.5	15	QPSK	1/74	13.73	V	7.95	0.79	20.89	30
1747.5	15	QPSK	1/0	13.58	V	7.95	0.79	20.74	30
1717.5	15	QPSK	1/0	16.75	H	7.95	0.79	23.91	30
1732.5	15	QPSK	1/74	16.80	H	7.95	0.79	23.96	30
1747.5	15	QPSK	1/0	16.78	H	7.95	0.79	23.94	30
1717.5	15	16-QAM	1/0	15.81	V	7.95	0.79	22.97	30
1732.5	15	16-QAM	1/74	15.79	V	7.95	0.79	22.95	30
1747.5	15	16-QAM	1/0	14.59	V	7.95	0.79	21.75	30
1717.5	15	16-QAM	1/0	14.81	H	7.95	0.79	21.97	30
1732.5	15	16-QAM	1/74	14.87	H	7.95	0.79	22.03	30
1747.5	15	16-QAM	1/0	14.89	H	7.95	0.79	22.05	30
1720	20	QPSK	1/99	15.53	V	7.95	0.79	22.69	30
1732.5	20	QPSK	1/99	14.91	V	7.95	0.79	22.07	30
1745	20	QPSK	1/0	15.00	V	7.95	0.79	22.16	30
1720	20	QPSK	1/99	15.90	H	7.95	0.79	23.06	30
1732.5	20	QPSK	1/99	15.90	H	7.95	0.79	23.06	30
1745	20	QPSK	1/0	15.82	H	7.95	0.79	22.98	30
1720	20	16-QAM	1/99	14.77	V	7.95	0.79	21.93	30
1732.5	20	16-QAM	1/99	14.79	V	7.95	0.79	21.95	30
1745	20	16-QAM	1/0	14.47	V	7.95	0.79	21.63	30
1720	20	16-QAM	1/99	14.86	H	7.95	0.79	22.02	30
1732.5	20	16-QAM	1/99	14.94	H	7.95	0.79	22.10	30
1745	20	16-QAM	1/0	15.92	H	7.95	0.79	23.08	30

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



## ERP for LTE Band 5

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
824.7	1.4	QPSK	1/0	12.97	V	6.7	0.49	19.18	38.45
836.5	1.4	QPSK	1/0	13.38	V	6.7	0.49	19.59	38.45
848.3	1.4	QPSK	1/0	12.53	V	6.7	0.49	18.74	38.45
824.7	1.4	QPSK	1/0	15.42	H	6.7	0.49	21.63	38.45
836.5	1.4	QPSK	1/0	14.83	H	6.7	0.49	21.04	38.45
848.3	1.4	QPSK	1/0	14.31	H	6.7	0.49	20.52	38.45
824.7	1.4	16-QAM	1/0	13.68	V	6.7	0.49	19.89	38.45
836.5	1.4	16-QAM	1/0	14.07	V	6.7	0.49	20.28	38.45
848.3	1.4	16-QAM	1/0	13.57	V	6.7	0.49	19.78	38.45
824.7	1.4	16-QAM	1/0	14.90	H	6.7	0.49	21.11	38.45
836.5	1.4	16-QAM	1/0	16.64	H	6.7	0.49	22.85	38.45
848.3	1.4	16-QAM	1/0	15.99	H	6.7	0.49	22.20	38.45
825.5	3	QPSK	1/0	14.33	V	6.7	0.49	20.54	38.45
836.5	3	QPSK	1/0	13.96	V	6.7	0.49	20.17	38.45
847.5	3	QPSK	1/0	13.86	V	6.7	0.49	20.07	38.45
825.5	3	QPSK	1/0	15.89	H	6.7	0.49	22.10	38.45
836.5	3	QPSK	1/0	15.96	H	6.7	0.49	22.17	38.45
847.5	3	QPSK	1/0	15.93	H	6.7	0.49	22.14	38.45
825.5	3	16-QAM	1/0	12.79	V	6.7	0.49	19.00	38.45
836.5	3	16-QAM	1/0	13.64	V	6.7	0.49	19.85	38.45
847.5	3	16-QAM	1/0	13.45	V	6.7	0.49	19.66	38.45
825.5	3	16-QAM	1/0	15.00	H	6.7	0.49	21.21	38.45
836.5	3	16-QAM	1/0	15.81	H	6.7	0.49	22.02	38.45
847.5	3	16-QAM	1/0	15.92	H	6.7	0.49	22.13	38.45
826.5	5	QPSK	1/0	14.69	V	6.7	0.49	20.90	38.45
836.5	5	QPSK	1/0	14.65	V	6.7	0.49	20.86	38.45
846.5	5	QPSK	1/0	14.95	V	6.7	0.49	21.16	38.45
826.5	5	QPSK	1/0	16.54	H	6.7	0.49	22.75	38.45
836.5	5	QPSK	1/0	16.61	H	6.7	0.49	22.82	38.45
846.5	5	QPSK	1/0	16.70	H	6.7	0.49	22.91	38.45
826.5	5	16-QAM	1/0	12.75	V	6.7	0.49	18.96	38.45
836.5	5	16-QAM	1/0	12.83	V	6.7	0.49	19.04	38.45
846.5	5	16-QAM	1/0	13.23	V	6.7	0.49	19.44	38.45
826.5	5	16-QAM	1/0	14.88	H	6.7	0.49	21.09	38.45
836.5	5	16-QAM	1/0	14.88	H	6.7	0.49	21.09	38.45
846.5	5	16-QAM	1/0	15.63	H	6.7	0.49	21.84	38.45

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



829	10	QPSK	1/0	13.12	V	6.7	0.49	19.33	38.45
836.5	10	QPSK	1/0	12.11	V	6.7	0.49	18.32	38.45
844	10	QPSK	1/0	12.03	V	6.7	0.49	18.24	38.45
829	10	QPSK	1/0	15.14	H	6.7	0.49	21.35	38.45
836.5	10	QPSK	1/0	14.14	H	6.7	0.49	20.35	38.45
844	10	QPSK	1/0	14.17	H	6.7	0.49	20.38	38.45
829	10	16-QAM	1/0	13.03	V	6.7	0.49	19.24	38.45
836.5	10	16-QAM	1/0	13.00	V	6.7	0.49	19.21	38.45
844	10	16-QAM	1/0	12.99	V	6.7	0.49	19.20	38.45
829	10	16-QAM	1/0	14.92	H	6.7	0.49	21.13	38.45
836.5	10	16-QAM	1/0	15.07	H	6.7	0.49	21.28	38.45
844	10	16-QAM	1/0	15.12	H	6.7	0.49	21.33	38.45

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



## ERP for LTE Band 7

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
2502.5	5	QPSK	1/0	15.67	V	8.23	1.12	22.78	33
2535	5	QPSK	1/0	15.79	V	8.23	1.12	22.90	33
2567.5	5	QPSK	1/24	15.71	V	8.23	1.12	22.82	33
2502.5	5	QPSK	1/0	16.75	H	8.23	1.12	23.86	33
2535	5	QPSK	1/0	16.76	H	8.23	1.12	23.87	33
2567.5	5	QPSK	1/24	16.71	H	8.23	1.12	23.82	33
2502.5	5	16-QAM	1/0	13.72	V	8.23	1.12	20.83	33
2535	5	16-QAM	1/0	14.67	V	8.23	1.12	21.78	33
2567.5	5	16-QAM	1/24	14.75	V	8.23	1.12	21.86	33
2502.5	5	16-QAM	1/0	16.67	H	8.23	1.12	23.78	33
2535	5	16-QAM	1/0	15.67	H	8.23	1.12	22.78	33
2567.5	5	16-QAM	1/24	15.69	H	8.23	1.12	22.80	33
2505	10	QPSK	1/0	15.73	V	8.23	1.12	22.84	33
2535	10	QPSK	1/49	15.71	V	8.23	1.12	22.82	33
2565	10	QPSK	1/0	15.64	V	8.23	1.12	22.75	33
2505	10	QPSK	1/0	16.82	H	8.23	1.12	23.93	33
2535	10	QPSK	1/49	16.73	H	8.23	1.12	23.84	33
2565	10	QPSK	1/0	16.68	H	8.23	1.12	23.79	33
2505	10	16-QAM	1/0	14.68	V	8.23	1.12	21.79	33
2535	10	16-QAM	1/49	14.71	V	8.23	1.12	21.82	33
2565	10	16-QAM	1/0	14.71	V	8.23	1.12	21.82	33
2505	10	16-QAM	1/0	15.66	H	8.23	1.12	22.77	33
2535	10	16-QAM	1/49	15.81	H	8.23	1.12	22.92	33
2565	10	16-QAM	1/0	15.71	H	8.23	1.12	22.82	33
2507.5	15	QPSK	1/0	14.75	V	8.23	1.12	21.86	33
2535	15	QPSK	1/74	14.77	V	8.23	1.12	21.88	33
2562.5	15	QPSK	1/0	14.73	V	8.23	1.12	21.84	33
2507.5	15	QPSK	1/0	15.93	H	8.23	1.12	23.04	33
2535	15	QPSK	1/74	15.68	H	8.23	1.12	22.79	33
2562.5	15	QPSK	1/0	15.74	H	8.23	1.12	22.85	33
2507.5	15	16-QAM	1/0	15.67	V	8.23	1.12	22.78	33
2535	15	16-QAM	1/74	14.67	V	8.23	1.12	21.78	33
2562.5	15	16-QAM	1/0	14.62	V	8.23	1.12	21.73	33
2507.5	15	16-QAM	1/0	15.72	H	8.23	1.12	22.83	33
2535	15	16-QAM	1/74	15.77	H	8.23	1.12	22.88	33
2562.5	15	16-QAM	1/0	15.85	H	8.23	1.12	22.96	33

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



2510	20	QPSK	1/99	13.94	V	8.23	1.12	21.05	33
2535	20	QPSK	1/99	15.82	V	8.23	1.12	22.93	33
2560	20	QPSK	1/0	14.71	V	8.23	1.12	21.82	33
2510	20	QPSK	1/99	16.73	H	8.23	1.12	23.84	33
2535	20	QPSK	1/99	15.73	H	8.23	1.12	22.84	33
2560	20	QPSK	1/0	15.69	H	8.23	1.12	22.80	33
2510	20	16-QAM	1/99	15.60	V	8.23	1.12	22.71	33
2535	20	16-QAM	1/99	15.79	V	8.23	1.12	22.90	33
2560	20	16-QAM	1/0	15.78	V	8.23	1.12	22.89	33
2510	20	16-QAM	1/99	16.78	H	8.23	1.12	23.89	33
2535	20	16-QAM	1/99	16.76	H	8.23	1.12	23.87	33
2560	20	16-QAM	1/0	16.86	H	8.23	1.12	23.97	33

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



## ERP for LTE Band 12

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
699.7	1.4	QPSK	1/0	14.91	V	6.6	0.47	21.04	34.77
707.5	1.4	QPSK	1/0	14.42	V	6.6	0.47	20.55	34.77
715.3	1.4	QPSK	1/24	14.64	V	6.6	0.47	20.77	34.77
699.7	1.4	QPSK	1/0	16.91	H	6.6	0.47	23.04	34.77
707.5	1.4	QPSK	1/0	17.42	H	6.6	0.47	23.55	34.77
715.3	1.4	QPSK	1/24	17.64	H	6.6	0.47	23.77	34.77
699.7	1.4	16-QAM	1/0	16.22	V	6.6	0.47	22.35	34.77
707.5	1.4	16-QAM	1/0	15.82	V	6.6	0.47	21.95	34.77
715.3	1.4	16-QAM	1/24	16.41	V	6.6	0.47	22.54	34.77
699.7	1.4	16-QAM	1/0	16.69	H	6.6	0.47	22.82	34.77
707.5	1.4	16-QAM	1/0	16.61	H	6.6	0.47	22.74	34.77
715.3	1.4	16-QAM	1/24	15.63	H	6.6	0.47	21.76	34.77
700.5	3	QPSK	1/0	15.71	V	6.6	0.47	21.84	34.77
707.5	3	QPSK	1/49	15.19	V	6.6	0.47	21.32	34.77
714.5	3	QPSK	1/0	17.84	V	6.6	0.47	23.97	34.77
700.5	3	QPSK	1/0	16.82	H	6.6	0.47	22.95	34.77
707.5	3	QPSK	1/49	16.88	H	6.6	0.47	23.01	34.77
714.5	3	QPSK	1/0	16.29	H	6.6	0.47	22.42	34.77
700.5	3	16-QAM	1/0	16.26	V	6.6	0.47	22.39	34.77
707.5	3	16-QAM	1/49	15.61	V	6.6	0.47	21.74	34.77
714.5	3	16-QAM	1/0	16.01	V	6.6	0.47	22.14	34.77
700.5	3	16-QAM	1/0	16.91	H	6.6	0.47	23.04	34.77
707.5	3	16-QAM	1/49	15.96	H	6.6	0.47	22.09	34.77
714.5	3	16-QAM	1/0	17.38	H	6.6	0.47	23.51	34.77
701.5	5	QPSK	1/0	15.33	V	6.6	0.47	21.46	34.77
707.5	5	QPSK	1/74	15.35	V	6.6	0.47	21.48	34.77
713.5	5	QPSK	1/0	14.68	V	6.6	0.47	20.81	34.77
701.5	5	QPSK	1/0	15.03	H	6.6	0.47	21.16	34.77
707.5	5	QPSK	1/74	17.65	H	6.6	0.47	23.78	34.77
713.5	5	QPSK	1/0	17.48	H	6.6	0.47	23.61	34.77
701.5	5	16-QAM	1/0	15.43	V	6.6	0.47	21.56	34.77
707.5	5	16-QAM	1/74	15.92	V	6.6	0.47	22.05	34.77
713.5	5	16-QAM	1/0	15.64	V	6.6	0.47	21.77	34.77
701.5	5	16-QAM	1/0	17.30	H	6.6	0.47	23.43	34.77
707.5	5	16-QAM	1/74	16.96	H	6.6	0.47	23.09	34.77
713.5	5	16-QAM	1/0	17.02	H	6.6	0.47	23.15	34.77

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



704.0	10	QPSK	1/99	15.64	V	6.6	0.47	21.77	34.77
707.5	10	QPSK	1/99	15.04	V	6.6	0.47	21.17	34.77
711.0	10	QPSK	1/0	15.00	V	6.6	0.47	21.13	34.77
704.0	10	QPSK	1/99	16.03	H	6.6	0.47	22.16	34.77
707.5	10	QPSK	1/99	16.43	H	6.6	0.47	22.56	34.77
711.0	10	QPSK	1/0	15.67	H	6.6	0.47	21.80	34.77
704.0	10	16-QAM	1/99	14.65	V	6.6	0.47	20.78	34.77
707.5	10	16-QAM	1/99	14.79	V	6.6	0.47	20.92	34.77
711.0	10	16-QAM	1/0	14.72	V	6.6	0.47	20.85	34.77
704.0	10	16-QAM	1/99	16.99	H	6.6	0.47	23.12	34.77
707.5	10	16-QAM	1/99	17.28	H	6.6	0.47	23.41	34.77
711.0	10	16-QAM	1/0	16.98	H	6.6	0.47	23.11	34.77

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



## ERP for LTE Band 13

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
779.5	5	QPSK	1/0	14.29	V	6.6	0.47	20.42	34.77
782.0	5	QPSK	1/74	14.23	V	6.6	0.47	20.36	34.77
784.5	5	QPSK	1/0	14.61	V	6.6	0.47	20.74	34.77
779.5	5	QPSK	1/0	17.32	H	6.6	0.47	23.45	34.77
782.0	5	QPSK	1/74	17.14	H	6.6	0.47	23.27	34.77
784.5	5	QPSK	1/0	17.23	H	6.6	0.47	23.36	34.77
779.5	5	16-QAM	1/0	13.64	V	6.6	0.47	19.77	34.77
782.0	5	16-QAM	1/74	12.92	V	6.6	0.47	19.05	34.77
784.5	5	16-QAM	1/0	14.15	V	6.6	0.47	20.28	34.77
779.5	5	16-QAM	1/0	16.20	H	6.6	0.47	22.33	34.77
782.0	5	16-QAM	1/74	15.95	H	6.6	0.47	22.08	34.77
784.5	5	16-QAM	1/0	16.61	H	6.6	0.47	22.74	34.77
782.0	10	QPSK	1/99	15.26	V	6.6	0.47	21.39	34.77
782.0	10	QPSK	1/99	17.04	H	6.6	0.47	23.17	34.77
782.0	10	16-QAM	1/99	15.34	V	6.6	0.47	21.47	34.77
782.0	10	16-QAM	1/99	17.28	H	6.6	0.47	23.41	34.77

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



## ERP for LTE Band 25

Frequency	Channel Bandwidth	Mode.	RB	Substituted level	Antenna Polarization	Antenna Gain correction	Cable Loss	Absolute Level	Limit (dBm)
1850.7	1.4	QPSK	1/0	15.47	V	6.6	0.47	21.6	34.77
1882.5	1.4	QPSK	1/0	14.38	V	6.6	0.47	20.51	34.77
1914.3	1.4	QPSK	1/0	15.53	V	6.6	0.47	21.66	34.77
1850.7	1.4	QPSK	1/0	16.47	H	6.6	0.47	22.60	34.77
1882.5	1.4	QPSK	1/0	17.38	H	6.6	0.47	23.51	34.77
1914.3	1.4	QPSK	1/0	16.53	H	6.6	0.47	22.66	34.77
1850.7	1.4	16-QAM	1/5	15.09	V	6.6	0.47	21.22	34.77
1882.5	1.4	16-QAM	1/0	14.09	V	6.6	0.47	20.22	34.77
1914.3	1.4	16-QAM	1/0	13.99	V	6.6	0.47	20.12	34.77
1850.7	1.4	16-QAM	1/5	15.09	H	6.6	0.47	21.22	34.77
1882.5	1.4	16-QAM	1/0	16.09	H	6.6	0.47	22.22	34.77
1914.3	1.4	16-QAM	1/0	15.99	H	6.6	0.47	22.12	34.77
1851.5	3	QPSK	1/0	14.53	V	6.6	0.47	20.66	34.77
1882.5	3	QPSK	1/0	13.89	V	6.6	0.47	20.02	34.77
1913.5	3	QPSK	1/0	14.4	V	6.6	0.47	20.53	34.77
1851.5	3	QPSK	1/0	16.4	H	6.6	0.47	22.53	34.77
1882.5	3	QPSK	1/0	17.24	H	6.6	0.47	23.37	34.77
1913.5	3	QPSK	1/0	17.18	H	6.6	0.47	23.31	34.77
1851.5	3	16-QAM	1/0	15	V	6.6	0.47	21.13	34.77
1882.5	3	16-QAM	1/0	15.22	V	6.6	0.47	21.35	34.77
1913.5	3	16-QAM	1/0	15.46	V	6.6	0.47	21.59	34.77
1851.5	3	16-QAM	1/0	16.23	H	6.6	0.47	22.36	34.77
1882.5	3	16-QAM	1/0	16.45	H	6.6	0.47	22.58	34.77
1913.5	3	16-QAM	1/0	16.73	H	6.6	0.47	22.86	34.77
1852.5	5	QPSK	1/0	16.31	V	6.6	0.47	22.44	34.77
1882.5	5	QPSK	1/0	16.43	V	6.6	0.47	22.56	34.77
1912.5	5	QPSK	1/24	16.06	V	6.6	0.47	22.19	34.77
1852.5	5	QPSK	1/0	17.59	H	6.6	0.47	23.72	34.77
1882.5	5	QPSK	1/0	17.31	H	6.6	0.47	23.44	34.77
1912.5	5	QPSK	1/24	17.07	H	6.6	0.47	23.20	34.77
1852.5	5	16-QAM	1/0	16.03	V	6.6	0.47	22.16	34.77
1882.5	5	16-QAM	1/0	15.5	V	6.6	0.47	21.63	34.77
1912.5	5	16-QAM	1/24	15.59	V	6.6	0.47	21.72	34.77
1852.5	5	16-QAM	1/0	16.16	H	6.6	0.47	22.29	34.77
1882.5	5	16-QAM	1/0	16.32	H	6.6	0.47	22.45	34.77
1912.5	5	16-QAM	1/24	15.07	H	6.6	0.47	21.20	34.77

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/

