

**ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT****INTENTIONAL RADIATOR CERTIFICATION TO  
FCC PART 15 SUBPART C REQUIREMENT***OF*

**Product Name:** WLAN USB Module  
**Brand Name:** N/A  
**Model No.:** WM1030WU-10; WM1030WU-XX(X=0~9 or A~Z)  
**Model Different:** Supplied voltage difference  
WM1030WU-10: 5V  
WM1030WU-XX(X=0~9 or A~Z): 3.3V  
**FCC ID:** 2AAK6WM1030WU  
**Report No.:** ER/2013/60003  
**Issue Date:** Jul. 05, 2013  
**FCC Rule Part:** §15.247, Cat: DTS  
  
**Prepared for:** WIESON INTERNATIONAL CO., LTD.  
7F, No.276, Sec. 1, Datong Rd., Xizhi Dist., New  
Taipei City 221, Taiwan, R.O.C.  
  
**Prepared by:** SGS Taiwan Ltd.  
Electronics & Communication Laboratory  
No.134, Wu Kung Road, New Taipei Industrial  
Park, Wuku District, New Taipei City, Taiwan  
24803



*Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 / 新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2298-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

**VERIFICATION OF COMPLIANCE**

WIESON INTERNATIONAL CO., LTD.


**Applicant:** 7F, No.276, Sec. 1, Datong Rd., Xizhi Dist., New Taipei City 221, Taiwan, R.O.C.**Product Name:** WLAN USB Module**Brand Name:** N/A**Model No. :** WM1030WU-10; WM1030WU-XX(X=0~9 or A~Z)**Model Difference:** Supplied voltage difference  
WM1030WU-10: 5V  
WM1030WU-XX(X=0~9 or A~Z): 3.3V**FCC ID:** 2AAK6WM1030WU**File Number:** ER/2013/60003**Date of test:** Jun. 17, 2013 ~ Jul. 01, 2013**Date of EUT Received:** Jun. 17, 2013**We hereby certify that:**

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.4:2009 the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rules Part 15.247.


The test results of this report relate only to the tested sample identified in this report.

**Test By:****Date**

Jul. 05, 2013

*Nick Lin / Engineer***Prepared By:****Date**

Jul. 05, 2013

*Judy Hsu / Clerk***Approved By:****Date**

Jul. 05, 2013

*Jim Chang / Supervisor*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

## Version

| Version No. | Date          | Description                  |
|-------------|---------------|------------------------------|
| 00          | Jul. 05, 2013 | Initial creation of document |
|             |               |                              |
|             |               |                              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## Table of Contents

|   |           |
|---|-----------|
| <b>1 GENERAL INFORMATION</b>                              | <b>6</b>  |
| 1.1 Related Submittal(s) / Grant (s) .....                | 8         |
| 1.2 Test Methodology.....                                 | 8         |
| 1.3 Test Facility .....                                   | 8         |
| 1.4 Special Accessories .....                             | 8         |
| 1.5 Equipment Modifications.....                          | 8         |
| <b>2 SYSTEM TEST CONFIGURATION</b>                        | <b>9</b>  |
| 2.1 EUT Configuration.....                                | 9         |
| 2.2 EUT Exercise .....                                    | 9         |
| 2.3 Test Procedure .....                                  | 9         |
| 2.4 Configuration of Tested System .....                  | 10        |
| <b>3 SUMMARY OF TEST RESULTS</b>                          | <b>11</b> |
| <b>4 DESCRIPTION OF TEST MODES</b>                        | <b>11</b> |
| <b>5 MEASUREMENT UNCERTAINTY</b> .....                    | <b>12</b> |
| <b>6 CONDUCTED EMISSION TEST</b> .....                    | <b>13</b> |
| 6.1 Standard Applicable: .....                            | 13        |
| 6.2 Measurement Equipment Used: .....                     | 13        |
| 6.3 EUT Setup:.....                                       | 13        |
| 6.4 Test SET-UP (Block Diagram of Configuration) .....    | 14        |
| 6.5 Measurement Procedure:.....                           | 14        |
| 6.6 Measurement Result:.....                              | 14        |
| <b>7 PEAK OUTPUT POWER MEASUREMENT</b> .....              | <b>17</b> |
| 7.1 Standard Applicable: .....                            | 17        |
| 7.2 Measurement Equipment Used: .....                     | 17        |
| 7.3 Test Set-up:.....                                     | 18        |
| 7.4 Measurement Procedure:.....                           | 18        |
| 7.5 Measurement Result:.....                              | 22        |
| <b>8 6dB BANDWIDTH</b> .....                              | <b>25</b> |
| 8.1 Standard Applicable: .....                            | 25        |
| 8.2 Measurement Equipment Used: .....                     | 25        |
| 8.3 Test Set-up:.....                                     | 25        |
| 8.4 Measurement Procedure:.....                           | 25        |
| 8.5 Measurement Result:.....                              | 26        |
| <b>9 100KHz BANDWIDTH OF BAND EDGES MEASUREMENT</b> ..... | <b>33</b> |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

|           |  |           |
|-----------|--|-----------|
| 9.1       | Standard Applicable: .....   | 33        |
| 9.2       | Measurement Equipment Used: .....  | 33        |
| 9.3       | Test SET-UP: .....   | 35        |
| 9.4       | Measurement Procedure: .....   | 36        |
| 9.5       | Field Strength Calculation: .....  | 37        |
| 9.6       | Measurement Result: .....  | 37        |
| <b>10</b> | <b>SPURIOUS RADIATED EMISSION TEST .....</b>   | <b>50</b> |
| 10.1      | Standard Applicable .....  | 50        |
| 10.2      | Measurement Equipment Used: .....  | 50        |
| 10.3      | Test SET-UP: .....   | 50        |
| 10.4      | Measurement Procedure: .....   | 51        |
| 10.5      | Field Strength Calculation .....   | 51        |
| 10.6      | Measurement Result: .....  | 51        |
| <b>11</b> | <b>PEAK POWER SPECTRAL DENSITY .....</b>   | <b>88</b> |
| 11.1      | Standard Applicable: .....   | 88        |
| 11.2      | Measurement Equipment Used: .....  | 88        |
| 11.3      | Test Set-up: .....   | 88        |
| 6.7       | Measurement Procedure (following the measurement procedure 10.2 of KDB558074): ..... | 88        |
| 11.4      | Measurement Result: .....  | 89        |
| <b>12</b> | <b>ANTENNA REQUIREMENT .....</b>   | <b>96</b> |
| 12.1      | Standard Applicable: .....   | 96        |
| 12.2      | Antenna Connected Construction: .....  | 96        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 1 GENERAL INFORMATION

### General:

|                   |   |
|-------------------|---|
| Product Name:     | WLAN USB Module   |
| Brand Name:       | N/A   |
| Model No.:        | WM1030WU-10; WM1030WU-XX(X=0~9 or A~Z)  |
| Model Difference: | Supplied voltage difference<br>WM1030WU-10: 5V<br>WM1030WU-XX(X=0~9 or A~Z): 3.3V |
| Hardware Version: | 1.0   |
| Software Version: | 1.0   |
| Power Supply:     | 5Vdc by DC Power Supply.  |

### WLAN:

| Wi-Fi                | Frequency Range | Channels   | Rated Power                | Modulation Technology |
|----------------------|-----------------|--|----------------------------|-----------------------|
| 11b/g                | 2412-2462       | 11   | b: 19.10dBm<br>g: 23.90dBm | DSSS, OFDM            |
| 11n                  | HT20 2412-2462  | 11   | n: 22.49dBm                | OFDM                  |
| 11n                  | HT40 2422-2452  | 7  | n: 22.22dBm                | OFDM                  |
| Antenna Designation: |                 | Chip Antenna, Gain: 1.28dBi  |                            |                       |
| Modulation type:     |                 | CCK, DQPSK, DBPSK for DSSS<br>64QAM, 16QAM, QPSK, BPSK for OFDM  |                            |                       |
| Transition Rate:     |                 | 802.11 b: 1/2/5.5/11 Mbps;<br>802.11 g: 6/9/12/18/24/36/48/54 Mbps<br>802.11 n_20MHz: 6.5 – 72.2Mbps<br>802.11 n_40MHz: 15 – 135Mbps |                            |                       |

This report applies for WLAN, and complies with FCC rule part 15C.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## IEEE 802.11n Spec:

| MCS Index | Nss | Modulation | R   | NBPSC | NCBPS |       | NDBPS |       | Datarate(Mbps) |       |        |       |
|-----------|-----|------------|-----|-------|-------|-------|-------|-------|----------------|-------|--------|-------|
|           |     |            |     |       | 20MHz | 40MHz | 20MHz | 40MHz | 20MHz          | 40MHz | 20MHz  | 40MHz |
| 0         | 1   | BPSK       | 1/2 | 1     | 52    | 108   | 26    | 54    | 6.5            | 13.5  | 7.200  | 15    |
| 1         | 1   | QPSK       | 1/2 | 2     | 104   | 216   | 52    | 108   | 13.0           | 27.0  | 14.400 | 30    |
| 2         | 1   | QPSK       | 3/4 | 2     | 104   | 216   | 78    | 162   | 19.5           | 40.5  | 21.700 | 45    |
| 3         | 1   | 16-QAM     | 1/2 | 4     | 208   | 432   | 104   | 216   | 26.0           | 54.0  | 28.900 | 60    |
| 4         | 1   | 16-QAM     | 3/4 | 4     | 208   | 432   | 156   | 324   | 39.0           | 81.0  | 43.300 | 90    |
| 5         | 1   | 64-QAM     | 2/3 | 6     | 312   | 648   | 208   | 432   | 52.0           | 108.0 | 57.800 | 120   |
| 6         | 1   | 64-QAM     | 3/4 | 6     | 312   | 648   | 234   | 486   | 58.5           | 121.5 | 65.000 | 135   |
| 7         | 1   | 64-QAM     | 5/6 | 6     | 312   | 648   | 260   | 540   | 65.0           | 135.0 | 72.200 | 150   |

| Symbol | Explanation                             |
|--------|---|
| NSS    | Number of spatial streams               |
| R      | Code rate                               |
| NBPSC  | Number of coded bite per single carrier |
| NCBPS  | Number of coded bite per symbol         |
| NDBPS  | Number of data bite per symbol          |
| GI     | Guard interval                          |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 1.1 Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended for **FCC ID: 2AAK6WM1030WU** filing to comply with Section 15.247 of the FCC Part 15, Subpart C Rules. The composite system (digital device) is compliance with Subpart B is authorized under a DoC procedure.

## 1.2 Test Methodology

Both conducted and radiated testing was performed according to the procedures in ANSI C63.4: 2009 and RSS-Gen: 2010. Radiated testing was performed at an antenna to EUT distance 3 meters.

Tested in accordance with Apr 2013 KDB558074 D01 V03 for compliance to FCC 47CFR 15.247 requirements.

## 1.3 Test Facility

The measurement facilities used to collect the 3m Radiated Emission and AC power line conducted data are located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei Country, Taiwan which are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4: 2009. FCC Registration Number are: 990257, Canada Registration Number: 4620A-4.

The 10 m Open Area Test Sites located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No. 29, Pau-Tou-Tsuo Valley Chia-Pau Tsuen, Linkou Hsiang, Taipei county, which is constructed and calibrated to meet the CISPR 22/EN 55022 requirements. SGS Site No. 1(3 &10 meters) and FCC Registration Number: 94644.

## 1.4 Special Accessories

Not available for this EUT intended for grant.

## 1.5 Equipment Modifications

Not available for this EUT intended for grant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 2 SYSTEM TEST CONFIGURATION

### 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

### 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

### 2.3 Test Procedure

#### 2.3.1 Conducted Emissions

The EUT is placed on a turn table which is 0.8 m above ground plane. According to the requirements in Section 7.3.1 of ANSI C63.4-2009. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz using CISPR Quasi-Peak and Average detector mode.

#### 2.3.2 Radiated Emissions

The EUT is placed on a turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter(EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made “while keeping the antenna in the ‘cone of radiation’ from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response.” is still within the 3dB illumination BW of the measurement antenna. according to the requirements in Section 8 and 13 of ANSI C63.4-2009.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 2.4 Configuration of Tested System

**Fig. 2-1 Radiated Emission & Conducted (Antenna Port) & AC Power Line Conducted Emission Configuration**



**Table 2-1 Equipment Used in Tested System**

| Item | Equipment     | Mfr/Brand | Model/Type No. | Series No. | Data Cable | Power Cord  |
|------|---------------|-----------|----------------|------------|------------|-------------|
| 1.   | WLAN Software | Realtek   | N/A            | N/A        | N/A        | N/A         |
| 2.   | Notebook      | Lenovo    | L420           | LR-7HXZA   | Shielded   | Un-shielded |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

### 3 SUMMARY OF TEST RESULTS

| FCC Rules      | Description Of Test                       | Result    |
|----------------|---|-----------|
| §15.207(a)     | AC Power Line Conducted Emission          | Compliant |
| §15.247(b) (3) | Peak Output Power                         | Compliant |
| §15.247(a)(2)  | 6dB Bandwidth                             | Compliant |
| §15.247(d)     | 100 KHz Bandwidth Of Frequency Band Edges | Compliant |
| §15.247(d)     | Spurious Emission                         | Compliant |
| §15.247(e)     | Peak Power Density                        | Compliant |
| §15.203        | Antenna Requirement                       | Compliant |

### 4 DESCRIPTION OF TEST MODES

The EUT has been tested under operating condition.

Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.

802.11 b mode: Channel low (2412MHz)、mid (2437MHz) and high (2462MHz) with 1Mbps lowest data rate are chosen for full testing.

802.11 g mode: Channel low (2412MHz)、mid (2437MHz) and high (2462MHz) with 6Mbps lowest data rate are chosen for full testing.

802.11 n 20 mode: Channel low (2412MHz)、mid (2437MHz) and high (2462MHz) with 6.5Mbps lowest data rate are chosen for full testing.

802.11 n 40 mode: Channel low (2422MHz)、mid (2437MHz) and high (2452MHz) with 13.5Mbps lowest data rate are chosen for full testing.

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11b/g/n WLAN Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 5 MEASUREMENT UNCERTAINTY

| Test Items                                | Uncertainty  |
|---|--|
| AC Power Line Conducted Emission          | +/- 2.586 dB   |
| Peak Output Power                         | +/- 1.55dB (for Spectrum)<br>+/- 1.42 dB (for Power Meter) |
| 6dB Bandwidth                             | +/- 123.36 Hz  |
| 100 KHz Bandwidth Of Frequency Band Edges | +/- 1.55 dB  |
| Peak Power Density                        | +/- 1.55 dB  |
| 99% Power Bandwidth                       | +/- 123.36 Hz  |
| Temperature                               | +/- 0.8 °C   |
| Humidity                                  | +/- 4.7 %  |
| DC / AC Power Source                      | DC= +/- 1%, AC=+/- 0.2%                                    |

Radiated Spurious Emission:

|  |                            |
|--|----------------------------|
| Measurement uncertainty<br>(Polarization : <b>Vertical</b> ) | 30MHz - 180MHz: +/- 3.37dB |
|  | 180MHz -417MHz: +/- 3.19dB |
|  | 0.417GHz-1GHz: +/- 3.19dB  |
|  | 1GHz - 18GHz: +/- 4.04dB   |
|  | 18GHz - 40GHz: +/- 4.04dB  |

|  |                            |
|--|----------------------------|
| Measurement uncertainty<br>(Polarization : <b>Horizontal</b> ) | 30MHz - 167MHz: +/- 4.22dB |
|  | 167MHz -500MHz: +/- 3.44dB |
|  | 0.5GHz-1GHz: +/- 3.39dB    |
|  | 1GHz - 18GHz: +/- 4.08dB   |
|  | 18GHz - 40GHz: +/- 4.08dB  |

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of  $k=2$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 6 CONDUCTED EMISSION TEST

### 6.1 Standard Applicable:

According to §15.207, frequency range within 150KHz to 30MHz shall not exceed the Limit table as below.

| Frequency range<br>MHz | Limits<br>dB(uV) |          |
|------------------------|------------------|----------|
|                        | Quasi-peak       | Average  |
| 0.15 to 0.50           | 66 to 56         | 56 to 46 |
| 0.50 to 5              | 56               | 46       |
| 5 to 30                | 60               | 50       |

#### Note

1.The lower limit shall apply at the transition frequencies

2.The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

### 6.2 Measurement Equipment Used:

| Conducted Emission Test Site |            |                         |                  |              |            |
|------------------------------|------------|-------------------------|------------------|--------------|------------|
| EQUIPMENT<br>TYPE            | MFR        | MODEL<br>NUMBER         | SERIAL<br>NUMBER | LAST<br>CAL. | CAL DUE.   |
| EMI Test Receiver            | R&S        | ESCI7                   | 100759           | 02/08/2013   | 02/07/2014 |
| EMI Receiver                 | R&S        | ESCS 30                 | 828985/004       | 09/23/2012   | 09/22/2013 |
| LISN                         | Rolf-Heine | NNB-2/16Z               | 99012            | 03/23/2013   | 03/22/2014 |
| LISN                         | FCC        | FCC-LISN-50/250-25-2-01 | 04034            | 03/23/2013   | 03/22/2014 |
| Coaxial Cables               | N/A        | WK CE Cable             | N/A              | 01/05/2013   | 01/04/2014 |

### 6.3 EUT Setup:

1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.4-2009.
2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
3. The LISN was connected with 120Vac/60Hz power source.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 6.4 Test SET-UP (Block Diagram of Configuration)



## 6.5 Measurement Procedure:

1. The EUT was placed on a table which is 0.8m above ground plane.
2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
3. Repeat above procedures until all frequency measured were complete.

## 6.6 Measurement Result:

Note1: Refer to next page for measurement data and plots.

Note2: The \* reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)


Member of SGS Group

## AC POWER LINE CONDUCTED EMISSION TEST DATA

|                 |                |           |      |            |               |
|-----------------|----------------|-----------|------|------------|---------------|
| Operation Mode: | Operation Mode |           |      | Test Date: | Jun. 19, 2013 |
| Temperature:    | 26 °C          | Humidity: | 60 % | Test By:   | Nick          |

Site: ConductionRoom  
 Phase: **L1**  
 Temperature: 26 °C  
 Limit: FCC Class B Conduction(QP)  
 Power: AC 120V/60Hz  
 Humidity: 60%  
 EUT: WLAN USB Module  
 Distance:  
 M/N: WM1030WU  
 Mode: Operationmode  
 Note:

## Conducted Emission



| No. | Mk. | Freq.   | Reading | Correct | Measure- | Limit | Over   | Detector | Comment |
|-----|-----|---------|---------|---------|----------|-------|--------|----------|---------|
|     |     |         | Level   | Factor  | ment     |       |        |          |         |
| 1   | *   | 0.1700  | 49.21   | 0.16    | 49.37    | 64.96 | -15.59 | QP       |         |
| 2   |     | 0.2083  | 38.20   | 0.16    | 38.36    | 63.27 | -24.91 | QP       |         |
| 3   |     | 0.3500  | 32.71   | 0.17    | 32.88    | 58.96 | -26.08 | QP       |         |
| 4   |     | 0.5700  | 31.60   | 0.17    | 31.77    | 56.00 | -24.23 | QP       |         |
| 5   |     | 6.7200  | 32.28   | 0.31    | 32.59    | 60.00 | -27.41 | QP       |         |
| 6   |     | 18.3200 | 43.24   | 0.42    | 43.66    | 60.00 | -16.34 | QP       |         |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Site: ConductionRoom  
 Limit: FCC Class B Conduction(QP)  
 EUT: WLAN USB Module  
 M/N: WM1030WU  
 Note:

Phase: **N**  
 Power: AC 120V/60Hz  
 Distance:  
 Mode: Operationmode

Temperature: 26 °C  
 Humidity: 60%

### Conducted Emission



| No. | Mk. | Freq.   | Reading | Correct | Measure- | Limit | Over   | Detector | Comment |
|-----|-----|---------|---------|---------|----------|-------|--------|----------|---------|
|     |     |         | Level   | Factor  | ment     |       |        |          |         |
| 1   | *   | 0.1500  | 46.53   | 0.18    | 46.71    | 66.00 | -19.29 | QP       |         |
| 2   |     | 0.2500  | 36.19   | 0.20    | 36.39    | 61.76 | -25.37 | QP       |         |
| 3   |     | 0.4900  | 33.63   | 0.19    | 33.82    | 56.17 | -22.35 | QP       |         |
| 4   |     | 2.7000  | 32.97   | 0.27    | 33.24    | 56.00 | -22.76 | QP       |         |
| 5   |     | 3.2100  | 34.72   | 0.28    | 35.00    | 56.00 | -21.00 | QP       |         |
| 6   |     | 17.4800 | 35.13   | 0.53    | 35.66    | 60.00 | -24.34 | QP       |         |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 7 PEAK OUTPUT POWER MEASUREMENT

### 7.1 Standard Applicable:

According to §15.247 (b)

(3) For systems using digital modulation in the 902-928 MHz, 2400-2483.5 MHz, and 5725-5850 MHz bands: 1 Watt. As an alternative to a peak power measurement, compliance with the one Watt limit can be based on a measurement of the maximum conducted output power. Maximum Conducted Output Power is defined as the total transmit power delivered to all antennas and antenna elements averaged across all symbols in the signaling alphabet when the transmitter is operating at its maximum power control level. Power must be summed across all antennas and antenna elements. The average must not include any time intervals during which the transmitter is off or is transmitting at a reduced power level. If multiple modes of operation are possible (e.g., alternative modulation methods), the maximum conducted output power is the highest total transmit power occurring in any mode.

(4) The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### 7.2 Measurement Equipment Used:

| Conducted Emission Test Site |               |                 |               |            |            |
|------------------------------|---------------|-----------------|---------------|------------|------------|
| EQUIPMENT TYPE               | MFR           | MODEL NUMBER    | SERIAL NUMBER | LAST CAL.  | CAL DUE.   |
| Power Meter                  | Anritsu       | ML2495A         | 1005007       | 02/08/2012 | 02/07/2014 |
| Power Sensor                 | Anritsu       | MA2411B         | 917032        | 02/08/2012 | 02/07/2014 |
| Spectrum Analyzer            | Agilent       | E4446A          | MY51100003    | 05/30/2013 | 05/29/2014 |
| Spectrum Analyzer            | Agilent       | E4440A          | MY45304525    | 03/15/2013 | 03/14/2014 |
| DC Block                     | Mini-Circuits | BLK-18-S+       | 1             | 02/28/2013 | 02/27/2014 |
| Low Loss Cable               | HUBER+SUHNER  | SUCOFLEX 104PEA | N/A           | 01/05/2013 | 01/04/2014 |
| Attenuator                   | Mini-Circuit  | BW-S10W2+       | 002           | 02/28/2013 | 02/27/2014 |
| Splitter                     | Agilent       | 11636B          | N/A           | 02/28/2013 | 02/27/2014 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

### 7.3 Test Set-up:

Spectrum:



Power Meter:



### 7.4 Measurement Procedure:

1. Place the EUT on the table and set it in transmitting mode.
2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter or spectrum. **(Peak power setting on Spectrum:** Channel power function, RBW = 1MHz, VBW = 3MHz, Span: 30/60MHz, Detector =peak, Sweep = Auto. Setting on spectrum is adjusted based on the mandatory procedure in 9.1.2 of the KDB558074). Power Meter is used as the auxiliary test equipment to conduct the output power measurement. 9.1.3 in KDB558074 is followed. **(Avg. power setting on Spectrum:** Channel power function, RBW = 1MHz, VBW = 3MHz, Span: 30/60MHz, Detector =Avg., Trace avg =100, Sweep = Auto, Setting on spectrum is adjusted based on the mandatory procedure in 9.2.2.4 of the KDB558074). Power Meter is used as the auxiliary test equipment to conduct the output power measurement. 9.2.3, option 3 in KDB558074 is followed.
3. Record the max. Reading as observed from Spectrum or Power Meter.
4. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

*Pre-analysis Check: While conducting average power measurement, duty cycle of each mode (n\_ht40) shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle. All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones*

*b = 100%, g = 100%, n\_ht\_20 = 100%, n\_ht\_40 = 100% where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.*

**Formula:**

$$\text{Duty Cycle} = T_{on} / (T_{on} + T_{off})$$

**Test Procedure:**

Set span = 0, RBW = 1MHz, VBW = 3MHz, Detector = Peak

**Duty Cycle:**

|            | Duty Cycle |
|------------|------------|
| 802.11b    | 1          |
| 802.11g    | 1          |
| 802.11n_20 | 1          |
| 802.11n_40 | 1          |

802.11b: Duty Cycle Factor:  $10 * \log (1/1) = 0$

802.11g: Duty Cycle Factor:  $10 * \log (1/1) = 0$

802.11n\_20M: Duty Cycle Factor:  $10 * \log (1/1) = 0$

802.11n\_40M: Duty Cycle Factor:  $10 * \log (1/1) = 0$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號



台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

**Duty Factor:****802.11 b****802.11 g**


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 802.11 n\_20 MHz



## 802.11 n\_40 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 7.5 Measurement Result:

## 802.11b

| Cable loss = 0 |                 | Peak Power Output    |       |       |       |                 |
|----------------|-----------------|----------------------|-------|-------|-------|-----------------|
| CH             | Frequency (MHz) | Data Rate            |       |       |       | Required Limit  |
|                |                 | 1                    | 2     | 5.5   | 11    |                 |
| 1              | 2412            | 19.10                | 19.08 | 19.05 | 19.03 | 1 Watt = 30 dBm |
| 6              | 2437            | 18.38                | 18.35 | 18.32 | 18.29 | 1 Watt = 30 dBm |
| 11             | 2462            | 18.32                | 18.29 | 18.27 | 18.24 | 1 Watt = 30 dBm |
| Cable loss = 0 |                 | Average Power Output |       |       |       |                 |
| CH             | Frequency (MHz) | Data Rate            |       |       |       | Required Limit  |
|                |                 | 1                    | 2     | 5.5   | 11    |                 |
| 1              | 2412            | 16.85                | 16.76 | 16.68 | 16.60 | 1 Watt = 30 dBm |
| 6              | 2437            | 16.06                | 15.97 | 15.89 | 15.80 | 1 Watt = 30 dBm |
| 11             | 2462            | 16.01                | 15.96 | 15.91 | 15.86 | 1 Watt = 30 dBm |

\*Note: Measured by power meter, cable loss as 11.4dB that offsets on the power meter.

## 802.11g

| Cable loss = 0 |                 | Peak Power Output    |       |       |       |       |       |       |       |                 |  |
|----------------|-----------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-----------------|--|
| CH             | Frequency (MHz) | Data Rate            |       |       |       |       |       |       |       | Required Limit  |  |
|                |                 | 6                    | 9     | 12    | 18    | 24    | 36    | 48    | 54    |                 |  |
| 1              | 2412            | 23.90                | 23.86 | 23.82 | 23.78 | 23.75 | 23.71 | 23.67 | 23.63 | 1 Watt = 30 dBm |  |
| 6              | 2437            | 23.85                | 23.81 | 23.76 | 23.72 | 23.68 | 23.64 | 23.59 | 23.55 | 1 Watt = 30 dBm |  |
| 11             | 2462            | 22.96                | 22.92 | 22.88 | 22.84 | 22.79 | 22.75 | 22.71 | 22.67 | 1 Watt = 30 dBm |  |
| Cable loss = 0 |                 | Average Power Output |       |       |       |       |       |       |       | Required Limit  |  |
| CH             | Frequency (MHz) | Data Rate            |       |       |       |       |       |       |       |                 |  |
|                |                 | 6                    | 9     | 12    | 18    | 24    | 36    | 48    | 54    |                 |  |
| 1              | 2412            | 16.24                | 16.20 | 16.15 | 16.11 | 16.07 | 16.03 | 15.98 | 15.94 | 1 Watt = 30 dBm |  |
| 6              | 2437            | 16.31                | 16.26 | 16.22 | 16.17 | 16.12 | 16.07 | 16.03 | 15.98 | 1 Watt = 30 dBm |  |
| 11             | 2462            | 14.49                | 14.44 | 14.38 | 14.33 | 14.28 | 14.23 | 14.17 | 14.12 | 1 Watt = 30 dBm |  |

\*Note: Measured by power meter, cable loss as 11.4dB that offsets on the power meter.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

**802.11n\_20M**

| Cable loss = 0 |                 | Peak Power Output |       |       |       |       |       |       |       |                 |
|----------------|-----------------|-------------------|-------|-------|-------|-------|-------|-------|-------|-----------------|
| CH             | Frequency (MHz) | Data Rate         |       |       |       |       |       |       |       | Required Limit  |
|                |                 | MCS0              | MCS1  | MCS2  | MCS3  | MCS4  | MCS5  | MCS6  | MCS7  |                 |
| 1              | 2412            | 22.49             | 22.45 | 22.42 | 22.38 | 22.35 | 22.31 | 22.28 | 22.24 | 1 Watt = 30 dBm |
| 6              | 2437            | 22.36             | 22.32 | 22.27 | 22.23 | 22.19 | 22.15 | 22.10 | 22.06 | 1 Watt = 30 dBm |
| 11             | 2462            | 22.29             | 22.25 | 22.22 | 22.18 | 22.14 | 22.10 | 22.07 | 22.03 | 1 Watt = 30 dBm |

| Cable loss = 0 |                 | Average Power Output |       |       |       |       |       |       |       |                 |
|----------------|-----------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-----------------|
| CH             | Frequency (MHz) | Data Rate            |       |       |       |       |       |       |       | Required Limit  |
|                |                 | MCS0                 | MCS1  | MCS2  | MCS3  | MCS4  | MCS5  | MCS6  | MCS7  |                 |
| 1              | 2412            | 13.86                | 13.81 | 13.76 | 13.71 | 13.67 | 13.62 | 13.57 | 13.52 | 1 Watt = 30 dBm |
| 6              | 2437            | 13.78                | 13.73 | 13.69 | 13.64 | 13.60 | 13.55 | 13.51 | 13.46 | 1 Watt = 30 dBm |
| 11             | 2462            | 13.76                | 13.71 | 13.67 | 13.62 | 13.58 | 13.53 | 13.49 | 13.44 | 1 Watt = 30 dBm |

\*Note: Measured by power meter, cable loss as 11.4dB that offsets on the power meter.

**802.11n\_40M**

| Cable loss = 0 |                 | Peak Power Output |       |       |       |       |       |       |       |                 |
|----------------|-----------------|-------------------|-------|-------|-------|-------|-------|-------|-------|-----------------|
| CH             | Frequency (MHz) | Data Rate         |       |       |       |       |       |       |       | Required Limit  |
|                |                 | MCS0              | MCS1  | MCS2  | MCS3  | MCS4  | MCS5  | MCS6  | MCS7  |                 |
| 1              | 2422            | 22.12             | 22.08 | 22.04 | 22.00 | 21.95 | 21.91 | 21.87 | 21.83 | 1 Watt = 30 dBm |
| 4              | 2437            | 22.22             | 22.18 | 22.13 | 22.09 | 22.05 | 22.01 | 21.96 | 21.92 | 1 Watt = 30 dBm |
| 7              | 2452            | 21.08             | 21.04 | 21.00 | 20.96 | 20.92 | 20.88 | 20.84 | 20.80 | 1 Watt = 30 dBm |

| Cable loss = 0 |                 | Average Power Output |       |       |       |       |       |       |       |                 |
|----------------|-----------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-----------------|
| CH             | Frequency (MHz) | Data Rate            |       |       |       |       |       |       |       | Required Limit  |
|                |                 | MCS0                 | MCS1  | MCS2  | MCS3  | MCS4  | MCS5  | MCS6  | MCS7  |                 |
| 1              | 2422            | 12.96                | 12.91 | 12.87 | 12.82 | 12.78 | 12.73 | 12.69 | 12.64 | 1 Watt = 30 dBm |
| 4              | 2437            | 13.08                | 13.03 | 12.99 | 12.94 | 12.90 | 12.85 | 12.81 | 12.76 | 1 Watt = 30 dBm |
| 7              | 2452            | 11.71                | 11.66 | 11.62 | 11.57 | 11.53 | 11.48 | 11.44 | 11.39 | 1 Watt = 30 dBm |

\*Note: Measured by power meter, cable loss as 11.4dB that offsets on the power meter.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 802.11b

|    |                 | EIRP (dBm) |       |       |       | Required Limit   |  |
|----|-----------------|------------|-------|-------|-------|------------------|--|
| CH | Frequency (MHz) | Data Rate  |       |       |       |                  |  |
|    |                 | 1          | 2     | 5.5   | 11    |                  |  |
| 1  | 2412            | 18.13      | 18.04 | 17.96 | 17.88 | 4 Watts = 36 dBm |  |
| 6  | 2437            | 17.34      | 17.25 | 17.17 | 17.08 | 4 Watts = 36 dBm |  |
| 11 | 2462            | 17.29      | 17.24 | 17.19 | 17.14 | 4 Watts = 36 dBm |  |

## 802.11g

|    |                 | EIRP (dBm) |       |       |       |       |       |       |       | Required Limit   |  |
|----|-----------------|------------|-------|-------|-------|-------|-------|-------|-------|------------------|--|
| CH | Frequency (MHz) | Data Rate  |       |       |       |       |       |       |       |                  |  |
|    |                 | 6          | 9     | 12    | 18    | 24    | 36    | 48    | 54    |                  |  |
| 1  | 2412            | 17.52      | 17.48 | 17.43 | 17.39 | 17.35 | 17.31 | 17.26 | 17.22 | 4 Watts = 36 dBm |  |
| 6  | 2437            | 17.59      | 17.54 | 17.50 | 17.45 | 17.40 | 17.35 | 17.31 | 17.26 | 4 Watts = 36 dBm |  |
| 11 | 2462            | 15.77      | 15.72 | 15.66 | 15.61 | 15.56 | 15.51 | 15.45 | 15.40 | 4 Watts = 36 dBm |  |

## 802.11n\_20M

|    |                 | EIRP (dBm) |       |       |       |       |       |       |       | Required Limit   |  |
|----|-----------------|------------|-------|-------|-------|-------|-------|-------|-------|------------------|--|
| CH | Frequency (MHz) | Data Rate  |       |       |       |       |       |       |       |                  |  |
|    |                 | MCS0       | MCS1  | MCS2  | MCS3  | MCS4  | MCS5  | MCS6  | MCS7  |                  |  |
| 1  | 2412            | 15.14      | 15.09 | 15.04 | 14.99 | 14.95 | 14.90 | 14.85 | 14.80 | 4 Watts = 36 dBm |  |
| 6  | 2437            | 15.06      | 15.01 | 14.97 | 14.92 | 14.88 | 14.83 | 14.79 | 14.74 | 4 Watts = 36 dBm |  |
| 11 | 2462            | 15.04      | 14.99 | 14.95 | 14.90 | 14.86 | 14.81 | 14.77 | 14.72 | 4 Watts = 36 dBm |  |

## 802.11n\_40M

|    |                 | EIRP (dBm) |       |       |       |       |       |       |       | Required Limit   |  |
|----|-----------------|------------|-------|-------|-------|-------|-------|-------|-------|------------------|--|
| CH | Frequency (MHz) | Data Rate  |       |       |       |       |       |       |       |                  |  |
|    |                 | MCS0       | MCS1  | MCS2  | MCS3  | MCS4  | MCS5  | MCS6  | MCS7  |                  |  |
| 1  | 2422            | 14.24      | 14.19 | 14.15 | 14.10 | 14.06 | 14.01 | 13.97 | 13.92 | 4 Watts = 36 dBm |  |
| 4  | 2437            | 14.36      | 14.31 | 14.27 | 14.22 | 14.18 | 14.13 | 14.09 | 14.04 | 4 Watts = 36 dBm |  |
| 7  | 2452            | 12.99      | 12.94 | 12.90 | 12.85 | 12.81 | 12.76 | 12.72 | 12.67 | 4 Watts = 36 dBm |  |

\* Note: EIRP = Average Power + Gain, where the nominal gain of the antenna is 1.28dBi.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 8 6dB BANDWIDTH


### 8.1 Standard Applicable:

According to §15.247(a)(2), Systems using digital modulation techniques may operate in the 902 - 928 MHz, 2400 - 2483.5 MHz, and 5725 - 5850 MHz bands. The minimum 6 dB bandwidth shall be at least 500kHz.

### 8.2 Measurement Equipment Used:

| Conducted Emission Test Site |               |                 |               |            |            |
|------------------------------|---------------|-----------------|---------------|------------|------------|
| EQUIPMENT TYPE               | MFR           | MODEL NUMBER    | SERIAL NUMBER | LAST CAL.  | CAL DUE.   |
| Power Meter                  | Anritsu       | ML2495A         | 1005007       | 02/08/2012 | 02/07/2014 |
| Power Sensor                 | Anritsu       | MA2411B         | 917032        | 02/08/2012 | 02/07/2014 |
| Spectrum Analyzer            | Agilent       | E4446A          | MY51100003    | 05/30/2013 | 05/29/2014 |
| Spectrum Analyzer            | Agilent       | E4440A          | MY45304525    | 03/15/2013 | 03/14/2014 |
| DC Block                     | Mini-Circuits | BLK-18-S+       | 1             | 02/28/2013 | 02/27/2014 |
| Low Loss Cable               | HUBER+SUHNER  | SUCOFLEX 104PEA | N/A           | 01/05/2013 | 01/04/2014 |
| Attenuator                   | Mini-Circuit  | BW-S10W2+       | 002           | 02/28/2013 | 02/27/2014 |
| Splitter                     | Agilent       | 11636B          | N/A           | 02/28/2013 | 02/27/2014 |

### 8.3 Test Set-up:



### 8.4 Measurement Procedure:

1. Place the EUT on the table and set it in transmitting mode.
2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
3. Set the spectrum analyzer as RBW = 100 KHz, VBW = 3\*RBW, Span = 30M/50MHz, Sweep=auto, the setting on spectrum is adjusted based on the procedure as guide in 8.1 option 1 of KDB558074.
4. Mark the peak frequency and -6dB (upper and lower) frequency.
5. Repeat above procedures until all frequency measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

**8.5 Measurement Result:****802.11b**

| Frequency<br>(MHz) | Bandwidth<br>(MHz) | Bandwidth<br>(kHz) | Result |
|--------------------|--------------------|--------------------|--------|
| 2412               | 10.128             | > 500              | PASS   |
| 2437               | 10.128             | > 500              | PASS   |
| 2462               | 10.122             | > 500              | PASS   |

**802.11g**

| Frequency<br>(MHz) | Bandwidth<br>(MHz) | Bandwidth<br>(kHz) | Result |
|--------------------|--------------------|--------------------|--------|
| 2412               | 16.578             | > 500              | PASS   |
| 2437               | 16.567             | > 500              | PASS   |
| 2462               | 16.564             | > 500              | PASS   |

**802.11n\_20M**

| Frequency<br>(MHz) | Bandwidth<br>(MHz) | Bandwidth<br>(kHz) | Result |
|--------------------|--------------------|--------------------|--------|
| 2412               | 17.762             | > 500              | PASS   |
| 2437               | 17.746             | > 500              | PASS   |
| 2462               | 17.735             | > 500              | PASS   |

**802.11n\_40M**

| Frequency<br>(MHz) | Bandwidth<br>(MHz) | Bandwidth<br>(kHz) | Result |
|--------------------|--------------------|--------------------|--------|
| 2422               | 36.462             | > 500              | PASS   |
| 2437               | 36.477             | > 500              | PASS   |
| 2452               | 36.472             | > 500              | PASS   |

**\*Offset 11.4dB**

Note: Refer to next page for plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 802.11b

## 6dB Band Width Test Data CH-Low



## 6dB Band Width Test Data CH-Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 6dB Band Width Test Data CH-High



## 802.11g

## 6dB Band Width Test Data CH-Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 6dB Band Width Test Data CH-Mid



## 6dB Band Width Test Data CH-High





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

**802.11n\_20M****6dB Band Width Test Data CH-Low****6dB Band Width Test Data CH-Mid**


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 6dB Band Width Test Data CH-High



## 802.11n\_40M

## 6dB Band Width Test Data CH-Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 6dB Band Width Test Data CH-Mid



## 6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 9 100KHz BANDWIDTH OF BAND EDGES MEASUREMENT

### 9.1 Standard Applicable:

According to §15.247(d), in any 100 kHz bandwidth outside the frequency bands in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in 15.209(a).

### 9.2 Measurement Equipment Used:

#### 9.2.1 Conducted Emission at antenna port:

Refer to section 7.2 for details.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 9.2.2 Radiated emission:

| 966 Chamber            |                       |              |               |            |            |
|------------------------|-----------------------|--------------|---------------|------------|------------|
| EQUIPMENT TYPE         | MFR                   | MODEL NUMBER | SERIAL NUMBER | LAST CAL.  | CAL DUE.   |
| EMI Test Receiver      | R&S                   | ESCI7        | 100759        | 02/08/2013 | 02/07/2014 |
| Spectrum Analyzer      | Agilent               | E4446A       | MY51100003    | 05/30/2013 | 05/29/2014 |
| EXA Spectrum Analyzer  | Agilent               | N9010A       | MY50420195    | 02/06/2013 | 02/07/2014 |
| Spectrum Analyzer      | R&S                   | FSV-30       | 101398        | 10/18/2011 | 10/17/2013 |
| Bilog Antenna          | SCHWAZBECK            | VULB9168     | 378           | 01/10/2012 | 01/09/2014 |
| Horn antenna           | ETS.LINDGREN          | 3117         | 123995        | 05/31/2013 | 05/30/2014 |
| Horn Antenna           | Schwarzbeck           | BBHA9170     | 185           | 07/11/2011 | 07/10/2013 |
| Pre-Amplifier          | Agilent               | 8447D        | 2944A07676    | 01/04/2013 | 01/03/2014 |
| Pre-Amplifier          | EMC Instruments Corp. | EMC0126530   | 980038        | 01/04/2013 | 01/03/2014 |
| Filter 2400-2483.5 MHz | EWT                   | EWT-14-0166  | M2            | 02/28/2013 | 02/28/2014 |
| Attenuator             | Mini-Circuit          | BW-S10W2+    | 004           | 02/28/2013 | 02/27/2014 |
| Turn Table             | HD                    | DT420        | N/A           | N.C.R      | N.C.R      |
| Antenna Tower          | HD                    | MA240-N      | 240/657       | N.C.R      | N.C.R      |
| Controller             | HD                    | HD100        | N/A           | N.C.R      | N.C.R      |
| Low Loss Cable         | Huber Suhner          | 966_Rx       | 9             | 01/04/2013 | 01/03/2014 |
| 3m Site NSA            | SGS                   | 966 chamber  | N/A           | 07/15/2012 | 07/14/2013 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號


### 9.3 Test SET-UP:

#### 9.3.1 Conducted Emission at antenna port:


Refer to section 8.3 for details.

#### 9.3.2 Radiated emission:

(A) Radiated Emission Test Set-Up, Frequency Below 1000MHz



(B) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

#### 9.4 Measurement Procedure:

Unwanted Emissions into Non-Restricted Frequency Bands, Measurement Procedure followed by 11.1 of KDB558074 D01

1. Place the EUT on the table and set it in transmitting mode.
2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
3. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
4. Set the spectrum analyzer as RBW, VBW=300KHz, Detector = Peak, Sweep = auto
5. Mark the highest reading of the emission as the reference level measurement.
6. Set DL as the limit = reading on marker 1 – 20dBm
7. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 KHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
8. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Unwanted Emission falling into Restricted Frequency Bands, Measurement Procedure followed by 11.1 of KDB558074:

1. The EUT was placed on a turn table which is 0.8m above ground plane.
2. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
3. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
4. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made “while keeping the antenna in the ‘cone of radiation’ from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response.” is still within the 3dB illumination BW of the measurement antenna.
5. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
6. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
7. On spectrum, following 8.1.2, and RBW = 1MHz, VBW = 3MHz, & Marker 2390MHz, and 2483.5MHz (Peak Measurement). Average Measurement: following 8.2 with the modification span to 1MHz, & RBW = 1MHz, VBW = 3MHz and peak marker function to obtain the highest reading on 2390, and 2483.5MHz.
8. Repeat above procedures until all default test channel (low, middle, and high) was complete

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 9.5 Field Strength Calculation:

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor(if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

|                        |                     |  |
|------------------------|---------------------|--|
| Where                  | FS = Field Strength | CL = Cable Attenuation Factor (Cable Loss) |
| RA = Reading Amplitude |                     | AG = Amplifier Gain                        |
| AF = Antenna Factor    |                     |  |

## 9.6 Measurement Result:

Note: Refer to next page spectrum analyzer data chart.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 802.11b - Unwanted Emissions into Non-Restricted Frequency Bands

## Band Edges Test Data CH-Low



## Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Otherwise, the results shown in this test report refer only to the sample(s) tested and such sample(s) are not to be taken as representative of the whole consignment unless otherwise stated.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Radiated Emission: 802.11 b mode

|                       |               |                          |                   |
|-----------------------|---------------|--------------------------|-------------------|
| Operation Band        | :802.11 b     | Test Date                | :2013-06-18       |
| Fundamental Frequency | :2412 MHz     | Temp./Humi.              | :27 deg_C / 66 RH |
| Operation Mode        | :Bandedge LOW | Engineer                 | :Louis            |
| EUT Pol.              | :E2 plan      | Measurement Antenna Pol. | :VERTICAL         |

| Freq.   | Note    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|---------|----------|---------------|--------|--------------|--------------|--------|
|         |         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | F/H/E/S | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2390.00 | E       | Average  | 34.87         | 2.12   | 36.99        | 54.00        | -17.01 |
| 2390.00 | E       | Peak     | 51.61         | 2.12   | 53.73        | 74.00        | -20.27 |

|                       |               |                          |                   |
|-----------------------|---------------|--------------------------|-------------------|
| Operation Band        | :802.11 b     | Test Date                | :2013-06-18       |
| Fundamental Frequency | :2412 MHz     | Temp./Humi.              | :27 deg_C / 66 RH |
| Operation Mode        | :Bandedge LOW | Engineer                 | :Louis            |
| EUT Pol.              | :E2 plan      | Measurement Antenna Pol. | :HORIZONTAL       |

| Freq.   | Note    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|---------|----------|---------------|--------|--------------|--------------|--------|
|         |         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | F/H/E/S | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2390.00 | E       | Average  | 37.75         | 2.74   | 40.49        | 54.00        | -13.51 |
| 2390.00 | E       | Peak     | 52.17         | 2.74   | 54.91        | 74.00        | -19.09 |

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---“ : denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11 b  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Bandedge HIGH  
 EUT Pol. :E2 plan

Test Date :2013-06-18  
 Temp./Humi. :27 deg\_C / 66 RH  
 Engineer :Louis  
 Measurement Antenna Pol. :VERTICAL

| Freq.   | Note    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|---------|----------|---------------|--------|--------------|--------------|--------|
|         |         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | F/H/E/S | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2483.50 | E       | Average  | 39.91         | 2.53   | 42.44        | 54.00        | -11.56 |
| 2483.50 | E       | Peak     | 52.28         | 2.53   | 54.81        | 74.00        | -19.19 |

Operation Band :802.11 b  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Bandedge HIGH  
 EUT Pol. :E2 plan

Test Date :2013-06-18  
 Temp./Humi. :27 deg\_C / 66 RH  
 Engineer :Louis  
 Measurement Antenna Pol. :HORIZONTAL

| Freq.   | Note    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|---------|----------|---------------|--------|--------------|--------------|--------|
|         |         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | F/H/E/S | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2483.50 | E       | Average  | 41.02         | 3.56   | 44.58        | 54.00        | -9.42  |
| 2483.50 | E       | Peak     | 52.62         | 3.56   | 56.18        | 74.00        | -17.82 |

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“--“ : denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 802.11g- Unwanted Emissions into Non-Restricted Frequency Bands

## Band Edges Test Data CH-Low



## Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## Radiated Emission: 802.11 g mode

|                       |               |                          |                   |
|-----------------------|---------------|--------------------------|-------------------|
| Operation Band        | :802.11 g     | Test Date                | :2013-06-18       |
| Fundamental Frequency | :2412 MHz     | Temp./Humi.              | :27 deg_C / 66 RH |
| Operation Mode        | :Bandedge LOW | Engineer                 | :Louis            |
| EUT Pol.              | :E2 plan      | Measurement Antenna Pol. | :VERTICAL         |

| Freq.   | Note    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|---------|----------|---------------|--------|--------------|--------------|--------|
|         |         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | F/H/E/S | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2390.00 | E       | Average  | 46.65         | 2.12   | 48.77        | 54.00        | -5.23  |
| 2390.00 | E       | Peak     | 67.70         | 2.12   | 69.82        | 74.00        | -4.18  |

|                       |               |                          |                   |
|-----------------------|---------------|--------------------------|-------------------|
| Operation Band        | :802.11 g     | Test Date                | :2013-06-18       |
| Fundamental Frequency | :2412 MHz     | Temp./Humi.              | :27 deg_C / 66 RH |
| Operation Mode        | :Bandedge LOW | Engineer                 | :Louis            |
| EUT Pol.              | :E2 plan      | Measurement Antenna Pol. | :HORIZONTAL       |

| Freq.   | Note    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|---------|----------|---------------|--------|--------------|--------------|--------|
|         |         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | F/H/E/S | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2390.00 | E       | Average  | 49.32         | 2.74   | 52.06        | 54.00        | -1.94  |
| 2390.00 | E       | Peak     | 68.67         | 2.74   | 71.41        | 74.00        | -2.59  |

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“--“ : denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11 g  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Bandedge HIGH  
 EUT Pol. :E2 plan

Test Date :2013-06-18  
 Temp./Humi. :27 deg\_C / 66 RH  
 Engineer :Louis  
 Measurement Antenna Pol. :VERTICAL

| Freq.   | Note    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|---------|----------|---------------|--------|--------------|--------------|--------|
|         |         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | F/H/E/S | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2483.50 | E       | Average  | 45.98         | 2.53   | 48.51        | 54.00        | -5.49  |
| 2483.50 | E       | Peak     | 64.21         | 2.53   | 66.74        | 74.00        | -7.26  |

Operation Band :802.11 g  
 Fundamental Frequency :2462 MHz  
 Operation Mode :Bandedge HIGH  
 EUT Pol. :E2 plan

Test Date :2013-06-18  
 Temp./Humi. :27 deg\_C / 66 RH  
 Engineer :Louis  
 Measurement Antenna Pol. :HORIZONTAL

| Freq.   | Note    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|---------|----------|---------------|--------|--------------|--------------|--------|
|         |         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | F/H/E/S | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2483.50 | E       | Average  | 48.75         | 3.56   | 52.31        | 54.00        | -1.69  |
| 2483.50 | E       | Peak     | 63.83         | 3.56   | 67.39        | 74.00        | -6.61  |

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“--“ : denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 802.11n\_20M- Unwanted Emissions into Non-Restricted Frequency Bands

## Band Edges Test Data CH-Low



## Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## Radiated Emission: 802.11 n\_20M mode

Operation Band :802.11 n20M Test Date :2013-06-18  
 Fundamental Frequency :2412 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :Bandedge LOW Engineer :Louis  
 EUT Pol. :E2 plan Measurement Antenna Pol. :VERTICAL

| Freq.   | Note    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|---------|----------|---------------|--------|--------------|--------------|--------|
|         |         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | F/H/E/S | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2390.00 | E       | Average  | 41.63         | 2.12   | 43.75        | 54.00        | -10.25 |
| 2390.00 | E       | Peak     | 65.58         | 2.12   | 67.70        | 74.00        | -6.30  |

Operation Band :802.11 n20M Test Date :2013-06-18  
 Fundamental Frequency :2412 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :Bandedge LOW Engineer :Louis  
 EUT Pol. :E2 plan Measurement Antenna Pol. :HORIZONTAL

| Freq.   | Note    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|---------|----------|---------------|--------|--------------|--------------|--------|
|         |         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | F/H/E/S | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2390.00 | E       | Average  | 44.81         | 2.74   | 47.55        | 54.00        | -6.45  |
| 2390.00 | E       | Peak     | 68.05         | 2.74   | 70.79        | 74.00        | -3.21  |

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“--“ : denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Band :802.11 n20M Test Date :2013-06-18  
 Fundamental Frequency :2462 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :Bandedge HIGH Engineer :Louis  
 EUT Pol. :E2 plan Measurement Antenna Pol. :VERTICAL

| Freq.   | Note    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|---------|----------|---------------|--------|--------------|--------------|--------|
|         |         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | F/H/E/S | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2483.50 | E       | Average  | 45.70         | 2.53   | 48.23        | 54.00        | -5.77  |
| 2483.50 | E       | Peak     | 65.93         | 2.53   | 68.46        | 74.00        | -5.54  |

Operation Band :802.11 n20M Test Date :2013-06-18  
 Fundamental Frequency :2462 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :Bandedge HIGH Engineer :Louis  
 EUT Pol. :E2 plan Measurement Antenna Pol. :HORIZONTAL

| Freq.   | Note    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|---------|----------|---------------|--------|--------------|--------------|--------|
|         |         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | F/H/E/S | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2483.50 | E       | Average  | 48.79         | 3.56   | 52.35        | 54.00        | -1.65  |
| 2483.50 | E       | Peak     | 67.45         | 3.56   | 71.01        | 74.00        | -2.99  |

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“--“ : denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 802.11n\_40M- Unwanted Emissions into Non-Restricted Frequency Bands

## Band Edges Test Data CH-Low



## Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## Radiated Emission: 802.11 n\_40M mode

Operation Band :802.11 n40M Test Date :2013-06-18  
 Fundamental Frequency :2412 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :Bandedge LOW Engineer :Louis  
 EUT Pol. :E2 plan Measurement Antenna Pol. :VERTICAL

| Freq.   | Note    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|---------|----------|---------------|--------|--------------|--------------|--------|
|         |         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | F/H/E/S | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2390.00 | E       | Average  | 45.22         | 2.12   | 47.34        | 54.00        | -6.66  |
| 2390.00 | E       | Peak     | 61.38         | 2.12   | 63.50        | 74.00        | -10.50 |

Operation Band :802.11 n40M Test Date :2013-06-18  
 Fundamental Frequency :2412 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :Bandedge LOW Engineer :Louis  
 EUT Pol. :E2 plan Measurement Antenna Pol. :HORIZONTAL

| Freq.   | Note    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|---------|----------|---------------|--------|--------------|--------------|--------|
|         |         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | F/H/E/S | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2390.00 | E       | Average  | 47.81         | 2.74   | 50.55        | 54.00        | -3.45  |
| 2390.00 | E       | Peak     | 63.13         | 2.74   | 65.87        | 74.00        | -8.13  |

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“--“ : denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 n40M Test Date :2013-06-18  
 Fundamental Frequency :2462 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :Bandedge HIGH Engineer :Louis  
 EUT Pol. :E2 plan Measurement Antenna Pol. :VERTICAL

| Freq.   | Note    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|---------|----------|---------------|--------|--------------|--------------|--------|
|         |         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | F/H/E/S | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2483.50 | E       | Average  | 43.95         | 2.53   | 46.48        | 54.00        | -7.52  |
| 2483.50 | E       | Peak     | 59.92         | 2.53   | 62.45        | 74.00        | -11.55 |

Operation Band :802.11 n40M Test Date :2013-06-18  
 Fundamental Frequency :2462 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :Bandedge HIGH Engineer :Louis  
 EUT Pol. :E2 plan Measurement Antenna Pol. :HORIZONTAL

| Freq.   | Note    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|---------|---------|----------|---------------|--------|--------------|--------------|--------|
|         |         | Mode     | Reading Level |        | FS           | @3m          |        |
| MHz     | F/H/E/S | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 2483.50 | E       | Average  | 48.75         | 3.56   | 52.31        | 54.00        | -1.69  |
| 2483.50 | E       | Peak     | 62.78         | 3.56   | 66.34        | 74.00        | -7.66  |

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“--“ : denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 10 SPURIOUS RADIATED EMISSION TEST

### 10.1 Standard Applicable

According to §15.247(d),

Emission at antenna port:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB.

#### Radiated Spurious Emission

Attenuation below the general limits specified in § 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

### 10.2 Measurement Equipment Used:

#### 10.2.1 Conducted Emission at antenna port:

Refer to section 7.2 for details.

#### 10.2.2 Radiated emission:

Refer to section 9.2.2 for details.

### 10.3 Test SET-UP:

#### 10.3.1 Conducted Emission at antenna port:

Refer to section 8 .3 for details.

#### 10.3.2 Radiated emission:

Refer to section 9.3.2 for details.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 10.4 Measurement Procedure:

### Radiated Emission:

1. The EUT was placed on a turn table which is 0.8m above ground plane.
2. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
3. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
4. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made “while keeping the antenna in the ‘cone of radiation’ from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response.” is still within the 3dB illumination BW of the measurement antenna.
5. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
6. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
7. Repeat above procedures until all frequency measured were complete.

### Conducted Emission:

1. To connect Antenna Port of EUT to Spectrum.
2. Set RBW = 100K & VBW = 100K on Spectrum.
3. Sweep the frequency to determine spurious emission as seen on spectrum from span of 30 to 3G, 3G to 8G, 8G to 13G, 13G to 18G and 18G to 26.5GHz
4. Via Software, combine 5 spans of frequency range into one plot
5. Repeat above procedures until all default test channel measured were complete.

## 10.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor(if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

|       |                        |  |
|-------|------------------------|--|
| Where | FS = Field Strength    | CL = Cable Attenuation Factor (Cable Loss) |
|       | RA = Reading Amplitude | AG = Amplifier Gain                        |
|       | AF = Antenna Factor    |  |

## 10.6 Measurement Result:

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## Conducted Spurious Emission Measurement Result (802.11b)

## Ch Low 30MHz – 3GHz



## Ch Low 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## Ch Mid 30MHz – 3GHz



## Ch Mid 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## Ch High 30MHz – 3GHz



## Ch High 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Conducted Spurious Emission Measurement Result (802.11g)

## Ch Low 30MHz – 3GHz



## Ch Low 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## Ch Mid 30MHz – 3GHz



## Ch Mid 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## Ch High 30MHz – 3GHz



## Ch High 3GHz – 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## Conducted Spurious Emission Measurement Result (802.11n\_20M)

## Ch Low 30MHz – 3GHz



## Ch Low 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## Ch Mid 30MHz – 3GHz



### Ch Mid 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Ch High 30MHz – 3GHz



## Ch High 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Conducted Spurious Emission Measurement Result (802.11n\_40M)

## Ch Low 30MHz – 3GHz



### Ch Low 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本公司報告書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Ch Mid 30MHz – 3GHz



## Ch Mid 3GHz – 26.5GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## Ch High 30MHz – 3GHz



## Ch High 3GHz – 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

**Radiated Spurious Emission Measurement Result (802.11b)**

|                       |           |                          |                   |
|-----------------------|-----------|--------------------------|-------------------|
| Operation Band        | :802.11 b | Test Date                | :2013-06-19       |
| Fundamental Frequency | :2412 MHz | Temp./Humi.              | :27 deg_C / 66 RH |
| Operation Mode        | :TX LOW   | Engineer                 | :Allen            |
| EUT Pol.              | :E2 plan  | Measurement Antenna Pol. | :VERTICAL         |

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------------------|---|--------------|------------------------------|------------------------------|--------------|
|              |                 |                              |   |              |                              |                              |              |
| 71.71        | S               | Peak                         | 34.93                                   | -16.69       | 18.24                        | 40.00                        | -21.76       |
| 145.43       | S               | Peak                         | 37.09                                   | -12.68       | 24.41                        | 43.50                        | -19.09       |
| 495.60       | S               | Peak                         | 37.30                                   | -9.63        | 27.67                        | 46.00                        | -18.33       |
| 668.26       | S               | Peak                         | 34.62                                   | -6.23        | 28.39                        | 46.00                        | -17.61       |
| 718.70       | S               | Peak                         | 38.75                                   | -5.45        | 33.30                        | 46.00                        | -12.70       |
| 800.18       | S               | Peak                         | 33.89                                   | -4.19        | 29.70                        | 46.00                        | -16.30       |
| 1602.00      | S               | Average                      | 31.42                                   | -2.28        | 29.14                        | 54.00                        | -24.86       |
| 1602.00      | S               | Peak                         | 54.28                                   | -2.28        | 52.00                        | 74.00                        | -22.00       |
| 4824.00      | H               | Average                      | 45.10                                   | 7.07         | 52.17                        | 54.00                        | -1.83        |
| 4824.00      | H               | Peak                         | 47.82                                   | 7.07         | 54.89                        | 74.00                        | -19.11       |
| 7236.00      | H               | ---                          |   |              |                              |                              |              |
| 9648.00      | H               | ---                          |   |              |                              |                              |              |
| 12060.00     | H               | ---                          |   |              |                              |                              |              |
| 14472.00     | H               | ---                          |   |              |                              |                              |              |
| 16884.00     | H               | ---                          |   |              |                              |                              |              |
| 19296.00     | H               | ---                          |   |              |                              |                              |              |
| 21708.00     | H               | ---                          |   |              |                              |                              |              |
| 24120.00     | H               | ---                          |   |              |                              |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 b  
 Fundamental Frequency :2412 MHz  
 Operation Mode :TX LOW  
 EUT Pol. :E2 plan

Test Date :2013-06-19  
 Temp./Humi. :27 deg\_C / 66 RH  
 Engineer :Allen  
 Measurement Antenna Pol. :HORIZONTAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|---------------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  |                           |              |                              | Actual<br>FS<br>dB $\mu$ V/m | Margin<br>dB |
| 166.77       | S               | Peak             | 35.38                     | -12.87       | 22.51                        | 43.50                        | -20.99       |
| 286.08       | S               | Peak             | 47.06                     | -12.89       | 34.17                        | 46.00                        | -11.83       |
| 335.55       | S               | Peak             | 41.62                     | -11.86       | 29.76                        | 46.00                        | -16.24       |
| 416.06       | S               | Peak             | 39.49                     | -10.71       | 28.78                        | 46.00                        | -17.22       |
| 719.67       | S               | Peak             | 44.63                     | -5.44        | 39.19                        | 46.00                        | -6.81        |
| 799.21       | S               | Peak             | 34.83                     | -4.21        | 30.62                        | 46.00                        | -15.38       |
| 4824.00      | H               | Average          | 43.35                     | 7.08         | 50.43                        | 54.00                        | -3.57        |
| 4824.00      | H               | Peak             | 45.43                     | 7.08         | 52.51                        | 74.00                        | -21.49       |
| 7236.00      | H               | ---              |                           |              |                              |                              |              |
| 9648.00      | H               | ---              |                           |              |                              |                              |              |
| 12060.00     | H               | ---              |                           |              |                              |                              |              |
| 14472.00     | H               | ---              |                           |              |                              |                              |              |
| 16884.00     | H               | ---              |                           |              |                              |                              |              |
| 19296.00     | H               | ---              |                           |              |                              |                              |              |
| 21708.00     | H               | ---              |                           |              |                              |                              |              |
| 24120.00     | H               | ---              |                           |              |                              |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 b  
 Fundamental Frequency :2437 MHz  
 Operation Mode :TX MID  
 EUT Pol. :E2 plan

Test Date :2013-06-19  
 Temp./Humi. :27 deg\_C / 66 RH  
 Engineer :Allen  
 Measurement Antenna Pol. :VERTICAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|----------|-----------------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |              |                              |                              |              |
| 71.71        | S               | Peak             |          | 35.15                       | -16.69       | 18.46                        | 40.00                        | -21.54       |
| 147.37       | S               | Peak             |          | 39.26                       | -12.53       | 26.73                        | 43.50                        | -16.77       |
| 495.60       | S               | Peak             |          | 36.43                       | -9.63        | 26.80                        | 46.00                        | -19.20       |
| 719.67       | S               | Peak             |          | 38.65                       | -5.44        | 33.21                        | 46.00                        | -12.79       |
| 796.30       | S               | Peak             |          | 30.28                       | -4.24        | 26.04                        | 46.00                        | -19.96       |
| 960.23       | S               | Peak             |          | 29.09                       | -2.06        | 27.03                        | 54.00                        | -26.97       |
| 4874.00      | H               | Average          |          | 45.45                       | 7.14         | 52.59                        | 54.00                        | -1.41        |
| 4874.00      | H               | Peak             |          | 46.79                       | 7.14         | 53.93                        | 74.00                        | -20.07       |
| 7311.00      | H               | ---              |          |                             |              |                              |                              |              |
| 9748.00      | H               | ---              |          |                             |              |                              |                              |              |
| 12185.00     | H               | ---              |          |                             |              |                              |                              |              |
| 14622.00     | H               | ---              |          |                             |              |                              |                              |              |
| 17059.00     | H               | ---              |          |                             |              |                              |                              |              |
| 19496.00     | H               | ---              |          |                             |              |                              |                              |              |
| 21933.00     | H               | ---              |          |                             |              |                              |                              |              |
| 24370.00     | H               | ---              |          |                             |              |                              |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

|                       |           |                          |                   |
|-----------------------|-----------|--------------------------|-------------------|
| Operation Band        | :802.11 b | Test Date                | :2013-06-19       |
| Fundamental Frequency | :2437 MHz | Temp./Humi.              | :27 deg_C / 66 RH |
| Operation Mode        | :TX MID   | Engineer                 | :Allen            |
| EUT Pol.              | :E2 plan  | Measurement Antenna Pol. | :HORIZONTAL       |

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|----------|-----------------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |              |                              |                              |              |
| 286.08       | S               | Peak             |          | 46.07                       | -12.89       | 33.18                        | 46.00                        | -12.82       |
| 417.03       | S               | Peak             |          | 40.04                       | -10.70       | 29.34                        | 46.00                        | -16.66       |
| 480.08       | S               | Peak             |          | 37.62                       | -9.81        | 27.81                        | 46.00                        | -18.19       |
| 719.67       | S               | Peak             |          | 45.12                       | -5.44        | 39.68                        | 46.00                        | -6.32        |
| 798.24       | S               | Peak             |          | 32.49                       | -4.22        | 28.27                        | 46.00                        | -17.73       |
| 885.54       | S               | Peak             |          | 34.35                       | -3.09        | 31.26                        | 46.00                        | -14.74       |
| 4874.00      | H               | Average          |          | 40.05                       | 7.09         | 47.14                        | 54.00                        | -6.86        |
| 4874.00      | H               | Peak             |          | 42.19                       | 7.09         | 49.28                        | 74.00                        | -24.72       |
| 7311.00      | H               | ---              |          |                             |              |                              |                              |              |
| 9748.00      | H               | ---              |          |                             |              |                              |                              |              |
| 12185.00     | H               | ---              |          |                             |              |                              |                              |              |
| 14622.00     | H               | ---              |          |                             |              |                              |                              |              |
| 17059.00     | H               | ---              |          |                             |              |                              |                              |              |
| 19496.00     | H               | ---              |          |                             |              |                              |                              |              |
| 21933.00     | H               | ---              |          |                             |              |                              |                              |              |
| 24370.00     | H               | ---              |          |                             |              |                              |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 b  
 Fundamental Frequency :2462 MHz  
 Operation Mode :TX HIGH  
 EUT Pol. :E2 plan

Test Date :2013-06-19  
 Temp./Humi. :27 deg\_C / 66 RH  
 Engineer :Allen  
 Measurement Antenna Pol. :VERTICAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|----------|-----------------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |              |                              |                              |              |
| 71.71        | S               | Peak             |          | 35.82                       | -16.69       | 19.13                        | 40.00                        | -20.87       |
| 142.52       | S               | Peak             |          | 38.43                       | -12.89       | 25.54                        | 43.50                        | -17.96       |
| 269.59       | S               | Peak             |          | 36.83                       | -13.37       | 23.46                        | 46.00                        | -22.54       |
| 495.60       | S               | Peak             |          | 35.67                       | -9.63        | 26.04                        | 46.00                        | -19.96       |
| 717.73       | S               | Peak             |          | 38.75                       | -5.46        | 33.29                        | 46.00                        | -12.71       |
| 800.18       | S               | Peak             |          | 30.88                       | -4.19        | 26.69                        | 46.00                        | -19.31       |
| 4924.00      | H               | Average          |          | 45.28                       | 7.19         | 52.47                        | 54.00                        | -1.53        |
| 4924.00      | H               | Peak             |          | 46.95                       | 7.19         | 54.14                        | 74.00                        | -19.86       |
| 7386.00      | H               | ---              |          |                             |              |                              |                              |              |
| 9848.00      | H               | ---              |          |                             |              |                              |                              |              |
| 12310.00     | H               | ---              |          |                             |              |                              |                              |              |
| 14772.00     | H               | ---              |          |                             |              |                              |                              |              |
| 17234.00     | H               | ---              |          |                             |              |                              |                              |              |
| 19696.00     | H               | ---              |          |                             |              |                              |                              |              |
| 22158.00     | H               | ---              |          |                             |              |                              |                              |              |
| 24620.00     | H               | ---              |          |                             |              |                              |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 b  
 Fundamental Frequency :2462 MHz  
 Operation Mode :TX HIGH  
 EUT Pol. :E2 plan

Test Date :2013-06-19  
 Temp./Humi. :27 deg\_C / 66 RH  
 Engineer :Allen  
 Measurement Antenna Pol. :HORIZONTAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|----------|-----------------------------|--------------|----------------------------|------------------------------|--------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |              |                            |                              |              |
| 165.80       | S               | Peak             |          | 34.56                       | -12.77       | 21.79                      | 43.50                        | -21.71       |
| 294.81       | S               | Peak             |          | 45.33                       | -12.69       | 32.64                      | 46.00                        | -13.36       |
| 395.69       | S               | Peak             |          | 41.16                       | -11.13       | 30.03                      | 46.00                        | -15.97       |
| 479.11       | S               | Peak             |          | 38.06                       | -9.82        | 28.24                      | 46.00                        | -17.76       |
| 719.67       | S               | Peak             |          | 45.23                       | -5.44        | 39.79                      | 46.00                        | -6.21        |
| 796.30       | S               | Peak             |          | 35.83                       | -4.24        | 31.59                      | 46.00                        | -14.41       |
| 4924.00      | H               | Average          |          | 38.59                       | 7.08         | 45.67                      | 54.00                        | -8.33        |
| 4924.00      | H               | Peak             |          | 41.65                       | 7.08         | 48.73                      | 74.00                        | -25.27       |
| 7386.00      | H               | ---              |          |                             |              |                            |                              |              |
| 9848.00      | H               | ---              |          |                             |              |                            |                              |              |
| 12310.00     | H               | ---              |          |                             |              |                            |                              |              |
| 14772.00     | H               | ---              |          |                             |              |                            |                              |              |
| 17234.00     | H               | ---              |          |                             |              |                            |                              |              |
| 19696.00     | H               | ---              |          |                             |              |                            |                              |              |
| 22158.00     | H               | ---              |          |                             |              |                            |                              |              |
| 24620.00     | H               | ---              |          |                             |              |                            |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

**Radiated Spurious Emission Measurement Result (802.11g)**

|                       |           |                          |                   |
|-----------------------|-----------|--------------------------|-------------------|
| Operation Band        | :802.11 g | Test Date                | :2013-06-19       |
| Fundamental Frequency | :2412 MHz | Temp./Humi.              | :27 deg_C / 66 RH |
| Operation Mode        | :TX LOW   | Engineer                 | :Allen            |
| EUT Pol.              | :E2 plan  | Measurement Antenna Pol. | :VERTICAL         |

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|---------------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  | dB $\mu$ V                |              |                              |                              |              |
| 71.71        | S               | Peak             | 35.42                     | -16.69       | 18.73                        | 40.00                        | -21.27       |
| 147.37       | S               | Peak             | 37.50                     | -12.53       | 24.97                        | 43.50                        | -18.53       |
| 480.08       | S               | Peak             | 34.59                     | -9.81        | 24.78                        | 46.00                        | -21.22       |
| 669.23       | S               | Peak             | 35.55                     | -6.21        | 29.34                        | 46.00                        | -16.66       |
| 719.67       | S               | Peak             | 38.82                     | -5.44        | 33.38                        | 46.00                        | -12.62       |
| 800.18       | S               | Peak             | 30.49                     | -4.19        | 26.30                        | 46.00                        | -19.70       |
| 4824.00      | H               | Average          | 33.71                     | 7.07         | 40.78                        | 54.00                        | -13.22       |
| 4824.00      | H               | Peak             | 43.81                     | 7.07         | 50.88                        | 74.00                        | -23.12       |
| 7236.00      | H               | ---              |                           |              |                              |                              |              |
| 9648.00      | H               | ---              |                           |              |                              |                              |              |
| 12060.00     | H               | ---              |                           |              |                              |                              |              |
| 14472.00     | H               | ---              |                           |              |                              |                              |              |
| 16884.00     | H               | ---              |                           |              |                              |                              |              |
| 19296.00     | H               | ---              |                           |              |                              |                              |              |
| 21708.00     | H               | ---              |                           |              |                              |                              |              |
| 24120.00     | H               | ---              |                           |              |                              |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 g  
 Fundamental Frequency :2412 MHz  
 Operation Mode :TX LOW  
 EUT Pol. :E2 plan

Test Date :2013-06-19  
 Temp./Humi. :27 deg\_C / 66 RH  
 Engineer :Allen  
 Measurement Antenna Pol. :HORIZONTAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|----------|-----------------------------|--------------|----------------------------|------------------------------|--------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |              |                            |                              |              |
| 281.23       | S               | Peak             |          | 44.81                       | -13.02       | 31.79                      | 46.00                        | -14.21       |
| 395.69       | S               | Peak             |          | 40.38                       | -11.13       | 29.25                      | 46.00                        | -16.75       |
| 479.11       | S               | Peak             |          | 37.69                       | -9.82        | 27.87                      | 46.00                        | -18.13       |
| 719.67       | S               | Peak             |          | 44.70                       | -5.44        | 39.26                      | 46.00                        | -6.74        |
| 799.21       | S               | Peak             |          | 33.41                       | -4.21        | 29.20                      | 46.00                        | -16.80       |
| 927.25       | S               | Peak             |          | 31.74                       | -2.30        | 29.44                      | 46.00                        | -16.56       |
| 4824.00      | H               | Average          |          | 32.52                       | 7.08         | 39.60                      | 54.00                        | -14.40       |
| 4824.00      | H               | Peak             |          | 40.64                       | 7.08         | 47.72                      | 74.00                        | -26.28       |
| 7236.00      | H               | ---              |          |                             |              |                            |                              |              |
| 9648.00      | H               | ---              |          |                             |              |                            |                              |              |
| 12060.00     | H               | ---              |          |                             |              |                            |                              |              |
| 14472.00     | H               | ---              |          |                             |              |                            |                              |              |
| 16884.00     | H               | ---              |          |                             |              |                            |                              |              |
| 19296.00     | H               | ---              |          |                             |              |                            |                              |              |
| 21708.00     | H               | ---              |          |                             |              |                            |                              |              |
| 24120.00     | H               | ---              |          |                             |              |                            |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 g  
 Fundamental Frequency :2437 MHz  
 Operation Mode :TX MID  
 EUT Pol. :E2 plan

Test Date :2013-06-19  
 Temp./Humi. :27 deg\_C / 66 RH  
 Engineer :Allen  
 Measurement Antenna Pol. :VERTICAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|----------|-----------------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |              |                              |                              |              |
| 71.71        | S               | Peak             |          | 35.56                       | -16.69       | 18.87                        | 40.00                        | -21.13       |
| 141.55       | S               | Peak             |          | 38.25                       | -12.98       | 25.27                        | 43.50                        | -18.23       |
| 267.65       | S               | Peak             |          | 36.46                       | -13.44       | 23.02                        | 46.00                        | -22.98       |
| 495.60       | S               | Peak             |          | 34.93                       | -9.63        | 25.30                        | 46.00                        | -20.70       |
| 719.67       | S               | Peak             |          | 38.29                       | -5.44        | 32.85                        | 46.00                        | -13.15       |
| 800.18       | S               | Peak             |          | 30.45                       | -4.19        | 26.26                        | 46.00                        | -19.74       |
| 4874.00      | H               | Average          |          | 35.97                       | 7.14         | 43.11                        | 54.00                        | -10.89       |
| 4874.00      | H               | Peak             |          | 44.56                       | 7.14         | 51.70                        | 74.00                        | -22.30       |
| 7311.00      | H               | ---              |          |                             |              |                              |                              |              |
| 9748.00      | H               | ---              |          |                             |              |                              |                              |              |
| 12185.00     | H               | ---              |          |                             |              |                              |                              |              |
| 14622.00     | H               | ---              |          |                             |              |                              |                              |              |
| 17059.00     | H               | ---              |          |                             |              |                              |                              |              |
| 19496.00     | H               | ---              |          |                             |              |                              |                              |              |
| 21933.00     | H               | ---              |          |                             |              |                              |                              |              |
| 24370.00     | H               | ---              |          |                             |              |                              |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 g  
 Fundamental Frequency :2437 MHz  
 Operation Mode :TX MID  
 EUT Pol. :E2 plan

Test Date :2013-06-19  
 Temp./Humi. :27 deg\_C / 66 RH  
 Engineer :Allen  
 Measurement Antenna Pol. :HORIZONTAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|----------|-----------------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |              |                              |                              |              |
| 186.17       | S               | Peak             |          | 37.54                       | -15.22       | 22.32                        | 43.50                        | -21.18       |
| 291.90       | S               | Peak             |          | 46.48                       | -12.76       | 33.72                        | 46.00                        | -12.28       |
| 416.06       | S               | Peak             |          | 39.94                       | -10.71       | 29.23                        | 46.00                        | -16.77       |
| 480.08       | S               | Peak             |          | 37.38                       | -9.81        | 27.57                        | 46.00                        | -18.43       |
| 718.70       | S               | Peak             |          | 44.30                       | -5.45        | 38.85                        | 46.00                        | -7.15        |
| 799.21       | S               | Peak             |          | 35.07                       | -4.21        | 30.86                        | 46.00                        | -15.14       |
| 4874.00      | H               | Average          |          | 32.80                       | 7.09         | 39.89                        | 54.00                        | -14.11       |
| 4874.00      | H               | Peak             |          | 40.01                       | 7.09         | 47.10                        | 74.00                        | -26.90       |
| 7311.00      | H               | ---              |          |                             |              |                              |                              |              |
| 9748.00      | H               | ---              |          |                             |              |                              |                              |              |
| 12185.00     | H               | ---              |          |                             |              |                              |                              |              |
| 14622.00     | H               | ---              |          |                             |              |                              |                              |              |
| 17059.00     | H               | ---              |          |                             |              |                              |                              |              |
| 19496.00     | H               | ---              |          |                             |              |                              |                              |              |
| 21933.00     | H               | ---              |          |                             |              |                              |                              |              |
| 24370.00     | H               | ---              |          |                             |              |                              |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 g  
 Fundamental Frequency :2462 MHz  
 Operation Mode :TX HIGH  
 EUT Pol. :E2 plan

Test Date :2013-06-19  
 Temp./Humi. :27 deg\_C / 66 RH  
 Engineer :Allen  
 Measurement Antenna Pol. :VERTICAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|----------|-----------------------------|--------------|----------------------------|------------------------------|--------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |              |                            |                              |              |
| 71.71        | S               | Peak             |          | 35.04                       | -16.69       | 18.35                      | 40.00                        | -21.65       |
| 148.34       | S               | Peak             |          | 37.08                       | -12.45       | 24.63                      | 43.50                        | -18.87       |
| 499.48       | S               | Peak             |          | 35.82                       | -9.60        | 26.22                      | 46.00                        | -19.78       |
| 669.23       | S               | Peak             |          | 36.31                       | -6.21        | 30.10                      | 46.00                        | -15.90       |
| 716.76       | S               | Peak             |          | 38.05                       | -5.48        | 32.57                      | 46.00                        | -13.43       |
| 800.18       | S               | Peak             |          | 32.97                       | -4.19        | 28.78                      | 46.00                        | -17.22       |
| 4924.00      | H               | Average          |          | 33.61                       | 7.19         | 40.80                      | 54.00                        | -13.20       |
| 4924.00      | H               | Peak             |          | 42.06                       | 7.19         | 49.25                      | 74.00                        | -24.75       |
| 7386.00      | H               | ---              |          |                             |              |                            |                              |              |
| 9848.00      | H               | ---              |          |                             |              |                            |                              |              |
| 12310.00     | H               | ---              |          |                             |              |                            |                              |              |
| 14772.00     | H               | ---              |          |                             |              |                            |                              |              |
| 17234.00     | H               | ---              |          |                             |              |                            |                              |              |
| 19696.00     | H               | ---              |          |                             |              |                            |                              |              |
| 22158.00     | H               | ---              |          |                             |              |                            |                              |              |
| 24620.00     | H               | ---              |          |                             |              |                            |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 g  
 Fundamental Frequency :2462 MHz  
 Operation Mode :TX HIGH  
 EUT Pol. :E2 plan

Test Date :2013-06-19  
 Temp./Humi. :27 deg\_C / 66 RH  
 Engineer :Allen  
 Measurement Antenna Pol. :HORIZONTAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|---------------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  |                           |              |                              | Actual<br>FS<br>dB $\mu$ V/m | Margin<br>dB |
| 166.77       | S               | Peak             | 35.67                     | -12.87       | 22.80                        | 43.50                        | -20.70       |
| 288.02       | S               | Peak             | 45.54                     | -12.86       | 32.68                        | 46.00                        | -13.32       |
| 417.03       | S               | Peak             | 40.23                     | -10.70       | 29.53                        | 46.00                        | -16.47       |
| 477.17       | S               | Peak             | 37.35                     | -9.83        | 27.52                        | 46.00                        | -18.48       |
| 717.73       | S               | Peak             | 45.60                     | -5.46        | 40.14                        | 46.00                        | -5.86        |
| 798.24       | S               | Peak             | 34.88                     | -4.22        | 30.66                        | 46.00                        | -15.34       |
| 4924.00      | H               | Average          | 30.60                     | 7.08         | 37.68                        | 54.00                        | -16.32       |
| 4924.00      | H               | Peak             | 38.06                     | 7.08         | 45.14                        | 74.00                        | -28.86       |
| 7386.00      | H               | ---              |                           |              |                              |                              |              |
| 9848.00      | H               | ---              |                           |              |                              |                              |              |
| 12310.00     | H               | ---              |                           |              |                              |                              |              |
| 14772.00     | H               | ---              |                           |              |                              |                              |              |
| 17234.00     | H               | ---              |                           |              |                              |                              |              |
| 19696.00     | H               | ---              |                           |              |                              |                              |              |
| 22158.00     | H               | ---              |                           |              |                              |                              |              |
| 24620.00     | H               | ---              |                           |              |                              |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司 | t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

**Radiated Spurious Emission Measurement Result (802.11n\_20M)**

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11 n20M | Test Date                | :2013-06-19       |
| Fundamental Frequency | :2412 MHz    | Temp./Humi.              | :27 deg_C / 66 RH |
| Operation Mode        | :TX LOW      | Engineer                 | :Allen            |
| EUT Pol.              | :E2 plan     | Measurement Antenna Pol. | :VERTICAL         |

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------------------|---|--------------|------------------------------|------------------------------|--------------|
|              |                 |                              |   |              |                              |                              |              |
| 71.71        | S               | Peak                         | 34.07                                   | -16.69       | 17.38                        | 40.00                        | -22.62       |
| 142.52       | S               | Peak                         | 38.08                                   | -12.89       | 25.19                        | 43.50                        | -18.31       |
| 495.60       | S               | Peak                         | 35.27                                   | -9.63        | 25.64                        | 46.00                        | -20.36       |
| 717.73       | S               | Peak                         | 39.09                                   | -5.46        | 33.63                        | 46.00                        | -12.37       |
| 800.18       | S               | Peak                         | 30.21                                   | -4.19        | 26.02                        | 46.00                        | -19.98       |
| 856.44       | S               | Peak                         | 29.87                                   | -3.59        | 26.28                        | 46.00                        | -19.72       |
| 4824.00      | H               | Average                      | 29.01                                   | 7.07         | 36.08                        | 54.00                        | -17.92       |
| 4824.00      | H               | Peak                         | 40.20                                   | 7.07         | 47.27                        | 74.00                        | -26.73       |
| 7236.00      | H               | ---                          |   |              |                              |                              |              |
| 9648.00      | H               | ---                          |   |              |                              |                              |              |
| 12060.00     | H               | ---                          |   |              |                              |                              |              |
| 14472.00     | H               | ---                          |   |              |                              |                              |              |
| 16884.00     | H               | ---                          |   |              |                              |                              |              |
| 19296.00     | H               | ---                          |   |              |                              |                              |              |
| 21708.00     | H               | ---                          |   |              |                              |                              |              |
| 24120.00     | H               | ---                          |   |              |                              |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 n20M Test Date :2013-06-19  
 Fundamental Frequency :2412 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :TX LOW Engineer :Allen  
 EUT Pol. :E2 plan Measurement Antenna Pol. :HORIZONTAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|---------------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  |                           |              |                              |                              |              |
| 165.80       | S               | Peak             | 35.25                     | -12.77       | 22.48                        | 43.50                        | -21.02       |
| 299.66       | S               | Peak             | 44.79                     | -12.58       | 32.21                        | 46.00                        | -13.79       |
| 478.14       | S               | Peak             | 37.73                     | -9.82        | 27.91                        | 46.00                        | -18.09       |
| 718.70       | S               | Peak             | 44.94                     | -5.45        | 39.49                        | 46.00                        | -6.51        |
| 799.21       | S               | Peak             | 35.44                     | -4.21        | 31.23                        | 46.00                        | -14.77       |
| 887.48       | S               | Peak             | 31.72                     | -3.06        | 28.66                        | 46.00                        | -17.34       |
| 4824.00      | H               | Average          | 28.42                     | 7.08         | 35.50                        | 54.00                        | -18.50       |
| 4824.00      | H               | Peak             | 38.60                     | 7.08         | 45.68                        | 74.00                        | -28.32       |
| 7236.00      | H               | ---              |                           |              |                              |                              |              |
| 9648.00      | H               | ---              |                           |              |                              |                              |              |
| 12060.00     | H               | ---              |                           |              |                              |                              |              |
| 14472.00     | H               | ---              |                           |              |                              |                              |              |
| 16884.00     | H               | ---              |                           |              |                              |                              |              |
| 19296.00     | H               | ---              |                           |              |                              |                              |              |
| 21708.00     | H               | ---              |                           |              |                              |                              |              |
| 24120.00     | H               | ---              |                           |              |                              |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 n20M Test Date :2013-06-19  
 Fundamental Frequency :2437 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :TX MID Engineer :Allen  
 EUT Pol. :E2 plan Measurement Antenna Pol. :VERTICAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|----------|-----------------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |              |                              |                              |              |
| 70.74        | S               | Peak             |          | 34.40                       | -16.55       | 17.85                        | 40.00                        | -22.15       |
| 142.52       | S               | Peak             |          | 37.91                       | -12.89       | 25.02                        | 43.50                        | -18.48       |
| 266.68       | S               | Peak             |          | 37.83                       | -13.48       | 24.35                        | 46.00                        | -21.65       |
| 496.57       | S               | Peak             |          | 35.18                       | -9.62        | 25.56                        | 46.00                        | -20.44       |
| 716.76       | S               | Peak             |          | 39.09                       | -5.48        | 33.61                        | 46.00                        | -12.39       |
| 797.27       | S               | Peak             |          | 31.72                       | -4.24        | 27.48                        | 46.00                        | -18.52       |
| 4874.00      | H               | Average          |          | 29.84                       | 7.14         | 36.98                        | 54.00                        | -17.02       |
| 4874.00      | H               | Peak             |          | 40.19                       | 7.14         | 47.33                        | 74.00                        | -26.67       |
| 7311.00      | H               | ---              |          |                             |              |                              |                              |              |
| 9748.00      | H               | ---              |          |                             |              |                              |                              |              |
| 12185.00     | H               | ---              |          |                             |              |                              |                              |              |
| 14622.00     | H               | ---              |          |                             |              |                              |                              |              |
| 17059.00     | H               | ---              |          |                             |              |                              |                              |              |
| 19496.00     | H               | ---              |          |                             |              |                              |                              |              |
| 21933.00     | H               | ---              |          |                             |              |                              |                              |              |
| 24370.00     | H               | ---              |          |                             |              |                              |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 n20M Test Date :2013-06-19  
 Fundamental Frequency :2437 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :TX MID Engineer :Allen  
 EUT Pol. :E2 plan Measurement Antenna Pol. :HORIZONTAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level | Factor<br>dB | Actual             | Limit<br>@3m | Margin |
|--------------|-----------------|------------------|---------------------------|--------------|--------------------|--------------|--------|
|              |                 |                  |                           |              | FS<br>dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 166.77       | S               | Peak             | 34.18                     | -12.87       | 21.31              | 43.50        | -22.19 |
| 288.02       | S               | Peak             | 45.70                     | -12.86       | 32.84              | 46.00        | -13.16 |
| 417.03       | S               | Peak             | 40.83                     | -10.70       | 30.13              | 46.00        | -15.87 |
| 717.73       | S               | Peak             | 44.94                     | -5.46        | 39.48              | 46.00        | -6.52  |
| 797.27       | S               | Peak             | 37.52                     | -4.24        | 33.28              | 46.00        | -12.72 |
| 886.51       | S               | Peak             | 31.65                     | -3.07        | 28.58              | 46.00        | -17.42 |
| 4874.00      | H               | Average          | 27.49                     | 7.09         | 34.58              | 54.00        | -19.42 |
| 4874.00      | H               | Peak             | 38.59                     | 7.09         | 45.68              | 74.00        | -28.32 |
| 7311.00      | H               | ---              |                           |              |                    |              |        |
| 9748.00      | H               | ---              |                           |              |                    |              |        |
| 12185.00     | H               | ---              |                           |              |                    |              |        |
| 14622.00     | H               | ---              |                           |              |                    |              |        |
| 17059.00     | H               | ---              |                           |              |                    |              |        |
| 19496.00     | H               | ---              |                           |              |                    |              |        |
| 21933.00     | H               | ---              |                           |              |                    |              |        |
| 24370.00     | H               | ---              |                           |              |                    |              |        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 n20M Test Date :2013-06-19  
 Fundamental Frequency :2462 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :TX HIGH Engineer :Allen  
 EUT Pol. :E2 plan Measurement Antenna Pol. :VERTICAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|----------|-----------------------------|--------------|----------------------------|------------------------------|--------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |              |                            |                              |              |
| 71.71        | S               | Peak             |          | 35.13                       | -16.69       | 18.44                      | 40.00                        | -21.56       |
| 150.28       | S               | Peak             |          | 39.93                       | -12.35       | 27.58                      | 43.50                        | -15.92       |
| 499.48       | S               | Peak             |          | 36.36                       | -9.60        | 26.76                      | 46.00                        | -19.24       |
| 668.26       | S               | Peak             |          | 39.33                       | -6.23        | 33.10                      | 46.00                        | -12.90       |
| 717.73       | S               | Peak             |          | 38.52                       | -5.46        | 33.06                      | 46.00                        | -12.94       |
| 799.21       | S               | Peak             |          | 30.90                       | -4.21        | 26.69                      | 46.00                        | -19.31       |
| 4924.00      | H               | Average          |          | 30.54                       | 7.19         | 37.73                      | 54.00                        | -16.27       |
| 4924.00      | H               | Peak             |          | 42.02                       | 7.19         | 49.21                      | 74.00                        | -24.79       |
| 7386.00      | H               | ---              |          |                             |              |                            |                              |              |
| 9848.00      | H               | ---              |          |                             |              |                            |                              |              |
| 12310.00     | H               | ---              |          |                             |              |                            |                              |              |
| 14772.00     | H               | ---              |          |                             |              |                            |                              |              |
| 17234.00     | H               | ---              |          |                             |              |                            |                              |              |
| 19696.00     | H               | ---              |          |                             |              |                            |                              |              |
| 22158.00     | H               | ---              |          |                             |              |                            |                              |              |
| 24620.00     | H               | ---              |          |                             |              |                            |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 n20M Test Date :2013-06-19  
 Fundamental Frequency :2462 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :TX HIGH Engineer :Allen  
 EUT Pol. :E2 plan Measurement Antenna Pol. :HORIZONTAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V | Limit<br>@3m | Margin |
|--------------|-----------------|------------------|---------------------------|--------------|----------------------------|--------------|--------|
|              |                 |                  |                           |              |                            | Margin<br>dB |        |
| 166.77       | S               | Peak             | 34.27                     | -12.87       | 21.40                      | 43.50        | -22.10 |
| 286.08       | S               | Peak             | 44.77                     | -12.89       | 31.88                      | 46.00        | -14.12 |
| 480.08       | S               | Peak             | 37.97                     | -9.81        | 28.16                      | 46.00        | -17.84 |
| 717.73       | S               | Peak             | 45.38                     | -5.46        | 39.92                      | 46.00        | -6.08  |
| 797.27       | S               | Peak             | 34.19                     | -4.24        | 29.95                      | 46.00        | -16.05 |
| 926.28       | S               | Peak             | 31.42                     | -2.31        | 29.11                      | 46.00        | -16.89 |
| 4924.00      | H               | Average          | 26.08                     | 7.08         | 33.16                      | 54.00        | -20.84 |
| 4924.00      | H               | Peak             | 36.60                     | 7.08         | 43.68                      | 74.00        | -30.32 |
| 7386.00      | H               | ---              |                           |              |                            |              |        |
| 9848.00      | H               | ---              |                           |              |                            |              |        |
| 12310.00     | H               | ---              |                           |              |                            |              |        |
| 14772.00     | H               | ---              |                           |              |                            |              |        |
| 17234.00     | H               | ---              |                           |              |                            |              |        |
| 19696.00     | H               | ---              |                           |              |                            |              |        |
| 22158.00     | H               | ---              |                           |              |                            |              |        |
| 24620.00     | H               | ---              |                           |              |                            |              |        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## Radiated Spurious Emission Measurement Result (802.11n\_40M)

|                       |              |                          |                   |
|-----------------------|--------------|--------------------------|-------------------|
| Operation Band        | :802.11 n40M | Test Date                | :2013-06-19       |
| Fundamental Frequency | :2422 MHz    | Temp./Humi.              | :27 deg_C / 66 RH |
| Operation Mode        | :TX LOW      | Engineer                 | :Allen            |
| EUT Pol.              | :E2 plan     | Measurement Antenna Pol. | :VERTICAL         |

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|---------------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  | dB $\mu$ V                |              |                              | dB $\mu$ V/m                 | dB           |
| 71.71        | S               | Peak             | 35.44                     | -16.69       | 18.75                        | 40.00                        | -21.25       |
| 142.52       | S               | Peak             | 36.98                     | -12.89       | 24.09                        | 43.50                        | -19.41       |
| 495.60       | S               | Peak             | 34.89                     | -9.63        | 25.26                        | 46.00                        | -20.74       |
| 667.29       | S               | Peak             | 37.24                     | -6.25        | 30.99                        | 46.00                        | -15.01       |
| 717.73       | S               | Peak             | 38.39                     | -5.46        | 32.93                        | 46.00                        | -13.07       |
| 799.21       | S               | Peak             | 32.04                     | -4.21        | 27.83                        | 46.00                        | -18.17       |
| 4844.00      | H               | Average          | 27.19                     | 7.10         | 34.29                        | 54.00                        | -19.71       |
| 4844.00      | H               | Peak             | 37.50                     | 7.10         | 44.60                        | 74.00                        | -29.40       |
| 7266.00      | H               | ---              |                           |              |                              |                              |              |
| 9688.00      | H               | ---              |                           |              |                              |                              |              |
| 12110.00     | H               | ---              |                           |              |                              |                              |              |
| 14532.00     | H               | ---              |                           |              |                              |                              |              |
| 16954.00     | H               | ---              |                           |              |                              |                              |              |
| 19376.00     | H               | ---              |                           |              |                              |                              |              |
| 21798.00     | H               | ---              |                           |              |                              |                              |              |
| 24220.00     | H               | ---              |                           |              |                              |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 n40M Test Date :2013-06-19  
 Fundamental Frequency :2422 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :TX LOW Engineer :Allen  
 EUT Pol. :E2 plan Measurement Antenna Pol. :HORIZONTAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|---------------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  |                           |              |                              |                              |              |
| 166.77       | S               | Peak             | 34.97                     | -12.87       | 22.10                        | 43.50                        | -21.40       |
| 285.11       | S               | Peak             | 45.86                     | -12.92       | 32.94                        | 46.00                        | -13.06       |
| 387.93       | S               | Peak             | 40.77                     | -11.18       | 29.59                        | 46.00                        | -16.41       |
| 719.67       | S               | Peak             | 44.66                     | -5.44        | 39.22                        | 46.00                        | -6.78        |
| 799.21       | S               | Peak             | 34.54                     | -4.21        | 30.33                        | 46.00                        | -15.67       |
| 909.79       | S               | Peak             | 29.16                     | -2.62        | 26.54                        | 46.00                        | -19.46       |
| 4844.00      | H               | Average          | 26.15                     | 7.08         | 33.23                        | 54.00                        | -20.77       |
| 4844.00      | H               | Peak             | 37.46                     | 7.08         | 44.54                        | 74.00                        | -29.46       |
| 7266.00      | H               | ---              |                           |              |                              |                              |              |
| 9688.00      | H               | ---              |                           |              |                              |                              |              |
| 12110.00     | H               | ---              |                           |              |                              |                              |              |
| 14532.00     | H               | ---              |                           |              |                              |                              |              |
| 16954.00     | H               | ---              |                           |              |                              |                              |              |
| 19376.00     | H               | ---              |                           |              |                              |                              |              |
| 21798.00     | H               | ---              |                           |              |                              |                              |              |
| 24220.00     | H               | ---              |                           |              |                              |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 n40M Test Date :2013-06-19  
 Fundamental Frequency :2437 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :TX MID Engineer :Allen  
 EUT Pol. :E2 plan Measurement Antenna Pol. :VERTICAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|----------|-----------------------------|--------------|----------------------------|------------------------------|--------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |              |                            |                              |              |
| 70.74        | S               | Peak             |          | 35.12                       | -16.55       | 18.57                      | 40.00                        | -21.43       |
| 140.58       | S               | Peak             |          | 38.29                       | -13.04       | 25.25                      | 43.50                        | -18.25       |
| 166.77       | S               | Peak             |          | 37.31                       | -12.87       | 24.44                      | 43.50                        | -19.06       |
| 495.60       | S               | Peak             |          | 35.82                       | -9.63        | 26.19                      | 46.00                        | -19.81       |
| 716.76       | S               | Peak             |          | 38.45                       | -5.48        | 32.97                      | 46.00                        | -13.03       |
| 799.21       | S               | Peak             |          | 31.17                       | -4.21        | 26.96                      | 46.00                        | -19.04       |
| 4874.00      | H               | Average          |          | 26.94                       | 7.14         | 34.08                      | 54.00                        | -19.92       |
| 4874.00      | H               | Peak             |          | 37.14                       | 7.14         | 44.28                      | 74.00                        | -29.72       |
| 7311.00      | H               | ---              |          |                             |              |                            |                              |              |
| 9748.00      | H               | ---              |          |                             |              |                            |                              |              |
| 12185.00     | H               | ---              |          |                             |              |                            |                              |              |
| 14622.00     | H               | ---              |          |                             |              |                            |                              |              |
| 17059.00     | H               | ---              |          |                             |              |                            |                              |              |
| 19496.00     | H               | ---              |          |                             |              |                            |                              |              |
| 21933.00     | H               | ---              |          |                             |              |                            |                              |              |
| 24370.00     | H               | ---              |          |                             |              |                            |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 n40M Test Date :2013-06-19  
 Fundamental Frequency :2437 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :TX MID Engineer :Allen  
 EUT Pol. :E2 plan Measurement Antenna Pol. :HORIZONTAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum<br>Reading Level | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|---------------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  |                           |              |                              |                              |              |
| 166.77       | S               | Peak             | 35.21                     | -12.87       | 22.34                        | 43.50                        | -21.16       |
| 295.78       | S               | Peak             | 44.10                     | -12.66       | 31.44                        | 46.00                        | -14.56       |
| 417.03       | S               | Peak             | 40.10                     | -10.70       | 29.40                        | 46.00                        | -16.60       |
| 719.67       | S               | Peak             | 44.53                     | -5.44        | 39.09                        | 46.00                        | -6.91        |
| 796.30       | S               | Peak             | 36.28                     | -4.24        | 32.04                        | 46.00                        | -13.96       |
| 915.61       | S               | Peak             | 30.13                     | -2.51        | 27.62                        | 46.00                        | -18.38       |
| 4874.00      | H               | Average          | 26.07                     | 7.09         | 33.16                        | 54.00                        | -20.84       |
| 4874.00      | H               | Peak             | 36.84                     | 7.09         | 43.93                        | 74.00                        | -30.07       |
| 7311.00      | H               | ---              |                           |              |                              |                              |              |
| 9748.00      | H               | ---              |                           |              |                              |                              |              |
| 12185.00     | H               | ---              |                           |              |                              |                              |              |
| 14622.00     | H               | ---              |                           |              |                              |                              |              |
| 17059.00     | H               | ---              |                           |              |                              |                              |              |
| 19496.00     | H               | ---              |                           |              |                              |                              |              |
| 21933.00     | H               | ---              |                           |              |                              |                              |              |
| 24370.00     | H               | ---              |                           |              |                              |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 n40M Test Date :2013-06-19  
 Fundamental Frequency :2452 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :TX HIGH Engineer :Allen  
 EUT Pol. :E2 plan Measurement Antenna Pol. :VERTICAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|----------|-----------------------------|--------------|------------------------------|------------------------------|--------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |              |                              |                              |              |
| 70.74        | S               | Peak             |          | 34.33                       | -16.55       | 17.78                        | 40.00                        | -22.22       |
| 133.79       | S               | Peak             |          | 38.51                       | -13.60       | 24.91                        | 43.50                        | -18.59       |
| 265.71       | S               | Peak             |          | 36.73                       | -13.52       | 23.21                        | 46.00                        | -22.79       |
| 495.60       | S               | Peak             |          | 35.05                       | -9.63        | 25.42                        | 46.00                        | -20.58       |
| 717.73       | S               | Peak             |          | 38.50                       | -5.46        | 33.04                        | 46.00                        | -12.96       |
| 800.18       | S               | Peak             |          | 33.42                       | -4.19        | 29.23                        | 46.00                        | -16.77       |
| 4904.00      | H               | Average          |          | 25.73                       | 7.17         | 32.90                        | 54.00                        | -21.10       |
| 4904.00      | H               | Peak             |          | 38.26                       | 7.17         | 45.43                        | 74.00                        | -28.57       |
| 7356.00      | H               | ---              |          |                             |              |                              |                              |              |
| 9808.00      | H               | ---              |          |                             |              |                              |                              |              |
| 12260.00     | H               | ---              |          |                             |              |                              |                              |              |
| 14712.00     | H               | ---              |          |                             |              |                              |                              |              |
| 17164.00     | H               | ---              |          |                             |              |                              |                              |              |
| 19616.00     | H               | ---              |          |                             |              |                              |                              |              |
| 22068.00     | H               | ---              |          |                             |              |                              |                              |              |
| 24520.00     | H               | ---              |          |                             |              |                              |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

Operation Band :802.11 n40M Test Date :2013-06-19  
 Fundamental Frequency :2452 MHz Temp./Humi. :27 deg\_C / 66 RH  
 Operation Mode :TX HIGH Engineer :Allen  
 EUT Pol. :E2 plan Measurement Antenna Pol. :HORIZONTAL

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.<br>MHz | Note<br>F/H/E/S | Detector<br>Mode | Spectrum |                             | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-----------------|------------------|----------|-----------------------------|--------------|----------------------------|------------------------------|--------------|
|              |                 |                  | PK/QP/AV | Reading Level<br>dB $\mu$ V |              |                            |                              |              |
| 186.17       | S               | Peak             |          | 37.38                       | -15.22       | 22.16                      | 43.50                        | -21.34       |
| 264.74       | S               | Peak             |          | 44.93                       | -13.55       | 31.38                      | 46.00                        | -14.62       |
| 416.06       | S               | Peak             |          | 40.53                       | -10.71       | 29.82                      | 46.00                        | -16.18       |
| 719.67       | S               | Peak             |          | 44.34                       | -5.44        | 38.90                      | 46.00                        | -7.10        |
| 799.21       | S               | Peak             |          | 38.40                       | -4.21        | 34.19                      | 46.00                        | -11.81       |
| 935.98       | S               | Peak             |          | 31.44                       | -2.23        | 29.21                      | 46.00                        | -16.79       |
| 4904.00      | H               | Average          |          | 24.63                       | 7.09         | 31.72                      | 54.00                        | -22.28       |
| 4904.00      | H               | Peak             |          | 36.98                       | 7.09         | 44.07                      | 74.00                        | -29.93       |
| 7356.00      | H               | ---              |          |                             |              |                            |                              |              |
| 9808.00      | H               | ---              |          |                             |              |                            |                              |              |
| 12260.00     | H               | ---              |          |                             |              |                            |                              |              |
| 14712.00     | H               | ---              |          |                             |              |                            |                              |              |
| 17164.00     | H               | ---              |          |                             |              |                            |                              |              |
| 19616.00     | H               | ---              |          |                             |              |                            |                              |              |
| 22068.00     | H               | ---              |          |                             |              |                            |                              |              |
| 24520.00     | H               | ---              |          |                             |              |                            |                              |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 11 PEAK POWER SPECTRAL DENSITY

### 11.1 Standard Applicable:

According to §15.247(e) For digitally modulated systems, the power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8 dBm in any 3 kHz band during any time interval of continuous transmission. This power spectral density shall be determined in accordance with the provisions of paragraph (b) of this section. The same method of determining the conducted output power shall be used to determine the power spectral density.

### 11.2 Measurement Equipment Used:

Refer to section 7.2 for details.

### 11.3 Test Set-up:

Refer to section 8.3 for details. (Spectrum Option)

### 11.4 Measurement Procedure (following the measurement procedure 10.2 of KDB558074):

1. Set analyzer center frequency to DTS channel center frequency.
2. Set the span to 1.5 times the DTS channel bandwidth.
3. Set the RBW  $\geq$  3 kHz.
4. Set the VBW  $\geq$  3 x RBW.
5. Detector = peak.
6. Sweep time = auto couple.
7. Trace mode = max hold.
8. Allow trace to fully stabilize.
9. Use the peak marker function to determine the maximum amplitude level.
10. If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 11.4 Measurement Result:

### 802.11b

| Frequency<br>MHz | RF Power Density  |                     | Maximum Limit<br>(dBm) |
|------------------|-------------------|---------------------|------------------------|
|                  | Raw Reading (dBm) | Final Reading (dBm) |                        |
| 2412             | -12.57            | -12.57              | 8                      |
| 2437             | -13.46            | -13.46              | 8                      |
| 2462             | -13.53            | -13.53              | 8                      |

### 802.11g

| Frequency<br>MHz | RF Power Density  |                     | Maximum Limit<br>(dBm) |
|------------------|-------------------|---------------------|------------------------|
|                  | Raw Reading (dBm) | Final Reading (dBm) |                        |
| 2412             | -11.81            | -11.81              | 8                      |
| 2437             | -11.88            | -11.88              | 8                      |
| 2462             | -13.84            | -13.84              | 8                      |

### 802.11n\_20M

| Frequency<br>MHz | RF Power Density  |                     | Maximum Limit<br>(dBm) |
|------------------|-------------------|---------------------|------------------------|
|                  | Raw Reading (dBm) | Final Reading (dBm) |                        |
| 2412             | -13.66            | -13.66              | 8                      |
| 2437             | -13.94            | -13.94              | 8                      |
| 2462             | -13.96            | -13.96              | 8                      |

### 802.11n\_40M

| Frequency<br>MHz | RF Power Density  |                     | Maximum Limit<br>(dBm) |
|------------------|-------------------|---------------------|------------------------|
|                  | Raw Reading (dBm) | Final Reading (dBm) |                        |
| 2422             | -15.54            | -15.54              | 8                      |
| 2437             | -15.22            | -15.22              | 8                      |
| 2452             | -15.96            | -15.96              | 8                      |

\*Offset 11.4dB

Note: Refer to next page for plots.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 802.11b

## Power Spectral Density Test Plot (CH-Low)



## Power Spectral Density Test Plot (CH-Mid)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## Power Spectral Density Test Plot (CH-High)



## 802.11g

## Power Spectral Density Test Plot (CH-Low)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## Power Spectral Density Test Plot (CH-Mid)



## Power Spectral Density Test Plot (CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 802.11n\_20M

## Power Spectral Density Test Plot (CH-Low)



## Power Spectral Density Test Plot (CH-Mid)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## Power Spectral Density Test Plot (CH-High)



## 802.11n\_40M

## Power Spectral Density Test Plot (CH-Low)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## Power Spectral Density Test Plot (CH-Mid)



## Power Spectral Density Test Plot (CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

## 12 ANTENNA REQUIREMENT

### 12.1 Standard Applicable:

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

### 12.2 Antenna Connected Construction:

The directional gains of antenna used for transmitting is 1.28 dBi, and the antenna connector is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group