



PRO V2

**Layered Defense
& Incident Recording**

For Security Professionals



Owner's Manual





GUARDIAN 8 Corporation
15230 N. 75th St., Suite 1002
Scottsdale, AZ 85260
Guardian8.com

Customer Service

(877) 659-6007 or (480) 426-1005 (8 am - 5 pm MST)
support@guardian8.com



**WARNING: USE OF THIS DEVICE FOR ANY PURPOSE
OTHER THAN SELF DEFENSE IS A CRIME.**

DO NOT ATTEMPT TO CARRY ABOARD A COMMERCIAL
AIRCRAFT AS A CARRY-ON ITEM - TRANSPORT WITH
CHECKED BAGGAGE ONLY.

REFER TO www.TSA.gov FOR DETAILS AND RESTRICTIONS.

KEEP AWAY FROM CHILDREN.

Not to be used by anyone under the age of 18 years.

GUARDIAN 8 and the stylized Guardian 8 logo are registered in the U.S. Patent and Trademark Office. No portion of this User Manual may be copied or reprinted without the express permission. © 2013 Guardian 8, Corporation.

The Bluetooth® trademarks are owned by their proprietor and used by Guardian 8, Corporation under license. All other product or service names are the property of their respective owners.

Charge battery before first use.



WARNING: Be sure to read, study, understand and obey all instructions, training materials, product manuals and warnings before using the G8 Pro V2 Professional Security Device. Failure to comply with all instructions, training materials, product manuals and warnings could result in serious personal injury, felony charges and fines in excess of \$10,000 and/or imprisonment. Do not transport aboard commercial aircraft as a carry-on item - transport with checked baggage only. **IT IS A CRIME TO USE THIS DEVICE IN ANY ACTIVITY OTHER THAN SELF DEFENSE.**

Certain features of the G8 Pro V2 Professional Security Device are dependent on the capabilities and settings of your mobile phone and the wireless carrier's network. All features, functionality, and other product specifications as well as the information contained in this Owner's Manual are based on the latest information available and are believed to be accurate at the time of printing. Guardian 8, Corporation reserves the right to change or modify any information or specifications without notice or obligation. **Visit our website www.guardian8.com for the most updated operating manual.**

Changes or modifications made to the G8 Pro V2 that are not expressly approved or made by Guardian 8, Corporation or its authorized representatives may cause the device to malfunction or fail and will void the warranty.



CONTENTS

Getting Started	1
Intended use of the G8 Pro V2	1
Your Safety Responsibilities	2
About the User Safety Warnings	3
Features of Your G8 Pro V2	4
Preparing for First Use of Your G8 Pro V2	5
Charging the Battery	5
Installing the Spray Canister & Battery	6
Status Indicators.	8
Powering & Boot-Up	9
Pairing With Your Mobile Phone	10
Setting Your Pre-recorded Alert Message.	12
Proper Grip	13
Proper aiming technique	14
Using Your G8 Pro V2	15
Level 1 Response - Arming The Unit	15
Level 2 Response - Partial Trigger Pull	15
Level 3 Response - Full Trigger Pull	15
Layered Defense: Level 1 Response	16
Laser Spotter	16
Digital Camera	19
Incident Auto Record	20



Layered Defense: Level 2 Response	21
Alerting Siren	21
Strobe Light	22
Command Center Communication Link	22
Using the Link	23
Layered Defense: Level 3 Response	24
Pepper Spray (<i>canisters sold separately</i>)	24
Proper Aiming Point and Spray Technique	25
Additional Considerations	26
Microphone	26
Accidental Triggering	26
Use On Aggressive Animals	27
Certifications	27
Service	28
90-Day Warranty Information	29
Exclusions	29
Troubleshooting Guide	31





GETTING STARTED

INTENDED USE OF THE G8 PRO V2

The G8 Pro V2 is an Enhanced Non-Lethal (ENL) device designed to provide security professionals with Layered Defense and Incident Recording in an integrated, compact, convenient, handheld platform. We have incorporated many years of development in the device, and with the assistance of professionals in the security field, have created an effective tool for avoiding and resolving conflicts. However, situations do exist where the need for lethal force is both prudent and necessary - **this device is not intended for such situations.**

The G8 Pro V2 was built for the professional security officer who intends to present an image of authority by having a tool on their belt that sends visual cues to bystanders that unwanted intervention or harassment of an officer is unwise.

Treat your G8 Pro V2 as you would a mobile phone. Do not immerse your device in liquid or subject the device to extended periods of sub-freezing temperatures which may affect the pepper spray or components.





YOUR SAFETY RESPONSIBILITIES

Safe handling and use of the G8 Pro V2 is the responsibility of the operator of the device. You must read, study, obey and understand this product manual and all warnings before using your G8 Pro V2. If you do not understand any aspect of the product or how it is to be used, it is your responsibility to contact the manufacturer, Guardian 8, Corporation, using the contact information provided in this Owner's Manual.

The term "Enhanced Non-Lethal" does not imply that no harm may come from an incident involving non-lethal force. Some of the features of the G8 Pro V2 are intended to cause temporary pain, dizziness, disorientation and other effects, which may allow the operator to escape a conflict. These effects may escalate into more substantial injuries if the operator is not fully aware of their surroundings or does not anticipate the situational risks that come from a disoriented subject.

The safe use of your G8 Pro V2 includes not pointing the laser spotter in the eyes of any person or animal. Furthermore, serious legal risks are created when a laser spotter is pointed at aircraft or law enforcement officials. **Failing to adhere to our warnings about responsible use of the G8 Pro V2 device may result in imprisonment or may instigate a potentially lethal response to a perceived threat.**





ABOUT THE USER SAFETY WARNINGS

The purpose of safety warnings is to draw your attention to possible dangers. The warning notices and the explanations or instructions with them require your careful attention and consideration. The warnings by themselves do not eliminate any danger. The warnings and instructions are not meant to be inclusive of all potential dangers and risks. The warnings and instructions are no substitute for proper attention to safety considerations and proper accident prevention measures.


The warnings, explanations and instructions presented in this Owner's Manual are compiled and set forth for easy reference by category. You should study all these warnings and instructions. These warnings may repeat in the applicable areas of the manual. Remember...

SAFETY IS YOUR RESPONSIBILITY





FEATURES OF YOUR G8 PRO V2



dimensions: 6.9" (h) x 1.5" (w) x 5.8" (d)

weight: 9.0 oz. loaded (approx.)



PREPARING FOR FIRST USE OF YOUR G8 PRO V2

CHARGING THE BATTERY

Allow the Rechargeable Battery to achieve a full charge (about 90 minutes of continuous charging) before its first use. Use only the factory supplied Desk Top Charger (DTC) to charge the Battery.

To charge the battery:

- 1 Plug DTC into power outlet
- 2 Insert Rechargeable Battery into DTC



DTC LED indicators:

- flashes red to indicate Battery status check (30 sec.)
- solid red to indicate Battery is charging
- turns off to indicate Battery charging is complete



All the LED's on the Rechargeable Battery (Battery Capacity Gauge) will illuminate green once a sufficient charge has been achieved and it has been inserted into unit.



WARNING: Risk of fire. Do not attempt to charge the G8 Pro V2 with a charger other than the one supplied by the factory. The warranty is void if the battery is charged with any charger other than the factory supplied DTC.

- If you decide to store your G8 Pro V2 for an extended period of time, fully charge the Battery and keep the entire unit in a cool, dry place.





- Never expose batteries to temperatures below -10° C (14° F) or above 45° C (113° F).
- Never leave your G8 Pro V2 in your vehicle for extended periods of time.

INSTALLING THE SPRAY CANISTER & BATTERY

Loading the spray canister and Rechargeable Battery is accomplished by following these simple steps. The procedure for loading all spray canister types is the same.

- 1 Read warnings and instructions on canister before removing its protective cap.
- 2 The Rechargeable Battery is removed by orienting the G8 Pro V2 so it is facing downwards, sliding the Battery Release Switch to the left and then pulling the Rechargeable Battery out of the unit's handle.
- 3 Inspect for obstructions to the canister by looking inside the G8 Pro V2's handle.
- 4 Place a canister into the G8 Pro V2's Canister Carriage so the plastic nozzle on the spray canister is facing upwards. Use the Canister Carriage as a guide.
- 5 Ensure the canister is properly seated in the Canister Carriage. It is properly seated when the bottom of the canister is partially covered by the base of the Canister Carriage. You may need to push on the bottom of the canister with your finger to have it seat properly.





- 6 Slide the Rechargeable Battery into the unit's handle by placing the Rechargeable Battery's stem along the side of the spray canister and pushing the Rechargeable Battery inwards. An audible "click" will occur once it has been properly inserted into the handle.



WARNING: Do not attempt to use spray canisters with the unit other than those supplied by Guardian 8. Spray canisters are sold separately and are available in multiple formulations.




WARNING: Do not force Rechargeable Battery. Check for proper alignment if it does not insert easily.



STATUS INDICATORS

The G8 Pro V2 has three different Status Indicators located on the rear of the unit that illuminate to provide information about the device or its features.



Icon	Status	Meaning and/or Action Required
Canister	illuminated	canister used; replace spray canister
Fault	illuminated	system fault; power off & reboot unit (remove battery, reinsert battery & turn unit on)
Bluetooth	off	not paired with mobile phone
Bluetooth	flashing	ready to pair with mobile phone
Bluetooth	Illuminated	paired with mobile phone



The G8 Pro V2 also has a Battery Capacity Gauge located on the unit's battery. Its green LEDs illuminate to provide general information regarding the battery's status.



- 4 illuminated LEDs = fully charged
- 3 illuminated LEDs = approximately 75% full
- 2 illuminated LEDs = approximately 50% full
- 1 illuminated LED = less than 25% remaining- recharge

POWERING & BOOT-UP

Once the Rechargeable Battery has been inserted, the unit can be powered-up. Simply slide the On/Off Switch upwards and the unit will begin receiving power from its Rechargeable Battery.



The G8 Pro V2 is a sophisticated piece of electronic equipment. Similar to a mobile phone, it has a boot-up cycle. This boot-up cycle lasts approximately 30 seconds. The Battery Capacity Gauge's green LEDs temporarily illuminate once G8 Pro V2 has completed its boot-up cycle and is ready for use. (After the unit has been successfully paired with a mobile phone, it will "beep" twice to indicate the boot-up cycle is complete and the unit is ready for use.)






WARNING: The G8 Pro V2 has limited function during the boot-up process. Ensure you have turned the power on and completed the boot-up cycle prior to engaging subjects with the unit.

PAIRING WITH YOUR MOBILE PHONE



WARNING: Failing to properly “pair” the G8 Pro V2 with your mobile phone will inhibit your ability to quickly alert other people to your situation. Be aware of your phone’s Bluetooth range when operating the G8 Pro V2. The device’s Command Center Communication Link features rely on a Bluetooth-enabled mobile phone.

- 1 Prior to powering the G8 Pro V2, press and hold one of the unit’s Call Buttons.
- 2 While continuing to press the Call Button, power the G8 Pro V2 by sliding its On/Off Switch upwards.
- 3 The Bluetooth indicator will begin flashing when the G8 Pro V2 is ready to pair with your mobile phone.
- 4 Follow your mobile phone’s instructions for pairing a Bluetooth device. The G8 Pro V2 will be named “G8-X” in the device list on your phone. (“X” indicating your unit’s serial number.)





- 5 The G8 Pro V2 has successfully paired with your mobile phone when its Strobe Light temporarily illuminates and two "beeps" are heard.
- 6 While paired with your mobile phone, any Trigger pull (partial or full) will automatically connect you to the pre-programmed support number designated for your device. **If the pre-programmed number is 9-1-1, you will be making an emergency phone call. Making excessive accidental 9-1-1 calls may result in a significant fine to you.**
- 7 You can also make calls to your pre-programmed number via the G8 Pro V2 at any time by pressing either one of the unit's Call Buttons after the Arming Switch has been placed in the ARM position.



WARNING: When you return the Arming Switch of the G8 Pro V2 to the unarmed position, the Bluetooth connection is disrupted. If your phone allows, set the phone to automatically connect with the G8 Pro V2 upon detecting it, otherwise, you will need to re-confirm the Bluetooth connection at every activation of the G8 Pro V2.





SETTING YOUR PRE-RECORDED ALERT MESSAGE

The G8 Pro V2 stores a personal message that is automatically sent to a pre-determined phone number when the user engages in a Level 2 Response (see Command Center Communication Link on page 22). This recording is 15 seconds long and is used to provide detailed information about you and a general reason why you require support. (Note: If you speak for less than 15 seconds, blank space is automatically added to the end of your recording so it becomes 15 seconds long.)

Create your Pre-recorded Alert Message by following the instructions below.

- 1 Ensure your G8 Pro V2 is properly charged, unarmed and powered on.
- 2 When you are ready to record your message, press and hold the red RECORD button until an audible beep occurs. Begin speaking to record your message.
- 3 The message record time is 15 seconds in length. The message will be played back automatically after it is recorded.
- 4 Press the green PLAY button to hear your recorded message. To re-record your message, repeat steps 1-3.
- 5 Return your device to the Off position.





This sample message is approximately 12 seconds long:

"This message is coming from the G8 Pro V2 device carried by Officer Daniel Rollo at post #42. I am in urgent need of assistance. The following live audio is from the altercation."



NOTICE: It is not recommended that you attempt to use your G8 Pro V2 without first recording a clear and distinct message. Failure to record a clear and distinct message will limit the functionality and usefulness of the device.

PROPER GRIP

The G8 Pro V2 is subject to the same damage risks as a mobile phone and should be handled accordingly. Be mindful of important environmental risks, including operating in a confined area, when carrying the G8 Pro V2. These instructions are not intended to be a substitute for tactical training and good aiming skills. See next page for proper aiming technique.



PROPER AIMING TECHNIQUE

Reliable operation of the G8 Pro V2 depends on proper aiming technique. Like most aerosol cans, tilting or inverting the canister while applying the spray may deplete the propellant before the liquid contents are expended. Tilting or inverting the G8 Pro V2 during operation will diminish the effectiveness of the spray mechanism. Prior to deploying the device to field service, practice aiming and spraying in a safe location with a Practice Canister loaded.



WARNING: Keep away from water or moisture. Submerging or otherwise exposing the G8 Pro V2 to excessive moisture may result in partial or complete failure of the device and may render your G8 Pro V2 useless during an attack. Never attempt to dry the device with an external heat source such as a microwave oven.





USING YOUR G8 PRO V2

The G8 Pro V2 Professional Security device's Layered Defense is deployed via three distinct actions; arming the unit, partially pulling the Trigger and fully pulling the Trigger. Each action delivers a unique response. This layered system provides the operator maximum flexibility when responding to threatening subjects. Personnel carrying the G8 Pro V2 are strongly advised to practice the operation and feel of device at various stages of operation.

LEVEL 1 RESPONSE - ARMING THE UNIT

Placing the Arming Switch in the ARM position, simultaneously deploys the Laser Spotter, Digital Camera and Incident Auto Record features. An audible notification occurs when the unit is armed.

LEVEL 2 RESPONSE - PARTIAL TRIGGER PULL

A Partial Trigger Pull activates the Alerting Siren, Strobe Light and Command Center Communication Link functions. The device automatically delivers your Pre-Recorded Alert Message to your pre-programmed number during a Level 2 Response. All Level 1 Response features remain activated during a Level 2 Response.

LEVEL 3 RESPONSE - FULL TRIGGER PULL

A Full Trigger Pull deploys the unit's pepper spray. The pepper spray will continue as long as the Trigger remains fully depressed, or until the canister is depleted (whichever comes first). All Level 1 and Level 2 features remain active during a Level 3 Response.





LAYERED DEFENSE: LEVEL 1 RESPONSE

All of the features associated with a Level 1 Response function simultaneously and are automatically deployed when the:

- On/Off Switch is in the “on” position and
- Arming Switch is in the ARM position.
- (An audible “beep” occurs when the unit is successfully armed.)



LASER SPOTTER



The Laser Spotter is provided as an aid for aiming and for warning aggressors. Laser spotters are known across many languages and cultures to be associated with the use of physical force. It is important that you anticipate that an escalation of force may be needed with highly aggressive people.

The range of the laser far exceeds the effective range of the pepper spray. Be mindful of the layered defense this may provide you, as well as the limitations.

Do not attempt to clean the lens of the Laser Spotter. Permanent damage or blockage of the laser may result.






Location of Laser Warning & Information Labels:



Complies with FDA performance standards for laser products except for deviations pursuant to Laser Notice No. 50, dated June 24, 2007



located
inside
handle



located
under nose



WARNING: Laser Light - Avoid Direct Eye Exposure. The G8 Pro V2 Professional Security Device utilizes a Class 3R laser beam as a sighting and targeting aid. It also functions as an intimidation device. Avoid intentionally aiming the laser beam into the eyes of any person or animal.



WARNING: *Fines, serious personal injury or death can result from abuse of the laser beam.* It is a federal crime to aim a laser beam at aircraft. Never aim the laser beam at law enforcement or you may instigate a lethal response. Aiming the laser beam at aircraft or law enforcement may result in a felony criminal prosecution, jail and fines in excess of \$10,000.



CAUTION: Use of controls or adjustment or performance of procedures other than those specified herein may result in hazardous radiation exposure.



WARNING: There is no scheduled maintenance necessary to keep the product's laser pointer in compliance with applicable laws and regulations.



WARNING: The laser should never be operated if the unit is defective or the cover or seal is damaged.



WARNING: The G8 ProV2 must not be opened or modified by the customer (except for the installation or removal of a spray canister or battery). Do not modify the unit or remove the laser's protective housings. No service or modification to the laser is allowed by the customer. Service is to be handled by Guardian 8 only. The unit is to be returned to Guardian 8 for any service or repair.





WARNING: This Laser Product is designated as Class 3R during all procedures of operation.

Laser Parameters:

Wavelength 655nm, nominal

Laser Power for classification <5mW CW (4mW typical)

Beam Diameter <3mm at aperture

Divergence <1mRad

Transverse Beam Mode TEM00"

DIGITAL CAMERA



The Digital Camera captures images of an aggressor at rate of speed selected by the unit's administrator. Images can only be exported from the G8 Pro V2 by the unit's administrator. To export images, the unit's administrator must connect the unit to a computer using the USB cable that shipped with the G8 Pro V2 and follow the instructions

received during training. Exported images can be named, copied or deleted when the device is plugged into a computer's USB port.

Still images are preferred over video in some states due to local laws regarding the capture of audio and/or images when in public. It is your responsibility to be aware of local laws regarding these limitations.



INCIDENT AUTO RECORD



Evidence (audio and image) is automatically captured and stored in the G8 Pro V2's internal memory every time the unit's Arming Switch is placed in the ARM position. Evidence can only be exported from the G8 Pro V2 by the unit's administrator. To export evidence, the unit's administrator must connect the unit to a computer using the USB cable that shipped with the G8 Pro V2 and follow the on-screen instructions. Exported evidence can be named, copied or deleted when the device is plugged into a computer's USB port.





LAYERED DEFENSE: LEVEL 2 RESPONSE

All of the features associated with a Level 2 Response function simultaneously and are automatically deployed when the G8 Pro V2's:

- On/Off Switch is in the "on" position,
- Arming Switch is in the ARM position and
- **Trigger is partially pulled** (the Trigger utilizes a two-stage mechanism and exhibits noticeably weaker resistance during a Partial Trigger Pull)



ALERTING SIREN



The G8 Pro V2 utilizes an Alerting Siren to startle aggressors and notify bystanders that a situation is occurring nearby.



WARNING: Risk of ear injury or hearing loss. The G8 Pro V2 utilizes a high decibel siren to create a panic response from aggressors. Exposure to the siren, even for short periods of time, may cause temporary or permanent ear injury or hearing loss. Past exposure to loud noises may increase the risk for potential ear injury or hearing loss.



STROBE LIGHT



The brilliant LED light is intended to temporarily diminish an aggressor's night vision and to disorient the subject. It is not intended for use as a flashlight.



WARNING: Potential for seizures or blackouts. Avoid unnecessary exposure to the strobe light. Do not use if you are susceptible to epileptic seizures or blackouts when exposed to flashing lights. These may occur even if you are unaware of any susceptibility.



COMMAND CENTER COMMUNICATION LINK

The Command Center Communication Link automatically sends a Pre-Recorded Alert Message via your mobile phone to a pre-determined phone number (chosen by the unit's administrator) and establishes an open line with that phone number during a Level 2 Response. (See page 12 for instructions on setting your pre-determined phone number and pre-recorded alert message).

The Command Center Communication Link will only work if your mobile phone has been properly paired with your Guardian 8 Pro V2 and your mobile phone is actively operating on a wireless network. (see page 10).





USING THE LINK

- Once a connection with the pre-determined number has been made, simply talk as if you were using a speaker phone.
- To end your conversation, press one of the unit's Call Buttons or cycle the Arming Switch to the unarmed position.
- To redial the pre-determined number, press the Call Button again.



The Command Center Communication

Link can also be manually activated at any time by pressing one of the G8 Pro V2's Call Buttons after the unit has been powered on and the Arming Switch has been placed in the ARM position.





LAYERED DEFENSE: LEVEL 3 RESPONSE

The feature associated with a Level 3 Response is automatically deployed when the G8 Pro V2's:

- On/Off Switch is in the "on" position,
- Arming Switch is in the ARM position and
- **Trigger is fully pulled** (the Trigger utilizes a two-stage mechanism and exhibits noticeably stronger resistance during a Full Trigger Pull).

PEPPER SPRAY (canisters sold separately)



The active ingredient in pepper-based irritants is *oleoresin capsaicin* and is highly effective in personal defense when aimed at the nose of an aggressor. It is activated on the G8 Pro V2 by completing a Full Trigger Pull. Discharge of the spray may be achieved by fully depressing the TRIGGER for an extended period of time (continuous spray) or by fully depressing and quickly

releasing the TRIGGER repeatedly (burst spray). Generally, a well aimed 1-second burst is sufficient to achieve the desired result. The G8 Pro V2 is designed to provide approximately 4 seconds of continuous spray per canister.

Maximum effective range of the spray stream is 10 feet, which is much shorter than the range of the Laser Spotter. Be mindful of the layered defense this may provide you, as well as the limitations.



The use of the irritant sold by Guardian 8, Corporation is legal in all 50 States and the District of Columbia, however, there are many local ordinances requiring specific licensing or purchasing restrictions (such as minimum age) that you should be aware of prior to carrying your device for personal defense.



WARNING: Risk of temporary blindness, disorientation and incapacitation. Pepper spray causes severe eye irritation resulting in tearing, intense pain and temporary blindness. In case of contact, remove contact lenses and discard them. Flush eyes with water for 10 minutes. Contact a physician if symptoms last longer than 45 minutes.

PROPER AIMING POINT AND SPRAY TECHNIQUE

Proper application of pepper spray on an aggressive subject will result in an immediate pain response. Aim at the nose and apply in a quick sweeping action from ear to ear. Pepper spray is most effective when it contacts the mucous membranes (eyes, nose or mouth) of the attacker.




WARNING: Risk of eye injury, skin injury or injection. The G8 Pro V2 is capable of discharging a powerful stream of pepper spray. Except during an attack scenario, avoid spraying directly at the eyes. Do not block or attempt to block the spray nozzle with hands, fingers or any other body part. There is a risk of injection ("needling") of the spray into the skin. Fluid injected into the skin may appear to be a cut, but it is a serious personal injury. Seek immediate medical attention.





ADDITIONAL CONSIDERATIONS

MICROPHONE



The Microphone within the G8 Pro V2 serves two purposes:

- 1 The creation and storage of a Pre-Recorded Alert Message identifying the device operator;
- 2 As an open microphone when the Call Button has been activated and a mobile phone connection is established.

Take care not to cover the Microphone during all stages of operation.

ACCIDENTAL TRIGGERING

If you have accidentally activated your G8 Pro V2, you may de-activate it by sliding the Arming Switch to the unarmed position. If your device was successful in connecting with the number pre-programmed in the unit, there is a high probability of receiving a return call from the number that was automatically dialed.






If the pre-programmed number is 9-1-1, you will be making an emergency phone call. Making frequent accidental 9-1-1 calls may result in a significant fine to you.

USE ON AGGRESSIVE ANIMALS

The effectiveness of the G8 Pro V2 in repelling aggressive animals is largely attributed to the effects of the pepper spray on them. The formulation of pepper spray sold by Guardian 8, Corporation is legal in all 50 states. Some states prohibit the carrying of stronger sprays such as "bear spray" by civilians. If you are entering an area where larger animals and highly aggressive animals are expected you should carry a lethal device with you in addition to the G8 Pro V2.

The Strobe Light and Alerting Siren may offer additional repelling attributes depending upon the aggressive nature of the animal being confronted.

CERTIFICATIONS



This device complies with part 15 of FCC Rules. Operation is subject to the following two conditions; (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.



Complies with FDA performance Standards for laser products except for deviations pursuant to Laser Notice No. 50, dated June 24, 2007



SERVICE



WARNING: Do not attempt to service your G8 Pro V2 device. Except for the spray canisters, no parts of the G8 Pro V2, including the battery, are user serviceable. Do not modify or alter the device. Guardian 8 is not responsible for injuries caused by unauthorized servicing, alterations or modifications to the G8 Pro V2 or other Guardian 8, Corporation products.



WARNING: Do not attempt to use a damaged device. If your G8 Pro V2 device has been damaged, punctured, submerged in water or exposed to excessive moisture, do not attempt to use until serviced by Guardian 8.

CLEANING AND MAINTENANCE

- When not in use, store your G8 Pro V2 in a place where it will not be exposed to excessive moisture and humidity, dust, dirt or grime.
- The unit should be stored in the off position and unarmed.
- Your G8 Pro V2 device is engineered for normal electronic environments. If your G8 Pro V2 device becomes dusty, wipe with a non-static dust cloth or clean dry cotton swab.
- Most cleaning solvents are not suitable for your G8 Pro V2 and many can cause damage. Never use soap, detergent, or ammonia based cleaners on your G8 Pro V2 device.
- Never immerse your G8 Pro V2 device in water, solvent, detergent or an ultrasonic cleaning device.





- Damage to the internal electronics as well as the cosmetic appearance of your G8 Pro V2 may occur if these precautions and instructions are ignored.

90-DAY WARRANTY INFORMATION

Subject to the exclusions set forth below, Guardian 8, Corporation warrants its G8 Pro V2 Professional Security device and Accessories (as defined below) (the G8 Pro V2 and Accessories are collectively referred to as the "Products") to be free from defects in materials and workmanship under normal consumer usage for a period of **Ninety (90) days** from the date of purchase by the first consumer purchaser of the product. This limited warranty is a consumer's exclusive remedy, and applies to new Products purchased by consumers in the United States or Canada which are accompanied by this written warranty.

"Accessories" means those various items offered for sale by Guardian 8, Corporation and designed to be used in conjunction with the G8 Pro V2 device.

EXCLUSIONS

Wear and Tear: Periodic maintenance, repair and replacement of parts due to normal wear and tear are excluded from coverage.

Batteries: Failures related to abuse or non-compliance with instructions.





Canisters: All spray canister types (pepper, practice and U.V.) are covered by the manufacturer's warranty.

Abuse and Misuse: Defects or damage that result from: (a) improper operation, storage, misuse or abuse, accident or neglect, such as physical damage (cracks, scratches, etc.) to the surface of the Products resulting from misuse; (b) contact with liquid, water, rain, extreme humidity or heavy perspiration, sand, dirt or the like, extreme heat or food; (c) use of the Products for commercial purposes or subjecting the Products to abnormal usage or conditions; or, other acts which are not the fault of Guardian 8, Corporation are excluded from coverage.

Use of Non-Recommended Products: Defects or damage associated with the use of non-recommended charging accessories and/or spray canisters are excluded from coverage.

Unauthorized Service or Modification: Defects or damage associated with service, testing, adjustment, installation, maintenance, alteration or modification in any way by any person other than Guardian 8, Corporation or its authorized agents are excluded from coverage. Products with broken housings or seals or that show evidence of tampering are excluded from coverage.

Communication Services: Defects, damage or the failure of Products due to any communication service or signal that may be used with or subscribed to by the user of the Products are excluded from coverage.

**EXTENDED WARRANTIES MAY BE AVAILABLE BY
VISITING GUARDIAN8.COM**





TROUBLESHOOTING GUIDE

Device does not illuminate when powered on.

Battery not charged. Place rechargeable battery in desk top charger. Allow 2.5 h of continuous charging to achieve a full charge.

Spray does not discharge when trigger is fully pulled.

Replace depleted / missing canister. If still not functioning, obstruction of spray nozzle possible. If so, return for service.

Device remains illuminated when turned off.

Water damage likely. Return for service.

Device does not answer inbound phone calls when using the communications interface feature.

Device not paired with mobile phone. Refer to your mobile phone's user manual for Bluetooth pairing instructions.

Images stored on device appear cloudy.

Camera lens may be dirty. Gently wipe camera lens using dry, clean cotton swab.

Spray had no effect on aggressor.

Verify training spray (water) is not installed. Drugs, alcohol, and psychiatric state may diminish effects on pain tolerant individuals. Cease use if no effect is apparent.

Housing of device is damaged.

Return device for service and / or replacement. Do not deploy damage damaged devices out in the field.









15230 N. 75th St., Suite 1002
Scottsdale, AZ 85260

Guardian8.com
(877) 659-6007
(480) 426-1005

Publicly Traded as GRDH on the OTC Exchange
© 2013 All rights reserved by Guardian 8 Corporation

Version: g8.1.0

Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment