

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3500.01	50	64	32	22.05	22.93	< 30.00
		1	1	22.34	23.22	< 30.00
		1	131	21.95	22.83	< 30.00
		128	0	22.18	23.06	< 30.00
		1	132	21.73	22.61	< 30.00
		1	0	22.57	23.45	< 30.00
3525.00	50	64	32	21.98	22.86	< 30.00
		1	1	22.11	22.99	< 30.00
		1	131	21.72	22.60	< 30.00
		128	0	21.97	22.85	< 30.00
		1	132	21.70	22.58	< 30.00
		1	0	22.12	23.00	< 30.00
3480.00	60	81	40	22.35	23.23	< 30.00
		1	1	22.12	23.00	< 30.00
		1	160	21.70	22.58	< 30.00
		162	0	22.33	23.21	< 30.00
		1	161	21.88	22.76	< 30.00
		1	0	22.06	22.94	< 30.00
3500.01	60	81	40	22.17	23.05	< 30.00
		1	1	22.46	23.34	< 30.00
		1	160	21.85	22.73	< 30.00
		162	0	22.32	23.20	< 30.00
		1	161	21.93	22.81	< 30.00
		1	0	22.52	23.40	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3519.99	60	81	40	21.99	22.87	< 30.00
		1	1	22.17	23.05	< 30.00
		1	160	21.78	22.66	< 30.00
		162	0	22.02	22.90	< 30.00
		1	161	21.75	22.63	< 30.00
		1	0	22.28	23.16	< 30.00
3485.01	70	90	45	21.52	22.40	< 30.00
		1	1	21.62	22.50	< 30.00
		1	187	21.68	22.56	< 30.00
		180	0	21.58	22.46	< 30.00
		1	188	21.57	22.45	< 30.00
		1	0	21.58	22.46	< 30.00
3500.01	70	90	45	22.05	22.93	< 30.00
		1	1	22.00	22.88	< 30.00
		1	187	21.68	22.56	< 30.00
		180	0	21.95	22.83	< 30.00
		1	188	21.70	22.58	< 30.00
		1	0	21.99	22.87	< 30.00
3514.98	70	90	45	22.03	22.91	< 30.00
		1	1	21.95	22.83	< 30.00
		1	187	21.73	22.61	< 30.00
		180	0	22.05	22.93	< 30.00
		1	188	21.42	22.30	< 30.00
		1	0	21.90	22.78	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3490.02	80	108	54	22.23	23.11	< 30.00
		1	1	22.14	23.02	< 30.00
		1	215	21.64	22.52	< 30.00
		216	0	21.97	22.85	< 30.00
		1	216	21.70	22.58	< 30.00
		1	0	22.01	22.89	< 30.00
3500.01	80	108	54	21.88	22.76	< 30.00
		1	1	22.25	23.13	< 30.00
		1	215	21.99	22.87	< 30.00
		216	0	22.10	22.98	< 30.00
		1	216	21.81	22.69	< 30.00
		1	0	22.30	23.18	< 30.00
3510.00	80	108	54	21.83	22.71	< 30.00
		1	1	22.28	23.16	< 30.00
		1	215	21.81	22.69	< 30.00
		216	0	22.03	22.91	< 30.00
		1	216	21.75	22.63	< 30.00
		1	0	22.24	23.12	< 30.00
3495.00	90	120	60	22.01	22.89	< 30.00
		1	1	22.24	23.12	< 30.00
		1	243	21.91	22.79	< 30.00
		243	0	22.19	23.07	< 30.00
		1	244	21.80	22.68	< 30.00
		1	0	21.90	22.78	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3500.01	90	120	60	22.01	22.89	< 30.00
		1	1	22.31	23.19	< 30.00
		1	243	22.13	23.01	< 30.00
		243	0	22.01	22.89	< 30.00
		1	244	21.79	22.67	< 30.00
		1	0	22.20	23.08	< 30.00
3504.99	90	120	60	22.09	22.97	< 30.00
		1	1	22.25	23.13	< 30.00
		1	243	22.06	22.94	< 30.00
		243	0	22.02	22.90	< 30.00
		1	244	21.87	22.75	< 30.00
		1	0	21.94	22.82	< 30.00
3500.01	100	135	67	22.02	22.90	< 30.00
		1	1	21.94	22.82	< 30.00
		1	271	21.87	22.75	< 30.00
		270	0	22.28	23.16	< 30.00
		1	272	21.67	22.55	< 30.00
		1	0	21.86	22.74	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3455.01	10	12	6	25.52	26.40	< 30.00
		1	1	25.36	26.24	< 30.00
		1	22	25.52	26.40	< 30.00
		24	0	23.92	24.80	< 30.00
		1	23	23.49	24.37	< 30.00
		1	0	23.29	24.17	< 30.00
3500.01	10	12	6	25.16	26.04	< 30.00
		1	1	25.08	25.96	< 30.00
		1	22	24.88	25.76	< 30.00
		24	0	23.53	24.41	< 30.00
		1	23	22.94	23.82	< 30.00
		1	0	23.09	23.97	< 30.00
3544.98	10	12	6	25.01	25.89	< 30.00
		1	1	25.00	25.88	< 30.00
		1	22	24.96	25.84	< 30.00
		24	0	23.52	24.40	< 30.00
		1	23	23.29	24.17	< 30.00
		1	0	23.06	23.94	< 30.00
3457.50	15	19	9	25.66	26.54	< 30.00
		1	1	25.41	26.29	< 30.00
		1	36	25.48	26.36	< 30.00
		38	0	24.15	25.03	< 30.00
		1	37	23.77	24.65	< 30.00
		1	0	23.40	24.28	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3500.01	15	19	9	25.21	26.09	< 30.00
		1	1	25.39	26.27	< 30.00
		1	36	25.02	25.90	< 30.00
		38	0	23.66	24.54	< 30.00
		1	37	23.08	23.96	< 30.00
		1	0	23.34	24.22	< 30.00
3542.49	15	19	9	25.15	26.03	< 30.00
		1	1	25.26	26.14	< 30.00
		1	36	25.03	25.91	< 30.00
		38	0	23.66	24.54	< 30.00
		1	37	23.01	23.89	< 30.00
		1	0	23.13	24.01	< 30.00
3460.02	20	25	12	25.64	26.52	< 30.00
		1	1	25.44	26.32	< 30.00
		1	49	25.54	26.42	< 30.00
		51	0	24.14	25.02	< 30.00
		1	50	23.56	24.44	< 30.00
		1	0	23.45	24.33	< 30.00
3500.01	20	25	12	25.27	26.15	< 30.00
		1	1	25.52	26.40	< 30.00
		1	49	24.94	25.82	< 30.00
		51	0	23.70	24.58	< 30.00
		1	50	22.95	23.83	< 30.00
		1	0	23.34	24.22	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3540.00	20	25	12	25.18	26.06	< 30.00
		1	1	25.13	26.01	< 30.00
		1	49	25.17	26.05	< 30.00
		51	0	23.67	24.55	< 30.00
		1	50	23.62	24.50	< 30.00
		1	0	23.09	23.97	< 30.00
3462.51	25	33	16	24.41	25.29	< 30.00
		1	1	24.41	25.29	< 30.00
		1	63	24.71	25.59	< 30.00
		65	0	22.99	23.87	< 30.00
		1	0	22.48	23.36	< 30.00
		1	64	22.63	23.51	< 30.00
3500.01	25	33	16	23.99	24.87	< 30.00
		1	1	24.29	25.17	< 30.00
		1	63	24.15	25.03	< 30.00
		65	0	22.45	23.33	< 30.00
		1	0	22.32	23.20	< 30.00
		1	64	21.96	22.84	< 30.00
3537.48	25	33	16	23.87	24.75	< 30.00
		1	1	23.90	24.78	< 30.00
		1	63	23.83	24.71	< 30.00
		65	0	22.34	23.22	< 30.00
		1	0	21.93	22.81	< 30.00
		1	64	22.15	23.03	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3464.00	30	39	19	25.56	26.44	< 30.00
		1	1	25.42	26.30	< 30.00
		1	76	25.58	26.46	< 30.00
		78	0	24.04	24.92	< 30.00
		1	77	23.50	24.38	< 30.00
		1	0	23.37	24.25	< 30.00
3500.01	30	39	19	25.14	26.02	< 30.00
		1	1	25.46	26.34	< 30.00
		1	76	25.12	26.00	< 30.00
		78	0	23.87	24.75	< 30.00
		1	77	22.76	23.64	< 30.00
		1	0	23.40	24.28	< 30.00
3534.99	30	39	19	25.20	26.08	< 30.00
		1	1	25.14	26.02	< 30.00
		1	76	25.13	26.01	< 30.00
		78	0	23.72	24.60	< 30.00
		1	77	23.08	23.96	< 30.00
		1	0	23.13	24.01	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3470.01	40	53	26	25.58	26.46	< 30.00
		1	1	25.52	26.40	< 30.00
		1	104	25.36	26.24	< 30.00
		106	0	24.05	24.93	< 30.00
		1	105	23.50	24.38	< 30.00
		1	0	23.48	24.36	< 30.00
3500.01	40	53	26	25.32	26.20	< 30.00
		1	1	25.76	26.64	< 30.00
		1	104	25.13	26.01	< 30.00
		106	0	23.86	24.74	< 30.00
		1	105	23.18	24.06	< 30.00
		1	0	23.57	24.45	< 30.00
3529.98	40	53	26	25.22	26.10	< 30.00
		1	1	25.21	26.09	< 30.00
		1	104	25.20	26.08	< 30.00
		106	0	23.76	24.64	< 30.00
		1	105	23.61	24.49	< 30.00
		1	0	23.17	24.05	< 30.00
3475.02	50	67	33	25.47	26.35	< 30.00
		1	1	25.36	26.24	< 30.00
		1	131	24.96	25.84	< 30.00
		133	0	23.91	24.79	< 30.00
		1	132	23.06	23.94	< 30.00
		1	0	23.28	24.16	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3500.01	50	67	33	25.13	26.01	< 30.00
		1	1	25.57	26.45	< 30.00
		1	131	24.84	25.72	< 30.00
		133	0	23.72	24.60	< 30.00
		1	132	22.98	23.86	< 30.00
		1	0	23.50	24.38	< 30.00
3525.00	50	67	33	25.00	25.88	< 30.00
		1	1	25.15	26.03	< 30.00
		1	131	24.79	25.67	< 30.00
		133	0	23.47	24.35	< 30.00
		1	132	22.90	23.78	< 30.00
		1	0	22.88	23.76	< 30.00
3480.00	60	81	40	25.48	26.36	< 30.00
		1	1	25.21	26.09	< 30.00
		1	160	24.78	25.66	< 30.00
		162	0	23.90	24.78	< 30.00
		1	161	22.83	23.71	< 30.00
		1	0	23.31	24.19	< 30.00
3500.01	60	81	40	25.23	26.11	< 30.00
		1	1	25.41	26.29	< 30.00
		1	160	24.83	25.71	< 30.00
		162	0	23.68	24.56	< 30.00
		1	161	22.98	23.86	< 30.00
		1	0	23.33	24.21	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3519.99	60	81	40	25.00	25.88	< 30.00
		1	1	25.29	26.17	< 30.00
		1	160	24.86	25.74	< 30.00
		162	0	23.53	24.41	< 30.00
		1	161	22.83	23.71	< 30.00
		1	0	23.35	24.23	< 30.00
3485.01	70	90	45	24.57	25.45	< 30.00
		1	1	24.94	25.82	< 30.00
		1	187	24.90	25.78	< 30.00
		180	0	23.16	24.04	< 30.00
		1	188	22.79	23.67	< 30.00
		1	0	22.96	23.84	< 30.00
3500.01	70	90	45	25.00	25.88	< 30.00
		1	1	25.31	26.19	< 30.00
		1	187	24.89	25.77	< 30.00
		180	0	23.52	24.40	< 30.00
		1	188	23.13	24.01	< 30.00
		1	0	23.29	24.17	< 30.00
3514.98	70	90	45	25.01	25.89	< 30.00
		1	1	25.17	26.05	< 30.00
		1	187	24.84	25.72	< 30.00
		180	0	23.52	24.40	< 30.00
		1	188	22.79	23.67	< 30.00
		1	0	23.19	24.07	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3490.02	80	109	54	25.14	26.02	< 30.00
		1	1	25.12	26.00	< 30.00
		1	215	24.89	25.77	< 30.00
		217	0	23.63	24.51	< 30.00
		1	216	22.92	23.80	< 30.00
		1	0	22.87	23.75	< 30.00
3500.01	80	109	54	24.96	25.84	< 30.00
		1	1	25.41	26.29	< 30.00
		1	215	24.94	25.82	< 30.00
		217	0	23.49	24.37	< 30.00
		1	216	22.77	23.65	< 30.00
		1	0	23.23	24.11	< 30.00
3510.00	80	109	54	24.93	25.81	< 30.00
		1	1	25.38	26.26	< 30.00
		1	215	24.79	25.67	< 30.00
		217	0	23.59	24.47	< 30.00
		1	216	22.70	23.58	< 30.00
		1	0	23.21	24.09	< 30.00
3495.00	90	123	61	25.05	25.93	< 30.00
		1	1	25.09	25.97	< 30.00
		1	243	24.82	25.70	< 30.00
		245	0	23.58	24.46	< 30.00
		1	244	22.84	23.72	< 30.00
		1	0	23.07	23.95	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3500.01	90	123	61	24.99	25.87	< 30.00
		1	1	25.24	26.12	< 30.00
		1	243	24.78	25.66	< 30.00
		245	0	23.53	24.41	< 30.00
		1	244	22.77	23.65	< 30.00
		1	0	23.07	23.95	< 30.00
3504.99	90	123	61	24.98	25.86	< 30.00
		1	1	25.22	26.10	< 30.00
		1	243	24.94	25.82	< 30.00
		245	0	23.46	24.34	< 30.00
		1	244	22.96	23.84	< 30.00
		1	0	23.12	24.00	< 30.00
3500.01	100	137	68	25.02	25.90	< 30.00
		1	1	24.97	25.85	< 30.00
		1	271	24.88	25.76	< 30.00
		273	0	23.55	24.43	< 30.00
		1	272	22.80	23.68	< 30.00
		1	0	22.82	23.70	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3455.01	10	12	6	24.79	25.67	< 30.00
		1	1	24.93	25.81	< 30.00
		1	22	25.00	25.88	< 30.00
		24	0	24.00	24.88	< 30.00
		1	23	23.35	24.23	< 30.00
		1	0	23.06	23.94	< 30.00
3500.01	10	12	6	24.61	25.49	< 30.00
		1	1	24.74	25.62	< 30.00
		1	22	24.38	25.26	< 30.00
		24	0	23.71	24.59	< 30.00
		1	23	22.90	23.78	< 30.00
		1	0	23.15	24.03	< 30.00
3544.98	10	12	6	24.56	25.44	< 30.00
		1	1	24.46	25.34	< 30.00
		1	22	24.21	25.09	< 30.00
		24	0	23.52	24.40	< 30.00
		1	23	22.75	23.63	< 30.00
		1	0	23.27	24.15	< 30.00
3457.50	15	19	9	25.04	25.92	< 30.00
		1	1	24.89	25.77	< 30.00
		1	36	24.79	25.67	< 30.00
		38	0	24.19	25.07	< 30.00
		1	37	23.67	24.55	< 30.00
		1	0	23.43	24.31	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3500.01	15	19	9	24.67	25.55	< 30.00
		1	1	24.73	25.61	< 30.00
		1	36	24.24	25.12	< 30.00
		38	0	23.71	24.59	< 30.00
		1	37	23.19	24.07	< 30.00
		1	0	23.45	24.33	< 30.00
3542.49	15	19	9	24.67	25.55	< 30.00
		1	1	24.41	25.29	< 30.00
		1	36	24.33	25.21	< 30.00
		38	0	23.64	24.52	< 30.00
		1	37	22.94	23.82	< 30.00
		1	0	23.25	24.13	< 30.00
3460.02	20	25	12	25.15	26.03	< 30.00
		1	1	24.78	25.66	< 30.00
		1	49	24.89	25.77	< 30.00
		51	0	24.08	24.96	< 30.00
		1	50	23.56	24.44	< 30.00
		1	0	23.25	24.13	< 30.00
3500.01	20	25	12	24.73	25.61	< 30.00
		1	1	24.69	25.57	< 30.00
		1	49	24.78	25.66	< 30.00
		51	0	23.62	24.50	< 30.00
		1	50	22.98	23.86	< 30.00
		1	0	23.32	24.20	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3540.00	20	25	12	24.73	25.61	< 30.00
		1	1	24.47	25.35	< 30.00
		1	49	24.66	25.54	< 30.00
		51	0	23.66	24.54	< 30.00
		1	50	23.20	24.08	< 30.00
		1	0	23.20	24.08	< 30.00
3462.51	25	33	16	23.96	24.84	< 30.00
		1	1	23.82	24.70	< 30.00
		1	63	24.06	24.94	< 30.00
		65	0	23.05	23.93	< 30.00
		1	0	22.24	23.12	< 30.00
		1	64	22.27	23.15	< 30.00
3500.01	25	33	16	23.50	24.38	< 30.00
		1	1	23.73	24.61	< 30.00
		1	63	23.40	24.28	< 30.00
		65	0	22.47	23.35	< 30.00
		1	0	22.23	23.11	< 30.00
		1	64	21.89	22.77	< 30.00
3537.48	25	33	16	23.44	24.32	< 30.00
		1	1	23.34	24.22	< 30.00
		1	63	23.26	24.14	< 30.00
		65	0	22.46	23.34	< 30.00
		1	0	21.81	22.69	< 30.00
		1	64	21.68	22.56	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3464.00	30	39	19	25.02	25.90	< 30.00
		1	1	24.63	25.51	< 30.00
		1	76	24.77	25.65	< 30.00
		78	0	24.12	25.00	< 30.00
		1	77	23.71	24.59	< 30.00
		1	0	23.29	24.17	< 30.00
3500.01	30	39	19	24.78	25.66	< 30.00
		1	1	24.98	25.86	< 30.00
		1	76	24.50	25.38	< 30.00
		78	0	23.70	24.58	< 30.00
		1	77	22.79	23.67	< 30.00
		1	0	23.58	24.46	< 30.00
3534.99	30	39	19	24.73	25.61	< 30.00
		1	1	24.86	25.74	< 30.00
		1	76	24.67	25.55	< 30.00
		78	0	23.74	24.62	< 30.00
		1	77	23.33	24.21	< 30.00
		1	0	23.19	24.07	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3470.01	40	53	26	25.09	25.97	< 30.00
		1	1	24.99	25.87	< 30.00
		1	104	24.84	25.72	< 30.00
		106	0	24.10	24.98	< 30.00
		1	105	23.36	24.24	< 30.00
		1	0	23.61	24.49	< 30.00
3500.01	40	53	26	24.84	25.72	< 30.00
		1	1	25.00	25.88	< 30.00
		1	104	24.68	25.56	< 30.00
		106	0	23.92	24.80	< 30.00
		1	105	23.19	24.07	< 30.00
		1	0	23.58	24.46	< 30.00
3529.98	40	53	26	24.71	25.59	< 30.00
		1	1	24.49	25.37	< 30.00
		1	104	24.58	25.46	< 30.00
		106	0	23.83	24.71	< 30.00
		1	105	23.23	24.11	< 30.00
		1	0	23.11	23.99	< 30.00
3475.02	50	67	33	25.01	25.89	< 30.00
		1	1	24.88	25.76	< 30.00
		1	131	24.61	25.49	< 30.00
		133	0	23.92	24.80	< 30.00
		1	132	23.16	24.04	< 30.00
		1	0	23.24	24.12	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3500.01	50	67	33	24.68	25.56	< 30.00
		1	1	24.84	25.72	< 30.00
		1	131	24.25	25.13	< 30.00
		133	0	23.67	24.55	< 30.00
		1	132	22.91	23.79	< 30.00
		1	0	23.55	24.43	< 30.00
3525.00	50	67	33	24.57	25.45	< 30.00
		1	1	24.60	25.48	< 30.00
		1	131	24.32	25.20	< 30.00
		133	0	23.58	24.46	< 30.00
		1	132	22.85	23.73	< 30.00
		1	0	23.16	24.04	< 30.00
3480.00	60	81	40	25.00	25.88	< 30.00
		1	1	24.74	25.62	< 30.00
		1	160	24.52	25.40	< 30.00
		162	0	23.89	24.77	< 30.00
		1	161	22.81	23.69	< 30.00
		1	0	22.90	23.78	< 30.00
3500.01	60	81	40	24.72	25.60	< 30.00
		1	1	24.93	25.81	< 30.00
		1	160	24.65	25.53	< 30.00
		162	0	23.65	24.53	< 30.00
		1	161	22.96	23.84	< 30.00
		1	0	23.31	24.19	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3519.99	60	81	40	24.53	25.41	< 30.00
		1	1	24.58	25.46	< 30.00
		1	160	24.62	25.50	< 30.00
		162	0	23.53	24.41	< 30.00
		1	161	22.77	23.65	< 30.00
		1	0	23.05	23.93	< 30.00
3485.01	70	95	47	24.02	24.90	< 30.00
		1	1	24.10	24.98	< 30.00
		1	187	24.04	24.92	< 30.00
		189	0	23.23	24.11	< 30.00
		1	188	22.49	23.37	< 30.00
		1	0	22.76	23.64	< 30.00
3500.01	70	95	47	24.52	25.40	< 30.00
		1	1	24.44	25.32	< 30.00
		1	187	24.13	25.01	< 30.00
		189	0	23.49	24.37	< 30.00
		1	188	22.75	23.63	< 30.00
		1	0	22.97	23.85	< 30.00
3514.98	70	95	47	24.54	25.42	< 30.00
		1	1	24.42	25.30	< 30.00
		1	187	24.03	24.91	< 30.00
		189	0	23.48	24.36	< 30.00
		1	188	22.48	23.36	< 30.00
		1	0	22.94	23.82	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3490.02	80	109	54	24.54	25.42	< 30.00
		1	1	24.56	25.44	< 30.00
		1	215	23.94	24.82	< 30.00
		217	0	23.55	24.43	< 30.00
		1	216	23.05	23.93	< 30.00
		1	0	23.16	24.04	< 30.00
3500.01	80	109	54	24.48	25.36	< 30.00
		1	1	24.55	25.43	< 30.00
		1	215	24.00	24.88	< 30.00
		217	0	23.51	24.39	< 30.00
		1	216	22.83	23.71	< 30.00
		1	0	23.14	24.02	< 30.00
3510.00	80	109	54	24.39	25.27	< 30.00
		1	1	24.72	25.60	< 30.00
		1	215	24.36	25.24	< 30.00
		217	0	23.42	24.30	< 30.00
		1	216	22.61	23.49	< 30.00
		1	0	23.14	24.02	< 30.00
3495.00	90	123	61	24.59	25.47	< 30.00
		1	1	24.51	25.39	< 30.00
		1	243	24.32	25.20	< 30.00
		245	0	23.65	24.53	< 30.00
		1	244	22.74	23.62	< 30.00
		1	0	23.17	24.05	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3500.01	90	123	61	24.56	25.44	< 30.00
		1	1	24.49	25.37	< 30.00
		1	243	24.27	25.15	< 30.00
		245	0	23.53	24.41	< 30.00
		1	244	23.00	23.88	< 30.00
		1	0	23.26	24.14	< 30.00
3504.99	90	123	61	24.52	25.40	< 30.00
		1	1	24.65	25.53	< 30.00
		1	243	24.15	25.03	< 30.00
		245	0	23.55	24.43	< 30.00
		1	244	22.72	23.60	< 30.00
		1	0	23.21	24.09	< 30.00
3500.01	100	137	68	24.56	25.44	< 30.00
		1	1	24.50	25.38	< 30.00
		1	271	24.11	24.99	< 30.00
		273	0	23.46	24.34	< 30.00
		1	272	22.72	23.60	< 30.00
		1	0	23.00	23.88	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3455.01	10	12	6	23.49	24.37	< 30.00
		1	1	23.40	24.28	< 30.00
		1	22	23.59	24.47	< 30.00
		24	0	23.50	24.38	< 30.00
		1	23	23.38	24.26	< 30.00
		1	0	23.28	24.16	< 30.00
3500.01	10	12	6	23.20	24.08	< 30.00
		1	1	23.22	24.10	< 30.00
		1	22	22.75	23.63	< 30.00
		24	0	23.04	23.92	< 30.00
		1	23	23.04	23.92	< 30.00
		1	0	23.30	24.18	< 30.00
3544.98	10	12	6	23.07	23.95	< 30.00
		1	1	23.20	24.08	< 30.00
		1	22	23.17	24.05	< 30.00
		24	0	23.20	24.08	< 30.00
		1	23	22.76	23.64	< 30.00
		1	0	23.07	23.95	< 30.00
3457.50	15	19	9	23.50	24.38	< 30.00
		1	1	23.61	24.49	< 30.00
		1	36	23.84	24.72	< 30.00
		38	0	23.63	24.51	< 30.00
		1	37	23.79	24.67	< 30.00
		1	0	23.57	24.45	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3500.01	15	19	9	23.14	24.02	< 30.00
		1	1	23.36	24.24	< 30.00
		1	36	23.35	24.23	< 30.00
		38	0	23.21	24.09	< 30.00
		1	37	22.62	23.50	< 30.00
		1	0	23.24	24.12	< 30.00
3542.49	15	19	9	23.12	24.00	< 30.00
		1	1	23.25	24.13	< 30.00
		1	36	23.04	23.92	< 30.00
		38	0	23.23	24.11	< 30.00
		1	37	23.09	23.97	< 30.00
		1	0	23.29	24.17	< 30.00
3460.02	20	25	12	23.64	24.52	< 30.00
		1	1	23.59	24.47	< 30.00
		1	49	23.75	24.63	< 30.00
		51	0	23.58	24.46	< 30.00
		1	50	23.79	24.67	< 30.00
		1	0	23.64	24.52	< 30.00
3500.01	20	25	12	23.34	24.22	< 30.00
		1	1	23.40	24.28	< 30.00
		1	49	23.07	23.95	< 30.00
		51	0	23.17	24.05	< 30.00
		1	50	23.12	24.00	< 30.00
		1	0	23.38	24.26	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3540.00	20	25	12	23.16	24.04	< 30.00
		1	1	23.25	24.13	< 30.00
		1	49	23.17	24.05	< 30.00
		51	0	23.17	24.05	< 30.00
		1	50	23.23	24.11	< 30.00
		1	0	23.11	23.99	< 30.00
3462.51	25	33	16	22.47	23.35	< 30.00
		1	1	22.43	23.31	< 30.00
		1	63	22.59	23.47	< 30.00
		65	0	22.39	23.27	< 30.00
		1	0	22.20	23.08	< 30.00
		1	64	22.53	23.41	< 30.00
3500.01	25	33	16	21.89	22.77	< 30.00
		1	1	22.32	23.20	< 30.00
		1	63	21.82	22.70	< 30.00
		65	0	21.98	22.86	< 30.00
		1	0	22.26	23.14	< 30.00
		1	64	21.69	22.57	< 30.00
3537.48	25	33	16	21.81	22.69	< 30.00
		1	1	21.89	22.77	< 30.00
		1	63	21.81	22.69	< 30.00
		65	0	21.88	22.76	< 30.00
		1	0	21.75	22.63	< 30.00
		1	64	21.80	22.68	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3464.00	30	39	19	23.64	24.52	< 30.00
		1	1	23.39	24.27	< 30.00
		1	76	23.60	24.48	< 30.00
		78	0	23.60	24.48	< 30.00
		1	77	23.63	24.51	< 30.00
		1	0	23.50	24.38	< 30.00
3500.01	30	39	19	23.21	24.09	< 30.00
		1	1	23.51	24.39	< 30.00
		1	76	23.10	23.98	< 30.00
		78	0	23.25	24.13	< 30.00
		1	77	23.23	24.11	< 30.00
		1	0	23.45	24.33	< 30.00
3534.99	30	39	19	23.11	23.99	< 30.00
		1	1	23.44	24.32	< 30.00
		1	76	23.27	24.15	< 30.00
		78	0	23.31	24.19	< 30.00
		1	77	23.18	24.06	< 30.00
		1	0	22.75	23.63	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3470.01	40	53	26	23.71	24.59	< 30.00
		1	1	23.50	24.38	< 30.00
		1	104	23.45	24.33	< 30.00
		106	0	23.57	24.45	< 30.00
		1	105	23.43	24.31	< 30.00
		1	0	23.51	24.39	< 30.00
3500.01	40	53	26	23.33	24.21	< 30.00
		1	1	23.57	24.45	< 30.00
		1	104	22.91	23.79	< 30.00
		106	0	23.45	24.33	< 30.00
		1	105	23.45	24.33	< 30.00
		1	0	23.68	24.56	< 30.00
3529.98	40	53	26	23.22	24.10	< 30.00
		1	1	23.07	23.95	< 30.00
		1	104	23.15	24.03	< 30.00
		106	0	23.37	24.25	< 30.00
		1	105	23.11	23.99	< 30.00
		1	0	23.23	24.11	< 30.00
3475.02	50	67	33	23.51	24.39	< 30.00
		1	1	23.47	24.35	< 30.00
		1	131	23.21	24.09	< 30.00
		133	0	23.30	24.18	< 30.00
		1	132	23.10	23.98	< 30.00
		1	0	23.37	24.25	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3500.01	50	67	33	23.08	23.96	< 30.00
		1	1	23.61	24.49	< 30.00
		1	131	22.95	23.83	< 30.00
		133	0	23.28	24.16	< 30.00
		1	132	23.01	23.89	< 30.00
		1	0	23.79	24.67	< 30.00
3525.00	50	67	33	23.09	23.97	< 30.00
		1	1	23.31	24.19	< 30.00
		1	131	22.94	23.82	< 30.00
		133	0	23.13	24.01	< 30.00
		1	132	22.94	23.82	< 30.00
		1	0	23.29	24.17	< 30.00
3480.00	60	81	40	23.33	24.21	< 30.00
		1	1	23.25	24.13	< 30.00
		1	160	23.00	23.88	< 30.00
		162	0	23.48	24.36	< 30.00
		1	161	23.06	23.94	< 30.00
		1	0	23.31	24.19	< 30.00
3500.01	60	81	40	23.08	23.96	< 30.00
		1	1	23.66	24.54	< 30.00
		1	160	22.67	23.55	< 30.00
		162	0	23.13	24.01	< 30.00
		1	161	22.64	23.52	< 30.00
		1	0	23.45	24.33	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3519.99	60	81	40	22.98	23.86	< 30.00
		1	1	23.21	24.09	< 30.00
		1	160	23.20	24.08	< 30.00
		162	0	23.10	23.98	< 30.00
		1	161	22.98	23.86	< 30.00
		1	0	23.35	24.23	< 30.00
3485.01	70	95	47	22.52	23.40	< 30.00
		1	1	22.82	23.70	< 30.00
		1	187	22.67	23.55	< 30.00
		189	0	22.70	23.58	< 30.00
		1	188	22.62	23.50	< 30.00
		1	0	22.70	23.58	< 30.00
3500.01	70	95	47	22.99	23.87	< 30.00
		1	1	23.17	24.05	< 30.00
		1	187	22.83	23.71	< 30.00
		189	0	23.06	23.94	< 30.00
		1	188	22.71	23.59	< 30.00
		1	0	23.22	24.10	< 30.00
3514.98	70	95	47	23.04	23.92	< 30.00
		1	1	23.03	23.91	< 30.00
		1	187	22.70	23.58	< 30.00
		189	0	23.01	23.89	< 30.00
		1	188	22.73	23.61	< 30.00
		1	0	23.07	23.95	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3490.02	80	109	54	23.08	23.96	< 30.00
		1	1	23.08	23.96	< 30.00
		1	215	22.58	23.46	< 30.00
		217	0	23.19	24.07	< 30.00
		1	216	22.80	23.68	< 30.00
		1	0	23.04	23.92	< 30.00
3500.01	80	109	54	22.96	23.84	< 30.00
		1	1	23.18	24.06	< 30.00
		1	215	22.63	23.51	< 30.00
		217	0	23.05	23.93	< 30.00
		1	216	22.78	23.66	< 30.00
		1	0	23.32	24.20	< 30.00
3510.00	80	109	54	23.01	23.89	< 30.00
		1	1	23.17	24.05	< 30.00
		1	215	22.85	23.73	< 30.00
		217	0	23.07	23.95	< 30.00
		1	216	22.77	23.65	< 30.00
		1	0	23.22	24.10	< 30.00
3495.00	90	123	61	23.02	23.90	< 30.00
		1	1	23.10	23.98	< 30.00
		1	243	22.72	23.60	< 30.00
		245	0	23.15	24.03	< 30.00
		1	244	23.43	24.31	< 30.00
		1	0	23.09	23.97	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3500.01	90	123	61	23.01	23.89	< 30.00
		1	1	23.26	24.14	< 30.00
		1	243	22.30	23.18	< 30.00
		245	0	23.07	23.95	< 30.00
		1	244	22.33	23.21	< 30.00
		1	0	22.97	23.85	< 30.00
3504.99	90	123	61	22.90	23.78	< 30.00
		1	1	23.14	24.02	< 30.00
		1	243	22.74	23.62	< 30.00
		245	0	22.99	23.87	< 30.00
		1	244	22.88	23.76	< 30.00
		1	0	22.93	23.81	< 30.00
3500.01	100	137	68	23.01	23.89	< 30.00
		1	1	23.00	23.88	< 30.00
		1	271	22.65	23.53	< 30.00
		273	0	23.01	23.89	< 30.00
		1	272	22.82	23.70	< 30.00
		1	0	22.71	23.59	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3455.01	10	12	6	20.54	21.42	< 30.00
		1	1	20.64	21.52	< 30.00
		1	22	20.91	21.79	< 30.00
		24	0	20.37	21.25	< 30.00
		1	23	20.76	21.64	< 30.00
		1	0	20.86	21.74	< 30.00
3500.01	10	12	6	20.19	21.07	< 30.00
		1	1	20.49	21.37	< 30.00
		1	22	20.40	21.28	< 30.00
		24	0	20.23	21.11	< 30.00
		1	23	20.36	21.24	< 30.00
		1	0	20.52	21.40	< 30.00
3544.98	10	12	6	20.27	21.15	< 30.00
		1	1	19.97	20.85	< 30.00
		1	22	20.77	21.65	< 30.00
		24	0	20.23	21.11	< 30.00
		1	23	20.48	21.36	< 30.00
		1	0	20.36	21.24	< 30.00
3457.50	15	19	9	20.62	21.50	< 30.00
		1	1	20.89	21.77	< 30.00
		1	36	20.90	21.78	< 30.00
		38	0	20.57	21.45	< 30.00
		1	37	21.06	21.94	< 30.00
		1	0	20.98	21.86	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3500.01	15	19	9	20.38	21.26	< 30.00
		1	1	20.60	21.48	< 30.00
		1	36	20.43	21.31	< 30.00
		38	0	20.41	21.29	< 30.00
		1	37	20.34	21.22	< 30.00
		1	0	20.67	21.55	< 30.00
3542.49	15	19	9	20.24	21.12	< 30.00
		1	1	20.53	21.41	< 30.00
		1	36	20.48	21.36	< 30.00
		38	0	20.26	21.14	< 30.00
		1	37	20.46	21.34	< 30.00
		1	0	20.38	21.26	< 30.00
3460.02	20	25	12	20.54	21.42	< 30.00
		1	1	20.74	21.62	< 30.00
		1	49	21.02	21.90	< 30.00
		51	0	20.87	21.75	< 30.00
		1	50	20.92	21.80	< 30.00
		1	0	20.80	21.68	< 30.00
3500.01	20	25	12	20.18	21.06	< 30.00
		1	1	20.64	21.52	< 30.00
		1	49	20.37	21.25	< 30.00
		51	0	20.25	21.13	< 30.00
		1	50	20.30	21.18	< 30.00
		1	0	20.64	21.52	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3540.00	20	25	12	20.12	21.00	< 30.00
		1	1	20.37	21.25	< 30.00
		1	49	20.44	21.32	< 30.00
		51	0	20.30	21.18	< 30.00
		1	50	20.44	21.32	< 30.00
		1	0	20.41	21.29	< 30.00
3462.51	25	33	16	19.32	20.20	< 30.00
		1	1	19.31	20.19	< 30.00
		1	63	19.46	20.34	< 30.00
		65	0	19.56	20.44	< 30.00
		1	0	19.11	19.99	< 30.00
		1	64	19.58	20.46	< 30.00
3500.01	25	33	16	18.88	19.76	< 30.00
		1	1	19.16	20.04	< 30.00
		1	63	18.82	19.70	< 30.00
		65	0	18.93	19.81	< 30.00
		1	0	19.08	19.96	< 30.00
		1	64	18.69	19.57	< 30.00
3537.48	25	33	16	18.78	19.66	< 30.00
		1	1	18.89	19.77	< 30.00
		1	63	18.44	19.32	< 30.00
		65	0	18.97	19.85	< 30.00
		1	0	18.80	19.68	< 30.00
		1	64	18.99	19.87	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3464.00	30	39	19	20.66	21.54	< 30.00
		1	1	20.66	21.54	< 30.00
		1	76	20.90	21.78	< 30.00
		78	0	20.87	21.75	< 30.00
		1	77	21.06	21.94	< 30.00
		1	0	20.83	21.71	< 30.00
3500.01	30	39	19	20.31	21.19	< 30.00
		1	1	21.02	21.90	< 30.00
		1	76	20.37	21.25	< 30.00
		78	0	20.38	21.26	< 30.00
		1	77	19.99	20.87	< 30.00
		1	0	20.84	21.72	< 30.00
3534.99	30	39	19	20.37	21.25	< 30.00
		1	1	20.79	21.67	< 30.00
		1	76	20.66	21.54	< 30.00
		78	0	20.45	21.33	< 30.00
		1	77	20.59	21.47	< 30.00
		1	0	20.64	21.52	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3470.01	40	53	26	20.66	21.54	< 30.00
		1	1	21.33	22.21	< 30.00
		1	104	21.07	21.95	< 30.00
		106	0	20.74	21.62	< 30.00
		1	105	20.81	21.69	< 30.00
		1	0	21.12	22.00	< 30.00
3500.01	40	53	26	20.45	21.33	< 30.00
		1	1	21.01	21.89	< 30.00
		1	104	20.72	21.60	< 30.00
		106	0	20.42	21.30	< 30.00
		1	105	20.54	21.42	< 30.00
		1	0	21.04	21.92	< 30.00
3529.98	40	53	26	20.46	21.34	< 30.00
		1	1	20.54	21.42	< 30.00
		1	104	21.11	21.99	< 30.00
		106	0	20.27	21.15	< 30.00
		1	105	21.03	21.91	< 30.00
		1	0	20.77	21.65	< 30.00
3475.02	50	67	33	20.47	21.35	< 30.00
		1	1	20.76	21.64	< 30.00
		1	131	20.49	21.37	< 30.00
		133	0	20.41	21.29	< 30.00
		1	132	20.28	21.16	< 30.00
		1	0	20.72	21.60	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3500.01	50	67	33	20.09	20.97	< 30.00
		1	1	20.93	21.81	< 30.00
		1	131	20.52	21.40	< 30.00
		133	0	20.39	21.27	< 30.00
		1	132	20.38	21.26	< 30.00
		1	0	20.80	21.68	< 30.00
3525.00	50	67	33	20.06	20.94	< 30.00
		1	1	20.48	21.36	< 30.00
		1	131	20.34	21.22	< 30.00
		133	0	20.02	20.90	< 30.00
		1	132	20.15	21.03	< 30.00
		1	0	20.56	21.44	< 30.00
3480.00	60	81	40	20.51	21.39	< 30.00
		1	1	20.73	21.61	< 30.00
		1	160	19.91	20.79	< 30.00
		162	0	20.56	21.44	< 30.00
		1	161	20.20	21.08	< 30.00
		1	0	20.58	21.46	< 30.00
3500.01	60	81	40	20.15	21.03	< 30.00
		1	1	20.75	21.63	< 30.00
		1	160	20.20	21.08	< 30.00
		162	0	20.18	21.06	< 30.00
		1	161	20.19	21.07	< 30.00
		1	0	21.10	21.98	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3519.99	60	81	40	20.16	21.04	21.04
		1	1	20.48	21.36	21.36
		1	160	20.51	21.39	21.39
		162	0	20.14	21.02	21.02
		1	161	20.20	21.08	21.08
		1	0	20.57	21.45	21.45
3485.01	70	95	47	19.49	20.37	20.37
		1	1	19.56	20.44	20.44
		1	187	19.54	20.42	20.42
		189	0	19.76	20.64	20.64
		1	188	19.37	20.25	20.25
		1	0	19.78	20.66	20.66
3500.01	70	95	47	20.05	20.93	20.93
		1	1	19.97	20.85	20.85
		1	187	19.69	20.57	20.57
		189	0	19.96	20.84	20.84
		1	188	19.64	20.52	20.52
		1	0	19.97	20.85	20.85
3514.98	70	95	47	20.00	20.88	20.88
		1	1	19.85	20.73	20.73
		1	187	19.56	20.44	20.44
		189	0	20.00	20.88	20.88
		1	188	19.51	20.39	20.39
		1	0	20.08	20.96	20.96
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3490.02	80	109	54	20.03	20.91	< 30.00
		1	1	20.39	21.27	< 30.00
		1	215	20.15	21.03	< 30.00
		217	0	20.05	20.93	< 30.00
		1	216	19.75	20.63	< 30.00
		1	0	20.47	21.35	< 30.00
3500.01	80	109	54	19.96	20.84	< 30.00
		1	1	20.63	21.51	< 30.00
		1	215	20.16	21.04	< 30.00
		217	0	20.06	20.94	< 30.00
		1	216	20.31	21.19	< 30.00
		1	0	20.59	21.47	< 30.00
3510.00	80	109	54	20.01	20.89	< 30.00
		1	1	20.48	21.36	< 30.00
		1	215	19.79	20.67	< 30.00
		217	0	19.93	20.81	< 30.00
		1	216	20.23	21.11	< 30.00
		1	0	20.89	21.77	< 30.00
3495.00	90	123	61	19.96	20.84	< 30.00
		1	1	20.40	21.28	< 30.00
		1	243	20.27	21.15	< 30.00
		245	0	20.16	21.04	< 30.00
		1	244	20.19	21.07	< 30.00
		1	0	20.41	21.29	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3500.01	90	123	61	19.94	20.82	< 30.00
		1	1	20.51	21.39	< 30.00
		1	243	20.18	21.06	< 30.00
		245	0	20.19	21.07	< 30.00
		1	244	20.03	20.91	< 30.00
		1	0	20.29	21.17	< 30.00
3504.99	90	123	61	19.97	20.85	< 30.00
		1	1	20.52	21.40	< 30.00
		1	243	20.10	20.98	< 30.00
		245	0	19.96	20.84	< 30.00
		1	244	20.23	21.11	< 30.00
		1	0	20.63	21.51	< 30.00
3500.01	100	137	68	20.01	20.89	< 30.00
		1	1	20.43	21.31	< 30.00
		1	271	20.20	21.08	< 30.00
		273	0	20.03	20.91	< 30.00
		1	272	20.08	20.96	< 30.00
		1	0	20.18	21.06	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						



n77/n78_SA (3700 ~ 3980)

MAX Power

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3972.48	15	1	36	24.38	25.26	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3930	100	1	271	23.93	24.81	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3969.99	20	1	1	24.47	25.35	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3930	100	1	271	24.11	24.99	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

**Power**

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3705.00	10	12	6	23.65	24.53	< 30.00
		1	1	23.43	24.31	< 30.00
		1	22	23.57	24.45	< 30.00
		24	0	23.65	24.53	< 30.00
		1	23	23.00	23.88	< 30.00
		1	0	23.04	23.92	< 30.00
3840.00	10	12	6	23.93	24.81	< 30.00
		1	1	23.78	24.66	< 30.00
		1	22	23.71	24.59	< 30.00
		24	0	24.00	24.88	< 30.00
		1	23	23.25	24.13	< 30.00
		1	0	23.16	24.04	< 30.00
3975.00	10	12	6	24.11	24.99	< 30.00
		1	1	24.04	24.92	< 30.00
		1	22	24.12	25.00	< 30.00
		24	0	24.20	25.08	< 30.00
		1	23	23.61	24.49	< 30.00
		1	0	23.59	24.47	< 30.00
3707.52	15	18	9	23.67	24.55	< 30.00
		1	1	23.66	24.54	< 30.00
		1	36	23.72	24.60	< 30.00
		36	0	23.71	24.59	< 30.00
		1	37	23.10	23.98	< 30.00
		1	0	23.22	24.10	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	15	18	9	24.19	25.07	< 30.00
		1	1	24.03	24.91	< 30.00
		1	36	24.03	24.91	< 30.00
		36	0	24.05	24.93	< 30.00
		1	37	23.57	24.45	< 30.00
		1	0	23.46	24.34	< 30.00
3972.48	15	18	9	24.26	25.14	< 30.00
		1	1	24.17	25.05	< 30.00
		1	36	24.28	25.16	< 30.00
		36	0	24.21	25.09	< 30.00
		1	37	23.70	24.58	< 30.00
		1	0	23.73	24.61	< 30.00
3710.01	20	25	12	23.76	24.64	< 30.00
		1	1	23.61	24.49	< 30.00
		1	49	23.53	24.41	< 30.00
		50	0	23.57	24.45	< 30.00
		1	50	23.26	24.14	< 30.00
		1	0	23.07	23.95	< 30.00
3840.00	20	25	12	24.09	24.97	< 30.00
		1	1	24.02	24.90	< 30.00
		1	49	23.97	24.85	< 30.00
		50	0	24.05	24.93	< 30.00
		1	50	23.37	24.25	< 30.00
		1	0	23.45	24.33	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3969.99	20	25	12	24.27	25.15	< 30.00
		1	1	24.00	24.88	< 30.00
		1	49	24.23	25.11	< 30.00
		50	0	24.23	25.11	< 30.00
		1	50	23.55	24.43	< 30.00
		1	0	23.70	24.58	< 30.00
3712.50	25	32	16	22.47	23.35	< 30.00
		1	1	22.27	23.15	< 30.00
		1	63	22.35	23.23	< 30.00
		64	0	22.33	23.21	< 30.00
		1	0	21.98	22.86	< 30.00
		1	64	21.79	22.67	< 30.00
3840.00	25	32	16	22.30	23.18	< 30.00
		1	1	22.39	23.27	< 30.00
		1	63	22.22	23.10	< 30.00
		64	0	22.42	23.30	< 30.00
		1	0	21.71	22.59	< 30.00
		1	64	21.77	22.65	< 30.00
3967.50	25	32	16	22.68	23.56	< 30.00
		1	1	22.58	23.46	< 30.00
		1	63	22.74	23.62	< 30.00
		64	0	22.60	23.48	< 30.00
		1	0	22.03	22.91	< 30.00
		1	64	22.21	23.09	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3715.02	30	36	78	23.68	24.56	< 30.00
		1	1	23.64	24.52	< 30.00
		1	76	23.66	24.54	< 30.00
		75	0	23.71	24.59	< 30.00
		1	77	23.19	24.07	< 30.00
		1	0	23.09	23.97	< 30.00
3840.00	30	36	78	23.98	24.86	< 30.00
		1	1	23.98	24.86	< 30.00
		1	76	23.84	24.72	< 30.00
		75	0	24.07	24.95	< 30.00
		1	77	23.41	24.29	< 30.00
		1	0	23.38	24.26	< 30.00
3964.98	30	36	78	24.13	25.01	< 30.00
		1	1	24.00	24.88	< 30.00
		1	76	24.21	25.09	< 30.00
		75	0	24.23	25.11	< 30.00
		1	77	23.56	24.44	< 30.00
		1	0	23.69	24.57	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3720.00	40	50	25	23.69	24.57	< 30.00
		1	1	23.87	24.75	< 30.00
		1	104	23.68	24.56	< 30.00
		100	0	23.65	24.53	< 30.00
		1	105	23.44	24.32	< 30.00
		1	0	23.16	24.04	< 30.00
3840.00	40	50	25	24.07	24.95	< 30.00
		1	1	24.11	24.99	< 30.00
		1	104	23.79	24.67	< 30.00
		100	0	24.01	24.89	< 30.00
		1	105	23.48	24.36	< 30.00
		1	0	23.43	24.31	< 30.00
3960.00	40	50	25	24.07	24.95	< 30.00
		1	1	24.05	24.93	< 30.00
		1	104	24.21	25.09	< 30.00
		100	0	24.13	25.01	< 30.00
		1	105	23.53	24.41	< 30.00
		1	0	23.88	24.76	< 30.00
3725.01	50	64	32	23.49	24.37	< 30.00
		1	1	23.41	24.29	< 30.00
		1	131	23.38	24.26	< 30.00
		128	0	23.51	24.39	< 30.00
		1	132	22.90	23.78	< 30.00
		1	0	22.86	23.74	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	50	64	32	23.88	24.76	< 30.00
		1	1	23.75	24.63	< 30.00
		1	131	23.67	24.55	< 30.00
		128	0	23.76	24.64	< 30.00
		1	132	23.21	24.09	< 30.00
		1	0	23.32	24.20	< 30.00
3954.99	50	64	32	24.03	24.91	< 30.00
		1	1	23.80	24.68	< 30.00
		1	131	24.09	24.97	< 30.00
		128	0	23.89	24.77	< 30.00
		1	132	23.26	24.14	< 30.00
		1	0	23.58	24.46	< 30.00
3730.02	60	81	40	23.42	24.30	< 30.00
		1	1	23.30	24.18	< 30.00
		1	160	23.31	24.19	< 30.00
		162	0	23.36	24.24	< 30.00
		1	161	22.84	23.72	< 30.00
		1	0	22.78	23.66	< 30.00
3840.00	60	81	40	23.95	24.83	< 30.00
		1	1	23.58	24.46	< 30.00
		1	160	23.62	24.50	< 30.00
		162	0	23.95	24.83	< 30.00
		1	161	23.02	23.90	< 30.00
		1	0	23.07	23.95	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3949.98	60	81	40	23.75	24.63	< 30.00
		1	1	23.76	24.64	< 30.00
		1	160	23.82	24.70	< 30.00
		162	0	23.91	24.79	< 30.00
		1	161	23.08	23.96	< 30.00
		1	0	23.24	24.12	< 30.00
3735.00	70	90	45	23.24	24.12	< 30.00
		1	1	23.16	24.04	< 30.00
		1	187	23.27	24.15	< 30.00
		180	0	23.24	24.12	< 30.00
		1	188	22.64	23.52	< 30.00
		1	0	22.75	23.63	< 30.00
3840.00	70	90	45	23.44	24.32	< 30.00
		1	1	23.40	24.28	< 30.00
		1	187	23.38	24.26	< 30.00
		180	0	23.45	24.33	< 30.00
		1	188	22.84	23.72	< 30.00
		1	0	22.88	23.76	< 30.00
3945.00	70	90	45	23.73	24.61	< 30.00
		1	1	23.94	24.82	< 30.00
		1	187	23.44	24.32	< 30.00
		180	0	23.70	24.58	< 30.00
		1	188	23.37	24.25	< 30.00
		1	0	23.02	23.90	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3740.01	80	108	54	23.49	24.37	< 30.00
		1	1	23.40	24.28	< 30.00
		1	215	23.09	23.97	< 30.00
		216	0	23.29	24.17	< 30.00
		1	216	22.82	23.70	< 30.00
		1	0	22.63	23.51	< 30.00
3840.00	80	108	54	23.67	24.55	< 30.00
		1	1	23.35	24.23	< 30.00
		1	215	23.40	24.28	< 30.00
		216	0	23.68	24.56	< 30.00
		1	216	22.87	23.75	< 30.00
		1	0	22.95	23.83	< 30.00
3939.99	80	108	54	23.55	24.43	< 30.00
		1	1	23.48	24.36	< 30.00
		1	215	23.72	24.60	< 30.00
		216	0	23.75	24.63	< 30.00
		1	216	22.90	23.78	< 30.00
		1	0	23.16	24.04	< 30.00
3745.02	90	120	60	23.41	24.29	< 30.00
		1	1	23.29	24.17	< 30.00
		1	243	23.15	24.03	< 30.00
		243	0	23.28	24.16	< 30.00
		1	244	22.75	23.63	< 30.00
		1	0	22.65	23.53	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	90	120	60	23.70	24.58	< 30.00
		1	1	23.45	24.33	< 30.00
		1	243	23.45	24.33	< 30.00
		243	0	23.48	24.36	< 30.00
		1	244	22.90	23.78	< 30.00
		1	0	22.96	23.84	< 30.00
3934.98	90	120	60	23.59	24.47	< 30.00
		1	1	23.73	24.61	< 30.00
		1	243	23.86	24.74	< 30.00
		243	0	23.78	24.66	< 30.00
		1	244	22.96	23.84	< 30.00
		1	0	23.23	24.11	< 30.00
3750.00	100	135	67	23.40	24.28	< 30.00
		1	1	23.24	24.12	< 30.00
		1	271	23.10	23.98	< 30.00
		270	0	23.27	24.15	< 30.00
		1	272	22.62	23.50	< 30.00
		1	0	22.42	23.30	< 30.00
3840.00	100	135	67	23.76	24.64	< 30.00
		1	1	23.32	24.20	< 30.00
		1	271	23.40	24.28	< 30.00
		270	0	23.60	24.48	< 30.00
		1	272	22.68	23.56	< 30.00
		1	0	22.68	23.56	< 30.00
3930.00	100	135	67	23.61	24.49	< 30.00
		1	1	23.44	24.32	< 30.00
		1	271	23.93	24.81	< 30.00
		270	0	23.63	24.51	< 30.00
		1	272	22.79	23.67	< 30.00
		1	0	23.11	23.99	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3705.00	10	12	6	23.56	24.44	< 30.00
		1	1	23.50	24.38	< 30.00
		1	22	23.62	24.50	< 30.00
		24	0	23.51	24.39	< 30.00
		1	23	22.94	23.82	< 30.00
		1	0	23.05	23.93	< 30.00
3840.00	10	12	6	23.91	24.79	< 30.00
		1	1	23.83	24.71	< 30.00
		1	22	23.92	24.80	< 30.00
		24	0	23.92	24.80	< 30.00
		1	23	23.42	24.30	< 30.00
		1	0	23.31	24.19	< 30.00
3975.00	10	12	6	24.21	25.09	< 30.00
		1	1	24.05	24.93	< 30.00
		1	22	24.14	25.02	< 30.00
		24	0	24.18	25.06	< 30.00
		1	23	23.57	24.45	< 30.00
		1	0	23.66	24.54	< 30.00
3707.52	15	18	9	23.69	24.57	< 30.00
		1	1	23.62	24.50	< 30.00
		1	36	23.83	24.71	< 30.00
		36	0	23.65	24.53	< 30.00
		1	37	23.16	24.04	< 30.00
		1	0	23.27	24.15	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	15	18	9	24.09	24.97	< 30.00
		1	1	24.05	24.93	< 30.00
		1	36	23.99	24.87	< 30.00
		36	0	23.98	24.86	< 30.00
		1	37	23.42	24.30	< 30.00
		1	0	23.56	24.44	< 30.00
3972.48	15	18	9	24.19	25.07	< 30.00
		1	1	24.18	25.06	< 30.00
		1	36	24.38	25.26	< 30.00
		36	0	24.22	25.10	< 30.00
		1	37	23.68	24.56	< 30.00
		1	0	23.70	24.58	< 30.00
3710.01	20	25	12	23.63	24.51	< 30.00
		1	1	23.73	24.61	< 30.00
		1	49	23.73	24.61	< 30.00
		50	0	23.60	24.48	< 30.00
		1	50	23.09	23.97	< 30.00
		1	0	23.04	23.92	< 30.00
3840.00	20	25	12	23.96	24.84	< 30.00
		1	1	23.98	24.86	< 30.00
		1	49	23.89	24.77	< 30.00
		50	0	24.09	24.97	< 30.00
		1	50	23.56	24.44	< 30.00
		1	0	23.51	24.39	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3969.99	20	25	12	24.15	25.03	< 30.00
		1	1	24.03	24.91	< 30.00
		1	49	24.36	25.24	< 30.00
		50	0	24.17	25.05	< 30.00
		1	50	23.58	24.46	< 30.00
		1	0	23.73	24.61	< 30.00
3712.50	25	32	16	22.42	23.30	< 30.00
		1	1	22.42	23.30	< 30.00
		1	63	22.34	23.22	< 30.00
		64	0	22.38	23.26	< 30.00
		1	0	21.92	22.80	< 30.00
		1	64	21.79	22.67	< 30.00
3840.00	25	32	16	22.46	23.34	< 30.00
		1	1	22.29	23.17	< 30.00
		1	63	22.41	23.29	< 30.00
		64	0	22.46	23.34	< 30.00
		1	0	21.77	22.65	< 30.00
		1	64	21.72	22.60	< 30.00
3967.50	25	32	16	22.62	23.50	< 30.00
		1	1	22.56	23.44	< 30.00
		1	63	22.78	23.66	< 30.00
		64	0	22.64	23.52	< 30.00
		1	0	22.04	22.92	< 30.00
		1	64	22.18	23.06	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3715.02	30	36	78	23.64	24.52	< 30.00
		1	1	23.66	24.54	< 30.00
		1	76	23.65	24.53	< 30.00
		75	0	23.75	24.63	< 30.00
		1	77	23.22	24.10	< 30.00
		1	0	23.32	24.20	< 30.00
3840.00	30	36	78	24.04	24.92	< 30.00
		1	1	24.01	24.89	< 30.00
		1	76	24.07	24.95	< 30.00
		75	0	24.09	24.97	< 30.00
		1	77	23.50	24.38	< 30.00
		1	0	23.33	24.21	< 30.00
3964.98	30	36	78	24.09	24.97	< 30.00
		1	1	24.03	24.91	< 30.00
		1	76	24.21	25.09	< 30.00
		75	0	24.23	25.11	< 30.00
		1	77	23.51	24.39	< 30.00
		1	0	23.71	24.59	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3720.00	40	50	25	23.79	24.67	< 30.00
		1	1	23.84	24.72	< 30.00
		1	104	23.66	24.54	< 30.00
		100	0	23.77	24.65	< 30.00
		1	105	23.27	24.15	< 30.00
		1	0	23.19	24.07	< 30.00
3840.00	40	50	25	24.09	24.97	< 30.00
		1	1	24.04	24.92	< 30.00
		1	104	23.85	24.73	< 30.00
		100	0	24.03	24.91	< 30.00
		1	105	23.65	24.53	< 30.00
		1	0	23.51	24.39	< 30.00
3960.00	40	50	25	23.99	24.87	< 30.00
		1	1	24.08	24.96	< 30.00
		1	104	24.28	25.16	< 30.00
		100	0	24.15	25.03	< 30.00
		1	105	23.65	24.53	< 30.00
		1	0	23.85	24.73	< 30.00
3725.01	50	64	32	23.41	24.29	< 30.00
		1	1	23.45	24.33	< 30.00
		1	131	23.41	24.29	< 30.00
		128	0	23.57	24.45	< 30.00
		1	132	22.99	23.87	< 30.00
		1	0	22.83	23.71	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	50	64	32	23.94	24.82	< 30.00
		1	1	23.79	24.67	< 30.00
		1	131	23.74	24.62	< 30.00
		128	0	23.80	24.68	< 30.00
		1	132	23.16	24.04	< 30.00
		1	0	23.19	24.07	< 30.00
3954.99	50	64	32	23.91	24.79	< 30.00
		1	1	23.73	24.61	< 30.00
		1	131	24.23	25.11	< 30.00
		128	0	23.98	24.86	< 30.00
		1	132	23.17	24.05	< 30.00
		1	0	23.54	24.42	< 30.00
3730.02	60	81	40	23.36	24.24	< 30.00
		1	1	23.43	24.31	< 30.00
		1	160	23.46	24.34	< 30.00
		162	0	23.50	24.38	< 30.00
		1	161	22.90	23.78	< 30.00
		1	0	22.93	23.81	< 30.00
3840.00	60	81	40	23.83	24.71	< 30.00
		1	1	23.72	24.60	< 30.00
		1	160	23.72	24.60	< 30.00
		162	0	23.87	24.75	< 30.00
		1	161	23.00	23.88	< 30.00
		1	0	23.19	24.07	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3949.98	60	81	40	23.74	24.62	< 30.00
		1	1	23.61	24.49	< 30.00
		1	160	23.99	24.87	< 30.00
		162	0	23.65	24.53	< 30.00
		1	161	23.05	23.93	< 30.00
		1	0	23.26	24.14	< 30.00
3735.00	70	90	45	23.27	24.15	< 30.00
		1	1	23.10	23.98	< 30.00
		1	187	23.20	24.08	< 30.00
		180	0	23.26	24.14	< 30.00
		1	188	22.58	23.46	< 30.00
		1	0	22.72	23.60	< 30.00
3840.00	70	90	45	23.50	24.38	< 30.00
		1	1	23.37	24.25	< 30.00
		1	187	23.38	24.26	< 30.00
		180	0	23.44	24.32	< 30.00
		1	188	22.85	23.73	< 30.00
		1	0	22.91	23.79	< 30.00
3945.00	70	90	45	23.74	24.62	< 30.00
		1	1	23.98	24.86	< 30.00
		1	187	23.37	24.25	< 30.00
		180	0	23.84	24.72	< 30.00
		1	188	23.34	24.22	< 30.00
		1	0	22.90	23.78	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3740.01	80	108	54	23.32	24.20	< 30.00
		1	1	23.46	24.34	< 30.00
		1	215	23.14	24.02	< 30.00
		216	0	23.44	24.32	< 30.00
		1	216	22.89	23.77	< 30.00
		1	0	22.69	23.57	< 30.00
3840.00	80	108	54	23.65	24.53	< 30.00
		1	1	23.43	24.31	< 30.00
		1	215	23.57	24.45	< 30.00
		216	0	23.59	24.47	< 30.00
		1	216	22.96	23.84	< 30.00
		1	0	22.81	23.69	< 30.00
3939.99	80	108	54	23.65	24.53	< 30.00
		1	1	23.52	24.40	< 30.00
		1	215	23.70	24.58	< 30.00
		216	0	23.57	24.45	< 30.00
		1	216	22.98	23.86	< 30.00
		1	0	23.13	24.01	< 30.00
3745.02	90	120	60	23.42	24.30	< 30.00
		1	1	23.42	24.30	< 30.00
		1	243	23.20	24.08	< 30.00
		243	0	23.28	24.16	< 30.00
		1	244	22.80	23.68	< 30.00
		1	0	22.53	23.41	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	90	120	60	23.65	24.53	< 30.00
		1	1	23.61	24.49	< 30.00
		1	243	23.70	24.58	< 30.00
		243	0	23.58	24.46	< 30.00
		1	244	22.95	23.83	< 30.00
		1	0	23.05	23.93	< 30.00
3934.98	90	120	60	23.70	24.58	< 30.00
		1	1	23.57	24.45	< 30.00
		1	243	23.86	24.74	< 30.00
		243	0	23.58	24.46	< 30.00
		1	244	22.96	23.84	< 30.00
		1	0	23.40	24.28	< 30.00
3750.00	100	135	67	23.50	24.38	< 30.00
		1	1	23.26	24.14	< 30.00
		1	271	23.21	24.09	< 30.00
		270	0	23.41	24.29	< 30.00
		1	272	22.57	23.45	< 30.00
		1	0	22.61	23.49	< 30.00
3840.00	100	135	67	23.69	24.57	< 30.00
		1	1	23.36	24.24	< 30.00
		1	271	23.58	24.46	< 30.00
		270	0	23.46	24.34	< 30.00
		1	272	22.55	23.43	< 30.00
		1	0	22.78	23.66	< 30.00
3930.00	100	135	67	23.77	24.65	< 30.00
		1	1	23.49	24.37	< 30.00
		1	271	23.89	24.77	< 30.00
		270	0	23.64	24.52	< 30.00
		1	272	22.68	23.56	< 30.00
		1	0	23.08	23.96	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3705.00	10	12	6	23.64	24.52	< 30.00
		1	1	23.42	24.30	< 30.00
		1	22	23.36	24.24	< 30.00
		24	0	23.66	24.54	< 30.00
		1	23	22.74	23.62	< 30.00
		1	0	22.79	23.67	< 30.00
3840.00	10	12	6	23.91	24.79	< 30.00
		1	1	23.56	24.44	< 30.00
		1	22	23.55	24.43	< 30.00
		24	0	23.96	24.84	< 30.00
		1	23	23.15	24.03	< 30.00
		1	0	22.96	23.84	< 30.00
3975.00	10	12	6	24.19	25.07	< 30.00
		1	1	23.90	24.78	< 30.00
		1	22	23.87	24.75	< 30.00
		24	0	24.16	25.04	< 30.00
		1	23	23.35	24.23	< 30.00
		1	0	23.36	24.24	< 30.00
3707.52	15	18	9	23.64	24.52	< 30.00
		1	1	23.41	24.29	< 30.00
		1	36	23.55	24.43	< 30.00
		36	0	23.61	24.49	< 30.00
		1	37	22.98	23.86	< 30.00
		1	0	22.99	23.87	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	15	18	9	24.09	24.97	< 30.00
		1	1	23.77	24.65	< 30.00
		1	36	23.90	24.78	< 30.00
		36	0	24.13	25.01	< 30.00
		1	37	23.33	24.21	< 30.00
		1	0	23.29	24.17	< 30.00
3972.48	15	18	9	24.20	25.08	< 30.00
		1	1	23.84	24.72	< 30.00
		1	36	23.98	24.86	< 30.00
		36	0	24.33	25.21	< 30.00
		1	37	23.51	24.39	< 30.00
		1	0	23.51	24.39	< 30.00
3710.01	20	25	12	23.60	24.48	< 30.00
		1	1	23.35	24.23	< 30.00
		1	49	23.40	24.28	< 30.00
		50	0	23.57	24.45	< 30.00
		1	50	22.87	23.75	< 30.00
		1	0	22.83	23.71	< 30.00
3840.00	20	25	12	24.14	25.02	< 30.00
		1	1	23.85	24.73	< 30.00
		1	49	23.76	24.64	< 30.00
		50	0	24.12	25.00	< 30.00
		1	50	23.23	24.11	< 30.00
		1	0	23.24	24.12	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3969.99	20	25	12	24.29	25.17	< 30.00
		1	1	23.97	24.85	< 30.00
		1	49	24.16	25.04	< 30.00
		50	0	24.27	25.15	< 30.00
		1	50	23.30	24.18	< 30.00
		1	0	23.57	24.45	< 30.00
3712.50	25	32	16	22.47	23.35	< 30.00
		1	1	22.18	23.06	< 30.00
		1	63	22.28	23.16	< 30.00
		64	0	22.42	23.30	< 30.00
		1	0	21.69	22.57	< 30.00
		1	64	21.68	22.56	< 30.00
3840.00	25	32	16	22.44	23.32	< 30.00
		1	1	22.29	23.17	< 30.00
		1	63	22.26	23.14	< 30.00
		64	0	22.29	23.17	< 30.00
		1	0	21.86	22.74	< 30.00
		1	64	21.84	22.72	< 30.00
3967.50	25	32	16	22.65	23.53	< 30.00
		1	1	22.54	23.42	< 30.00
		1	63	22.81	23.69	< 30.00
		64	0	22.61	23.49	< 30.00
		1	0	21.86	22.74	< 30.00
		1	64	22.22	23.10	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3715.02	30	36	78	23.64	24.52	< 30.00
		1	1	23.80	24.68	< 30.00
		1	76	23.81	24.69	< 30.00
		75	0	23.74	24.62	< 30.00
		1	77	23.30	24.18	< 30.00
		1	0	23.22	24.10	< 30.00
3840.00	30	36	78	24.10	24.98	< 30.00
		1	1	23.76	24.64	< 30.00
		1	76	23.71	24.59	< 30.00
		75	0	24.13	25.01	< 30.00
		1	77	23.35	24.23	< 30.00
		1	0	23.26	24.14	< 30.00
3964.98	30	36	78	24.02	24.90	< 30.00
		1	1	23.84	24.72	< 30.00
		1	76	24.12	25.00	< 30.00
		75	0	24.21	25.09	< 30.00
		1	77	23.30	24.18	< 30.00
		1	0	23.49	24.37	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3720.00	40	50	25	23.78	24.66	< 30.00
		1	1	23.62	24.50	< 30.00
		1	104	23.72	24.60	< 30.00
		100	0	23.70	24.58	< 30.00
		1	105	23.24	24.12	< 30.00
		1	0	23.06	23.94	< 30.00
3840.00	40	50	25	24.06	24.94	< 30.00
		1	1	23.96	24.84	< 30.00
		1	104	23.61	24.49	< 30.00
		100	0	24.00	24.88	< 30.00
		1	105	23.32	24.20	< 30.00
		1	0	23.22	24.10	< 30.00
3960.00	40	50	25	24.06	24.94	< 30.00
		1	1	24.01	24.89	< 30.00
		1	104	24.27	25.15	< 30.00
		100	0	24.10	24.98	< 30.00
		1	105	23.40	24.28	< 30.00
		1	0	23.60	24.48	< 30.00
3725.01	50	64	32	23.57	24.45	< 30.00
		1	1	23.47	24.35	< 30.00
		1	131	23.32	24.20	< 30.00
		128	0	23.43	24.31	< 30.00
		1	132	22.82	23.70	< 30.00
		1	0	22.60	23.48	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	50	64	32	23.88	24.76	< 30.00
		1	1	23.99	24.87	< 30.00
		1	131	23.60	24.48	< 30.00
		128	0	23.93	24.81	< 30.00
		1	132	23.34	24.22	< 30.00
		1	0	23.43	24.31	< 30.00
3954.99	50	64	32	23.85	24.73	< 30.00
		1	1	23.67	24.55	< 30.00
		1	131	23.81	24.69	< 30.00
		128	0	23.86	24.74	< 30.00
		1	132	23.13	24.01	< 30.00
		1	0	23.35	24.23	< 30.00
3730.02	60	81	40	23.52	24.40	< 30.00
		1	1	23.47	24.35	< 30.00
		1	160	23.39	24.27	< 30.00
		162	0	23.36	24.24	< 30.00
		1	161	22.93	23.81	< 30.00
		1	0	22.95	23.83	< 30.00
3840.00	60	81	40	23.82	24.70	< 30.00
		1	1	23.68	24.56	< 30.00
		1	160	23.76	24.64	< 30.00
		162	0	23.78	24.66	< 30.00
		1	161	23.07	23.95	< 30.00
		1	0	23.24	24.12	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3949.98	60	81	40	23.90	24.78	< 30.00
		1	1	23.63	24.51	< 30.00
		1	160	23.92	24.80	< 30.00
		162	0	23.72	24.60	< 30.00
		1	161	23.09	23.97	< 30.00
		1	0	23.40	24.28	< 30.00
3735.00	70	90	45	23.26	24.14	< 30.00
		1	1	22.91	23.79	< 30.00
		1	187	23.10	23.98	< 30.00
		180	0	23.20	24.08	< 30.00
		1	188	22.60	23.48	< 30.00
		1	0	22.67	23.55	< 30.00
3840.00	70	90	45	23.54	24.42	< 30.00
		1	1	23.11	23.99	< 30.00
		1	187	23.28	24.16	< 30.00
		180	0	23.49	24.37	< 30.00
		1	188	22.63	23.51	< 30.00
		1	0	22.71	23.59	< 30.00
3945.00	70	90	45	23.68	24.56	< 30.00
		1	1	23.67	24.55	< 30.00
		1	187	23.26	24.14	< 30.00
		180	0	23.79	24.67	< 30.00
		1	188	23.25	24.13	< 30.00
		1	0	22.92	23.80	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3740.01	80	108	54	23.44	24.32	< 30.00
		1	1	23.08	23.96	< 30.00
		1	215	22.97	23.85	< 30.00
		216	0	23.29	24.17	< 30.00
		1	216	22.58	23.46	< 30.00
		1	0	22.39	23.27	< 30.00
3840.00	80	108	54	23.78	24.66	< 30.00
		1	1	23.34	24.22	< 30.00
		1	215	23.26	24.14	< 30.00
		216	0	23.69	24.57	< 30.00
		1	216	22.69	23.57	< 30.00
		1	0	22.65	23.53	< 30.00
3939.99	80	108	54	23.72	24.60	< 30.00
		1	1	23.37	24.25	< 30.00
		1	215	23.48	24.36	< 30.00
		216	0	23.75	24.63	< 30.00
		1	216	22.83	23.71	< 30.00
		1	0	22.99	23.87	< 30.00
3745.02	90	120	60	23.47	24.35	< 30.00
		1	1	23.25	24.13	< 30.00
		1	243	22.91	23.79	< 30.00
		243	0	23.24	24.12	< 30.00
		1	244	22.61	23.49	< 30.00
		1	0	22.36	23.24	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	90	120	60	23.83	24.71	< 30.00
		1	1	23.39	24.27	< 30.00
		1	243	23.47	24.35	< 30.00
		243	0	23.50	24.38	< 30.00
		1	244	22.59	23.47	< 30.00
		1	0	22.64	23.52	< 30.00
3934.98	90	120	60	23.58	24.46	< 30.00
		1	1	23.51	24.39	< 30.00
		1	243	23.77	24.65	< 30.00
		243	0	23.65	24.53	< 30.00
		1	244	22.81	23.69	< 30.00
		1	0	23.06	23.94	< 30.00
3750.00	100	135	67	23.39	24.27	< 30.00
		1	1	23.10	23.98	< 30.00
		1	271	22.89	23.77	< 30.00
		270	0	23.26	24.14	< 30.00
		1	272	22.25	23.13	< 30.00
		1	0	22.27	23.15	< 30.00
3840.00	100	135	67	23.68	24.56	< 30.00
		1	1	23.05	23.93	< 30.00
		1	271	23.25	24.13	< 30.00
		270	0	23.55	24.43	< 30.00
		1	272	22.39	23.27	< 30.00
		1	0	22.71	23.59	< 30.00
3930.00	100	135	67	23.60	24.48	< 30.00
		1	1	23.40	24.28	< 30.00
		1	271	23.80	24.68	< 30.00
		270	0	23.75	24.63	< 30.00
		1	272	22.55	23.43	< 30.00
		1	0	22.90	23.78	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3705.00	10	12	6	23.65	24.53	< 30.00
		1	1	23.65	24.53	< 30.00
		1	22	23.51	24.39	< 30.00
		24	0	23.63	24.51	< 30.00
		1	23	23.14	24.02	< 30.00
		1	0	23.07	23.95	< 30.00
3840.00	10	12	6	23.80	24.68	< 30.00
		1	1	23.83	24.71	< 30.00
		1	22	23.65	24.53	< 30.00
		24	0	23.87	24.75	< 30.00
		1	23	23.55	24.43	< 30.00
		1	0	23.27	24.15	< 30.00
3975.00	10	12	6	24.16	25.04	< 30.00
		1	1	24.10	24.98	< 30.00
		1	22	24.09	24.97	< 30.00
		24	0	24.23	25.11	< 30.00
		1	23	23.76	24.64	< 30.00
		1	0	23.94	24.82	< 30.00
3707.52	15	18	9	23.62	24.50	< 30.00
		1	1	23.80	24.68	< 30.00
		1	36	23.92	24.80	< 30.00
		36	0	23.57	24.45	< 30.00
		1	37	23.13	24.01	< 30.00
		1	0	23.13	24.01	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	15	18	9	24.05	24.93	< 30.00
		1	1	24.30	25.18	< 30.00
		1	36	24.23	25.11	< 30.00
		36	0	24.10	24.98	< 30.00
		1	37	23.41	24.29	< 30.00
		1	0	23.53	24.41	< 30.00
3972.48	15	18	9	24.31	25.19	< 30.00
		1	1	24.27	25.15	< 30.00
		1	36	24.34	25.22	< 30.00
		36	0	24.36	25.24	< 30.00
		1	37	23.85	24.73	< 30.00
		1	0	23.87	24.75	< 30.00
3710.01	20	25	12	23.71	24.59	< 30.00
		1	1	23.86	24.74	< 30.00
		1	49	23.61	24.49	< 30.00
		50	0	23.65	24.53	< 30.00
		1	50	23.25	24.13	< 30.00
		1	0	23.09	23.97	< 30.00
3840.00	20	25	12	24.10	24.98	< 30.00
		1	1	23.93	24.81	< 30.00
		1	49	23.89	24.77	< 30.00
		50	0	24.00	24.88	< 30.00
		1	50	23.54	24.42	< 30.00
		1	0	23.49	24.37	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3969.99	20	25	12	24.38	25.26	< 30.00
		1	1	24.14	25.02	< 30.00
		1	49	24.24	25.12	< 30.00
		50	0	24.29	25.17	< 30.00
		1	50	23.66	24.54	< 30.00
		1	0	23.73	24.61	< 30.00
3712.50	25	32	16	22.38	23.26	< 30.00
		1	1	22.58	23.46	< 30.00
		1	63	22.66	23.54	< 30.00
		64	0	22.32	23.20	< 30.00
		1	0	22.17	23.05	< 30.00
		1	64	22.15	23.03	< 30.00
3840.00	25	32	16	22.48	23.36	< 30.00
		1	1	22.45	23.33	< 30.00
		1	63	22.58	23.46	< 30.00
		64	0	22.41	23.29	< 30.00
		1	0	21.74	22.62	< 30.00
		1	64	21.76	22.64	< 30.00
3967.50	25	32	16	22.78	23.66	< 30.00
		1	1	22.95	23.83	< 30.00
		1	63	23.01	23.89	< 30.00
		64	0	22.72	23.60	< 30.00
		1	0	22.25	23.13	< 30.00
		1	64	22.60	23.48	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3715.02	30	36	78	23.68	24.56	< 30.00
		1	1	23.95	24.83	< 30.00
		1	76	23.56	24.44	< 30.00
		75	0	23.75	24.63	< 30.00
		1	77	23.26	24.14	< 30.00
		1	0	22.93	23.81	< 30.00
3840.00	30	36	78	24.06	24.94	< 30.00
		1	1	23.83	24.71	< 30.00
		1	76	23.76	24.64	< 30.00
		75	0	24.17	25.05	< 30.00
		1	77	23.53	24.41	< 30.00
		1	0	23.39	24.27	< 30.00
3964.98	30	36	78	24.09	24.97	< 30.00
		1	1	24.23	25.11	< 30.00
		1	76	24.42	25.30	< 30.00
		75	0	24.28	25.16	< 30.00
		1	77	23.70	24.58	< 30.00
		1	0	23.83	24.71	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3720.00	40	50	25	23.70	24.58	< 30.00
		1	1	23.89	24.77	< 30.00
		1	104	23.65	24.53	< 30.00
		100	0	23.77	24.65	< 30.00
		1	105	23.48	24.36	< 30.00
		1	0	23.23	24.11	< 30.00
3840.00	40	50	25	24.20	25.08	< 30.00
		1	1	24.09	24.97	< 30.00
		1	104	23.83	24.71	< 30.00
		100	0	24.11	24.99	< 30.00
		1	105	23.45	24.33	< 30.00
		1	0	23.47	24.35	< 30.00
3960.00	40	50	25	24.01	24.89	< 30.00
		1	1	24.09	24.97	< 30.00
		1	104	24.26	25.14	< 30.00
		100	0	24.15	25.03	< 30.00
		1	105	23.64	24.52	< 30.00
		1	0	23.88	24.76	< 30.00
3725.01	50	64	32	23.42	24.30	< 30.00
		1	1	23.56	24.44	< 30.00
		1	131	23.35	24.23	< 30.00
		128	0	23.49	24.37	< 30.00
		1	132	23.14	24.02	< 30.00
		1	0	22.91	23.79	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	50	64	32	24.00	24.88	< 30.00
		1	1	23.88	24.76	< 30.00
		1	131	24.12	25.00	< 30.00
		128	0	23.82	24.70	< 30.00
		1	132	23.18	24.06	< 30.00
		1	0	23.17	24.05	< 30.00
3954.99	50	64	32	23.89	24.77	< 30.00
		1	1	23.73	24.61	< 30.00
		1	131	24.29	25.17	< 30.00
		128	0	24.02	24.90	< 30.00
		1	132	23.40	24.28	< 30.00
		1	0	23.78	24.66	< 30.00
3730.02	60	81	40	23.41	24.29	< 30.00
		1	1	23.70	24.58	< 30.00
		1	160	23.35	24.23	< 30.00
		162	0	23.50	24.38	< 30.00
		1	161	22.79	23.67	< 30.00
		1	0	22.72	23.60	< 30.00
3840.00	60	81	40	23.81	24.69	< 30.00
		1	1	23.85	24.73	< 30.00
		1	160	23.89	24.77	< 30.00
		162	0	23.75	24.63	< 30.00
		1	161	23.00	23.88	< 30.00
		1	0	23.33	24.21	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3949.98	60	81	40	23.89	24.77	< 30.00
		1	1	23.93	24.81	< 30.00
		1	160	23.79	24.67	< 30.00
		162	0	23.70	24.58	< 30.00
		1	161	23.30	24.18	< 30.00
		1	0	23.15	24.03	< 30.00
3735.00	70	90	45	23.34	24.22	< 30.00
		1	1	23.35	24.23	< 30.00
		1	187	23.44	24.32	< 30.00
		180	0	23.34	24.22	< 30.00
		1	188	22.86	23.74	< 30.00
		1	0	23.04	23.92	< 30.00
3840.00	70	90	45	23.50	24.38	< 30.00
		1	1	23.51	24.39	< 30.00
		1	187	23.57	24.45	< 30.00
		180	0	23.51	24.39	< 30.00
		1	188	22.89	23.77	< 30.00
		1	0	22.90	23.78	< 30.00
3945.00	70	90	45	23.75	24.63	< 30.00
		1	1	24.15	25.03	< 30.00
		1	187	23.70	24.58	< 30.00
		180	0	23.70	24.58	< 30.00
		1	188	23.46	24.34	< 30.00
		1	0	22.94	23.82	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3740.01	80	108	54	23.39	24.27	< 30.00
		1	1	23.63	24.51	< 30.00
		1	215	23.32	24.20	< 30.00
		216	0	23.44	24.32	< 30.00
		1	216	22.91	23.79	< 30.00
		1	0	22.69	23.57	< 30.00
3840.00	80	108	54	23.63	24.51	< 30.00
		1	1	23.73	24.61	< 30.00
		1	215	23.68	24.56	< 30.00
		216	0	23.59	24.47	< 30.00
		1	216	22.82	23.70	< 30.00
		1	0	22.95	23.83	< 30.00
3939.99	80	108	54	23.75	24.63	< 30.00
		1	1	23.54	24.42	< 30.00
		1	215	23.75	24.63	< 30.00
		216	0	23.73	24.61	< 30.00
		1	216	23.26	24.14	< 30.00
		1	0	23.16	24.04	< 30.00
3745.02	90	120	60	23.48	24.36	< 30.00
		1	1	23.41	24.29	< 30.00
		1	243	23.35	24.23	< 30.00
		243	0	23.43	24.31	< 30.00
		1	244	22.87	23.75	< 30.00
		1	0	22.59	23.47	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	90	120	60	23.73	24.61	< 30.00
		1	1	23.59	24.47	< 30.00
		1	243	23.72	24.60	< 30.00
		243	0	23.47	24.35	< 30.00
		1	244	22.97	23.85	< 30.00
		1	0	22.80	23.68	< 30.00
3934.98	90	120	60	23.76	24.64	< 30.00
		1	1	23.79	24.67	< 30.00
		1	243	24.10	24.98	< 30.00
		243	0	23.74	24.62	< 30.00
		1	244	23.09	23.97	< 30.00
		1	0	23.02	23.90	< 30.00
3750.00	100	135	67	23.54	24.42	< 30.00
		1	1	23.50	24.38	< 30.00
		1	271	23.48	24.36	< 30.00
		270	0	23.38	24.26	< 30.00
		1	272	22.52	23.40	< 30.00
		1	0	22.52	23.40	< 30.00
3840.00	100	135	67	23.65	24.53	< 30.00
		1	1	23.29	24.17	< 30.00
		1	271	23.60	24.48	< 30.00
		270	0	23.64	24.52	< 30.00
		1	272	22.53	23.41	< 30.00
		1	0	23.00	23.88	< 30.00
3930.00	100	135	67	23.61	24.49	< 30.00
		1	1	23.45	24.33	< 30.00
		1	271	24.11	24.99	< 30.00
		270	0	23.75	24.63	< 30.00
		1	272	22.93	23.81	< 30.00
		1	0	23.24	24.12	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3705.00	10	12	6	22.03	22.91	< 30.00
		1	1	21.94	22.82	< 30.00
		1	22	21.88	22.76	< 30.00
		24	0	22.13	23.01	< 30.00
		1	23	22.03	22.91	< 30.00
		1	0	22.08	22.96	< 30.00
3840.00	10	12	6	22.32	23.20	< 30.00
		1	1	22.14	23.02	< 30.00
		1	22	22.38	23.26	< 30.00
		24	0	22.38	23.26	< 30.00
		1	23	22.12	23.00	< 30.00
		1	0	22.14	23.02	< 30.00
3975.00	10	12	6	22.59	23.47	< 30.00
		1	1	22.45	23.33	< 30.00
		1	22	22.75	23.63	< 30.00
		24	0	22.90	23.78	< 30.00
		1	23	22.77	23.65	< 30.00
		1	0	22.74	23.62	< 30.00
3707.52	15	18	9	22.16	23.04	< 30.00
		1	1	21.93	22.81	< 30.00
		1	36	22.20	23.08	< 30.00
		36	0	22.11	22.99	< 30.00
		1	37	21.91	22.79	< 30.00
		1	0	21.94	22.82	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	15	18	9	22.59	23.47	< 30.00
		1	1	22.22	23.10	< 30.00
		1	36	22.35	23.23	< 30.00
		36	0	22.58	23.46	< 30.00
		1	37	22.43	23.31	< 30.00
		1	0	22.31	23.19	< 30.00
3972.48	15	18	9	22.78	23.66	< 30.00
		1	1	22.42	23.30	< 30.00
		1	36	22.55	23.43	< 30.00
		36	0	22.85	23.73	< 30.00
		1	37	22.71	23.59	< 30.00
		1	0	22.76	23.64	< 30.00
3710.01	20	25	12	22.06	22.94	< 30.00
		1	1	22.20	23.08	< 30.00
		1	49	21.98	22.86	< 30.00
		50	0	22.12	23.00	< 30.00
		1	50	22.09	22.97	< 30.00
		1	0	22.17	23.05	< 30.00
3840.00	20	25	12	22.61	23.49	< 30.00
		1	1	22.42	23.30	< 30.00
		1	49	22.29	23.17	< 30.00
		50	0	22.65	23.53	< 30.00
		1	50	22.43	23.31	< 30.00
		1	0	22.25	23.13	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3969.99	20	25	12	22.61	23.49	< 30.00
		1	1	22.30	23.18	< 30.00
		1	49	22.54	23.42	< 30.00
		50	0	22.67	23.55	< 30.00
		1	50	22.60	23.48	< 30.00
		1	0	22.87	23.75	< 30.00
3712.50	25	32	16	20.71	21.59	< 30.00
		1	1	20.51	21.39	< 30.00
		1	63	20.80	21.68	< 30.00
		64	0	20.79	21.67	< 30.00
		1	0	20.77	21.65	< 30.00
		1	64	20.75	21.63	< 30.00
3840.00	25	32	16	20.79	21.67	< 30.00
		1	1	20.36	21.24	< 30.00
		1	63	20.53	21.41	< 30.00
		64	0	20.94	21.82	< 30.00
		1	0	20.46	21.34	< 30.00
		1	64	20.40	21.28	< 30.00
3967.50	25	32	16	21.00	21.88	< 30.00
		1	1	20.70	21.58	< 30.00
		1	63	20.95	21.83	< 30.00
		64	0	21.20	22.08	< 30.00
		1	0	20.82	21.70	< 30.00
		1	64	20.85	21.73	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3715.02	30	36	78	22.07	22.95	< 30.00
		1	1	22.31	23.19	< 30.00
		1	76	22.17	23.05	< 30.00
		75	0	22.10	22.98	< 30.00
		1	77	21.96	22.84	< 30.00
		1	0	22.25	23.13	< 30.00
3840.00	30	36	78	22.50	23.38	< 30.00
		1	1	22.45	23.33	< 30.00
		1	76	22.36	23.24	< 30.00
		75	0	22.62	23.50	< 30.00
		1	77	22.55	23.43	< 30.00
		1	0	22.45	23.33	< 30.00
3964.98	30	36	78	22.69	23.57	< 30.00
		1	1	22.47	23.35	< 30.00
		1	76	22.76	23.64	< 30.00
		75	0	22.73	23.61	< 30.00
		1	77	22.59	23.47	< 30.00
		1	0	22.85	23.73	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3720.00	40	50	25	22.09	22.97	< 30.00
		1	1	22.39	23.27	< 30.00
		1	104	22.05	22.93	< 30.00
		100	0	22.28	23.16	< 30.00
		1	105	22.40	23.28	< 30.00
		1	0	22.04	22.92	< 30.00
3840.00	40	50	25	22.44	23.32	< 30.00
		1	1	22.46	23.34	< 30.00
		1	104	22.26	23.14	< 30.00
		100	0	22.48	23.36	< 30.00
		1	105	22.33	23.21	< 30.00
		1	0	22.26	23.14	< 30.00
3960.00	40	50	25	22.47	23.35	< 30.00
		1	1	22.60	23.48	< 30.00
		1	104	22.74	23.62	< 30.00
		100	0	22.56	23.44	< 30.00
		1	105	22.35	23.23	< 30.00
		1	0	22.86	23.74	< 30.00
3725.01	50	64	32	22.11	22.99	< 30.00
		1	1	22.05	22.93	< 30.00
		1	131	21.97	22.85	< 30.00
		128	0	22.07	22.95	< 30.00
		1	132	21.83	22.71	< 30.00
		1	0	21.84	22.72	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	50	64	32	22.45	23.33	< 30.00
		1	1	22.32	23.20	< 30.00
		1	131	22.29	23.17	< 30.00
		128	0	22.36	23.24	< 30.00
		1	132	22.06	22.94	< 30.00
		1	0	22.14	23.02	< 30.00
3954.99	50	64	32	22.34	23.22	< 30.00
		1	1	22.18	23.06	< 30.00
		1	131	22.65	23.53	< 30.00
		128	0	22.26	23.14	< 30.00
		1	132	22.30	23.18	< 30.00
		1	0	22.40	23.28	< 30.00
3730.02	60	81	40	21.99	22.87	< 30.00
		1	1	21.96	22.84	< 30.00
		1	160	21.88	22.76	< 30.00
		162	0	21.98	22.86	< 30.00
		1	161	21.97	22.85	< 30.00
		1	0	21.63	22.51	< 30.00
3840.00	60	81	40	22.31	23.19	< 30.00
		1	1	21.90	22.78	< 30.00
		1	160	22.14	23.02	< 30.00
		162	0	22.31	23.19	< 30.00
		1	161	21.85	22.73	< 30.00
		1	0	22.12	23.00	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3949.98	60	81	40	22.35	23.23	< 30.00
		1	1	21.88	22.76	< 30.00
		1	160	22.25	23.13	< 30.00
		162	0	22.13	23.01	< 30.00
		1	161	22.08	22.96	< 30.00
		1	0	22.27	23.15	< 30.00
3735.00	70	90	45	21.79	22.67	< 30.00
		1	1	21.54	22.42	< 30.00
		1	187	21.59	22.47	< 30.00
		180	0	21.79	22.67	< 30.00
		1	188	21.61	22.49	< 30.00
		1	0	21.72	22.60	< 30.00
3840.00	70	90	45	21.95	22.83	< 30.00
		1	1	21.83	22.71	< 30.00
		1	187	21.81	22.69	< 30.00
		180	0	21.88	22.76	< 30.00
		1	188	21.64	22.52	< 30.00
		1	0	21.74	22.62	< 30.00
3945.00	70	90	45	22.16	23.04	< 30.00
		1	1	22.28	23.16	< 30.00
		1	187	21.77	22.65	< 30.00
		180	0	22.26	23.14	< 30.00
		1	188	22.21	23.09	< 30.00
		1	0	21.82	22.70	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3740.01	80	108	54	21.82	22.70	< 30.00
		1	1	21.71	22.59	< 30.00
		1	215	21.67	22.55	< 30.00
		216	0	21.74	22.62	< 30.00
		1	216	21.77	22.65	< 30.00
		1	0	21.60	22.48	< 30.00
3840.00	80	108	54	22.17	23.05	< 30.00
		1	1	21.68	22.56	< 30.00
		1	215	21.83	22.71	< 30.00
		216	0	22.05	22.93	< 30.00
		1	216	21.74	22.62	< 30.00
		1	0	22.00	22.88	< 30.00
3939.99	80	108	54	22.08	22.96	< 30.00
		1	1	22.54	23.42	< 30.00
		1	215	22.30	23.18	< 30.00
		216	0	22.23	23.11	< 30.00
		1	216	22.58	23.46	< 30.00
		1	0	22.41	23.29	< 30.00
3745.02	90	120	60	21.86	22.74	< 30.00
		1	1	21.89	22.77	< 30.00
		1	243	21.65	22.53	< 30.00
		243	0	21.73	22.61	< 30.00
		1	244	21.79	22.67	< 30.00
		1	0	21.56	22.44	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	90	120	60	22.07	22.95	< 30.00
		1	1	21.86	22.74	< 30.00
		1	243	21.98	22.86	< 30.00
		243	0	22.02	22.90	< 30.00
		1	244	21.71	22.59	< 30.00
		1	0	21.74	22.62	< 30.00
3934.98	90	120	60	22.09	22.97	< 30.00
		1	1	22.07	22.95	< 30.00
		1	243	22.38	23.26	< 30.00
		243	0	22.15	23.03	< 30.00
		1	244	22.09	22.97	< 30.00
		1	0	22.16	23.04	< 30.00
3750.00	100	135	67	21.92	22.80	< 30.00
		1	1	21.77	22.65	< 30.00
		1	271	21.73	22.61	< 30.00
		270	0	21.87	22.75	< 30.00
		1	272	21.70	22.58	< 30.00
		1	0	21.54	22.42	< 30.00
3840.00	100	135	67	22.09	22.97	< 30.00
		1	1	21.76	22.64	< 30.00
		1	271	21.92	22.80	< 30.00
		270	0	22.00	22.88	< 30.00
		1	272	21.57	22.45	< 30.00
		1	0	21.85	22.73	< 30.00
3930.00	100	135	67	22.09	22.97	< 30.00
		1	1	22.12	23.00	< 30.00
		1	271	22.41	23.29	< 30.00
		270	0	22.19	23.07	< 30.00
		1	272	21.62	22.50	< 30.00
		1	0	22.01	22.89	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3705.00	10	12	6	23.67	24.55	< 30.00
		1	1	23.61	24.49	< 30.00
		1	22	23.54	24.42	< 30.00
		24	0	23.50	24.38	< 30.00
		1	23	22.99	23.87	< 30.00
		1	0	23.07	23.95	< 30.00
3840.00	10	12	6	23.99	24.87	< 30.00
		1	1	23.97	24.85	< 30.00
		1	22	23.83	24.71	< 30.00
		24	0	23.86	24.74	< 30.00
		1	23	23.36	24.24	< 30.00
		1	0	23.28	24.16	< 30.00
3975.00	10	12	6	24.17	25.05	< 30.00
		1	1	24.13	25.01	< 30.00
		1	22	24.32	25.20	< 30.00
		24	0	24.29	25.17	< 30.00
		1	23	23.60	24.48	< 30.00
		1	0	23.62	24.50	< 30.00
3707.52	15	19	9	23.65	24.53	< 30.00
		1	1	23.77	24.65	< 30.00
		1	36	23.63	24.51	< 30.00
		38	0	23.62	24.50	< 30.00
		1	37	23.17	24.05	< 30.00
		1	0	23.05	23.93	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3840.00	15	19	9	24.23	25.11	< 30.00
		1	1	24.01	24.89	< 30.00
		1	36	23.85	24.73	< 30.00
		38	0	24.09	24.97	< 30.00
		1	37	23.47	24.35	< 30.00
		1	0	23.35	24.23	< 30.00
3972.48	15	19	9	24.32	25.20	< 30.00
		1	1	24.23	25.11	< 30.00
		1	36	24.27	25.15	< 30.00
		38	0	24.11	24.99	< 30.00
		1	37	23.62	24.50	< 30.00
		1	0	23.68	24.56	< 30.00
3710.01	20	25	12	23.66	24.54	< 30.00
		1	1	23.61	24.49	< 30.00
		1	49	23.65	24.53	< 30.00
		51	0	23.58	24.46	< 30.00
		1	50	23.14	24.02	< 30.00
		1	0	23.19	24.07	< 30.00
3840.00	20	25	12	24.12	25.00	< 30.00
		1	1	23.89	24.77	< 30.00
		1	49	23.95	24.83	< 30.00
		51	0	24.10	24.98	< 30.00
		1	50	23.62	24.50	< 30.00
		1	0	23.63	24.51	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3969.99	20	25	12	24.23	25.11	< 30.00
		1	1	23.97	24.85	< 30.00
		1	49	24.07	24.95	< 30.00
		51	0	24.26	25.14	< 30.00
		1	50	23.72	24.60	< 30.00
		1	0	24.04	24.92	< 30.00
3712.50	25	33	16	22.36	23.24	< 30.00
		1	1	22.31	23.19	< 30.00
		1	63	22.39	23.27	< 30.00
		65	0	22.48	23.36	< 30.00
		1	0	21.91	22.79	< 30.00
		1	64	21.87	22.75	< 30.00
3840.00	25	33	16	22.36	23.24	< 30.00
		1	1	22.42	23.30	< 30.00
		1	63	22.28	23.16	< 30.00
		65	0	22.43	23.31	< 30.00
		1	0	21.83	22.71	< 30.00
		1	64	21.78	22.66	< 30.00
3967.50	25	33	16	22.62	23.50	< 30.00
		1	1	22.69	23.57	< 30.00
		1	63	22.69	23.57	< 30.00
		65	0	22.68	23.56	< 30.00
		1	0	22.02	22.90	< 30.00
		1	64	22.52	23.40	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3715.02	30	39	19	23.70	24.58	< 30.00
		1	1	23.80	24.68	< 30.00
		1	76	23.72	24.60	< 30.00
		78	0	23.71	24.59	< 30.00
		1	77	23.36	24.24	< 30.00
		1	0	23.16	24.04	< 30.00
3840.00	30	39	19	24.17	25.05	< 30.00
		1	1	24.10	24.98	< 30.00
		1	76	23.75	24.63	< 30.00
		78	0	24.06	24.94	< 30.00
		1	77	23.49	24.37	< 30.00
		1	0	23.38	24.26	< 30.00
3964.98	30	39	19	24.29	25.17	< 30.00
		1	1	23.98	24.86	< 30.00
		1	76	24.12	25.00	< 30.00
		78	0	24.12	25.00	< 30.00
		1	77	23.65	24.53	< 30.00
		1	0	23.67	24.55	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3720.00	40	53	26	23.78	24.66	< 30.00
		1	1	23.87	24.75	< 30.00
		1	104	23.64	24.52	< 30.00
		106	0	23.80	24.68	< 30.00
		1	105	23.38	24.26	< 30.00
		1	0	23.22	24.10	< 30.00
3840.00	40	53	26	24.01	24.89	< 30.00
		1	1	24.07	24.95	< 30.00
		1	104	23.88	24.76	< 30.00
		106	0	23.96	24.84	< 30.00
		1	105	23.56	24.44	< 30.00
		1	0	23.41	24.29	< 30.00
3960.00	40	53	26	24.10	24.98	< 30.00
		1	1	24.02	24.90	< 30.00
		1	104	24.35	25.23	< 30.00
		106	0	24.17	25.05	< 30.00
		1	105	23.52	24.40	< 30.00
		1	0	23.83	24.71	< 30.00
3725.01	50	67	33	23.56	24.44	< 30.00
		1	1	23.63	24.51	< 30.00
		1	131	23.34	24.22	< 30.00
		133	0	23.44	24.32	< 30.00
		1	132	22.96	23.84	< 30.00
		1	0	22.88	23.76	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3840.00	50	67	33	23.97	24.85	< 30.00
		1	1	23.72	24.60	< 30.00
		1	131	23.80	24.68	< 30.00
		133	0	23.82	24.70	< 30.00
		1	132	23.30	24.18	< 30.00
		1	0	23.31	24.19	< 30.00
3954.99	50	67	33	23.92	24.80	< 30.00
		1	1	23.87	24.75	< 30.00
		1	131	23.95	24.83	< 30.00
		133	0	23.87	24.75	< 30.00
		1	132	23.25	24.13	< 30.00
		1	0	23.50	24.38	< 30.00
3730.02	60	81	40	23.49	24.37	< 30.00
		1	1	23.47	24.35	< 30.00
		1	160	23.32	24.20	< 30.00
		162	0	23.44	24.32	< 30.00
		1	161	22.94	23.82	< 30.00
		1	0	22.75	23.63	< 30.00
3840.00	60	81	40	23.90	24.78	< 30.00
		1	1	23.73	24.61	< 30.00
		1	160	23.60	24.48	< 30.00
		162	0	23.87	24.75	< 30.00
		1	161	23.10	23.98	< 30.00
		1	0	23.10	23.98	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3949.98	60	81	40	23.63	24.51	< 30.00
		1	1	23.73	24.61	< 30.00
		1	160	23.70	24.58	< 30.00
		162	0	23.69	24.57	< 30.00
		1	161	23.09	23.97	< 30.00
		1	0	23.30	24.18	< 30.00
3735.00	70	95	47	23.31	24.19	< 30.00
		1	1	23.33	24.21	< 30.00
		1	187	23.37	24.25	< 30.00
		189	0	23.29	24.17	< 30.00
		1	188	22.73	23.61	< 30.00
		1	0	22.83	23.71	< 30.00
3840.00	70	95	47	23.50	24.38	< 30.00
		1	1	23.35	24.23	< 30.00
		1	187	23.52	24.40	< 30.00
		189	0	23.48	24.36	< 30.00
		1	188	22.94	23.82	< 30.00
		1	0	23.15	24.03	< 30.00
3945.00	70	95	47	23.79	24.67	< 30.00
		1	1	23.88	24.76	< 30.00
		1	187	23.50	24.38	< 30.00
		189	0	23.75	24.63	< 30.00
		1	188	23.50	24.38	< 30.00
		1	0	22.90	23.78	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3740.01	80	109	54	23.44	24.32	< 30.00
		1	1	23.41	24.29	< 30.00
		1	215	23.15	24.03	< 30.00
		217	0	23.30	24.18	< 30.00
		1	216	22.80	23.68	< 30.00
		1	0	22.72	23.60	< 30.00
3840.00	80	109	54	23.73	24.61	< 30.00
		1	1	23.71	24.59	< 30.00
		1	215	23.55	24.43	< 30.00
		217	0	23.65	24.53	< 30.00
		1	216	22.89	23.77	< 30.00
		1	0	22.93	23.81	< 30.00
3939.99	80	109	54	23.66	24.54	< 30.00
		1	1	23.60	24.48	< 30.00
		1	215	23.78	24.66	< 30.00
		217	0	23.63	24.51	< 30.00
		1	216	23.05	23.93	< 30.00
		1	0	23.28	24.16	< 30.00
3745.02	90	123	61	23.35	24.23	< 30.00
		1	1	23.37	24.25	< 30.00
		1	243	23.36	24.24	< 30.00
		245	0	23.29	24.17	< 30.00
		1	244	22.79	23.67	< 30.00
		1	0	22.71	23.59	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3840.00	90	123	61	23.52	24.40	< 30.00
		1	1	23.56	24.44	< 30.00
		1	243	23.59	24.47	< 30.00
		245	0	23.61	24.49	< 30.00
		1	244	22.77	23.65	< 30.00
		1	0	23.03	23.91	< 30.00
3934.98	90	123	61	23.62	24.50	< 30.00
		1	1	23.60	24.48	< 30.00
		1	243	23.74	24.62	< 30.00
		245	0	23.72	24.60	< 30.00
		1	244	23.01	23.89	< 30.00
		1	0	23.28	24.16	< 30.00
3750.00	100	137	68	23.44	24.32	< 30.00
		1	1	23.25	24.13	< 30.00
		1	271	23.07	23.95	< 30.00
		273	0	23.23	24.11	< 30.00
		1	272	22.60	23.48	< 30.00
		1	0	22.52	23.40	< 30.00
3840.00	100	137	68	23.67	24.55	< 30.00
		1	1	23.38	24.26	< 30.00
		1	271	23.77	24.65	< 30.00
		273	0	23.62	24.50	< 30.00
		1	272	22.60	23.48	< 30.00
		1	0	22.80	23.68	< 30.00
3930.00	100	137	68	23.69	24.57	< 30.00
		1	1	23.46	24.34	< 30.00
		1	271	23.81	24.69	< 30.00
		273	0	23.71	24.59	< 30.00
		1	272	22.75	23.63	< 30.00
		1	0	23.14	24.02	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3705.00	10	12	6	23.52	24.40	< 30.00
		1	1	23.75	24.63	< 30.00
		1	22	23.70	24.58	< 30.00
		24	0	23.60	24.48	< 30.00
		1	23	23.04	23.92	< 30.00
		1	0	22.89	23.77	< 30.00
3840.00	10	12	6	23.93	24.81	< 30.00
		1	1	24.08	24.96	< 30.00
		1	22	23.91	24.79	< 30.00
		24	0	24.02	24.90	< 30.00
		1	23	23.39	24.27	< 30.00
		1	0	23.33	24.21	< 30.00
3975.00	10	12	6	24.13	25.01	< 30.00
		1	1	24.25	25.13	< 30.00
		1	22	24.23	25.11	< 30.00
		24	0	24.28	25.16	< 30.00
		1	23	23.64	24.52	< 30.00
		1	0	23.52	24.40	< 30.00
3707.52	15	19	9	23.65	24.53	< 30.00
		1	1	23.80	24.68	< 30.00
		1	36	23.64	24.52	< 30.00
		38	0	23.67	24.55	< 30.00
		1	37	23.10	23.98	< 30.00
		1	0	23.23	24.11	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3840.00	15	19	9	24.09	24.97	< 30.00
		1	1	24.16	25.04	< 30.00
		1	36	23.84	24.72	< 30.00
		38	0	24.23	25.11	< 30.00
		1	37	23.39	24.27	< 30.00
		1	0	23.61	24.49	< 30.00
3972.48	15	19	9	24.23	25.11	< 30.00
		1	1	24.40	25.28	< 30.00
		1	36	24.31	25.19	< 30.00
		38	0	24.27	25.15	< 30.00
		1	37	23.72	24.60	< 30.00
		1	0	23.62	24.50	< 30.00
3710.01	20	25	12	23.73	24.61	< 30.00
		1	1	23.69	24.57	< 30.00
		1	49	23.53	24.41	< 30.00
		51	0	23.57	24.45	< 30.00
		1	50	22.94	23.82	< 30.00
		1	0	22.90	23.78	< 30.00
3840.00	20	25	12	24.13	25.01	< 30.00
		1	1	24.05	24.93	< 30.00
		1	49	23.99	24.87	< 30.00
		51	0	24.07	24.95	< 30.00
		1	50	23.46	24.34	< 30.00
		1	0	23.38	24.26	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3969.99	20	25	12	24.30	25.18	< 30.00
		1	1	24.47	25.35	< 30.00
		1	49	24.36	25.24	< 30.00
		51	0	24.24	25.12	< 30.00
		1	50	23.35	24.23	< 30.00
		1	0	23.81	24.69	< 30.00
3712.50	25	33	16	22.40	23.28	< 30.00
		1	1	22.47	23.35	< 30.00
		1	63	22.61	23.49	< 30.00
		65	0	22.49	23.37	< 30.00
		1	0	22.02	22.90	< 30.00
		1	64	22.03	22.91	< 30.00
3840.00	25	33	16	22.43	23.31	< 30.00
		1	1	22.69	23.57	< 30.00
		1	63	22.58	23.46	< 30.00
		65	0	22.54	23.42	< 30.00
		1	0	21.92	22.80	< 30.00
		1	64	21.89	22.77	< 30.00
3967.50	25	33	16	22.67	23.55	< 30.00
		1	1	22.62	23.50	< 30.00
		1	63	22.78	23.66	< 30.00
		65	0	22.72	23.60	< 30.00
		1	0	22.15	23.03	< 30.00
		1	64	22.31	23.19	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3715.02	30	39	19	23.61	24.49	< 30.00
		1	1	23.82	24.70	< 30.00
		1	76	23.58	24.46	< 30.00
		78	0	23.68	24.56	< 30.00
		1	77	23.36	24.24	< 30.00
		1	0	23.07	23.95	< 30.00
3840.00	30	39	19	24.04	24.92	< 30.00
		1	1	24.14	25.02	< 30.00
		1	76	23.87	24.75	< 30.00
		78	0	24.04	24.92	< 30.00
		1	77	23.48	24.36	< 30.00
		1	0	23.43	24.31	< 30.00
3964.98	30	39	19	24.06	24.94	< 30.00
		1	1	24.21	25.09	< 30.00
		1	76	24.36	25.24	< 30.00
		78	0	24.13	25.01	< 30.00
		1	77	23.73	24.61	< 30.00
		1	0	23.69	24.57	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3720.00	40	53	26	23.83	24.71	< 30.00
		1	1	24.11	24.99	< 30.00
		1	104	23.81	24.69	< 30.00
		106	0	23.92	24.80	< 30.00
		1	105	23.46	24.34	< 30.00
		1	0	23.09	23.97	< 30.00
3840.00	40	53	26	23.96	24.84	< 30.00
		1	1	24.30	25.18	< 30.00
		1	104	24.03	24.91	< 30.00
		106	0	24.09	24.97	< 30.00
		1	105	23.49	24.37	< 30.00
		1	0	23.48	24.36	< 30.00
3960.00	40	53	26	24.13	25.01	< 30.00
		1	1	24.06	24.94	< 30.00
		1	104	24.28	25.16	< 30.00
		106	0	24.14	25.02	< 30.00
		1	105	23.58	24.46	< 30.00
		1	0	23.75	24.63	< 30.00
3725.01	50	67	33	23.49	24.37	< 30.00
		1	1	23.66	24.54	< 30.00
		1	131	23.42	24.30	< 30.00
		133	0	23.46	24.34	< 30.00
		1	132	22.87	23.75	< 30.00
		1	0	22.89	23.77	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3840.00	50	67	33	23.95	24.83	< 30.00
		1	1	24.02	24.90	< 30.00
		1	131	23.72	24.60	< 30.00
		133	0	23.82	24.70	< 30.00
		1	132	23.15	24.03	< 30.00
		1	0	23.37	24.25	< 30.00
3954.99	50	67	33	23.86	24.74	< 30.00
		1	1	23.98	24.86	< 30.00
		1	131	24.27	25.15	< 30.00
		133	0	23.96	24.84	< 30.00
		1	132	23.10	23.98	< 30.00
		1	0	23.52	24.40	< 30.00
3730.02	60	81	40	23.45	24.33	< 30.00
		1	1	23.66	24.54	< 30.00
		1	160	23.65	24.53	< 30.00
		162	0	23.40	24.28	< 30.00
		1	161	22.69	23.57	< 30.00
		1	0	22.57	23.45	< 30.00
3840.00	60	81	40	23.86	24.74	< 30.00
		1	1	23.84	24.72	< 30.00
		1	160	23.86	24.74	< 30.00
		162	0	23.83	24.71	< 30.00
		1	161	22.93	23.81	< 30.00
		1	0	23.05	23.93	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3949.98	60	81	40	23.66	24.54	< 30.00
		1	1	24.03	24.91	< 30.00
		1	160	24.14	25.02	< 30.00
		162	0	23.73	24.61	< 30.00
		1	161	23.10	23.98	< 30.00
		1	0	23.40	24.28	< 30.00
3735.00	70	95	47	23.32	24.20	< 30.00
		1	1	23.14	24.02	< 30.00
		1	187	23.18	24.06	< 30.00
		189	0	23.29	24.17	< 30.00
		1	188	22.70	23.58	< 30.00
		1	0	22.84	23.72	< 30.00
3840.00	70	95	47	23.52	24.40	< 30.00
		1	1	23.28	24.16	< 30.00
		1	187	23.36	24.24	< 30.00
		189	0	23.46	24.34	< 30.00
		1	188	22.77	23.65	< 30.00
		1	0	22.98	23.86	< 30.00
3945.00	70	95	47	23.78	24.66	< 30.00
		1	1	23.84	24.72	< 30.00
		1	187	23.48	24.36	< 30.00
		189	0	23.70	24.58	< 30.00
		1	188	23.52	24.40	< 30.00
		1	0	23.01	23.89	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3740.01	80	109	54	23.40	24.28	< 30.00
		1	1	23.37	24.25	< 30.00
		1	215	23.28	24.16	< 30.00
		217	0	23.30	24.18	< 30.00
		1	216	22.77	23.65	< 30.00
		1	0	22.52	23.40	< 30.00
3840.00	80	109	54	23.76	24.64	< 30.00
		1	1	23.63	24.51	< 30.00
		1	215	23.29	24.17	< 30.00
		217	0	23.56	24.44	< 30.00
		1	216	22.77	23.65	< 30.00
		1	0	23.00	23.88	< 30.00
3939.99	80	109	54	23.58	24.46	< 30.00
		1	1	23.73	24.61	< 30.00
		1	215	24.03	24.91	< 30.00
		217	0	23.62	24.50	< 30.00
		1	216	23.12	24.00	< 30.00
		1	0	23.27	24.15	< 30.00
3745.02	90	123	61	23.35	24.23	< 30.00
		1	1	23.45	24.33	< 30.00
		1	243	23.10	23.98	< 30.00
		245	0	23.25	24.13	< 30.00
		1	244	22.94	23.82	< 30.00
		1	0	22.52	23.40	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3840.00	90	123	61	23.68	24.56	< 30.00
		1	1	23.58	24.46	< 30.00
		1	243	23.47	24.35	< 30.00
		245	0	23.58	24.46	< 30.00
		1	244	22.76	23.64	< 30.00
		1	0	23.00	23.88	< 30.00
3934.98	90	123	61	23.66	24.54	< 30.00
		1	1	23.67	24.55	< 30.00
		1	243	23.68	24.56	< 30.00
		245	0	23.69	24.57	< 30.00
		1	244	23.34	24.22	< 30.00
		1	0	23.05	23.93	< 30.00
3750.00	100	137	68	23.39	24.27	< 30.00
		1	1	23.41	24.29	< 30.00
		1	271	23.07	23.95	< 30.00
		273	0	23.30	24.18	< 30.00
		1	272	22.59	23.47	< 30.00
		1	0	22.67	23.55	< 30.00
3840.00	100	137	68	23.70	24.58	< 30.00
		1	1	23.54	24.42	< 30.00
		1	271	23.68	24.56	< 30.00
		273	0	23.71	24.59	< 30.00
		1	272	22.67	23.55	< 30.00
		1	0	22.88	23.76	< 30.00
3930.00	100	137	68	23.76	24.64	< 30.00
		1	1	23.65	24.53	< 30.00
		1	271	24.10	24.98	< 30.00
		273	0	23.68	24.56	< 30.00
		1	272	22.91	23.79	< 30.00
		1	0	23.20	24.08	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3705.00	10	12	6	23.14	24.02	< 30.00
		1	1	23.16	24.04	< 30.00
		1	22	23.21	24.09	< 30.00
		24	0	23.09	23.97	< 30.00
		1	23	23.04	23.92	< 30.00
		1	0	23.09	23.97	< 30.00
3840.00	10	12	6	23.39	24.27	< 30.00
		1	1	23.32	24.20	< 30.00
		1	22	23.35	24.23	< 30.00
		24	0	23.42	24.30	< 30.00
		1	23	23.52	24.40	< 30.00
		1	0	23.56	24.44	< 30.00
3975.00	10	12	6	23.76	24.64	< 30.00
		1	1	23.77	24.65	< 30.00
		1	22	23.73	24.61	< 30.00
		24	0	23.75	24.63	< 30.00
		1	23	23.84	24.72	< 30.00
		1	0	23.83	24.71	< 30.00
3707.52	15	19	9	23.13	24.01	< 30.00
		1	1	23.09	23.97	< 30.00
		1	36	23.09	23.97	< 30.00
		38	0	23.10	23.98	< 30.00
		1	37	23.25	24.13	< 30.00
		1	0	23.14	24.02	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3840.00	15	19	9	23.59	24.47	< 30.00
		1	1	23.50	24.38	< 30.00
		1	36	23.53	24.41	< 30.00
		38	0	23.50	24.38	< 30.00
		1	37	23.46	24.34	< 30.00
		1	0	23.58	24.46	< 30.00
3972.48	15	19	9	23.75	24.63	< 30.00
		1	1	23.72	24.60	< 30.00
		1	36	23.73	24.61	< 30.00
		38	0	23.73	24.61	< 30.00
		1	37	23.68	24.56	< 30.00
		1	0	23.78	24.66	< 30.00
3710.01	20	25	12	23.29	24.17	< 30.00
		1	1	23.37	24.25	< 30.00
		1	49	23.28	24.16	< 30.00
		51	0	23.22	24.10	< 30.00
		1	50	23.16	24.04	< 30.00
		1	0	23.34	24.22	< 30.00
3840.00	20	25	12	23.65	24.53	< 30.00
		1	1	23.67	24.55	< 30.00
		1	49	23.94	24.82	< 30.00
		51	0	23.66	24.54	< 30.00
		1	50	23.64	24.52	< 30.00
		1	0	23.78	24.66	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3969.99	20	25	12	23.79	24.67	< 30.00
		1	1	23.72	24.60	< 30.00
		1	49	23.89	24.77	< 30.00
		51	0	23.72	24.60	< 30.00
		1	50	23.76	24.64	< 30.00
		1	0	23.92	24.80	< 30.00
3712.50	25	33	16	21.94	22.82	< 30.00
		1	1	21.77	22.65	< 30.00
		1	63	21.75	22.63	< 30.00
		65	0	21.89	22.77	< 30.00
		1	0	21.73	22.61	< 30.00
		1	64	21.71	22.59	< 30.00
3840.00	25	33	16	21.91	22.79	< 30.00
		1	1	21.98	22.86	< 30.00
		1	63	21.94	22.82	< 30.00
		65	0	21.99	22.87	< 30.00
		1	0	21.95	22.83	< 30.00
		1	64	22.04	22.92	< 30.00
3967.50	25	33	16	22.16	23.04	< 30.00
		1	1	22.08	22.96	< 30.00
		1	63	22.04	22.92	< 30.00
		65	0	22.19	23.07	< 30.00
		1	0	22.07	22.95	< 30.00
		1	64	22.22	23.10	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3715.02	30	39	19	23.14	24.02	< 30.00
		1	1	23.19	24.07	< 30.00
		1	76	23.32	24.20	< 30.00
		78	0	23.14	24.02	< 30.00
		1	77	23.26	24.14	< 30.00
		1	0	23.13	24.01	< 30.00
3840.00	30	39	19	23.56	24.44	< 30.00
		1	1	23.46	24.34	< 30.00
		1	76	23.47	24.35	< 30.00
		78	0	23.52	24.40	< 30.00
		1	77	23.73	24.61	< 30.00
		1	0	23.48	24.36	< 30.00
3964.98	30	39	19	23.61	24.49	< 30.00
		1	1	23.62	24.50	< 30.00
		1	76	23.92	24.80	< 30.00
		78	0	23.68	24.56	< 30.00
		1	77	23.58	24.46	< 30.00
		1	0	23.78	24.66	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3720.00	40	53	26	23.37	24.25	< 30.00
		1	1	23.46	24.34	< 30.00
		1	104	23.37	24.25	< 30.00
		106	0	23.33	24.21	< 30.00
		1	105	23.45	24.33	< 30.00
		1	0	23.12	24.00	< 30.00
3840.00	40	53	26	23.49	24.37	< 30.00
		1	1	23.65	24.53	< 30.00
		1	104	23.09	23.97	< 30.00
		106	0	23.53	24.41	< 30.00
		1	105	23.52	24.40	< 30.00
		1	0	23.23	24.11	< 30.00
3960.00	40	53	26	23.70	24.58	< 30.00
		1	1	23.59	24.47	< 30.00
		1	104	23.85	24.73	< 30.00
		106	0	23.66	24.54	< 30.00
		1	105	23.56	24.44	< 30.00
		1	0	23.85	24.73	< 30.00
3725.01	50	67	33	22.96	23.84	< 30.00
		1	1	23.12	24.00	< 30.00
		1	131	23.05	23.93	< 30.00
		133	0	22.93	23.81	< 30.00
		1	132	23.17	24.05	< 30.00
		1	0	22.95	23.83	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3840.00	50	67	33	23.42	24.30	< 30.00
		1	1	23.29	24.17	< 30.00
		1	131	23.67	24.55	< 30.00
		133	0	23.34	24.22	< 30.00
		1	132	23.37	24.25	< 30.00
		1	0	23.65	24.53	< 30.00
3954.99	50	67	33	23.41	24.29	< 30.00
		1	1	23.48	24.36	< 30.00
		1	131	23.59	24.47	< 30.00
		133	0	23.43	24.31	< 30.00
		1	132	23.45	24.33	< 30.00
		1	0	23.60	24.48	< 30.00
3730.02	60	81	40	22.91	23.79	< 30.00
		1	1	23.13	24.01	< 30.00
		1	160	22.85	23.73	< 30.00
		162	0	22.94	23.82	< 30.00
		1	161	23.11	23.99	< 30.00
		1	0	23.02	23.90	< 30.00
3840.00	60	81	40	23.28	24.16	< 30.00
		1	1	23.10	23.98	< 30.00
		1	160	23.52	24.40	< 30.00
		162	0	23.28	24.16	< 30.00
		1	161	23.25	24.13	< 30.00
		1	0	23.02	23.90	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3949.98	60	81	40	23.19	24.07	< 30.00
		1	1	23.27	24.15	< 30.00
		1	160	23.42	24.30	< 30.00
		162	0	23.29	24.17	< 30.00
		1	161	23.31	24.19	< 30.00
		1	0	23.61	24.49	< 30.00
3735.00	70	95	47	22.91	23.79	< 30.00
		1	1	22.75	23.63	< 30.00
		1	187	22.90	23.78	< 30.00
		189	0	22.80	23.68	< 30.00
		1	188	22.57	23.45	< 30.00
		1	0	22.85	23.73	< 30.00
3840.00	70	95	47	23.05	23.93	< 30.00
		1	1	22.80	23.68	< 30.00
		1	187	22.90	23.78	< 30.00
		189	0	23.01	23.89	< 30.00
		1	188	22.77	23.65	< 30.00
		1	0	23.00	23.88	< 30.00
3945.00	70	95	47	23.24	24.12	< 30.00
		1	1	23.44	24.32	< 30.00
		1	187	22.91	23.79	< 30.00
		189	0	23.22	24.10	< 30.00
		1	188	23.42	24.30	< 30.00
		1	0	22.97	23.85	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3740.01	80	109	54	22.87	23.75	< 30.00
		1	1	22.83	23.71	< 30.00
		1	215	22.58	23.46	< 30.00
		217	0	22.83	23.71	< 30.00
		1	216	22.86	23.74	< 30.00
		1	0	22.62	23.50	< 30.00
3840.00	80	109	54	23.04	23.92	< 30.00
		1	1	22.91	23.79	< 30.00
		1	215	22.84	23.72	< 30.00
		217	0	23.12	24.00	< 30.00
		1	216	23.00	23.88	< 30.00
		1	0	22.99	23.87	< 30.00
3939.99	80	109	54	23.14	24.02	< 30.00
		1	1	23.07	23.95	< 30.00
		1	215	23.19	24.07	< 30.00
		217	0	23.17	24.05	< 30.00
		1	216	23.20	24.08	< 30.00
		1	0	23.16	24.04	< 30.00
3745.02	90	123	61	22.87	23.75	< 30.00
		1	1	22.90	23.78	< 30.00
		1	243	22.63	23.51	< 30.00
		245	0	22.89	23.77	< 30.00
		1	244	22.76	23.64	< 30.00
		1	0	22.77	23.65	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3840.00	90	123	61	23.02	23.90	< 30.00
		1	1	22.96	23.84	< 30.00
		1	243	22.96	23.84	< 30.00
		245	0	23.04	23.92	< 30.00
		1	244	22.61	23.49	< 30.00
		1	0	23.11	23.99	< 30.00
3934.98	90	123	61	23.02	23.90	< 30.00
		1	1	23.28	24.16	< 30.00
		1	243	23.36	24.24	< 30.00
		245	0	23.13	24.01	< 30.00
		1	244	22.95	23.83	< 30.00
		1	0	23.30	24.18	< 30.00
3750.00	100	137	68	22.84	23.72	< 30.00
		1	1	22.85	23.73	< 30.00
		1	271	22.72	23.60	< 30.00
		273	0	22.85	23.73	< 30.00
		1	272	22.74	23.62	< 30.00
		1	0	22.49	23.37	< 30.00
3840.00	100	137	68	23.17	24.05	< 30.00
		1	1	22.94	23.82	< 30.00
		1	271	23.01	23.89	< 30.00
		273	0	23.16	24.04	< 30.00
		1	272	22.73	23.61	< 30.00
		1	0	22.76	23.64	< 30.00
3930.00	100	137	68	23.11	23.99	< 30.00
		1	1	22.86	23.74	< 30.00
		1	271	23.25	24.13	< 30.00
		273	0	23.24	24.12	< 30.00
		1	272	22.96	23.84	< 30.00
		1	0	23.23	24.11	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3705.00	10	12	6	19.98	20.86	< 30.00
		1	1	20.24	21.12	< 30.00
		1	22	20.49	21.37	< 30.00
		24	0	20.07	20.95	< 30.00
		1	23	20.43	21.31	< 30.00
		1	0	20.50	21.38	< 30.00
3840.00	10	12	6	20.47	21.35	< 30.00
		1	1	20.66	21.54	< 30.00
		1	22	20.53	21.41	< 30.00
		24	0	20.45	21.33	< 30.00
		1	23	20.54	21.42	< 30.00
		1	0	20.58	21.46	< 30.00
3975.00	10	12	6	20.59	21.47	< 30.00
		1	1	20.80	21.68	< 30.00
		1	22	21.00	21.88	< 30.00
		24	0	20.66	21.54	< 30.00
		1	23	21.00	21.88	< 30.00
		1	0	20.91	21.79	< 30.00
3707.52	15	19	9	20.20	21.08	< 30.00
		1	1	20.38	21.26	< 30.00
		1	36	20.42	21.30	< 30.00
		38	0	20.05	20.93	< 30.00
		1	37	20.35	21.23	< 30.00
		1	0	20.37	21.25	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3840.00	15	19	9	20.63	21.51	< 30.00
		1	1	20.83	21.71	< 30.00
		1	36	20.75	21.63	< 30.00
		38	0	20.52	21.40	< 30.00
		1	37	20.82	21.70	< 30.00
		1	0	20.86	21.74	< 30.00
3972.48	15	19	9	20.69	21.57	< 30.00
		1	1	21.06	21.94	< 30.00
		1	36	21.03	21.91	< 30.00
		38	0	20.69	21.57	< 30.00
		1	37	21.02	21.90	< 30.00
		1	0	21.10	21.98	< 30.00
3710.01	20	25	12	20.25	21.13	< 30.00
		1	1	20.42	21.30	< 30.00
		1	49	20.46	21.34	< 30.00
		51	0	20.15	21.03	< 30.00
		1	50	20.32	21.20	< 30.00
		1	0	20.35	21.23	< 30.00
3840.00	20	25	12	20.60	21.48	< 30.00
		1	1	20.89	21.77	< 30.00
		1	49	20.81	21.69	< 30.00
		51	0	20.52	21.40	< 30.00
		1	50	20.79	21.67	< 30.00
		1	0	20.86	21.74	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3969.99	20	25	12	20.67	21.55	< 30.00
		1	1	20.78	21.66	< 30.00
		1	49	21.09	21.97	< 30.00
		51	0	20.74	21.62	< 30.00
		1	50	20.78	21.66	< 30.00
		1	0	21.48	22.36	< 30.00
3712.50	25	33	16	18.90	19.78	< 30.00
		1	1	19.05	19.93	< 30.00
		1	63	19.01	19.89	< 30.00
		65	0	18.77	19.65	< 30.00
		1	0	19.10	19.98	< 30.00
		1	64	19.10	19.98	< 30.00
3840.00	25	33	16	18.80	19.68	< 30.00
		1	1	18.96	19.84	< 30.00
		1	63	19.07	19.95	< 30.00
		65	0	18.82	19.70	< 30.00
		1	0	18.98	19.86	< 30.00
		1	64	19.12	20.00	< 30.00
3967.50	25	33	16	19.06	19.94	< 30.00
		1	1	19.31	20.19	< 30.00
		1	63	19.48	20.36	< 30.00
		65	0	19.24	20.12	< 30.00
		1	0	19.40	20.28	< 30.00
		1	64	19.53	20.41	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3715.02	30	39	19	20.18	21.06	< 30.00
		1	1	20.53	21.41	< 30.00
		1	76	20.37	21.25	< 30.00
		78	0	20.26	21.14	< 30.00
		1	77	20.53	21.41	< 30.00
		1	0	20.40	21.28	< 30.00
3840.00	30	39	19	20.60	21.48	< 30.00
		1	1	20.88	21.76	< 30.00
		1	76	20.53	21.41	< 30.00
		78	0	20.50	21.38	< 30.00
		1	77	20.97	21.85	< 30.00
		1	0	20.61	21.49	< 30.00
3964.98	30	39	19	20.66	21.54	< 30.00
		1	1	20.81	21.69	< 30.00
		1	76	21.03	21.91	< 30.00
		78	0	20.82	21.70	< 30.00
		1	77	20.66	21.54	< 30.00
		1	0	21.07	21.95	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3720.00	40	53	26	20.23	21.11	< 30.00
		1	1	20.69	21.57	< 30.00
		1	104	20.71	21.59	< 30.00
		106	0	20.38	21.26	< 30.00
		1	105	20.65	21.53	< 30.00
		1	0	20.49	21.37	< 30.00
3840.00	40	53	26	20.56	21.44	< 30.00
		1	1	20.74	21.62	< 30.00
		1	104	20.74	21.62	< 30.00
		106	0	20.58	21.46	< 30.00
		1	105	20.86	21.74	< 30.00
		1	0	20.56	21.44	< 30.00
3960.00	40	53	26	20.60	21.48	< 30.00
		1	1	20.87	21.75	< 30.00
		1	104	21.07	21.95	< 30.00
		106	0	20.73	21.61	< 30.00
		1	105	20.74	21.62	< 30.00
		1	0	21.06	21.94	< 30.00
3725.01	50	67	33	19.97	20.85	< 30.00
		1	1	20.28	21.16	< 30.00
		1	131	20.05	20.93	< 30.00
		133	0	20.15	21.03	< 30.00
		1	132	20.21	21.09	< 30.00
		1	0	20.08	20.96	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3840.00	50	67	33	20.37	21.25	< 30.00
		1	1	20.49	21.37	< 30.00
		1	131	20.45	21.33	< 30.00
		133	0	20.33	21.21	< 30.00
		1	132	20.53	21.41	< 30.00
		1	0	20.77	21.65	< 30.00
3954.99	50	67	33	20.43	21.31	< 30.00
		1	1	20.51	21.39	< 30.00
		1	131	20.70	21.58	< 30.00
		133	0	20.66	21.54	< 30.00
		1	132	20.60	21.48	< 30.00
		1	0	20.81	21.69	< 30.00
3730.02	60	81	40	19.85	20.73	< 30.00
		1	1	20.12	21.00	< 30.00
		1	160	20.07	20.95	< 30.00
		162	0	20.05	20.93	< 30.00
		1	161	20.19	21.07	< 30.00
		1	0	20.05	20.93	< 30.00
3840.00	60	81	40	20.49	21.37	< 30.00
		1	1	20.53	21.41	< 30.00
		1	160	20.26	21.14	< 30.00
		162	0	20.33	21.21	< 30.00
		1	161	20.34	21.22	< 30.00
		1	0	20.28	21.16	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3949.98	60	81	40	20.23	21.11	< 30.00
		1	1	20.48	21.36	< 30.00
		1	160	20.53	21.41	< 30.00
		162	0	20.42	21.30	< 30.00
		1	161	20.49	21.37	< 30.00
		1	0	21.06	21.94	< 30.00
3735.00	70	95	47	19.82	20.70	< 30.00
		1	1	19.57	20.45	< 30.00
		1	187	19.68	20.56	< 30.00
		189	0	19.88	20.76	< 30.00
		1	188	19.58	20.46	< 30.00
		1	0	19.87	20.75	< 30.00
3840.00	70	95	47	19.90	20.78	< 30.00
		1	1	19.76	20.64	< 30.00
		1	187	19.71	20.59	< 30.00
		189	0	19.86	20.74	< 30.00
		1	188	19.72	20.60	< 30.00
		1	0	19.93	20.81	< 30.00
3945.00	70	95	47	20.21	21.09	< 30.00
		1	1	20.29	21.17	< 30.00
		1	187	19.76	20.64	< 30.00
		189	0	20.31	21.19	< 30.00
		1	188	20.63	21.51	< 30.00
		1	0	19.89	20.77	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3740.01	80	109	54	19.91	20.79	< 30.00
		1	1	20.12	21.00	< 30.00
		1	215	19.82	20.70	< 30.00
		217	0	19.95	20.83	< 30.00
		1	216	20.15	21.03	< 30.00
		1	0	19.85	20.73	< 30.00
3840.00	80	109	54	20.11	20.99	< 30.00
		1	1	20.23	21.11	< 30.00
		1	215	20.21	21.09	< 30.00
		217	0	20.03	20.91	< 30.00
		1	216	20.12	21.00	< 30.00
		1	0	20.10	20.98	< 30.00
3939.99	80	109	54	20.03	20.91	< 30.00
		1	1	20.31	21.19	< 30.00
		1	215	20.54	21.42	< 30.00
		217	0	20.27	21.15	< 30.00
		1	216	20.89	21.77	< 30.00
		1	0	20.29	21.17	< 30.00
3745.02	90	123	61	20.04	20.92	< 30.00
		1	1	20.09	20.97	< 30.00
		1	243	19.94	20.82	< 30.00
		245	0	20.00	20.88	< 30.00
		1	244	19.94	20.82	< 30.00
		1	0	19.82	20.70	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3840.00	90	123	61	20.13	21.01	< 30.00
		1	1	20.36	21.24	< 30.00
		1	243	20.38	21.26	< 30.00
		245	0	20.21	21.09	< 30.00
		1	244	20.11	20.99	< 30.00
		1	0	20.28	21.16	< 30.00
3934.98	90	123	61	20.10	20.98	< 30.00
		1	1	20.38	21.26	< 30.00
		1	243	21.11	21.99	< 30.00
		245	0	20.07	20.95	< 30.00
		1	244	20.14	21.02	< 30.00
		1	0	20.45	21.33	< 30.00
3750.00	100	137	68	19.91	20.79	< 30.00
		1	1	20.13	21.01	< 30.00
		1	271	19.76	20.64	< 30.00
		273	0	19.76	20.64	< 30.00
		1	272	19.90	20.78	< 30.00
		1	0	19.76	20.64	< 30.00
3840.00	100	137	68	20.15	21.03	< 30.00
		1	1	20.34	21.22	< 30.00
		1	271	20.25	21.13	< 30.00
		273	0	20.10	20.98	< 30.00
		1	272	20.23	21.11	< 30.00
		1	0	19.92	20.80	< 30.00
3930.00	100	137	68	20.25	21.13	< 30.00
		1	1	20.30	21.18	< 30.00
		1	271	20.62	21.50	< 30.00
		273	0	20.12	21.00	< 30.00
		1	272	20.10	20.98	< 30.00
		1	0	20.37	21.25	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

HPUE n77/n78_SA (3700 ~ 3980)

MAX Power

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3964.98	30	1	76	27.32	28.20	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3930	100	1	271	26.77	27.65	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3972.48	15	18	9	26.26	27.14	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840	100	135	67	25.74	26.62	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Power

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3705.00	10	12	6	26.40	27.28	< 30.00
		1	1	26.35	27.23	< 30.00
		1	22	26.42	27.30	< 30.00
		24	0	25.90	26.78	< 30.00
		1	23	22.83	23.71	< 30.00
		1	0	22.89	23.77	< 30.00
3840.00	10	12	6	26.72	27.60	< 30.00
		1	1	26.69	27.57	< 30.00
		1	22	26.61	27.49	< 30.00
		24	0	26.25	27.13	< 30.00
		1	23	23.24	24.12	< 30.00
		1	0	23.07	23.95	< 30.00
3975.00	10	12	6	27.01	27.89	< 30.00
		1	1	26.94	27.82	< 30.00
		1	22	27.02	27.90	< 30.00
		24	0	26.56	27.44	< 30.00
		1	23	23.48	24.36	< 30.00
		1	0	23.50	24.38	< 30.00
3707.52	15	18	9	26.52	27.40	< 30.00
		1	1	26.55	27.43	< 30.00
		1	36	26.63	27.51	< 30.00
		36	0	26.03	26.91	< 30.00
		1	37	23.09	23.97	< 30.00
		1	0	23.02	23.90	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	15	18	9	27.00	27.88	< 30.00
		1	1	27.04	27.92	< 30.00
		1	36	26.93	27.81	< 30.00
		36	0	26.50	27.38	< 30.00
		1	37	23.47	24.35	< 30.00
		1	0	23.41	24.29	< 30.00
3972.48	15	18	9	27.20	28.08	< 30.00
		1	1	27.11	27.99	< 30.00
		1	36	27.21	28.09	< 30.00
		36	0	26.75	27.63	< 30.00
		1	37	23.69	24.57	< 30.00
		1	0	23.67	24.55	< 30.00
3710.01	20	25	12	26.65	27.53	< 30.00
		1	1	26.58	27.46	< 30.00
		1	49	26.56	27.44	< 30.00
		50	0	26.15	27.03	< 30.00
		1	50	23.12	24.00	< 30.00
		1	0	23.00	23.88	< 30.00
3840.00	20	25	12	27.11	27.99	< 30.00
		1	1	27.02	27.90	< 30.00
		1	49	26.94	27.82	< 30.00
		50	0	26.49	27.37	< 30.00
		1	50	23.35	24.23	< 30.00
		1	0	23.44	24.32	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3969.99	20	25	12	27.18	28.06	< 30.00
		1	1	27.07	27.95	< 30.00
		1	49	27.16	28.04	< 30.00
		50	0	26.71	27.59	< 30.00
		1	50	23.57	24.45	< 30.00
		1	0	23.67	24.55	< 30.00
3712.50	25	32	16	25.43	26.31	< 30.00
		1	1	25.36	26.24	< 30.00
		1	63	25.56	26.44	< 30.00
		64	0	24.91	25.79	< 30.00
		1	0	21.77	22.65	< 30.00
		1	64	21.89	22.77	< 30.00
3840.00	25	32	16	25.50	26.38	< 30.00
		1	1	25.45	26.33	< 30.00
		1	63	25.42	26.30	< 30.00
		64	0	25.03	25.91	< 30.00
		1	0	21.82	22.70	< 30.00
		1	64	22.00	22.88	< 30.00
3967.50	25	32	16	25.72	26.60	< 30.00
		1	1	25.68	26.56	< 30.00
		1	63	25.94	26.82	< 30.00
		64	0	25.27	26.15	< 30.00
		1	0	22.22	23.10	< 30.00
		1	64	22.22	23.10	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3715.02	30	36	78	26.74	27.62	< 30.00
		1	1	26.74	27.62	< 30.00
		1	76	26.57	27.45	< 30.00
		75	0	26.18	27.06	< 30.00
		1	77	23.22	24.10	< 30.00
		1	0	23.00	23.88	< 30.00
3840.00	30	36	78	27.01	27.89	< 30.00
		1	1	26.91	27.79	< 30.00
		1	76	26.87	27.75	< 30.00
		75	0	26.55	27.43	< 30.00
		1	77	23.36	24.24	< 30.00
		1	0	23.34	24.22	< 30.00
3964.98	30	36	78	27.21	28.09	< 30.00
		1	1	27.08	27.96	< 30.00
		1	76	27.24	28.12	< 30.00
		75	0	26.67	27.55	< 30.00
		1	77	23.56	24.44	< 30.00
		1	0	23.66	24.54	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3720.00	40	50	25	26.84	27.72	< 30.00
		1	1	26.84	27.72	< 30.00
		1	104	26.71	27.59	< 30.00
		100	0	26.27	27.15	< 30.00
		1	105	23.24	24.12	< 30.00
		1	0	23.22	24.10	< 30.00
3840.00	40	50	25	27.05	27.93	< 30.00
		1	1	27.01	27.89	< 30.00
		1	104	26.82	27.70	< 30.00
		100	0	26.45	27.33	< 30.00
		1	105	23.49	24.37	< 30.00
		1	0	23.23	24.11	< 30.00
3960.00	40	50	25	27.03	27.91	< 30.00
		1	1	27.08	27.96	< 30.00
		1	104	27.28	28.16	< 30.00
		100	0	26.66	27.54	< 30.00
		1	105	23.52	24.40	< 30.00
		1	0	23.72	24.60	< 30.00
3725.01	50	64	32	26.60	27.48	< 30.00
		1	1	26.42	27.30	< 30.00
		1	131	26.35	27.23	< 30.00
		128	0	25.89	26.77	< 30.00
		1	132	22.91	23.79	< 30.00
		1	0	22.83	23.71	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	50	64	32	26.85	27.73	< 30.00
		1	1	26.69	27.57	< 30.00
		1	131	26.76	27.64	< 30.00
		128	0	26.27	27.15	< 30.00
		1	132	23.27	24.15	< 30.00
		1	0	23.31	24.19	< 30.00
3954.99	50	64	32	26.83	27.71	< 30.00
		1	1	26.74	27.62	< 30.00
		1	131	27.04	27.92	< 30.00
		128	0	26.38	27.26	< 30.00
		1	132	23.26	24.14	< 30.00
		1	0	23.52	24.40	< 30.00
3730.02	60	81	40	26.40	27.28	< 30.00
		1	1	26.37	27.25	< 30.00
		1	160	26.28	27.16	< 30.00
		162	0	26.00	26.88	< 30.00
		1	161	22.85	23.73	< 30.00
		1	0	22.75	23.63	< 30.00
3840.00	60	81	40	26.85	27.73	< 30.00
		1	1	26.60	27.48	< 30.00
		1	160	26.63	27.51	< 30.00
		162	0	26.35	27.23	< 30.00
		1	161	22.95	23.83	< 30.00
		1	0	23.15	24.03	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3949.98	60	81	40	26.80	27.68	< 30.00
		1	1	26.58	27.46	< 30.00
		1	160	26.85	27.73	< 30.00
		162	0	26.28	27.16	< 30.00
		1	161	23.03	23.91	< 30.00
		1	0	23.23	24.11	< 30.00
3735.00	70	90	45	26.34	27.22	< 30.00
		1	1	26.20	27.08	< 30.00
		1	187	26.20	27.08	< 30.00
		180	0	25.83	26.71	< 30.00
		1	188	22.71	23.59	< 30.00
		1	0	22.72	23.60	< 30.00
3840.00	70	90	45	26.49	27.37	< 30.00
		1	1	26.35	27.23	< 30.00
		1	187	26.44	27.32	< 30.00
		180	0	26.04	26.92	< 30.00
		1	188	22.77	23.65	< 30.00
		1	0	22.82	23.70	< 30.00
3945.00	70	90	45	26.71	27.59	< 30.00
		1	1	26.84	27.72	< 30.00
		1	187	26.45	27.33	< 30.00
		180	0	26.25	27.13	< 30.00
		1	188	23.26	24.14	< 30.00
		1	0	22.94	23.82	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3740.01	80	108	54	26.43	27.31	< 30.00
		1	1	26.37	27.25	< 30.00
		1	215	26.13	27.01	< 30.00
		216	0	25.85	26.73	< 30.00
		1	216	22.75	23.63	< 30.00
		1	0	22.67	23.55	< 30.00
3840.00	80	108	54	26.69	27.57	< 30.00
		1	1	26.43	27.31	< 30.00
		1	215	26.49	27.37	< 30.00
		216	0	26.10	26.98	< 30.00
		1	216	22.95	23.83	< 30.00
		1	0	22.93	23.81	< 30.00
3939.99	80	108	54	26.66	27.54	< 30.00
		1	1	26.53	27.41	< 30.00
		1	215	26.68	27.56	< 30.00
		216	0	26.20	27.08	< 30.00
		1	216	23.08	23.96	< 30.00
		1	0	23.14	24.02	< 30.00
3745.02	90	120	60	26.39	27.27	< 30.00
		1	1	26.42	27.30	< 30.00
		1	243	26.24	27.12	< 30.00
		243	0	25.77	26.65	< 30.00
		1	244	22.72	23.60	< 30.00
		1	0	22.54	23.42	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	90	120	60	26.69	27.57	< 30.00
		1	1	26.41	27.29	< 30.00
		1	243	26.53	27.41	< 30.00
		243	0	25.99	26.87	< 30.00
		1	244	22.75	23.63	< 30.00
		1	0	22.80	23.68	< 30.00
3934.98	90	120	60	26.59	27.47	< 30.00
		1	1	26.63	27.51	< 30.00
		1	243	26.80	27.68	< 30.00
		243	0	26.14	27.02	< 30.00
		1	244	23.02	23.90	< 30.00
		1	0	23.22	24.10	< 30.00
3750.00	100	135	67	26.44	27.32	< 30.00
		1	1	26.31	27.19	< 30.00
		1	271	26.08	26.96	< 30.00
		270	0	25.73	26.61	< 30.00
		1	272	22.60	23.48	< 30.00
		1	0	22.48	23.36	< 30.00
3840.00	100	135	67	26.67	27.55	< 30.00
		1	1	26.30	27.18	< 30.00
		1	271	26.47	27.35	< 30.00
		270	0	25.95	26.83	< 30.00
		1	272	22.56	23.44	< 30.00
		1	0	22.68	23.56	< 30.00
3930.00	100	135	67	26.61	27.49	< 30.00
		1	1	26.40	27.28	< 30.00
		1	271	26.76	27.64	< 30.00
		270	0	26.20	27.08	< 30.00
		1	272	22.67	23.55	< 30.00
		1	0	23.08	23.96	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	15	18	9	27.05	27.93	< 30.00
		1	1	27.03	27.91	< 30.00
		1	36	27.08	27.96	< 30.00
		36	0	26.06	26.94	< 30.00
		1	37	23.56	24.44	< 30.00
		1	0	23.39	24.27	< 30.00
3972.48	15	18	9	27.27	28.15	< 30.00
		1	1	27.17	28.05	< 30.00
		1	36	27.26	28.14	< 30.00
		36	0	26.19	27.07	< 30.00
		1	37	23.66	24.54	< 30.00
		1	0	23.82	24.70	< 30.00
3710.01	20	25	12	26.70	27.58	< 30.00
		1	1	26.67	27.55	< 30.00
		1	49	26.56	27.44	< 30.00
		50	0	25.63	26.51	< 30.00
		1	50	23.06	23.94	< 30.00
		1	0	23.14	24.02	< 30.00
3840.00	20	25	12	27.05	27.93	< 30.00
		1	1	26.99	27.87	< 30.00
		1	49	26.88	27.76	< 30.00
		50	0	26.05	26.93	< 30.00
		1	50	23.43	24.31	< 30.00
		1	0	23.47	24.35	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3969.99	20	25	12	27.19	28.07	< 30.00
		1	1	27.15	28.03	< 30.00
		1	49	27.28	28.16	< 30.00
		50	0	26.16	27.04	< 30.00
		1	50	23.58	24.46	< 30.00
		1	0	23.80	24.68	< 30.00
3712.50	25	32	16	25.44	26.32	< 30.00
		1	1	25.39	26.27	< 30.00
		1	63	25.52	26.40	< 30.00
		64	0	24.36	25.24	< 30.00
		1	0	21.76	22.64	< 30.00
		1	64	22.06	22.94	< 30.00
3840.00	25	32	16	25.51	26.39	< 30.00
		1	1	25.41	26.29	< 30.00
		1	63	25.43	26.31	< 30.00
		64	0	24.50	25.38	< 30.00
		1	0	21.86	22.74	< 30.00
		1	64	21.93	22.81	< 30.00
3967.50	25	32	16	25.71	26.59	< 30.00
		1	1	25.69	26.57	< 30.00
		1	63	25.82	26.70	< 30.00
		64	0	24.82	25.70	< 30.00
		1	0	22.24	23.12	< 30.00
		1	64	22.31	23.19	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3715.02	30	36	78	26.69	27.57	< 30.00
		1	1	26.82	27.70	< 30.00
		1	76	26.68	27.56	< 30.00
		75	0	25.74	26.62	< 30.00
		1	77	23.07	23.95	< 30.00
		1	0	23.17	24.05	< 30.00
3840.00	30	36	78	27.06	27.94	< 30.00
		1	1	26.99	27.87	< 30.00
		1	76	26.98	27.86	< 30.00
		75	0	26.07	26.95	< 30.00
		1	77	23.41	24.29	< 30.00
		1	0	23.32	24.20	< 30.00
3964.98	30	36	78	27.04	27.92	< 30.00
		1	1	27.06	27.94	< 30.00
		1	76	27.32	28.20	< 30.00
		75	0	26.13	27.01	< 30.00
		1	77	23.51	24.39	< 30.00
		1	0	23.73	24.61	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3720.00	40	50	25	26.77	27.65	< 30.00
		1	1	26.81	27.69	< 30.00
		1	104	26.71	27.59	< 30.00
		100	0	25.82	26.70	< 30.00
		1	105	23.32	24.20	< 30.00
		1	0	23.29	24.17	< 30.00
3840.00	40	50	25	27.05	27.93	< 30.00
		1	1	27.07	27.95	< 30.00
		1	104	26.82	27.70	< 30.00
		100	0	26.07	26.95	< 30.00
		1	105	23.52	24.40	< 30.00
		1	0	23.44	24.32	< 30.00
3960.00	40	50	25	27.03	27.91	< 30.00
		1	1	27.08	27.96	< 30.00
		1	104	27.27	28.15	< 30.00
		100	0	26.11	26.99	< 30.00
		1	105	23.58	24.46	< 30.00
		1	0	23.89	24.77	< 30.00
3725.01	50	64	32	26.39	27.27	< 30.00
		1	1	26.49	27.37	< 30.00
		1	131	26.38	27.26	< 30.00
		128	0	25.52	26.40	< 30.00
		1	132	22.91	23.79	< 30.00
		1	0	22.97	23.85	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	50	64	32	26.84	27.72	< 30.00
		1	1	26.79	27.67	< 30.00
		1	131	26.72	27.60	< 30.00
		128	0	25.83	26.71	< 30.00
		1	132	23.45	24.33	< 30.00
		1	0	23.34	24.22	< 30.00
3954.99	50	64	32	26.85	27.73	< 30.00
		1	1	26.79	27.67	< 30.00
		1	131	27.02	27.90	< 30.00
		128	0	25.85	26.73	< 30.00
		1	132	23.21	24.09	< 30.00
		1	0	23.55	24.43	< 30.00
3730.02	60	81	40	26.39	27.27	< 30.00
		1	1	26.51	27.39	< 30.00
		1	160	26.36	27.24	< 30.00
		162	0	25.45	26.33	< 30.00
		1	161	22.82	23.70	< 30.00
		1	0	22.69	23.57	< 30.00
3840.00	60	81	40	26.88	27.76	< 30.00
		1	1	26.59	27.47	< 30.00
		1	160	26.72	27.60	< 30.00
		162	0	25.69	26.57	< 30.00
		1	161	23.01	23.89	< 30.00
		1	0	23.02	23.90	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3949.98	60	81	40	26.65	27.53	< 30.00
		1	1	26.67	27.55	< 30.00
		1	160	26.89	27.77	< 30.00
		162	0	25.73	26.61	< 30.00
		1	161	23.02	23.90	< 30.00
		1	0	23.42	24.30	< 30.00
3735.00	70	90	45	26.31	27.19	< 30.00
		1	1	26.18	27.06	< 30.00
		1	187	26.20	27.08	< 30.00
		180	0	25.19	26.07	< 30.00
		1	188	22.67	23.55	< 30.00
		1	0	22.61	23.49	< 30.00
3840.00	70	90	45	26.51	27.39	< 30.00
		1	1	26.29	27.17	< 30.00
		1	187	26.40	27.28	< 30.00
		180	0	25.48	26.36	< 30.00
		1	188	22.66	23.54	< 30.00
		1	0	22.80	23.68	< 30.00
3945.00	70	90	45	26.73	27.61	< 30.00
		1	1	26.79	27.67	< 30.00
		1	187	26.43	27.31	< 30.00
		180	0	25.66	26.54	< 30.00
		1	188	23.25	24.13	< 30.00
		1	0	22.94	23.82	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3740.01	80	108	54	26.42	27.30	< 30.00
		1	1	26.39	27.27	< 30.00
		1	215	26.16	27.04	< 30.00
		216	0	25.26	26.14	< 30.00
		1	216	22.80	23.68	< 30.00
		1	0	22.63	23.51	< 30.00
3840.00	80	108	54	26.69	27.57	< 30.00
		1	1	26.49	27.37	< 30.00
		1	215	26.42	27.30	< 30.00
		216	0	25.63	26.51	< 30.00
		1	216	22.86	23.74	< 30.00
		1	0	23.01	23.89	< 30.00
3939.99	80	108	54	26.58	27.46	< 30.00
		1	1	26.70	27.58	< 30.00
		1	215	26.81	27.69	< 30.00
		216	0	25.66	26.54	< 30.00
		1	216	23.14	24.02	< 30.00
		1	0	23.32	24.20	< 30.00
3745.02	90	120	60	26.36	27.24	< 30.00
		1	1	26.44	27.32	< 30.00
		1	243	26.28	27.16	< 30.00
		243	0	25.33	26.21	< 30.00
		1	244	22.78	23.66	< 30.00
		1	0	22.55	23.43	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	90	120	60	26.69	27.57	< 30.00
		1	1	26.54	27.42	< 30.00
		1	243	26.53	27.41	< 30.00
		243	0	25.54	26.42	< 30.00
		1	244	22.83	23.71	< 30.00
		1	0	22.85	23.73	< 30.00
3934.98	90	120	60	26.60	27.48	< 30.00
		1	1	26.72	27.60	< 30.00
		1	243	26.84	27.72	< 30.00
		243	0	25.69	26.57	< 30.00
		1	244	22.97	23.85	< 30.00
		1	0	23.31	24.19	< 30.00
3750.00	100	135	67	26.39	27.27	< 30.00
		1	1	26.30	27.18	< 30.00
		1	271	26.25	27.13	< 30.00
		270	0	25.27	26.15	< 30.00
		1	272	22.78	23.66	< 30.00
		1	0	22.48	23.36	< 30.00
3840.00	100	135	67	26.66	27.54	< 30.00
		1	1	26.33	27.21	< 30.00
		1	271	26.51	27.39	< 30.00
		270	0	25.52	26.40	< 30.00
		1	272	22.55	23.43	< 30.00
		1	0	22.81	23.69	< 30.00
3930.00	100	135	67	26.64	27.52	< 30.00
		1	1	26.43	27.31	< 30.00
		1	271	26.77	27.65	< 30.00
		270	0	25.65	26.53	< 30.00
		1	272	22.65	23.53	< 30.00
		1	0	23.09	23.97	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3705.00	10	12	6	25.51	26.39	< 30.00
		1	1	25.55	26.43	< 30.00
		1	22	25.40	26.28	< 30.00
		24	0	24.49	25.37	< 30.00
		1	23	22.78	23.66	< 30.00
		1	0	22.75	23.63	< 30.00
3840.00	10	12	6	25.79	26.67	< 30.00
		1	1	25.52	26.40	< 30.00
		1	22	25.40	26.28	< 30.00
		24	0	24.72	25.60	< 30.00
		1	23	22.82	23.70	< 30.00
		1	0	22.73	23.61	< 30.00
3975.00	10	12	6	26.04	26.92	< 30.00
		1	1	26.04	26.92	< 30.00
		1	22	26.03	26.91	< 30.00
		24	0	25.10	25.98	< 30.00
		1	23	23.36	24.24	< 30.00
		1	0	23.36	24.24	< 30.00
3707.52	15	18	9	25.64	26.52	< 30.00
		1	1	25.45	26.33	< 30.00
		1	36	25.41	26.29	< 30.00
		36	0	24.61	25.49	< 30.00
		1	37	22.81	23.69	< 30.00
		1	0	22.84	23.72	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	15	18	9	26.06	26.94	< 30.00
		1	1	25.74	26.62	< 30.00
		1	36	25.76	26.64	< 30.00
		36	0	25.00	25.88	< 30.00
		1	37	23.18	24.06	< 30.00
		1	0	23.13	24.01	< 30.00
3972.48	15	18	9	26.26	27.14	< 30.00
		1	1	26.00	26.88	< 30.00
		1	36	26.02	26.90	< 30.00
		36	0	25.15	26.03	< 30.00
		1	37	23.51	24.39	< 30.00
		1	0	23.43	24.31	< 30.00
3710.01	20	25	12	25.71	26.59	< 30.00
		1	1	25.39	26.27	< 30.00
		1	49	25.34	26.22	< 30.00
		50	0	24.57	25.45	< 30.00
		1	50	22.73	23.61	< 30.00
		1	0	22.72	23.60	< 30.00
3840.00	20	25	12	26.11	26.99	< 30.00
		1	1	25.83	26.71	< 30.00
		1	49	25.68	26.56	< 30.00
		50	0	25.08	25.96	< 30.00
		1	50	23.04	23.92	< 30.00
		1	0	23.14	24.02	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3969.99	20	25	12	26.22	27.10	< 30.00
		1	1	25.91	26.79	< 30.00
		1	49	25.93	26.81	< 30.00
		50	0	25.21	26.09	< 30.00
		1	50	23.45	24.33	< 30.00
		1	0	23.43	24.31	< 30.00
3712.50	25	32	16	24.38	25.26	< 30.00
		1	1	24.24	25.12	< 30.00
		1	63	24.30	25.18	< 30.00
		64	0	23.37	24.25	< 30.00
		1	0	21.75	22.63	< 30.00
		1	64	22.05	22.93	< 30.00
3840.00	25	32	16	24.54	25.42	< 30.00
		1	1	24.23	25.11	< 30.00
		1	63	24.34	25.22	< 30.00
		64	0	23.54	24.42	< 30.00
		1	0	21.80	22.68	< 30.00
		1	64	21.89	22.77	< 30.00
3967.50	25	32	16	24.82	25.70	< 30.00
		1	1	24.72	25.60	< 30.00
		1	63	24.69	25.57	< 30.00
		64	0	23.80	24.68	< 30.00
		1	0	22.06	22.94	< 30.00
		1	64	22.23	23.11	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3715.02	30	36	78	25.63	26.51	< 30.00
		1	1	25.73	26.61	< 30.00
		1	76	25.69	26.57	< 30.00
		75	0	24.68	25.56	< 30.00
		1	77	23.26	24.14	< 30.00
		1	0	23.27	24.15	< 30.00
3840.00	30	36	78	26.00	26.88	< 30.00
		1	1	25.96	26.84	< 30.00
		1	76	25.86	26.74	< 30.00
		75	0	25.02	25.90	< 30.00
		1	77	23.54	24.42	< 30.00
		1	0	23.45	24.33	< 30.00
3964.98	30	36	78	26.11	26.99	< 30.00
		1	1	26.10	26.98	< 30.00
		1	76	26.24	27.12	< 30.00
		75	0	25.07	25.95	< 30.00
		1	77	23.60	24.48	< 30.00
		1	0	23.70	24.58	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3720.00	40	50	25	25.72	26.60	< 30.00
		1	1	25.66	26.54	< 30.00
		1	104	25.45	26.33	< 30.00
		100	0	24.81	25.69	< 30.00
		1	105	23.05	23.93	< 30.00
		1	0	23.02	23.90	< 30.00
3840.00	40	50	25	25.92	26.80	< 30.00
		1	1	25.82	26.70	< 30.00
		1	104	25.66	26.54	< 30.00
		100	0	24.98	25.86	< 30.00
		1	105	23.21	24.09	< 30.00
		1	0	23.13	24.01	< 30.00
3960.00	40	50	25	26.11	26.99	< 30.00
		1	1	25.99	26.87	< 30.00
		1	104	26.14	27.02	< 30.00
		100	0	25.13	26.01	< 30.00
		1	105	23.16	24.04	< 30.00
		1	0	23.68	24.56	< 30.00
3725.01	50	64	32	25.47	26.35	< 30.00
		1	1	25.34	26.22	< 30.00
		1	131	25.18	26.06	< 30.00
		128	0	24.49	25.37	< 30.00
		1	132	22.60	23.48	< 30.00
		1	0	22.66	23.54	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	50	64	32	25.91	26.79	< 30.00
		1	1	25.55	26.43	< 30.00
		1	131	25.44	26.32	< 30.00
		128	0	24.84	25.72	< 30.00
		1	132	23.08	23.96	< 30.00
		1	0	22.99	23.87	< 30.00
3954.99	50	64	32	25.81	26.69	< 30.00
		1	1	25.55	26.43	< 30.00
		1	131	25.83	26.71	< 30.00
		128	0	24.88	25.76	< 30.00
		1	132	23.01	23.89	< 30.00
		1	0	23.28	24.16	< 30.00
3730.02	60	81	40	25.41	26.29	< 30.00
		1	1	25.34	26.22	< 30.00
		1	160	25.26	26.14	< 30.00
		162	0	24.46	25.34	< 30.00
		1	161	23.15	24.03	< 30.00
		1	0	22.65	23.53	< 30.00
3840.00	60	81	40	25.94	26.82	< 30.00
		1	1	25.34	26.22	< 30.00
		1	160	25.38	26.26	< 30.00
		162	0	24.71	25.59	< 30.00
		1	161	22.62	23.50	< 30.00
		1	0	22.68	23.56	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3949.98	60	81	40	25.71	26.59	< 30.00
		1	1	25.43	26.31	< 30.00
		1	160	25.56	26.44	< 30.00
		162	0	24.75	25.63	< 30.00
		1	161	22.74	23.62	< 30.00
		1	0	22.86	23.74	< 30.00
3735.00	70	90	45	25.25	26.13	< 30.00
		1	1	24.93	25.81	< 30.00
		1	187	24.99	25.87	< 30.00
		180	0	24.22	25.10	< 30.00
		1	188	22.43	23.31	< 30.00
		1	0	22.51	23.39	< 30.00
3840.00	70	90	45	25.45	26.33	< 30.00
		1	1	25.24	26.12	< 30.00
		1	187	25.15	26.03	< 30.00
		180	0	24.45	25.33	< 30.00
		1	188	22.61	23.49	< 30.00
		1	0	22.69	23.57	< 30.00
3945.00	70	90	45	25.71	26.59	< 30.00
		1	1	25.62	26.50	< 30.00
		1	187	25.22	26.10	< 30.00
		180	0	24.62	25.50	< 30.00
		1	188	23.12	24.00	< 30.00
		1	0	22.76	23.64	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3740.01	80	108	54	25.37	26.25	< 30.00
		1	1	25.27	26.15	< 30.00
		1	215	24.96	25.84	< 30.00
		216	0	24.27	25.15	< 30.00
		1	216	22.45	23.33	< 30.00
		1	0	22.30	23.18	< 30.00
3840.00	80	108	54	25.64	26.52	< 30.00
		1	1	25.34	26.22	< 30.00
		1	215	25.31	26.19	< 30.00
		216	0	24.56	25.44	< 30.00
		1	216	22.65	23.53	< 30.00
		1	0	22.49	23.37	< 30.00
3939.99	80	108	54	25.62	26.50	< 30.00
		1	1	25.40	26.28	< 30.00
		1	215	25.59	26.47	< 30.00
		216	0	24.57	25.45	< 30.00
		1	216	22.85	23.73	< 30.00
		1	0	23.02	23.90	< 30.00
3745.02	90	120	60	25.42	26.30	< 30.00
		1	1	25.21	26.09	< 30.00
		1	243	25.02	25.90	< 30.00
		243	0	24.35	25.23	< 30.00
		1	244	22.48	23.36	< 30.00
		1	0	22.25	23.13	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	90	120	60	25.56	26.44	< 30.00
		1	1	25.20	26.08	< 30.00
		1	243	25.39	26.27	< 30.00
		243	0	24.53	25.41	< 30.00
		1	244	22.43	23.31	< 30.00
		1	0	22.60	23.48	< 30.00
3934.98	90	120	60	25.69	26.57	< 30.00
		1	1	25.50	26.38	< 30.00
		1	243	25.64	26.52	< 30.00
		243	0	24.70	25.58	< 30.00
		1	244	22.85	23.73	< 30.00
		1	0	22.90	23.78	< 30.00
3750.00	100	135	67	25.44	26.32	< 30.00
		1	1	25.13	26.01	< 30.00
		1	271	24.92	25.80	< 30.00
		270	0	24.22	25.10	< 30.00
		1	272	22.42	23.30	< 30.00
		1	0	22.32	23.20	< 30.00
3840.00	100	135	67	25.74	26.62	< 30.00
		1	1	25.12	26.00	< 30.00
		1	271	25.23	26.11	< 30.00
		270	0	24.45	25.33	< 30.00
		1	272	22.25	23.13	< 30.00
		1	0	22.48	23.36	< 30.00
3930.00	100	135	67	25.61	26.49	< 30.00
		1	1	25.23	26.11	< 30.00
		1	271	25.52	26.40	< 30.00
		270	0	24.58	25.46	< 30.00
		1	272	22.40	23.28	< 30.00
		1	0	22.96	23.84	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3705.00	10	12	6	23.87	24.75	< 30.00
		1	1	23.64	24.52	< 30.00
		1	22	23.92	24.80	< 30.00
		24	0	24.02	24.90	< 30.00
		1	23	22.64	23.52	< 30.00
		1	0	22.62	23.50	< 30.00
3840.00	10	12	6	24.23	25.11	< 30.00
		1	1	24.45	25.33	< 30.00
		1	22	24.36	25.24	< 30.00
		24	0	24.18	25.06	< 30.00
		1	23	23.27	24.15	< 30.00
		1	0	23.11	23.99	< 30.00
3975.00	10	12	6	24.48	25.36	< 30.00
		1	1	24.53	25.41	< 30.00
		1	22	24.38	25.26	< 30.00
		24	0	24.70	25.58	< 30.00
		1	23	23.23	24.11	< 30.00
		1	0	23.49	24.37	< 30.00
3707.52	15	18	9	24.13	25.01	< 30.00
		1	1	23.94	24.82	< 30.00
		1	36	23.96	24.84	< 30.00
		36	0	24.01	24.89	< 30.00
		1	37	23.33	24.21	< 30.00
		1	0	23.34	24.22	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	15	18	9	24.56	25.44	< 30.00
		1	1	24.34	25.22	< 30.00
		1	36	24.29	25.17	< 30.00
		36	0	24.52	25.40	< 30.00
		1	37	23.48	24.36	< 30.00
		1	0	23.39	24.27	< 30.00
3972.48	15	18	9	24.64	25.52	< 30.00
		1	1	24.56	25.44	< 30.00
		1	36	24.61	25.49	< 30.00
		36	0	24.76	25.64	< 30.00
		1	37	23.66	24.54	< 30.00
		1	0	24.04	24.92	< 30.00
3710.01	20	25	12	24.03	24.91	< 30.00
		1	1	24.17	25.05	< 30.00
		1	49	24.14	25.02	< 30.00
		50	0	24.07	24.95	< 30.00
		1	50	23.00	23.88	< 30.00
		1	0	23.11	23.99	< 30.00
3840.00	20	25	12	24.57	25.45	< 30.00
		1	1	24.81	25.69	< 30.00
		1	49	24.57	25.45	< 30.00
		50	0	24.57	25.45	< 30.00
		1	50	23.65	24.53	< 30.00
		1	0	23.35	24.23	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3969.99	20	25	12	24.70	25.58	< 30.00
		1	1	24.72	25.60	< 30.00
		1	49	24.88	25.76	< 30.00
		50	0	24.72	25.60	< 30.00
		1	50	23.59	24.47	< 30.00
		1	0	23.57	24.45	< 30.00
3712.50	25	32	16	23.07	23.95	< 30.00
		1	1	22.93	23.81	< 30.00
		1	63	23.01	23.89	< 30.00
		64	0	23.01	23.89	< 30.00
		1	0	21.71	22.59	< 30.00
		1	64	22.11	22.99	< 30.00
3840.00	25	32	16	23.08	23.96	< 30.00
		1	1	22.90	23.78	< 30.00
		1	63	22.97	23.85	< 30.00
		64	0	23.02	23.90	< 30.00
		1	0	22.34	23.22	< 30.00
		1	64	22.28	23.16	< 30.00
3967.50	25	32	16	23.40	24.28	< 30.00
		1	1	23.16	24.04	< 30.00
		1	63	23.33	24.21	< 30.00
		64	0	23.27	24.15	< 30.00
		1	0	22.53	23.41	< 30.00
		1	64	22.59	23.47	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3715.02	30	36	78	24.09	24.97	< 30.00
		1	1	24.29	25.17	< 30.00
		1	76	24.17	25.05	< 30.00
		75	0	24.08	24.96	< 30.00
		1	77	23.31	24.19	< 30.00
		1	0	23.25	24.13	< 30.00
3840.00	30	36	78	24.54	25.42	< 30.00
		1	1	24.54	25.42	< 30.00
		1	76	24.22	25.10	< 30.00
		75	0	24.64	25.52	< 30.00
		1	77	23.50	24.38	< 30.00
		1	0	23.15	24.03	< 30.00
3964.98	30	36	78	24.59	25.47	< 30.00
		1	1	24.58	25.46	< 30.00
		1	76	24.72	25.60	< 30.00
		75	0	24.62	25.50	< 30.00
		1	77	23.69	24.57	< 30.00
		1	0	23.83	24.71	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3720.00	40	50	25	24.07	24.95	< 30.00
		1	1	24.28	25.16	< 30.00
		1	104	24.30	25.18	< 30.00
		100	0	24.16	25.04	< 30.00
		1	105	23.42	24.30	< 30.00
		1	0	23.54	24.42	< 30.00
3840.00	40	50	25	24.59	25.47	< 30.00
		1	1	24.58	25.46	< 30.00
		1	104	24.21	25.09	< 30.00
		100	0	24.53	25.41	< 30.00
		1	105	23.53	24.41	< 30.00
		1	0	23.66	24.54	< 30.00
3960.00	40	50	25	24.53	25.41	< 30.00
		1	1	24.43	25.31	< 30.00
		1	104	24.70	25.58	< 30.00
		100	0	24.68	25.56	< 30.00
		1	105	23.54	24.42	< 30.00
		1	0	24.14	25.02	< 30.00
3725.01	50	64	32	23.94	24.82	< 30.00
		1	1	24.19	25.07	< 30.00
		1	131	23.99	24.87	< 30.00
		128	0	23.93	24.81	< 30.00
		1	132	22.85	23.73	< 30.00
		1	0	22.86	23.74	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	50	64	32	24.35	25.23	< 30.00
		1	1	24.23	25.11	< 30.00
		1	131	24.56	25.44	< 30.00
		128	0	24.28	25.16	< 30.00
		1	132	23.16	24.04	< 30.00
		1	0	23.34	24.22	< 30.00
3954.99	50	64	32	24.28	25.16	< 30.00
		1	1	24.38	25.26	< 30.00
		1	131	24.62	25.50	< 30.00
		128	0	24.32	25.20	< 30.00
		1	132	23.27	24.15	< 30.00
		1	0	23.39	24.27	< 30.00
3730.02	60	81	40	23.82	24.70	< 30.00
		1	1	23.67	24.55	< 30.00
		1	160	23.48	24.36	< 30.00
		162	0	23.87	24.75	< 30.00
		1	161	22.73	23.61	< 30.00
		1	0	22.49	23.37	< 30.00
3840.00	60	81	40	24.30	25.18	< 30.00
		1	1	24.20	25.08	< 30.00
		1	160	24.33	25.21	< 30.00
		162	0	24.13	25.01	< 30.00
		1	161	23.07	23.95	< 30.00
		1	0	23.10	23.98	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3949.98	60	81	40	24.26	25.14	< 30.00
		1	1	24.27	25.15	< 30.00
		1	160	24.40	25.28	< 30.00
		162	0	24.16	25.04	< 30.00
		1	161	23.06	23.94	< 30.00
		1	0	23.26	24.14	< 30.00
3735.00	70	90	45	23.73	24.61	< 30.00
		1	1	23.99	24.87	< 30.00
		1	187	23.73	24.61	< 30.00
		180	0	23.73	24.61	< 30.00
		1	188	22.81	23.69	< 30.00
		1	0	22.86	23.74	< 30.00
3840.00	70	90	45	24.03	24.91	< 30.00
		1	1	23.83	24.71	< 30.00
		1	187	23.94	24.82	< 30.00
		180	0	24.05	24.93	< 30.00
		1	188	22.75	23.63	< 30.00
		1	0	22.82	23.70	< 30.00
3945.00	70	90	45	24.20	25.08	< 30.00
		1	1	24.52	25.40	< 30.00
		1	187	24.21	25.09	< 30.00
		180	0	24.18	25.06	< 30.00
		1	188	23.57	24.45	< 30.00
		1	0	23.17	24.05	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3740.01	80	108	54	23.88	24.76	< 30.00
		1	1	24.10	24.98	< 30.00
		1	215	23.80	24.68	< 30.00
		216	0	23.76	24.64	< 30.00
		1	216	23.19	24.07	< 30.00
		1	0	23.01	23.89	< 30.00
3840.00	80	108	54	24.21	25.09	< 30.00
		1	1	24.17	25.05	< 30.00
		1	215	23.94	24.82	< 30.00
		216	0	24.07	24.95	< 30.00
		1	216	23.19	24.07	< 30.00
		1	0	23.05	23.93	< 30.00
3939.99	80	108	54	24.08	24.96	< 30.00
		1	1	24.26	25.14	< 30.00
		1	215	24.45	25.33	< 30.00
		216	0	24.09	24.97	< 30.00
		1	216	23.31	24.19	< 30.00
		1	0	23.46	24.34	< 30.00
3745.02	90	120	60	23.75	24.63	< 30.00
		1	1	23.83	24.71	< 30.00
		1	243	23.84	24.72	< 30.00
		243	0	23.73	24.61	< 30.00
		1	244	22.78	23.66	< 30.00
		1	0	22.74	23.62	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	90	120	60	24.13	25.01	< 30.00
		1	1	23.94	24.82	< 30.00
		1	243	24.05	24.93	< 30.00
		243	0	23.95	24.83	< 30.00
		1	244	22.79	23.67	< 30.00
		1	0	23.29	24.17	< 30.00
3934.98	90	120	60	24.15	25.03	< 30.00
		1	1	24.20	25.08	< 30.00
		1	243	24.32	25.20	< 30.00
		243	0	24.11	24.99	< 30.00
		1	244	23.39	24.27	< 30.00
		1	0	23.46	24.34	< 30.00
3750.00	100	135	67	23.91	24.79	< 30.00
		1	1	24.05	24.93	< 30.00
		1	271	23.67	24.55	< 30.00
		270	0	23.74	24.62	< 30.00
		1	272	22.94	23.82	< 30.00
		1	0	22.55	23.43	< 30.00
3840.00	100	135	67	24.03	24.91	< 30.00
		1	1	23.96	24.84	< 30.00
		1	271	24.04	24.92	< 30.00
		270	0	24.07	24.95	< 30.00
		1	272	22.83	23.71	< 30.00
		1	0	22.91	23.79	< 30.00
3930.00	100	135	67	24.18	25.06	< 30.00
		1	1	24.14	25.02	< 30.00
		1	271	24.37	25.25	< 30.00
		270	0	24.07	24.95	< 30.00
		1	272	22.71	23.59	< 30.00
		1	0	23.50	24.38	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3705.00	10	12	6	21.88	22.76	< 30.00
		1	1	21.83	22.71	< 30.00
		1	22	21.85	22.73	< 30.00
		24	0	22.08	22.96	< 30.00
		1	23	21.66	22.54	< 30.00
		1	0	21.95	22.83	< 30.00
3840.00	10	12	6	22.26	23.14	< 30.00
		1	1	21.99	22.87	< 30.00
		1	22	22.24	23.12	< 30.00
		24	0	22.38	23.26	< 30.00
		1	23	22.21	23.09	< 30.00
		1	0	22.12	23.00	< 30.00
3975.00	10	12	6	22.51	23.39	< 30.00
		1	1	22.37	23.25	< 30.00
		1	22	22.48	23.36	< 30.00
		24	0	22.57	23.45	< 30.00
		1	23	22.60	23.48	< 30.00
		1	0	22.58	23.46	< 30.00
3707.52	15	18	9	22.02	22.90	< 30.00
		1	1	22.12	23.00	< 30.00
		1	36	22.23	23.11	< 30.00
		36	0	22.05	22.93	< 30.00
		1	37	21.84	22.72	< 30.00
		1	0	22.22	23.10	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	15	18	9	22.54	23.42	< 30.00
		1	1	22.49	23.37	< 30.00
		1	36	22.40	23.28	< 30.00
		36	0	22.42	23.30	< 30.00
		1	37	22.26	23.14	< 30.00
		1	0	22.14	23.02	< 30.00
3972.48	15	18	9	22.72	23.60	< 30.00
		1	1	22.48	23.36	< 30.00
		1	36	22.40	23.28	< 30.00
		36	0	22.82	23.70	< 30.00
		1	37	22.67	23.55	< 30.00
		1	0	22.81	23.69	< 30.00
3710.01	20	25	12	22.09	22.97	< 30.00
		1	1	21.87	22.75	< 30.00
		1	49	22.03	22.91	< 30.00
		50	0	22.13	23.01	< 30.00
		1	50	21.90	22.78	< 30.00
		1	0	21.99	22.87	< 30.00
3840.00	20	25	12	22.48	23.36	< 30.00
		1	1	22.63	23.51	< 30.00
		1	49	22.52	23.40	< 30.00
		50	0	22.54	23.42	< 30.00
		1	50	22.25	23.13	< 30.00
		1	0	22.17	23.05	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3969.99	20	25	12	22.81	23.69	< 30.00
		1	1	22.67	23.55	< 30.00
		1	49	22.64	23.52	< 30.00
		50	0	22.74	23.62	< 30.00
		1	50	22.61	23.49	< 30.00
		1	0	22.43	23.31	< 30.00
3712.50	25	32	16	20.74	21.62	< 30.00
		1	1	20.55	21.43	< 30.00
		1	63	20.64	21.52	< 30.00
		64	0	20.81	21.69	< 30.00
		1	0	20.43	21.31	< 30.00
		1	64	20.74	21.62	< 30.00
3840.00	25	32	16	21.00	21.88	< 30.00
		1	1	20.68	21.56	< 30.00
		1	63	20.74	21.62	< 30.00
		64	0	21.04	21.92	< 30.00
		1	0	20.45	21.33	< 30.00
		1	64	20.73	21.61	< 30.00
3967.50	25	32	16	21.12	22.00	< 30.00
		1	1	20.79	21.67	< 30.00
		1	63	20.94	21.82	< 30.00
		64	0	21.29	22.17	< 30.00
		1	0	20.90	21.78	< 30.00
		1	64	21.15	22.03	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3715.02	30	36	78	22.11	22.99	< 30.00
		1	1	22.27	23.15	< 30.00
		1	76	22.07	22.95	< 30.00
		75	0	22.12	23.00	< 30.00
		1	77	22.19	23.07	< 30.00
		1	0	22.07	22.95	< 30.00
3840.00	30	36	78	22.56	23.44	< 30.00
		1	1	22.52	23.40	< 30.00
		1	76	22.32	23.20	< 30.00
		75	0	22.45	23.33	< 30.00
		1	77	22.41	23.29	< 30.00
		1	0	22.17	23.05	< 30.00
3964.98	30	36	78	22.57	23.45	< 30.00
		1	1	22.42	23.30	< 30.00
		1	76	22.72	23.60	< 30.00
		75	0	22.67	23.55	< 30.00
		1	77	22.40	23.28	< 30.00
		1	0	22.71	23.59	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3720.00	40	50	25	22.16	23.04	< 30.00
		1	1	22.21	23.09	< 30.00
		1	104	22.12	23.00	< 30.00
		100	0	22.03	22.91	< 30.00
		1	105	22.36	23.24	< 30.00
		1	0	22.12	23.00	< 30.00
3840.00	40	50	25	22.46	23.34	< 30.00
		1	1	22.30	23.18	< 30.00
		1	104	22.11	22.99	< 30.00
		100	0	22.63	23.51	< 30.00
		1	105	22.39	23.27	< 30.00
		1	0	22.32	23.20	< 30.00
3960.00	40	50	25	22.64	23.52	< 30.00
		1	1	22.59	23.47	< 30.00
		1	104	22.79	23.67	< 30.00
		100	0	22.62	23.50	< 30.00
		1	105	22.58	23.46	< 30.00
		1	0	22.79	23.67	< 30.00
3725.01	50	64	32	22.05	22.93	< 30.00
		1	1	21.75	22.63	< 30.00
		1	131	21.93	22.81	< 30.00
		128	0	22.02	22.90	< 30.00
		1	132	21.87	22.75	< 30.00
		1	0	21.69	22.57	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	50	64	32	22.36	23.24	< 30.00
		1	1	22.06	22.94	< 30.00
		1	131	22.14	23.02	< 30.00
		128	0	22.26	23.14	< 30.00
		1	132	22.15	23.03	< 30.00
		1	0	22.27	23.15	< 30.00
3954.99	50	64	32	22.38	23.26	< 30.00
		1	1	22.24	23.12	< 30.00
		1	131	22.28	23.16	< 30.00
		128	0	22.30	23.18	< 30.00
		1	132	22.12	23.00	< 30.00
		1	0	22.28	23.16	< 30.00
3730.02	60	81	40	21.85	22.73	< 30.00
		1	1	21.92	22.80	< 30.00
		1	160	21.64	22.52	< 30.00
		162	0	21.83	22.71	< 30.00
		1	161	21.94	22.82	< 30.00
		1	0	21.91	22.79	< 30.00
3840.00	60	81	40	22.28	23.16	< 30.00
		1	1	22.10	22.98	< 30.00
		1	160	21.90	22.78	< 30.00
		162	0	22.21	23.09	< 30.00
		1	161	21.94	22.82	< 30.00
		1	0	22.13	23.01	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3949.98	60	81	40	22.25	23.13	< 30.00
		1	1	22.11	22.99	< 30.00
		1	160	22.34	23.22	< 30.00
		162	0	22.27	23.15	< 30.00
		1	161	22.11	22.99	< 30.00
		1	0	22.30	23.18	< 30.00
3735.00	70	90	45	21.66	22.54	< 30.00
		1	1	21.45	22.33	< 30.00
		1	187	21.57	22.45	< 30.00
		180	0	21.74	22.62	< 30.00
		1	188	21.47	22.35	< 30.00
		1	0	21.55	22.43	< 30.00
3840.00	70	90	45	22.03	22.91	< 30.00
		1	1	21.61	22.49	< 30.00
		1	187	21.60	22.48	< 30.00
		180	0	22.05	22.93	< 30.00
		1	188	21.65	22.53	< 30.00
		1	0	21.84	22.72	< 30.00
3945.00	70	90	45	22.11	22.99	< 30.00
		1	1	22.14	23.02	< 30.00
		1	187	21.96	22.84	< 30.00
		180	0	22.11	22.99	< 30.00
		1	188	22.14	23.02	< 30.00
		1	0	21.71	22.59	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3740.01	80	108	54	21.78	22.66	< 30.00
		1	1	21.74	22.62	< 30.00
		1	215	21.72	22.60	< 30.00
		216	0	21.79	22.67	< 30.00
		1	216	21.79	22.67	< 30.00
		1	0	21.45	22.33	< 30.00
3840.00	80	108	54	22.06	22.94	< 30.00
		1	1	21.91	22.79	< 30.00
		1	215	21.96	22.84	< 30.00
		216	0	22.27	23.15	< 30.00
		1	216	21.76	22.64	< 30.00
		1	0	21.91	22.79	< 30.00
3939.99	80	108	54	22.07	22.95	< 30.00
		1	1	22.14	23.02	< 30.00
		1	215	22.35	23.23	< 30.00
		216	0	22.13	23.01	< 30.00
		1	216	22.02	22.90	< 30.00
		1	0	22.23	23.11	< 30.00
3745.02	90	120	60	21.77	22.65	< 30.00
		1	1	21.78	22.66	< 30.00
		1	243	21.73	22.61	< 30.00
		243	0	21.85	22.73	< 30.00
		1	244	21.91	22.79	< 30.00
		1	0	21.61	22.49	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	90	120	60	22.12	23.00	< 30.00
		1	1	21.86	22.74	< 30.00
		1	243	21.89	22.77	< 30.00
		243	0	21.96	22.84	< 30.00
		1	244	21.76	22.64	< 30.00
		1	0	21.79	22.67	< 30.00
3934.98	90	120	60	22.05	22.93	< 30.00
		1	1	22.13	23.01	< 30.00
		1	243	22.33	23.21	< 30.00
		243	0	22.08	22.96	< 30.00
		1	244	22.02	22.90	< 30.00
		1	0	22.21	23.09	< 30.00
3750.00	100	135	67	21.87	22.75	< 30.00
		1	1	21.80	22.68	< 30.00
		1	271	21.69	22.57	< 30.00
		270	0	21.72	22.60	< 30.00
		1	272	21.72	22.60	< 30.00
		1	0	21.29	22.17	< 30.00
3840.00	100	135	67	22.24	23.12	< 30.00
		1	1	21.79	22.67	< 30.00
		1	271	21.84	22.72	< 30.00
		270	0	22.02	22.90	< 30.00
		1	272	21.60	22.48	< 30.00
		1	0	21.63	22.51	< 30.00
3930.00	100	135	67	22.10	22.98	< 30.00
		1	1	21.90	22.78	< 30.00
		1	271	22.08	22.96	< 30.00
		270	0	22.10	22.98	< 30.00
		1	272	21.52	22.40	< 30.00
		1	0	21.79	22.67	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3705.00	10	12	6	24.96	25.84	< 30.00
		1	1	24.95	25.83	< 30.00
		1	22	24.99	25.87	< 30.00
		24	0	23.37	24.25	< 30.00
		1	23	22.82	23.70	< 30.00
		1	0	22.84	23.72	< 30.00
3840.00	10	12	6	25.37	26.25	< 30.00
		1	1	25.19	26.07	< 30.00
		1	22	25.22	26.10	< 30.00
		24	0	23.73	24.61	< 30.00
		1	23	23.24	24.12	< 30.00
		1	0	23.06	23.94	< 30.00
3975.00	10	12	6	25.59	26.47	< 30.00
		1	1	25.54	26.42	< 30.00
		1	22	25.51	26.39	< 30.00
		24	0	24.14	25.02	< 30.00
		1	23	23.56	24.44	< 30.00
		1	0	23.58	24.46	< 30.00
3707.52	15	19	9	25.07	25.95	< 30.00
		1	1	25.20	26.08	< 30.00
		1	36	25.17	26.05	< 30.00
		38	0	23.46	24.34	< 30.00
		1	37	23.12	24.00	< 30.00
		1	0	23.08	23.96	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3840.00	15	19	9	25.55	26.43	< 30.00
		1	1	25.62	26.50	< 30.00
		1	36	25.41	26.29	< 30.00
		38	0	24.05	24.93	< 30.00
		1	37	23.33	24.21	< 30.00
		1	0	23.39	24.27	< 30.00
3972.48	15	19	9	25.74	26.62	< 30.00
		1	1	25.83	26.71	< 30.00
		1	36	25.81	26.69	< 30.00
		38	0	24.19	25.07	< 30.00
		1	37	23.68	24.56	< 30.00
		1	0	24.14	25.02	< 30.00
3710.01	20	25	12	25.20	26.08	< 30.00
		1	1	25.14	26.02	< 30.00
		1	49	24.97	25.85	< 30.00
		51	0	23.62	24.50	< 30.00
		1	50	23.18	24.06	< 30.00
		1	0	23.27	24.15	< 30.00
3840.00	20	25	12	25.53	26.41	< 30.00
		1	1	25.64	26.52	< 30.00
		1	49	25.32	26.20	< 30.00
		51	0	24.01	24.89	< 30.00
		1	50	23.65	24.53	< 30.00
		1	0	23.44	24.32	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3969.99	20	25	12	25.72	26.60	< 30.00
		1	1	25.75	26.63	< 30.00
		1	49	25.61	26.49	< 30.00
		51	0	24.22	25.10	< 30.00
		1	50	23.58	24.46	< 30.00
		1	0	23.72	24.60	< 30.00
3712.50	25	33	16	23.93	24.81	< 30.00
		1	1	23.96	24.84	< 30.00
		1	63	23.94	24.82	< 30.00
		65	0	22.43	23.31	< 30.00
		1	0	21.76	22.64	< 30.00
		1	64	21.93	22.81	< 30.00
3840.00	25	33	16	23.97	24.85	< 30.00
		1	1	23.96	24.84	< 30.00
		1	63	23.99	24.87	< 30.00
		65	0	22.53	23.41	< 30.00
		1	0	21.91	22.79	< 30.00
		1	64	22.19	23.07	< 30.00
3967.50	25	33	16	24.22	25.10	< 30.00
		1	1	24.33	25.21	< 30.00
		1	63	24.38	25.26	< 30.00
		65	0	22.73	23.61	< 30.00
		1	0	22.18	23.06	< 30.00
		1	64	22.49	23.37	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3715.02	30	39	19	25.06	25.94	< 30.00
		1	1	25.27	26.15	< 30.00
		1	76	25.13	26.01	< 30.00
		78	0	23.62	24.50	< 30.00
		1	77	23.26	24.14	< 30.00
		1	0	23.20	24.08	< 30.00
3840.00	30	39	19	25.54	26.42	< 30.00
		1	1	25.52	26.40	< 30.00
		1	76	25.39	26.27	< 30.00
		78	0	24.01	24.89	< 30.00
		1	77	23.44	24.32	< 30.00
		1	0	23.36	24.24	< 30.00
3964.98	30	39	19	25.61	26.49	< 30.00
		1	1	25.58	26.46	< 30.00
		1	76	25.77	26.65	< 30.00
		78	0	24.09	24.97	< 30.00
		1	77	23.60	24.48	< 30.00
		1	0	23.56	24.44	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3720.00	40	53	26	25.23	26.11	< 30.00
		1	1	25.37	26.25	< 30.00
		1	104	25.10	25.98	< 30.00
		106	0	23.65	24.53	< 30.00
		1	105	23.31	24.19	< 30.00
		1	0	23.11	23.99	< 30.00
3840.00	40	53	26	25.58	26.46	< 30.00
		1	1	25.84	26.72	< 30.00
		1	104	25.23	26.11	< 30.00
		106	0	24.00	24.88	< 30.00
		1	105	23.52	24.40	< 30.00
		1	0	23.36	24.24	< 30.00
3960.00	40	53	26	25.62	26.50	< 30.00
		1	1	25.55	26.43	< 30.00
		1	104	25.70	26.58	< 30.00
		106	0	24.10	24.98	< 30.00
		1	105	23.54	24.42	< 30.00
		1	0	23.68	24.56	< 30.00
3725.01	50	67	33	24.98	25.86	< 30.00
		1	1	24.98	25.86	< 30.00
		1	131	24.82	25.70	< 30.00
		133	0	23.48	24.36	< 30.00
		1	132	23.07	23.95	< 30.00
		1	0	22.95	23.83	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3840.00	50	67	33	25.40	26.28	< 30.00
		1	1	25.35	26.23	< 30.00
		1	131	25.38	26.26	< 30.00
		133	0	23.89	24.77	< 30.00
		1	132	23.18	24.06	< 30.00
		1	0	23.29	24.17	< 30.00
3954.99	50	67	33	25.35	26.23	< 30.00
		1	1	25.26	26.14	< 30.00
		1	131	25.41	26.29	< 30.00
		133	0	23.90	24.78	< 30.00
		1	132	23.29	24.17	< 30.00
		1	0	23.56	24.44	< 30.00
3730.02	60	81	40	24.94	25.82	< 30.00
		1	1	24.91	25.79	< 30.00
		1	160	24.82	25.70	< 30.00
		162	0	23.41	24.29	< 30.00
		1	161	22.80	23.68	< 30.00
		1	0	22.87	23.75	< 30.00
3840.00	60	81	40	25.40	26.28	< 30.00
		1	1	25.07	25.95	< 30.00
		1	160	25.08	25.96	< 30.00
		162	0	23.87	24.75	< 30.00
		1	161	23.16	24.04	< 30.00
		1	0	23.08	23.96	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3949.98	60	81	40	25.19	26.07	< 30.00
		1	1	25.13	26.01	< 30.00
		1	160	25.28	26.16	< 30.00
		162	0	23.69	24.57	< 30.00
		1	161	23.12	24.00	< 30.00
		1	0	23.23	24.11	< 30.00
3735.00	70	95	47	24.75	25.63	< 30.00
		1	1	24.67	25.55	< 30.00
		1	187	24.76	25.64	< 30.00
		189	0	23.13	24.01	< 30.00
		1	188	22.78	23.66	< 30.00
		1	0	22.73	23.61	< 30.00
3840.00	70	95	47	25.00	25.88	< 30.00
		1	1	24.84	25.72	< 30.00
		1	187	24.95	25.83	< 30.00
		189	0	23.46	24.34	< 30.00
		1	188	22.96	23.84	< 30.00
		1	0	23.08	23.96	< 30.00
3945.00	70	95	47	25.23	26.11	< 30.00
		1	1	25.37	26.25	< 30.00
		1	187	25.10	25.98	< 30.00
		189	0	23.68	24.56	< 30.00
		1	188	23.49	24.37	< 30.00
		1	0	23.27	24.15	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3740.01	80	109	54	24.91	25.79	< 30.00
		1	1	24.91	25.79	< 30.00
		1	215	24.71	25.59	< 30.00
		217	0	23.33	24.21	< 30.00
		1	216	22.80	23.68	< 30.00
		1	0	22.57	23.45	< 30.00
3840.00	80	109	54	25.20	26.08	< 30.00
		1	1	24.98	25.86	< 30.00
		1	215	25.02	25.90	< 30.00
		217	0	23.58	24.46	< 30.00
		1	216	22.89	23.77	< 30.00
		1	0	22.83	23.71	< 30.00
3939.99	80	109	54	25.12	26.00	< 30.00
		1	1	25.19	26.07	< 30.00
		1	215	25.34	26.22	< 30.00
		217	0	23.72	24.60	< 30.00
		1	216	22.97	23.85	< 30.00
		1	0	23.19	24.07	< 30.00
3745.02	90	123	61	24.86	25.74	< 30.00
		1	1	24.95	25.83	< 30.00
		1	243	24.70	25.58	< 30.00
		245	0	23.28	24.16	< 30.00
		1	244	22.75	23.63	< 30.00
		1	0	22.67	23.55	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3840.00	90	123	61	25.02	25.90	< 30.00
		1	1	24.85	25.73	< 30.00
		1	243	25.02	25.90	< 30.00
		245	0	23.64	24.52	< 30.00
		1	244	22.80	23.68	< 30.00
		1	0	22.95	23.83	< 30.00
3934.98	90	123	61	25.20	26.08	< 30.00
		1	1	25.16	26.04	< 30.00
		1	243	25.23	26.11	< 30.00
		245	0	23.75	24.63	< 30.00
		1	244	22.74	23.62	< 30.00
		1	0	23.33	24.21	< 30.00
3750.00	100	137	68	24.96	25.84	< 30.00
		1	1	24.87	25.75	< 30.00
		1	271	24.57	25.45	< 30.00
		273	0	23.18	24.06	< 30.00
		1	272	22.64	23.52	< 30.00
		1	0	22.57	23.45	< 30.00
3840.00	100	137	68	25.06	25.94	< 30.00
		1	1	24.81	25.69	< 30.00
		1	271	24.93	25.81	< 30.00
		273	0	23.54	24.42	< 30.00
		1	272	22.60	23.48	< 30.00
		1	0	22.84	23.72	< 30.00
3930.00	100	137	68	25.12	26.00	< 30.00
		1	1	25.00	25.88	< 30.00
		1	271	25.22	26.10	< 30.00
		273	0	23.71	24.59	< 30.00
		1	272	22.74	23.62	< 30.00
		1	0	23.06	23.94	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3705.00	10	12	6	24.45	25.33	< 30.00
		1	1	24.44	25.32	< 30.00
		1	22	24.50	25.38	< 30.00
		24	0	23.51	24.39	< 30.00
		1	23	22.90	23.78	< 30.00
		1	0	22.89	23.77	< 30.00
3840.00	10	12	6	24.68	25.56	< 30.00
		1	1	25.00	25.88	< 30.00
		1	22	24.72	25.60	< 30.00
		24	0	23.86	24.74	< 30.00
		1	23	23.29	24.17	< 30.00
		1	0	23.23	24.11	< 30.00
3975.00	10	12	6	25.04	25.92	< 30.00
		1	1	25.00	25.88	< 30.00
		1	22	24.96	25.84	< 30.00
		24	0	24.20	25.08	< 30.00
		1	23	23.63	24.51	< 30.00
		1	0	23.43	24.31	< 30.00
3707.52	15	19	9	24.58	25.46	< 30.00
		1	1	24.70	25.58	< 30.00
		1	36	24.30	25.18	< 30.00
		38	0	23.62	24.50	< 30.00
		1	37	23.11	23.99	< 30.00
		1	0	23.27	24.15	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3840.00	15	19	9	24.97	25.85	< 30.00
		1	1	24.83	25.71	< 30.00
		1	36	24.69	25.57	< 30.00
		38	0	24.02	24.90	< 30.00
		1	37	23.62	24.50	< 30.00
		1	0	23.33	24.21	< 30.00
3972.48	15	19	9	25.17	26.05	< 30.00
		1	1	25.18	26.06	< 30.00
		1	36	24.97	25.85	< 30.00
		38	0	24.26	25.14	< 30.00
		1	37	23.61	24.49	< 30.00
		1	0	23.85	24.73	< 30.00
3710.01	20	25	12	24.66	25.54	< 30.00
		1	1	24.66	25.54	< 30.00
		1	49	24.67	25.55	< 30.00
		51	0	23.54	24.42	< 30.00
		1	50	23.07	23.95	< 30.00
		1	0	22.96	23.84	< 30.00
3840.00	20	25	12	25.08	25.96	< 30.00
		1	1	24.86	25.74	< 30.00
		1	49	24.78	25.66	< 30.00
		51	0	23.98	24.86	< 30.00
		1	50	23.30	24.18	< 30.00
		1	0	23.47	24.35	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3969.99	20	25	12	25.25	26.13	< 30.00
		1	1	25.20	26.08	< 30.00
		1	49	25.27	26.15	< 30.00
		51	0	24.23	25.11	< 30.00
		1	50	23.52	24.40	< 30.00
		1	0	23.52	24.40	< 30.00
3712.50	25	33	16	23.46	24.34	< 30.00
		1	1	23.40	24.28	< 30.00
		1	63	23.67	24.55	< 30.00
		65	0	22.46	23.34	< 30.00
		1	0	21.99	22.87	< 30.00
		1	64	22.11	22.99	< 30.00
3840.00	25	33	16	23.51	24.39	< 30.00
		1	1	23.65	24.53	< 30.00
		1	63	23.52	24.40	< 30.00
		65	0	22.56	23.44	< 30.00
		1	0	21.96	22.84	< 30.00
		1	64	21.95	22.83	< 30.00
3967.50	25	33	16	23.79	24.67	< 30.00
		1	1	24.05	24.93	< 30.00
		1	63	23.94	24.82	< 30.00
		65	0	22.74	23.62	< 30.00
		1	0	22.35	23.23	< 30.00
		1	64	22.38	23.26	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3715.02	30	39	19	24.62	25.50	< 30.00
		1	1	24.73	25.61	< 30.00
		1	76	24.53	25.41	< 30.00
		78	0	23.73	24.61	< 30.00
		1	77	23.40	24.28	< 30.00
		1	0	23.17	24.05	< 30.00
3840.00	30	39	19	25.06	25.94	< 30.00
		1	1	24.94	25.82	< 30.00
		1	76	24.75	25.63	< 30.00
		78	0	23.91	24.79	< 30.00
		1	77	23.45	24.33	< 30.00
		1	0	23.39	24.27	< 30.00
3964.98	30	39	19	25.09	25.97	< 30.00
		1	1	25.12	26.00	< 30.00
		1	76	25.30	26.18	< 30.00
		78	0	24.09	24.97	< 30.00
		1	77	23.50	24.38	< 30.00
		1	0	23.82	24.70	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3720.00	40	53	26	24.70	25.58	< 30.00
		1	1	24.82	25.70	< 30.00
		1	104	24.54	25.42	< 30.00
		106	0	23.83	24.71	< 30.00
		1	105	23.44	24.32	< 30.00
		1	0	23.17	24.05	< 30.00
3840.00	40	53	26	24.97	25.85	< 30.00
		1	1	24.81	25.69	< 30.00
		1	104	24.84	25.72	< 30.00
		106	0	23.98	24.86	< 30.00
		1	105	23.44	24.32	< 30.00
		1	0	23.41	24.29	< 30.00
3960.00	40	53	26	25.06	25.94	< 30.00
		1	1	24.82	25.70	< 30.00
		1	104	25.08	25.96	< 30.00
		106	0	24.10	24.98	< 30.00
		1	105	23.73	24.61	< 30.00
		1	0	23.96	24.84	< 30.00
3725.01	50	67	33	24.51	25.39	< 30.00
		1	1	24.48	25.36	< 30.00
		1	131	24.38	25.26	< 30.00
		133	0	23.41	24.29	< 30.00
		1	132	22.71	23.59	< 30.00
		1	0	22.68	23.56	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3840.00	50	67	33	24.94	25.82	< 30.00
		1	1	24.59	25.47	< 30.00
		1	131	24.51	25.39	< 30.00
		133	0	23.82	24.70	< 30.00
		1	132	23.05	23.93	< 30.00
		1	0	23.08	23.96	< 30.00
3954.99	50	67	33	24.85	25.73	< 30.00
		1	1	24.80	25.68	< 30.00
		1	131	24.93	25.81	< 30.00
		133	0	23.83	24.71	< 30.00
		1	132	23.06	23.94	< 30.00
		1	0	23.51	24.39	< 30.00
3730.02	60	81	40	24.43	25.31	< 30.00
		1	1	24.53	25.41	< 30.00
		1	160	24.55	25.43	< 30.00
		162	0	23.49	24.37	< 30.00
		1	161	22.84	23.72	< 30.00
		1	0	22.74	23.62	< 30.00
3840.00	60	81	40	24.86	25.74	< 30.00
		1	1	24.71	25.59	< 30.00
		1	160	24.65	25.53	< 30.00
		162	0	23.68	24.56	< 30.00
		1	161	23.24	24.12	< 30.00
		1	0	23.30	24.18	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3949.98	60	81	40	24.61	25.49	< 30.00
		1	1	24.91	25.79	< 30.00
		1	160	24.80	25.68	< 30.00
		162	0	23.68	24.56	< 30.00
		1	161	23.15	24.03	< 30.00
		1	0	23.07	23.95	< 30.00
3735.00	70	95	47	24.31	25.19	< 30.00
		1	1	23.91	24.79	< 30.00
		1	187	24.00	24.88	< 30.00
		189	0	23.21	24.09	< 30.00
		1	188	22.46	23.34	< 30.00
		1	0	22.54	23.42	< 30.00
3840.00	70	95	47	24.52	25.40	< 30.00
		1	1	24.00	24.88	< 30.00
		1	187	24.20	25.08	< 30.00
		189	0	23.46	24.34	< 30.00
		1	188	22.59	23.47	< 30.00
		1	0	22.78	23.66	< 30.00
3945.00	70	95	47	24.63	25.51	< 30.00
		1	1	24.60	25.48	< 30.00
		1	187	24.26	25.14	< 30.00
		189	0	23.73	24.61	< 30.00
		1	188	23.27	24.15	< 30.00
		1	0	22.80	23.68	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3740.01	80	109	54	24.39	25.27	< 30.00
		1	1	24.15	25.03	< 30.00
		1	215	24.18	25.06	< 30.00
		217	0	23.26	24.14	< 30.00
		1	216	22.74	23.62	< 30.00
		1	0	22.71	23.59	< 30.00
3840.00	80	109	54	24.64	25.52	< 30.00
		1	1	24.44	25.32	< 30.00
		1	215	24.37	25.25	< 30.00
		217	0	23.56	24.44	< 30.00
		1	216	22.79	23.67	< 30.00
		1	0	22.99	23.87	< 30.00
3939.99	80	109	54	24.61	25.49	< 30.00
		1	1	24.70	25.58	< 30.00
		1	215	24.67	25.55	< 30.00
		217	0	23.63	24.51	< 30.00
		1	216	23.15	24.03	< 30.00
		1	0	23.19	24.07	< 30.00
3745.02	90	123	61	24.35	25.23	< 30.00
		1	1	24.26	25.14	< 30.00
		1	243	23.96	24.84	< 30.00
		245	0	23.25	24.13	< 30.00
		1	244	22.84	23.72	< 30.00
		1	0	22.50	23.38	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3840.00	90	123	61	24.75	25.63	< 30.00
		1	1	24.26	25.14	< 30.00
		1	243	24.44	25.32	< 30.00
		245	0	23.54	24.42	< 30.00
		1	244	22.97	23.85	< 30.00
		1	0	22.87	23.75	< 30.00
3934.98	90	123	61	24.64	25.52	< 30.00
		1	1	24.48	25.36	< 30.00
		1	243	24.54	25.42	< 30.00
		245	0	23.64	24.52	< 30.00
		1	244	23.04	23.92	< 30.00
		1	0	23.37	24.25	< 30.00
3750.00	100	137	68	24.44	25.32	< 30.00
		1	1	24.11	24.99	< 30.00
		1	271	23.90	24.78	< 30.00
		273	0	23.17	24.05	< 30.00
		1	272	22.81	23.69	< 30.00
		1	0	22.38	23.26	< 30.00
3840.00	100	137	68	24.68	25.56	< 30.00
		1	1	24.30	25.18	< 30.00
		1	271	24.54	25.42	< 30.00
		273	0	23.63	24.51	< 30.00
		1	272	22.43	23.31	< 30.00
		1	0	22.90	23.78	< 30.00
3930.00	100	137	68	24.71	25.59	< 30.00
		1	1	24.35	25.23	< 30.00
		1	271	24.35	25.23	< 30.00
		273	0	23.61	24.49	< 30.00
		1	272	22.67	23.55	< 30.00
		1	0	23.21	24.09	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3705.00	10	12	6	22.91	23.79	< 30.00
		1	1	22.93	23.81	< 30.00
		1	22	23.09	23.97	< 30.00
		24	0	23.03	23.91	< 30.00
		1	23	23.03	23.91	< 30.00
		1	0	22.88	23.76	< 30.00
3840.00	10	12	6	23.30	24.18	< 30.00
		1	1	23.36	24.24	< 30.00
		1	22	23.28	24.16	< 30.00
		24	0	23.35	24.23	< 30.00
		1	23	23.34	24.22	< 30.00
		1	0	23.30	24.18	< 30.00
3975.00	10	12	6	23.65	24.53	< 30.00
		1	1	23.66	24.54	< 30.00
		1	22	23.55	24.43	< 30.00
		24	0	23.67	24.55	< 30.00
		1	23	23.52	24.40	< 30.00
		1	0	23.85	24.73	< 30.00
3707.52	15	19	9	22.99	23.87	< 30.00
		1	1	23.21	24.09	< 30.00
		1	36	23.12	24.00	< 30.00
		38	0	23.03	23.91	< 30.00
		1	37	23.05	23.93	< 30.00
		1	0	23.09	23.97	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3840.00	15	19	9	23.59	24.47	< 30.00
		1	1	23.44	24.32	< 30.00
		1	36	23.57	24.45	< 30.00
		38	0	23.48	24.36	< 30.00
		1	37	23.41	24.29	< 30.00
		1	0	23.62	24.50	< 30.00
3972.48	15	19	9	23.66	24.54	< 30.00
		1	1	23.86	24.74	< 30.00
		1	36	23.91	24.79	< 30.00
		38	0	23.76	24.64	< 30.00
		1	37	23.81	24.69	< 30.00
		1	0	23.96	24.84	< 30.00
3710.01	20	25	12	23.13	24.01	< 30.00
		1	1	23.24	24.12	< 30.00
		1	49	23.37	24.25	< 30.00
		51	0	23.20	24.08	< 30.00
		1	50	23.12	24.00	< 30.00
		1	0	23.32	24.20	< 30.00
3840.00	20	25	12	23.63	24.51	< 30.00
		1	1	23.49	24.37	< 30.00
		1	49	23.29	24.17	< 30.00
		51	0	23.58	24.46	< 30.00
		1	50	23.56	24.44	< 30.00
		1	0	23.81	24.69	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3969.99	20	25	12	23.74	24.62	< 30.00
		1	1	23.79	24.67	< 30.00
		1	49	23.98	24.86	< 30.00
		51	0	23.71	24.59	< 30.00
		1	50	23.67	24.55	< 30.00
		1	0	23.72	24.60	< 30.00
3712.50	25	33	16	22.01	22.89	< 30.00
		1	1	21.77	22.65	< 30.00
		1	63	21.94	22.82	< 30.00
		65	0	22.04	22.92	< 30.00
		1	0	21.66	22.54	< 30.00
		1	64	21.94	22.82	< 30.00
3840.00	25	33	16	22.12	23.00	< 30.00
		1	1	21.92	22.80	< 30.00
		1	63	22.00	22.88	< 30.00
		65	0	22.02	22.90	< 30.00
		1	0	22.11	22.99	< 30.00
		1	64	22.09	22.97	< 30.00
3967.50	25	33	16	22.29	23.17	< 30.00
		1	1	21.96	22.84	< 30.00
		1	63	22.12	23.00	< 30.00
		65	0	22.31	23.19	< 30.00
		1	0	22.01	22.89	< 30.00
		1	64	22.31	23.19	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3715.02	30	39	19	23.10	23.98	< 30.00
		1	1	23.42	24.30	< 30.00
		1	76	23.09	23.97	< 30.00
		78	0	23.11	23.99	< 30.00
		1	77	23.28	24.16	< 30.00
		1	0	23.13	24.01	< 30.00
3840.00	30	39	19	23.54	24.42	< 30.00
		1	1	23.56	24.44	< 30.00
		1	76	23.54	24.42	< 30.00
		78	0	23.61	24.49	< 30.00
		1	77	23.61	24.49	< 30.00
		1	0	23.79	24.67	< 30.00
3964.98	30	39	19	23.59	24.47	< 30.00
		1	1	23.60	24.48	< 30.00
		1	76	23.71	24.59	< 30.00
		78	0	23.58	24.46	< 30.00
		1	77	23.55	24.43	< 30.00
		1	0	23.88	24.76	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3720.00	40	53	26	23.18	24.06	< 30.00
		1	1	23.43	24.31	< 30.00
		1	104	23.16	24.04	< 30.00
		106	0	23.35	24.23	< 30.00
		1	105	23.14	24.02	< 30.00
		1	0	23.04	23.92	< 30.00
3840.00	40	53	26	23.47	24.35	< 30.00
		1	1	23.34	24.22	< 30.00
		1	104	22.98	23.86	< 30.00
		106	0	23.59	24.47	< 30.00
		1	105	23.52	24.40	< 30.00
		1	0	23.34	24.22	< 30.00
3960.00	40	53	26	23.57	24.45	< 30.00
		1	1	23.62	24.50	< 30.00
		1	104	23.81	24.69	< 30.00
		106	0	23.62	24.50	< 30.00
		1	105	23.60	24.48	< 30.00
		1	0	23.83	24.71	< 30.00
3725.01	50	67	33	23.01	23.89	< 30.00
		1	1	22.96	23.84	< 30.00
		1	131	22.94	23.82	< 30.00
		133	0	22.89	23.77	< 30.00
		1	132	23.14	24.02	< 30.00
		1	0	22.82	23.70	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3840.00	50	67	33	23.33	24.21	< 30.00
		1	1	23.20	24.08	< 30.00
		1	131	23.30	24.18	< 30.00
		133	0	23.26	24.14	< 30.00
		1	132	23.37	24.25	< 30.00
		1	0	23.15	24.03	< 30.00
3954.99	50	67	33	23.34	24.22	< 30.00
		1	1	23.44	24.32	< 30.00
		1	131	23.58	24.46	< 30.00
		133	0	23.28	24.16	< 30.00
		1	132	23.33	24.21	< 30.00
		1	0	23.57	24.45	< 30.00
3730.02	60	81	40	22.89	23.77	< 30.00
		1	1	23.12	24.00	< 30.00
		1	160	22.98	23.86	< 30.00
		162	0	22.87	23.75	< 30.00
		1	161	22.92	23.80	< 30.00
		1	0	22.77	23.65	< 30.00
3840.00	60	81	40	23.28	24.16	< 30.00
		1	1	23.30	24.18	< 30.00
		1	160	23.33	24.21	< 30.00
		162	0	23.32	24.20	< 30.00
		1	161	23.27	24.15	< 30.00
		1	0	23.61	24.49	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3949.98	60	81	40	23.15	24.03	< 30.00
		1	1	23.30	24.18	< 30.00
		1	160	23.38	24.26	< 30.00
		162	0	23.17	24.05	< 30.00
		1	161	23.17	24.05	< 30.00
		1	0	23.38	24.26	< 30.00
3735.00	70	95	47	22.76	23.64	< 30.00
		1	1	22.66	23.54	< 30.00
		1	187	22.71	23.59	< 30.00
		189	0	22.73	23.61	< 30.00
		1	188	22.64	23.52	< 30.00
		1	0	22.75	23.63	< 30.00
3840.00	70	95	47	23.05	23.93	< 30.00
		1	1	22.96	23.84	< 30.00
		1	187	22.83	23.71	< 30.00
		189	0	22.99	23.87	< 30.00
		1	188	22.74	23.62	< 30.00
		1	0	22.92	23.80	< 30.00
3945.00	70	95	47	23.16	24.04	< 30.00
		1	1	23.33	24.21	< 30.00
		1	187	23.02	23.90	< 30.00
		189	0	23.15	24.03	< 30.00
		1	188	23.39	24.27	< 30.00
		1	0	23.12	24.00	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3740.01	80	109	54	22.84	23.72	< 30.00
		1	1	22.85	23.73	< 30.00
		1	215	22.77	23.65	< 30.00
		217	0	22.79	23.67	< 30.00
		1	216	22.82	23.70	< 30.00
		1	0	22.58	23.46	< 30.00
3840.00	80	109	54	23.17	24.05	< 30.00
		1	1	22.90	23.78	< 30.00
		1	215	22.89	23.77	< 30.00
		217	0	23.13	24.01	< 30.00
		1	216	22.68	23.56	< 30.00
		1	0	22.73	23.61	< 30.00
3939.99	80	109	54	23.16	24.04	< 30.00
		1	1	23.27	24.15	< 30.00
		1	215	23.23	24.11	< 30.00
		217	0	23.09	23.97	< 30.00
		1	216	23.24	24.12	< 30.00
		1	0	23.19	24.07	< 30.00
3745.02	90	123	61	22.91	23.79	< 30.00
		1	1	22.88	23.76	< 30.00
		1	243	22.74	23.62	< 30.00
		245	0	22.82	23.70	< 30.00
		1	244	22.77	23.65	< 30.00
		1	0	22.72	23.60	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3840.00	90	123	61	23.08	23.96	< 30.00
		1	1	22.79	23.67	< 30.00
		1	243	22.93	23.81	< 30.00
		245	0	23.00	23.88	< 30.00
		1	244	22.58	23.46	< 30.00
		1	0	22.87	23.75	< 30.00
3934.98	90	123	61	23.20	24.08	< 30.00
		1	1	22.95	23.83	< 30.00
		1	243	23.14	24.02	< 30.00
		245	0	23.11	23.99	< 30.00
		1	244	23.04	23.92	< 30.00
		1	0	22.96	23.84	< 30.00
3750.00	100	137	68	22.71	23.59	< 30.00
		1	1	22.70	23.58	< 30.00
		1	271	22.52	23.40	< 30.00
		273	0	22.83	23.71	< 30.00
		1	272	22.52	23.40	< 30.00
		1	0	22.59	23.47	< 30.00
3840.00	100	137	68	23.00	23.88	< 30.00
		1	1	22.59	23.47	< 30.00
		1	271	22.77	23.65	< 30.00
		273	0	23.01	23.89	< 30.00
		1	272	22.40	23.28	< 30.00
		1	0	22.84	23.72	< 30.00
3930.00	100	137	68	23.03	23.91	< 30.00
		1	1	22.70	23.58	< 30.00
		1	271	23.27	24.15	< 30.00
		273	0	23.07	23.95	< 30.00
		1	272	22.61	23.49	< 30.00
		1	0	22.84	23.72	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3705.00	10	12	6	20.03	20.91	< 30.00
		1	1	20.33	21.21	< 30.00
		1	22	20.30	21.18	< 30.00
		24	0	20.14	21.02	< 30.00
		1	23	20.39	21.27	< 30.00
		1	0	20.21	21.09	< 30.00
3840.00	10	12	6	20.47	21.35	< 30.00
		1	1	20.69	21.57	< 30.00
		1	22	20.70	21.58	< 30.00
		24	0	20.43	21.31	< 30.00
		1	23	20.63	21.51	< 30.00
		1	0	20.51	21.39	< 30.00
3975.00	10	12	6	20.70	21.58	< 30.00
		1	1	21.07	21.95	< 30.00
		1	22	21.03	21.91	< 30.00
		24	0	20.77	21.65	< 30.00
		1	23	20.85	21.73	< 30.00
		1	0	20.70	21.58	< 30.00
3707.52	15	19	9	20.14	21.02	< 30.00
		1	1	20.39	21.27	< 30.00
		1	36	20.31	21.19	< 30.00
		38	0	20.06	20.94	< 30.00
		1	37	20.45	21.33	< 30.00
		1	0	20.28	21.16	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3705.00	10	12	6	20.03	20.91	< 30.00
		1	1	20.33	21.21	< 30.00
		1	22	20.30	21.18	< 30.00
		24	0	20.14	21.02	< 30.00
		1	23	20.39	21.27	< 30.00
		1	0	20.21	21.09	< 30.00
3840.00	10	12	6	20.47	21.35	< 30.00
		1	1	20.69	21.57	< 30.00
		1	22	20.70	21.58	< 30.00
		24	0	20.43	21.31	< 30.00
		1	23	20.63	21.51	< 30.00
		1	0	20.51	21.39	< 30.00
3975.00	10	12	6	20.70	21.58	< 30.00
		1	1	21.07	21.95	< 30.00
		1	22	21.03	21.91	< 30.00
		24	0	20.77	21.65	< 30.00
		1	23	20.85	21.73	< 30.00
		1	0	20.70	21.58	< 30.00
3707.52	15	19	9	20.14	21.02	< 30.00
		1	1	20.39	21.27	< 30.00
		1	36	20.31	21.19	< 30.00
		38	0	20.06	20.94	< 30.00
		1	37	20.45	21.33	< 30.00
		1	0	20.28	21.16	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3840.00	15	19	9	20.66	21.54	< 30.00
		1	1	20.91	21.79	< 30.00
		1	36	20.88	21.76	< 30.00
		38	0	20.64	21.52	< 30.00
		1	37	20.81	21.69	< 30.00
		1	0	20.79	21.67	< 30.00
3972.48	15	19	9	20.73	21.61	< 30.00
		1	1	21.09	21.97	< 30.00
		1	36	21.09	21.97	< 30.00
		38	0	20.84	21.72	< 30.00
		1	37	20.85	21.73	< 30.00
		1	0	21.06	21.94	< 30.00
3710.01	20	25	12	20.01	20.89	< 30.00
		1	1	20.50	21.38	< 30.00
		1	49	20.38	21.26	< 30.00
		51	0	20.12	21.00	< 30.00
		1	50	20.51	21.39	< 30.00
		1	0	20.45	21.33	< 30.00
3840.00	20	25	12	20.64	21.52	< 30.00
		1	1	20.77	21.65	< 30.00
		1	49	20.97	21.85	< 30.00
		51	0	20.60	21.48	< 30.00
		1	50	20.75	21.63	< 30.00
		1	0	20.85	21.73	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3969.99	20	25	12	20.84	21.72	< 30.00
		1	1	20.81	21.69	< 30.00
		1	49	21.35	22.23	< 30.00
		51	0	20.69	21.57	< 30.00
		1	50	20.84	21.72	< 30.00
		1	0	21.32	22.20	< 30.00
3712.50	25	33	16	18.82	19.70	< 30.00
		1	1	18.97	19.85	< 30.00
		1	63	19.03	19.91	< 30.00
		65	0	18.91	19.79	< 30.00
		1	0	19.14	20.02	< 30.00
		1	64	19.09	19.97	< 30.00
3840.00	25	33	16	18.92	19.80	< 30.00
		1	1	19.09	19.97	< 30.00
		1	63	19.07	19.95	< 30.00
		65	0	18.94	19.82	< 30.00
		1	0	19.25	20.13	< 30.00
		1	64	19.12	20.00	< 30.00
3967.50	25	33	16	19.14	20.02	< 30.00
		1	1	19.30	20.18	< 30.00
		1	63	19.41	20.29	< 30.00
		65	0	19.16	20.04	< 30.00
		1	0	19.29	20.17	< 30.00
		1	64	19.54	20.42	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3715.02	30	39	19	20.41	21.29	< 30.00
		1	1	20.43	21.31	< 30.00
		1	76	20.45	21.33	< 30.00
		78	0	20.14	21.02	< 30.00
		1	77	20.41	21.29	< 30.00
		1	0	20.47	21.35	< 30.00
3840.00	30	39	19	20.67	21.55	< 30.00
		1	1	20.71	21.59	< 30.00
		1	76	20.63	21.51	< 30.00
		78	0	20.47	21.35	< 30.00
		1	77	20.74	21.62	< 30.00
		1	0	20.67	21.55	< 30.00
3964.98	30	39	19	20.64	21.52	< 30.00
		1	1	20.76	21.64	< 30.00
		1	76	21.12	22.00	< 30.00
		78	0	20.81	21.69	< 30.00
		1	77	20.85	21.73	< 30.00
		1	0	21.07	21.95	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3720.00	40	53	26	20.23	21.11	< 30.00
		1	1	20.65	21.53	< 30.00
		1	104	20.48	21.36	< 30.00
		106	0	20.28	21.16	< 30.00
		1	105	20.59	21.47	< 30.00
		1	0	20.33	21.21	< 30.00
3840.00	40	53	26	20.55	21.43	< 30.00
		1	1	20.84	21.72	< 30.00
		1	104	20.89	21.77	< 30.00
		106	0	20.55	21.43	< 30.00
		1	105	20.79	21.67	< 30.00
		1	0	20.70	21.58	< 30.00
3960.00	40	53	26	20.69	21.57	< 30.00
		1	1	20.76	21.64	< 30.00
		1	104	21.12	22.00	< 30.00
		106	0	20.61	21.49	< 30.00
		1	105	20.76	21.64	< 30.00
		1	0	21.00	21.88	< 30.00
3725.01	50	67	33	20.10	20.98	< 30.00
		1	1	20.31	21.19	< 30.00
		1	131	20.13	21.01	< 30.00
		133	0	19.92	20.80	< 30.00
		1	132	20.25	21.13	< 30.00
		1	0	20.14	21.02	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3840.00	50	67	33	20.47	21.35	< 30.00
		1	1	20.46	21.34	< 30.00
		1	131	20.51	21.39	< 30.00
		133	0	20.34	21.22	< 30.00
		1	132	20.56	21.44	< 30.00
		1	0	20.53	21.41	< 30.00
3954.99	50	67	33	20.53	21.41	< 30.00
		1	1	20.67	21.55	< 30.00
		1	131	21.69	22.57	< 30.00
		133	0	20.54	21.42	< 30.00
		1	132	20.50	21.38	< 30.00
		1	0	20.80	21.68	< 30.00
3730.02	60	81	40	20.06	20.94	< 30.00
		1	1	20.08	20.96	< 30.00
		1	160	19.98	20.86	< 30.00
		162	0	19.94	20.82	< 30.00
		1	161	20.10	20.98	< 30.00
		1	0	20.34	21.22	< 30.00
3840.00	60	81	40	20.56	21.44	< 30.00
		1	1	20.85	21.73	< 30.00
		1	160	20.41	21.29	< 30.00
		162	0	20.43	21.31	< 30.00
		1	161	20.73	21.61	< 30.00
		1	0	20.28	21.16	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3949.98	60	81	40	20.33	21.21	< 30.00
		1	1	20.54	21.42	< 30.00
		1	160	20.58	21.46	< 30.00
		162	0	20.43	21.31	< 30.00
		1	161	20.37	21.25	< 30.00
		1	0	21.10	21.98	< 30.00
3735.00	70	95	47	19.69	20.57	< 30.00
		1	1	19.55	20.43	< 30.00
		1	187	19.78	20.66	< 30.00
		189	0	19.76	20.64	< 30.00
		1	188	19.43	20.31	< 30.00
		1	0	19.59	20.47	< 30.00
3840.00	70	95	47	19.98	20.86	< 30.00
		1	1	19.67	20.55	< 30.00
		1	187	19.61	20.49	< 30.00
		189	0	19.91	20.79	< 30.00
		1	188	19.77	20.65	< 30.00
		1	0	19.68	20.56	< 30.00
3945.00	70	95	47	20.21	21.09	< 30.00
		1	1	20.44	21.32	< 30.00
		1	187	19.90	20.78	< 30.00
		189	0	20.22	21.10	< 30.00
		1	188	20.24	21.12	< 30.00
		1	0	19.96	20.84	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3740.01	80	109	54	20.12	21.00	< 30.00
		1	1	20.18	21.06	< 30.00
		1	215	19.86	20.74	< 30.00
		217	0	19.93	20.81	< 30.00
		1	216	20.17	21.05	< 30.00
		1	0	20.21	21.09	< 30.00
3840.00	80	109	54	20.31	21.19	< 30.00
		1	1	20.22	21.10	< 30.00
		1	215	20.13	21.01	< 30.00
		217	0	20.13	21.01	< 30.00
		1	216	20.58	21.46	< 30.00
		1	0	20.08	20.96	< 30.00
3939.99	80	109	54	20.13	21.01	< 30.00
		1	1	20.37	21.25	< 30.00
		1	215	20.59	21.47	< 30.00
		217	0	20.26	21.14	< 30.00
		1	216	20.27	21.15	< 30.00
		1	0	20.43	21.31	< 30.00
3745.02	90	123	61	19.82	20.70	< 30.00
		1	1	20.10	20.98	< 30.00
		1	243	19.85	20.73	< 30.00
		245	0	19.90	20.78	< 30.00
		1	244	19.93	20.81	< 30.00
		1	0	19.82	20.70	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3840.00	90	123	61	20.22	21.10	< 30.00
		1	1	20.25	21.13	< 30.00
		1	243	20.26	21.14	< 30.00
		245	0	20.23	21.11	< 30.00
		1	244	20.09	20.97	< 30.00
		1	0	20.22	21.10	< 30.00
3934.98	90	123	61	20.09	20.97	< 30.00
		1	1	20.33	21.21	< 30.00
		1	243	20.57	21.45	< 30.00
		245	0	20.07	20.95	< 30.00
		1	244	20.43	21.31	< 30.00
		1	0	20.41	21.29	< 30.00
3750.00	100	137	68	19.92	20.80	< 30.00
		1	1	19.94	20.82	< 30.00
		1	271	19.95	20.83	< 30.00
		273	0	19.97	20.85	< 30.00
		1	272	19.79	20.67	< 30.00
		1	0	19.62	20.50	< 30.00
3840.00	100	137	68	20.13	21.01	< 30.00
		1	1	20.25	21.13	< 30.00
		1	271	20.31	21.19	< 30.00
		273	0	20.08	20.96	< 30.00
		1	272	19.77	20.65	< 30.00
		1	0	20.06	20.94	< 30.00
3930.00	100	137	68	20.22	21.10	< 30.00
		1	1	19.96	20.84	< 30.00
		1	271	20.72	21.60	< 30.00
		273	0	20.32	21.20	< 30.00
		1	272	20.14	21.02	< 30.00
		1	0	20.54	21.42	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

n66_SA

Power

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1772.5	15	1	77	24.23	27.40	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1760	40	1	214	24.13	27.30	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1770	20	1	10	23.77	26.94	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1760	40	1	214	23.71	26.88	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Power

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1712.5	5	12	6	23.56	26.73	< 30.00
		1	1	23.55	26.72	< 30.00
		1	23	23.54	26.71	< 30.00
		25	0	23.62	26.79	< 30.00
		1	24	23.50	26.67	< 30.00
		1	0	23.45	26.62	< 30.00
1745.0	5	12	6	23.76	26.93	< 30.00
		1	1	23.52	26.69	< 30.00
		1	23	23.62	26.79	< 30.00
		25	0	23.70	26.87	< 30.00
		1	24	23.58	26.75	< 30.00
		1	0	23.58	26.75	< 30.00
1777.5	5	12	6	24.00	27.17	< 30.00
		1	1	23.86	27.03	< 30.00
		1	23	23.76	26.93	< 30.00
		25	0	23.86	27.03	< 30.00
		1	24	23.82	26.99	< 30.00
		1	0	23.70	26.87	< 30.00
1715.0	10	25	12	23.67	26.84	< 30.00
		1	1	23.51	26.68	< 30.00
		1	50	23.68	26.85	< 30.00
		50	0	23.73	26.9	< 30.00
		1	51	23.57	26.74	< 30.00
		1	0	23.54	26.71	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1745.0	10	25	12	23.86	27.03	< 30.00
		1	1	23.61	26.78	< 30.00
		1	50	23.63	26.80	< 30.00
		50	0	23.79	26.96	< 30.00
		1	51	23.61	26.78	< 30.00
		1	0	23.59	26.76	< 30.00
1775.0	10	25	12	23.93	27.10	< 30.00
		1	1	23.81	26.98	< 30.00
		1	50	23.83	27.00	< 30.00
		50	0	23.91	27.08	< 30.00
		1	51	23.88	27.05	< 30.00
		1	0	23.81	26.98	< 30.00
1717.5	15	36	18	23.76	26.93	< 30.00
		1	1	23.60	26.77	< 30.00
		1	77	23.70	26.87	< 30.00
		75	0	23.81	26.98	< 30.00
		1	78	23.77	26.94	< 30.00
		1	0	23.59	26.76	< 30.00
1745.0	15	36	18	23.76	26.93	< 30.00
		1	1	23.67	26.84	< 30.00
		1	77	23.74	26.91	< 30.00
		75	0	23.83	27.00	< 30.00
		1	78	23.77	26.94	< 30.00
		1	0	23.70	26.87	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1772.5	15	36	18	23.87	27.04	< 30.00
		1	1	23.77	26.94	< 30.00
		1	77	24.00	27.17	< 30.00
		75	0	23.97	27.14	< 30.00
		1	78	23.96	27.13	< 30.00
		1	0	23.87	27.04	< 30.00
1720.0	20	50	25	23.78	26.95	< 30.00
		1	1	23.61	26.78	< 30.00
		1	104	23.78	26.95	< 30.00
		100	0	23.78	26.95	< 30.00
		1	105	23.83	27.00	< 30.00
		1	0	23.63	26.80	< 30.00
1745.0	20	50	25	23.80	26.97	< 30.00
		1	1	23.74	26.91	< 30.00
		1	104	23.87	27.04	< 30.00
		100	0	23.83	27.00	< 30.00
		1	105	23.84	27.01	< 30.00
		1	0	23.78	26.95	< 30.00
1770.0	20	50	25	23.95	27.12	< 30.00
		1	1	23.84	27.01	< 30.00
		1	104	24.03	27.20	< 30.00
		100	0	23.91	27.08	< 30.00
		1	105	23.97	27.14	< 30.00
		1	0	23.76	26.93	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1722.5	25	64	32	22.67	25.84	< 30.00
		1	1	22.89	26.06	< 30.00
		1	131	22.96	26.13	< 30.00
		128	0	22.69	25.86	< 30.00
		1	132	22.94	26.11	< 30.00
		1	0	23.07	26.24	< 30.00
1745.0	25	64	32	22.75	25.92	< 30.00
		1	1	22.87	26.04	< 30.00
		1	131	23.09	26.26	< 30.00
		128	0	22.79	25.96	< 30.00
		1	132	23.01	26.18	< 30.00
		1	0	23.27	26.44	< 30.00
1767.5	25	64	32	22.93	26.10	< 30.00
		1	1	22.91	26.08	< 30.00
		1	131	23.38	26.55	< 30.00
		128	0	22.86	26.03	< 30.00
		1	132	23.02	26.19	< 30.00
		1	0	23.41	26.58	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1725.0	30	80	40	23.83	27.00	< 30.00
		1	1	23.62	26.79	< 30.00
		1	158	23.70	26.87	< 30.00
		160	0	23.83	27.00	< 30.00
		1	159	23.72	26.89	< 30.00
		1	0	23.60	26.77	< 30.00
1745.0	30	80	40	23.90	27.07	< 30.00
		1	1	23.73	26.90	< 30.00
		1	158	23.78	26.95	< 30.00
		160	0	23.88	27.05	< 30.00
		1	159	23.79	26.96	< 30.00
		1	0	23.73	26.90	< 30.00
1765.0	30	80	40	24.05	27.22	< 30.00
		1	1	23.79	26.96	< 30.00
		1	158	24.03	27.20	< 30.00
		160	0	23.95	27.12	< 30.00
		1	159	23.97	27.14	< 30.00
		1	0	23.74	26.91	< 30.00
1730.0	40	108	54	23.92	27.09	< 30.00
		1	1	23.58	26.75	< 30.00
		1	214	23.86	27.03	< 30.00
		216	0	23.83	27.00	< 30.00
		1	215	23.74	26.91	< 30.00
		1	0	23.60	26.77	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1745.0	40	108	54	23.96	27.13	< 30.00
		1	1	23.71	26.88	< 30.00
		1	214	23.93	27.10	< 30.00
		216	0	23.89	27.06	< 30.00
		1	215	23.83	27.00	< 30.00
		1	0	23.71	26.88	< 30.00
1760.0	40	108	54	23.94	27.11	< 30.00
		1	1	23.75	26.92	< 30.00
		1	214	23.98	27.15	< 30.00
		216	0	23.93	27.10	< 30.00
		1	215	23.90	27.07	< 30.00
		1	0	23.78	26.95	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1712.5	5	12	6	23.65	26.82	< 30.00
		1	1	23.83	27.00	< 30.00
		1	23	23.61	26.78	< 30.00
		25	0	23.10	26.27	< 30.00
		1	24	23.15	26.32	< 30.00
		1	0	23.10	26.27	< 30.00
1745.0	5	12	6	23.79	26.96	< 30.00
		1	1	23.96	27.13	< 30.00
		1	23	23.93	27.10	< 30.00
		25	0	23.15	26.32	< 30.00
		1	24	23.23	26.40	< 30.00
		1	0	23.26	26.43	< 30.00
1777.5	5	12	6	23.94	27.11	< 30.00
		1	1	24.03	27.20	< 30.00
		1	23	24.08	27.25	< 30.00
		25	0	23.35	26.52	< 30.00
		1	24	23.52	26.69	< 30.00
		1	0	23.40	26.57	< 30.00
1715.0	10	25	12	23.68	26.85	< 30.00
		1	1	23.84	27.01	< 30.00
		1	50	23.86	27.03	< 30.00
		50	0	23.21	26.38	< 30.00
		1	51	23.26	26.43	< 30.00
		1	0	23.21	26.38	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1745.0	10	25	12	23.69	26.86	< 30.00
		1	1	23.91	27.08	< 30.00
		1	50	24.07	27.24	< 30.00
		50	0	23.25	26.42	< 30.00
		1	51	23.41	26.58	< 30.00
		1	0	23.27	26.44	< 30.00
1775.0	10	25	12	23.83	27.00	< 30.00
		1	1	23.95	27.12	< 30.00
		1	50	24.15	27.32	< 30.00
		50	0	23.45	26.62	< 30.00
		1	51	23.57	26.74	< 30.00
		1	0	23.40	26.57	< 30.00
1717.5	15	36	18	23.77	26.94	< 30.00
		1	1	23.87	27.04	< 30.00
		1	77	23.99	27.16	< 30.00
		75	0	23.27	26.44	< 30.00
		1	78	23.43	26.60	< 30.00
		1	0	23.27	26.44	< 30.00
1745.0	15	36	18	23.86	27.03	< 30.00
		1	1	23.90	27.07	< 30.00
		1	77	24.10	27.27	< 30.00
		75	0	23.37	26.54	< 30.00
		1	78	23.50	26.67	< 30.00
		1	0	23.37	26.54	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1772.5	15	36	18	23.94	27.11	< 30.00
		1	1	24.03	27.20	< 30.00
		1	77	24.23	27.40	< 30.00
		75	0	23.45	26.62	< 30.00
		1	78	23.75	26.92	< 30.00
		1	0	23.40	26.57	< 30.00
1720.0	20	50	25	23.81	26.98	< 30.00
		1	1	23.90	27.07	< 30.00
		1	104	24.01	27.18	< 30.00
		100	0	23.24	26.41	< 30.00
		1	105	23.31	26.48	< 30.00
		1	0	23.28	26.45	< 30.00
1745.0	20	50	25	23.86	27.03	< 30.00
		1	1	23.95	27.12	< 30.00
		1	104	24.11	27.28	< 30.00
		100	0	23.29	26.46	< 30.00
		1	105	23.65	26.82	< 30.00
		1	0	23.56	26.73	< 30.00
1770.0	20	50	25	23.92	27.09	< 30.00
		1	1	24.06	27.23	< 30.00
		1	104	24.21	27.38	< 30.00
		100	0	23.47	26.64	< 30.00
		1	105	23.73	26.90	< 30.00
		1	0	23.56	26.73	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1722.5	25	64	32	22.70	25.87	< 30.00
		1	1	22.98	26.15	< 30.00
		1	131	23.07	26.24	< 30.00
		128	0	22.26	25.43	< 30.00
		1	132	22.54	25.71	< 30.00
		1	0	22.73	25.90	< 30.00
1745.0	25	64	32	22.76	25.93	< 30.00
		1	1	22.93	26.10	< 30.00
		1	131	23.14	26.31	< 30.00
		128	0	22.36	25.53	< 30.00
		1	132	22.56	25.73	< 30.00
		1	0	22.77	25.94	< 30.00
1767.5	25	64	32	22.93	26.10	< 30.00
		1	1	22.96	26.13	< 30.00
		1	131	23.33	26.50	< 30.00
		128	0	22.45	25.62	< 30.00
		1	132	22.63	25.80	< 30.00
		1	0	23.24	26.41	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1725.0	30	80	40	23.89	27.06	< 30.00
		1	1	23.79	26.96	< 30.00
		1	158	23.92	27.09	< 30.00
		160	0	23.32	26.49	< 30.00
		1	159	23.39	26.56	< 30.00
		1	0	23.21	26.38	< 30.00
1745.0	30	80	40	23.91	27.08	< 30.00
		1	1	23.87	27.04	< 30.00
		1	158	23.92	27.09	< 30.00
		160	0	23.43	26.60	< 30.00
		1	159	23.45	26.62	< 30.00
		1	0	23.33	26.50	< 30.00
1765.0	30	80	40	23.95	27.12	< 30.00
		1	1	24.09	27.26	< 30.00
		1	158	24.16	27.33	< 30.00
		160	0	23.43	26.60	< 30.00
		1	159	23.56	26.73	< 30.00
		1	0	23.42	26.59	< 30.00
1730.0	40	108	54	23.86	27.06	< 30.00
		1	1	23.82	26.96	< 30.00
		1	214	24.11	27.09	< 30.00
		216	0	23.33	26.49	< 30.00
		1	215	23.53	26.56	< 30.00
		1	0	23.31	26.38	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1745.0	40	108	54	23.96	27.13	< 30.00
		1	1	23.87	27.04	< 30.00
		1	214	24.08	27.25	< 30.00
		216	0	23.37	26.54	< 30.00
		1	215	23.50	26.67	< 30.00
		1	0	23.32	26.49	< 30.00
1760.0	40	108	54	23.96	27.13	< 30.00
		1	1	23.91	27.08	< 30.00
		1	214	24.13	27.30	< 30.00
		216	0	23.50	26.67	< 30.00
		1	215	23.60	26.77	< 30.00
		1	0	23.41	26.58	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1712.5	5	12	6	22.89	26.06	< 30.00
		1	1	22.89	26.06	< 30.00
		1	23	22.98	26.15	< 30.00
		25	0	22.01	25.18	< 30.00
		1	24	22.15	25.32	< 30.00
		1	0	22.10	25.27	< 30.00
1745.0	5	12	6	22.99	26.16	< 30.00
		1	1	23.39	26.56	< 30.00
		1	23	23.48	26.65	< 30.00
		25	0	22.17	25.34	< 30.00
		1	24	22.26	25.43	< 30.00
		1	0	22.25	25.42	< 30.00
1777.5	5	12	6	23.30	26.47	< 30.00
		1	1	23.58	26.75	< 30.00
		1	23	23.66	26.83	< 30.00
		25	0	22.40	25.57	< 30.00
		1	24	22.22	25.39	< 30.00
		1	0	22.09	25.26	< 30.00
1715.0	10	25	12	23.18	26.35	< 30.00
		1	1	23.10	26.27	< 30.00
		1	50	23.10	26.27	< 30.00
		50	0	22.04	25.21	< 30.00
		1	51	22.32	25.49	< 30.00
		1	0	22.07	25.24	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1745.0	10	25	12	23.22	26.39	< 30.00
		1	1	23.15	26.32	< 30.00
		1	50	23.17	26.34	< 30.00
		50	0	22.19	25.36	< 30.00
		1	51	22.36	25.53	< 30.00
		1	0	22.32	25.49	< 30.00
1775.0	10	25	12	23.40	26.57	< 30.00
		1	1	23.56	26.73	< 30.00
		1	50	23.66	26.83	< 30.00
		50	0	22.32	25.49	< 30.00
		1	51	22.32	25.49	< 30.00
		1	0	22.26	25.43	< 30.00
1717.5	15	36	18	23.17	26.34	< 30.00
		1	1	23.56	26.73	< 30.00
		1	77	23.02	26.19	< 30.00
		75	0	22.22	25.39	< 30.00
		1	78	22.37	25.54	< 30.00
		1	0	22.24	25.41	< 30.00
1745.0	15	36	18	23.32	26.49	< 30.00
		1	1	23.52	26.69	< 30.00
		1	77	23.64	26.81	< 30.00
		75	0	22.32	25.49	< 30.00
		1	78	22.49	25.66	< 30.00
		1	0	22.32	25.49	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1772.5	15	36	18	23.47	26.64	< 30.00
		1	1	23.62	26.79	< 30.00
		1	77	23.77	26.94	< 30.00
		75	0	22.47	25.64	< 30.00
		1	78	22.40	25.57	< 30.00
		1	0	22.21	25.38	< 30.00
1720.0	20	50	25	23.29	26.46	< 30.00
		1	1	23.13	26.30	< 30.00
		1	104	23.13	26.30	< 30.00
		100	0	22.32	25.49	< 30.00
		1	105	22.34	25.51	< 30.00
		1	0	22.34	25.51	< 30.00
1745.0	20	50	25	23.31	26.48	< 30.00
		1	1	23.21	26.38	< 30.00
		1	104	23.29	26.46	< 30.00
		100	0	22.41	25.58	< 30.00
		1	105	22.50	25.67	< 30.00
		1	0	22.42	25.59	< 30.00
1770.0	20	50	25	23.43	26.60	< 30.00
		1	1	23.53	26.70	< 30.00
		1	104	23.77	26.94	< 30.00
		100	0	22.46	25.63	< 30.00
		1	105	22.43	25.60	< 30.00
		1	0	22.21	25.38	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1722.5	25	64	32	22.15	25.32	< 30.00
		1	1	22.46	25.63	< 30.00
		1	131	22.57	25.74	< 30.00
		128	0	21.25	24.42	< 30.00
		1	132	21.30	24.47	< 30.00
		1	0	21.41	24.58	< 30.00
1745.0	25	64	32	22.28	25.45	< 30.00
		1	1	22.38	25.55	< 30.00
		1	131	22.60	25.77	< 30.00
		128	0	21.31	24.48	< 30.00
		1	132	21.47	24.64	< 30.00
		1	0	21.79	24.96	< 30.00
1767.5	25	64	32	22.34	25.51	< 30.00
		1	1	22.45	25.62	< 30.00
		1	131	22.79	25.96	< 30.00
		128	0	21.43	24.60	< 30.00
		1	132	21.55	24.72	< 30.00
		1	0	21.97	25.14	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1725.0	30	80	40	23.34	26.51	< 30.00
		1	1	23.11	26.28	< 30.00
		1	158	23.14	26.31	< 30.00
		160	0	22.30	25.47	< 30.00
		1	159	22.33	25.50	< 30.00
		1	0	22.28	25.45	< 30.00
1745.0	30	80	40	23.34	26.51	< 30.00
		1	1	23.40	26.57	< 30.00
		1	158	23.58	26.75	< 30.00
		160	0	22.39	25.56	< 30.00
		1	159	22.21	25.38	< 30.00
		1	0	22.09	25.26	< 30.00
1765.0	30	80	40	23.42	26.59	< 30.00
		1	1	23.51	26.68	< 30.00
		1	158	23.69	26.86	< 30.00
		160	0	22.49	25.66	< 30.00
		1	159	22.34	25.51	< 30.00
		1	0	22.20	25.37	< 30.00
1730.0	40	108	54	23.38	26.55	< 30.00
		1	1	23.42	26.59	< 30.00
		1	214	23.52	26.69	< 30.00
		216	0	22.33	25.50	< 30.00
		1	215	22.19	25.36	< 30.00
		1	0	22.06	25.23	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1745.0	40	108	54	23.46	26.63	< 30.00
		1	1	23.46	26.63	< 30.00
		1	214	23.65	26.82	< 30.00
		216	0	22.35	25.52	< 30.00
		1	215	22.25	25.42	< 30.00
		1	0	21.97	25.14	< 30.00
1760.0	40	108	54	23.50	26.67	< 30.00
		1	1	23.49	26.66	< 30.00
		1	214	23.71	26.88	< 30.00
		216	0	22.38	25.55	< 30.00
		1	215	22.38	25.55	< 30.00
		1	0	22.13	25.30	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1712.5	5	12	6	21.56	24.73	< 30.00
		1	1	21.63	24.80	< 30.00
		1	23	21.67	24.84	< 30.00
		25	0	21.57	24.74	< 30.00
		1	24	21.62	24.79	< 30.00
		1	0	21.59	24.76	< 30.00
1745.0	5	12	6	21.76	24.93	< 30.00
		1	1	21.75	24.92	< 30.00
		1	23	21.80	24.97	< 30.00
		25	0	21.74	24.91	< 30.00
		1	24	21.76	24.93	< 30.00
		1	0	21.72	24.89	< 30.00
1777.5	5	12	6	21.91	25.08	< 30.00
		1	1	21.97	25.14	< 30.00
		1	23	22.11	25.28	< 30.00
		25	0	21.97	25.14	< 30.00
		1	24	22.05	25.22	< 30.00
		1	0	21.92	25.09	< 30.00
1715.0	10	25	12	21.65	24.82	< 30.00
		1	1	21.65	24.82	< 30.00
		1	50	21.84	25.01	< 30.00
		50	0	21.71	24.88	< 30.00
		1	51	21.70	24.87	< 30.00
		1	0	21.66	24.83	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1745.0	10	25	12	21.78	24.95	< 30.00
		1	1	21.83	25.00	< 30.00
		1	50	21.95	25.12	< 30.00
		50	0	21.74	24.91	< 30.00
		1	51	21.94	25.11	< 30.00
		1	0	21.81	24.98	< 30.00
1775.0	10	25	12	21.98	25.15	< 30.00
		1	1	22.11	25.28	< 30.00
		1	50	22.10	25.27	< 30.00
		50	0	21.88	25.05	< 30.00
		1	51	22.15	25.32	< 30.00
		1	0	22.08	25.25	< 30.00
1717.5	15	36	18	21.81	24.98	< 30.00
		1	1	21.82	24.99	< 30.00
		1	77	21.89	25.06	< 30.00
		75	0	21.81	24.98	< 30.00
		1	78	21.89	25.06	< 30.00
		1	0	21.81	24.98	< 30.00
1745.0	15	36	18	21.79	24.96	< 30.00
		1	1	21.88	25.05	< 30.00
		1	77	21.99	25.16	< 30.00
		75	0	21.86	25.03	< 30.00
		1	78	21.99	25.16	< 30.00
		1	0	21.89	25.06	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1772.5	15	36	18	21.96	25.13	< 30.00
		1	1	22.09	25.26	< 30.00
		1	77	22.29	25.46	< 30.00
		75	0	22.03	25.20	< 30.00
		1	78	22.35	25.52	< 30.00
		1	0	22.08	25.25	< 30.00
1720.0	20	50	25	21.81	24.98	< 30.00
		1	1	21.81	24.98	< 30.00
		1	104	21.95	25.12	< 30.00
		100	0	21.73	24.90	< 30.00
		1	105	21.93	25.10	< 30.00
		1	0	21.81	24.98	< 30.00
1745.0	20	50	25	21.92	25.09	< 30.00
		1	1	21.86	25.03	< 30.00
		1	104	21.99	25.16	< 30.00
		100	0	21.88	25.05	< 30.00
		1	105	21.97	25.14	< 30.00
		1	0	21.84	25.01	< 30.00
1770.0	20	50	25	21.93	25.10	< 30.00
		1	1	22.02	25.19	< 30.00
		1	104	22.31	25.48	< 30.00
		100	0	21.98	25.15	< 30.00
		1	105	22.33	25.50	< 30.00
		1	0	21.94	25.11	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1722.5	25	64	32	20.67	23.84	< 30.00
		1	1	20.79	23.96	< 30.00
		1	131	21.03	24.20	< 30.00
		128	0	20.72	23.89	< 30.00
		1	132	20.85	24.02	< 30.00
		1	0	20.95	24.12	< 30.00
1745.0	25	64	32	20.74	23.91	< 30.00
		1	1	21.29	24.46	< 30.00
		1	131	21.46	24.63	< 30.00
		128	0	20.81	23.98	< 30.00
		1	132	21.53	24.70	< 30.00
		1	0	21.56	24.73	< 30.00
1767.5	25	64	32	20.95	24.12	< 30.00
		1	1	21.43	24.60	< 30.00
		1	131	21.64	24.81	< 30.00
		128	0	20.91	24.08	< 30.00
		1	132	21.42	24.59	< 30.00
		1	0	21.81	24.98	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1725.0	30	80	40	21.81	24.98	< 30.00
		1	1	21.78	24.95	< 30.00
		1	158	21.90	25.07	< 30.00
		160	0	21.81	24.98	< 30.00
		1	159	21.89	25.06	< 30.00
		1	0	21.76	24.93	< 30.00
1745.0	30	80	40	21.80	24.97	< 30.00
		1	1	21.93	25.10	< 30.00
		1	158	22.06	25.23	< 30.00
		160	0	21.80	24.97	< 30.00
		1	159	21.94	25.11	< 30.00
		1	0	21.92	25.09	< 30.00
1765.0	30	80	40	21.98	25.15	< 30.00
		1	1	21.98	25.15	< 30.00
		1	158	22.15	25.32	< 30.00
		160	0	21.91	25.08	< 30.00
		1	159	22.18	25.35	< 30.00
		1	0	22.00	25.17	< 30.00
1730.0	40	108	54	21.82	24.99	< 30.00
		1	1	21.86	25.03	< 30.00
		1	214	22.02	25.19	< 30.00
		216	0	21.84	25.01	< 30.00
		1	215	22.00	25.17	< 30.00
		1	0	21.85	25.02	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1745.0	40	108	54	21.88	25.05	< 30.00
		1	1	22.02	25.19	< 30.00
		1	214	22.10	25.27	< 30.00
		216	0	21.87	25.04	< 30.00
		1	215	22.18	25.35	< 30.00
		1	0	21.80	24.97	< 30.00
1760.0	40	108	54	21.87	25.04	< 30.00
		1	1	22.04	25.21	< 30.00
		1	214	22.25	25.42	< 30.00
		216	0	22.01	25.18	< 30.00
		1	215	22.18	25.35	< 30.00
		1	0	21.97	25.14	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1712.5	5	12	6	19.47	22.64	< 30.00
		1	1	19.16	22.33	< 30.00
		1	23	19.19	22.36	< 30.00
		25	0	19.50	22.67	< 30.00
		1	24	19.15	22.32	< 30.00
		1	0	19.21	22.38	< 30.00
1745.0	5	12	6	19.71	22.88	< 30.00
		1	1	19.38	22.55	< 30.00
		1	23	19.28	22.45	< 30.00
		25	0	19.63	22.80	< 30.00
		1	24	19.29	22.46	< 30.00
		1	0	19.28	22.45	< 30.00
1777.5	5	12	6	19.80	22.97	< 30.00
		1	1	19.52	22.69	< 30.00
		1	23	19.50	22.67	< 30.00
		25	0	19.80	22.97	< 30.00
		1	24	19.52	22.69	< 30.00
		1	0	19.52	22.69	< 30.00
1715.0	10	25	12	19.56	22.73	< 30.00
		1	1	19.25	22.42	< 30.00
		1	50	19.33	22.50	< 30.00
		50	0	19.63	22.80	< 30.00
		1	51	19.36	22.53	< 30.00
		1	0	19.28	22.45	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1745.0	10	25	12	19.70	22.87	< 30.00
		1	1	19.38	22.55	< 30.00
		1	50	19.39	22.56	< 30.00
		50	0	19.68	22.85	< 30.00
		1	51	19.43	22.60	< 30.00
		1	0	19.39	22.56	< 30.00
1775.0	10	25	12	19.90	23.07	< 30.00
		1	1	19.54	22.71	< 30.00
		1	50	19.57	22.74	< 30.00
		50	0	19.82	22.99	< 30.00
		1	51	19.57	22.74	< 30.00
		1	0	19.42	22.59	< 30.00
1717.5	15	36	18	19.69	22.86	< 30.00
		1	1	19.33	22.50	< 30.00
		1	77	19.43	22.60	< 30.00
		75	0	19.71	22.88	< 30.00
		1	78	19.36	22.53	< 30.00
		1	0	19.33	22.50	< 30.00
1745.0	15	36	18	19.74	22.91	< 30.00
		1	1	19.43	22.60	< 30.00
		1	77	19.54	22.71	< 30.00
		75	0	19.73	22.90	< 30.00
		1	78	19.49	22.66	< 30.00
		1	0	19.41	22.58	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1772.5	15	36	18	19.84	23.01	< 30.00
		1	1	19.54	22.71	< 30.00
		1	77	19.69	22.86	< 30.00
		75	0	19.91	23.08	< 30.00
		1	78	19.74	22.91	< 30.00
		1	0	19.50	22.67	< 30.00
1720.0	20	50	25	19.68	22.85	< 30.00
		1	1	19.32	22.49	< 30.00
		1	104	19.50	22.67	< 30.00
		100	0	19.66	22.83	< 30.00
		1	105	19.45	22.62	< 30.00
		1	0	19.39	22.56	< 30.00
1745.0	20	50	25	19.77	22.94	< 30.00
		1	1	19.44	22.61	< 30.00
		1	104	19.54	22.71	< 30.00
		100	0	19.77	22.94	< 30.00
		1	105	19.53	22.70	< 30.00
		1	0	19.40	22.57	< 30.00
1770.0	20	50	25	19.83	23.00	< 30.00
		1	1	19.60	22.77	< 30.00
		1	104	19.73	22.90	< 30.00
		100	0	19.91	23.08	< 30.00
		1	105	19.69	22.86	< 30.00
		1	0	19.48	22.65	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1722.5	25	64	32	18.65	21.82	< 30.00
		1	1	18.62	21.79	< 30.00
		1	131	18.71	21.88	< 30.00
		128	0	18.73	21.90	< 30.00
		1	132	18.76	21.93	< 30.00
		1	0	18.82	21.99	< 30.00
1745.0	25	64	32	18.81	21.98	< 30.00
		1	1	18.67	21.84	< 30.00
		1	131	18.87	22.04	< 30.00
		128	0	18.77	21.94	< 30.00
		1	132	18.72	21.89	< 30.00
		1	0	18.96	22.13	< 30.00
1767.5	25	64	32	18.92	22.09	< 30.00
		1	1	18.72	21.89	< 30.00
		1	131	19.11	22.28	< 30.00
		128	0	18.93	22.10	< 30.00
		1	132	18.79	21.96	< 30.00
		1	0	19.14	22.31	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1725.0	30	80	40	19.75	22.92	< 30.00
		1	1	19.39	22.56	< 30.00
		1	158	19.68	22.85	< 30.00
		160	0	19.76	22.93	< 30.00
		1	159	19.53	22.70	< 30.00
		1	0	19.31	22.48	< 30.00
1745.0	30	80	40	19.87	23.04	< 30.00
		1	1	19.46	22.63	< 30.00
		1	158	19.70	22.87	< 30.00
		160	0	19.96	23.13	< 30.00
		1	159	19.74	22.91	< 30.00
		1	0	19.37	22.54	< 30.00
1765.0	30	80	40	19.99	23.16	< 30.00
		1	1	19.54	22.71	< 30.00
		1	158	19.87	23.04	< 30.00
		160	0	20.03	23.20	< 30.00
		1	159	19.82	22.99	< 30.00
		1	0	19.59	22.76	< 30.00
1730.0	40	108	54	19.88	23.05	< 30.00
		1	1	19.37	22.54	< 30.00
		1	214	19.66	22.83	< 30.00
		216	0	19.78	22.95	< 30.00
		1	215	19.69	22.86	< 30.00
		1	0	19.38	22.55	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1745.0	40	108	54	19.97	23.14	< 30.00
		1	1	19.39	22.56	< 30.00
		1	214	19.78	22.95	< 30.00
		216	0	19.82	22.99	< 30.00
		1	215	19.72	22.89	< 30.00
		1	0	19.39	22.56	< 30.00
1760.0	40	108	54	19.96	23.13	< 30.00
		1	1	19.46	22.63	< 30.00
		1	214	19.93	23.10	< 30.00
		216	0	19.87	23.04	< 30.00
		1	215	19.89	23.06	< 30.00
		1	0	19.44	22.61	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
1712.5	5	13	6	22.62	25.79	< 30.00
		1	1	22.69	25.86	< 30.00
		1	23	22.79	25.96	< 30.00
		25	0	21.01	24.18	< 30.00
		1	0	21.02	24.19	< 30.00
		1	24	21.02	24.19	< 30.00
1745.0	5	13	6	22.69	25.86	< 30.00
		1	1	23.05	26.22	< 30.00
		1	23	22.95	26.12	< 30.00
		25	0	21.16	24.33	< 30.00
		1	0	21.20	24.37	< 30.00
		1	24	21.09	24.26	< 30.00
1777.5	5	13	6	22.84	26.01	< 30.00
		1	1	23.06	26.23	< 30.00
		1	23	23.12	26.29	< 30.00
		25	0	21.39	24.56	< 30.00
		1	0	21.45	24.62	< 30.00
		1	24	21.38	24.55	< 30.00
1715.0	10	26	13	22.61	25.78	< 30.00
		1	1	22.77	25.94	< 30.00
		1	50	22.94	26.11	< 30.00
		52	0	21.10	24.27	< 30.00
		1	51	21.12	24.29	< 30.00
		1	0	21.15	24.32	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
1745.0	10	26	13	22.72	25.89	< 30.00
		1	1	22.88	26.05	< 30.00
		1	50	22.99	26.16	< 30.00
		52	0	21.20	24.37	< 30.00
		1	51	21.28	24.45	< 30.00
		1	0	21.26	24.43	< 30.00
1775.0	10	26	13	22.89	26.06	< 30.00
		1	1	23.13	26.30	< 30.00
		1	50	23.10	26.27	< 30.00
		52	0	21.39	24.56	< 30.00
		1	51	21.53	24.70	< 30.00
		1	0	21.35	24.52	< 30.00
1717.5	15	39	19	22.63	25.80	< 30.00
		1	1	22.79	25.96	< 30.00
		1	77	23.07	26.24	< 30.00
		79	0	21.24	24.41	< 30.00
		1	78	21.32	24.49	< 30.00
		1	0	21.19	24.36	< 30.00
1745.0	15	39	19	22.77	25.94	< 30.00
		1	1	22.99	26.16	< 30.00
		1	77	23.01	26.18	< 30.00
		79	0	21.34	24.51	< 30.00
		1	78	21.44	24.61	< 30.00
		1	0	21.29	24.46	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
1772.5	15	39	19	22.83	26.00	< 30.00
		1	1	23.13	26.30	< 30.00
		1	77	23.24	26.41	< 30.00
		79	0	21.48	24.65	< 30.00
		1	78	21.56	24.73	< 30.00
		1	0	21.45	24.62	< 30.00
1720.0	20	53	26	22.83	26.00	< 30.00
		1	1	22.85	26.02	< 30.00
		1	104	23.06	26.23	< 30.00
		106	0	21.31	24.48	< 30.00
		1	105	21.31	24.48	< 30.00
		1	0	21.12	24.29	< 30.00
1745.0	20	53	26	22.84	26.01	< 30.00
		1	1	23.01	26.18	< 30.00
		1	104	22.83	26.00	< 30.00
		106	0	21.33	24.50	< 30.00
		1	105	21.43	24.60	< 30.00
		1	0	21.36	24.53	< 30.00
1770.0	20	53	26	22.88	26.05	< 30.00
		1	1	23.06	26.23	< 30.00
		1	104	23.24	26.41	< 30.00
		106	0	21.45	24.62	< 30.00
		1	105	21.63	24.80	< 30.00
		1	0	21.39	24.56	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
1722.5	25	67	33	21.62	24.79	< 30.00
		1	1	21.75	24.92	< 30.00
		1	131	21.87	25.04	< 30.00
		133	0	20.21	23.38	< 30.00
		1	132	20.46	23.63	< 30.00
		1	0	20.55	23.72	< 30.00
1745.0	25	67	33	21.78	24.95	< 30.00
		1	1	21.86	25.03	< 30.00
		1	131	21.93	25.10	< 30.00
		133	0	20.39	23.56	< 30.00
		1	132	20.47	23.64	< 30.00
		1	0	20.65	23.82	< 30.00
1767.5	25	67	33	21.92	25.09	< 30.00
		1	1	21.91	25.08	< 30.00
		1	131	22.09	25.26	< 30.00
		133	0	20.49	23.66	< 30.00
		1	132	20.49	23.66	< 30.00
		1	0	20.86	24.03	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
1725.0	30	80	40	22.80	25.97	< 30.00
		1	1	22.80	25.97	< 30.00
		1	158	22.95	26.12	< 30.00
		160	0	21.30	24.47	< 30.00
		1	159	21.33	24.50	< 30.00
		1	0	21.15	24.32	< 30.00
1745.0	30	80	40	22.89	26.06	< 30.00
		1	1	23.00	26.17	< 30.00
		1	158	23.09	26.26	< 30.00
		160	0	21.41	24.58	< 30.00
		1	159	21.39	24.56	< 30.00
		1	0	21.30	24.47	< 30.00
1765.0	30	80	40	23.03	26.20	< 30.00
		1	1	23.09	26.26	< 30.00
		1	158	23.23	26.40	< 30.00
		160	0	21.48	24.65	< 30.00
		1	159	21.90	25.07	< 30.00
		1	0	21.34	24.51	< 30.00
1730.0	40	108	54	22.91	26.08	< 30.00
		1	1	22.85	26.02	< 30.00
		1	214	23.03	26.20	< 30.00
		216	0	21.32	24.49	< 30.00
		1	215	21.29	24.46	< 30.00
		1	0	21.22	24.39	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
1745.0	40	108	54	22.96	26.13	< 30.00
		1	1	22.87	26.04	< 30.00
		1	214	23.21	26.38	< 30.00
		216	0	21.33	24.50	< 30.00
		1	215	21.35	24.52	< 30.00
		1	0	21.34	24.51	< 30.00
1760.0	40	108	54	22.95	26.12	< 30.00
		1	1	22.92	26.09	< 30.00
		1	214	23.38	26.55	< 30.00
		216	0	21.36	24.53	< 30.00
		1	215	21.48	24.65	< 30.00
		1	0	21.25	24.42	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
1712.5	5	13	6	22.23	25.40	< 30.00
		1	1	22.37	25.54	< 30.00
		1	23	22.39	25.56	< 30.00
		25	0	21.10	24.27	< 30.00
		1	0	21.21	24.38	< 30.00
		1	24	21.11	24.28	< 30.00
1745.0	5	13	6	22.29	25.46	< 30.00
		1	1	22.05	25.22	< 30.00
		1	23	22.18	25.35	< 30.00
		25	0	21.21	24.38	< 30.00
		1	0	21.04	24.21	< 30.00
		1	24	21.03	24.20	< 30.00
1777.5	5	13	6	22.51	25.68	< 30.00
		1	1	22.36	25.53	< 30.00
		1	23	22.36	25.53	< 30.00
		25	0	21.33	24.50	< 30.00
		1	0	21.27	24.44	< 30.00
		1	24	21.24	24.41	< 30.00
1715.0	10	26	13	22.24	25.41	< 30.00
		1	1	22.12	25.29	< 30.00
		1	50	22.50	25.67	< 30.00
		52	0	21.08	24.25	< 30.00
		1	51	21.27	24.44	< 30.00
		1	0	21.20	24.37	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
1745.0	10	26	13	22.26	25.43	< 30.00
		1	1	22.48	25.65	< 30.00
		1	50	22.55	25.72	< 30.00
		52	0	21.20	24.37	< 30.00
		1	51	21.29	24.46	< 30.00
		1	0	21.19	24.36	< 30.00
1775.0	10	26	13	22.39	25.56	< 30.00
		1	1	22.18	25.35	< 30.00
		1	50	22.42	25.59	< 30.00
		52	0	21.32	24.49	< 30.00
		1	51	21.19	24.36	< 30.00
		1	0	21.19	24.36	< 30.00
1717.5	15	39	19	22.21	25.38	< 30.00
		1	1	22.52	25.69	< 30.00
		1	77	22.63	25.80	< 30.00
		79	0	21.38	24.55	< 30.00
		1	78	21.18	24.35	< 30.00
		1	0	21.01	24.18	< 30.00
1745.0	15	39	19	22.35	25.52	< 30.00
		1	1	22.23	25.40	< 30.00
		1	77	22.23	25.40	< 30.00
		79	0	21.39	24.56	< 30.00
		1	78	21.35	24.52	< 30.00
		1	0	21.14	24.31	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
1772.5	15	39	19	22.48	25.65	< 30.00
		1	1	22.33	25.50	< 30.00
		1	77	22.49	25.66	< 30.00
		79	0	21.60	24.77	< 30.00
		1	78	21.15	24.32	< 30.00
		1	0	21.29	24.46	< 30.00
1720.0	20	53	26	22.19	25.36	< 30.00
		1	1	22.24	25.41	< 30.00
		1	104	22.57	25.74	< 30.00
		106	0	21.27	24.44	< 30.00
		1	105	21.35	24.52	< 30.00
		1	0	21.27	24.44	< 30.00
1745.0	20	53	26	22.29	25.46	< 30.00
		1	1	22.56	25.73	< 30.00
		1	104	22.78	25.95	< 30.00
		106	0	21.34	24.51	< 30.00
		1	105	21.60	24.77	< 30.00
		1	0	21.34	24.51	< 30.00
1770.0	20	53	26	22.42	25.59	< 30.00
		1	1	22.22	25.39	< 30.00
		1	104	22.50	25.67	< 30.00
		106	0	21.42	24.59	< 30.00
		1	105	21.45	24.62	< 30.00
		1	0	21.26	24.43	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
1722.5	25	67	33	21.12	24.29	< 30.00
		1	1	21.60	24.77	< 30.00
		1	131	21.70	24.87	< 30.00
		133	0	20.24	23.41	< 30.00
		1	132	20.18	23.35	< 30.00
		1	0	20.27	23.44	< 30.00
1745.0	25	67	33	21.23	24.40	< 30.00
		1	1	21.40	24.57	< 30.00
		1	131	21.61	24.78	< 30.00
		133	0	20.32	23.49	< 30.00
		1	132	20.69	23.86	< 30.00
		1	0	20.95	24.12	< 30.00
1767.5	25	67	33	21.38	24.55	< 30.00
		1	1	21.50	24.67	< 30.00
		1	131	21.80	24.97	< 30.00
		133	0	20.55	23.72	< 30.00
		1	132	20.78	23.95	< 30.00
		1	0	21.14	24.31	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
1725.0	30	80	40	22.28	25.45	< 30.00
		1	1	22.51	25.68	< 30.00
		1	158	22.63	25.80	< 30.00
		160	0	21.31	24.48	< 30.00
		1	159	21.40	24.57	< 30.00
		1	0	21.28	24.45	< 30.00
1745.0	30	80	40	22.35	25.52	< 30.00
		1	1	22.11	25.28	< 30.00
		1	158	21.88	25.05	< 30.00
		160	0	21.31	24.48	< 30.00
		1	159	21.15	24.32	< 30.00
		1	0	21.14	24.31	< 30.00
1765.0	30	80	40	22.41	25.58	< 30.00
		1	1	22.26	25.43	< 30.00
		1	158	22.46	25.63	< 30.00
		160	0	21.40	24.57	< 30.00
		1	159	21.40	24.57	< 30.00
		1	0	21.21	24.38	< 30.00
1730.0	40	108	54	22.30	25.47	< 30.00
		1	1	21.74	24.91	< 30.00
		1	214	22.21	25.38	< 30.00
		216	0	21.33	24.50	< 30.00
		1	215	21.16	24.33	< 30.00
		1	0	21.07	24.24	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
1745.0	40	108	54	22.33	25.50	< 30.00
		1	1	22.06	25.23	< 30.00
		1	214	22.25	25.42	< 30.00
		216	0	21.36	24.53	< 30.00
		1	215	21.21	24.38	< 30.00
		1	0	21.15	24.32	< 30.00
1760.0	40	108	54	22.42	25.59	< 30.00
		1	1	22.18	25.35	< 30.00
		1	214	22.50	25.67	< 30.00
		216	0	21.39	24.56	< 30.00
		1	215	21.39	24.56	< 30.00
		1	0	21.07	24.24	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
1712.5	5	13	6	20.70	23.87	< 30.00
		1	1	20.52	23.69	< 30.00
		1	23	20.57	23.74	< 30.00
		25	0	20.57	23.74	< 30.00
		1	0	20.56	23.73	< 30.00
		1	24	20.55	23.72	< 30.00
1745.0	5	13	6	20.78	23.95	< 30.00
		1	1	20.66	23.83	< 30.00
		1	23	20.68	23.85	< 30.00
		25	0	20.61	23.78	< 30.00
		1	0	20.70	23.87	< 30.00
		1	24	20.63	23.80	< 30.00
1777.5	5	13	6	21.11	24.28	< 30.00
		1	1	20.83	24.00	< 30.00
		1	23	20.99	24.16	< 30.00
		25	0	20.91	24.08	< 30.00
		1	0	20.99	24.16	< 30.00
		1	24	20.98	24.15	< 30.00
1715.0	10	26	13	20.65	23.82	< 30.00
		1	1	20.47	23.64	< 30.00
		1	50	20.58	23.75	< 30.00
		52	0	20.67	23.84	< 30.00
		1	51	20.66	23.83	< 30.00
		1	0	20.61	23.78	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
1745.0	10	26	13	20.73	23.90	< 30.00
		1	1	20.67	23.84	< 30.00
		1	50	20.94	24.11	< 30.00
		52	0	20.74	23.91	< 30.00
		1	51	20.73	23.90	< 30.00
		1	0	20.76	23.93	< 30.00
1775.0	10	26	13	20.87	24.04	< 30.00
		1	1	20.86	24.03	< 30.00
		1	50	20.96	24.13	< 30.00
		52	0	20.93	24.10	< 30.00
		1	51	20.90	24.07	< 30.00
		1	0	20.82	23.99	< 30.00
1717.5	15	39	19	20.73	23.90	< 30.00
		1	1	20.70	23.87	< 30.00
		1	77	20.84	24.01	< 30.00
		79	0	20.72	23.89	< 30.00
		1	78	20.82	23.99	< 30.00
		1	0	20.79	23.96	< 30.00
1745.0	15	39	19	20.86	24.03	< 30.00
		1	1	20.76	23.93	< 30.00
		1	77	20.94	24.11	< 30.00
		79	0	20.79	23.96	< 30.00
		1	78	20.95	24.12	< 30.00
		1	0	20.86	24.03	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
1772.5	15	39	19	21.00	24.17	< 30.00
		1	1	20.84	24.01	< 30.00
		1	77	21.15	24.32	< 30.00
		79	0	21.00	24.17	< 30.00
		1	78	21.12	24.29	< 30.00
		1	0	20.93	24.10	< 30.00
1720.0	20	53	26	20.83	24.00	< 30.00
		1	1	20.69	23.86	< 30.00
		1	104	20.86	24.03	< 30.00
		106	0	20.74	23.91	< 30.00
		1	105	20.86	24.03	< 30.00
		1	0	20.73	23.90	< 30.00
1745.0	20	53	26	20.82	23.99	< 30.00
		1	1	20.84	24.01	< 30.00
		1	104	20.95	24.12	< 30.00
		106	0	20.92	24.09	< 30.00
		1	105	20.89	24.06	< 30.00
		1	0	20.82	23.99	< 30.00
1770.0	20	53	26	21.00	24.17	< 30.00
		1	1	20.89	24.06	< 30.00
		1	104	21.17	24.34	< 30.00
		106	0	21.02	24.19	< 30.00
		1	105	21.23	24.40	< 30.00
		1	0	20.88	24.05	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
1722.5	25	67	33	19.80	22.97	< 30.00
		1	1	19.67	22.84	< 30.00
		1	131	19.87	23.04	< 30.00
		133	0	19.73	22.90	< 30.00
		1	132	19.78	22.95	< 30.00
		1	0	19.95	23.12	< 30.00
1745.0	25	67	33	19.83	23.00	< 30.00
		1	1	19.73	22.90	< 30.00
		1	131	20.12	23.29	< 30.00
		133	0	19.83	23.00	< 30.00
		1	132	19.87	23.04	< 30.00
		1	0	20.07	23.24	< 30.00
1767.5	25	67	33	20.04	23.21	< 30.00
		1	1	19.98	23.15	< 30.00
		1	131	20.16	23.33	< 30.00
		133	0	19.95	23.12	< 30.00
		1	132	19.94	23.11	< 30.00
		1	0	20.27	23.44	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
1725.0	30	80	40	20.77	23.94	< 30.00
		1	1	20.61	23.78	< 30.00
		1	158	20.77	23.94	< 30.00
		160	0	20.83	24.00	< 30.00
		1	159	20.76	23.93	< 30.00
		1	0	20.64	23.81	< 30.00
1745.0	30	80	40	20.85	24.02	< 30.00
		1	1	20.79	23.96	< 30.00
		1	158	20.90	24.07	< 30.00
		160	0	20.85	24.02	< 30.00
		1	159	20.87	24.04	< 30.00
		1	0	20.79	23.96	< 30.00
1765.0	30	80	40	20.94	24.11	< 30.00
		1	1	20.84	24.01	< 30.00
		1	158	21.00	24.17	< 30.00
		160	0	20.96	24.13	< 30.00
		1	159	21.07	24.24	< 30.00
		1	0	20.85	24.02	< 30.00
1730.0	40	108	54	20.86	24.03	< 30.00
		1	1	20.65	23.82	< 30.00
		1	214	20.81	23.98	< 30.00
		216	0	20.82	23.99	< 30.00
		1	215	20.81	23.98	< 30.00
		1	0	20.71	23.88	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
1745.0	40	108	54	20.84	24.01	< 30.00
		1	1	20.47	23.64	< 30.00
		1	214	20.63	23.80	< 30.00
		216	0	20.87	24.04	< 30.00
		1	215	20.90	24.07	< 30.00
		1	0	20.77	23.94	< 30.00
1760.0	40	108	54	20.92	24.09	< 30.00
		1	1	20.77	23.94	< 30.00
		1	214	21.03	24.20	< 30.00
		216	0	20.92	24.09	< 30.00
		1	215	21.06	24.23	< 30.00
		1	0	20.71	23.88	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
1712.5	5	13	6	17.77	20.94	< 30.00
		1	1	17.37	20.54	< 30.00
		1	23	17.32	20.49	< 30.00
		25	0	17.54	20.71	< 30.00
		1	0	17.37	20.54	< 30.00
		1	24	17.31	20.48	< 30.00
1745.0	5	13	6	17.92	21.09	< 30.00
		1	1	17.50	20.67	< 30.00
		1	23	17.53	20.70	< 30.00
		25	0	17.68	20.85	< 30.00
		1	0	17.49	20.66	< 30.00
		1	24	17.42	20.59	< 30.00
1777.5	5	13	6	18.16	21.33	< 30.00
		1	1	17.66	20.83	< 30.00
		1	23	17.71	20.88	< 30.00
		25	0	17.88	21.05	< 30.00
		1	0	17.66	20.83	< 30.00
		1	24	17.58	20.75	< 30.00
1715.0	10	26	13	17.56	20.73	< 30.00
		1	1	17.50	20.67	< 30.00
		1	50	17.56	20.73	< 30.00
		52	0	17.64	20.81	< 30.00
		1	51	17.60	20.77	< 30.00
		1	0	17.42	20.59	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
1745.0	10	26	13	17.62	20.79	< 30.00
		1	1	17.59	20.76	< 30.00
		1	50	17.58	20.75	< 30.00
		52	0	17.66	20.83	< 30.00
		1	51	17.55	20.72	< 30.00
		1	0	17.61	20.78	< 30.00
1775.0	10	26	13	17.83	21.00	< 30.00
		1	1	17.59	20.76	< 30.00
		1	50	17.78	20.95	< 30.00
		52	0	17.79	20.96	< 30.00
		1	51	17.66	20.83	< 30.00
		1	0	17.65	20.82	< 30.00
1717.5	15	39	19	17.69	20.86	< 30.00
		1	1	17.55	20.72	< 30.00
		1	77	17.69	20.86	< 30.00
		79	0	17.72	20.89	< 30.00
		1	78	17.64	20.81	< 30.00
		1	0	17.50	20.67	< 30.00
1745.0	15	39	19	17.74	20.91	< 30.00
		1	1	17.58	20.75	< 30.00
		1	77	17.68	20.85	< 30.00
		79	0	17.80	20.97	< 30.00
		1	78	17.67	20.84	< 30.00
		1	0	17.59	20.76	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
1772.5	15	39	19	17.93	21.10	< 30.00
		1	1	17.59	20.76	< 30.00
		1	77	17.85	21.02	< 30.00
		79	0	17.99	21.16	< 30.00
		1	78	18.10	21.27	< 30.00
		1	0	17.66	20.83	< 30.00
1720.0	20	53	26	17.72	20.89	< 30.00
		1	1	17.59	20.76	< 30.00
		1	104	17.74	20.91	< 30.00
		106	0	17.71	20.88	< 30.00
		1	105	17.68	20.85	< 30.00
		1	0	17.52	20.69	< 30.00
1745.0	20	53	26	17.75	20.92	< 30.00
		1	1	17.63	20.80	< 30.00
		1	104	17.79	20.96	< 30.00
		106	0	17.78	20.95	< 30.00
		1	105	17.66	20.83	< 30.00
		1	0	17.64	20.81	< 30.00
1770.0	20	53	26	17.94	21.11	< 30.00
		1	1	17.72	20.89	< 30.00
		1	104	17.82	20.99	< 30.00
		106	0	17.88	21.05	< 30.00
		1	105	17.81	20.98	< 30.00
		1	0	17.63	20.80	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
1722.5	25	67	33	16.79	19.96	< 30.00
		1	1	17.19	20.36	< 30.00
		1	131	17.43	20.60	< 30.00
		133	0	16.87	20.04	< 30.00
		1	132	17.29	20.46	< 30.00
		1	0	17.48	20.65	< 30.00
1745.0	25	67	33	16.91	20.08	< 30.00
		1	1	17.64	20.81	< 30.00
		1	131	17.73	20.90	< 30.00
		133	0	16.93	20.10	< 30.00
		1	132	17.62	20.79	< 30.00
		1	0	17.81	20.98	< 30.00
1767.5	25	67	33	17.03	20.20	< 30.00
		1	1	17.53	20.70	< 30.00
		1	131	17.83	21.00	< 30.00
		133	0	17.09	20.26	< 30.00
		1	132	17.61	20.78	< 30.00
		1	0	18.01	21.18	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
1725.0	30	80	40	17.87	21.04	< 30.00
		1	1	17.64	20.81	< 30.00
		1	158	17.78	20.95	< 30.00
		160	0	17.73	20.90	< 30.00
		1	159	17.74	20.91	< 30.00
		1	0	17.53	20.70	< 30.00
1745.0	30	80	40	17.86	21.03	< 30.00
		1	1	17.54	20.71	< 30.00
		1	158	17.80	20.97	< 30.00
		160	0	17.93	21.10	< 30.00
		1	159	17.79	20.96	< 30.00
		1	0	17.48	20.65	< 30.00
1765.0	30	80	40	17.97	21.14	< 30.00
		1	1	17.65	20.82	< 30.00
		1	158	17.95	21.12	< 30.00
		160	0	18.05	21.22	< 30.00
		1	159	17.95	21.12	< 30.00
		1	0	17.67	20.84	< 30.00
1730.0	40	108	54	17.82	20.99	< 30.00
		1	1	17.56	20.73	< 30.00
		1	214	17.88	21.05	< 30.00
		216	0	17.71	20.88	< 30.00
		1	215	17.88	21.05	< 30.00
		1	0	17.50	20.67	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
1745.0	40	108	54	17.91	21.08	< 30.00
		1	1	17.47	20.64	< 30.00
		1	214	17.83	21.00	< 30.00
		216	0	17.85	21.02	< 30.00
		1	215	17.83	21.00	< 30.00
		1	0	17.44	20.61	< 30.00
1760.0	40	108	54	17.91	21.08	< 30.00
		1	1	17.68	20.85	< 30.00
		1	214	17.91	21.08	< 30.00
		216	0	17.99	21.16	< 30.00
		1	215	17.80	20.97	< 30.00
		1	0	17.55	20.72	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						



Test Report No.: PSU-NQN2502170213RF08

n71_SA

Note: The gain of this product is smaller than that of the module used, so the power reported in the original module report was referenced, please refer to the referenced module report for all power

n38_UL MIMO

MAX Power

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2595	30	1	76	19.98	19.7	22.85	25.49	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2600	40	1	104	19.71	19.96	22.85	25.49	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2595	40	1	1	19.37	19.32	22.36	25.00	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Power

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2575.0	10	12	6	19.51	19.22	22.38	25.02	< 33.01
		1	1	19.53	19.15	22.35	24.99	< 33.01
		1	22	19.44	19.46	22.46	25.10	< 33.01
		24	0	17.97	17.81	20.90	23.54	< 33.01
		1	0	17.88	17.76	20.83	23.47	< 33.01
		1	23	17.97	17.74	20.87	23.51	< 33.01
2595.0	10	12	6	19.54	19.25	22.41	25.05	< 33.01
		1	1	19.83	19.22	22.55	25.19	< 33.01
		1	22	19.72	19.35	22.55	25.19	< 33.01
		24	0	18.02	17.72	20.88	23.52	< 33.01
		1	0	18.06	17.75	20.92	23.56	< 33.01
		1	23	18.17	17.83	21.01	23.65	< 33.01
2615.0	10	12	6	19.53	19.44	22.50	25.14	< 33.01
		1	1	19.66	19.51	22.59	25.23	< 33.01
		1	22	19.52	19.45	22.49	25.13	< 33.01
		24	0	17.95	18.00	20.99	23.63	< 33.01
		1	0	18.26	17.94	21.11	23.75	< 33.01
		1	23	17.93	18.03	20.99	23.63	< 33.01
2577.5	15	19	9	19.65	19.27	22.48	25.12	< 33.01
		1	1	19.48	19.27	22.39	25.03	< 33.01
		1	36	19.85	19.42	22.65	25.29	< 33.01
		38	0	18.15	17.83	21.01	23.65	< 33.01
		1	0	18.02	17.71	20.88	23.52	< 33.01
		1	37	18.12	18.28	21.22	23.86	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2595.0	15	19	9	19.70	19.39	22.56	25.20	< 33.01
		1	1	19.80	19.64	22.73	25.37	< 33.01
		1	36	19.82	19.47	22.66	25.30	< 33.01
		38	0	18.20	17.93	21.08	23.72	< 33.01
		1	0	18.14	18.05	21.11	23.75	< 33.01
		1	37	18.26	18.10	21.19	23.83	< 33.01
2612.5	15	19	9	19.57	19.54	22.57	25.21	< 33.01
		1	1	19.79	19.72	22.76	25.40	< 33.01
		1	36	19.52	19.80	22.67	25.31	< 33.01
		38	0	18.16	18.10	21.14	23.78	< 33.01
		1	0	18.23	18.20	21.22	23.86	< 33.01
		1	37	17.94	18.27	21.12	23.76	< 33.01
2580.0	20	25	12	19.74	19.51	22.64	25.28	< 33.01
		1	1	19.61	19.40	22.52	25.16	< 33.01
		1	49	19.82	19.58	22.71	25.35	< 33.01
		51	0	18.15	17.89	21.03	23.67	< 33.01
		1	0	18.13	17.98	21.07	23.71	< 33.01
		1	50	18.27	18.02	21.16	23.80	< 33.01
2595.0	20	25	12	19.71	19.56	22.65	25.29	< 33.01
		1	1	19.79	19.52	22.67	25.31	< 33.01
		1	49	19.75	19.50	22.64	25.28	< 33.01
		51	0	18.21	18.01	21.12	23.76	< 33.01
		1	0	18.24	17.99	21.13	23.77	< 33.01
		1	50	18.19	18.20	21.21	23.85	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2610.0	20	25	12	19.64	19.61	22.64	25.28	< 33.01
		1	1	19.74	19.50	22.63	25.27	< 33.01
		1	49	19.56	19.68	22.63	25.27	< 33.01
		51	0	18.09	18.10	21.11	23.75	< 33.01
		1	0	18.31	18.05	21.19	23.83	< 33.01
		1	50	18.10	18.11	21.11	23.75	< 33.01
2585.0	30	36	79	19.66	19.50	22.59	25.23	< 33.01
		1	1	19.60	19.46	22.54	25.18	< 33.01
		1	76	19.91	19.70	22.82	25.46	< 33.01
		78	0	18.18	18.05	21.12	23.76	< 33.01
		1	0	18.19	17.98	21.09	23.73	< 33.01
		1	77	18.28	18.04	21.17	23.81	< 33.01
2595.0	30	36	79	19.61	19.48	22.55	25.19	< 33.01
		1	1	19.87	19.59	22.74	25.38	< 33.01
		1	76	19.98	19.70	22.85	25.49	< 33.01
		78	0	18.17	18.03	21.11	23.75	< 33.01
		1	0	18.20	18.06	21.14	23.78	< 33.01
		1	77	18.10	18.07	21.09	23.73	< 33.01
2605.0	30	36	79	19.68	19.52	22.61	25.25	< 33.01
		1	1	19.79	19.47	22.64	25.28	< 33.01
		1	76	19.77	19.74	22.76	25.40	< 33.01
		78	0	18.24	18.12	21.19	23.83	< 33.01
		1	0	18.31	18.02	21.17	23.81	< 33.01
		1	77	18.24	18.20	21.23	23.87	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2590.0	40	53	26	19.71	19.44	22.59	25.23	< 33.01
		1	1	19.63	19.44	22.55	25.19	< 33.01
		1	104	19.84	19.75	22.81	25.45	< 33.01
		106	0	18.14	17.98	21.07	23.71	< 33.01
		1	0	18.18	18.03	21.12	23.76	< 33.01
		1	105	18.26	18.02	21.15	23.79	< 33.01
2595.0	40	53	26	19.72	19.46	22.60	25.24	< 33.01
		1	1	19.82	19.67	22.76	25.40	< 33.01
		1	104	19.83	19.50	22.68	25.32	< 33.01
		106	0	18.17	18.01	21.10	23.74	< 33.01
		1	0	18.20	18.14	21.18	23.82	< 33.01
		1	105	18.15	18.28	21.22	23.86	< 33.01
2600.0	40	53	26	19.80	19.49	22.66	25.30	< 33.01
		1	1	19.80	19.50	22.66	25.30	< 33.01
		1	104	19.71	19.96	22.85	25.49	< 33.01
		106	0	18.25	18.12	21.19	23.83	< 33.01
		1	0	18.28	18.26	21.28	23.92	< 33.01
		1	105	18.17	18.22	21.20	23.84	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2575.0	10	12	6	18.98	18.90	21.95	24.59	< 33.01
		1	1	18.99	18.68	21.85	24.49	< 33.01
		1	22	19.06	18.65	21.87	24.51	< 33.01
		24	0	18.03	17.88	20.96	23.60	< 33.01
		1	0	17.94	17.91	20.94	23.58	< 33.01
		1	23	17.99	17.90	20.96	23.60	< 33.01
2595.0	10	12	6	19.16	18.83	22.01	24.65	< 33.01
		1	1	19.20	18.74	21.99	24.63	< 33.01
		1	22	19.15	18.78	21.98	24.62	< 33.01
		24	0	18.09	17.79	20.95	23.59	< 33.01
		1	0	18.10	17.85	20.99	23.63	< 33.01
		1	23	18.09	17.74	20.93	23.57	< 33.01
2615.0	10	12	6	19.01	19.05	22.04	24.68	< 33.01
		1	1	19.14	18.94	22.05	24.69	< 33.01
		1	22	19.02	18.94	21.99	24.63	< 33.01
		24	0	18.00	18.00	21.01	23.65	< 33.01
		1	0	18.08	17.88	20.99	23.63	< 33.01
		1	23	17.89	18.11	21.01	23.65	< 33.01
2577.5	15	19	9	19.19	18.82	22.02	24.66	< 33.01
		1	1	19.15	18.60	21.89	24.53	< 33.01
		1	36	19.27	18.85	22.07	24.71	< 33.01
		38	0	18.16	17.86	21.02	23.66	< 33.01
		1	0	18.17	18.17	21.18	23.82	< 33.01
		1	37	18.21	17.96	21.10	23.74	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2595.0	15	19	9	19.15	18.93	22.05	24.69	< 33.01
		1	1	19.31	19.05	22.19	24.83	< 33.01
		1	36	19.11	18.96	22.05	24.69	< 33.01
		38	0	18.14	17.97	21.07	23.71	< 33.01
		1	0	18.28	17.82	21.07	23.71	< 33.01
		1	37	18.29	18.02	21.17	23.81	< 33.01
2612.5	15	19	9	19.05	19.09	22.08	24.72	< 33.01
		1	1	19.29	19.26	22.29	24.93	< 33.01
		1	36	19.04	19.36	22.21	24.85	< 33.01
		38	0	18.09	18.16	21.14	23.78	< 33.01
		1	0	18.29	18.21	21.26	23.90	< 33.01
		1	37	18.10	17.93	21.02	23.66	< 33.01
2580.0	20	25	12	19.19	18.99	22.10	24.74	< 33.01
		1	1	19.08	18.83	21.97	24.61	< 33.01
		1	49	19.32	18.99	22.17	24.81	< 33.01
		51	0	18.17	17.97	21.08	23.72	< 33.01
		1	0	18.13	17.86	21.01	23.65	< 33.01
		1	50	18.29	17.89	21.10	23.74	< 33.01
2595.0	20	25	12	19.21	19.02	22.13	24.77	< 33.01
		1	1	19.17	19.06	22.13	24.77	< 33.01
		1	49	19.25	19.06	22.16	24.80	< 33.01
		51	0	18.17	17.97	21.08	23.72	< 33.01
		1	0	18.28	17.99	21.15	23.79	< 33.01
		1	50	18.16	18.11	21.14	23.78	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2610.0	20	25	12	19.10	19.10	22.11	24.75	< 33.01
		1	1	19.17	19.04	22.12	24.76	< 33.01
		1	49	18.94	19.07	22.02	24.66	< 33.01
		51	0	18.15	18.04	21.11	23.75	< 33.01
		1	0	18.15	18.00	21.09	23.73	< 33.01
		1	50	17.96	18.16	21.07	23.71	< 33.01
2585.0	30	36	79	19.21	18.97	22.11	24.75	< 33.01
		1	1	19.15	18.97	22.07	24.71	< 33.01
		1	76	19.47	18.95	22.23	24.87	< 33.01
		78	0	18.14	17.96	21.06	23.70	< 33.01
		1	0	18.16	18.14	21.16	23.80	< 33.01
		1	77	18.32	18.04	21.19	23.83	< 33.01
2595.0	30	36	79	19.24	19.07	22.16	24.80	< 33.01
		1	1	19.35	19.11	22.24	24.88	< 33.01
		1	76	19.35	18.93	22.16	24.80	< 33.01
		78	0	18.21	18.03	21.13	23.77	< 33.01
		1	0	18.09	18.17	21.14	23.78	< 33.01
		1	77	18.25	18.11	21.19	23.83	< 33.01
2605.0	30	36	79	19.25	19.11	22.19	24.83	< 33.01
		1	1	19.36	18.87	22.13	24.77	< 33.01
		1	76	19.20	19.09	22.16	24.80	< 33.01
		78	0	18.19	18.05	21.13	23.77	< 33.01
		1	0	18.30	18.12	21.22	23.86	< 33.01
		1	77	18.18	18.29	21.25	23.89	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2590.0	40	53	26	19.23	19.02	22.14	24.78	< 33.01
		1	1	19.22	19.10	22.17	24.81	< 33.01
		1	104	19.34	19.20	22.28	24.92	< 33.01
		106	0	18.12	17.93	21.04	23.68	< 33.01
		1	0	18.22	18.06	21.15	23.79	< 33.01
		1	105	18.49	18.08	21.30	23.94	< 33.01
2595.0	40	53	26	19.23	19.10	22.18	24.82	< 33.01
		1	1	19.37	19.32	22.36	25.00	< 33.01
		1	104	19.16	19.30	22.24	24.88	< 33.01
		106	0	18.16	18.04	21.11	23.75	< 33.01
		1	0	18.44	17.95	21.21	23.85	< 33.01
		1	105	18.36	18.11	21.25	23.89	< 33.01
2600.0	40	53	26	19.39	19.21	22.31	24.95	< 33.01
		1	1	19.36	18.98	22.19	24.83	< 33.01
		1	104	19.20	18.99	22.11	24.75	< 33.01
		106	0	18.23	18.05	21.15	23.79	< 33.01
		1	0	18.32	17.99	21.17	23.81	< 33.01
		1	105	18.26	17.95	21.12	23.76	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2575.0	10	12	6	17.46	17.26	20.37	23.01	< 33.01
		1	1	17.53	17.12	20.34	22.98	< 33.01
		1	22	17.56	17.15	20.37	23.01	< 33.01
		24	0	17.41	17.36	20.40	23.04	< 33.01
		1	0	17.51	17.13	20.33	22.97	< 33.01
		1	23	17.47	17.06	20.28	22.92	< 33.01
2595.0	10	12	6	17.66	17.30	20.49	23.13	< 33.01
		1	1	17.62	17.13	20.39	23.03	< 33.01
		1	22	17.58	17.12	20.37	23.01	< 33.01
		24	0	17.59	17.34	20.48	23.12	< 33.01
		1	0	17.62	17.17	20.41	23.05	< 33.01
		1	23	17.58	17.14	20.37	23.01	< 33.01
2615.0	10	12	6	17.54	17.52	20.54	23.18	< 33.01
		1	1	17.70	17.35	20.54	23.18	< 33.01
		1	22	17.50	17.62	20.57	23.21	< 33.01
		24	0	17.51	17.66	20.59	23.23	< 33.01
		1	0	17.58	17.40	20.50	23.14	< 33.01
		1	23	17.45	17.29	20.38	23.02	< 33.01
2577.5	15	19	9	18.82	17.30	20.51	23.15	< 33.01
		1	1	18.60	17.41	20.50	23.14	< 33.01
		1	36	18.85	17.42	20.61	23.25	< 33.01
		38	0	17.86	17.44	20.56	23.20	< 33.01
		1	0	18.17	17.37	20.41	23.05	< 33.01
		1	37	17.96	17.42	20.61	23.25	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2595.0	15	19	9	18.93	17.44	20.57	23.21	< 33.01
		1	1	19.05	17.44	20.71	23.35	< 33.01
		1	36	18.96	17.62	20.74	23.38	< 33.01
		38	0	17.97	17.58	20.65	23.29	< 33.01
		1	0	17.82	17.36	20.58	23.22	< 33.01
		1	37	18.02	17.67	20.81	23.45	< 33.01
2612.5	15	19	9	19.09	17.66	20.63	23.27	< 33.01
		1	1	19.26	17.58	20.76	23.40	< 33.01
		1	36	19.36	17.85	20.76	23.40	< 33.01
		38	0	18.16	17.69	20.67	23.31	< 33.01
		1	0	18.21	17.59	20.73	23.37	< 33.01
		1	37	17.93	17.81	20.77	23.41	< 33.01
2580.0	20	25	12	18.99	17.45	20.56	23.20	< 33.01
		1	1	18.83	17.45	20.64	23.28	< 33.01
		1	49	18.99	17.57	20.73	23.37	< 33.01
		51	0	17.97	17.43	20.58	23.22	< 33.01
		1	0	17.86	17.38	20.56	23.20	< 33.01
		1	50	17.89	17.60	20.82	23.46	< 33.01
2595.0	20	25	12	19.02	17.50	20.60	23.24	< 33.01
		1	1	19.06	17.45	20.64	23.28	< 33.01
		1	49	19.06	17.64	20.78	23.42	< 33.01
		51	0	17.97	17.57	20.67	23.31	< 33.01
		1	0	17.99	17.52	20.66	23.30	< 33.01
		1	50	18.11	17.72	20.82	23.46	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2610.0	20	25	12	19.10	17.59	20.61	23.25	< 33.01
		1	1	19.04	17.49	20.67	23.31	< 33.01
		1	49	19.07	17.61	20.59	23.23	< 33.01
		51	0	18.04	17.65	20.64	23.28	< 33.01
		1	0	18.00	17.53	20.69	23.33	< 33.01
		1	50	18.16	17.65	20.61	23.25	< 33.01
2585.0	30	36	79	18.97	17.44	20.59	23.23	< 33.01
		1	1	18.97	17.72	20.72	23.36	< 33.01
		1	76	18.95	17.71	20.87	23.51	< 33.01
		78	0	17.96	17.37	20.55	23.19	< 33.01
		1	0	18.14	17.80	20.82	23.46	< 33.01
		1	77	18.04	17.77	20.84	23.48	< 33.01
2595.0	30	36	79	19.07	17.45	20.59	23.23	< 33.01
		1	1	19.11	17.43	20.57	23.21	< 33.01
		1	76	18.93	17.35	20.62	23.26	< 33.01
		78	0	18.03	17.47	20.57	23.21	< 33.01
		1	0	18.17	17.46	20.58	23.22	< 33.01
		1	77	18.11	17.46	20.65	23.29	< 33.01
2605.0	30	36	79	19.11	17.57	20.68	23.32	< 33.01
		1	1	18.87	17.43	20.59	23.23	< 33.01
		1	76	19.09	17.51	20.60	23.24	< 33.01
		78	0	18.05	17.47	20.60	23.24	< 33.01
		1	0	18.12	17.39	20.56	23.20	< 33.01
		1	77	18.29	17.53	20.63	23.27	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2590.0	40	53	26	19.02	17.56	20.65	23.29	< 33.01
		1	1	19.10	17.56	20.62	23.26	< 33.01
		1	104	19.20	17.53	20.69	23.33	< 33.01
		106	0	17.93	17.49	20.57	23.21	< 33.01
		1	0	18.06	17.57	20.66	23.30	< 33.01
		1	105	18.08	17.76	20.78	23.42	< 33.01
2595.0	40	53	26	19.10	17.51	20.62	23.26	< 33.01
		1	1	19.32	17.48	20.63	23.27	< 33.01
		1	104	19.30	17.54	20.72	23.36	< 33.01
		106	0	18.04	17.52	20.60	23.24	< 33.01
		1	0	17.95	17.48	20.68	23.32	< 33.01
		1	105	18.11	17.67	20.80	23.44	< 33.01
2600.0	40	53	26	19.21	17.54	20.69	23.33	< 33.01
		1	1	18.98	17.46	20.65	23.29	< 33.01
		1	104	18.99	17.56	20.65	23.29	< 33.01
		106	0	18.05	17.54	20.65	23.29	< 33.01
		1	0	17.99	17.49	20.72	23.36	< 33.01
		1	105	17.95	17.64	20.72	23.36	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2575.0	10	12	6	14.67	14.07	17.39	20.03	< 33.01
		1	1	14.68	14.30	17.51	20.15	< 33.01
		1	22	14.46	14.23	17.36	20.00	< 33.01
		24	0	14.67	14.14	17.42	20.06	< 33.01
		1	0	14.53	14.25	17.40	20.04	< 33.01
		1	23	14.55	13.95	17.27	19.91	< 33.01
2595.0	10	12	6	14.83	14.16	17.52	20.16	< 33.01
		1	1	14.59	14.31	17.47	20.11	< 33.01
		1	22	14.79	14.42	17.62	20.26	< 33.01
		24	0	14.80	14.21	17.53	20.17	< 33.01
		1	0	14.57	14.18	17.39	20.03	< 33.01
		1	23	14.49	14.17	17.35	19.99	< 33.01
2615.0	10	12	6	14.74	14.32	17.54	20.18	< 33.01
		1	1	14.58	14.56	17.58	20.22	< 33.01
		1	22	14.49	14.46	17.49	20.13	< 33.01
		24	0	14.77	14.54	17.67	20.31	< 33.01
		1	0	14.62	14.62	17.63	20.27	< 33.01
		1	23	14.56	14.59	17.59	20.23	< 33.01
2577.5	15	19	9	14.84	14.37	17.62	20.26	< 33.01
		1	1	14.61	14.58	17.60	20.24	< 33.01
		1	36	14.76	14.37	17.58	20.22	< 33.01
		38	0	14.92	14.30	17.63	20.27	< 33.01
		1	0	14.58	14.30	17.46	20.10	< 33.01
		1	37	14.79	14.36	17.59	20.23	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2595.0	15	19	9	14.95	14.43	17.71	20.35	< 33.01
		1	1	14.65	14.29	17.48	20.12	< 33.01
		1	36	14.82	14.44	17.65	20.29	< 33.01
		38	0	15.01	14.48	17.76	20.40	< 33.01
		1	0	14.60	14.16	17.40	20.04	< 33.01
		1	37	14.68	14.58	17.64	20.28	< 33.01
2612.5	15	19	9	14.86	14.65	17.77	20.41	< 33.01
		1	1	14.81	14.61	17.72	20.36	< 33.01
		1	36	14.64	14.82	17.74	20.38	< 33.01
		38	0	14.90	14.56	17.75	20.39	< 33.01
		1	0	14.63	14.58	17.61	20.25	< 33.01
		1	37	14.62	14.70	17.67	20.31	< 33.01
2580.0	20	25	12	14.98	14.36	17.69	20.33	< 33.01
		1	1	14.55	14.05	17.32	19.96	< 33.01
		1	49	14.69	14.35	17.53	20.17	< 33.01
		51	0	14.95	14.38	17.69	20.33	< 33.01
		1	0	14.72	14.48	17.61	20.25	< 33.01
		1	50	14.64	14.45	17.56	20.20	< 33.01
2595.0	20	25	12	14.94	14.52	17.74	20.38	< 33.01
		1	1	14.80	14.30	17.57	20.21	< 33.01
		1	49	14.66	14.50	17.59	20.23	< 33.01
		51	0	14.93	14.43	17.70	20.34	< 33.01
		1	0	14.61	14.43	17.53	20.17	< 33.01
		1	50	14.55	14.47	17.52	20.16	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2610.0	20	25	12	14.87	14.58	17.74	20.38	< 33.01
		1	1	14.70	14.37	17.55	20.19	< 33.01
		1	49	14.68	14.60	17.65	20.29	< 33.01
		51	0	14.84	14.62	17.74	20.38	< 33.01
		1	0	14.80	14.46	17.65	20.29	< 33.01
		1	50	14.44	14.44	17.45	20.09	< 33.01
2585.0	30	36	79	14.88	14.41	17.66	20.30	< 33.01
		1	1	14.73	14.55	17.65	20.29	< 33.01
		1	76	14.77	14.43	17.62	20.26	< 33.01
		78	0	14.96	14.48	17.74	20.38	< 33.01
		1	0	14.69	14.46	17.58	20.22	< 33.01
		1	77	14.79	14.41	17.61	20.25	< 33.01
2595.0	30	36	79	14.99	14.36	17.70	20.34	< 33.01
		1	1	14.71	14.64	17.68	20.32	< 33.01
		1	76	14.73	14.50	17.63	20.27	< 33.01
		78	0	14.86	14.47	17.68	20.32	< 33.01
		1	0	14.67	14.59	17.64	20.28	< 33.01
		1	77	14.86	14.41	17.65	20.29	< 33.01
2605.0	30	36	79	14.92	14.47	17.71	20.35	< 33.01
		1	1	14.87	14.32	17.61	20.25	< 33.01
		1	76	14.56	14.73	17.66	20.30	< 33.01
		78	0	14.92	14.55	17.75	20.39	< 33.01
		1	0	14.88	14.28	17.60	20.24	< 33.01
		1	77	14.58	14.67	17.63	20.27	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2590.0	40	53	26	14.90	14.39	17.66	20.30	< 33.01
		1	1	14.78	14.55	17.67	20.31	< 33.01
		1	104	14.93	14.71	17.83	20.47	< 33.01
		106	0	14.92	14.46	17.71	20.35	< 33.01
		1	0	14.54	14.52	17.54	20.18	< 33.01
		1	105	14.87	14.62	17.76	20.40	< 33.01
2595.0	40	53	26	15.06	14.41	17.76	20.40	< 33.01
		1	1	14.90	14.46	17.70	20.34	< 33.01
		1	104	14.89	14.43	17.68	20.32	< 33.01
		106	0	14.86	14.50	17.69	20.33	< 33.01
		1	0	14.71	14.39	17.56	20.20	< 33.01
		1	105	14.67	14.52	17.61	20.25	< 33.01
2600.0	40	53	26	14.92	14.46	17.71	20.35	< 33.01
		1	1	14.91	14.52	17.73	20.37	< 33.01
		1	104	14.61	14.65	17.64	20.28	< 33.01
		106	0	14.85	14.62	17.75	20.39	< 33.01
		1	0	14.76	14.56	17.67	20.31	< 33.01
		1	105	14.61	14.58	17.60	20.24	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

n38_UL MIMO_HPUE

MAX Power

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2605	30	1	76	23.66	23.05	26.38	29.02	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2600	40	1	104	23.55	22.97	26.28	28.92	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2605	30	1	76	23.03	22.62	25.84	28.48	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2595	40	1	104	23.01	22.52	25.78	28.42	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Power

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2575.0	10	12	6	22.99	22.54	25.78	28.42	< 33.01
		1	1	22.96	22.58	25.78	28.42	< 33.01
		1	22	23.23	22.50	25.89	28.53	< 33.01
		24	0	21.50	21.08	24.31	26.95	< 33.01
		1	0	20.98	20.40	23.71	26.35	< 33.01
		1	23	21.17	20.48	23.85	26.49	< 33.01
2595.0	10	12	6	23.16	22.63	25.91	28.55	< 33.01
		1	1	23.25	22.85	26.06	28.70	< 33.01
		1	22	23.18	22.73	25.97	28.61	< 33.01
		24	0	21.69	21.29	24.50	27.14	< 33.01
		1	0	21.03	20.78	23.92	26.56	< 33.01
		1	23	21.19	20.77	24.00	26.64	< 33.01
2615.0	10	12	6	23.30	22.72	26.03	28.67	< 33.01
		1	1	23.36	22.63	26.02	28.66	< 33.01
		1	22	23.15	22.76	25.97	28.61	< 33.01
		24	0	21.78	21.26	24.54	27.18	< 33.01
		1	0	21.13	20.90	24.03	26.67	< 33.01
		1	23	21.14	20.77	23.97	26.61	< 33.01
2577.5	15	19	9	23.11	22.62	25.88	28.52	< 33.01
		1	1	23.21	22.57	25.91	28.55	< 33.01
		1	36	23.25	22.76	26.02	28.66	< 33.01
		38	0	21.62	21.21	24.43	27.07	< 33.01
		1	0	21.34	20.58	23.99	26.63	< 33.01
		1	37	21.52	20.79	24.18	26.82	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2595.0	15	19	9	23.25	22.93	26.10	28.74	< 33.01
		1	1	23.36	22.76	26.08	28.72	< 33.01
		1	36	23.16	23.04	26.11	28.75	< 33.01
		38	0	21.74	21.46	24.61	27.25	< 33.01
		1	0	21.26	20.78	24.04	26.68	< 33.01
		1	37	21.33	20.97	24.16	26.80	< 33.01
2612.5	15	19	9	23.26	22.86	26.07	28.71	< 33.01
		1	1	23.21	22.87	26.05	28.69	< 33.01
		1	36	23.24	22.79	26.03	28.67	< 33.01
		38	0	21.74	21.39	24.58	27.22	< 33.01
		1	0	21.13	20.85	24.00	26.64	< 33.01
		1	37	21.20	20.86	24.04	26.68	< 33.01
2580.0	20	25	12	23.23	22.68	25.97	28.61	< 33.01
		1	1	23.25	22.51	25.91	28.55	< 33.01
		1	49	23.25	22.78	26.03	28.67	< 33.01
		51	0	21.69	21.22	24.47	27.11	< 33.01
		1	0	21.15	20.65	23.92	26.56	< 33.01
		1	50	21.29	20.81	24.07	26.71	< 33.01
2595.0	20	25	12	23.14	22.98	26.07	28.71	< 33.01
		1	1	23.34	22.91	26.14	28.78	< 33.01
		1	49	23.39	22.88	26.15	28.79	< 33.01
		51	0	21.65	21.45	24.56	27.20	< 33.01
		1	0	21.34	20.71	24.05	26.69	< 33.01
		1	50	21.37	20.96	24.18	26.82	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2610.0	20	25	12	23.30	22.89	26.11	28.75	< 33.01
		1	1	23.35	22.95	26.16	28.80	< 33.01
		1	49	23.43	22.97	26.22	28.86	< 33.01
		51	0	21.75	21.41	24.59	27.23	< 33.01
		1	0	21.38	20.89	24.15	26.79	< 33.01
		1	50	21.45	20.87	24.18	26.82	< 33.01
2585.0	30	36	79	23.24	22.72	26.00	28.64	< 33.01
		1	1	23.19	22.71	25.97	28.61	< 33.01
		1	76	23.44	23.16	26.31	28.95	< 33.01
		78	0	21.71	21.29	24.52	27.16	< 33.01
		1	0	21.31	20.71	24.03	26.67	< 33.01
		1	77	21.45	20.93	24.21	26.85	< 33.01
2595.0	30	36	79	23.20	22.85	26.04	28.68	< 33.01
		1	1	23.23	22.89	26.07	28.71	< 33.01
		1	76	23.38	23.33	26.37	29.01	< 33.01
		78	0	21.78	21.38	24.59	27.23	< 33.01
		1	0	21.44	20.80	24.14	26.78	< 33.01
		1	77	21.40	20.92	24.18	26.82	< 33.01
2605.0	30	36	79	23.36	22.86	26.13	28.77	< 33.01
		1	1	23.28	22.85	26.08	28.72	< 33.01
		1	76	23.66	23.05	26.38	29.02	< 33.01
		78	0	21.89	21.38	24.65	27.29	< 33.01
		1	0	21.29	20.81	24.07	26.71	< 33.01
		1	77	21.64	21.01	24.35	26.99	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2590.0	40	53	26	23.20	22.77	26.00	28.64	< 33.01
		1	1	23.16	22.77	25.98	28.62	< 33.01
		1	104	23.38	22.88	26.15	28.79	< 33.01
		106	0	21.75	21.36	24.57	27.21	< 33.01
		1	0	21.23	20.81	24.04	26.68	< 33.01
		1	105	21.47	20.97	24.24	26.88	< 33.01
2595.0	40	53	26	23.20	22.86	26.04	28.68	< 33.01
		1	1	23.14	22.71	25.94	28.58	< 33.01
		1	104	23.46	22.93	26.21	28.85	< 33.01
		106	0	21.70	21.43	24.58	27.22	< 33.01
		1	0	21.33	20.78	24.07	26.71	< 33.01
		1	105	21.52	21.17	24.36	27.00	< 33.01
2600.0	40	53	26	23.34	22.88	26.13	28.77	< 33.01
		1	1	23.37	22.79	26.10	28.74	< 33.01
		1	104	23.55	22.97	26.28	28.92	< 33.01
		106	0	21.85	21.46	24.67	27.31	< 33.01
		1	0	21.35	20.88	24.13	26.77	< 33.01
		1	105	21.46	20.86	24.18	26.82	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2575.0	10	12	6	22.46	22.13	25.31	27.95	< 33.01
		1	1	22.46	22.05	25.27	27.91	< 33.01
		1	22	22.40	22.16	25.29	27.93	< 33.01
		24	0	21.49	21.12	24.32	26.96	< 33.01
		1	0	20.94	20.64	23.80	26.44	< 33.01
		1	23	21.05	20.40	23.75	26.39	< 33.01
2595.0	10	12	6	22.65	22.30	25.49	28.13	< 33.01
		1	1	22.76	22.52	25.65	28.29	< 33.01
		1	22	22.67	22.20	25.45	28.09	< 33.01
		24	0	21.64	21.20	24.44	27.08	< 33.01
		1	0	21.15	20.89	24.03	26.67	< 33.01
		1	23	21.22	20.73	23.99	26.63	< 33.01
2615.0	10	12	6	22.73	22.30	25.53	28.17	< 33.01
		1	1	22.82	22.38	25.62	28.26	< 33.01
		1	22	22.72	22.39	25.57	28.21	< 33.01
		24	0	21.74	21.28	24.53	27.17	< 33.01
		1	0	21.30	20.50	23.93	26.57	< 33.01
		1	23	21.29	20.69	24.01	26.65	< 33.01
2577.5	15	19	9	22.66	22.22	25.46	28.10	< 33.01
		1	1	22.76	22.20	25.50	28.14	< 33.01
		1	36	22.75	22.09	25.44	28.08	< 33.01
		38	0	21.64	21.21	24.44	27.08	< 33.01
		1	0	21.31	20.65	24.00	26.64	< 33.01
		1	37	21.32	20.71	24.04	26.68	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2595.0	15	19	9	22.67	22.37	25.53	28.17	< 33.01
		1	1	22.90	22.61	25.77	28.41	< 33.01
		1	36	22.74	22.58	25.67	28.31	< 33.01
		38	0	21.75	21.44	24.61	27.25	< 33.01
		1	0	21.30	20.89	24.11	26.75	< 33.01
		1	37	21.47	21.02	24.26	26.90	< 33.01
2612.5	15	19	9	22.67	22.35	25.52	28.16	< 33.01
		1	1	22.84	22.23	25.56	28.20	< 33.01
		1	36	22.92	22.53	25.74	28.38	< 33.01
		38	0	21.79	21.29	24.56	27.20	< 33.01
		1	0	21.37	20.71	24.06	26.70	< 33.01
		1	37	21.42	20.63	24.05	26.69	< 33.01
2580.0	20	25	12	22.66	22.21	25.45	28.09	< 33.01
		1	1	22.74	22.21	25.49	28.13	< 33.01
		1	49	22.75	22.33	25.56	28.20	< 33.01
		51	0	21.68	21.22	24.47	27.11	< 33.01
		1	0	21.26	20.70	24.00	26.64	< 33.01
		1	50	21.24	20.80	24.04	26.68	< 33.01
2595.0	20	25	12	22.77	22.40	25.60	28.24	< 33.01
		1	1	22.82	22.53	25.69	28.33	< 33.01
		1	49	22.88	22.50	25.70	28.34	< 33.01
		51	0	21.79	21.39	24.60	27.24	< 33.01
		1	0	21.25	20.72	24.00	26.64	< 33.01
		1	50	21.28	20.81	24.06	26.70	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2610.0	20	25	12	22.70	22.44	25.58	28.22	< 33.01
		1	1	22.74	22.44	25.60	28.24	< 33.01
		1	49	22.81	22.45	25.64	28.28	< 33.01
		51	0	21.70	21.37	24.55	27.19	< 33.01
		1	0	21.24	20.86	24.06	26.70	< 33.01
		1	50	21.26	20.87	24.08	26.72	< 33.01
2585.0	30	36	79	22.80	22.31	25.57	28.21	< 33.01
		1	1	22.78	22.11	25.47	28.11	< 33.01
		1	76	22.94	22.29	25.64	28.28	< 33.01
		78	0	21.70	21.26	24.50	27.14	< 33.01
		1	0	21.29	20.43	23.89	26.53	< 33.01
		1	77	21.46	20.71	24.11	26.75	< 33.01
2595.0	30	36	79	22.79	22.48	25.65	28.29	< 33.01
		1	1	22.83	22.46	25.66	28.30	< 33.01
		1	76	22.97	22.63	25.81	28.45	< 33.01
		78	0	21.75	21.39	24.58	27.22	< 33.01
		1	0	21.12	20.96	24.05	26.69	< 33.01
		1	77	21.33	20.81	24.09	26.73	< 33.01
2605.0	30	36	79	22.88	22.36	25.64	28.28	< 33.01
		1	1	22.88	22.37	25.64	28.28	< 33.01
		1	76	23.03	22.62	25.84	28.48	< 33.01
		78	0	21.83	21.42	24.64	27.28	< 33.01
		1	0	21.33	20.61	24.00	26.64	< 33.01
		1	77	21.49	20.58	24.07	26.71	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2590.0	40	53	26	22.80	22.33	25.58	28.22	< 33.01
		1	1	22.65	22.32	25.50	28.14	< 33.01
		1	104	22.96	22.41	25.70	28.34	< 33.01
		106	0	21.78	21.31	24.56	27.20	< 33.01
		1	0	21.25	20.87	24.07	26.71	< 33.01
		1	105	21.46	20.86	24.18	26.82	< 33.01
2595.0	40	53	26	22.81	22.51	25.67	28.31	< 33.01
		1	1	22.80	22.14	25.49	28.13	< 33.01
		1	104	23.01	22.52	25.78	28.42	< 33.01
		106	0	21.78	21.36	24.59	27.23	< 33.01
		1	0	21.32	20.65	24.01	26.65	< 33.01
		1	105	21.46	20.89	24.19	26.83	< 33.01
2600.0	40	53	26	22.95	22.53	25.76	28.40	< 33.01
		1	1	22.89	22.28	25.61	28.25	< 33.01
		1	104	22.98	22.51	25.76	28.40	< 33.01
		106	0	21.82	21.47	24.66	27.30	< 33.01
		1	0	21.28	20.81	24.06	26.70	< 33.01
		1	105	21.47	20.81	24.16	26.80	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2575.0	10	12	6	20.99	20.63	23.82	26.46	< 33.01
		1	1	21.25	20.35	23.83	26.47	< 33.01
		1	22	21.22	20.69	23.97	26.61	< 33.01
		24	0	20.98	20.68	23.84	26.48	< 33.01
		1	0	21.13	20.30	23.75	26.39	< 33.01
		1	23	21.09	20.68	23.90	26.54	< 33.01
2595.0	10	12	6	21.17	20.71	23.96	26.60	< 33.01
		1	1	21.12	20.74	23.94	26.58	< 33.01
		1	22	21.36	20.75	24.08	26.72	< 33.01
		24	0	21.15	20.76	23.97	26.61	< 33.01
		1	0	21.26	20.67	23.99	26.63	< 33.01
		1	23	21.06	20.79	23.94	26.58	< 33.01
2615.0	10	12	6	21.25	20.80	24.04	26.68	< 33.01
		1	1	21.47	20.68	24.10	26.74	< 33.01
		1	22	21.14	20.74	23.95	26.59	< 33.01
		24	0	21.25	20.86	24.07	26.71	< 33.01
		1	0	21.37	20.61	24.02	26.66	< 33.01
		1	23	21.15	20.62	23.90	26.54	< 33.01
2577.5	15	19	9	21.14	20.74	23.95	26.59	< 33.01
		1	1	21.40	20.64	24.05	26.69	< 33.01
		1	36	21.55	20.87	24.23	26.87	< 33.01
		38	0	21.15	20.70	23.94	26.58	< 33.01
		1	0	21.34	20.69	24.04	26.68	< 33.01
		1	37	21.44	20.77	24.13	26.77	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2595.0	15	19	9	21.32	20.98	24.16	26.80	< 33.01
		1	1	21.48	20.60	24.07	26.71	< 33.01
		1	36	21.44	20.94	24.21	26.85	< 33.01
		38	0	21.30	21.02	24.17	26.81	< 33.01
		1	0	21.32	20.56	23.97	26.61	< 33.01
		1	37	21.24	21.03	24.15	26.79	< 33.01
2612.5	15	19	9	21.25	20.97	24.12	26.76	< 33.01
		1	1	21.58	20.93	24.28	26.92	< 33.01
		1	36	21.45	20.86	24.18	26.82	< 33.01
		38	0	21.23	21.01	24.13	26.77	< 33.01
		1	0	21.50	21.04	24.29	26.93	< 33.01
		1	37	21.55	20.94	24.27	26.91	< 33.01
2580.0	20	25	12	21.17	20.66	23.93	26.57	< 33.01
		1	1	21.42	20.51	24.00	26.64	< 33.01
		1	49	21.35	20.77	24.08	26.72	< 33.01
		51	0	21.20	20.70	23.97	26.61	< 33.01
		1	0	21.32	20.47	23.93	26.57	< 33.01
		1	50	21.43	20.72	24.10	26.74	< 33.01
2595.0	20	25	12	21.26	20.96	24.12	26.76	< 33.01
		1	1	21.42	20.44	23.97	26.61	< 33.01
		1	49	21.34	20.82	24.10	26.74	< 33.01
		51	0	21.32	20.97	24.16	26.80	< 33.01
		1	0	21.23	20.38	23.84	26.48	< 33.01
		1	50	21.41	20.87	24.16	26.80	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2610.0	20	25	12	21.26	20.96	24.12	26.76	< 33.01
		1	1	21.45	20.86	24.18	26.82	< 33.01
		1	49	21.45	20.70	24.10	26.74	< 33.01
		51	0	21.34	20.97	24.17	26.81	< 33.01
		1	0	21.44	20.81	24.15	26.79	< 33.01
		1	50	21.46	20.69	24.10	26.74	< 33.01
2585.0	30	36	79	21.30	20.74	24.04	26.68	< 33.01
		1	1	21.42	20.51	24.00	26.64	< 33.01
		1	76	21.55	20.85	24.22	26.86	< 33.01
		78	0	21.27	20.71	24.01	26.65	< 33.01
		1	0	21.40	20.52	23.99	26.63	< 33.01
		1	77	21.55	20.79	24.20	26.84	< 33.01
2595.0	30	36	79	21.27	20.95	24.12	26.76	< 33.01
		1	1	21.23	20.75	24.01	26.65	< 33.01
		1	76	21.52	21.28	24.41	27.05	< 33.01
		78	0	21.25	20.86	24.07	26.71	< 33.01
		1	0	21.46	20.63	24.08	26.72	< 33.01
		1	77	21.53	21.08	24.32	26.96	< 33.01
2605.0	30	36	79	21.35	20.81	24.10	26.74	< 33.01
		1	1	21.54	20.76	24.18	26.82	< 33.01
		1	76	21.66	20.77	24.25	26.89	< 33.01
		78	0	21.34	20.86	24.12	26.76	< 33.01
		1	0	21.42	20.76	24.11	26.75	< 33.01
		1	77	21.68	20.75	24.25	26.89	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2590.0	40	53	26	21.26	20.83	24.06	26.70	< 33.01
		1	1	21.47	20.68	24.10	26.74	< 33.01
		1	104	21.54	20.98	24.28	26.92	< 33.01
		106	0	21.27	20.89	24.09	26.73	< 33.01
		1	0	21.41	20.60	24.03	26.67	< 33.01
		1	105	21.54	20.82	24.21	26.85	< 33.01
2595.0	40	53	26	21.29	20.93	24.12	26.76	< 33.01
		1	1	21.35	20.57	23.99	26.63	< 33.01
		1	104	21.55	20.83	24.22	26.86	< 33.01
		106	0	21.28	20.95	24.13	26.77	< 33.01
		1	0	21.40	20.64	24.05	26.69	< 33.01
		1	105	21.55	20.97	24.28	26.92	< 33.01
2600.0	40	53	26	21.34	20.96	24.16	26.80	< 33.01
		1	1	21.47	20.71	24.12	26.76	< 33.01
		1	104	21.68	20.87	24.30	26.94	< 33.01
		106	0	21.40	20.87	24.15	26.79	< 33.01
		1	0	21.53	20.69	24.14	26.78	< 33.01
		1	105	21.66	20.83	24.28	26.92	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2575.0	10	12	6	17.97	17.51	20.76	23.40	< 33.01
		1	1	17.73	17.63	20.69	23.33	< 33.01
		1	22	18.03	17.55	20.81	23.45	< 33.01
		24	0	17.99	17.58	20.80	23.44	< 33.01
		1	0	17.80	17.54	20.68	23.32	< 33.01
		1	23	17.79	17.54	20.68	23.32	< 33.01
2595.0	10	12	6	18.13	17.60	20.88	23.52	< 33.01
		1	1	17.85	17.67	20.77	23.41	< 33.01
		1	22	17.98	17.80	20.90	23.54	< 33.01
		24	0	18.17	17.68	20.94	23.58	< 33.01
		1	0	17.83	17.54	20.70	23.34	< 33.01
		1	23	17.97	17.90	20.95	23.59	< 33.01
2615.0	10	12	6	18.25	17.58	20.94	23.58	< 33.01
		1	1	18.40	17.74	21.09	23.73	< 33.01
		1	22	18.09	17.80	20.96	23.60	< 33.01
		24	0	18.25	17.71	21.00	23.64	< 33.01
		1	0	18.22	17.64	20.95	23.59	< 33.01
		1	23	18.04	17.81	20.94	23.58	< 33.01
2577.5	15	19	9	18.17	17.69	20.95	23.59	< 33.01
		1	1	18.06	17.77	20.93	23.57	< 33.01
		1	36	18.51	18.24	21.39	24.03	< 33.01
		38	0	18.19	17.73	20.98	23.62	< 33.01
		1	0	18.23	17.88	21.07	23.71	< 33.01
		1	37	18.05	17.62	20.85	23.49	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2595.0	15	19	9	18.30	17.92	21.12	23.76	< 33.01
		1	1	18.16	17.97	21.08	23.72	< 33.01
		1	36	18.04	17.94	21.00	23.64	< 33.01
		38	0	18.27	18.02	21.16	23.80	< 33.01
		1	0	18.05	17.96	21.02	23.66	< 33.01
		1	37	18.13	18.01	21.08	23.72	< 33.01
2612.5	15	19	9	18.23	17.91	21.08	23.72	< 33.01
		1	1	18.21	18.01	21.12	23.76	< 33.01
		1	36	18.18	17.86	21.03	23.67	< 33.01
		38	0	18.27	17.90	21.10	23.74	< 33.01
		1	0	18.31	17.98	21.16	23.80	< 33.01
		1	37	18.31	17.90	21.12	23.76	< 33.01
2580.0	20	25	12	18.23	17.72	20.99	23.63	< 33.01
		1	1	18.08	17.64	20.88	23.52	< 33.01
		1	49	18.23	17.69	20.98	23.62	< 33.01
		51	0	18.21	17.83	21.03	23.67	< 33.01
		1	0	18.17	17.55	20.88	23.52	< 33.01
		1	50	18.21	17.44	20.85	23.49	< 33.01
2595.0	20	25	12	18.24	18.00	21.13	23.77	< 33.01
		1	1	18.20	17.90	21.06	23.70	< 33.01
		1	49	18.22	18.06	21.15	23.79	< 33.01
		51	0	18.26	18.00	21.14	23.78	< 33.01
		1	0	17.88	17.75	20.83	23.47	< 33.01
		1	50	18.02	18.00	21.02	23.66	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2610.0	20	25	12	18.26	17.93	21.11	23.75	< 33.01
		1	1	17.91	17.81	20.87	23.51	< 33.01
		1	49	18.22	18.04	21.14	23.78	< 33.01
		51	0	18.26	17.92	21.10	23.74	< 33.01
		1	0	18.08	18.08	21.09	23.73	< 33.01
		1	50	18.09	17.92	21.02	23.66	< 33.01
2585.0	30	36	79	18.27	17.76	21.03	23.67	< 33.01
		1	1	17.98	17.82	20.91	23.55	< 33.01
		1	76	18.29	17.56	20.95	23.59	< 33.01
		78	0	18.23	17.90	21.08	23.72	< 33.01
		1	0	18.11	17.69	20.92	23.56	< 33.01
		1	77	18.31	17.58	20.97	23.61	< 33.01
2595.0	30	36	79	18.22	17.83	21.04	23.68	< 33.01
		1	1	18.27	17.49	20.91	23.55	< 33.01
		1	76	18.41	18.05	21.24	23.88	< 33.01
		78	0	18.30	17.96	21.14	23.78	< 33.01
		1	0	18.04	17.64	20.85	23.49	< 33.01
		1	77	18.11	17.68	20.91	23.55	< 33.01
2605.0	30	36	79	18.37	17.90	21.15	23.79	< 33.01
		1	1	18.03	18.42	21.24	23.88	< 33.01
		1	76	18.25	18.07	21.17	23.81	< 33.01
		78	0	18.31	18.00	21.17	23.81	< 33.01
		1	0	18.05	18.28	21.18	23.82	< 33.01
		1	77	18.45	18.03	21.26	23.90	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2590.0	40	53	26	18.26	17.87	21.08	23.72	< 33.01
		1	1	18.02	17.83	20.94	23.58	< 33.01
		1	104	18.16	18.01	21.10	23.74	< 33.01
		106	0	18.20	17.84	21.03	23.67	< 33.01
		1	0	18.02	17.81	20.93	23.57	< 33.01
		1	105	18.40	17.95	21.19	23.83	< 33.01
2595.0	40	53	26	18.30	17.86	21.10	23.74	< 33.01
		1	1	18.19	17.87	21.04	23.68	< 33.01
		1	104	18.44	17.94	21.21	23.85	< 33.01
		106	0	18.22	17.92	21.08	23.72	< 33.01
		1	0	17.99	17.86	20.94	23.58	< 33.01
		1	105	18.23	18.07	21.16	23.80	< 33.01
2600.0	40	53	26	18.41	17.99	21.22	23.86	< 33.01
		1	1	18.23	17.33	20.81	23.45	< 33.01
		1	104	18.21	18.06	21.15	23.79	< 33.01
		106	0	18.37	17.94	21.17	23.81	< 33.01
		1	0	17.94	18.19	21.08	23.72	< 33.01
		1	105	18.40	17.91	21.17	23.81	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

n41_UL MIMO

MAX Power

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM PI/2 BPSK								
2592.99	100	1	271	26.93	26.43	29.70	32.16	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 16QAM								
2592.99	40	1	104	26	25.48	28.76	31.22	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 16QAM								
2592.99	100	1	271	25.74	25.26	28.52	30.98	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Power

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM PI/2 BPSK								
10	2501.01	12	6	26.38	25.65	29.04	31.50	< 33.01
		1	1	26.41	25.44	28.96	31.42	< 33.01
		1	22	26.41	25.73	29.09	31.55	< 33.01
		24	0	24.92	24.24	27.60	30.06	< 33.01
		1	0	20.38	19.66	23.05	25.51	< 33.01
		1	23	20.31	19.65	23.00	25.46	< 33.01
10	2592.99	12	6	26.55	25.69	29.15	31.61	< 33.01
		1	1	26.37	25.56	28.99	31.45	< 33.01
		1	22	26.50	25.69	29.12	31.58	< 33.01
		24	0	25.04	24.17	27.64	30.10	< 33.01
		1	0	20.49	19.65	23.10	25.56	< 33.01
		1	23	20.53	19.71	23.15	25.61	< 33.01
10	2685.00	12	6	26.58	25.77	29.20	31.66	< 33.01
		1	1	26.55	25.68	29.15	31.61	< 33.01
		1	22	26.59	25.84	29.24	31.70	< 33.01
		24	0	25.14	24.38	27.79	30.25	< 33.01
		1	0	20.63	19.81	23.25	25.71	< 33.01
		1	23	20.51	19.86	23.21	25.67	< 33.01
15	2503.50	18	9	26.45	25.66	29.08	31.54	< 33.01
		1	1	26.50	25.17	28.90	31.36	< 33.01
		1	36	26.45	25.58	29.05	31.51	< 33.01
		36	0	24.91	24.16	27.56	30.02	< 33.01
		1	0	20.45	19.67	23.09	25.55	< 33.01
		1	37	20.44	19.74	23.11	25.57	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM PI/2 BPSK								
15	2592.99	18	9	26.47	25.65	29.09	31.55	< 33.01
		1	1	26.46	25.58	29.05	31.51	< 33.01
		1	36	26.61	25.61	29.15	31.61	< 33.01
		36	0	24.94	24.18	27.59	30.05	< 33.01
		1	0	20.48	19.67	23.10	25.56	< 33.01
		1	37	20.63	19.75	23.22	25.68	< 33.01
15	2682.48	18	9	26.48	25.72	29.13	31.59	< 33.01
		1	1	26.46	25.56	29.04	31.50	< 33.01
		1	36	26.48	25.72	29.13	31.59	< 33.01
		36	0	24.90	24.20	27.57	30.03	< 33.01
		1	0	20.52	19.72	23.15	25.61	< 33.01
		1	37	20.49	19.83	23.18	25.64	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM PI/2 BPSK								
20	2506.02	25	12	26.89	26.17	29.56	32.02	< 33.01
		1	1	26.70	26.05	29.40	31.86	< 33.01
		1	49	26.77	26.11	29.46	31.92	< 33.01
		50	0	25.25	24.56	27.93	30.39	< 33.01
		1	0	20.78	19.99	23.41	25.87	< 33.01
		1	50	20.71	20.10	23.43	25.89	< 33.01
20	2592.99	25	12	26.65	26.18	29.43	31.89	< 33.01
		1	1	26.68	26.12	29.42	31.88	< 33.01
		1	49	26.74	26.20	29.49	31.95	< 33.01
		50	0	25.19	24.67	27.95	30.41	< 33.01
		1	0	20.78	20.23	23.52	25.98	< 33.01
		1	50	20.68	20.36	23.53	25.99	< 33.01
20	2679.99	25	12	24.66	26.16	28.48	30.94	< 33.01
		1	1	26.74	26.14	29.46	31.92	< 33.01
		1	49	26.66	26.28	29.48	31.94	< 33.01
		50	0	25.17	24.63	27.92	30.38	< 33.01
		1	0	20.72	20.26	23.51	25.97	< 33.01
		1	50	20.65	20.40	23.54	26.00	< 33.01
30	2511	36	18	26.81	26.14	29.50	31.96	< 33.01
		1	1	26.83	26.19	29.53	31.99	< 33.01
		1	76	26.80	26.25	29.54	32.00	< 33.01
		75	0	25.26	24.72	28.01	30.47	< 33.01
		1	0	20.81	20.04	23.45	25.91	< 33.01
		1	77	20.76	20.36	23.57	26.03	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM PI/2 BPSK								
30	2592.99	36	18	26.74	26.16	29.47	31.93	< 33.01
		1	1	26.78	26.19	29.51	31.97	< 33.01
		1	76	26.79	26.35	29.59	32.05	< 33.01
		75	0	25.27	24.72	28.01	30.47	< 33.01
		1	0	20.82	20.27	23.56	26.02	< 33.01
		1	77	20.87	20.54	23.72	26.18	< 33.01
30	2674.98	36	18	26.78	26.14	29.48	31.94	< 33.01
		1	1	26.66	26.04	29.37	31.83	< 33.01
		1	76	26.76	26.35	29.57	32.03	< 33.01
		75	0	25.25	24.63	27.96	30.42	< 33.01
		1	0	20.78	20.23	23.52	25.98	< 33.01
		1	77	20.81	20.57	23.70	26.16	< 33.01
40	2516.01	50	25	26.89	26.36	29.64	32.10	< 33.01
		1	1	26.93	26.20	29.59	32.05	< 33.01
		1	104	26.79	26.25	29.54	32.00	< 33.01
		100	0	25.30	24.75	28.04	30.50	< 33.01
		1	0	20.86	20.12	23.52	25.98	< 33.01
		1	105	20.76	20.32	23.56	26.02	< 33.01
40	2592.99	50	25	26.42	25.98	29.22	31.68	< 33.01
		1	1	26.50	26.07	29.30	31.76	< 33.01
		1	104	26.56	26.23	29.41	31.87	< 33.01
		100	0	24.91	24.56	27.75	30.21	< 33.01
		1	0	20.65	19.98	23.34	25.80	< 33.01
		1	105	20.55	20.30	23.44	25.90	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM PI/2 BPSK								
40	2670	50	25	26.44	26.05	29.26	31.72	< 33.01
		1	1	26.43	26.03	29.24	31.70	< 33.01
		1	104	26.45	26.21	29.34	31.80	< 33.01
		100	0	24.91	24.57	27.75	30.21	< 33.01
		1	0	20.59	20.07	23.35	25.81	< 33.01
		1	105	20.51	20.36	23.45	25.91	< 33.01
50	2521.02	64	32	26.65	26.41	29.54	32.00	< 33.01
		1	1	26.75	26.03	29.42	31.88	< 33.01
		1	131	26.43	26.27	29.36	31.82	< 33.01
		128	0	25.25	24.82	28.05	30.51	< 33.01
		1	0	20.87	20.18	23.55	26.01	< 33.01
		1	132	20.46	20.25	23.37	25.83	< 33.01
50	2592.99	64	32	26.70	26.14	29.44	31.90	< 33.01
		1	1	26.58	26.03	29.32	31.78	< 33.01
		1	131	26.66	26.33	29.51	31.97	< 33.01
		128	0	25.16	24.64	27.92	30.38	< 33.01
		1	0	20.79	19.93	23.39	25.85	< 33.01
		1	132	20.68	20.52	23.61	26.07	< 33.01
50	2664.99	64	32	26.52	26.18	29.36	31.82	< 33.01
		1	1	26.40	26.02	29.22	31.68	< 33.01
		1	131	26.50	26.24	29.38	31.84	< 33.01
		128	0	25.03	24.76	27.91	30.37	< 33.01
		1	0	20.59	19.98	23.31	25.77	< 33.01
		1	132	20.59	20.35	23.48	25.94	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM PI/2 BPSK								
60	2526	81	40	26.75	26.47	29.62	32.08	< 33.01
		1	1	26.81	26.02	29.44	31.90	< 33.01
		1	160	26.45	26.33	29.40	31.86	< 33.01
		162	0	25.25	24.81	28.05	30.51	< 33.01
		1	0	20.94	20.02	23.51	25.97	< 33.01
		1	161	20.64	20.30	23.48	25.94	< 33.01
60	2592.99	81	40	26.75	26.14	29.47	31.93	< 33.01
		1	1	26.63	26.03	29.35	31.81	< 33.01
		1	160	26.83	26.35	29.61	32.07	< 33.01
		162	0	25.27	24.62	27.97	30.43	< 33.01
		1	0	20.87	19.87	23.41	25.87	< 33.01
		1	161	20.83	20.40	23.63	26.09	< 33.01
60	2659.98	81	40	26.69	26.28	29.50	31.96	< 33.01
		1	1	26.58	26.03	29.32	31.78	< 33.01
		1	160	26.56	26.30	29.44	31.90	< 33.01
		162	0	25.12	24.77	27.96	30.42	< 33.01
		1	0	20.65	19.92	23.31	25.77	< 33.01
		1	161	20.58	20.41	23.51	25.97	< 33.01
70	2531.01	90	45	26.76	26.23	29.51	31.97	< 33.01
		1	1	26.81	26.05	29.46	31.92	< 33.01
		1	187	26.60	26.35	29.49	31.95	< 33.01
		180	0	25.35	24.77	28.08	30.54	< 33.01
		1	0	21.01	19.90	23.50	25.96	< 33.01
		1	188	20.63	20.32	23.49	25.95	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM PI/2 BPSK								
70	2592.99	90	45	26.74	26.09	29.44	31.90	< 33.01
		1	1	26.67	25.94	29.33	31.79	< 33.01
		1	187	26.74	26.24	29.51	31.97	< 33.01
		180	0	25.20	24.70	27.97	30.43	< 33.01
		1	0	20.87	19.84	23.40	25.86	< 33.01
		1	188	20.73	20.34	23.55	26.01	< 33.01
70	2655	90	45	26.63	26.15	29.41	31.87	< 33.01
		1	1	26.57	25.93	29.27	31.73	< 33.01
		1	187	26.61	26.22	29.43	31.89	< 33.01
		180	0	25.18	24.74	27.98	30.44	< 33.01
		1	0	20.83	19.90	23.40	25.86	< 33.01
		1	188	20.68	20.32	23.51	25.97	< 33.01
80	2536.02	108	54	26.75	26.34	29.56	32.02	< 33.01
		1	1	26.89	26.07	29.51	31.97	< 33.01
		1	215	26.71	26.49	29.61	32.07	< 33.01
		216	0	25.30	24.91	28.12	30.58	< 33.01
		1	0	21.05	19.89	23.52	25.98	< 33.01
		1	216	20.75	20.46	23.62	26.08	< 33.01
80	2592.99	108	54	26.65	25.98	29.34	31.80	< 33.01
		1	1	26.50	25.67	29.12	31.58	< 33.01
		1	215	26.73	26.24	29.50	31.96	< 33.01
		216	0	25.12	24.62	27.89	30.35	< 33.01
		1	0	20.73	19.58	23.20	25.66	< 33.01
		1	216	20.73	20.32	23.54	26.00	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM PI/2 BPSK								
80	2649.99	108	54	26.53	26.17	29.36	31.82	< 33.01
		1	1	26.15	25.66	28.92	31.38	< 33.01
		1	215	26.47	26.19	29.34	31.80	< 33.01
		216	0	24.94	24.62	27.79	30.25	< 33.01
		1	0	20.46	19.57	23.05	25.51	< 33.01
		1	216	20.48	20.21	23.36	25.82	< 33.01
90	2541	120	60	26.65	26.13	29.41	31.87	< 33.01
		1	1	26.80	25.93	29.40	31.86	< 33.01
		1	243	26.57	26.40	29.50	31.96	< 33.01
		243	0	25.21	24.72	27.98	30.44	< 33.01
		1	0	20.84	19.68	23.31	25.77	< 33.01
		1	244	20.52	20.45	23.50	25.96	< 33.01
90	2592.99	120	60	26.69	26.03	29.38	31.84	< 33.01
		1	1	26.52	25.65	29.12	31.58	< 33.01
		1	243	26.67	26.27	29.48	31.94	< 33.01
		243	0	25.15	24.58	27.88	30.34	< 33.01
		1	0	20.75	19.72	23.28	25.74	< 33.01
		1	244	20.84	20.49	23.68	26.14	< 33.01
90	2644.98	120	60	26.68	26.12	29.42	31.88	< 33.01
		1	1	26.16	25.58	28.89	31.35	< 33.01
		1	243	26.60	26.24	29.43	31.89	< 33.01
		243	0	25.04	24.59	27.83	30.29	< 33.01
		1	0	20.62	19.53	23.12	25.58	< 33.01
		1	244	20.68	20.47	23.59	26.05	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM PI/2 BPSK								
100	2546.01	135	67	26.58	26.23	29.42	31.88	< 33.01
		1	1	26.78	25.92	29.38	31.84	< 33.01
		1	271	26.41	26.51	29.47	31.93	< 33.01
		270	0	25.27	24.77	28.04	30.50	< 33.01
		1	0	20.84	19.53	23.24	25.70	< 33.01
		1	272	20.46	20.48	23.48	25.94	< 33.01
100	2592.99	135	67	26.68	26.10	29.41	31.87	< 33.01
		1	1	26.50	25.58	29.07	31.53	< 33.01
		1	271	26.93	26.43	29.70	32.16	< 33.01
		270	0	25.22	24.56	27.91	30.37	< 33.01
		1	0	20.78	19.56	23.22	25.68	< 33.01
		1	272	20.90	20.44	23.69	26.15	< 33.01
100	2640	135	67	26.70	26.12	29.43	31.89	< 33.01
		1	1	26.47	25.63	29.08	31.54	< 33.01
		1	271	26.70	26.34	29.53	31.99	< 33.01
		270	0	25.15	24.55	27.87	30.33	< 33.01
		1	0	20.71	19.38	23.11	25.57	< 33.01
		1	272	20.72	20.36	23.55	26.01	< 33.01

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM QPSK								
10	2501.01	12	6	26.36	25.64	29.03	31.49	< 33.01
		1	1	26.36	25.31	28.88	31.34	< 33.01
		1	22	26.39	25.64	29.04	31.50	< 33.01
		24	0	24.41	23.70	27.08	29.54	< 33.01
		1	0	19.90	19.18	22.57	25.03	< 33.01
		1	23	19.84	19.22	22.55	25.01	< 33.01
10	2592.99	12	6	26.57	25.61	29.13	31.59	< 33.01
		1	1	26.35	25.58	28.99	31.45	< 33.01
		1	22	26.48	25.58	29.06	31.52	< 33.01
		24	0	24.56	23.70	27.16	29.62	< 33.01
		1	0	19.94	19.11	22.56	25.02	< 33.01
		1	23	19.98	19.16	22.60	25.06	< 33.01
10	2685.00	12	6	26.57	25.78	29.20	31.66	< 33.01
		1	1	26.62	25.71	29.20	31.66	< 33.01
		1	22	26.55	25.82	29.21	31.67	< 33.01
		24	0	24.61	23.84	27.25	29.71	< 33.01
		1	0	20.08	19.26	22.70	25.16	< 33.01
		1	23	20.05	19.35	22.72	25.18	< 33.01
15	2503.50	18	9	26.43	25.36	28.94	31.40	< 33.01
		1	1	26.51	25.05	28.85	31.31	< 33.01
		1	36	26.48	25.63	29.09	31.55	< 33.01
		36	0	24.39	23.67	27.06	29.52	< 33.01
		1	0	19.91	19.10	22.53	24.99	< 33.01
		1	37	19.85	19.21	22.55	25.01	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM QPSK								
15	2592.99	18	9	26.53	25.61	29.10	31.56	< 33.01
		1	1	26.45	25.53	29.02	31.48	< 33.01
		1	36	26.57	25.60	29.12	31.58	< 33.01
		36	0	24.50	23.62	27.09	29.55	< 33.01
		1	0	19.98	19.17	22.60	25.06	< 33.01
		1	37	20.09	19.26	22.71	25.17	< 33.01
15	2682.48	18	9	26.52	25.73	29.15	31.61	< 33.01
		1	1	26.38	25.65	29.04	31.50	< 33.01
		1	36	26.59	25.72	29.19	31.65	< 33.01
		36	0	24.42	23.74	27.10	29.56	< 33.01
		1	37	19.95	19.28	22.64	25.10	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM QPSK								
20	2506.02	25	12	26.82	26.13	29.50	31.96	< 33.01
		1	1	26.80	25.98	29.42	31.88	< 33.01
		1	49	26.71	26.03	29.39	31.85	< 33.01
		50	0	24.76	24.17	27.49	29.95	< 33.01
		1	0	20.18	19.39	22.81	25.27	< 33.01
		1	50	20.24	19.56	22.92	25.38	< 33.01
20	2592.99	25	12	26.70	26.11	29.43	31.89	< 33.01
		1	1	26.69	26.04	29.39	31.85	< 33.01
		1	49	26.72	26.13	29.45	31.91	< 33.01
		50	0	24.70	24.20	27.47	29.93	< 33.01
		1	0	20.15	19.58	22.88	25.34	< 33.01
		1	50	20.22	19.75	23.00	25.46	< 33.01
20	2679.99	25	12	26.59	26.15	29.39	31.85	< 33.01
		1	1	26.62	26.07	29.36	31.82	< 33.01
		1	49	26.69	26.25	29.49	31.95	< 33.01
		50	0	24.63	24.20	27.43	29.89	< 33.01
		1	0	20.26	19.77	23.03	25.49	< 33.01
		1	50	20.12	19.93	23.04	25.50	< 33.01
30	2511	36	18	26.82	26.19	29.53	31.99	< 33.01
		1	1	26.82	26.13	29.50	31.96	< 33.01
		1	76	26.81	26.27	29.56	32.02	< 33.01
		75	0	24.86	24.32	27.61	30.07	< 33.01
		1	0	20.27	19.60	22.96	25.42	< 33.01
		1	77	20.22	19.63	22.95	25.41	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM QPSK								
30	2592.99	36	18	26.76	26.20	29.50	31.96	< 33.01
		1	1	26.77	26.13	29.47	31.93	< 33.01
		1	76	26.84	26.35	29.61	32.07	< 33.01
		75	0	24.75	24.32	27.55	30.01	< 33.01
		1	0	20.31	19.73	23.04	25.50	< 33.01
		1	77	20.32	20.01	23.18	25.64	< 33.01
30	2674.98	36	18	26.72	26.20	29.48	31.94	< 33.01
		1	1	26.68	26.04	29.38	31.84	< 33.01
		1	76	26.73	26.30	29.53	31.99	< 33.01
		75	0	24.78	24.26	27.54	30.00	< 33.01
		1	0	20.24	19.61	22.95	25.41	< 33.01
		1	77	20.32	20.15	23.25	25.71	< 33.01
40	2516.01	50	25	26.85	26.24	29.57	32.03	< 33.01
		1	1	26.90	26.18	29.57	32.03	< 33.01
		1	104	26.85	26.23	29.56	32.02	< 33.01
		100	0	24.82	24.25	27.55	30.01	< 33.01
		1	0	20.41	19.64	23.05	25.51	< 33.01
		1	105	20.32	19.87	23.11	25.57	< 33.01
40	2592.99	50	25	26.32	25.91	29.13	31.59	< 33.01
		1	1	26.55	26.04	29.31	31.77	< 33.01
		1	104	26.59	26.21	29.41	31.87	< 33.01
		100	0	24.46	24.02	27.26	29.72	< 33.01
		1	0	20.15	19.53	22.86	25.32	< 33.01
		1	105	20.12	19.78	22.96	25.42	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM QPSK								
40	2670	50	25	26.42	26.15	29.30	31.76	< 33.01
		1	1	26.51	26.01	29.28	31.74	< 33.01
		1	104	26.55	26.22	29.40	31.86	< 33.01
		100	0	24.40	24.13	27.28	29.74	< 33.01
		1	0	20.12	19.53	22.85	25.31	< 33.01
		1	105	20.03	19.86	22.96	25.42	< 33.01
50	2521.02	64	32	26.63	26.21	29.44	31.90	< 33.01
		1	1	26.75	25.96	29.38	31.84	< 33.01
		1	131	26.55	26.31	29.44	31.90	< 33.01
		128	0	24.63	24.27	27.46	29.92	< 33.01
		1	0	20.27	19.61	22.96	25.42	< 33.01
		1	132	20.01	19.89	22.96	25.42	< 33.01
50	2592.99	64	32	26.64	26.02	29.35	31.81	< 33.01
		1	1	26.61	26.01	29.33	31.79	< 33.01
		1	131	26.70	26.32	29.52	31.98	< 33.01
		128	0	24.69	24.22	27.47	29.93	< 33.01
		1	0	20.32	19.35	22.87	25.33	< 33.01
		1	132	20.17	20.05	23.12	25.58	< 33.01
50	2664.99	64	32	26.45	26.13	29.30	31.76	< 33.01
		1	1	26.49	26.00	29.26	31.72	< 33.01
		1	131	26.43	26.23	29.34	31.80	< 33.01
		128	0	24.43	24.21	27.33	29.79	< 33.01
		1	0	19.99	19.46	22.74	25.20	< 33.01
		1	132	19.95	20.02	23.00	25.46	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM QPSK								
60	2526	81	40	26.83	26.34	29.60	32.06	< 33.01
		1	1	26.82	26.03	29.45	31.91	< 33.01
		1	160	26.51	26.32	29.43	31.89	< 33.01
		162	0	24.76	24.36	27.57	30.03	< 33.01
		1	0	20.49	19.75	23.15	25.61	< 33.01
		1	161	20.06	19.81	22.95	25.41	< 33.01
60	2592.99	81	40	26.78	26.06	29.45	31.91	< 33.01
		1	1	26.62	26.01	29.34	31.80	< 33.01
		1	160	26.78	26.42	29.61	32.07	< 33.01
		162	0	24.77	24.13	27.47	29.93	< 33.01
		1	0	20.36	19.34	22.89	25.35	< 33.01
		1	161	20.37	20.02	23.21	25.67	< 33.01
60	2659.98	81	40	26.82	26.27	29.56	32.02	< 33.01
		1	1	26.74	26.02	29.41	31.87	< 33.01
		1	160	26.75	26.41	29.59	32.05	< 33.01
		162	0	24.76	24.30	27.55	30.01	< 33.01
		1	0	20.31	19.51	22.94	25.40	< 33.01
		1	161	20.16	19.88	23.03	25.49	< 33.01
70	2531.01	90	45	26.74	26.22	29.50	31.96	< 33.01
		1	1	26.86	26.13	29.52	31.98	< 33.01
		1	187	26.59	26.32	29.47	31.93	< 33.01
		180	0	24.72	24.30	27.53	29.99	< 33.01
		1	0	20.40	19.53	23.00	25.46	< 33.01
		1	188	20.12	19.84	22.99	25.45	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM QPSK								
70	2592.99	90	45	26.68	26.13	29.42	31.88	< 33.01
		1	1	26.68	25.93	29.33	31.79	< 33.01
		1	187	26.76	26.32	29.56	32.02	< 33.01
		180	0	24.70	24.19	27.46	29.92	< 33.01
		1	0	20.39	19.45	22.96	25.42	< 33.01
		1	188	20.32	19.89	23.12	25.58	< 33.01
70	2655	90	45	26.68	26.18	29.45	31.91	< 33.01
		1	1	26.59	25.93	29.28	31.74	< 33.01
		1	187	26.63	26.23	29.44	31.90	< 33.01
		180	0	24.63	24.20	27.43	29.89	< 33.01
		1	0	20.12	19.27	22.73	25.19	< 33.01
		1	188	20.08	19.84	22.97	25.43	< 33.01
80	2536.02	108	54	26.74	26.34	29.55	32.01	< 33.01
		1	1	26.92	26.18	29.58	32.04	< 33.01
		1	215	26.64	26.42	29.54	32.00	< 33.01
		216	0	24.80	24.37	27.60	30.06	< 33.01
		1	0	20.46	19.47	23.00	25.46	< 33.01
		1	216	20.22	19.99	23.12	25.58	< 33.01
80	2592.99	108	54	26.60	26.09	29.36	31.82	< 33.01
		1	1	26.47	25.61	29.07	31.53	< 33.01
		1	215	26.67	26.34	29.52	31.98	< 33.01
		216	0	24.55	24.03	27.31	29.77	< 33.01
		1	0	20.20	19.24	22.76	25.22	< 33.01
		1	216	20.24	19.85	23.06	25.52	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM QPSK								
80	2649.99	108	54	26.59	26.06	29.34	31.80	< 33.01
		1	1	26.21	25.70	28.97	31.43	< 33.01
		1	215	26.43	26.20	29.33	31.79	< 33.01
		216	0	24.54	24.28	27.42	29.88	< 33.01
		1	0	20.01	19.04	22.56	25.02	< 33.01
		1	216	20.06	19.83	22.96	25.42	< 33.01
90	2541	120	60	26.63	26.08	29.37	31.83	< 33.01
		1	1	26.73	25.97	29.38	31.84	< 33.01
		1	243	26.47	26.28	29.39	31.85	< 33.01
		243	0	24.63	24.18	27.42	29.88	< 33.01
		1	0	20.33	19.22	22.82	25.28	< 33.01
		1	244	20.06	19.89	22.99	25.45	< 33.01
90	2592.99	120	60	26.68	26.06	29.39	31.85	< 33.01
		1	1	26.52	25.64	29.11	31.57	< 33.01
		1	243	26.75	26.32	29.55	32.01	< 33.01
		243	0	24.65	24.12	27.40	29.86	< 33.01
		1	0	20.28	19.21	22.79	25.25	< 33.01
		1	244	20.37	19.95	23.18	25.64	< 33.01
90	2644.98	120	60	26.62	26.05	29.35	31.81	< 33.01
		1	1	26.31	25.69	29.02	31.48	< 33.01
		1	243	26.58	26.21	29.41	31.87	< 33.01
		243	0	24.57	24.31	27.45	29.91	< 33.01
		1	0	20.03	18.95	22.53	24.99	< 33.01
		1	244	20.12	19.83	22.99	25.45	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM QPSK								
100	2546.01	135	67	26.61	26.22	29.43	31.89	< 33.01
		1	1	26.80	25.98	29.42	31.88	< 33.01
		1	271	26.48	26.49	29.50	31.96	< 33.01
		270	0	24.79	24.28	27.55	30.01	< 33.01
		1	0	20.37	19.45	22.94	25.40	< 33.01
		1	272	19.95	20.08	23.03	25.49	< 33.01
100	2592.99	135	67	26.68	26.02	29.37	31.83	< 33.01
		1	1	26.54	25.73	29.16	31.62	< 33.01
		1	271	26.78	26.45	29.63	32.09	< 33.01
		270	0	24.68	24.00	27.36	29.82	< 33.01
		1	0	20.26	19.07	22.72	25.18	< 33.01
		1	272	20.39	19.95	23.19	25.65	< 33.01
100	2640	135	67	26.69	26.10	29.42	31.88	< 33.01
		1	1	26.48	25.73	29.13	31.59	< 33.01
		1	271	26.72	26.36	29.55	32.01	< 33.01
		270	0	24.53	24.13	27.34	29.80	< 33.01
		1	0	20.24	18.90	22.63	25.09	< 33.01
		1	272	20.20	19.86	23.04	25.50	< 33.01

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 16QAM								
10	2501.01	12	6	25.30	24.61	27.98	30.44	< 33.01
		1	1	25.41	24.39	27.94	30.40	< 33.01
		1	22	25.46	24.80	28.15	30.61	< 33.01
		24	0	23.47	22.82	26.17	28.63	< 33.01
		1	0	19.93	19.24	22.61	25.07	< 33.01
		1	23	19.88	19.29	22.61	25.07	< 33.01
10	2592.99	12	6	25.48	24.67	28.10	30.56	< 33.01
		1	1	25.52	24.59	28.09	30.55	< 33.01
		1	22	25.51	24.64	28.11	30.57	< 33.01
		24	0	23.54	22.71	26.16	28.62	< 33.01
		1	0	19.98	19.10	22.57	25.03	< 33.01
		1	23	19.95	19.16	22.58	25.04	< 33.01
10	2685.00	12	6	25.54	24.79	28.19	30.65	< 33.01
		1	1	25.48	24.54	28.05	30.51	< 33.01
		1	22	25.52	24.67	28.13	30.59	< 33.01
		24	0	23.65	22.90	26.30	28.76	< 33.01
		1	0	20.05	19.19	22.65	25.11	< 33.01
		1	23	20.05	19.31	22.71	25.17	< 33.01
15	2503.50	18	9	25.41	24.43	27.96	30.42	< 33.01
		1	1	25.36	24.01	27.75	30.21	< 33.01
		1	36	25.22	24.51	27.89	30.35	< 33.01
		36	0	23.39	22.64	26.04	28.50	< 33.01
		1	0	19.91	19.08	22.53	24.99	< 33.01
		1	37	19.68	19.01	22.37	24.83	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 16QAM								
15	2592.99	18	9	25.44	24.59	28.05	30.51	< 33.01
		1	1	25.38	24.48	27.96	30.42	< 33.01
		1	36	25.52	24.58	28.09	30.55	< 33.01
		36	0	23.49	22.67	26.11	28.57	< 33.01
		1	0	19.88	19.01	22.48	24.94	< 33.01
		1	37	20.14	19.31	22.76	25.22	< 33.01
15	2682.48	18	9	25.46	24.68	28.10	30.56	< 33.01
		1	1	25.39	24.61	28.03	30.49	< 33.01
		1	36	25.46	24.68	28.10	30.56	< 33.01
		36	0	23.40	22.70	26.07	28.53	< 33.01
		1	0	19.81	18.91	22.39	24.85	< 33.01
		1	37	19.84	19.16	22.52	24.98	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 16QAM								
20	2506.02	25	12	25.75	25.16	28.48	30.94	< 33.01
		1	1	25.53	24.93	28.25	30.71	< 33.01
		1	49	25.56	24.92	28.26	30.72	< 33.01
		50	0	23.77	23.10	26.46	28.92	< 33.01
		1	0	20.23	19.49	22.89	25.35	< 33.01
		1	50	19.96	19.35	22.68	25.14	< 33.01
20	2592.99	25	12	25.73	25.13	28.45	30.91	< 33.01
		1	1	25.69	25.03	28.38	30.84	< 33.01
		1	49	25.78	25.23	28.52	30.98	< 33.01
		50	0	23.67	23.15	26.43	28.89	< 33.01
		1	0	20.14	19.55	22.87	25.33	< 33.01
		1	50	20.21	19.89	23.06	25.52	< 33.01
20	2679.99	25	12	25.70	25.17	28.45	30.91	< 33.01
		1	1	25.48	24.84	28.18	30.64	< 33.01
		1	49	25.30	25.08	28.20	30.66	< 33.01
		50	0	23.58	23.29	26.45	28.91	< 33.01
		1	0	20.05	19.66	22.87	25.33	< 33.01
		1	50	20.01	19.64	22.84	25.30	< 33.01
30	2511	36	18	25.82	25.14	28.50	30.96	< 33.01
		1	1	25.72	25.00	28.39	30.85	< 33.01
		1	76	25.57	25.11	28.36	30.82	< 33.01
		75	0	23.90	23.23	26.59	29.05	< 33.01
		1	0	20.21	19.56	22.91	25.37	< 33.01
		1	77	20.26	19.74	23.02	25.48	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 16QAM								
30	2592.99	36	18	25.73	25.22	28.49	30.95	< 33.01
		1	1	25.68	25.08	28.40	30.86	< 33.01
		1	76	25.76	25.33	28.56	31.02	< 33.01
		75	0	23.80	23.35	26.59	29.05	< 33.01
		1	0	20.27	19.72	23.01	25.47	< 33.01
		1	77	20.28	20.02	23.16	25.62	< 33.01
30	2674.98	36	18	25.73	25.17	28.47	30.93	< 33.01
		1	1	25.49	25.01	28.27	30.73	< 33.01
		1	76	25.67	25.32	28.51	30.97	< 33.01
		75	0	23.80	23.23	26.53	28.99	< 33.01
		1	0	20.06	19.40	22.75	25.21	< 33.01
		1	77	20.01	19.83	22.93	25.39	< 33.01
40	2516.01	50	25	25.76	25.22	28.51	30.97	< 33.01
		1	1	25.82	25.13	28.50	30.96	< 33.01
		1	104	25.77	25.28	28.54	31.00	< 33.01
		100	0	23.79	23.24	26.53	28.99	< 33.01
		1	0	20.42	19.57	23.03	25.49	< 33.01
		1	105	20.29	19.88	23.10	25.56	< 33.01
40	2592.99	50	25	25.76	25.18	28.49	30.95	< 33.01
		1	1	25.68	25.17	28.44	30.90	< 33.01
		1	104	26.00	25.48	28.76	31.22	< 33.01
		100	0	23.82	23.37	26.61	29.07	< 33.01
		1	0	20.34	19.62	23.01	25.47	< 33.01
		1	105	20.35	20.00	23.19	25.65	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 16QAM								
40	2670	50	25	25.41	25.12	28.28	28.28	< 33.01
		1	1	25.52	25.05	28.30	28.30	< 33.01
		1	104	25.56	25.34	28.46	28.46	< 33.01
		100	0	23.41	23.12	26.28	26.28	< 33.01
		1	0	19.82	19.30	22.58	22.58	< 33.01
		1	105	19.77	19.57	22.68	22.68	< 33.01
50	2521.02	64	32	25.68	25.18	28.45	28.45	< 33.01
		1	1	25.46	24.82	28.16	28.16	< 33.01
		1	131	25.22	25.02	28.13	28.13	< 33.01
		128	0	23.70	23.33	26.53	26.53	< 33.01
		1	0	20.09	19.22	22.69	22.69	< 33.01
		1	132	19.65	19.45	22.56	22.56	< 33.01
50	2592.99	64	32	25.66	25.07	28.39	28.39	< 33.01
		1	1	25.52	24.82	28.19	28.19	< 33.01
		1	131	25.55	25.27	28.42	28.42	< 33.01
		128	0	23.70	23.14	26.44	26.44	< 33.01
		1	0	20.34	19.33	22.87	22.87	< 33.01
		1	132	20.23	20.12	23.19	23.19	< 33.01
50	2664.99	64	32	25.44	25.16	28.31	28.31	< 33.01
		1	1	25.27	25.05	28.17	28.17	< 33.01
		1	131	25.34	25.26	28.31	28.31	< 33.01
		128	0	23.48	23.19	26.35	26.35	< 33.01
		1	0	19.96	19.33	22.67	22.67	< 33.01
		1	132	19.86	19.76	22.82	22.82	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 16QAM								
60	2526	81	40	25.73	25.33	28.54	31.00	< 33.01
		1	1	25.65	24.83	28.27	30.73	< 33.01
		1	160	25.34	25.18	28.27	30.73	< 33.01
		162	0	23.77	23.29	26.55	29.01	< 33.01
		1	0	20.21	19.51	22.88	25.34	< 33.01
		1	161	19.75	19.63	22.70	25.16	< 33.01
60	2592.99	81	40	25.68	25.13	28.42	30.88	< 33.01
		1	1	25.58	24.86	28.25	30.71	< 33.01
		1	160	25.70	25.34	28.53	30.99	< 33.01
		162	0	23.80	23.14	26.49	28.95	< 33.01
		1	0	20.28	19.25	22.81	25.27	< 33.01
		1	161	20.15	19.83	23.00	25.46	< 33.01
60	2659.98	81	40	25.81	25.38	28.61	31.07	< 33.01
		1	1	25.69	25.14	28.43	30.89	< 33.01
		1	160	25.63	25.21	28.44	30.90	< 33.01
		162	0	23.76	23.40	26.59	29.05	< 33.01
		1	0	20.21	19.49	22.88	25.34	< 33.01
		1	161	20.19	20.01	23.11	25.57	< 33.01
70	2531.01	90	45	25.70	25.28	28.51	30.97	< 33.01
		1	1	25.76	25.02	28.42	30.88	< 33.01
		1	187	25.51	25.25	28.39	30.85	< 33.01
		180	0	23.76	23.24	26.52	28.98	< 33.01
		1	0	20.36	19.46	22.94	25.40	< 33.01
		1	188	20.01	19.84	22.94	25.40	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 16QAM								
70	2592.99	90	45	25.75	25.06	28.43	30.89	< 33.01
		1	1	25.61	24.86	28.26	30.72	< 33.01
		1	187	25.75	25.26	28.52	30.98	< 33.01
		180	0	23.74	23.13	26.46	28.92	< 33.01
		1	0	20.36	19.26	22.86	25.32	< 33.01
		1	188	20.33	19.83	23.10	25.56	< 33.01
70	2655	90	45	25.67	25.16	28.43	30.89	< 33.01
		1	1	25.34	24.77	28.07	30.53	< 33.01
		1	187	25.47	25.04	28.27	30.73	< 33.01
		180	0	23.67	23.21	26.46	28.92	< 33.01
		1	0	19.94	18.93	22.47	24.93	< 33.01
		1	188	19.88	19.53	22.72	25.18	< 33.01
80	2536.02	108	54	25.80	25.36	28.60	31.06	< 33.01
		1	1	25.72	25.03	28.40	30.86	< 33.01
		1	215	25.47	25.26	28.38	30.84	< 33.01
		216	0	23.90	23.37	26.65	29.11	< 33.01
		1	0	20.52	19.47	23.04	25.50	< 33.01
		1	216	20.21	20.06	23.15	25.61	< 33.01
80	2592.99	108	54	25.64	25.09	28.38	30.84	< 33.01
		1	1	25.30	24.49	27.92	30.38	< 33.01
		1	215	25.65	25.17	28.43	30.89	< 33.01
		216	0	23.62	23.21	26.43	28.89	< 33.01
		1	0	19.99	18.92	22.50	24.96	< 33.01
		1	216	19.93	19.57	22.76	25.22	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 16QAM								
80	2649.99	108	54	25.51	25.07	28.31	30.77	< 33.01
		1	1	25.03	24.54	27.80	30.26	< 33.01
		1	215	25.38	24.98	28.19	30.65	< 33.01
		216	0	23.48	23.12	26.31	28.77	< 33.01
		1	0	19.80	18.97	22.42	24.88	< 33.01
		1	216	19.93	19.70	22.83	25.29	< 33.01
90	2541	120	60	25.57	25.12	28.36	30.82	< 33.01
		1	1	25.56	24.68	28.15	30.61	< 33.01
		1	243	25.38	25.29	28.35	30.81	< 33.01
		243	0	23.59	23.27	26.44	28.90	< 33.01
		1	0	20.07	18.86	22.52	24.98	< 33.01
		1	244	19.77	19.62	22.71	25.17	< 33.01
90	2592.99	120	60	25.72	25.04	28.40	30.86	< 33.01
		1	1	25.42	24.48	27.99	30.45	< 33.01
		1	243	25.59	25.17	28.40	30.86	< 33.01
		243	0	23.68	23.09	26.41	28.87	< 33.01
		1	0	20.30	19.17	22.78	25.24	< 33.01
		1	244	20.41	20.06	23.25	25.71	< 33.01
90	2644.98	120	60	25.61	25.07	28.36	30.82	< 33.01
		1	1	25.18	24.69	27.95	30.41	< 33.01
		1	243	25.52	25.28	28.41	30.87	< 33.01
		243	0	23.52	23.17	26.36	28.82	< 33.01
		1	0	20.11	19.06	22.63	25.09	< 33.01
		1	244	20.21	19.84	23.04	25.50	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 16QAM								
100	2546.01	135	67	25.58	25.20	28.40	30.86	< 33.01
		1	1	25.78	24.93	28.39	30.85	< 33.01
		1	271	25.42	25.37	28.41	30.87	< 33.01
		270	0	23.63	23.42	26.54	29.00	< 33.01
		1	0	20.12	18.98	22.60	25.06	< 33.01
		1	272	19.73	19.79	22.77	25.23	< 33.01
100	2592.99	135	67	25.67	25.06	28.39	30.85	< 33.01
		1	1	25.43	24.56	28.03	30.49	< 33.01
		1	271	25.74	25.26	28.52	30.98	< 33.01
		270	0	23.67	23.05	26.38	28.84	< 33.01
		1	0	20.15	18.98	22.61	25.07	< 33.01
		1	272	20.30	19.75	23.04	25.50	< 33.01
100	2640	135	67	25.66	25.09	28.39	30.85	< 33.01
		1	1	25.31	24.43	27.90	30.36	< 33.01
		1	271	25.54	25.13	28.35	30.81	< 33.01
		270	0	23.63	23.10	26.38	28.84	< 33.01
		1	0	19.99	18.64	22.38	24.84	< 33.01
		1	272	20.25	19.86	23.07	25.53	< 33.01

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 64QAM								
10	2501.01	12	6	23.34	22.74	26.06	28.52	< 33.01
		1	1	23.46	22.73	26.12	28.58	< 33.01
		1	22	23.40	22.72	26.08	28.54	< 33.01
		24	0	22.96	22.29	25.65	28.11	< 33.01
		1	0	20.05	19.29	22.70	25.16	< 33.01
		1	23	19.99	19.37	22.70	25.16	< 33.01
10	2592.99	12	6	23.51	22.68	26.13	28.59	< 33.01
		1	1	23.39	22.67	26.06	28.52	< 33.01
		1	22	25.56	22.82	27.41	29.87	< 33.01
		24	0	23.08	22.21	25.68	28.14	< 33.01
		1	0	20.19	19.36	22.81	25.27	< 33.01
		1	23	20.22	19.39	22.84	25.30	< 33.01
10	2685.00	12	6	23.65	22.83	26.27	28.73	< 33.01
		1	1	23.57	22.82	26.22	28.68	< 33.01
		1	22	23.46	22.73	26.12	28.58	< 33.01
		24	0	23.13	22.40	25.79	28.25	< 33.01
		1	0	20.23	19.46	22.87	25.33	< 33.01
		1	23	20.23	19.50	22.89	25.35	< 33.01
15	2503.50	18	9	23.41	22.67	26.07	28.53	< 33.01
		1	1	23.35	22.47	25.94	28.40	< 33.01
		1	36	23.30	22.55	25.95	28.41	< 33.01
		36	0	22.99	22.20	25.62	28.08	< 33.01
		1	0	19.95	19.20	22.60	25.06	< 33.01
		1	37	19.93	19.24	22.61	25.07	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 64QAM								
15	2592.99	18	9	23.45	22.65	26.08	28.54	< 33.01
		1	1	23.34	22.51	25.96	28.42	< 33.01
		1	36	23.59	22.62	26.14	28.60	< 33.01
		36	0	23.02	22.22	25.65	28.11	< 33.01
		1	0	20.19	19.33	22.79	25.25	< 33.01
		1	37	20.25	19.44	22.87	25.33	< 33.01
15	2682.48	18	9	23.49	22.71	26.13	28.59	< 33.01
		1	1	23.56	22.84	26.23	28.69	< 33.01
		1	36	23.37	22.69	26.05	28.51	< 33.01
		36	0	22.97	22.25	25.64	28.10	< 33.01
		1	0	20.05	19.16	22.64	25.10	< 33.01
		1	37	20.14	19.47	22.83	25.29	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 64QAM								
20	2506.02	25	12	23.73	23.18	26.47	28.93	< 33.01
		1	1	23.63	22.98	26.33	28.79	< 33.01
		1	49	23.59	23.01	26.32	28.78	< 33.01
		50	0	23.27	22.63	25.97	28.43	< 33.01
		1	0	20.08	19.39	22.76	25.22	< 33.01
		1	50	20.20	19.65	22.94	25.40	< 33.01
20	2592.99	25	12	23.72	23.24	26.50	28.96	< 33.01
		1	1	23.69	23.09	26.41	28.87	< 33.01
		1	49	23.73	23.23	26.50	28.96	< 33.01
		50	0	23.27	22.69	26.00	28.46	< 33.01
		1	0	20.33	19.83	23.10	25.56	< 33.01
		1	50	20.37	20.11	23.25	25.71	< 33.01
20	2679.99	25	12	23.59	23.17	26.40	28.86	< 33.01
		1	1	23.79	23.37	26.60	29.06	< 33.01
		1	49	23.53	23.20	26.38	28.84	< 33.01
		50	0	23.18	22.81	26.01	28.47	< 33.01
		1	0	20.05	19.60	22.84	25.30	< 33.01
		1	50	20.20	20.04	23.13	25.59	< 33.01
30	2511	36	18	23.85	23.19	26.54	29.00	< 33.01
		1	1	23.73	23.18	26.47	28.93	< 33.01
		1	76	23.70	23.28	26.51	28.97	< 33.01
		75	0	23.39	22.79	26.11	28.57	< 33.01
		1	0	20.41	19.78	23.12	25.58	< 33.01
		1	77	20.22	19.84	23.04	25.50	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 64QAM								
30	2592.99	36	18	23.83	23.22	26.55	29.01	< 33.01
		1	1	23.90	23.29	26.62	29.08	< 33.01
		1	76	23.87	23.47	26.68	29.14	< 33.01
		75	0	23.28	22.87	26.09	28.55	< 33.01
		1	0	20.54	20.02	23.30	25.76	< 33.01
		1	77	20.25	19.89	23.08	25.54	< 33.01
30	2674.98	36	18	23.68	23.19	26.45	28.91	< 33.01
		1	1	23.70	23.29	26.51	28.97	< 33.01
		1	76	23.77	23.38	26.59	29.05	< 33.01
		75	0	23.26	22.80	26.05	28.51	< 33.01
		1	0	20.30	19.58	22.97	25.43	< 33.01
		1	77	20.27	19.94	23.12	25.58	< 33.01
40	2516.01	50	25	23.84	23.38	26.63	29.09	< 33.01
		1	1	23.95	23.25	26.62	29.08	< 33.01
		1	104	23.85	23.51	26.69	29.15	< 33.01
		100	0	23.41	22.81	26.13	28.59	< 33.01
		1	0	20.50	19.73	23.14	25.60	< 33.01
		1	105	20.31	19.91	23.12	25.58	< 33.01
40	2592.99	50	25	23.79	23.22	26.52	28.98	< 33.01
		1	1	23.88	23.35	26.63	29.09	< 33.01
		1	104	24.11	23.70	26.92	29.38	< 33.01
		100	0	23.33	22.84	26.10	28.56	< 33.01
		1	0	20.25	19.58	22.94	25.40	< 33.01
		1	105	20.41	19.94	23.19	25.65	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 64QAM								
40	2670	50	25	23.39	23.06	26.24	28.70	< 33.01
		1	1	23.41	23.07	26.25	28.71	< 33.01
		1	104	23.50	23.26	26.39	28.85	< 33.01
		100	0	23.01	22.65	25.84	28.30	< 33.01
		1	0	19.97	19.49	22.75	25.21	< 33.01
		1	105	20.14	19.81	22.99	25.45	< 33.01
50	2521.02	64	32	23.66	23.27	26.48	28.94	< 33.01
		1	1	23.72	23.07	26.42	28.88	< 33.01
		1	131	23.48	23.31	26.41	28.87	< 33.01
		128	0	23.17	22.77	25.98	28.44	< 33.01
		1	0	20.30	19.48	22.92	25.38	< 33.01
		1	132	19.81	19.67	22.75	25.21	< 33.01
50	2592.99	64	32	23.68	23.08	26.40	28.86	< 33.01
		1	1	23.66	23.08	26.39	28.85	< 33.01
		1	131	23.64	23.38	26.52	28.98	< 33.01
		128	0	23.16	22.69	25.94	28.40	< 33.01
		1	0	20.52	19.66	23.12	25.58	< 33.01
		1	132	20.40	20.14	23.28	25.74	< 33.01
50	2664.99	64	32	23.49	23.18	26.35	28.81	< 33.01
		1	1	23.57	23.23	26.41	28.87	< 33.01
		1	131	23.55	23.47	26.52	28.98	< 33.01
		128	0	22.90	22.65	25.79	28.25	< 33.01
		1	0	19.95	19.30	22.65	25.11	< 33.01
		1	132	19.85	19.75	22.81	25.27	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 64QAM								
60	2526	81	40	23.76	23.46	26.62	29.08	< 33.01
		1	1	24.04	23.11	26.61	29.07	< 33.01
		1	160	23.51	23.26	26.40	28.86	< 33.01
		162	0	23.33	22.81	26.09	28.55	< 33.01
		1	0	20.42	19.68	23.08	25.54	< 33.01
		1	161	20.10	19.89	23.01	25.47	< 33.01
60	2592.99	81	40	23.74	23.12	26.45	28.91	< 33.01
		1	1	23.73	23.14	26.46	28.92	< 33.01
		1	160	23.89	23.74	26.83	29.29	< 33.01
		162	0	23.19	22.72	25.97	28.43	< 33.01
		1	0	20.19	19.24	22.75	25.21	< 33.01
		1	161	20.36	20.14	23.26	25.72	< 33.01
60	2659.98	81	40	23.82	23.50	26.67	29.13	< 33.01
		1	1	23.73	23.25	26.51	28.97	< 33.01
		1	160	23.74	23.44	26.60	29.06	< 33.01
		162	0	23.32	23.03	26.19	28.65	< 33.01
		1	0	20.43	19.66	23.07	25.53	< 33.01
		1	161	20.42	20.21	23.33	25.79	< 33.01
70	2531.01	90	45	23.73	23.28	26.52	28.98	< 33.01
		1	1	23.96	23.16	26.59	29.05	< 33.01
		1	187	23.77	23.43	26.61	29.07	< 33.01
		180	0	23.26	22.81	26.05	28.51	< 33.01
		1	0	20.48	19.41	22.99	25.45	< 33.01
		1	188	20.30	20.13	23.23	25.69	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 64QAM								
70	2592.99	90	45	23.74	23.15	26.47	28.93	< 33.01
		1	1	23.60	23.12	26.38	28.84	< 33.01
		1	187	23.84	23.46	26.66	29.12	< 33.01
		180	0	23.30	22.69	26.02	28.48	< 33.01
		1	0	20.59	19.40	23.05	25.51	< 33.01
		1	188	20.46	20.07	23.28	25.74	< 33.01
70	2655	90	45	23.64	23.24	26.45	28.91	< 33.01
		1	1	23.64	23.18	26.43	28.89	< 33.01
		1	187	23.59	23.20	26.41	28.87	< 33.01
		180	0	23.16	22.91	26.05	28.51	< 33.01
		1	0	20.24	19.45	22.87	25.33	< 33.01
		1	188	20.12	19.84	22.99	25.45	< 33.01
80	2536.02	108	54	23.73	23.30	26.53	28.99	< 33.01
		1	1	23.87	23.17	26.54	29.00	< 33.01
		1	215	23.61	23.40	26.52	28.98	< 33.01
		216	0	23.29	22.94	26.13	28.59	< 33.01
		1	0	20.50	19.53	23.05	25.51	< 33.01
		1	216	20.27	19.98	23.14	25.60	< 33.01
80	2592.99	108	54	23.65	23.02	26.36	28.82	< 33.01
		1	1	23.45	22.70	26.10	28.56	< 33.01
		1	215	23.62	23.24	26.44	28.90	< 33.01
		216	0	23.12	22.54	25.85	28.31	< 33.01
		1	0	20.22	19.12	22.72	25.18	< 33.01
		1	216	20.16	19.83	23.01	25.47	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 64QAM								
80	2649.99	108	54	23.56	23.09	26.34	28.80	< 33.01
		1	1	23.02	22.75	25.90	28.36	< 33.01
		1	215	23.49	23.32	26.42	28.88	< 33.01
		216	0	23.02	22.62	25.83	28.29	< 33.01
		1	0	20.13	19.30	22.75	25.21	< 33.01
		1	216	20.22	20.12	23.18	25.64	< 33.01
90	2541	120	60	23.63	23.22	26.44	28.90	< 33.01
		1	1	23.91	23.13	26.55	29.01	< 33.01
		1	243	23.62	23.53	26.59	29.05	< 33.01
		243	0	23.17	22.72	25.96	28.42	< 33.01
		1	0	20.43	19.44	22.97	25.43	< 33.01
		1	244	20.08	19.89	23.00	25.46	< 33.01
90	2592.99	120	60	23.70	23.13	26.43	28.89	< 33.01
		1	1	23.55	22.70	26.16	28.62	< 33.01
		1	243	23.75	23.22	26.50	28.96	< 33.01
		243	0	23.25	22.54	25.92	28.38	< 33.01
		1	0	20.44	19.37	22.95	25.41	< 33.01
		1	244	20.59	20.29	23.45	25.91	< 33.01
90	2644.98	120	60	23.63	23.28	26.47	28.93	< 33.01
		1	1	23.04	22.60	25.84	28.30	< 33.01
		1	243	23.54	23.13	26.35	28.81	< 33.01
		243	0	23.03	22.63	25.84	28.30	< 33.01
		1	0	19.89	18.83	22.40	24.86	< 33.01
		1	244	20.05	19.68	22.88	25.34	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 64QAM								
100	2546.01	135	67	23.57	23.24	26.42	28.88	< 33.01
		1	1	23.78	23.04	26.44	28.90	< 33.01
		1	271	23.45	23.38	26.43	28.89	< 33.01
		270	0	23.31	22.87	26.11	28.57	< 33.01
		1	0	20.30	19.22	22.80	25.26	< 33.01
		1	272	19.78	19.95	22.88	25.34	< 33.01
100	2592.99	135	67	23.67	23.09	26.40	28.86	< 33.01
		1	1	23.68	22.82	26.28	28.74	< 33.01
		1	271	23.78	23.28	26.55	29.01	< 33.01
		270	0	23.14	22.58	25.88	28.34	< 33.01
		1	0	20.14	18.96	22.60	25.06	< 33.01
		1	272	20.52	20.13	23.34	25.80	< 33.01
100	2640	135	67	23.65	23.16	26.42	28.88	< 33.01
		1	1	23.27	22.54	25.93	28.39	< 33.01
		1	271	23.79	23.47	26.64	29.10	< 33.01
		270	0	23.18	22.61	25.91	28.37	< 33.01
		1	0	20.11	18.83	22.53	24.99	< 33.01
		1	272	20.12	19.77	22.96	25.42	< 33.01

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 256QAM								
10	2501.01	12	6	20.95	20.32	23.66	26.12	< 33.01
		1	1	20.93	20.17	23.58	26.04	< 33.01
		1	22	20.96	20.34	23.67	26.13	< 33.01
		24	0	20.87	20.18	23.55	26.01	< 33.01
		1	0	19.86	19.20	22.55	25.01	< 33.01
		1	23	19.90	19.22	22.58	25.04	< 33.01
10	2592.99	12	6	21.05	20.25	23.68	26.14	< 33.01
		1	1	21.03	20.28	23.68	26.14	< 33.01
		1	22	20.88	20.05	23.50	25.96	< 33.01
		24	0	20.99	20.12	23.59	26.05	< 33.01
		1	0	19.93	19.13	22.56	25.02	< 33.01
		1	23	19.84	19.06	22.48	24.94	< 33.01
10	2685.00	12	6	21.18	20.42	23.83	26.29	< 33.01
		1	1	21.13	20.43	23.80	26.26	< 33.01
		1	22	21.09	20.41	23.77	26.23	< 33.01
		24	0	21.08	20.32	23.73	26.19	< 33.01
		1	0	20.03	9.14	20.37	22.83	< 33.01
		1	23	20.06	19.38	22.74	25.20	< 33.01
15	2503.50	18	9	21.01	20.23	23.65	26.11	< 33.01
		1	1	21.07	20.33	23.73	26.19	< 33.01
		1	36	21.05	20.34	23.72	26.18	< 33.01
		36	0	20.89	20.19	23.56	26.02	< 33.01
		1	0	20.05	19.21	22.66	25.12	< 33.01
		1	37	19.98	19.32	22.67	25.13	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 256QAM								
15	2592.99	18	9	21.80	20.25	24.10	26.56	< 33.01
		1	1	21.09	20.31	23.73	26.19	< 33.01
		1	36	21.06	20.27	23.69	26.15	< 33.01
		36	0	20.98	20.19	23.61	26.07	< 33.01
		1	0	20.03	19.11	22.60	25.06	< 33.01
		1	37	20.19	19.43	22.84	25.30	< 33.01
15	2682.48	18	9	20.98	20.24	23.64	26.10	< 33.01
		1	1	20.97	20.40	23.70	26.16	< 33.01
		1	36	20.91	20.30	23.63	26.09	< 33.01
		36	0	21.00	20.21	23.63	26.09	< 33.01
		1	0	19.97	19.13	22.58	25.04	< 33.01
		1	37	19.94	19.25	22.62	25.08	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 256QAM								
20	2506.02	25	12	21.38	20.69	24.06	26.52	< 33.01
		1	1	21.31	20.56	23.96	26.42	< 33.01
		1	49	21.25	20.67	23.98	26.44	< 33.01
		50	0	21.25	20.58	23.94	26.40	< 33.01
		1	0	20.20	19.45	22.85	25.31	< 33.01
		1	50	20.31	19.78	23.06	25.52	< 33.01
20	2592.99	25	12	21.25	20.81	24.05	26.51	< 33.01
		1	1	21.06	20.52	23.81	26.27	< 33.01
		1	49	21.11	20.70	23.92	26.38	< 33.01
		50	0	21.18	20.85	24.03	26.49	< 33.01
		1	0	20.12	19.53	22.85	25.31	< 33.01
		1	50	20.13	19.68	22.92	25.38	< 33.01
20	2679.99	25	12	21.16	20.92	24.05	26.51	< 33.01
		1	1	21.24	20.93	24.10	26.56	< 33.01
		1	49	21.18	20.99	24.10	26.56	< 33.01
		50	0	21.18	20.80	24.00	26.46	< 33.01
		1	0	20.16	19.72	22.96	25.42	< 33.01
		1	50	20.15	19.93	23.05	25.51	< 33.01
30	2511	36	18	21.25	20.67	23.98	26.44	< 33.01
		1	1	21.42	20.69	24.08	26.54	< 33.01
		1	76	21.19	20.67	23.95	26.41	< 33.01
		75	0	21.36	20.75	24.08	26.54	< 33.01
		1	0	20.25	19.44	22.87	25.33	< 33.01
		1	77	20.28	19.96	23.13	25.59	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 256QAM								
30	2592.99	36	18	21.19	20.85	24.03	26.49	< 33.01
		1	1	21.19	20.83	24.02	26.48	< 33.01
		1	76	21.25	20.92	24.10	26.56	< 33.01
		75	0	21.26	20.88	24.08	26.54	< 33.01
		1	0	20.30	19.75	23.04	25.50	< 33.01
		1	77	20.40	20.08	23.25	25.71	< 33.01
30	2674.98	36	18	21.17	20.75	23.98	26.44	< 33.01
		1	1	21.31	20.84	24.09	26.55	< 33.01
		1	76	21.16	20.89	24.04	26.50	< 33.01
		75	0	21.27	20.81	24.06	26.52	< 33.01
		1	0	20.20	19.58	22.91	25.37	< 33.01
		1	77	20.34	20.10	23.23	25.69	< 33.01
40	2516.01	50	25	21.33	20.72	24.05	26.51	< 33.01
		1	1	21.53	20.91	24.24	26.70	< 33.01
		1	104	21.45	21.07	24.27	26.73	< 33.01
		100	0	21.39	20.87	24.15	26.61	< 33.01
		1	0	20.44	19.73	23.11	25.57	< 33.01
		1	105	20.40	19.94	23.19	25.65	< 33.01
40	2592.99	50	25	21.25	20.90	24.09	26.55	< 33.01
		1	1	21.37	20.94	24.17	26.63	< 33.01
		1	104	21.34	20.97	24.17	26.63	< 33.01
		100	0	21.35	21.00	24.19	26.65	< 33.01
		1	0	20.38	19.66	23.05	25.51	< 33.01
		1	105	20.61	20.22	23.43	25.89	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 256QAM								
40	2670	50	25	20.89	20.55	23.73	26.19	< 33.01
		1	1	21.03	20.61	23.84	26.30	< 33.01
		1	104	21.09	20.89	24.00	26.46	< 33.01
		100	0	20.95	20.71	23.84	26.30	< 33.01
		1	0	20.12	19.67	22.91	25.37	< 33.01
		1	105	19.94	19.82	22.89	25.35	< 33.01
50	2521.02	64	32	21.18	20.66	23.94	26.40	< 33.01
		1	1	21.26	20.65	23.98	26.44	< 33.01
		1	131	20.96	20.84	23.91	26.37	< 33.01
		128	0	21.18	20.69	23.95	26.41	< 33.01
		1	0	20.45	19.61	23.06	25.52	< 33.01
		1	132	19.83	19.70	22.78	25.24	< 33.01
50	2592.99	64	32	21.20	20.63	23.93	26.39	< 33.01
		1	1	21.09	20.52	23.82	26.28	< 33.01
		1	131	21.11	20.90	24.02	26.48	< 33.01
		128	0	21.23	20.63	23.95	26.41	< 33.01
		1	0	20.19	19.41	22.83	25.29	< 33.01
		1	132	20.11	19.87	23.00	25.46	< 33.01
50	2664.99	64	32	20.93	20.73	23.84	26.30	< 33.01
		1	1	20.98	20.76	23.88	26.34	< 33.01
		1	131	20.98	20.84	23.92	26.38	< 33.01
		128	0	20.94	20.71	23.84	26.30	< 33.01
		1	0	20.13	19.72	22.94	25.40	< 33.01
		1	132	20.03	19.92	22.99	25.45	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 256QAM								
60	2526	81	40	21.28	20.87	24.09	26.55	< 33.01
		1	1	21.53	20.74	24.16	26.62	< 33.01
		1	160	21.16	20.99	24.09	26.55	< 33.01
		162	0	21.28	20.89	24.10	26.56	< 33.01
		1	0	20.45	19.68	23.09	25.55	< 33.01
		1	161	20.04	19.93	23.00	25.46	< 33.01
60	2592.99	81	40	21.22	20.59	23.93	26.39	< 33.01
		1	1	21.18	20.63	23.92	26.38	< 33.01
		1	160	21.13	20.80	23.98	26.44	< 33.01
		162	0	21.25	20.72	24.00	26.46	< 33.01
		1	0	20.39	19.51	22.98	25.44	< 33.01
		1	161	20.18	19.82	23.01	25.47	< 33.01
60	2659.98	81	40	21.30	20.88	24.11	26.57	< 33.01
		1	1	21.25	20.68	23.98	26.44	< 33.01
		1	160	21.28	20.99	24.15	26.61	< 33.01
		162	0	21.28	21.01	24.16	26.62	< 33.01
		1	0	20.32	19.52	22.95	25.41	< 33.01
		1	161	20.15	19.89	23.03	25.49	< 33.01
70	2531.01	90	45	21.20	20.73	23.98	26.44	< 33.01
		1	1	21.19	20.42	23.83	26.29	< 33.01
		1	187	20.92	20.59	23.77	26.23	< 33.01
		180	0	21.31	20.78	24.06	26.52	< 33.01
		1	0	20.48	19.46	23.01	25.47	< 33.01
		1	188	20.12	19.82	22.98	25.44	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 256QAM								
70	2592.99	90	45	21.29	20.66	24.00	26.46	< 33.01
		1	1	21.29	20.54	23.94	26.40	< 33.01
		1	187	21.11	20.70	23.92	26.38	< 33.01
		180	0	21.27	20.62	23.97	26.43	< 33.01
		1	0	20.31	19.31	22.85	25.31	< 33.01
		1	188	20.26	19.83	23.06	25.52	< 33.01
70	2655	90	45	21.19	20.81	24.01	26.47	< 33.01
		1	1	20.98	20.52	23.77	26.23	< 33.01
		1	187	21.12	20.68	23.92	26.38	< 33.01
		180	0	21.15	20.73	23.96	26.42	< 33.01
		1	0	20.17	19.36	22.79	25.25	< 33.01
		1	188	20.10	19.76	22.94	25.40	< 33.01
80	2536.02	108	54	21.09	20.62	23.87	26.33	< 33.01
		1	1	21.28	20.61	23.97	26.43	< 33.01
		1	215	20.96	20.72	23.85	26.31	< 33.01
		216	0	21.25	20.63	23.96	26.42	< 33.01
		1	0	20.19	19.28	22.77	25.23	< 33.01
		1	216	20.06	19.86	22.97	25.43	< 33.01
80	2592.99	108	54	21.06	20.54	23.82	26.28	< 33.01
		1	1	21.03	20.26	23.67	26.13	< 33.01
		1	215	21.06	20.67	23.88	26.34	< 33.01
		216	0	21.08	20.47	23.80	26.26	< 33.01
		1	0	20.14	19.08	22.65	25.11	< 33.01
		1	216	20.12	19.82	22.98	25.44	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 256QAM								
80	2649.99	108	54	21.07	20.69	23.89	26.35	< 33.01
		1	1	20.59	20.12	23.37	25.83	< 33.01
		1	215	21.10	20.84	23.98	26.44	< 33.01
		216	0	20.95	20.73	23.85	26.31	< 33.01
		1	0	19.81	19.00	22.43	24.89	< 33.01
		1	216	19.89	19.68	22.80	25.26	< 33.01
90	2541	120	60	21.08	20.67	23.89	26.35	< 33.01
		1	1	21.37	20.64	24.03	26.49	< 33.01
		1	243	21.12	21.03	24.09	26.55	< 33.01
		243	0	21.09	20.76	23.94	26.40	< 33.01
		1	0	20.29	19.26	22.82	25.28	< 33.01
		1	244	19.98	19.99	23.00	25.46	< 33.01
90	2592.99	120	60	21.20	20.57	23.91	26.37	< 33.01
		1	1	20.99	20.08	23.57	26.03	< 33.01
		1	243	21.16	20.84	24.01	26.47	< 33.01
		243	0	21.16	20.72	23.96	26.42	< 33.01
		1	0	20.26	19.19	22.77	25.23	< 33.01
		1	244	20.28	19.94	23.12	25.58	< 33.01
90	2644.98	120	60	21.13	20.63	23.90	26.36	< 33.01
		1	1	20.50	19.95	23.24	25.70	< 33.01
		1	243	20.91	20.51	23.72	26.18	< 33.01
		243	0	21.09	20.57	23.85	26.31	< 33.01
		1	0	20.00	19.03	22.55	25.01	< 33.01
		1	244	20.10	19.85	22.99	25.45	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 256QAM								
100	2546.01	135	67	21.17	20.76	23.98	26.44	< 33.01
		1	1	21.28	20.52	23.93	26.39	< 33.01
		1	271	21.00	21.14	24.08	26.54	< 33.01
		270	0	21.14	20.77	23.97	26.43	< 33.01
		1	0	20.18	19.02	22.65	25.11	< 33.01
		1	272	19.86	19.98	22.93	25.39	< 33.01
100	2592.99	135	67	21.18	20.65	23.93	26.39	< 33.01
		1	1	20.89	20.17	23.56	26.02	< 33.01
		1	271	21.27	20.78	24.04	26.50	< 33.01
		270	0	21.16	20.56	23.88	26.34	< 33.01
		1	0	20.35	19.16	22.81	25.27	< 33.01
		1	272	20.42	20.06	23.25	25.71	< 33.01
100	2640	135	67	21.21	20.74	23.99	26.45	< 33.01
		1	1	20.94	20.12	23.56	26.02	< 33.01
		1	271	21.41	20.98	24.21	26.67	< 33.01
		270	0	21.12	20.58	23.87	26.33	< 33.01
		1	0	20.35	18.98	22.73	25.19	< 33.01
		1	272	20.37	20.04	23.22	25.68	< 33.01

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
10	2501.01	12	6	25.03	24.10	27.60	30.06	< 33.01
		1	1	25.05	24.01	27.57	30.03	< 33.01
		1	22	25.10	24.36	27.76	30.22	< 33.01
		24	0	22.53	21.84	25.21	27.67	< 33.01
		1	0	20.08	19.29	22.71	25.17	< 33.01
		1	23	20.06	19.39	22.75	25.21	< 33.01
10	2592.99	12	6	25.12	24.25	27.72	30.18	< 33.01
		1	1	25.06	24.09	27.61	30.07	< 33.01
		1	22	25.21	24.27	27.78	30.24	< 33.01
		24	0	22.57	21.76	25.19	27.65	< 33.01
		1	0	20.09	19.28	22.71	25.17	< 33.01
		1	23	20.08	19.28	22.71	25.17	< 33.01
10	2685.00	12	6	25.18	24.50	27.86	30.32	< 33.01
		1	1	25.30	24.23	27.81	30.27	< 33.01
		1	22	25.16	24.42	27.82	30.28	< 33.01
		24	0	22.64	21.82	25.26	27.72	< 33.01
		1	0	20.24	19.43	22.86	25.32	< 33.01
		1	23	20.16	19.42	22.82	25.28	< 33.01
15	2503.50	19	9	24.98	24.05	27.55	30.01	< 33.01
		1	1	24.90	23.70	27.35	29.81	< 33.01
		1	36	25.19	24.20	27.73	30.19	< 33.01
		38	0	22.51	21.71	25.14	27.60	< 33.01
		1	0	20.14	19.32	22.76	25.22	< 33.01
		1	37	20.09	19.38	22.76	25.22	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
15	2592.99	19	9	24.98	24.15	27.60	30.06	< 33.01
		1	1	24.92	23.95	27.47	29.93	< 33.01
		1	36	25.24	24.41	27.86	30.32	< 33.01
		38	0	22.62	21.66	25.18	27.64	< 33.01
		1	0	20.08	19.09	22.62	25.08	< 33.01
		1	37	20.22	19.32	22.80	25.26	< 33.01
15	2682.48	19	9	25.03	24.22	27.65	30.11	< 33.01
		1	1	25.14	24.18	27.70	30.16	< 33.01
		1	36	25.03	24.38	27.73	30.19	< 33.01
		38	0	22.44	21.79	25.14	27.60	< 33.01
		1	0	20.32	19.39	22.89	25.35	< 33.01
		1	37	20.19	19.42	22.83	25.29	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
20	2506.02	25	12	25.27	24.67	27.99	30.45	< 33.01
		1	1	25.18	24.53	27.88	30.34	< 33.01
		1	49	25.14	24.54	27.86	30.32	< 33.01
		51	0	22.78	22.18	25.50	27.96	< 33.01
		1	0	20.19	19.49	22.86	25.32	< 33.01
		1	50	20.26	19.74	23.02	25.48	< 33.01
20	2592.99	25	12	25.13	24.68	27.92	30.38	< 33.01
		1	1	25.21	24.60	27.93	30.39	< 33.01
		1	49	25.26	24.74	28.02	30.48	< 33.01
		51	0	22.65	22.24	25.46	27.92	< 33.01
		1	0	20.41	19.84	23.14	25.60	< 33.01
		1	50	20.34	20.04	23.20	25.66	< 33.01
20	2679.99	25	12	25.14	24.64	27.91	30.37	< 33.01
		1	1	25.22	24.76	28.01	30.47	< 33.01
		1	49	25.18	24.93	28.07	30.53	< 33.01
		51	0	22.71	22.26	25.50	27.96	< 33.01
		1	0	20.22	19.82	23.03	25.49	< 33.01
		1	50	20.32	20.13	23.24	25.70	< 33.01
30	2511	39	19	25.28	24.57	27.95	30.41	< 33.01
		1	1	25.44	24.63	28.06	30.52	< 33.01
		1	76	25.48	24.73	28.13	30.59	< 33.01
		78	0	22.81	22.26	25.55	28.01	< 33.01
		1	0	20.47	19.72	23.12	25.58	< 33.01
		1	77	20.41	19.96	23.20	25.66	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
30	2592.99	39	19	25.19	24.65	27.94	30.40	< 33.01
		1	1	25.36	24.76	28.08	30.54	< 33.01
		1	76	25.43	25.19	28.32	30.78	< 33.01
		78	0	22.73	22.27	25.52	27.98	< 33.01
		1	0	20.29	19.96	23.14	25.60	< 33.01
		1	77	20.47	20.30	23.40	25.86	< 33.01
30	2674.98	39	19	25.23	24.67	27.97	30.43	< 33.01
		1	1	25.24	24.64	27.96	30.42	< 33.01
		1	76	25.30	25.27	28.30	30.76	< 33.01
		78	0	22.79	22.25	25.54	28.00	< 33.01
		1	0	20.35	19.78	23.08	25.54	< 33.01
		1	77	20.34	20.03	23.20	25.66	< 33.01
40	2516.01	53	26	25.24	24.74	28.01	30.47	< 33.01
		1	1	25.31	24.58	27.97	30.43	< 33.01
		1	104	25.23	24.79	28.03	30.49	< 33.01
		106	0	22.83	22.30	25.58	28.04	< 33.01
		1	0	20.50	19.79	23.17	25.63	< 33.01
		1	105	20.52	20.21	23.38	25.84	< 33.01
40	2592.99	53	26	24.91	24.53	27.73	30.19	< 33.01
		1	1	25.10	24.68	27.91	30.37	< 33.01
		1	104	25.03	24.65	27.85	30.31	< 33.01
		106	0	22.52	22.04	25.30	27.76	< 33.01
		1	0	20.30	19.80	23.07	25.53	< 33.01
		1	105	20.24	19.99	23.13	25.59	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
40	2670	53	26	24.84	24.54	27.70	30.16	< 33.01
		1	1	25.04	24.57	27.82	30.28	< 33.01
		1	104	25.05	24.72	27.90	30.36	< 33.01
		106	0	22.41	22.13	25.28	27.74	< 33.01
		1	0	19.99	19.62	22.82	25.28	< 33.01
		1	105	20.15	19.86	23.02	25.48	< 33.01
50	2521.02	67	33	25.07	24.73	27.91	30.37	< 33.01
		1	1	25.28	24.54	27.94	30.40	< 33.01
		1	131	25.10	24.84	27.98	30.44	< 33.01
		133	0	22.68	22.23	25.47	27.93	< 33.01
		1	0	20.37	19.81	23.11	25.57	< 33.01
		1	132	20.01	19.84	22.94	25.40	< 33.01
50	2592.99	67	33	25.13	24.48	27.83	30.29	< 33.01
		1	1	24.84	24.32	27.60	30.06	< 33.01
		1	131	25.01	24.73	27.88	30.34	< 33.01
		133	0	22.59	22.02	25.32	27.78	< 33.01
		1	0	20.35	19.55	22.98	25.44	< 33.01
		1	132	20.25	19.94	23.11	25.57	< 33.01
50	2664.99	67	33	24.91	24.55	27.74	30.20	< 33.01
		1	1	25.01	24.59	27.82	30.28	< 33.01
		1	131	25.02	24.76	27.90	30.36	< 33.01
		133	0	22.48	22.18	25.34	27.80	< 33.01
		1	0	20.23	19.68	22.97	25.43	< 33.01
		1	132	20.08	19.84	22.97	25.43	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
60	2526	81	40	25.24	24.82	28.05	30.51	< 33.01
		1	1	25.42	24.58	28.03	30.49	< 33.01
		1	160	25.14	24.92	28.04	30.50	< 33.01
		162	0	22.78	22.32	25.57	28.03	< 33.01
		1	0	20.53	19.65	23.12	25.58	< 33.01
		1	161	20.22	20.02	23.13	25.59	< 33.01
60	2592.99	81	40	25.27	24.59	27.95	30.41	< 33.01
		1	1	25.25	24.63	27.96	30.42	< 33.01
		1	160	25.34	24.96	28.16	30.62	< 33.01
		162	0	22.82	22.17	25.52	27.98	< 33.01
		1	0	20.60	19.56	23.12	25.58	< 33.01
		1	161	20.42	19.97	23.21	25.67	< 33.01
60	2659.98	81	40	25.16	24.71	27.95	30.41	< 33.01
		1	1	25.05	24.79	27.93	30.39	< 33.01
		1	160	25.12	24.85	28.00	30.46	< 33.01
		162	0	22.68	22.30	25.50	27.96	< 33.01
		1	0	20.29	19.52	22.93	25.39	< 33.01
		1	161	20.25	19.97	23.12	25.58	< 33.01
70	2531.01	95	47	25.26	24.74	28.02	30.48	< 33.01
		1	1	25.30	24.46	27.91	30.37	< 33.01
		1	187	25.46	24.93	28.21	30.67	< 33.01
		189	0	22.73	22.33	25.54	28.00	< 33.01
		1	0	20.53	19.86	23.22	25.68	< 33.01
		1	188	20.17	19.86	23.03	25.49	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
70	2592.99	95	47	25.17	24.56	27.89	30.35	< 33.01
		1	1	25.21	24.51	27.88	30.34	< 33.01
		1	187	25.28	25.25	28.28	30.74	< 33.01
		189	0	22.71	22.16	25.45	27.91	< 33.01
		1	0	20.36	19.51	22.97	25.43	< 33.01
		1	188	20.38	19.83	23.12	25.58	< 33.01
70	2655	95	47	25.29	24.67	28.00	30.46	< 33.01
		1	1	25.19	24.45	27.85	30.31	< 33.01
		1	187	25.32	25.09	28.22	30.68	< 33.01
		189	0	22.73	22.20	25.48	27.94	< 33.01
		1	0	20.32	19.73	23.05	25.51	< 33.01
		1	188	20.31	19.89	23.12	25.58	< 33.01
80	2536.02	109	54	25.28	24.87	28.09	30.55	< 33.01
		1	1	25.39	24.65	28.05	30.51	< 33.01
		1	215	25.32	25.19	28.27	30.73	< 33.01
		217	0	22.75	22.37	25.57	28.03	< 33.01
		1	0	20.68	19.62	23.19	25.65	< 33.01
		1	216	20.35	20.17	23.27	25.73	< 33.01
80	2592.99	109	54	25.10	24.47	27.81	30.27	< 33.01
		1	1	25.07	24.13	27.64	30.10	< 33.01
		1	215	25.36	24.95	28.17	30.63	< 33.01
		217	0	22.65	22.05	25.37	27.83	< 33.01
		1	0	20.23	19.24	22.77	25.23	< 33.01
		1	216	20.28	19.91	23.11	25.57	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
80	2649.99	109	54	24.99	24.51	27.77	30.23	< 33.01
		1	1	24.73	24.25	27.51	29.97	< 33.01
		1	215	25.17	24.79	28.00	30.46	< 33.01
		217	0	22.51	22.09	25.32	27.78	< 33.01
		1	0	20.04	19.22	22.66	25.12	< 33.01
		1	216	20.18	19.88	23.04	25.50	< 33.01
90	2541	123	61	25.04	24.61	27.84	30.30	< 33.01
		1	1	25.32	24.56	27.97	30.43	< 33.01
		1	243	24.95	24.67	27.82	30.28	< 33.01
		245	0	22.60	22.18	25.41	27.87	< 33.01
		1	0	20.40	19.37	22.93	25.39	< 33.01
		1	244	20.00	19.89	22.96	25.42	< 33.01
90	2592.99	123	61	25.18	24.50	27.86	30.32	< 33.01
		1	1	25.09	24.25	27.70	30.16	< 33.01
		1	243	25.34	24.98	28.17	30.63	< 33.01
		245	0	22.63	22.12	25.39	27.85	< 33.01
		1	0	20.28	19.22	22.79	25.25	< 33.01
		1	244	20.53	20.09	23.33	25.79	< 33.01
90	2644.98	123	61	25.03	24.61	27.84	30.30	< 33.01
		1	1	24.74	24.11	27.45	29.91	< 33.01
		1	243	25.07	24.74	27.92	30.38	< 33.01
		245	0	22.54	22.17	25.37	27.83	< 33.01
		1	0	20.13	19.09	22.65	25.11	< 33.01
		1	244	20.29	19.86	23.09	25.55	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
100	2546.01	137	68	25.07	24.70	27.90	30.36	< 33.01
		1	1	25.40	24.65	28.05	30.51	< 33.01
		1	271	24.96	24.86	27.92	30.38	< 33.01
		273	0	22.67	22.21	25.46	27.92	< 33.01
		1	0	20.45	19.41	22.97	25.43	< 33.01
		1	272	20.12	20.14	23.14	25.60	< 33.01
100	2592.99	137	68	25.14	24.48	27.83	30.29	< 33.01
		1	1	25.12	24.16	27.68	30.14	< 33.01
		1	271	25.52	24.85	28.21	30.67	< 33.01
		273	0	22.71	22.12	25.44	27.90	< 33.01
		1	0	20.40	19.28	22.89	25.35	< 33.01
		1	272	20.50	19.96	23.25	25.71	< 33.01
100	2640	137	68	25.17	24.57	27.89	30.35	< 33.01
		1	1	25.00	24.24	27.65	30.11	< 33.01
		1	271	25.27	24.86	28.08	30.54	< 33.01
		273	0	22.63	22.13	25.40	27.86	< 33.01
		1	0	20.39	19.08	22.79	25.25	< 33.01
		1	272	20.42	19.96	23.21	25.67	< 33.01



**BUREAU
VERITAS**

Test Report No.: PSU-NQN2502170213RF08

n77/n78_UL MIMO (3450 ~ 3550MHz)

MAX Power

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM QPSK								
3500.01	40	1	1	26.13	25.29	28.74	29.62	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM QPSK								
3500.01	100	1	1	25.68	24.86	28.30	29.18	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 16QAM								
3500.01	40	1	104	24.84	24.21	27.55	28.43	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 16QAM								
3500.01	100	1	1	24.62	23.79	27.24	28.12	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Power

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
10	3455.01	12	6	25.43	24.63	28.06	28.94	< 30.00
		1	1	25.36	24.62	28.02	28.90	< 30.00
		1	22	25.32	24.57	27.97	28.85	< 30.00
		24	0	23.97	23.24	26.63	27.51	< 30.00
		1	0	19.54	18.86	22.22	23.10	< 30.00
		1	23	19.53	18.88	22.23	23.11	< 30.00
10	3500.01	12	6	25.44	24.68	28.09	28.97	< 30.00
		1	1	24.39	24.89	27.66	28.54	< 30.00
		1	22	25.42	24.68	28.08	28.96	< 30.00
		24	0	24.01	23.24	26.65	27.53	< 30.00
		1	0	19.57	18.84	22.23	23.11	< 30.00
		1	23	19.45	18.73	22.12	23.00	< 30.00
10	3544.98	12	6	25.47	24.76	28.14	29.02	< 30.00
		1	1	25.46	24.64	28.08	28.96	< 30.00
		1	22	25.32	24.60	27.99	28.87	< 30.00
		24	0	23.89	23.22	26.58	27.46	< 30.00
		1	0	19.52	18.75	22.16	23.04	< 30.00
		1	23	19.52	18.73	22.15	23.03	< 30.00
15	3457.50	18	9	25.73	24.91	28.35	29.23	< 30.00
		1	1	25.72	24.91	28.34	29.22	< 30.00
		1	36	25.76	24.90	28.36	29.24	< 30.00
		36	0	24.25	23.45	26.88	27.76	< 30.00
		1	0	19.78	19.03	22.43	23.31	< 30.00
		1	37	19.84	19.06	22.48	23.36	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
15	3500.01	18	9	25.70	24.97	28.36	29.24	< 30.00
		1	1	25.72	24.94	28.36	29.24	< 30.00
		1	36	25.65	24.92	28.31	29.19	< 30.00
		36	0	24.27	23.46	26.89	27.77	< 30.00
		1	0	19.86	19.04	22.48	23.36	< 30.00
		1	37	19.80	19.01	22.43	23.31	< 30.00
15	3542.49	18	9	25.72	24.91	28.34	29.22	< 30.00
		1	1	25.72	24.89	28.34	29.22	< 30.00
		1	36	25.73	24.83	28.31	29.19	< 30.00
		36	0	24.27	23.46	26.89	27.77	< 30.00
		1	0	19.85	19.10	22.50	23.38	< 30.00
		1	37	19.85	18.90	22.41	23.29	< 30.00
20	3460.02	25	12	25.93	25.07	28.53	29.41	< 30.00
		1	1	25.84	25.06	28.48	29.36	< 30.00
		1	49	25.90	25.02	28.49	29.37	< 30.00
		50	0	24.48	23.62	27.08	27.96	< 30.00
		1	0	19.96	19.15	22.58	23.46	< 30.00
		1	50	20.01	19.13	22.60	23.48	< 30.00
20	3500.01	25	12	25.83	25.11	28.50	29.38	< 30.00
		1	1	25.84	25.13	28.51	29.39	< 30.00
		1	49	25.74	25.05	28.42	29.30	< 30.00
		50	0	23.90	23.18	26.57	27.45	< 30.00
		1	0	19.52	18.71	22.14	23.02	< 30.00
		1	50	19.32	18.57	21.97	22.85	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
20	3540.00	25	12	25.87	25.08	28.50	29.38	< 30.00
		1	1	25.83	25.09	28.49	29.37	< 30.00
		1	49	25.83	24.99	28.44	29.32	< 30.00
		50	0	24.41	23.64	27.05	27.93	< 30.00
		1	0	20.04	19.19	22.65	23.53	< 30.00
		1	50	19.88	19.09	22.51	23.39	< 30.00
25	3462.51	32	16	25.92	25.24	28.60	29.48	< 30.00
		1	1	25.84	25.26	28.57	29.45	< 30.00
		1	63	25.86	25.12	28.52	29.40	< 30.00
		64	0	24.39	23.70	27.07	27.95	< 30.00
		1	0	19.95	19.31	22.65	23.53	< 30.00
		1	64	19.97	19.17	22.60	23.48	< 30.00
25	3500.01	32	16	25.85	25.09	28.50	29.38	< 30.00
		1	1	25.93	25.13	28.56	29.44	< 30.00
		1	63	25.75	25.11	28.45	29.33	< 30.00
		64	0	24.34	23.62	27.01	27.89	< 30.00
		1	0	19.99	19.24	22.64	23.52	< 30.00
		1	64	19.83	19.14	22.51	23.39	< 30.00
25	3537.48	32	16	25.88	25.10	28.52	29.40	< 30.00
		1	1	25.91	25.13	28.55	29.43	< 30.00
		1	63	25.85	25.03	28.47	29.35	< 30.00
		64	0	24.32	23.71	27.04	27.92	< 30.00
		1	0	19.93	19.32	22.65	23.53	< 30.00
		1	64	19.74	19.19	22.48	23.36	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
30	3465.00	36	18	25.91	25.17	28.57	29.45	< 30.00
		1	1	25.89	25.13	28.54	29.42	< 30.00
		1	76	25.82	25.13	28.50	29.38	< 30.00
		75	0	24.55	23.79	27.20	28.08	< 30.00
		1	0	20.09	19.39	22.76	23.64	< 30.00
		1	77	20.06	19.28	22.70	23.58	< 30.00
30	3500.01	36	18	25.88	25.19	28.56	29.44	< 30.00
		1	1	26.05	25.21	28.66	29.54	< 30.00
		1	76	25.82	25.13	28.50	29.38	< 30.00
		75	0	24.49	23.72	27.13	28.01	< 30.00
		1	0	20.16	19.30	22.76	23.64	< 30.00
		1	77	19.90	19.31	22.63	23.51	< 30.00
30	3534.99	36	18	25.82	25.08	28.48	29.36	< 30.00
		1	1	25.86	25.24	28.57	29.45	< 30.00
		1	76	25.77	25.06	28.44	29.32	< 30.00
		75	0	24.44	23.74	27.11	27.99	< 30.00
		1	0	19.86	19.43	22.66	23.54	< 30.00
		1	77	19.95	19.25	22.62	23.50	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
40	3470.01	50	25	25.98	25.24	28.64	29.52	< 30.00
		1	1	25.92	25.28	28.62	29.50	< 30.00
		1	104	25.87	25.26	28.59	29.47	< 30.00
		100	0	24.53	23.83	27.20	28.08	< 30.00
		1	0	20.05	19.54	22.81	23.69	< 30.00
		1	105	20.01	19.38	22.72	23.60	< 30.00
40	3500.01	50	25	25.92	25.20	28.59	29.47	< 30.00
		1	1	26.07	25.18	28.66	29.54	< 30.00
		1	104	25.83	25.11	28.50	29.38	< 30.00
		100	0	24.50	23.84	27.19	28.07	< 30.00
		1	0	20.23	19.53	22.90	23.78	< 30.00
		1	105	20.05	19.32	22.71	23.59	< 30.00
40	3529.98	50	25	25.84	25.14	28.51	29.39	< 30.00
		1	1	25.93	25.24	28.61	29.49	< 30.00
		1	104	25.83	25.14	28.51	29.39	< 30.00
		100	0	24.43	23.73	27.10	27.98	< 30.00
		1	0	20.09	19.48	22.81	23.69	< 30.00
		1	105	19.99	19.26	22.65	23.53	< 30.00
50	3475.02	64	32	25.78	25.04	28.44	29.32	< 30.00
		1	1	25.78	25.10	28.46	29.34	< 30.00
		1	131	25.52	24.79	28.18	29.06	< 30.00
		128	0	24.30	23.56	26.96	27.84	< 30.00
		1	0	19.90	19.23	22.59	23.47	< 30.00
		1	132	19.56	18.88	22.24	23.12	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
50	3500.01	64	32	25.81	24.94	28.41	29.29	< 30.00
		1	1	25.97	25.15	28.59	29.47	< 30.00
		1	131	25.53	24.72	28.15	29.03	< 30.00
		128	0	24.31	23.46	26.92	27.80	< 30.00
		1	0	20.12	19.21	22.70	23.58	< 30.00
		1	132	19.64	18.87	22.28	23.16	< 30.00
50	3525.00	64	32	25.75	24.88	28.35	29.23	< 30.00
		1	1	25.77	24.91	28.37	29.25	< 30.00
		1	131	25.51	24.62	28.10	28.98	< 30.00
		128	0	24.28	23.45	26.90	27.78	< 30.00
		1	0	19.98	19.18	22.61	23.49	< 30.00
		1	132	19.70	18.85	22.31	23.19	< 30.00
60	3480.00	81	40	25.70	24.73	28.25	29.13	< 30.00
		1	1	25.69	24.79	28.27	29.15	< 30.00
		1	160	25.29	24.51	27.93	28.81	< 30.00
		162	0	24.08	23.29	26.71	27.59	< 30.00
		1	0	19.65	18.93	22.32	23.20	< 30.00
		1	161	19.46	18.75	22.13	23.01	< 30.00
60	3500.01	81	40	25.64	24.81	28.26	29.14	< 30.00
		1	1	25.84	24.90	28.41	29.29	< 30.00
		1	160	25.40	24.60	28.03	28.91	< 30.00
		162	0	24.17	23.29	26.76	27.64	< 30.00
		1	0	19.86	18.96	22.44	23.32	< 30.00
		1	161	19.47	18.71	22.12	23.00	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
60	3519.99	81	40	25.68	24.79	28.27	29.15	< 30.00
		1	1	25.80	24.79	28.33	29.21	< 30.00
		1	160	25.42	24.47	27.98	28.86	< 30.00
		162	0	24.14	23.27	26.74	27.62	< 30.00
		1	0	19.85	18.79	22.36	23.24	< 30.00
		1	161	19.46	18.59	22.06	22.94	< 30.00
70	3485.01	90	45	25.52	24.63	28.11	28.99	< 30.00
		1	1	25.67	24.85	28.29	29.17	< 30.00
		1	187	25.29	24.55	27.95	28.83	< 30.00
		180	0	24.10	23.27	26.72	27.60	< 30.00
		1	0	19.68	19.14	22.43	23.31	< 30.00
		1	188	19.24	18.53	21.91	22.79	< 30.00
70	3500.01	90	45	25.56	24.71	28.17	29.05	< 30.00
		1	1	25.73	24.86	28.33	29.21	< 30.00
		1	187	25.28	24.49	27.91	28.79	< 30.00
		180	0	24.07	23.27	26.70	27.58	< 30.00
		1	0	19.77	19.04	22.43	23.31	< 30.00
		1	188	19.23	18.55	21.91	22.79	< 30.00
70	3514.98	90	45	25.53	24.69	28.14	29.02	< 30.00
		1	1	25.71	24.84	28.31	29.19	< 30.00
		1	187	25.23	24.40	27.85	28.73	< 30.00
		180	0	24.05	23.23	26.67	27.55	< 30.00
		1	0	19.78	18.96	22.40	23.28	< 30.00
		1	188	19.36	18.51	21.97	22.85	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
80	3490.02	108	54	25.66	24.72	28.23	29.11	< 30.00
		1	1	25.64	24.77	28.24	29.12	< 30.00
		1	215	25.31	24.52	27.94	28.82	< 30.00
		216	0	24.01	23.29	26.68	27.56	< 30.00
		1	0	19.67	19.09	22.40	23.28	< 30.00
		1	216	19.36	18.58	22.00	22.88	< 30.00
80	3500.01	108	54	25.58	24.78	28.21	29.09	< 30.00
		1	1	25.74	24.90	28.35	29.23	< 30.00
		1	215	25.32	24.50	27.94	28.82	< 30.00
		216	0	24.15	23.27	26.74	27.62	< 30.00
		1	0	19.82	19.02	22.45	23.33	< 30.00
		1	216	19.33	18.60	21.99	22.87	< 30.00
80	3510.00	108	54	25.57	24.74	28.19	29.07	< 30.00
		1	1	25.76	24.75	28.29	29.17	< 30.00
		1	215	25.32	24.50	27.94	28.82	< 30.00
		216	0	24.06	23.25	26.68	27.56	< 30.00
		1	0	19.88	18.87	22.41	23.29	< 30.00
		1	216	19.27	18.51	21.92	22.80	< 30.00
90	3495.00	120	60	25.58	24.75	28.20	29.08	< 30.00
		1	1	25.67	24.73	28.24	29.12	< 30.00
		1	243	25.34	24.54	27.97	28.85	< 30.00
		243	0	24.09	23.31	26.73	27.61	< 30.00
		1	0	19.64	19.05	22.37	23.25	< 30.00
		1	244	19.37	18.64	22.03	22.91	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
90	3500.01	120	60	25.57	24.88	28.25	29.13	< 30.00
		1	1	25.69	24.91	28.33	29.21	< 30.00
		1	243	25.41	24.58	28.03	28.91	< 30.00
		243	0	24.12	23.36	26.77	27.65	< 30.00
		1	0	19.74	19.02	22.41	23.29	< 30.00
		1	244	19.30	18.73	22.03	22.91	< 30.00
90	3504.99	120	60	25.61	24.84	28.25	29.13	< 30.00
		1	1	25.85	24.97	28.44	29.32	< 30.00
		1	243	25.41	24.55	28.01	28.89	< 30.00
		243	0	24.18	23.32	26.78	27.66	< 30.00
		1	0	19.94	19.07	22.54	23.42	< 30.00
		1	244	19.44	18.69	22.09	22.97	< 30.00
100	3500.01	135	67	25.57	24.82	28.22	29.10	< 30.00
		1	1	25.65	24.95	28.32	29.20	< 30.00
		1	271	25.45	24.65	28.08	28.96	< 30.00
		270	0	24.11	23.34	26.75	27.63	< 30.00
		1	0	19.68	19.03	22.38	23.26	< 30.00
		1	272	19.43	18.62	22.05	22.93	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
10	3455.01	12	6	25.41	24.63	28.05	28.93	< 30.00
		1	1	25.39	24.57	28.01	28.89	< 30.00
		1	22	25.32	24.60	27.99	28.87	< 30.00
		24	0	23.40	22.75	26.10	26.98	< 30.00
		1	0	18.94	18.23	21.61	22.49	< 30.00
		1	23	18.95	18.22	21.61	22.49	< 30.00
10	3500.01	12	6	25.46	24.66	28.09	28.97	< 30.00
		1	1	25.41	24.66	28.06	28.94	< 30.00
		1	22	24.37	24.67	27.53	28.41	< 30.00
		24	0	23.52	22.72	26.15	27.03	< 30.00
		1	0	18.98	18.26	21.65	22.53	< 30.00
		1	23	18.90	18.20	21.57	22.45	< 30.00
10	3544.98	12	6	25.46	24.59	28.06	28.94	< 30.00
		1	1	25.41	24.62	28.04	28.92	< 30.00
		1	22	24.35	24.63	27.50	28.38	< 30.00
		24	0	23.39	22.71	26.07	26.95	< 30.00
		1	0	19.05	18.24	21.67	22.55	< 30.00
		1	23	18.95	18.27	21.63	22.51	< 30.00
15	3457.50	18	9	25.74	24.87	28.34	29.22	< 30.00
		1	1	25.73	24.87	28.33	29.21	< 30.00
		1	36	25.77	24.82	28.33	29.21	< 30.00
		36	0	23.75	22.95	26.38	27.26	< 30.00
		1	0	19.26	18.52	21.92	22.80	< 30.00
		1	37	19.32	18.44	21.91	22.79	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
15	3500.01	18	9	25.71	24.96	28.36	29.24	< 30.00
		1	1	25.77	24.94	28.39	29.27	< 30.00
		1	36	25.74	24.95	28.37	29.25	< 30.00
		36	0	23.76	22.95	26.38	27.26	< 30.00
		1	0	19.36	18.51	21.97	22.85	< 30.00
		1	37	19.19	18.43	21.84	22.72	< 30.00
15	3542.49	18	9	25.75	24.91	28.36	29.24	< 30.00
		1	1	25.65	24.84	28.27	29.15	< 30.00
		1	36	25.78	24.85	28.35	29.23	< 30.00
		36	0	23.79	22.92	26.39	27.27	< 30.00
		1	0	19.29	18.51	21.93	22.81	< 30.00
		1	37	19.13	18.36	21.77	22.65	< 30.00
20	3460.02	25	12	25.92	25.09	28.54	29.42	< 30.00
		1	1	25.92	25.04	28.51	29.39	< 30.00
		1	49	25.89	25.06	28.51	29.39	< 30.00
		50	0	23.94	23.12	26.56	27.44	< 30.00
		1	0	19.42	18.68	22.08	22.96	< 30.00
		1	50	19.47	18.63	22.08	22.96	< 30.00
20	3500.01	25	12	25.82	25.11	28.49	29.37	< 30.00
		1	1	25.90	25.14	28.55	29.43	< 30.00
		1	49	25.74	24.96	28.38	29.26	< 30.00
		50	0	23.90	23.19	26.57	27.45	< 30.00
		1	0	19.44	18.65	22.07	22.95	< 30.00
		1	50	19.26	18.59	21.95	22.83	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
20	3540.00	25	12	25.82	25.01	28.44	29.32	< 30.00
		1	1	25.84	25.10	28.50	29.38	< 30.00
		1	49	25.80	24.96	28.41	29.29	< 30.00
		50	0	23.93	23.12	26.55	27.43	< 30.00
		1	0	19.52	18.74	22.16	23.04	< 30.00
		1	50	19.40	18.61	22.03	22.91	< 30.00
25	3462.51	32	16	25.91	25.17	28.57	29.45	< 30.00
		1	1	25.84	25.28	28.58	29.46	< 30.00
		1	63	25.87	25.16	28.54	29.42	< 30.00
		64	0	23.89	23.20	26.57	27.45	< 30.00
		1	0	19.29	18.74	22.03	22.91	< 30.00
		1	64	19.43	18.67	22.08	22.96	< 30.00
25	3500.01	32	16	25.87	25.12	28.52	29.40	< 30.00
		1	1	25.93	25.14	28.56	29.44	< 30.00
		1	63	25.79	25.09	28.46	29.34	< 30.00
		64	0	23.85	23.11	26.51	27.39	< 30.00
		1	0	20.40	18.74	22.66	23.54	< 30.00
		1	64	19.25	18.65	21.97	22.85	< 30.00
25	3537.48	32	16	25.83	25.05	28.47	29.35	< 30.00
		1	1	25.87	25.17	28.54	29.42	< 30.00
		1	63	25.78	25.06	28.45	29.33	< 30.00
		64	0	23.81	23.18	26.52	27.40	< 30.00
		1	0	19.39	18.69	22.06	22.94	< 30.00
		1	64	19.20	18.61	21.93	22.81	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
30	3465.00	36	18	25.94	25.20	28.60	29.48	< 30.00
		1	1	25.97	25.19	28.61	29.49	< 30.00
		1	76	25.86	25.07	28.49	29.37	< 30.00
		75	0	24.06	23.28	26.70	27.58	< 30.00
		1	0	19.47	18.85	22.18	23.06	< 30.00
		1	77	19.42	18.64	22.06	22.94	< 30.00
30	3500.01	36	18	25.84	25.11	28.50	29.38	< 30.00
		1	1	26.04	25.20	28.65	29.53	< 30.00
		1	76	25.87	25.14	28.53	29.41	< 30.00
		75	0	23.98	23.20	26.62	27.50	< 30.00
		1	0	19.70	18.91	22.33	23.21	< 30.00
		1	77	19.37	18.74	22.08	22.96	< 30.00
30	3534.99	36	18	25.83	25.12	28.50	29.38	< 30.00
		1	1	25.90	25.17	28.56	29.44	< 30.00
		1	76	25.80	25.04	28.45	29.33	< 30.00
		75	0	23.97	23.28	26.65	27.53	< 30.00
		1	0	19.57	18.87	22.24	23.12	< 30.00
		1	77	19.39	18.66	22.05	22.93	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
40	3470.01	50	25	25.97	25.20	28.61	29.49	< 30.00
		1	1	25.98	25.33	28.68	29.56	< 30.00
		1	104	25.82	25.32	28.59	29.47	< 30.00
		100	0	24.04	23.33	26.71	27.59	< 30.00
		1	0	19.59	18.99	22.31	23.19	< 30.00
		1	105	19.49	18.90	22.22	23.10	< 30.00
40	3500.01	50	25	25.99	25.25	28.65	29.53	< 30.00
		1	1	26.13	25.29	28.74	29.62	< 30.00
		1	104	25.83	25.17	28.52	29.40	< 30.00
		100	0	23.98	23.31	26.67	27.55	< 30.00
		1	0	19.70	18.98	22.37	23.25	< 30.00
		1	105	19.40	18.82	22.13	23.01	< 30.00
40	3529.98	50	25	25.87	25.15	28.54	29.42	< 30.00
		1	1	25.83	25.30	28.58	29.46	< 30.00
		1	104	25.84	25.18	28.53	29.41	< 30.00
		100	0	23.93	23.21	26.60	27.48	< 30.00
		1	0	19.48	18.88	22.20	23.08	< 30.00
		1	105	19.44	18.72	22.11	22.99	< 30.00
50	3475.02	64	32	25.79	24.98	28.41	29.29	< 30.00
		1	1	25.78	25.22	28.52	29.40	< 30.00
		1	131	25.43	24.77	28.12	29.00	< 30.00
		128	0	23.81	23.04	26.45	27.33	< 30.00
		1	0	19.34	18.64	22.01	22.89	< 30.00
		1	132	19.05	18.30	21.70	22.58	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
50	3500.01	64	32	25.77	24.92	28.38	29.26	< 30.00
		1	1	25.91	25.05	28.51	29.39	< 30.00
		1	131	25.57	24.70	28.17	29.05	< 30.00
		128	0	23.81	23.02	26.44	27.32	< 30.00
		1	0	19.52	18.63	22.11	22.99	< 30.00
		1	132	19.10	18.39	21.77	22.65	< 30.00
50	3525.00	64	32	25.72	24.89	28.34	29.22	< 30.00
		1	1	25.74	24.98	28.39	29.27	< 30.00
		1	131	25.51	24.63	28.10	28.98	< 30.00
		128	0	23.83	22.98	26.44	27.32	< 30.00
		1	0	19.40	18.64	22.05	22.93	< 30.00
		1	132	19.16	18.22	21.73	22.61	< 30.00
60	3480.00	81	40	25.67	24.73	28.24	29.12	< 30.00
		1	1	25.68	24.79	28.27	29.15	< 30.00
		1	160	25.33	24.53	27.96	28.84	< 30.00
		162	0	23.64	22.76	26.23	27.11	< 30.00
		1	0	19.17	18.45	21.84	22.72	< 30.00
		1	161	18.85	18.16	21.53	22.41	< 30.00
60	3500.01	81	40	25.60	24.75	28.21	29.09	< 30.00
		1	1	25.74	24.81	28.31	29.19	< 30.00
		1	160	25.34	24.60	28.00	28.88	< 30.00
		162	0	23.66	22.76	26.24	27.12	< 30.00
		1	0	19.31	18.34	21.86	22.74	< 30.00
		1	161	18.86	18.05	21.48	22.36	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
60	3519.99	81	40	25.63	24.81	28.25	29.13	< 30.00
		1	1	25.71	24.82	28.30	29.18	< 30.00
		1	160	25.43	24.39	27.95	28.83	< 30.00
		162	0	23.68	22.70	26.23	27.11	< 30.00
		1	0	19.24	18.32	21.81	22.69	< 30.00
		1	161	18.98	17.99	21.52	22.40	< 30.00
70	3485.01	90	45	25.47	24.70	28.11	28.99	< 30.00
		1	1	25.66	24.77	28.25	29.13	< 30.00
		1	187	25.20	24.53	27.89	28.77	< 30.00
		180	0	23.59	22.79	26.22	27.10	< 30.00
		1	0	19.12	18.43	21.80	22.68	< 30.00
		1	188	18.71	18.02	21.39	22.27	< 30.00
70	3500.01	90	45	25.59	24.71	28.18	29.06	< 30.00
		1	1	25.83	24.89	28.40	29.28	< 30.00
		1	187	25.26	24.47	27.89	28.77	< 30.00
		180	0	23.54	22.82	26.21	27.09	< 30.00
		1	0	19.16	18.47	21.84	22.72	< 30.00
		1	188	18.81	17.93	21.40	22.28	< 30.00
70	3514.98	90	45	25.55	24.72	28.17	29.05	< 30.00
		1	1	25.68	24.74	28.25	29.13	< 30.00
		1	187	25.22	24.61	27.94	28.82	< 30.00
		180	0	23.51	22.70	26.13	27.01	< 30.00
		1	0	19.26	18.44	21.88	22.76	< 30.00
		1	188	18.82	17.99	21.44	22.32	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
80	3490.02	108	54	25.56	24.77	28.19	29.07	< 30.00
		1	1	25.68	24.73	28.24	29.12	< 30.00
		1	215	25.28	24.54	27.94	28.82	< 30.00
		216	0	23.51	22.79	26.18	27.06	< 30.00
		1	0	19.15	18.45	21.82	22.70	< 30.00
		1	216	18.73	18.07	21.42	22.30	< 30.00
80	3500.01	108	54	25.54	24.73	28.16	29.04	< 30.00
		1	1	25.79	24.79	28.33	29.21	< 30.00
		1	215	25.37	24.40	27.92	28.80	< 30.00
		216	0	23.67	22.76	26.25	27.13	< 30.00
		1	0	19.24	18.43	21.86	22.74	< 30.00
		1	216	18.87	17.92	21.43	22.31	< 30.00
80	3510.00	108	54	25.50	24.72	28.14	29.02	< 30.00
		1	1	25.70	24.71	28.24	29.12	< 30.00
		1	215	25.33	24.47	27.93	28.81	< 30.00
		216	0	23.56	22.74	26.18	27.06	< 30.00
		1	0	19.27	18.40	21.87	22.75	< 30.00
		1	216	18.79	18.01	21.43	22.31	< 30.00
90	3495.00	120	60	25.60	24.74	28.20	29.08	< 30.00
		1	1	25.62	24.88	28.28	29.16	< 30.00
		1	243	25.34	24.50	27.95	28.83	< 30.00
		243	0	23.56	22.80	26.21	27.09	< 30.00
		1	0	19.15	18.48	21.84	22.72	< 30.00
		1	244	18.91	18.10	21.53	22.41	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
90	3500.01	120	60	25.57	24.82	28.22	29.10	< 30.00
		1	1	25.71	24.86	28.32	29.20	< 30.00
		1	243	25.36	24.63	28.02	28.90	< 30.00
		243	0	23.61	22.86	26.26	27.14	< 30.00
		1	0	19.18	18.50	21.86	22.74	< 30.00
		1	244	18.90	17.98	21.47	22.35	< 30.00
90	3504.99	120	60	25.63	24.83	28.26	29.14	< 30.00
		1	1	25.84	24.91	28.41	29.29	< 30.00
		1	243	25.42	24.62	28.05	28.93	< 30.00
		243	0	23.74	22.83	26.32	27.20	< 30.00
		1	0	19.42	18.53	22.01	22.89	< 30.00
		1	244	19.10	18.14	21.66	22.54	< 30.00
100	3500.01	135	67	25.56	24.86	28.23	29.11	< 30.00
		1	1	25.68	24.86	28.30	29.18	< 30.00
		1	271	25.47	24.60	28.07	28.95	< 30.00
		270	0	23.57	22.82	26.22	27.10	< 30.00
		1	0	19.14	18.49	21.84	22.72	< 30.00
		1	272	18.86	18.11	21.51	22.39	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
10	3455.01	12	6	24.42	23.67	27.07	27.95	< 30.00
		1	1	24.38	23.65	27.04	27.92	< 30.00
		1	22	24.28	23.57	26.95	27.83	< 30.00
		24	0	22.49	21.80	25.17	26.05	< 30.00
		1	0	18.94	18.06	21.53	22.41	< 30.00
		1	23	18.91	18.23	21.59	22.47	< 30.00
10	3500.01	12	6	24.36	23.59	27.00	27.88	< 30.00
		1	1	24.44	23.61	27.06	27.94	< 30.00
		1	22	24.28	23.45	26.90	27.78	< 30.00
		24	0	22.59	21.78	25.21	26.09	< 30.00
		1	0	18.98	18.22	21.63	22.51	< 30.00
		1	23	18.90	18.04	21.50	22.38	< 30.00
10	3544.98	12	6	24.42	23.60	27.04	27.92	< 30.00
		1	1	24.46	23.57	27.05	27.93	< 30.00
		1	22	24.27	23.51	26.92	27.80	< 30.00
		24	0	22.53	21.75	25.17	26.05	< 30.00
		1	0	19.06	18.25	21.68	22.56	< 30.00
		1	23	18.93	18.11	21.55	22.43	< 30.00
15	3457.50	18	9	24.72	23.90	27.34	28.22	< 30.00
		1	1	24.70	23.89	27.32	28.20	< 30.00
		1	36	24.63	23.70	27.20	28.08	< 30.00
		36	0	22.83	21.99	25.44	26.32	< 30.00
		1	0	19.15	18.36	21.78	22.66	< 30.00
		1	37	19.30	18.49	21.92	22.80	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
15	3500.01	18	9	24.69	23.91	27.33	28.21	< 30.00
		1	1	24.55	23.78	27.19	28.07	< 30.00
		1	36	24.52	23.81	27.19	28.07	< 30.00
		36	0	22.79	21.99	25.42	26.30	< 30.00
		1	0	19.18	18.48	21.85	22.73	< 30.00
		1	37	19.08	18.34	21.74	22.62	< 30.00
15	3542.49	18	9	24.69	23.84	27.30	28.18	< 30.00
		1	1	24.51	23.82	27.19	28.07	< 30.00
		1	36	24.51	23.66	27.12	28.00	< 30.00
		36	0	22.81	21.97	25.42	26.30	< 30.00
		1	0	19.20	18.38	21.82	22.70	< 30.00
		1	37	19.16	18.33	21.78	22.66	< 30.00
20	3460.02	25	12	24.90	24.10	27.53	28.41	< 30.00
		1	1	24.67	23.88	27.30	28.18	< 30.00
		1	49	24.90	24.05	27.51	28.39	< 30.00
		50	0	23.02	22.21	25.64	26.52	< 30.00
		1	0	19.32	18.52	21.95	22.83	< 30.00
		1	50	19.39	18.60	22.02	22.90	< 30.00
20	3500.01	25	12	24.88	24.12	27.53	28.41	< 30.00
		1	1	24.84	24.07	27.48	28.36	< 30.00
		1	49	24.52	23.95	27.25	28.13	< 30.00
		50	0	22.92	22.17	25.57	26.45	< 30.00
		1	0	19.34	18.54	21.97	22.85	< 30.00
		1	50	19.30	18.50	21.93	22.81	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
20	3540.00	25	12	24.85	24.06	27.48	28.36	< 30.00
		1	1	24.95	24.14	27.57	28.45	< 30.00
		1	49	24.81	24.05	27.46	28.34	< 30.00
		50	0	22.95	22.14	25.57	26.45	< 30.00
		1	0	19.31	18.57	21.97	22.85	< 30.00
		1	50	19.27	18.44	21.89	22.77	< 30.00
25	3462.51	32	16	24.91	24.15	27.56	28.44	< 30.00
		1	1	24.78	24.16	27.49	28.37	< 30.00
		1	63	24.83	24.15	27.51	28.39	< 30.00
		64	0	22.89	22.18	25.56	26.44	< 30.00
		1	0	19.42	18.78	22.12	23.00	< 30.00
		1	64	19.38	18.61	22.02	22.90	< 30.00
25	3500.01	32	16	24.85	24.12	27.51	28.39	< 30.00
		1	1	24.96	24.06	27.54	28.42	< 30.00
		1	63	24.76	24.06	27.43	28.31	< 30.00
		64	0	22.81	22.11	25.48	26.36	< 30.00
		1	0	19.37	18.75	22.08	22.96	< 30.00
		1	64	19.23	18.53	21.90	22.78	< 30.00
25	3537.48	32	16	24.86	24.11	27.51	28.39	< 30.00
		1	1	24.80	24.00	27.43	28.31	< 30.00
		1	63	24.71	24.04	27.40	28.28	< 30.00
		64	0	22.84	22.17	25.53	26.41	< 30.00
		1	0	19.36	18.69	22.05	22.93	< 30.00
		1	64	19.17	18.39	21.81	22.69	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
30	3465.00	36	18	24.95	24.21	27.61	28.49	< 30.00
		1	1	24.97	24.28	27.65	28.53	< 30.00
		1	76	24.69	23.97	27.36	28.24	< 30.00
		75	0	23.10	22.33	25.74	26.62	< 30.00
		1	0	19.45	18.82	22.16	23.04	< 30.00
		1	77	19.38	18.72	22.07	22.95	< 30.00
30	3500.01	36	18	24.86	24.11	27.51	28.39	< 30.00
		1	1	24.96	24.20	27.61	28.49	< 30.00
		1	76	24.65	23.95	27.32	28.20	< 30.00
		75	0	23.08	22.24	25.69	26.57	< 30.00
		1	0	19.58	18.87	22.25	23.13	< 30.00
		1	77	19.41	18.71	22.08	22.96	< 30.00
30	3534.99	36	18	24.87	24.08	27.50	28.38	< 30.00
		1	1	24.69	23.99	27.36	28.24	< 30.00
		1	76	24.75	24.09	27.44	28.32	< 30.00
		75	0	22.99	22.31	25.67	26.55	< 30.00
		1	0	19.38	18.85	22.13	23.01	< 30.00
		1	77	19.36	18.54	21.98	22.86	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
40	3470.01	50	25	25.00	24.24	27.65	28.53	< 30.00
		1	1	24.86	24.28	27.59	28.47	< 30.00
		1	104	24.91	24.26	27.61	28.49	< 30.00
		100	0	23.02	22.35	25.71	26.59	< 30.00
		1	0	19.54	18.96	22.27	23.15	< 30.00
		1	105	19.54	18.95	22.27	23.15	< 30.00
40	3500.01	50	25	24.94	24.16	27.58	28.46	< 30.00
		1	1	25.19	24.27	27.76	28.64	< 30.00
		1	104	24.84	24.21	27.55	28.43	< 30.00
		100	0	23.04	22.31	25.70	26.58	< 30.00
		1	0	19.75	19.02	22.41	23.29	< 30.00
		1	105	19.31	18.71	22.03	22.91	< 30.00
40	3529.98	50	25	24.89	24.14	27.54	28.42	< 30.00
		1	1	24.98	24.26	27.65	28.53	< 30.00
		1	104	24.74	24.14	27.46	28.34	< 30.00
		100	0	22.93	22.25	25.61	26.49	< 30.00
		1	0	19.62	18.91	22.29	23.17	< 30.00
		1	105	19.56	18.83	22.22	23.10	< 30.00
50	3475.02	64	32	14.81	23.97	24.47	25.35	< 30.00
		1	1	24.60	23.81	27.23	28.11	< 30.00
		1	131	24.47	23.67	27.10	27.98	< 30.00
		128	0	22.84	22.06	25.48	26.36	< 30.00
		1	0	19.23	18.57	21.92	22.80	< 30.00
		1	132	18.99	18.31	21.67	22.55	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
50	3500.01	64	32	24.74	23.98	27.39	28.27	< 30.00
		1	1	24.95	24.02	27.52	28.40	< 30.00
		1	131	24.32	23.52	26.95	27.83	< 30.00
		128	0	22.82	22.07	25.47	26.35	< 30.00
		1	0	19.60	18.70	22.18	23.06	< 30.00
		1	132	19.21	18.31	21.79	22.67	< 30.00
50	3525.00	64	32	24.75	23.89	27.35	28.23	< 30.00
		1	1	24.53	23.82	27.20	28.08	< 30.00
		1	131	24.50	23.65	27.11	27.99	< 30.00
		128	0	22.83	22.02	25.45	26.33	< 30.00
		1	0	19.26	18.46	21.89	22.77	< 30.00
		1	132	19.03	18.19	21.64	22.52	< 30.00
60	3480.00	81	40	24.63	23.66	27.18	28.06	< 30.00
		1	1	24.66	23.76	27.24	28.12	< 30.00
		1	160	24.18	23.40	26.82	27.70	< 30.00
		162	0	22.66	21.77	25.25	26.13	< 30.00
		1	0	19.10	18.31	21.73	22.61	< 30.00
		1	161	18.76	17.97	21.39	22.27	< 30.00
60	3500.01	81	40	24.55	23.72	27.17	28.05	< 30.00
		1	1	24.68	23.78	27.26	28.14	< 30.00
		1	160	24.36	23.34	26.89	27.77	< 30.00
		162	0	22.67	21.77	25.25	26.13	< 30.00
		1	0	19.23	18.29	21.80	22.68	< 30.00
		1	161	18.87	18.01	21.47	22.35	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
60	3519.99	81	40	24.62	23.69	27.19	28.07	< 30.00
		1	1	24.72	23.77	27.28	28.16	< 30.00
		1	160	24.34	23.40	26.91	27.79	< 30.00
		162	0	22.68	21.71	25.23	26.11	< 30.00
		1	0	19.19	18.25	21.76	22.64	< 30.00
		1	161	18.85	17.96	21.44	22.32	< 30.00
70	3485.01	90	45	24.51	23.74	27.15	28.03	< 30.00
		1	1	24.53	23.78	27.18	28.06	< 30.00
		1	187	24.26	23.51	26.91	27.79	< 30.00
		180	0	22.58	21.78	25.21	26.09	< 30.00
		1	0	19.04	18.30	21.70	22.58	< 30.00
		1	188	18.68	17.97	21.35	22.23	< 30.00
70	3500.01	90	45	24.52	23.70	27.14	28.02	< 30.00
		1	1	24.81	23.73	27.31	28.19	< 30.00
		1	187	24.04	23.25	26.67	27.55	< 30.00
		180	0	22.54	21.80	25.20	26.08	< 30.00
		1	0	19.22	18.41	21.84	22.72	< 30.00
		1	188	18.82	17.97	21.43	22.31	< 30.00
70	3514.98	90	45	24.47	23.66	27.09	27.97	< 30.00
		1	1	24.61	23.76	27.22	28.10	< 30.00
		1	187	24.18	23.32	26.78	27.66	< 30.00
		180	0	22.55	21.69	25.15	26.03	< 30.00
		1	0	19.19	18.28	21.77	22.65	< 30.00
		1	188	18.66	17.91	21.31	22.19	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
80	3490.02	108	54	24.54	23.72	27.16	28.04	< 30.00
		1	1	24.69	23.75	27.26	28.14	< 30.00
		1	215	24.02	23.23	26.65	27.53	< 30.00
		216	0	22.55	21.78	25.19	26.07	< 30.00
		1	0	19.15	18.55	21.87	22.75	< 30.00
		1	216	18.74	18.11	21.45	22.33	< 30.00
80	3500.01	108	54	24.50	23.78	27.17	28.05	< 30.00
		1	1	24.74	23.78	27.30	28.18	< 30.00
		1	215	24.38	23.49	26.97	27.85	< 30.00
		216	0	22.66	21.76	25.24	26.12	< 30.00
		1	0	19.18	18.32	21.78	22.66	< 30.00
		1	216	18.84	17.96	21.43	22.31	< 30.00
80	3510.00	108	54	24.50	23.73	27.14	28.02	< 30.00
		1	1	24.69	23.70	27.23	28.11	< 30.00
		1	215	24.28	23.33	26.84	27.72	< 30.00
		216	0	22.57	21.74	25.19	26.07	< 30.00
		1	0	19.20	18.30	21.78	22.66	< 30.00
		1	216	18.69	17.86	21.31	22.19	< 30.00
90	3495.00	120	60	24.59	23.72	27.19	28.07	< 30.00
		1	1	24.63	23.81	27.25	28.13	< 30.00
		1	243	24.36	23.58	27.00	27.88	< 30.00
		243	0	22.63	21.86	25.27	26.15	< 30.00
		1	0	19.03	18.25	21.67	22.55	< 30.00
		1	244	18.82	18.01	21.44	22.32	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
90	3500.01	120	60	24.61	23.82	27.24	28.12	< 30.00
		1	1	24.87	23.82	27.39	28.27	< 30.00
		1	243	24.35	23.56	26.98	27.86	< 30.00
		243	0	22.66	21.90	25.31	26.19	< 30.00
		1	0	19.11	18.43	21.79	22.67	< 30.00
		1	244	18.83	18.06	21.47	22.35	< 30.00
90	3504.99	120	60	24.67	23.82	27.28	28.16	< 30.00
		1	1	24.71	23.82	27.30	28.18	< 30.00
		1	243	24.31	23.45	26.91	27.79	< 30.00
		243	0	22.70	21.84	25.30	26.18	< 30.00
		1	0	19.61	18.37	22.04	22.92	< 30.00
		1	244	19.10	18.22	21.69	22.57	< 30.00
100	3500.01	135	67	24.55	23.83	27.22	28.10	< 30.00
		1	1	24.62	23.79	27.24	28.12	< 30.00
		1	271	24.31	23.58	26.97	27.85	< 30.00
		270	0	22.61	21.83	25.25	26.13	< 30.00
		1	0	19.15	18.40	21.80	22.68	< 30.00
		1	272	18.80	18.06	21.46	22.34	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 64QAM								
10	3455.01	12	6	22.58	21.75	25.20	26.08	< 30.00
		1	1	22.63	21.79	25.24	26.12	< 30.00
		1	22	22.45	21.77	25.13	26.01	< 30.00
		24	0	22.05	21.31	24.71	25.59	< 30.00
		1	0	19.09	18.33	21.74	22.62	< 30.00
		1	23	18.90	18.21	21.58	22.46	< 30.00
10	3500.01	12	6	22.57	21.76	25.19	26.07	< 30.00
		1	1	22.66	21.86	25.29	26.17	< 30.00
		1	22	22.53	21.97	25.27	26.15	< 30.00
		24	0	22.00	21.21	24.63	25.51	< 30.00
		1	0	19.10	18.38	21.77	22.65	< 30.00
		1	23	19.01	18.33	21.69	22.57	< 30.00
10	3544.98	12	6	22.51	21.75	25.16	26.04	< 30.00
		1	1	22.45	21.66	25.08	25.96	< 30.00
		1	22	22.52	21.75	25.16	26.04	< 30.00
		24	0	22.02	21.27	24.67	25.55	< 30.00
		1	0	19.08	18.28	21.71	22.59	< 30.00
		1	23	19.13	18.36	21.77	22.65	< 30.00
15	3457.50	18	9	22.80	21.97	25.42	26.30	< 30.00
		1	1	22.79	22.13	25.48	26.36	< 30.00
		1	36	22.89	21.99	25.47	26.35	< 30.00
		36	0	22.38	21.52	24.98	25.86	< 30.00
		1	0	19.16	18.37	21.79	22.67	< 30.00
		1	37	19.33	18.37	21.89	22.77	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 64QAM								
15	3500.01	18	9	22.78	22.01	25.42	26.30	< 30.00
		1	1	22.81	22.03	25.45	26.33	< 30.00
		1	36	22.82	22.08	25.48	26.36	< 30.00
		36	0	22.29	21.48	24.91	25.79	< 30.00
		1	0	19.58	18.78	22.21	23.09	< 30.00
		1	37	19.34	18.73	22.06	22.94	< 30.00
15	3542.49	18	9	22.83	21.95	25.42	26.30	< 30.00
		1	1	22.73	22.02	25.40	26.28	< 30.00
		1	36	22.75	21.95	25.38	26.26	< 30.00
		36	0	22.36	21.48	24.95	25.83	< 30.00
		1	0	19.57	18.88	22.25	23.13	< 30.00
		1	37	19.24	18.39	21.85	22.73	< 30.00
20	3460.02	25	12	22.92	22.14	25.56	26.44	< 30.00
		1	1	22.89	22.08	25.51	26.39	< 30.00
		1	49	23.10	22.15	25.66	26.54	< 30.00
		50	0	22.52	21.70	25.14	26.02	< 30.00
		1	0	19.41	18.64	22.05	22.93	< 30.00
		1	50	19.35	18.50	21.96	22.84	< 30.00
20	3500.01	25	12	22.87	22.15	25.54	26.42	< 30.00
		1	1	22.88	22.14	25.54	26.42	< 30.00
		1	49	22.77	22.16	25.49	26.37	< 30.00
		50	0	22.50	21.70	25.13	26.01	< 30.00
		1	0	19.37	18.51	21.97	22.85	< 30.00
		1	50	19.25	18.49	21.90	22.78	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 64QAM								
20	3540.00	25	12	22.88	22.13	25.53	26.41	< 30.00
		1	1	22.82	22.17	25.52	26.40	< 30.00
		1	49	23.01	22.23	25.65	26.53	< 30.00
		50	0	22.43	21.63	25.06	25.94	< 30.00
		1	0	19.42	18.61	22.04	22.92	< 30.00
		1	50	19.21	18.39	21.83	22.71	< 30.00
25	3462.51	32	16	22.89	22.22	25.58	26.46	< 30.00
		1	1	22.78	22.21	25.51	26.39	< 30.00
		1	63	22.87	22.17	25.54	26.42	< 30.00
		64	0	22.47	21.74	25.13	26.01	< 30.00
		1	0	19.51	18.84	22.20	23.08	< 30.00
		1	64	19.56	18.74	22.18	23.06	< 30.00
25	3500.01	32	16	22.75	22.11	25.45	26.33	< 30.00
		1	1	22.82	22.05	25.46	26.34	< 30.00
		1	63	22.80	22.06	25.46	26.34	< 30.00
		64	0	22.40	21.64	25.05	25.93	< 30.00
		1	0	19.74	19.12	22.45	23.33	< 30.00
		1	64	19.25	18.73	22.01	22.89	< 30.00
25	3537.48	32	16	22.88	22.16	25.55	26.43	< 30.00
		1	1	22.70	22.23	25.48	26.36	< 30.00
		1	63	22.68	21.98	25.35	26.23	< 30.00
		64	0	22.38	21.68	25.05	25.93	< 30.00
		1	0	19.30	18.75	22.04	22.92	< 30.00
		1	64	19.43	18.85	22.16	23.04	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 64QAM								
30	3465.00	36	18	23.02	22.29	25.68	26.56	< 30.00
		1	1	23.04	22.34	25.71	26.59	< 30.00
		1	76	23.20	22.45	25.85	26.73	< 30.00
		75	0	22.61	21.84	25.25	26.13	< 30.00
		1	0	19.45	18.81	22.15	23.03	< 30.00
		1	77	19.56	18.72	22.17	23.05	< 30.00
30	3500.01	36	18	22.94	22.23	25.61	26.49	< 30.00
		1	1	23.14	22.35	25.77	26.65	< 30.00
		1	76	22.96	22.27	25.64	26.52	< 30.00
		75	0	22.58	21.80	25.22	26.10	< 30.00
		1	0	19.71	19.02	22.39	23.27	< 30.00
		1	77	19.44	18.79	22.14	23.02	< 30.00
30	3534.99	36	18	22.93	22.17	25.58	26.46	< 30.00
		1	1	23.08	22.35	25.74	26.62	< 30.00
		1	76	22.96	22.30	25.65	26.53	< 30.00
		75	0	22.49	21.82	25.18	26.06	< 30.00
		1	0	19.49	18.85	22.19	23.07	< 30.00
		1	77	19.27	18.54	21.93	22.81	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 64QAM								
40	3720.00	50	25	22.37	21.56	24.99	25.87	< 30.00
		1	1	22.29	21.47	24.91	25.79	< 30.00
		1	104	22.49	21.73	25.14	26.02	< 30.00
		100	0	21.99	21.23	24.64	25.52	< 30.00
		1	0	19.14	18.33	21.76	22.64	< 30.00
		1	105	19.15	18.36	21.78	22.66	< 30.00
40	3840.00	50	25	22.64	22.17	25.42	26.30	< 30.00
		1	1	22.67	22.20	25.45	26.33	< 30.00
		1	104	22.56	22.06	25.33	26.21	< 30.00
		100	0	22.20	21.69	24.96	25.84	< 30.00
		1	0	19.32	18.87	22.11	22.99	< 30.00
		1	105	19.21	18.71	21.98	22.86	< 30.00
40	3960.00	50	25	22.80	22.09	25.47	26.35	< 30.00
		1	1	22.90	22.07	25.52	26.40	< 30.00
		1	104	22.98	22.25	25.64	26.52	< 30.00
		100	0	22.40	21.65	25.05	25.93	< 30.00
		1	0	19.50	18.62	22.09	22.97	< 30.00
		1	105	19.35	18.71	22.05	22.93	< 30.00
50	3720.00	64	32	22.75	22.02	25.41	26.29	< 30.00
		1	1	22.67	21.81	25.27	26.15	< 30.00
		1	131	22.66	22.01	25.36	26.24	< 30.00
		128	0	22.16	21.39	24.80	25.68	< 30.00
		1	0	18.85	18.02	21.47	22.35	< 30.00
		1	132	18.80	18.11	21.48	22.36	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 64QAM								
50	3500.01	64	32	22.81	22.04	25.45	26.33	< 30.00
		1	1	23.18	22.35	25.80	26.68	< 30.00
		1	131	22.64	21.89	25.29	26.17	< 30.00
		128	0	22.30	21.51	24.93	25.81	< 30.00
		1	0	19.54	18.63	22.12	23.00	< 30.00
		1	132	19.05	18.35	21.72	22.60	< 30.00
50	3525.00	64	32	22.79	21.94	25.40	26.28	< 30.00
		1	1	23.07	22.23	25.68	26.56	< 30.00
		1	131	22.54	21.72	25.16	26.04	< 30.00
		128	0	22.30	21.46	24.91	25.79	< 30.00
		1	0	19.38	18.59	22.01	22.89	< 30.00
		1	132	19.25	18.38	21.85	22.73	< 30.00
60	3480.00	81	40	22.67	21.78	25.26	26.14	< 30.00
		1	1	22.85	21.92	25.42	26.30	< 30.00
		1	160	22.46	21.67	25.09	25.97	< 30.00
		162	0	22.13	21.29	24.74	25.62	< 30.00
		1	0	19.21	18.38	21.83	22.71	< 30.00
		1	161	18.85	18.04	21.47	22.35	< 30.00
60	3500.01	81	40	22.67	21.82	25.28	26.16	< 30.00
		1	1	23.05	22.11	25.62	26.50	< 30.00
		1	160	22.56	21.67	25.15	26.03	< 30.00
		162	0	22.15	21.30	24.76	25.64	< 30.00
		1	0	19.23	18.20	21.76	22.64	< 30.00
		1	161	18.82	17.98	21.43	22.31	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 64QAM								
60	3949.98	81	40	22.60	22.06	25.35	26.23	< 30.00
		1	1	22.80	22.14	25.49	26.37	< 30.00
		1	160	22.47	22.15	25.32	26.20	< 30.00
		162	0	22.09	21.58	24.85	25.73	< 30.00
		1	0	19.17	18.51	21.86	22.74	< 30.00
		1	161	18.85	18.48	21.68	22.56	< 30.00
70	3735.00	90	45	22.60	21.86	25.26	26.14	< 30.00
		1	1	22.38	21.78	25.10	25.98	< 30.00
		1	187	22.51	21.94	25.24	26.12	< 30.00
		180	0	21.98	21.41	24.71	25.59	< 30.00
		1	0	19.01	18.15	21.61	22.49	< 30.00
		1	188	18.85	18.23	21.56	22.44	< 30.00
70	3840.00	90	45	22.52	22.13	25.34	26.22	< 30.00
		1	1	22.62	22.22	25.43	26.31	< 30.00
		1	187	22.57	22.05	25.33	26.21	< 30.00
		180	0	21.98	21.59	24.80	25.68	< 30.00
		1	0	18.86	18.63	21.76	22.64	< 30.00
		1	188	18.77	18.32	21.56	22.44	< 30.00
70	3945.00	90	45	22.64	22.11	25.39	26.27	< 30.00
		1	1	22.90	22.17	25.56	26.44	< 30.00
		1	187	22.52	22.18	25.36	26.24	< 30.00
		180	0	22.21	21.68	24.96	25.84	< 30.00
		1	0	19.65	18.90	22.30	23.18	< 30.00
		1	188	18.98	18.55	21.78	22.66	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 64QAM								
80	3490.02	108	54	22.61	21.76	25.22	26.10	< 30.00
		1	1	22.69	21.96	25.35	26.23	< 30.00
		1	215	22.50	21.63	25.10	25.98	< 30.00
		216	0	22.05	21.36	24.73	25.61	< 30.00
		1	0	18.99	18.37	21.70	22.58	< 30.00
		1	216	18.69	17.98	21.36	22.24	< 30.00
80	3500.01	108	54	22.54	21.75	25.17	26.05	< 30.00
		1	1	22.98	22.10	25.57	26.45	< 30.00
		1	215	22.35	21.55	24.98	25.86	< 30.00
		216	0	22.16	21.31	24.77	25.65	< 30.00
		1	0	19.48	18.58	22.06	22.94	< 30.00
		1	216	19.04	18.21	21.66	22.54	< 30.00
80	3510.00	108	54	22.51	21.71	25.14	26.02	< 30.00
		1	1	22.84	21.92	25.41	26.29	< 30.00
		1	215	22.25	21.51	24.91	25.79	< 30.00
		216	0	22.03	21.23	24.66	25.54	< 30.00
		1	0	19.52	18.68	22.13	23.01	< 30.00
		1	216	19.09	18.25	21.70	22.58	< 30.00
90	3495.00	120	60	22.66	21.82	25.27	26.15	< 30.00
		1	1	22.71	22.00	25.38	26.26	< 30.00
		1	243	22.50	21.64	25.10	25.98	< 30.00
		243	0	22.10	21.36	24.76	25.64	< 30.00
		1	0	19.20	18.49	21.87	22.75	< 30.00
		1	244	19.14	18.37	21.78	22.66	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 64QAM								
90	3500.01	120	60	22.65	21.89	25.30	26.18	< 30.00
		1	1	22.96	22.08	25.55	26.43	< 30.00
		1	243	22.58	21.84	25.24	26.12	< 30.00
		243	0	22.13	21.37	24.78	25.66	< 30.00
		1	0	19.25	18.53	21.92	22.80	< 30.00
		1	244	18.86	18.07	21.49	22.37	< 30.00
90	3504.99	120	60	22.66	21.92	25.32	26.20	< 30.00
		1	1	23.02	22.04	25.57	26.45	< 30.00
		1	243	22.58	21.68	25.16	26.04	< 30.00
		243	0	22.19	21.37	24.81	25.69	< 30.00
		1	0	19.46	18.62	22.07	22.95	< 30.00
		1	244	19.10	18.12	21.65	22.53	< 30.00
100	3500.01	135	67	22.62	21.82	25.25	26.13	< 30.00
		1	1	22.81	21.97	25.42	26.30	< 30.00
		1	271	22.50	21.61	25.09	25.97	< 30.00
		270	0	22.13	21.33	24.76	25.64	< 30.00
		1	0	19.36	18.70	22.05	22.93	< 30.00
		1	272	18.96	18.23	21.62	22.50	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
10	3455.01	12	6	20.33	19.66	23.02	23.90	< 30.00
		1	1	20.07	19.36	22.74	23.62	< 30.00
		1	22	20.10	19.45	22.80	23.68	< 30.00
		24	0	20.16	19.45	22.83	23.71	< 30.00
		1	0	19.09	18.39	21.76	22.64	< 30.00
		1	23	19.04	18.40	21.74	22.62	< 30.00
10	3500.01	12	6	20.29	19.59	22.96	23.84	< 30.00
		1	1	20.18	18.51	22.44	23.32	< 30.00
		1	22	20.54	19.59	23.10	23.98	< 30.00
		24	0	20.18	19.51	22.87	23.75	< 30.00
		1	0	19.09	18.46	21.80	22.68	< 30.00
		1	23	18.99	18.44	21.73	22.61	< 30.00
10	3544.98	12	6	20.21	19.41	22.84	23.72	< 30.00
		1	1	20.10	19.48	22.81	23.69	< 30.00
		1	22	20.10	19.45	22.80	23.68	< 30.00
		24	0	20.23	19.41	22.85	23.73	< 30.00
		1	0	19.21	18.54	21.90	22.78	< 30.00
		1	23	19.04	18.38	21.73	22.61	< 30.00
15	3457.50	18	9	20.48	19.74	23.14	24.02	< 30.00
		1	1	20.30	19.63	22.99	23.87	< 30.00
		1	36	20.45	19.81	23.15	24.03	< 30.00
		36	0	20.34	19.50	22.95	23.83	< 30.00
		1	0	18.37	18.58	21.49	22.37	< 30.00
		1	37	19.30	18.48	21.92	22.80	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
15	3840.00	18	9	20.24	19.76	23.02	23.90	< 30.00
		1	1	20.14	19.77	22.97	23.85	< 30.00
		1	36	20.24	19.71	22.99	23.87	< 30.00
		36	0	20.18	19.68	22.95	23.83	< 30.00
		1	0	19.17	18.74	21.97	22.85	< 30.00
		1	37	19.15	18.59	21.89	22.77	< 30.00
15	3972.48	18	9	20.42	19.60	23.04	23.92	< 30.00
		1	1	20.45	19.53	23.02	23.90	< 30.00
		1	36	20.36	19.47	22.95	23.83	< 30.00
		36	0	20.39	19.54	23.00	23.88	< 30.00
		1	0	19.30	18.54	21.95	22.83	< 30.00
		1	37	19.33	18.61	22.00	22.88	< 30.00
20	3710.01	25	12	20.19	19.31	22.78	23.66	< 30.00
		1	1	20.11	19.26	22.72	23.60	< 30.00
		1	49	20.17	19.48	22.85	23.73	< 30.00
		50	0	20.21	19.32	22.80	23.68	< 30.00
		1	0	18.98	18.21	21.62	22.50	< 30.00
		1	50	19.11	18.46	21.81	22.69	< 30.00
20	3840.00	25	12	20.29	19.84	23.08	23.96	< 30.00
		1	1	20.07	19.63	22.87	23.75	< 30.00
		1	49	20.18	19.69	22.95	23.83	< 30.00
		50	0	20.25	19.78	23.03	23.91	< 30.00
		1	0	19.28	18.83	22.07	22.95	< 30.00
		1	50	19.17	18.77	21.98	22.86	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
20	3540.00	25	12	20.41	19.62	23.04	23.92	< 30.00
		1	1	20.43	19.71	23.10	23.98	< 30.00
		1	49	20.47	19.66	23.09	23.97	< 30.00
		50	0	20.45	19.67	23.09	23.97	< 30.00
		1	0	19.58	18.76	22.20	23.08	< 30.00
		1	50	19.25	18.40	21.86	22.74	< 30.00
25	3462.51	32	16	20.49	19.75	23.15	24.03	< 30.00
		1	1	20.60	19.88	23.27	24.15	< 30.00
		1	63	20.36	19.58	23.00	23.88	< 30.00
		64	0	20.47	19.76	23.14	24.02	< 30.00
		1	0	19.46	18.91	22.20	23.08	< 30.00
		1	64	19.59	18.73	22.19	23.07	< 30.00
25	3500.01	32	16	20.36	19.67	23.04	23.92	< 30.00
		1	1	20.51	19.86	23.21	24.09	< 30.00
		1	63	20.24	19.66	22.97	23.85	< 30.00
		64	0	20.38	19.74	23.08	23.96	< 30.00
		1	0	19.44	18.89	22.18	23.06	< 30.00
		1	64	19.11	18.58	21.86	22.74	< 30.00
25	3537.48	32	16	20.30	19.64	22.99	23.87	< 30.00
		1	1	20.45	19.83	23.16	24.04	< 30.00
		1	63	20.37	19.66	23.04	23.92	< 30.00
		64	0	20.34	19.69	23.04	23.92	< 30.00
		1	0	19.65	18.93	22.32	23.20	< 30.00
		1	64	19.21	18.56	21.91	22.79	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
30	3465.00	36	18	20.46	19.75	23.13	24.01	< 30.00
		1	1	20.47	19.89	23.20	24.08	< 30.00
		1	76	20.41	19.73	23.09	23.97	< 30.00
		75	0	20.56	19.82	23.22	24.10	< 30.00
		1	0	19.55	18.89	22.24	23.12	< 30.00
		1	77	19.52	18.75	22.16	23.04	< 30.00
30	3500.01	36	18	20.41	19.73	23.09	23.97	< 30.00
		1	1	20.71	20.09	23.42	24.30	< 30.00
		1	76	20.48	19.82	23.17	24.05	< 30.00
		75	0	20.47	19.83	23.17	24.05	< 30.00
		1	0	19.42	18.74	22.10	22.98	< 30.00
		1	77	19.39	18.82	22.12	23.00	< 30.00
30	3534.99	36	18	20.38	19.71	23.07	23.95	< 30.00
		1	1	20.60	20.04	23.34	24.22	< 30.00
		1	76	20.44	19.74	23.11	23.99	< 30.00
		75	0	20.41	19.81	23.13	24.01	< 30.00
		1	0	19.32	18.79	22.07	22.95	< 30.00
		1	77	19.17	18.57	21.89	22.77	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
40	3470.01	50	25	20.53	19.83	23.20	24.08	< 30.00
		1	1	20.47	19.86	23.19	24.07	< 30.00
		1	104	20.28	19.79	23.05	23.93	< 30.00
		100	0	20.56	19.85	23.23	24.11	< 30.00
		1	0	19.48	18.86	22.19	23.07	< 30.00
		1	105	19.40	18.77	22.11	22.99	< 30.00
40	3500.01	50	25	20.47	19.79	23.15	24.03	< 30.00
		1	1	20.61	19.82	23.24	24.12	< 30.00
		1	104	20.35	19.73	23.06	23.94	< 30.00
		100	0	20.59	19.82	23.23	24.11	< 30.00
		1	0	19.79	19.09	22.46	23.34	< 30.00
		1	105	19.51	18.88	22.22	23.10	< 30.00
40	3529.98	50	25	20.45	19.72	23.11	23.99	< 30.00
		1	1	20.36	19.81	23.10	23.98	< 30.00
		1	104	20.39	19.68	23.06	23.94	< 30.00
		100	0	20.49	19.75	23.15	24.03	< 30.00
		1	0	19.57	19.03	22.32	23.20	< 30.00
		1	105	19.30	18.65	22.00	22.88	< 30.00
50	3475.02	64	32	20.45	19.58	23.05	23.93	< 30.00
		1	1	20.50	19.85	23.20	24.08	< 30.00
		1	131	20.30	19.49	22.92	23.80	< 30.00
		128	0	20.43	19.62	23.05	23.93	< 30.00
		1	0	19.30	18.60	21.97	22.85	< 30.00
		1	132	19.20	18.47	21.86	22.74	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
50	3500.01	64	32	20.39	19.44	22.95	23.83	< 30.00
		1	1	20.61	19.67	23.18	24.06	< 30.00
		1	131	20.19	19.40	22.82	23.70	< 30.00
		128	0	20.18	19.36	22.80	23.68	< 30.00
		1	0	19.72	18.75	22.27	23.15	< 30.00
		1	132	19.05	18.20	21.66	22.54	< 30.00
50	3525.00	64	32	20.32	19.50	22.94	23.82	< 30.00
		1	1	20.19	19.32	22.79	23.67	< 30.00
		1	131	20.18	19.26	22.75	23.63	< 30.00
		128	0	20.34	19.52	22.96	23.84	< 30.00
		1	0	19.26	18.53	21.92	22.80	< 30.00
		1	132	19.20	18.42	21.84	22.72	< 30.00
60	3480.00	81	40	20.33	19.42	22.91	23.79	< 30.00
		1	1	20.43	19.56	23.03	23.91	< 30.00
		1	160	20.03	19.31	22.70	23.58	< 30.00
		162	0	20.34	19.39	22.90	23.78	< 30.00
		1	0	19.36	18.55	21.98	22.86	< 30.00
		1	161	19.05	18.26	21.68	22.56	< 30.00
60	3500.01	81	40	20.29	19.36	22.86	23.74	< 30.00
		1	1	20.46	19.43	22.99	23.87	< 30.00
		1	160	20.09	19.03	22.60	23.48	< 30.00
		162	0	20.30	19.32	22.85	23.73	< 30.00
		1	0	19.37	18.50	21.97	22.85	< 30.00
		1	161	19.06	18.05	21.59	22.47	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
60	3519.99	81	40	20.26	19.31	22.82	23.70	< 30.00
		1	1	20.18	19.14	22.70	23.58	< 30.00
		1	160	20.13	19.18	22.69	23.57	< 30.00
		162	0	20.27	19.33	22.84	23.72	< 30.00
		1	0	19.14	18.26	21.73	22.61	< 30.00
		1	161	19.15	18.13	21.68	22.56	< 30.00
70	3485.01	90	45	20.10	19.27	22.72	23.60	< 30.00
		1	1	20.26	19.45	22.88	23.76	< 30.00
		1	187	19.59	19.03	22.33	23.21	< 30.00
		180	0	20.10	19.29	22.72	23.60	< 30.00
		1	0	19.22	18.52	21.89	22.77	< 30.00
		1	188	18.51	17.92	21.24	22.12	< 30.00
70	3500.01	90	45	20.09	19.22	22.69	23.57	< 30.00
		1	1	20.38	19.44	22.95	23.83	< 30.00
		1	187	19.66	18.81	22.27	23.15	< 30.00
		180	0	20.14	19.30	22.75	23.63	< 30.00
		1	0	19.28	18.37	21.86	22.74	< 30.00
		1	188	18.87	18.14	21.53	22.41	< 30.00
70	3514.98	90	45	20.08	19.29	22.71	23.59	< 30.00
		1	1	20.17	19.20	22.72	23.60	< 30.00
		1	187	19.73	18.77	22.29	23.17	< 30.00
		180	0	20.11	19.29	22.73	23.61	< 30.00
		1	0	19.33	18.52	21.95	22.83	< 30.00
		1	188	18.67	17.80	21.27	22.15	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
80	3490.02	108	54	20.21	19.34	22.81	23.69	< 30.00
		1	1	20.25	19.42	22.87	23.75	< 30.00
		1	215	20.01	19.21	22.64	23.52	< 30.00
		216	0	20.20	19.34	22.80	23.68	< 30.00
		1	0	19.41	18.58	22.03	22.91	< 30.00
		1	216	19.02	18.16	21.62	22.50	< 30.00
80	3500.01	108	54	20.19	19.35	22.80	23.68	< 30.00
		1	1	20.31	19.37	22.88	23.76	< 30.00
		1	215	19.86	19.07	22.49	23.37	< 30.00
		216	0	20.19	19.37	22.81	23.69	< 30.00
		1	0	19.19	18.35	21.80	22.68	< 30.00
		1	216	19.06	18.11	21.62	22.50	< 30.00
80	3510.00	108	54	20.10	19.21	22.69	23.57	< 30.00
		1	1	20.22	19.27	22.78	23.66	< 30.00
		1	215	19.80	18.84	22.36	23.24	< 30.00
		216	0	20.17	19.21	22.73	23.61	< 30.00
		1	0	19.25	18.31	21.82	22.70	< 30.00
		1	216	18.71	17.83	21.30	22.18	< 30.00
90	3495.00	120	60	20.19	19.34	22.80	23.68	< 30.00
		1	1	20.17	19.31	22.77	23.65	< 30.00
		1	243	19.94	19.08	22.54	23.42	< 30.00
		243	0	20.21	19.34	22.81	23.69	< 30.00
		1	0	19.09	18.34	21.74	22.62	< 30.00
		1	244	18.94	18.25	21.62	22.50	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
90	3500.01	120	60	20.20	19.36	22.81	23.69	< 30.00
		1	1	20.40	19.47	22.97	23.85	< 30.00
		1	243	20.06	19.11	22.62	23.50	< 30.00
		243	0	20.26	19.34	22.83	23.71	< 30.00
		1	0	19.33	18.55	21.97	22.85	< 30.00
		1	244	18.89	18.02	21.49	22.37	< 30.00
90	3504.99	120	60	20.21	19.32	22.80	23.68	< 30.00
		1	1	20.49	19.53	23.05	23.93	< 30.00
		1	243	20.04	19.24	22.67	23.55	< 30.00
		243	0	20.19	19.31	22.78	23.66	< 30.00
		1	0	19.38	18.60	22.02	22.90	< 30.00
		1	244	19.02	18.25	21.66	22.54	< 30.00
100	3500.01	135	67	20.22	19.37	22.83	23.71	< 30.00
		1	1	20.27	19.45	22.89	23.77	< 30.00
		1	271	20.01	19.17	22.62	23.50	< 30.00
		270	0	20.21	19.28	22.78	23.66	< 30.00
		1	0	19.25	18.45	21.88	22.76	< 30.00
		1	272	18.98	18.20	21.62	22.50	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
10	3455.01	12	6	24.41	23.58	27.03	27.91	< 30.00
		1	1	24.29	23.55	26.95	27.83	< 30.00
		1	22	24.44	23.56	27.03	27.91	< 30.00
		24	0	21.86	21.05	24.48	25.36	< 30.00
		1	0	19.46	18.64	22.08	22.96	< 30.00
		1	23	19.36	18.74	22.07	22.95	< 30.00
10	3500.01	12	6	24.27	23.52	26.92	27.80	< 30.00
		1	1	24.37	23.67	27.04	27.92	< 30.00
		1	22	24.46	23.70	27.11	27.99	< 30.00
		24	0	21.88	21.07	24.50	25.38	< 30.00
		1	0	19.28	18.56	21.95	22.83	< 30.00
		1	23	19.40	18.77	22.11	22.99	< 30.00
10	3544.98	12	6	24.47	23.57	27.05	27.93	< 30.00
		1	1	24.38	23.50	26.97	27.85	< 30.00
		1	22	24.41	23.50	26.99	27.87	< 30.00
		24	0	21.85	20.91	24.42	25.30	< 30.00
		1	0	19.47	18.61	22.07	22.95	< 30.00
		1	23	19.39	18.56	22.01	22.89	< 30.00
15	3457.50	19	9	24.47	23.60	27.07	27.95	< 30.00
		1	1	24.43	23.62	27.05	27.93	< 30.00
		1	36	24.71	23.90	27.33	28.21	< 30.00
		38	0	22.05	21.11	24.62	25.50	< 30.00
		1	0	19.57	18.82	22.22	23.10	< 30.00
		1	37	19.85	18.68	22.31	23.19	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
15	3500.01	19	9	24.43	23.55	27.02	27.90	< 30.00
		1	1	24.39	23.81	27.12	28.00	< 30.00
		1	36	24.37	23.53	26.98	27.86	< 30.00
		38	0	21.93	21.12	24.55	25.43	< 30.00
		1	0	19.63	18.77	22.23	23.11	< 30.00
		1	37	19.45	18.68	22.09	22.97	< 30.00
15	3542.49	19	9	24.47	23.48	27.01	27.89	< 30.00
		1	1	24.70	23.66	27.22	28.10	< 30.00
		1	36	24.63	23.59	27.15	28.03	< 30.00
		38	0	21.96	21.08	24.55	25.43	< 30.00
		1	0	19.55	18.78	22.19	23.07	< 30.00
		1	37	19.60	18.67	22.17	23.05	< 30.00
20	3460.02	25	12	24.56	23.73	27.18	28.06	< 30.00
		1	1	24.59	23.67	27.16	28.04	< 30.00
		1	49	24.47	23.70	27.11	27.99	< 30.00
		51	0	22.13	21.11	24.66	25.54	< 30.00
		1	0	19.52	18.68	22.13	23.01	< 30.00
		1	50	19.68	18.60	22.18	23.06	< 30.00
20	3500.01	25	12	24.43	23.56	27.03	27.91	< 30.00
		1	1	24.54	23.57	27.09	27.97	< 30.00
		1	49	24.57	23.63	27.14	28.02	< 30.00
		51	0	21.95	21.11	24.56	25.44	< 30.00
		1	0	19.72	18.90	22.34	23.22	< 30.00
		1	50	19.66	18.87	22.29	23.17	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
20	3969.99	25	12	24.54	23.93	27.26	28.14	< 30.00
		1	1	24.64	23.89	27.29	28.17	< 30.00
		1	49	24.67	23.95	27.34	28.22	< 30.00
		51	0	22.16	21.38	24.80	25.68	< 30.00
		1	0	19.70	18.91	22.33	23.21	< 30.00
		1	50	19.88	19.10	22.52	23.40	< 30.00
25	3712.50	33	16	24.07	23.58	26.84	27.72	< 30.00
		1	1	24.21	23.67	26.96	27.84	< 30.00
		1	63	24.09	23.80	26.96	27.84	< 30.00
		65	0	21.62	21.15	24.40	25.28	< 30.00
		1	0	19.30	18.75	22.04	22.92	< 30.00
		1	64	19.13	18.87	22.01	22.89	< 30.00
25	3840.00	33	16	24.24	24.06	27.16	28.04	< 30.00
		1	1	24.32	24.25	27.30	28.18	< 30.00
		1	63	24.26	23.95	27.12	28.00	< 30.00
		65	0	21.77	21.54	24.67	25.55	< 30.00
		1	0	19.39	19.24	22.33	23.21	< 30.00
		1	64	19.40	18.94	22.19	23.07	< 30.00
25	3967.50	33	16	24.46	24.05	27.27	28.15	< 30.00
		1	1	24.71	24.12	27.44	28.32	< 30.00
		1	63	24.60	24.06	27.35	28.23	< 30.00
		65	0	22.03	21.54	24.80	25.68	< 30.00
		1	0	19.67	18.95	22.34	23.22	< 30.00
		1	64	19.46	19.16	22.32	23.20	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
30	3465.00	39	19	24.59	23.68	27.17	28.05	< 30.00
		1	1	24.76	23.91	27.37	28.25	< 30.00
		1	76	24.59	23.57	27.12	28.00	< 30.00
		78	0	22.08	21.25	24.70	25.58	< 30.00
		1	0	19.60	18.89	22.27	23.15	< 30.00
		1	77	19.71	18.92	22.34	23.22	< 30.00
30	3500.01	39	19	24.43	23.63	27.06	27.94	< 30.00
		1	1	24.69	24.01	27.37	28.25	< 30.00
		1	76	24.70	24.02	27.38	28.26	< 30.00
		78	0	22.02	21.23	24.65	25.53	< 30.00
		1	0	19.74	19.09	22.44	23.32	< 30.00
		1	77	19.52	18.75	22.16	23.04	< 30.00
30	3534.99	39	19	24.43	23.72	27.10	27.98	< 30.00
		1	1	24.66	24.02	27.36	28.24	< 30.00
		1	76	24.48	23.77	27.15	28.03	< 30.00
		78	0	22.03	21.27	24.68	25.56	< 30.00
		1	0	19.70	19.08	22.41	23.29	< 30.00
		1	77	19.61	18.78	22.23	23.11	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
40	3470.01	53	26	24.56	23.75	27.18	28.06	< 30.00
		1	1	24.68	24.01	27.37	28.25	< 30.00
		1	104	24.58	23.77	27.20	28.08	< 30.00
		106	0	22.08	21.30	24.72	25.60	< 30.00
		1	0	19.74	19.09	22.44	23.32	< 30.00
		1	105	19.58	18.86	22.25	23.13	< 30.00
40	3500.01	53	26	24.42	23.71	27.09	27.97	< 30.00
		1	1	24.90	24.06	27.51	28.39	< 30.00
		1	104	24.54	23.80	27.20	28.08	< 30.00
		106	0	22.04	21.31	24.70	25.58	< 30.00
		1	0	19.77	18.02	21.99	22.87	< 30.00
		1	105	19.52	18.86	22.21	23.09	< 30.00
40	3529.98	53	26	24.41	23.62	27.04	27.92	< 30.00
		1	1	24.47	23.82	27.17	28.05	< 30.00
		1	104	24.54	23.83	27.21	28.09	< 30.00
		106	0	21.93	21.23	24.60	25.48	< 30.00
		1	0	19.55	19.07	22.33	23.21	< 30.00
		1	105	19.51	18.72	22.14	23.02	< 30.00
50	3475.02	67	33	24.23	23.45	26.87	27.75	< 30.00
		1	1	24.48	23.71	27.12	28.00	< 30.00
		1	131	24.14	23.40	26.80	27.68	< 30.00
		133	0	21.90	21.01	24.49	25.37	< 30.00
		1	0	19.55	18.85	22.22	23.10	< 30.00
		1	132	19.25	18.38	21.85	22.73	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
50	3840.00	67	33	24.25	23.80	27.04	27.92	< 30.00
		1	1	24.31	23.92	27.13	28.01	< 30.00
		1	131	24.28	23.76	27.04	27.92	< 30.00
		133	0	21.74	21.32	24.55	25.43	< 30.00
		1	0	19.36	19.06	22.22	23.10	< 30.00
		1	132	19.29	18.95	22.13	23.01	< 30.00
50	3954.99	67	33	24.42	23.74	27.10	27.98	< 30.00
		1	1	24.61	23.81	27.24	28.12	< 30.00
		1	131	24.35	23.68	27.04	27.92	< 30.00
		133	0	21.98	21.23	24.63	25.51	< 30.00
		1	0	19.72	18.87	22.33	23.21	< 30.00
		1	132	19.54	18.83	22.21	23.09	< 30.00
60	3730.02	81	40	24.09	23.40	26.77	27.65	< 30.00
		1	1	24.04	23.27	26.68	27.56	< 30.00
		1	160	24.10	23.42	26.78	27.66	< 30.00
		162	0	21.61	20.91	24.28	25.16	< 30.00
		1	0	19.25	18.45	21.88	22.76	< 30.00
		1	161	19.20	18.48	21.87	22.75	< 30.00
60	3840.00	81	40	24.26	23.80	27.05	27.93	< 30.00
		1	1	24.38	23.92	27.17	28.05	< 30.00
		1	160	24.19	23.76	26.99	27.87	< 30.00
		162	0	21.74	21.28	24.53	25.41	< 30.00
		1	0	19.33	18.99	22.17	23.05	< 30.00
		1	161	19.42	18.80	22.13	23.01	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
60	3949.98	81	40	24.14	23.71	26.94	27.82	< 30.00
		1	1	24.35	23.73	27.06	27.94	< 30.00
		1	160	24.08	23.64	26.88	27.76	< 30.00
		162	0	21.73	21.15	24.46	25.34	< 30.00
		1	0	19.42	18.79	22.13	23.01	< 30.00
		1	161	19.29	18.77	22.05	22.93	< 30.00
70	3735.00	95	47	23.65	22.95	26.32	27.20	< 30.00
		1	1	23.50	22.84	26.19	27.07	< 30.00
		1	187	23.76	23.08	26.44	27.32	< 30.00
		189	0	21.14	20.44	23.81	24.69	< 30.00
		1	0	18.90	18.12	21.54	22.42	< 30.00
		1	188	18.70	18.10	21.42	22.30	< 30.00
70	3840.00	95	47	23.68	23.15	26.43	27.31	< 30.00
		1	1	23.60	23.24	26.43	27.31	< 30.00
		1	187	23.55	23.41	26.49	27.37	< 30.00
		189	0	21.10	20.74	23.93	24.81	< 30.00
		1	0	18.91	18.42	21.68	22.56	< 30.00
		1	188	18.56	18.21	21.40	22.28	< 30.00
70	3945.00	95	47	23.68	23.24	26.48	27.36	< 30.00
		1	1	24.03	23.44	26.76	27.64	< 30.00
		1	187	23.83	23.40	26.63	27.51	< 30.00
		189	0	21.24	20.70	23.99	24.87	< 30.00
		1	0	19.22	18.44	21.86	22.74	< 30.00
		1	188	18.57	18.38	21.49	22.37	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
80	3740.01	109	54	23.58	22.84	26.24	27.12	< 30.00
		1	1	23.62	22.82	26.25	27.13	< 30.00
		1	215	23.68	23.03	26.38	27.26	< 30.00
		217	0	21.12	20.42	23.79	24.67	< 30.00
		1	0	18.78	18.10	21.46	22.34	< 30.00
		1	216	18.73	17.98	21.38	22.26	< 30.00
80	3840.00	109	54	23.64	23.25	26.46	27.34	< 30.00
		1	1	23.53	23.24	26.40	27.28	< 30.00
		1	215	23.62	23.29	26.47	27.35	< 30.00
		217	0	21.10	20.72	23.92	24.80	< 30.00
		1	0	18.70	18.43	21.58	22.46	< 30.00
		1	216	18.62	18.31	21.48	22.36	< 30.00
80	3939.99	109	54	23.72	23.22	26.49	27.37	< 30.00
		1	1	24.01	23.25	26.66	27.54	< 30.00
		1	215	23.56	23.28	26.43	27.31	< 30.00
		217	0	21.21	20.77	24.01	24.89	< 30.00
		1	0	18.94	18.34	21.66	22.54	< 30.00
		1	216	18.61	18.24	21.44	22.32	< 30.00
90	3745.02	123	61	23.65	23.13	26.41	27.29	< 30.00
		1	1	23.52	22.70	26.14	27.02	< 30.00
		1	243	23.69	23.06	26.40	27.28	< 30.00
		245	0	21.17	20.46	23.84	24.72	< 30.00
		1	0	18.65	18.06	21.38	22.26	< 30.00
		1	244	18.88	18.19	21.56	22.44	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
90	3500.01	123	61	24.19	23.22	26.74	27.62	< 30.00
		1	1	24.25	23.52	26.91	27.79	< 30.00
		1	243	23.97	23.26	26.64	27.52	< 30.00
		245	0	21.67	20.90	24.31	25.19	< 30.00
		1	0	19.37	18.71	22.06	22.94	< 30.00
		1	244	19.14	18.25	21.73	22.61	< 30.00
90	3504.99	123	61	24.14	23.37	26.78	27.66	< 30.00
		1	1	24.53	23.46	27.04	27.92	< 30.00
		1	243	23.91	23.18	26.57	27.45	< 30.00
		245	0	21.76	20.89	24.36	25.24	< 30.00
		1	0	19.54	18.62	22.11	22.99	< 30.00
		1	244	19.20	18.26	21.77	22.65	< 30.00
100	3500.01	137	68	24.15	23.21	26.72	27.60	< 30.00
		1	1	24.32	23.36	26.88	27.76	< 30.00
		1	271	24.03	23.15	26.62	27.50	< 30.00
		273	0	21.75	20.81	24.32	25.20	< 30.00
		1	0	19.47	18.60	22.07	22.95	< 30.00
		1	272	19.01	18.19	21.63	22.51	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								



Test Report No.: PSU-NQN2502170213RF08

n77/n78_UL MIMO (3700 ~ 3980MHz)

MAX Power

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM QPSK								
3967.5	25	1	1	26.17	25.57	28.89	29.77	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM PI/2 BPSK								
3930	100	135	67	25.69	25.14	28.43	29.31	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 16QAM								
3840	25	32	16	24.97	24.71	27.85	28.73	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
DFT-s-OFDM 16QAM								
3930	100	135	67	24.7	24.05	27.40	28.28	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Power

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
10	3705.00	12	6	25.70	25.03	28.39	29.27	< 30.00
		1	1	25.63	24.82	28.25	29.13	< 30.00
		1	22	25.66	24.97	28.34	29.22	< 30.00
		24	0	24.21	23.42	26.84	27.72	< 30.00
		1	0	19.62	18.91	22.29	23.17	< 30.00
		1	23	19.66	19.02	22.36	23.24	< 30.00
10	3840.00	12	6	25.40	25.01	28.22	29.10	< 30.00
		1	1	25.38	24.92	28.17	29.05	< 30.00
		1	22	25.33	24.90	28.13	29.01	< 30.00
		24	0	23.88	23.49	26.70	27.58	< 30.00
		1	0	19.42	18.95	22.20	23.08	< 30.00
		1	23	19.42	18.89	22.17	23.05	< 30.00
10	3975.00	12	6	25.76	25.01	28.41	29.29	< 30.00
		1	1	25.77	24.94	28.39	29.27	< 30.00
		1	22	25.73	25.04	28.41	29.29	< 30.00
		24	0	24.26	23.59	26.95	27.83	< 30.00
		1	0	19.73	19.01	22.40	23.28	< 30.00
		1	23	19.65	18.95	22.32	23.20	< 30.00
15	3707.52	18	9	25.61	24.76	28.22	29.10	< 30.00
		1	1	25.49	24.73	28.14	29.02	< 30.00
		1	36	25.61	24.78	28.23	29.11	< 30.00
		36	0	24.02	23.27	26.67	27.55	< 30.00
		1	0	19.63	18.73	22.21	23.09	< 30.00
		1	37	19.57	18.87	22.24	23.12	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
15	3840.00	18	9	25.68	25.23	28.47	29.35	< 30.00
		1	1	25.60	25.19	28.41	29.29	< 30.00
		1	36	25.74	25.24	28.51	29.39	< 30.00
		36	0	24.21	23.74	26.99	27.87	< 30.00
		1	0	19.74	19.25	22.51	23.39	< 30.00
		1	37	19.68	19.20	22.46	23.34	< 30.00
15	3972.48	18	9	25.94	25.08	28.54	29.42	< 30.00
		1	1	25.87	25.10	28.51	29.39	< 30.00
		1	36	25.91	25.09	28.53	29.41	< 30.00
		36	0	24.42	23.61	27.04	27.92	< 30.00
		1	0	19.89	19.07	22.51	23.39	< 30.00
		1	37	19.91	19.05	22.51	23.39	< 30.00
20	3710.01	25	12	25.64	24.80	28.25	29.13	< 30.00
		1	1	25.59	24.73	28.19	29.07	< 30.00
		1	49	25.62	24.88	28.28	29.16	< 30.00
		50	0	24.13	23.32	26.75	27.63	< 30.00
		1	0	19.56	18.73	22.18	23.06	< 30.00
		1	50	19.60	18.91	22.28	23.16	< 30.00
20	3840.00	25	12	25.82	25.33	28.59	29.47	< 30.00
		1	1	25.65	25.22	28.45	29.33	< 30.00
		1	49	25.74	25.29	28.53	29.41	< 30.00
		50	0	24.28	23.86	27.09	27.97	< 30.00
		1	0	19.77	19.31	22.56	23.44	< 30.00
		1	50	19.76	19.24	22.52	23.40	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
20	3969.99	25	12	25.93	25.20	28.59	29.47	< 30.00
		1	1	25.93	25.12	28.55	29.43	< 30.00
		1	49	25.98	25.18	28.61	29.49	< 30.00
		50	0	24.50	23.70	27.13	28.01	< 30.00
		1	0	19.98	19.12	22.58	23.46	< 30.00
		1	50	19.96	19.17	22.59	23.47	< 30.00
25	3712.50	32	16	25.83	25.23	28.55	29.43	< 30.00
		1	1	25.65	25.13	28.41	29.29	< 30.00
		1	63	25.67	25.35	28.52	29.40	< 30.00
		64	0	24.21	23.69	26.97	27.85	< 30.00
		1	0	19.81	19.12	22.49	23.37	< 30.00
		1	64	19.68	19.33	22.52	23.40	< 30.00
25	3840.00	32	16	25.91	25.65	28.79	29.67	< 30.00
		1	1	25.77	25.59	28.69	29.57	< 30.00
		1	63	25.96	25.57	28.78	29.66	< 30.00
		64	0	24.44	24.20	27.33	28.21	< 30.00
		1	0	19.93	19.73	22.84	23.72	< 30.00
		1	64	19.91	19.61	22.77	23.65	< 30.00
25	3967.50	32	16	26.15	25.58	28.88	29.76	< 30.00
		1	1	26.14	25.52	28.85	29.73	< 30.00
		1	63	25.99	25.62	28.82	29.70	< 30.00
		64	0	24.61	24.07	27.36	28.24	< 30.00
		1	0	20.23	19.53	22.90	23.78	< 30.00
		1	64	20.06	19.65	22.87	23.75	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
30	3715.02	36	18	25.74	24.87	28.34	29.22	< 30.00
		1	1	25.60	24.84	28.25	29.13	< 30.00
		1	76	25.72	25.07	28.42	29.30	< 30.00
		75	0	24.25	23.45	26.88	27.76	< 30.00
		1	0	19.74	18.85	22.33	23.21	< 30.00
		1	77	19.76	19.08	22.44	23.32	< 30.00
30	3840.00	36	18	25.78	25.36	28.59	29.47	< 30.00
		1	1	25.73	25.30	28.53	29.41	< 30.00
		1	76	25.74	25.28	28.53	29.41	< 30.00
		75	0	24.32	23.88	27.12	28.00	< 30.00
		1	0	19.82	19.40	22.63	23.51	< 30.00
		1	77	19.79	19.28	22.55	23.43	< 30.00
30	3964.98	36	18	25.93	25.20	28.59	29.47	< 30.00
		1	1	26.00	25.13	28.60	29.48	< 30.00
		1	76	25.92	25.22	28.59	29.47	< 30.00
		75	0	24.48	23.75	27.14	28.02	< 30.00
		1	0	20.02	19.25	22.66	23.54	< 30.00
		1	77	19.95	19.20	22.60	23.48	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
40	3720.00	50	25	25.36	24.60	28.01	28.89	< 30.00
		1	1	25.45	24.58	28.05	28.93	< 30.00
		1	104	25.46	24.76	28.13	29.01	< 30.00
		100	0	23.98	23.19	26.61	27.49	< 30.00
		1	0	19.55	18.75	22.18	23.06	< 30.00
		1	105	19.55	18.82	22.21	23.09	< 30.00
40	3840.00	50	25	25.63	25.12	28.39	29.27	< 30.00
		1	1	25.63	25.29	28.47	29.35	< 30.00
		1	104	25.53	25.09	28.33	29.21	< 30.00
		100	0	24.10	23.68	26.91	27.79	< 30.00
		1	0	19.77	19.41	22.60	23.48	< 30.00
		1	105	19.61	19.23	22.43	23.31	< 30.00
40	3960.00	50	25	25.91	25.14	28.55	29.43	< 30.00
		1	1	26.01	25.16	28.62	29.50	< 30.00
		1	104	25.95	25.27	28.63	29.51	< 30.00
		100	0	24.42	23.62	27.05	27.93	< 30.00
		1	0	20.08	19.18	22.66	23.54	< 30.00
		1	105	19.90	19.23	22.59	23.47	< 30.00
50	3720.00	64	32	25.72	24.98	28.38	29.26	< 30.00
		1	1	25.54	24.75	28.17	29.05	< 30.00
		1	131	25.62	24.94	28.30	29.18	< 30.00
		128	0	24.16	23.42	26.82	27.70	< 30.00
		1	0	19.54	18.71	22.16	23.04	< 30.00
		1	132	19.37	18.71	22.06	22.94	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
50	3840.00	64	32	25.60	25.23	28.43	29.31	< 30.00
		1	1	25.51	25.13	28.33	29.21	< 30.00
		1	131	25.47	25.02	28.26	29.14	< 30.00
		128	0	24.04	23.65	26.86	27.74	< 30.00
		1	0	19.61	19.27	22.45	23.33	< 30.00
		1	132	19.58	19.13	22.37	23.25	< 30.00
50	3954.99	64	32	25.78	24.98	28.41	29.29	< 30.00
		1	1	25.94	24.92	28.47	29.35	< 30.00
		1	131	25.65	25.02	28.36	29.24	< 30.00
		128	0	24.30	23.59	26.97	27.85	< 30.00
		1	0	19.90	18.99	22.48	23.36	< 30.00
		1	132	19.68	19.03	22.38	23.26	< 30.00
60	3730.02	81	40	25.43	24.72	28.10	28.98	< 30.00
		1	1	25.30	24.51	27.93	28.81	< 30.00
		1	160	25.36	24.74	28.07	28.95	< 30.00
		162	0	23.96	23.23	26.62	27.50	< 30.00
		1	0	19.47	18.67	22.10	22.98	< 30.00
		1	161	19.44	18.74	22.11	22.99	< 30.00
60	3840.00	81	40	25.65	25.23	28.46	29.34	< 30.00
		1	1	25.55	25.20	28.39	29.27	< 30.00
		1	160	25.49	25.08	28.30	29.18	< 30.00
		162	0	24.16	23.77	26.98	27.86	< 30.00
		1	0	19.62	19.30	22.47	23.35	< 30.00
		1	161	19.58	19.13	22.37	23.25	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
60	3949.98	81	40	25.55	25.04	28.31	29.19	< 30.00
		1	1	25.78	25.10	28.46	29.34	< 30.00
		1	160	25.47	25.05	28.28	29.16	< 30.00
		162	0	24.12	23.60	26.88	27.76	< 30.00
		1	0	19.76	19.07	22.44	23.32	< 30.00
		1	161	19.37	19.07	22.23	23.11	< 30.00
70	3735.00	90	45	25.54	24.84	28.21	29.09	< 30.00
		1	1	25.35	24.62	28.01	28.89	< 30.00
		1	187	25.38	24.76	28.09	28.97	< 30.00
		180	0	23.94	23.32	26.65	27.53	< 30.00
		1	0	19.60	18.74	22.20	23.08	< 30.00
		1	188	19.35	18.73	22.06	22.94	< 30.00
70	3840.00	90	45	25.56	25.07	28.33	29.21	< 30.00
		1	1	25.45	25.12	28.30	29.18	< 30.00
		1	187	25.31	24.84	28.09	28.97	< 30.00
		180	0	23.95	23.68	26.83	27.71	< 30.00
		1	0	19.46	19.36	22.42	23.30	< 30.00
		1	188	19.29	18.97	22.14	23.02	< 30.00
70	3945.00	90	45	25.69	25.10	28.42	29.30	< 30.00
		1	1	25.82	25.02	28.45	29.33	< 30.00
		1	187	25.34	25.01	28.19	29.07	< 30.00
		180	0	24.10	23.63	26.88	27.76	< 30.00
		1	0	19.84	19.16	22.52	23.40	< 30.00
		1	188	19.37	19.06	22.23	23.11	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
80	3740.01	108	54	25.55	24.91	28.25	29.13	< 30.00
		1	1	25.33	24.56	27.97	28.85	< 30.00
		1	215	25.41	24.77	28.11	28.99	< 30.00
		216	0	24.01	23.25	26.66	27.54	< 30.00
		1	0	19.52	18.67	22.13	23.01	< 30.00
		1	216	19.37	18.71	22.06	22.94	< 30.00
80	3840.00	108	54	25.51	25.08	28.31	29.19	< 30.00
		1	1	25.40	25.11	28.27	29.15	< 30.00
		1	215	25.44	24.97	28.22	29.10	< 30.00
		216	0	24.03	23.61	26.84	27.72	< 30.00
		1	0	19.52	19.20	22.37	23.25	< 30.00
		1	216	19.43	18.94	22.20	23.08	< 30.00
80	3939.99	108	54	25.57	25.09	28.35	29.23	< 30.00
		1	1	25.73	25.01	28.40	29.28	< 30.00
		1	215	25.33	25.04	28.20	29.08	< 30.00
		216	0	24.19	23.58	26.91	27.79	< 30.00
		1	0	19.79	19.14	22.49	23.37	< 30.00
		1	216	19.26	19.04	22.16	23.04	< 30.00
90	3745.02	120	60	25.56	24.89	28.25	29.13	< 30.00
		1	1	25.26	24.58	27.94	28.82	< 30.00
		1	243	25.53	24.82	28.20	29.08	< 30.00
		243	0	24.03	23.29	26.69	27.57	< 30.00
		1	0	19.62	18.88	22.28	23.16	< 30.00
		1	244	19.52	18.86	22.21	23.09	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM PI/2 BPSK								
90	3840.00	120	60	25.49	25.09	28.30	29.18	< 30.00
		1	1	25.30	25.04	28.18	29.06	< 30.00
		1	243	25.54	24.96	28.27	29.15	< 30.00
		243	0	24.07	23.72	26.91	27.79	< 30.00
		1	0	19.42	19.23	22.34	23.22	< 30.00
		1	244	19.53	19.01	22.29	23.17	< 30.00
90	3934.98	120	60	25.72	25.07	28.42	29.30	< 30.00
		1	1	25.71	24.99	28.38	29.26	< 30.00
		1	243	25.35	25.02	28.20	29.08	< 30.00
		243	0	24.15	23.61	26.90	27.78	< 30.00
		1	0	19.88	19.14	22.54	23.42	< 30.00
		1	244	19.40	19.07	22.25	23.13	< 30.00
100	3750.00	135	67	25.59	24.91	28.27	29.15	< 30.00
		1	1	25.28	24.59	27.96	28.84	< 30.00
		1	271	25.64	24.95	28.32	29.20	< 30.00
		270	0	24.07	23.31	26.72	27.60	< 30.00
		1	0	19.57	18.82	22.22	23.10	< 30.00
		1	272	19.59	18.89	22.26	23.14	< 30.00
100	3840.00	135	67	25.59	25.16	28.39	29.27	< 30.00
		1	1	25.36	25.09	28.24	29.12	< 30.00
		1	271	25.52	25.03	28.29	29.17	< 30.00
		270	0	24.03	23.60	26.83	27.71	< 30.00
		1	0	19.40	19.13	22.28	23.16	< 30.00
		1	272	19.52	18.99	22.27	23.15	< 30.00
100	3930.00	135	67	25.69	25.14	28.43	29.31	< 30.00
		1	1	25.71	25.03	28.39	29.27	< 30.00
		1	271	25.41	25.22	28.33	29.21	< 30.00
		270	0	24.21	23.58	26.92	27.80	< 30.00
		1	0	19.90	19.08	22.52	23.40	< 30.00
		1	272	19.41	19.16	22.30	23.18	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
10	3705.00	12	6	25.73	24.94	28.36	29.24	< 30.00
		1	1	25.60	24.84	28.25	29.13	< 30.00
		1	22	25.62	24.99	28.33	29.21	< 30.00
		24	0	23.74	22.90	26.35	27.23	< 30.00
		1	0	19.18	18.46	21.85	22.73	< 30.00
		1	23	19.17	18.50	21.86	22.74	< 30.00
10	3840.00	12	6	25.40	24.93	28.18	29.06	< 30.00
		1	1	25.35	24.91	28.15	29.03	< 30.00
		1	22	25.36	24.89	28.14	29.02	< 30.00
		24	0	23.39	22.97	26.20	27.08	< 30.00
		1	0	18.88	18.42	21.67	22.55	< 30.00
		1	23	18.95	18.36	21.68	22.56	< 30.00
10	3975.00	12	6	25.74	25.04	28.41	29.29	< 30.00
		1	1	25.71	24.89	28.33	29.21	< 30.00
		1	22	25.63	25.02	28.35	29.23	< 30.00
		24	0	23.74	23.09	26.44	27.32	< 30.00
		1	0	19.21	18.45	21.86	22.74	< 30.00
		1	23	19.13	18.39	21.79	22.67	< 30.00
15	3707.52	18	9	25.55	24.74	28.17	29.05	< 30.00
		1	1	25.48	24.74	28.14	29.02	< 30.00
		1	36	25.62	24.80	28.24	29.12	< 30.00
		36	0	23.50	22.75	26.15	27.03	< 30.00
		1	0	19.09	18.22	21.69	22.57	< 30.00
		1	37	19.05	18.36	21.73	22.61	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
15	3840.00	18	9	25.67	25.17	28.44	29.32	< 30.00
		1	1	25.58	25.18	28.39	29.27	< 30.00
		1	36	25.71	25.25	28.50	29.38	< 30.00
		36	0	23.76	23.28	26.54	27.42	< 30.00
		1	0	19.09	18.64	21.88	22.76	< 30.00
		1	37	19.12	18.64	21.90	22.78	< 30.00
15	3972.48	18	9	25.87	25.08	28.50	29.38	< 30.00
		1	1	25.82	25.04	28.46	29.34	< 30.00
		1	36	25.78	25.11	28.47	29.35	< 30.00
		36	0	23.91	23.11	26.54	27.42	< 30.00
		1	0	19.38	18.53	21.99	22.87	< 30.00
		1	37	19.41	18.60	22.03	22.91	< 30.00
20	3710.01	25	12	25.61	24.82	28.24	29.12	< 30.00
		1	1	25.57	24.67	28.15	29.03	< 30.00
		1	49	25.64	24.91	28.30	29.18	< 30.00
		50	0	23.69	22.79	26.27	27.15	< 30.00
		1	0	19.09	18.33	21.74	22.62	< 30.00
		1	50	19.11	18.41	21.78	22.66	< 30.00
20	3840.00	25	12	25.75	25.31	28.55	29.43	< 30.00
		1	1	25.78	25.30	28.56	29.44	< 30.00
		1	49	25.75	25.25	28.52	29.40	< 30.00
		50	0	23.75	23.29	26.54	27.42	< 30.00
		1	0	19.24	18.78	22.03	22.91	< 30.00
		1	50	19.20	18.69	21.96	22.84	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
20	3969.99	25	12	25.91	25.22	28.59	29.47	< 30.00
		1	1	25.94	25.06	28.53	29.41	< 30.00
		1	49	25.88	25.23	28.58	29.46	< 30.00
		50	0	23.93	23.26	26.62	27.50	< 30.00
		1	0	19.42	18.63	22.05	22.93	< 30.00
		1	50	19.36	18.70	22.05	22.93	< 30.00
25	3712.50	32	16	25.62	25.28	28.46	29.34	< 30.00
		1	1	25.65	25.12	28.40	29.28	< 30.00
		1	63	25.63	25.37	28.51	29.39	< 30.00
		64	0	23.71	23.24	26.49	27.37	< 30.00
		1	0	19.24	18.66	21.97	22.85	< 30.00
		1	64	19.04	18.81	21.94	22.82	< 30.00
25	3840.00	32	16	25.91	25.65	28.79	29.67	< 30.00
		1	1	25.69	25.65	28.68	29.56	< 30.00
		1	63	25.85	25.61	28.74	29.62	< 30.00
		64	0	23.93	23.67	26.81	27.69	< 30.00
		1	0	20.31	19.17	22.79	23.67	< 30.00
		1	64	19.35	19.06	22.22	23.10	< 30.00
25	3967.50	32	16	26.09	25.51	28.82	29.70	< 30.00
		1	1	26.17	25.57	28.89	29.77	< 30.00
		1	63	26.01	25.72	28.88	29.76	< 30.00
		64	0	24.08	23.54	26.83	27.71	< 30.00
		1	0	19.60	19.00	22.32	23.20	< 30.00
		1	64	19.59	19.04	22.33	23.21	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
30	3715.02	36	18	25.70	24.91	28.33	29.21	< 30.00
		1	1	25.59	24.83	28.24	29.12	< 30.00
		1	76	25.78	25.04	28.44	29.32	< 30.00
		75	0	23.76	22.93	26.38	27.26	< 30.00
		1	0	19.31	18.41	21.89	22.77	< 30.00
		1	77	19.31	18.60	21.98	22.86	< 30.00
30	3840.00	36	18	25.74	25.34	28.55	29.43	< 30.00
		1	1	25.72	25.28	28.52	29.40	< 30.00
		1	76	25.71	25.23	28.49	29.37	< 30.00
		75	0	23.81	23.35	26.60	27.48	< 30.00
		1	0	19.27	18.90	22.10	22.98	< 30.00
		1	77	19.22	18.68	21.97	22.85	< 30.00
30	3964.98	36	18	25.92	25.17	28.57	29.45	< 30.00
		1	1	26.01	25.14	28.61	29.49	< 30.00
		1	76	25.90	25.16	28.56	29.44	< 30.00
		75	0	23.95	23.22	26.61	27.49	< 30.00
		1	0	19.44	18.67	22.08	22.96	< 30.00
		1	77	19.43	18.65	22.07	22.95	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
40	3720.00	50	25	25.33	24.53	27.96	28.84	< 30.00
		1	1	25.44	24.55	28.03	28.91	< 30.00
		1	104	25.47	24.72	28.12	29.00	< 30.00
		100	0	23.48	22.69	26.11	26.99	< 30.00
		1	0	19.05	18.25	21.68	22.56	< 30.00
		1	105	19.06	18.30	21.71	22.59	< 30.00
40	3840.00	50	25	25.58	25.12	28.37	29.25	< 30.00
		1	1	25.67	25.23	28.47	29.35	< 30.00
		1	104	25.54	25.09	28.33	29.21	< 30.00
		100	0	23.63	23.17	26.42	27.30	< 30.00
		1	0	19.24	18.85	22.06	22.94	< 30.00
		1	105	19.11	18.64	21.89	22.77	< 30.00
40	3960.00	50	25	25.79	25.13	28.48	29.36	< 30.00
		1	1	25.97	25.12	28.58	29.46	< 30.00
		1	104	25.89	25.26	28.60	29.48	< 30.00
		100	0	23.90	23.16	26.56	27.44	< 30.00
		1	0	19.50	18.63	22.10	22.98	< 30.00
		1	105	19.42	18.68	22.08	22.96	< 30.00
50	3720.00	64	32	25.70	24.95	28.35	29.23	< 30.00
		1	1	25.53	24.75	28.17	29.05	< 30.00
		1	131	25.62	24.95	28.31	29.19	< 30.00
		128	0	23.67	22.94	26.33	27.21	< 30.00
		1	0	18.98	18.13	21.59	22.47	< 30.00
		1	132	18.81	18.17	21.51	22.39	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
50	3840.00	64	32	25.56	25.18	28.38	29.26	< 30.00
		1	1	25.57	25.12	28.36	29.24	< 30.00
		1	131	25.42	25.06	28.25	29.13	< 30.00
		128	0	23.52	23.14	26.34	27.22	< 30.00
		1	0	19.04	18.67	21.87	22.75	< 30.00
		1	132	19.04	18.61	21.84	22.72	< 30.00
50	3954.99	64	32	25.80	24.98	28.42	29.30	< 30.00
		1	1	25.77	24.92	28.38	29.26	< 30.00
		1	131	25.61	25.03	28.34	29.22	< 30.00
		128	0	23.73	23.11	26.44	27.32	< 30.00
		1	0	19.34	18.37	21.89	22.77	< 30.00
		1	132	19.12	18.49	21.83	22.71	< 30.00
60	3730.02	81	40	25.40	24.73	28.09	28.97	< 30.00
		1	1	23.34	24.49	26.96	27.84	< 30.00
		1	160	25.37	24.72	28.07	28.95	< 30.00
		162	0	23.44	22.73	26.11	26.99	< 30.00
		1	0	18.98	18.17	21.60	22.48	< 30.00
		1	161	18.82	18.20	21.53	22.41	< 30.00
60	3840.00	81	40	25.62	25.19	28.42	29.30	< 30.00
		1	1	25.54	25.16	28.36	29.24	< 30.00
		1	160	25.51	25.06	28.30	29.18	< 30.00
		162	0	23.66	23.24	26.47	27.35	< 30.00
		1	0	19.08	18.80	21.95	22.83	< 30.00
		1	161	19.05	18.62	21.85	22.73	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
60	3949.98	81	40	25.56	25.03	28.31	29.19	< 30.00
		1	1	25.70	25.10	28.42	29.30	< 30.00
		1	160	25.39	25.08	28.25	29.13	< 30.00
		162	0	23.60	23.11	26.37	27.25	< 30.00
		1	0	19.25	18.58	21.94	22.82	< 30.00
		1	161	18.88	18.54	21.72	22.60	< 30.00
70	3735.00	90	45	25.51	24.80	28.18	29.06	< 30.00
		1	1	25.29	24.55	27.95	28.83	< 30.00
		1	187	25.36	24.74	28.07	28.95	< 30.00
		180	0	23.43	22.80	26.14	27.02	< 30.00
		1	0	19.04	18.24	21.67	22.55	< 30.00
		1	188	18.84	18.27	21.57	22.45	< 30.00
70	3840.00	90	45	25.50	25.05	28.29	29.17	< 30.00
		1	1	25.38	25.09	28.25	29.13	< 30.00
		1	187	25.33	24.81	28.09	28.97	< 30.00
		180	0	23.44	23.19	26.33	27.21	< 30.00
		1	0	18.94	18.76	21.86	22.74	< 30.00
		1	188	18.82	18.43	21.64	22.52	< 30.00
70	3945.00	90	45	25.56	25.10	28.35	29.23	< 30.00
		1	1	25.84	25.04	28.47	29.35	< 30.00
		1	187	25.25	24.97	28.12	29.00	< 30.00
		180	0	23.65	23.10	26.39	27.27	< 30.00
		1	0	19.32	18.67	22.02	22.90	< 30.00
		1	188	18.82	18.53	21.69	22.57	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
80	3740.01	108	54	25.51	24.78	28.17	29.05	< 30.00
		1	1	25.26	24.56	27.93	28.81	< 30.00
		1	215	25.44	24.78	28.13	29.01	< 30.00
		216	0	23.52	22.75	26.16	27.04	< 30.00
		1	0	18.97	18.22	21.62	22.50	< 30.00
		1	216	18.88	18.24	21.58	22.46	< 30.00
80	3840.00	108	54	25.56	25.08	28.34	29.22	< 30.00
		1	1	25.40	25.08	28.25	29.13	< 30.00
		1	215	25.41	25.00	28.22	29.10	< 30.00
		216	0	23.54	23.10	26.34	27.22	< 30.00
		1	0	18.98	18.67	21.84	22.72	< 30.00
		1	216	18.91	18.43	21.69	22.57	< 30.00
80	3939.99	108	54	25.61	25.11	28.38	29.26	< 30.00
		1	1	25.72	25.04	28.40	29.28	< 30.00
		1	215	25.39	25.12	28.27	29.15	< 30.00
		216	0	23.68	23.04	26.38	27.26	< 30.00
		1	0	19.28	18.56	21.95	22.83	< 30.00
		1	216	18.82	18.48	21.66	22.54	< 30.00
90	3745.02	120	60	25.56	24.96	28.28	29.16	< 30.00
		1	1	25.34	24.59	27.99	28.87	< 30.00
		1	243	25.54	24.80	28.20	29.08	< 30.00
		243	0	23.53	22.79	26.19	27.07	< 30.00
		1	0	19.01	18.31	21.68	22.56	< 30.00
		1	244	19.04	18.33	21.71	22.59	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM QPSK								
90	3840.00	120	60	25.58	25.14	28.38	29.26	< 30.00
		1	1	25.34	25.01	28.19	29.07	< 30.00
		1	243	25.44	24.97	28.22	29.10	< 30.00
		243	0	23.45	23.18	26.33	27.21	< 30.00
		1	0	18.87	18.70	21.80	22.68	< 30.00
		1	244	19.01	18.52	21.78	22.66	< 30.00
90	3934.98	120	60	25.62	25.03	28.35	29.23	< 30.00
		1	1	25.68	24.91	28.32	29.20	< 30.00
		1	243	25.32	25.07	28.21	29.09	< 30.00
		243	0	23.57	23.10	26.35	27.23	< 30.00
		1	0	19.34	18.65	22.02	22.90	< 30.00
		1	244	18.85	18.57	21.72	22.60	< 30.00
100	3750.00	135	67	25.52	24.92	28.24	29.12	< 30.00
		1	1	25.33	24.55	27.97	28.85	< 30.00
		1	271	25.63	24.95	28.31	29.19	< 30.00
		270	0	23.57	22.82	26.22	27.10	< 30.00
		1	0	19.04	18.28	21.69	22.57	< 30.00
		1	272	19.04	18.36	21.72	22.60	< 30.00
100	3840.00	135	67	25.58	25.19	28.40	29.28	< 30.00
		1	1	25.32	25.04	28.19	29.07	< 30.00
		1	271	25.51	25.04	28.29	29.17	< 30.00
		270	0	25.51	23.07	27.47	28.35	< 30.00
		1	0	18.85	18.63	21.75	22.63	< 30.00
		1	272	19.01	18.48	21.76	22.64	< 30.00
100	3930.00	135	67	25.66	25.05	28.38	29.26	< 30.00
		1	1	25.70	25.02	28.38	29.26	< 30.00
		1	271	25.45	25.15	28.31	29.19	< 30.00
		270	0	23.70	23.05	26.40	27.28	< 30.00
		1	0	19.36	18.67	22.04	22.92	< 30.00
		1	272	18.86	18.62	21.75	22.63	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
10	3705.00	12	6	24.67	23.86	27.29	28.17	< 30.00
		1	1	24.45	23.66	27.08	27.96	< 30.00
		1	22	24.67	23.97	27.34	28.22	< 30.00
		24	0	22.76	21.96	25.39	26.27	< 30.00
		1	0	19.23	18.52	21.90	22.78	< 30.00
		1	23	19.12	18.37	21.77	22.65	< 30.00
10	3840.00	12	6	24.35	23.92	27.15	28.03	< 30.00
		1	1	24.36	23.89	27.14	28.02	< 30.00
		1	22	24.14	23.68	26.93	27.81	< 30.00
		24	0	22.47	22.02	25.26	26.14	< 30.00
		1	0	18.85	18.42	21.65	22.53	< 30.00
		1	23	19.95	18.34	22.23	23.11	< 30.00
10	3975.00	12	6	24.68	23.95	27.34	28.22	< 30.00
		1	1	24.65	23.94	27.32	28.20	< 30.00
		1	22	24.67	23.92	27.32	28.20	< 30.00
		24	0	22.81	22.08	25.47	26.35	< 30.00
		1	0	19.10	18.33	21.74	22.62	< 30.00
		1	23	19.06	18.34	21.73	22.61	< 30.00
15	3707.52	18	9	24.51	23.68	27.13	28.01	< 30.00
		1	1	24.44	23.54	27.02	27.90	< 30.00
		1	36	24.54	23.70	27.15	28.03	< 30.00
		36	0	22.51	21.74	25.15	26.03	< 30.00
		1	0	19.02	18.16	21.62	22.50	< 30.00
		1	37	19.07	18.27	21.70	22.58	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
15	3840.00	18	9	24.65	24.25	27.46	28.34	< 30.00
		1	1	24.58	24.05	27.33	28.21	< 30.00
		1	36	24.58	24.11	27.36	28.24	< 30.00
		36	0	22.77	22.28	25.54	26.42	< 30.00
		1	0	19.10	18.62	21.88	22.76	< 30.00
		1	37	19.04	18.59	21.83	22.71	< 30.00
15	3972.48	18	9	24.84	24.04	27.47	28.35	< 30.00
		1	1	24.77	23.96	27.39	28.27	< 30.00
		1	36	24.66	23.97	27.34	28.22	< 30.00
		36	0	22.87	22.09	25.51	26.39	< 30.00
		1	0	19.39	18.57	22.01	22.89	< 30.00
		1	37	19.45	18.67	22.09	22.97	< 30.00
20	3710.01	25	12	24.66	23.79	27.26	28.14	< 30.00
		1	1	24.56	23.61	27.12	28.00	< 30.00
		1	49	24.58	23.87	27.25	28.13	< 30.00
		50	0	22.66	21.82	25.27	26.15	< 30.00
		1	0	19.14	18.26	21.73	22.61	< 30.00
		1	50	19.01	18.30	21.68	22.56	< 30.00
20	3840.00	25	12	24.76	24.29	27.54	28.42	< 30.00
		1	1	24.62	24.19	27.42	28.30	< 30.00
		1	49	24.58	24.11	27.36	28.24	< 30.00
		50	0	22.73	22.27	25.52	26.40	< 30.00
		1	0	19.10	18.63	21.88	22.76	< 30.00
		1	50	19.05	18.56	21.82	22.70	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
20	3969.99	25	12	24.90	24.22	27.58	28.46	< 30.00
		1	1	24.78	23.99	27.41	28.29	< 30.00
		1	49	24.95	24.09	27.55	28.43	< 30.00
		50	0	22.90	22.24	25.59	26.47	< 30.00
		1	0	19.43	18.68	22.08	22.96	< 30.00
		1	50	19.46	18.67	22.09	22.97	< 30.00
25	3712.50	32	16	24.65	24.21	27.45	28.33	< 30.00
		1	1	24.60	24.08	27.36	28.24	< 30.00
		1	63	24.43	24.09	27.27	28.15	< 30.00
		64	0	22.69	22.19	25.46	26.34	< 30.00
		1	0	19.29	18.65	21.99	22.87	< 30.00
		1	64	19.17	18.82	22.01	22.89	< 30.00
25	3840.00	32	16	24.97	24.71	27.85	28.73	< 30.00
		1	1	24.61	24.52	27.58	28.46	< 30.00
		1	63	24.75	24.48	27.63	28.51	< 30.00
		64	0	22.94	22.68	25.82	26.70	< 30.00
		1	0	19.34	19.18	22.27	23.15	< 30.00
		1	64	19.29	19.06	22.19	23.07	< 30.00
25	3967.50	32	16	25.09	24.56	27.84	28.72	< 30.00
		1	1	25.02	24.29	27.68	28.56	< 30.00
		1	63	24.86	24.57	27.73	28.61	< 30.00
		64	0	23.08	22.52	25.82	26.70	< 30.00
		1	0	19.75	18.96	22.38	23.26	< 30.00
		1	64	19.47	19.05	22.28	23.16	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
30	3715.02	36	18	24.67	23.88	27.30	28.18	< 30.00
		1	1	24.48	23.68	27.11	27.99	< 30.00
		1	76	24.70	23.92	27.34	28.22	< 30.00
		75	0	22.78	21.89	25.37	26.25	< 30.00
		1	0	19.07	18.24	21.69	22.57	< 30.00
		1	77	19.26	18.43	21.88	22.76	< 30.00
30	3840.00	36	18	24.74	24.29	27.53	28.41	< 30.00
		1	1	24.54	24.09	27.33	28.21	< 30.00
		1	76	24.56	24.11	27.35	28.23	< 30.00
		75	0	22.83	22.37	25.62	26.50	< 30.00
		1	0	19.30	18.84	22.09	22.97	< 30.00
		1	77	19.18	18.70	21.96	22.84	< 30.00
30	3964.98	36	18	24.98	24.19	27.61	28.49	< 30.00
		1	1	24.96	24.04	27.53	28.41	< 30.00
		1	76	24.83	24.07	27.48	28.36	< 30.00
		75	0	22.95	22.24	25.62	26.50	< 30.00
		1	0	19.49	18.73	22.14	23.02	< 30.00
		1	77	19.57	18.77	22.20	23.08	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
40	3720.00	50	25	24.33	23.58	26.98	27.86	< 30.00
		1	1	24.40	23.46	26.97	27.85	< 30.00
		1	104	24.51	23.68	27.13	28.01	< 30.00
		100	0	22.46	21.70	25.11	25.99	< 30.00
		1	0	19.13	18.34	21.76	22.64	< 30.00
		1	105	19.10	18.34	21.75	22.63	< 30.00
40	3840.00	50	25	24.54	24.13	27.35	28.23	< 30.00
		1	1	24.60	24.16	27.40	28.28	< 30.00
		1	104	24.49	24.02	27.27	28.15	< 30.00
		100	0	22.66	22.20	25.45	26.33	< 30.00
		1	0	19.28	18.91	22.11	22.99	< 30.00
		1	105	19.12	18.65	21.90	22.78	< 30.00
40	3960.00	50	25	24.82	24.08	27.48	28.36	< 30.00
		1	1	24.87	24.05	27.49	28.37	< 30.00
		1	104	24.87	24.13	27.53	28.41	< 30.00
		100	0	22.90	22.13	25.54	26.42	< 30.00
		1	0	19.47	18.62	22.08	22.96	< 30.00
		1	105	19.39	18.79	22.11	22.99	< 30.00
50	3720.00	64	32	24.70	23.94	27.35	28.23	< 30.00
		1	1	24.30	23.45	26.91	27.79	< 30.00
		1	131	24.35	23.67	27.03	27.91	< 30.00
		128	0	22.71	21.96	25.36	26.24	< 30.00
		1	0	18.94	18.08	21.54	22.42	< 30.00
		1	132	18.73	18.06	21.42	22.30	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
50	3840.00	64	32	24.55	24.09	27.34	28.22	< 30.00
		1	1	24.46	24.10	27.29	28.17	< 30.00
		1	131	24.46	23.99	27.24	28.12	< 30.00
		128	0	22.58	22.15	25.38	26.26	< 30.00
		1	0	19.03	18.70	21.88	22.76	< 30.00
		1	132	18.93	18.52	21.74	22.62	< 30.00
50	3954.99	64	32	24.82	24.02	27.45	28.33	< 30.00
		1	1	24.91	23.85	27.42	28.30	< 30.00
		1	131	24.51	23.93	27.24	28.12	< 30.00
		128	0	22.75	22.05	25.42	26.30	< 30.00
		1	0	19.34	18.51	21.96	22.84	< 30.00
		1	132	19.28	18.58	21.95	22.83	< 30.00
60	3730.02	81	40	24.36	23.71	27.06	27.94	< 30.00
		1	1	24.36	23.48	26.95	27.83	< 30.00
		1	160	24.22	23.56	26.91	27.79	< 30.00
		162	0	22.46	21.74	25.13	26.01	< 30.00
		1	0	18.93	18.19	21.59	22.47	< 30.00
		1	161	18.82	18.21	21.54	22.42	< 30.00
60	3840.00	81	40	24.63	24.22	27.44	28.32	< 30.00
		1	1	24.56	24.18	27.38	28.26	< 30.00
		1	160	24.34	23.87	27.12	28.00	< 30.00
		162	0	22.66	22.26	25.47	26.35	< 30.00
		1	0	19.19	18.69	21.96	22.84	< 30.00
		1	161	19.12	18.71	21.93	22.81	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
60	3949.98	81	40	24.54	24.04	27.31	28.19	< 30.00
		1	1	24.79	24.09	27.46	28.34	< 30.00
		1	160	24.29	24.00	27.16	28.04	< 30.00
		162	0	22.59	22.09	25.36	26.24	< 30.00
		1	0	19.23	18.52	21.90	22.78	< 30.00
		1	161	18.85	18.47	21.67	22.55	< 30.00
70	3735.00	90	45	24.49	23.90	27.22	28.10	< 30.00
		1	1	24.26	23.53	26.92	27.80	< 30.00
		1	187	24.25	23.65	26.97	27.85	< 30.00
		180	0	22.44	21.85	25.17	26.05	< 30.00
		1	0	19.05	18.13	21.62	22.50	< 30.00
		1	188	18.85	18.24	21.57	22.45	< 30.00
70	3840.00	90	45	24.52	24.10	27.33	28.21	< 30.00
		1	1	24.38	24.07	27.24	28.12	< 30.00
		1	187	24.12	23.71	26.93	27.81	< 30.00
		180	0	22.48	22.14	25.32	26.20	< 30.00
		1	0	18.99	18.77	21.89	22.77	< 30.00
		1	188	18.81	18.35	21.60	22.48	< 30.00
70	3945.00	90	45	24.61	24.07	27.36	28.24	< 30.00
		1	1	24.93	24.11	27.55	28.43	< 30.00
		1	187	24.29	23.99	27.15	28.03	< 30.00
		180	0	22.64	22.15	25.41	26.29	< 30.00
		1	0	19.26	18.58	21.94	22.82	< 30.00
		1	188	18.72	18.41	21.58	22.46	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
80	3740.01	108	54	24.45	23.77	27.13	28.01	< 30.00
		1	1	24.21	23.47	26.87	27.75	< 30.00
		1	215	24.23	23.56	26.92	27.80	< 30.00
		216	0	22.54	21.79	25.19	26.07	< 30.00
		1	0	19.01	18.14	21.61	22.49	< 30.00
		1	216	18.92	18.24	21.60	22.48	< 30.00
80	3840.00	108	54	24.49	24.09	27.30	28.18	< 30.00
		1	1	24.36	24.03	27.21	28.09	< 30.00
		1	215	24.33	24.00	27.18	28.06	< 30.00
		216	0	22.53	22.15	25.35	26.23	< 30.00
		1	0	19.00	18.65	21.84	22.72	< 30.00
		1	216	18.78	18.33	21.57	22.45	< 30.00
80	3939.99	108	54	24.61	24.11	27.38	28.26	< 30.00
		1	1	24.77	24.01	27.42	28.30	< 30.00
		1	215	24.37	24.05	27.22	28.10	< 30.00
		216	0	22.68	22.07	25.40	26.28	< 30.00
		1	0	19.23	18.51	21.90	22.78	< 30.00
		1	216	18.76	18.41	21.60	22.48	< 30.00
90	3745.02	120	60	24.53	23.92	27.25	28.13	< 30.00
		1	1	24.24	23.50	26.90	27.78	< 30.00
		1	243	24.34	23.68	27.03	27.91	< 30.00
		243	0	22.59	21.83	25.24	26.12	< 30.00
		1	0	18.99	18.32	21.68	22.56	< 30.00
		1	244	19.00	18.22	21.64	22.52	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 16QAM								
90	3840.00	120	60	24.53	24.10	27.33	28.21	< 30.00
		1	1	24.24	24.03	27.15	28.03	< 30.00
		1	243	24.47	23.93	27.22	28.10	< 30.00
		243	0	22.45	22.19	25.33	26.21	< 30.00
		1	0	18.84	18.65	21.76	22.64	< 30.00
		1	244	18.91	18.40	21.67	22.55	< 30.00
90	3934.98	120	60	24.61	24.07	27.36	28.24	< 30.00
		1	1	24.60	23.95	27.30	28.18	< 30.00
		1	243	24.34	24.02	27.19	28.07	< 30.00
		243	0	22.66	22.14	25.42	26.30	< 30.00
		1	0	19.27	18.51	21.92	22.80	< 30.00
		1	244	18.71	18.47	21.60	22.48	< 30.00
100	3750.00	135	67	24.53	23.93	27.25	28.13	< 30.00
		1	1	24.27	23.49	26.91	27.79	< 30.00
		1	271	24.57	23.89	27.25	28.13	< 30.00
		270	0	22.57	21.82	25.22	26.10	< 30.00
		1	0	18.91	18.23	21.59	22.47	< 30.00
		1	272	18.99	18.33	21.68	22.56	< 30.00
100	3840.00	135	67	24.56	24.18	27.38	28.26	< 30.00
		1	1	24.33	23.93	27.14	28.02	< 30.00
		1	271	24.52	23.97	27.26	28.14	< 30.00
		270	0	22.55	22.11	25.35	26.23	< 30.00
		1	0	18.87	18.57	21.73	22.61	< 30.00
		1	272	18.88	18.40	21.66	22.54	< 30.00
100	3930.00	135	67	24.70	24.05	27.40	28.28	< 30.00
		1	1	24.66	23.96	27.33	28.21	< 30.00
		1	271	24.27	24.02	27.16	28.04	< 30.00
		270	0	22.67	22.08	25.40	26.28	< 30.00
		1	0	19.34	18.61	22.00	22.88	< 30.00
		1	272	18.85	18.63	21.75	22.63	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 64QAM								
10	3705.00	12	6	22.78	22.01	25.42	26.30	< 30.00
		1	1	22.68	21.85	25.30	26.18	< 30.00
		1	22	22.85	22.08	25.49	26.37	< 30.00
		24	0	22.34	21.52	24.96	25.84	< 30.00
		1	0	19.14	18.44	21.81	22.69	< 30.00
		1	23	19.03	18.36	21.72	22.60	< 30.00
10	3840.00	12	6	22.43	21.95	25.21	26.09	< 30.00
		1	1	22.42	21.93	25.19	26.07	< 30.00
		1	22	22.54	22.02	25.30	26.18	< 30.00
		24	0	21.97	21.53	24.77	25.65	< 30.00
		1	0	18.93	18.50	21.73	22.61	< 30.00
		1	23	18.92	18.32	21.64	22.52	< 30.00
10	3975.00	12	6	22.73	22.05	25.41	26.29	< 30.00
		1	1	22.75	22.01	25.41	26.29	< 30.00
		1	22	22.65	22.05	25.37	26.25	< 30.00
		24	0	22.27	21.55	24.94	25.82	< 30.00
		1	0	19.39	18.55	22.00	22.88	< 30.00
		1	23	19.18	18.41	21.82	22.70	< 30.00
15	3707.52	18	9	22.58	21.74	25.19	26.07	< 30.00
		1	1	22.42	21.62	25.05	25.93	< 30.00
		1	36	22.60	21.81	25.23	26.11	< 30.00
		36	0	22.06	21.32	24.72	25.60	< 30.00
		1	0	19.10	18.23	21.70	22.58	< 30.00
		1	37	19.19	18.62	21.92	22.80	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 64QAM								
15	3840.00	18	9	22.63	22.27	25.46	26.34	< 30.00
		1	1	22.56	22.14	25.37	26.25	< 30.00
		1	36	22.71	22.22	25.48	26.36	< 30.00
		36	0	22.29	21.82	25.07	25.95	< 30.00
		1	0	19.22	18.79	22.02	22.90	< 30.00
		1	37	19.14	18.62	21.90	22.78	< 30.00
15	3972.48	18	9	22.91	22.06	25.52	26.40	< 30.00
		1	1	22.91	22.02	25.50	26.38	< 30.00
		1	36	22.90	22.21	25.58	26.46	< 30.00
		36	0	22.41	21.66	25.06	25.94	< 30.00
		1	0	19.39	18.55	22.00	22.88	< 30.00
		1	37	19.42	18.61	22.04	22.92	< 30.00
20	3710.01	25	12	22.66	21.80	25.26	26.14	< 30.00
		1	1	22.55	21.82	25.21	26.09	< 30.00
		1	49	22.54	21.81	25.20	26.08	< 30.00
		50	0	22.16	21.36	24.79	25.67	< 30.00
		1	0	18.99	18.22	21.63	22.51	< 30.00
		1	50	19.11	18.39	21.78	22.66	< 30.00
20	3840.00	25	12	22.74	22.32	25.55	26.43	< 30.00
		1	1	22.63	22.22	25.44	26.32	< 30.00
		1	49	22.52	22.07	25.31	26.19	< 30.00
		50	0	22.26	21.79	25.04	25.92	< 30.00
		1	0	19.28	18.85	22.08	22.96	< 30.00
		1	50	19.21	18.66	21.95	22.83	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 64QAM								
20	3969.99	25	12	22.88	22.19	25.56	26.44	< 30.00
		1	1	22.85	22.01	25.46	26.34	< 30.00
		1	49	23.04	22.22	25.66	26.54	< 30.00
		50	0	22.44	21.71	25.10	25.98	< 30.00
		1	0	19.42	18.61	22.04	22.92	< 30.00
		1	50	19.52	18.70	22.14	23.02	< 30.00
25	3712.50	32	16	22.66	22.25	25.47	26.35	< 30.00
		1	1	22.81	22.31	25.58	26.46	< 30.00
		1	63	22.73	22.45	25.60	26.48	< 30.00
		64	0	22.21	21.79	25.02	25.90	< 30.00
		1	0	19.35	18.79	22.09	22.97	< 30.00
		1	64	19.33	18.94	22.15	23.03	< 30.00
25	3840.00	32	16	22.92	22.66	25.80	26.68	< 30.00
		1	1	22.85	22.70	25.79	26.67	< 30.00
		1	63	23.06	22.71	25.90	26.78	< 30.00
		64	0	22.49	22.17	25.34	26.22	< 30.00
		1	0	19.44	19.36	22.41	23.29	< 30.00
		1	64	19.36	19.01	22.20	23.08	< 30.00
25	3967.50	32	16	23.09	22.52	25.82	26.70	< 30.00
		1	1	23.12	22.51	25.84	26.72	< 30.00
		1	63	23.32	22.83	26.09	26.97	< 30.00
		64	0	22.60	22.03	25.33	26.21	< 30.00
		1	0	19.87	19.10	22.51	23.39	< 30.00
		1	64	19.46	19.06	22.27	23.15	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 64QAM								
30	3715.02	36	18	22.73	21.85	25.32	26.20	< 30.00
		1	1	22.66	21.88	25.30	26.18	< 30.00
		1	76	22.85	22.16	25.53	26.41	< 30.00
		75	0	22.25	21.47	24.89	25.77	< 30.00
		1	0	19.20	18.33	21.80	22.68	< 30.00
		1	77	19.10	18.41	21.78	22.66	< 30.00
30	3840.00	36	18	22.82	22.39	25.62	26.50	< 30.00
		1	1	22.90	22.43	25.68	26.56	< 30.00
		1	76	22.85	22.42	25.65	26.53	< 30.00
		75	0	22.33	21.87	25.12	26.00	< 30.00
		1	0	19.38	19.01	22.21	23.09	< 30.00
		1	77	19.30	18.77	22.05	22.93	< 30.00
30	3964.98	36	18	23.06	22.18	25.65	26.53	< 30.00
		1	1	22.98	22.11	25.58	26.46	< 30.00
		1	76	22.89	22.14	25.54	26.42	< 30.00
		75	0	22.47	21.70	25.11	25.99	< 30.00
		1	0	19.60	18.75	22.21	23.09	< 30.00
		1	77	19.48	18.73	22.13	23.01	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 64QAM								
40	3720.00	50	25	22.37	21.56	24.99	25.87	< 30.00
		1	1	22.29	21.47	24.91	25.79	< 30.00
		1	104	22.49	21.73	25.14	26.02	< 30.00
		100	0	21.99	21.23	24.64	25.52	< 30.00
		1	0	19.14	18.33	21.76	22.64	< 30.00
		1	105	19.15	18.36	21.78	22.66	< 30.00
40	3840.00	50	25	22.64	22.17	25.42	26.30	< 30.00
		1	1	22.67	22.20	25.45	26.33	< 30.00
		1	104	22.56	22.06	25.33	26.21	< 30.00
		100	0	22.20	21.69	24.96	25.84	< 30.00
		1	0	19.32	18.87	22.11	22.99	< 30.00
		1	105	19.21	18.71	21.98	22.86	< 30.00
40	3960.00	50	25	22.80	22.09	25.47	26.35	< 30.00
		1	1	22.90	22.07	25.52	26.40	< 30.00
		1	104	22.98	22.25	25.64	26.52	< 30.00
		100	0	22.40	21.65	25.05	25.93	< 30.00
		1	0	19.50	18.62	22.09	22.97	< 30.00
		1	105	19.35	18.71	22.05	22.93	< 30.00
50	3720.00	64	32	22.75	22.02	25.41	26.29	< 30.00
		1	1	22.67	21.81	25.27	26.15	< 30.00
		1	131	22.66	22.01	25.36	26.24	< 30.00
		128	0	22.16	21.39	24.80	25.68	< 30.00
		1	0	18.85	18.02	21.47	22.35	< 30.00
		1	132	18.80	18.11	21.48	22.36	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 64QAM								
60	3949.98	81	40	22.60	22.06	25.35	26.23	< 30.00
		1	1	22.80	22.14	25.49	26.37	< 30.00
		1	160	22.47	22.15	25.32	26.20	< 30.00
		162	0	22.09	21.58	24.85	25.73	< 30.00
		1	0	19.17	18.51	21.86	22.74	< 30.00
		1	161	18.85	18.48	21.68	22.56	< 30.00
70	3735.00	90	45	22.60	21.86	25.26	26.14	< 30.00
		1	1	22.38	21.78	25.10	25.98	< 30.00
		1	187	22.51	21.94	25.24	26.12	< 30.00
		180	0	21.98	21.41	24.71	25.59	< 30.00
		1	0	19.01	18.15	21.61	22.49	< 30.00
		1	188	18.85	18.23	21.56	22.44	< 30.00
70	3840.00	90	45	22.52	22.13	25.34	26.22	< 30.00
		1	1	22.62	22.22	25.43	26.31	< 30.00
		1	187	22.57	22.05	25.33	26.21	< 30.00
		180	0	21.98	21.59	24.80	25.68	< 30.00
		1	0	18.86	18.63	21.76	22.64	< 30.00
		1	188	18.77	18.32	21.56	22.44	< 30.00
70	3945.00	90	45	22.64	22.11	25.39	26.27	< 30.00
		1	1	22.90	22.17	25.56	26.44	< 30.00
		1	187	22.52	22.18	25.36	26.24	< 30.00
		180	0	22.21	21.68	24.96	25.84	< 30.00
		1	0	19.65	18.90	22.30	23.18	< 30.00
		1	188	18.98	18.55	21.78	22.66	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 64QAM								
80	3740.01	108	54	22.55	21.81	25.21	26.09	< 30.00
		1	1	22.35	21.54	24.97	25.85	< 30.00
		1	215	22.55	21.95	25.27	26.15	< 30.00
		216	0	22.04	21.29	24.69	25.57	< 30.00
		1	0	18.90	18.13	21.54	22.42	< 30.00
		1	216	18.82	18.13	21.50	22.38	< 30.00
80	3840.00	108	54	22.53	22.07	25.32	26.20	< 30.00
		1	1	22.36	22.11	25.25	26.13	< 30.00
		1	215	22.40	22.03	25.23	26.11	< 30.00
		216	0	22.03	21.61	24.84	25.72	< 30.00
		1	0	18.96	18.64	21.81	22.69	< 30.00
		1	216	18.89	18.49	21.70	22.58	< 30.00
80	3939.99	108	54	22.60	22.06	25.35	26.23	< 30.00
		1	1	22.79	21.96	25.41	26.29	< 30.00
		1	215	22.51	22.12	25.33	26.21	< 30.00
		216	0	22.18	21.56	24.89	25.77	< 30.00
		1	0	19.43	18.75	22.11	22.99	< 30.00
		1	216	19.11	18.66	21.90	22.78	< 30.00
90	3745.02	120	60	22.62	21.98	25.32	26.20	< 30.00
		1	1	22.46	21.60	25.06	25.94	< 30.00
		1	243	22.73	22.06	25.42	26.30	< 30.00
		243	0	22.03	21.35	24.71	25.59	< 30.00
		1	0	18.94	18.21	21.60	22.48	< 30.00
		1	244	18.96	18.29	21.65	22.53	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 64QAM								
90	3840.00	120	60	22.59	22.14	25.38	26.26	< 30.00
		1	1	22.30	22.02	25.17	26.05	< 30.00
		1	243	22.43	22.03	25.24	26.12	< 30.00
		243	0	22.01	21.65	24.84	25.72	< 30.00
		1	0	19.21	19.04	22.14	23.02	< 30.00
		1	244	19.14	18.69	21.93	22.81	< 30.00
90	3934.98	120	60	22.63	22.09	25.38	26.26	< 30.00
		1	1	22.80	22.07	25.46	26.34	< 30.00
		1	243	22.41	22.18	25.31	26.19	< 30.00
		243	0	22.18	21.62	24.92	25.80	< 30.00
		1	0	19.49	18.74	22.14	23.02	< 30.00
		1	244	18.80	18.62	21.72	22.60	< 30.00
100	3750.00	135	67	22.54	21.91	25.25	26.13	< 30.00
		1	1	22.34	21.70	25.04	25.92	< 30.00
		1	271	22.74	22.04	25.41	26.29	< 30.00
		270	0	22.11	21.32	24.74	25.62	< 30.00
		1	0	19.17	18.42	21.82	22.70	< 30.00
		1	272	19.23	18.55	21.91	22.79	< 30.00
100	3840.00	135	67	22.61	22.12	25.38	26.26	< 30.00
		1	1	22.42	22.15	25.30	26.18	< 30.00
		1	271	22.54	22.01	25.29	26.17	< 30.00
		270	0	22.04	21.63	24.85	25.73	< 30.00
		1	0	19.08	18.72	21.91	22.79	< 30.00
		1	272	19.02	18.49	21.77	22.65	< 30.00
100	3930.00	135	67	22.65	22.21	25.45	26.33	< 30.00
		1	1	22.74	22.07	25.43	26.31	< 30.00
		1	271	22.65	22.41	25.54	26.42	< 30.00
		270	0	22.05	21.58	24.83	25.71	< 30.00
		1	0	19.24	18.59	21.94	22.82	< 30.00
		1	272	18.86	18.57	21.73	22.61	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
10	3705.00	12	6	20.24	19.52	22.91	23.79	< 30.00
		1	1	20.15	19.43	22.82	23.70	< 30.00
		1	22	20.13	19.51	22.84	23.72	< 30.00
		24	0	20.19	19.49	22.86	23.74	< 30.00
		1	0	19.26	18.57	21.94	22.82	< 30.00
		1	23	19.29	18.60	21.97	22.85	< 30.00
10	3840.00	12	6	20.01	19.56	22.80	23.68	< 30.00
		1	1	19.98	19.47	22.74	23.62	< 30.00
		1	22	19.94	19.45	22.71	23.59	< 30.00
		24	0	19.95	19.45	22.72	23.60	< 30.00
		1	0	19.02	18.55	21.80	22.68	< 30.00
		1	23	18.90	18.45	21.69	22.57	< 30.00
10	3975.00	12	6	20.24	19.46	22.88	23.76	< 30.00
		1	1	20.03	19.23	22.66	23.54	< 30.00
		1	22	20.19	19.46	22.85	23.73	< 30.00
		24	0	20.18	19.47	22.85	23.73	< 30.00
		1	0	19.02	18.41	21.74	22.62	< 30.00
		1	23	19.09	18.49	21.81	22.69	< 30.00
15	3707.52	18	9	20.12	19.28	22.73	23.61	< 30.00
		1	1	20.01	19.05	22.57	23.45	< 30.00
		1	36	20.09	19.40	22.77	23.65	< 30.00
		36	0	20.03	19.21	22.65	23.53	< 30.00
		1	0	19.02	18.13	21.61	22.49	< 30.00
		1	37	19.02	18.34	21.70	22.58	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
15	3840.00	18	9	20.24	19.76	23.02	23.90	< 30.00
		1	1	20.14	19.77	22.97	23.85	< 30.00
		1	36	20.24	19.71	22.99	23.87	< 30.00
		36	0	20.18	19.68	22.95	23.83	< 30.00
		1	0	19.17	18.74	21.97	22.85	< 30.00
		1	37	19.15	18.59	21.89	22.77	< 30.00
15	3972.48	18	9	20.42	19.60	23.04	23.92	< 30.00
		1	1	20.45	19.53	23.02	23.90	< 30.00
		1	36	20.36	19.47	22.95	23.83	< 30.00
		36	0	20.39	19.54	23.00	23.88	< 30.00
		1	0	19.30	18.54	21.95	22.83	< 30.00
		1	37	19.33	18.61	22.00	22.88	< 30.00
20	3710.01	25	12	20.19	19.31	22.78	23.66	< 30.00
		1	1	20.11	19.26	22.72	23.60	< 30.00
		1	49	20.17	19.48	22.85	23.73	< 30.00
		50	0	20.21	19.32	22.80	23.68	< 30.00
		1	0	18.98	18.21	21.62	22.50	< 30.00
		1	50	19.11	18.46	21.81	22.69	< 30.00
20	3840.00	25	12	20.29	19.84	23.08	23.96	< 30.00
		1	1	20.07	19.63	22.87	23.75	< 30.00
		1	49	20.18	19.69	22.95	23.83	< 30.00
		50	0	20.25	19.78	23.03	23.91	< 30.00
		1	0	19.28	18.83	22.07	22.95	< 30.00
		1	50	19.17	18.77	21.98	22.86	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
20	3969.99	25	12	20.52	19.65	23.12	24.00	< 30.00
		1	1	20.43	19.72	23.10	23.98	< 30.00
		1	49	20.45	19.74	23.12	24.00	< 30.00
		50	0	20.50	19.69	23.12	24.00	< 30.00
		1	0	19.49	18.63	22.09	22.97	< 30.00
		1	50	19.56	18.80	22.21	23.09	< 30.00
25	3712.50	32	16	20.21	19.67	22.96	23.84	< 30.00
		1	1	19.95	19.55	22.76	23.64	< 30.00
		1	63	20.25	19.95	23.11	23.99	< 30.00
		64	0	20.14	19.74	22.95	23.83	< 30.00
		1	0	19.11	18.51	21.83	22.71	< 30.00
		1	64	18.97	18.69	21.84	22.72	< 30.00
25	3840.00	32	16	20.37	20.13	23.26	24.14	< 30.00
		1	1	20.22	20.15	23.20	24.08	< 30.00
		1	63	20.39	20.10	23.26	24.14	< 30.00
		64	0	20.41	19.13	22.83	23.71	< 30.00
		1	0	19.34	19.29	22.33	23.21	< 30.00
		1	64	19.40	19.34	22.38	23.26	< 30.00
25	3967.50	32	16	20.59	20.07	23.35	24.23	< 30.00
		1	1	20.39	19.78	23.11	23.99	< 30.00
		1	63	20.35	19.91	23.15	24.03	< 30.00
		64	0	20.68	20.06	23.39	24.27	< 30.00
		1	0	19.46	18.86	22.18	23.06	< 30.00
		1	64	19.32	18.86	22.11	22.99	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
30	3715.02	36	18	20.19	19.39	22.82	23.70	< 30.00
		1	1	20.15	19.42	22.81	23.69	< 30.00
		1	76	20.39	19.70	23.07	23.95	< 30.00
		75	0	20.28	19.45	22.90	23.78	< 30.00
		1	0	19.16	18.33	21.78	22.66	< 30.00
		1	77	19.23	18.54	21.91	22.79	< 30.00
30	3840.00	36	18	20.22	19.81	23.03	23.91	< 30.00
		1	1	20.29	19.88	23.10	23.98	< 30.00
		1	76	20.13	19.65	22.91	23.79	< 30.00
		75	0	20.31	19.84	23.09	23.97	< 30.00
		1	0	19.34	18.88	22.13	23.01	< 30.00
		1	77	19.27	18.72	22.01	22.89	< 30.00
30	3964.98	36	18	20.46	19.65	23.08	23.96	< 30.00
		1	1	20.52	19.64	23.11	23.99	< 30.00
		1	76	20.36	19.64	23.03	23.91	< 30.00
		75	0	20.52	19.69	23.14	24.02	< 30.00
		1	0	19.62	18.69	22.19	23.07	< 30.00
		1	77	19.55	18.77	22.19	23.07	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
40	3720.00	50	25	20.04	19.28	22.69	23.57	< 30.00
		1	1	20.12	19.21	22.70	23.58	< 30.00
		1	104	20.06	19.31	22.71	23.59	< 30.00
		100	0	20.03	19.34	22.71	23.59	< 30.00
		1	0	19.23	18.32	21.81	22.69	< 30.00
		1	105	19.08	18.40	21.76	22.64	< 30.00
40	3840.00	50	25	20.14	19.58	22.88	23.76	< 30.00
		1	1	20.13	19.78	22.97	23.85	< 30.00
		1	104	20.02	19.58	22.82	23.70	< 30.00
		100	0	20.10	19.64	22.89	23.77	< 30.00
		1	0	19.28	18.85	22.08	22.96	< 30.00
		1	105	19.13	18.72	21.94	22.82	< 30.00
40	3960.00	50	25	20.34	19.64	23.01	23.89	< 30.00
		1	1	20.31	19.47	22.92	23.80	< 30.00
		1	104	20.40	19.68	23.07	23.95	< 30.00
		100	0	20.50	19.68	23.12	24.00	< 30.00
		1	0	19.51	18.70	22.13	23.01	< 30.00
		1	105	19.46	18.81	22.16	23.04	< 30.00
50	3720.00	64	32	19.94	19.15	22.57	23.45	< 30.00
		1	1	19.67	19.06	22.39	23.27	< 30.00
		1	131	19.74	19.11	22.45	23.33	< 30.00
		128	0	19.95	19.20	22.60	23.48	< 30.00
		1	0	18.83	18.05	21.47	22.35	< 30.00
		1	132	18.89	18.30	21.62	22.50	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
50	3840.00	64	32	20.11	19.69	22.92	23.80	< 30.00
		1	1	20.19	19.84	23.03	23.91	< 30.00
		1	131	19.97	19.59	22.79	23.67	< 30.00
		128	0	20.14	19.72	22.95	23.83	< 30.00
		1	0	19.01	18.78	21.91	22.79	< 30.00
		1	132	18.94	18.63	21.80	22.68	< 30.00
50	3954.99	64	32	20.30	19.51	22.93	23.81	< 30.00
		1	1	20.49	19.62	23.09	23.97	< 30.00
		1	131	20.20	19.62	22.93	23.81	< 30.00
		128	0	20.36	19.52	22.97	23.85	< 30.00
		1	0	19.32	18.44	21.91	22.79	< 30.00
		1	132	19.12	18.55	21.85	22.73	< 30.00
60	3730.02	81	40	19.94	19.25	22.62	23.50	< 30.00
		1	1	19.69	19.00	22.37	23.25	< 30.00
		1	160	19.90	19.25	22.60	23.48	< 30.00
		162	0	19.96	19.27	22.64	23.52	< 30.00
		1	0	19.98	18.21	22.19	23.07	< 30.00
		1	161	18.92	18.11	21.54	22.42	< 30.00
60	3840.00	81	40	20.16	19.70	22.95	23.83	< 30.00
		1	1	19.97	19.73	22.86	23.74	< 30.00
		1	160	19.98	19.55	22.78	23.66	< 30.00
		162	0	20.13	19.62	22.89	23.77	< 30.00
		1	0	18.94	18.64	21.80	22.68	< 30.00
		1	161	18.73	18.35	21.55	22.43	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
60	3949.98	81	40	20.11	19.56	22.85	23.73	< 30.00
		1	1	20.16	19.62	22.91	23.79	< 30.00
		1	160	20.17	19.55	22.88	23.76	< 30.00
		162	0	20.12	19.56	22.86	23.74	< 30.00
		1	0	19.09	18.41	21.77	22.65	< 30.00
		1	161	18.89	18.48	21.70	22.58	< 30.00
70	3735.00	90	45	20.03	19.32	22.70	23.58	< 30.00
		1	1	19.92	19.17	22.57	23.45	< 30.00
		1	187	20.00	19.31	22.68	23.56	< 30.00
		180	0	20.04	19.27	22.68	23.56	< 30.00
		1	0	19.05	18.17	21.64	22.52	< 30.00
		1	188	19.02	18.32	21.69	22.57	< 30.00
70	3840.00	90	45	20.07	19.64	22.87	23.75	< 30.00
		1	1	20.01	19.71	22.87	23.75	< 30.00
		1	187	19.87	19.44	22.67	23.55	< 30.00
		180	0	20.03	19.62	22.84	23.72	< 30.00
		1	0	19.10	18.69	21.91	22.79	< 30.00
		1	188	19.05	18.53	21.81	22.69	< 30.00
70	3945.00	90	45	20.17	19.61	22.91	23.79	< 30.00
		1	1	20.27	19.65	22.98	23.86	< 30.00
		1	187	19.89	19.52	22.72	23.60	< 30.00
		180	0	20.13	19.61	22.89	23.77	< 30.00
		1	0	19.38	18.58	22.01	22.89	< 30.00
		1	188	18.79	18.38	21.60	22.48	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
80	3740.01	108	54	20.02	19.27	22.67	23.55	< 30.00
		1	1	19.85	19.06	22.48	23.36	< 30.00
		1	215	20.07	19.27	22.70	23.58	< 30.00
		216	0	20.01	19.25	22.66	23.54	< 30.00
		1	0	18.94	18.32	21.65	22.53	< 30.00
		1	216	18.96	18.18	21.60	22.48	< 30.00
80	3840.00	108	54	20.01	19.60	22.82	23.70	< 30.00
		1	1	19.89	19.59	22.75	23.63	< 30.00
		1	215	19.94	19.50	22.74	23.62	< 30.00
		216	0	20.03	19.62	22.84	23.72	< 30.00
		1	0	18.93	18.60	21.78	22.66	< 30.00
		1	216	18.92	18.52	21.73	22.61	< 30.00
80	3939.99	108	54	20.15	19.59	22.89	23.77	< 30.00
		1	1	20.37	19.58	23.00	23.88	< 30.00
		1	215	19.83	19.57	22.71	23.59	< 30.00
		216	0	20.17	19.63	22.92	23.80	< 30.00
		1	0	19.30	18.58	21.97	22.85	< 30.00
		1	216	18.80	18.54	21.68	22.56	< 30.00
90	3745.02	120	60	20.05	19.44	22.77	23.65	< 30.00
		1	1	19.93	19.08	22.54	23.42	< 30.00
		1	243	20.20	19.43	22.84	23.72	< 30.00
		243	0	20.05	19.29	22.70	23.58	< 30.00
		1	0	19.07	18.32	21.72	22.60	< 30.00
		1	244	19.01	18.35	21.70	22.58	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
DFT-s-OFDM 256QAM								
90	3840.00	120	60	20.06	19.64	22.87	23.75	< 30.00
		1	1	19.84	19.55	22.71	23.59	< 30.00
		1	243	19.96	19.36	22.68	23.56	< 30.00
		243	0	20.02	19.62	22.83	23.71	< 30.00
		1	0	18.93	18.70	21.83	22.71	< 30.00
		1	244	18.98	18.55	21.78	22.66	< 30.00
90	3934.98	120	60	20.10	19.55	22.84	23.72	< 30.00
		1	1	20.24	19.49	22.89	23.77	< 30.00
		1	243	19.83	19.49	22.67	23.55	< 30.00
		243	0	20.12	19.57	22.86	23.74	< 30.00
		1	0	19.25	18.60	21.95	22.83	< 30.00
		1	244	18.89	18.61	21.76	22.64	< 30.00
100	3750.00	135	67	20.09	19.48	22.81	23.69	< 30.00
		1	1	19.88	19.10	22.52	23.40	< 30.00
		1	271	20.15	19.39	22.80	23.68	< 30.00
		270	0	20.06	19.30	22.71	23.59	< 30.00
		1	0	19.10	18.26	21.71	22.59	< 30.00
		1	272	19.12	18.35	21.76	22.64	< 30.00
100	3840.00	135	67	20.09	19.67	22.90	23.78	< 30.00
		1	1	19.77	19.54	22.67	23.55	< 30.00
		1	271	19.93	19.45	22.71	23.59	< 30.00
		270	0	20.04	19.59	22.83	23.71	< 30.00
		1	0	18.91	18.60	21.77	22.65	< 30.00
		1	272	19.01	18.46	21.75	22.63	< 30.00
100	3930.00	135	67	20.19	19.67	22.95	23.83	< 30.00
		1	1	20.21	19.49	22.88	23.76	< 30.00
		1	271	19.82	19.62	22.73	23.61	< 30.00
		270	0	20.14	19.62	22.90	23.78	< 30.00
		1	0	19.20	18.56	21.90	22.78	< 30.00
		1	272	18.79	18.53	21.67	22.55	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
10	3705.00	12	6	24.21	23.43	26.85	27.73	< 30.00
		1	1	24.15	23.30	26.76	27.64	< 30.00
		1	22	24.23	23.49	26.89	27.77	< 30.00
		24	0	21.73	20.90	24.35	25.23	< 30.00
		1	0	19.22	18.46	21.87	22.75	< 30.00
		1	23	19.21	18.57	21.91	22.79	< 30.00
10	3840.00	12	6	24.23	23.76	27.01	27.89	< 30.00
		1	1	24.05	23.70	26.89	27.77	< 30.00
		1	22	24.14	23.73	26.95	27.83	< 30.00
		24	0	21.64	21.19	24.43	25.31	< 30.00
		1	0	19.19	18.78	22.00	22.88	< 30.00
		1	23	19.21	18.84	22.04	22.92	< 30.00
10	3975.00	12	6	24.55	23.83	27.22	28.10	< 30.00
		1	1	24.46	23.77	27.14	28.02	< 30.00
		1	22	24.49	23.85	27.19	28.07	< 30.00
		24	0	21.93	21.23	24.60	25.48	< 30.00
		1	0	19.51	18.90	22.23	23.11	< 30.00
		1	23	19.52	18.76	22.17	23.05	< 30.00
15	3707.52	19	9	24.27	23.42	26.88	27.76	< 30.00
		1	1	24.39	23.55	27.00	27.88	< 30.00
		1	36	24.41	23.70	27.08	27.96	< 30.00
		38	0	21.79	20.94	24.40	25.28	< 30.00
		1	0	19.34	18.61	22.00	22.88	< 30.00
		1	37	19.37	18.68	22.05	22.93	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
15	3840.00	19	9	24.39	23.95	27.19	28.07	< 30.00
		1	1	24.42	24.08	27.26	28.14	< 30.00
		1	36	24.44	23.94	27.21	28.09	< 30.00
		38	0	21.89	21.42	24.67	25.55	< 30.00
		1	0	19.47	19.09	22.29	23.17	< 30.00
		1	37	19.40	19.02	22.22	23.10	< 30.00
15	3972.48	19	9	24.60	23.81	27.23	28.11	< 30.00
		1	1	24.72	24.02	27.39	28.27	< 30.00
		1	36	24.71	24.14	27.44	28.32	< 30.00
		38	0	22.12	21.26	24.72	25.60	< 30.00
		1	0	19.76	18.87	22.35	23.23	< 30.00
		1	37	19.77	18.95	22.39	23.27	< 30.00
20	3710.01	25	12	24.35	23.51	26.96	27.84	< 30.00
		1	1	24.28	23.51	26.92	27.80	< 30.00
		1	49	24.29	23.69	27.01	27.89	< 30.00
		51	0	21.80	21.06	24.46	25.34	< 30.00
		1	0	19.40	18.56	22.01	22.89	< 30.00
		1	50	19.43	18.75	22.11	22.99	< 30.00
20	3840.00	25	12	24.43	24.01	27.24	28.12	< 30.00
		1	1	24.41	24.11	27.28	28.16	< 30.00
		1	49	24.48	23.99	27.25	28.13	< 30.00
		51	0	21.91	21.49	24.72	25.60	< 30.00
		1	0	19.45	19.09	22.28	23.16	< 30.00
		1	50	19.48	19.01	22.26	23.14	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
20	3969.99	25	12	24.54	23.93	27.26	28.14	< 30.00
		1	1	24.64	23.89	27.29	28.17	< 30.00
		1	49	24.67	23.95	27.34	28.22	< 30.00
		51	0	22.16	21.38	24.80	25.68	< 30.00
		1	0	19.70	18.91	22.33	23.21	< 30.00
		1	50	19.88	19.10	22.52	23.40	< 30.00
25	3712.50	33	16	24.07	23.58	26.84	27.72	< 30.00
		1	1	24.21	23.67	26.96	27.84	< 30.00
		1	63	24.09	23.80	26.96	27.84	< 30.00
		65	0	21.62	21.15	24.40	25.28	< 30.00
		1	0	19.30	18.75	22.04	22.92	< 30.00
		1	64	19.13	18.87	22.01	22.89	< 30.00
25	3840.00	33	16	24.24	24.06	27.16	28.04	< 30.00
		1	1	24.32	24.25	27.30	28.18	< 30.00
		1	63	24.26	23.95	27.12	28.00	< 30.00
		65	0	21.77	21.54	24.67	25.55	< 30.00
		1	0	19.39	19.24	22.33	23.21	< 30.00
		1	64	19.40	18.94	22.19	23.07	< 30.00
25	3967.50	33	16	24.46	24.05	27.27	28.15	< 30.00
		1	1	24.71	24.12	27.44	28.32	< 30.00
		1	63	24.60	24.06	27.35	28.23	< 30.00
		65	0	22.03	21.54	24.80	25.68	< 30.00
		1	0	19.67	18.95	22.34	23.22	< 30.00
		1	64	19.46	19.16	22.32	23.20	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
30	3715.02	39	19	24.35	23.53	26.97	27.85	< 30.00
		1	1	24.34	23.58	26.99	27.87	< 30.00
		1	76	24.34	23.65	27.02	27.90	< 30.00
		78	0	21.96	21.11	24.57	25.45	< 30.00
		1	0	19.52	18.70	22.14	23.02	< 30.00
		1	77	19.54	18.77	22.18	23.06	< 30.00
30	3840.00	39	19	24.38	23.94	27.18	28.06	< 30.00
		1	1	24.61	24.15	27.40	28.28	< 30.00
		1	76	24.73	24.92	27.84	28.72	< 30.00
		78	0	21.97	21.50	24.75	25.63	< 30.00
		1	0	19.69	19.20	22.46	23.34	< 30.00
		1	77	19.58	19.05	22.33	23.21	< 30.00
30	3964.98	39	19	24.59	23.87	27.26	28.14	< 30.00
		1	1	24.79	23.94	27.40	28.28	< 30.00
		1	76	24.66	23.97	27.34	28.22	< 30.00
		78	0	22.08	21.39	24.76	25.64	< 30.00
		1	0	19.77	18.95	22.39	23.27	< 30.00
		1	77	19.67	18.94	22.33	23.21	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
40	3720.00	53	26	24.39	23.62	27.03	27.91	< 30.00
		1	1	24.50	23.73	27.14	28.02	< 30.00
		1	104	24.63	23.86	27.27	28.15	< 30.00
		106	0	21.93	21.21	24.60	25.48	< 30.00
		1	0	19.70	18.96	22.36	23.24	< 30.00
		1	105	19.62	18.91	22.29	23.17	< 30.00
40	3840.00	53	26	24.42	23.98	27.22	28.10	< 30.00
		1	1	24.50	24.13	27.33	28.21	< 30.00
		1	104	24.45	24.11	27.29	28.17	< 30.00
		106	0	21.94	21.49	24.73	25.61	< 30.00
		1	0	19.72	19.33	22.54	23.42	< 30.00
		1	105	19.55	19.05	22.32	23.20	< 30.00
40	3960.00	53	26	24.62	23.87	27.27	28.15	< 30.00
		1	1	24.97	24.11	27.57	28.45	< 30.00
		1	104	24.77	24.21	27.51	28.39	< 30.00
		106	0	22.17	21.37	24.80	25.68	< 30.00
		1	0	19.99	19.08	22.57	23.45	< 30.00
		1	105	19.88	19.14	22.54	23.42	< 30.00
50	3720.00	67	33	24.21	23.45	26.86	27.74	< 30.00
		1	1	24.12	23.24	26.71	27.59	< 30.00
		1	131	24.10	23.45	26.80	27.68	< 30.00
		133	0	21.67	20.99	24.35	25.23	< 30.00
		1	0	19.45	18.49	22.01	22.89	< 30.00
		1	132	19.33	18.59	21.99	22.87	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
50	3840.00	67	33	24.25	23.80	27.04	27.92	< 30.00
		1	1	24.31	23.92	27.13	28.01	< 30.00
		1	131	24.28	23.76	27.04	27.92	< 30.00
		133	0	21.74	21.32	24.55	25.43	< 30.00
		1	0	19.36	19.06	22.22	23.10	< 30.00
		1	132	19.29	18.95	22.13	23.01	< 30.00
50	3954.99	67	33	24.42	23.74	27.10	27.98	< 30.00
		1	1	24.61	23.81	27.24	28.12	< 30.00
		1	131	24.35	23.68	27.04	27.92	< 30.00
		133	0	21.98	21.23	24.63	25.51	< 30.00
		1	0	19.72	18.87	22.33	23.21	< 30.00
		1	132	19.54	18.83	22.21	23.09	< 30.00
60	3730.02	81	40	24.09	23.40	26.77	27.65	< 30.00
		1	1	24.04	23.27	26.68	27.56	< 30.00
		1	160	24.10	23.42	26.78	27.66	< 30.00
		162	0	21.61	20.91	24.28	25.16	< 30.00
		1	0	19.25	18.45	21.88	22.76	< 30.00
		1	161	19.20	18.48	21.87	22.75	< 30.00
60	3840.00	81	40	24.26	23.80	27.05	27.93	< 30.00
		1	1	24.38	23.92	27.17	28.05	< 30.00
		1	160	24.19	23.76	26.99	27.87	< 30.00
		162	0	21.74	21.28	24.53	25.41	< 30.00
		1	0	19.33	18.99	22.17	23.05	< 30.00
		1	161	19.42	18.80	22.13	23.01	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
60	3949.98	81	40	24.14	23.71	26.94	27.82	< 30.00
		1	1	24.35	23.73	27.06	27.94	< 30.00
		1	160	24.08	23.64	26.88	27.76	< 30.00
		162	0	21.73	21.15	24.46	25.34	< 30.00
		1	0	19.42	18.79	22.13	23.01	< 30.00
		1	161	19.29	18.77	22.05	22.93	< 30.00
70	3735.00	95	47	23.65	22.95	26.32	27.20	< 30.00
		1	1	23.50	22.84	26.19	27.07	< 30.00
		1	187	23.76	23.08	26.44	27.32	< 30.00
		189	0	21.14	20.44	23.81	24.69	< 30.00
		1	0	18.90	18.12	21.54	22.42	< 30.00
		1	188	18.70	18.10	21.42	22.30	< 30.00
70	3840.00	95	47	23.68	23.15	26.43	27.31	< 30.00
		1	1	23.60	23.24	26.43	27.31	< 30.00
		1	187	23.55	23.41	26.49	27.37	< 30.00
		189	0	21.10	20.74	23.93	24.81	< 30.00
		1	0	18.91	18.42	21.68	22.56	< 30.00
		1	188	18.56	18.21	21.40	22.28	< 30.00
70	3945.00	95	47	23.68	23.24	26.48	27.36	< 30.00
		1	1	24.03	23.44	26.76	27.64	< 30.00
		1	187	23.83	23.40	26.63	27.51	< 30.00
		189	0	21.24	20.70	23.99	24.87	< 30.00
		1	0	19.22	18.44	21.86	22.74	< 30.00
		1	188	18.57	18.38	21.49	22.37	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
80	3740.01	109	54	23.58	22.84	26.24	27.12	< 30.00
		1	1	23.62	22.82	26.25	27.13	< 30.00
		1	215	23.68	23.03	26.38	27.26	< 30.00
		217	0	21.12	20.42	23.79	24.67	< 30.00
		1	0	18.78	18.10	21.46	22.34	< 30.00
		1	216	18.73	17.98	21.38	22.26	< 30.00
80	3840.00	109	54	23.64	23.25	26.46	27.34	< 30.00
		1	1	23.53	23.24	26.40	27.28	< 30.00
		1	215	23.62	23.29	26.47	27.35	< 30.00
		217	0	21.10	20.72	23.92	24.80	< 30.00
		1	0	18.70	18.43	21.58	22.46	< 30.00
		1	216	18.62	18.31	21.48	22.36	< 30.00
80	3939.99	109	54	23.72	23.22	26.49	27.37	< 30.00
		1	1	24.01	23.25	26.66	27.54	< 30.00
		1	215	23.56	23.28	26.43	27.31	< 30.00
		217	0	21.21	20.77	24.01	24.89	< 30.00
		1	0	18.94	18.34	21.66	22.54	< 30.00
		1	216	18.61	18.24	21.44	22.32	< 30.00
90	3745.02	123	61	23.65	23.13	26.41	27.29	< 30.00
		1	1	23.52	22.70	26.14	27.02	< 30.00
		1	243	23.69	23.06	26.40	27.28	< 30.00
		245	0	21.17	20.46	23.84	24.72	< 30.00
		1	0	18.65	18.06	21.38	22.26	< 30.00
		1	244	18.88	18.19	21.56	22.44	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 0	Port 3			
CP OFDM QPSK								
90	3840.00	123	61	23.63	23.29	26.47	27.35	< 30.00
		1	1	23.59	23.29	26.45	27.33	< 30.00
		1	243	23.77	23.32	26.56	27.44	< 30.00
		245	0	21.17	20.80	24.00	24.88	< 30.00
		1	0	18.79	18.44	21.63	22.51	< 30.00
		1	244	18.70	18.24	21.49	22.37	< 30.00
90	3934.98	123	61	23.74	23.25	26.51	27.39	< 30.00
		1	1	23.95	23.28	26.64	27.52	< 30.00
		1	243	23.45	23.27	26.37	27.25	< 30.00
		245	0	21.28	20.76	24.04	24.92	< 30.00
		1	0	19.13	18.34	21.76	22.64	< 30.00
		1	244	18.71	18.53	21.63	22.51	< 30.00
100	3750.00	137	68	23.65	23.11	26.40	27.28	< 30.00
		1	1	23.67	22.91	26.32	27.20	< 30.00
		1	271	23.88	23.23	26.58	27.46	< 30.00
		273	0	21.22	20.49	23.88	24.76	< 30.00
		1	0	18.91	18.11	21.54	22.42	< 30.00
		1	272	18.92	18.22	21.59	22.47	< 30.00
100	3840.00	137	68	23.62	23.28	26.46	27.34	< 30.00
		1	1	23.55	23.45	26.51	27.39	< 30.00
		1	271	23.69	23.22	26.47	27.35	< 30.00
		273	0	21.16	20.80	23.99	24.87	< 30.00
		1	0	18.70	18.48	21.60	22.48	< 30.00
		1	272	18.78	18.28	21.55	22.43	< 30.00
100	3930.00	137	68	23.75	23.31	26.55	27.43	< 30.00
		1	1	23.96	23.33	26.67	27.55	< 30.00
		1	271	23.57	23.50	26.55	27.43	< 30.00
		273	0	21.20	20.82	24.02	24.90	< 30.00
		1	0	18.94	18.39	21.68	22.56	< 30.00
		1	272	18.56	18.35	21.47	22.35	< 30.00
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

n14

MAX Power

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s-OFDM QPSK						
793	10	1	1	23.56	22.83	<44.77
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s-OFDM 16QAM						
795.5	5	1	1	23.66	22.93	<44.77
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s-OFDM 16QAM						
793	10	25	12	23.43	22.70	<44.77
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Power

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s-OFDM PI/2 BPSK						
5	790.5	12	6	23.38	22.65	<44.77
		1	1	23.34	22.61	<44.77
		1	23	23.36	22.63	<44.77
		25	0	23.29	22.56	<44.77
		1	24	23.27	22.54	<44.77
		1	6	23.24	22.51	<44.77
	793.0	12	6	23.41	22.68	<44.77
		1	1	23.33	22.60	<44.77
		1	23	23.20	22.47	<44.77
		25	0	23.32	22.59	<44.77
		1	24	23.29	22.56	<44.77
		1	6	23.42	22.69	<44.77
	795.5	12	6	23.41	22.68	<44.77
		1	1	23.43	22.70	<44.77
		1	23	23.26	22.53	<44.77
		25	0	23.44	22.71	<44.77
		1	24	23.29	22.56	<44.77
		1	6	23.28	22.55	<44.77
10	793	25	12	23.33	22.60	<44.77
		1	1	23.30	22.57	<44.77
		1	50	23.20	22.47	<44.77
		50	0	23.42	22.69	<44.77
		1	51	23.18	22.45	<44.77
		1	0	23.35	22.62	<44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s-OFDM QPSK						
5	790.5	12	6	23.36	22.63	<44.77
		1	1	23.34	22.61	<44.77
		1	23	23.22	22.49	<44.77
		25	0	23.34	22.61	<44.77
		1	24	23.29	22.56	<44.77
		1	6	23.36	22.63	<44.77
	793.0	12	6	23.47	22.74	<44.77
		1	1	23.55	22.82	<44.77
		1	23	23.49	22.76	<44.77
		25	0	23.40	22.67	<44.77
		1	24	23.41	22.68	<44.77
		1	6	23.53	22.80	<44.77
	795.5	12	6	23.43	22.70	<44.77
		1	1	23.37	22.64	<44.77
		1	23	23.39	22.66	<44.77
		25	0	23.32	22.59	<44.77
		1	24	23.27	22.54	<44.77
		1	6	23.39	22.66	<44.77
10	793	25	12	23.41	22.68	<44.77
		1	1	23.56	22.83	<44.77
		1	50	23.35	22.62	<44.77
		50	0	23.36	22.63	<44.77
		1	51	23.39	22.66	<44.77
		1	0	23.56	22.83	<44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s-OFDM 16QAM						
5	790.5	12	6	23.45	22.72	<44.77
		1	1	23.15	22.42	<44.77
		1	23	23.50	22.77	<44.77
		25	0	22.26	21.53	<44.77
		1	24	22.03	21.30	<44.77
		1	6	22.58	21.85	<44.77
	793.0	12	6	23.27	22.54	<44.77
		1	1	23.23	22.50	<44.77
		1	23	23.29	22.56	<44.77
		25	0	22.34	21.61	<44.77
		1	24	22.54	21.81	<44.77
		1	6	22.61	21.88	<44.77
	795.5	12	6	23.23	22.50	<44.77
		1	1	23.66	22.93	<44.77
		1	23	23.19	22.46	<44.77
		25	0	22.25	21.52	<44.77
		1	24	22.46	21.73	<44.77
		1	6	22.49	21.76	<44.77
10	793	25	12	23.43	22.70	<44.77
		1	1	23.43	22.70	<44.77
		1	50	23.23	22.50	<44.77
		50	0	22.37	21.64	<44.77
		1	51	22.50	21.77	<44.77
		1	0	22.65	21.92	<44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s-OFDM 64QAM						
5	790.5	12	6	21.94	21.21	<44.77
		1	1	21.89	21.16	<44.77
		1	23	21.79	21.06	<44.77
		25	0	21.81	21.08	<44.77
		1	24	21.74	21.01	<44.77
		1	6	21.88	21.15	<44.77
	793.0	12	6	21.96	21.23	<44.77
		1	1	21.89	21.16	<44.77
		1	23	21.86	21.13	<44.77
		25	0	21.92	21.19	<44.77
		1	24	21.88	21.15	<44.77
		1	6	21.94	21.21	<44.77
	795.5	12	6	21.81	21.08	<44.77
		1	1	22.07	21.34	<44.77
		1	23	21.91	21.18	<44.77
		25	0	21.96	21.23	<44.77
		1	24	22.02	21.29	<44.77
		1	6	22.14	21.41	<44.77
10	793	25	12	21.91	21.18	<44.77
		1	1	22.11	21.38	<44.77
		1	50	21.88	21.15	<44.77
		50	0	21.91	21.18	<44.77
		1	51	21.91	21.18	<44.77
		1	0	22.07	21.34	<44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s-OFDM 256QAM						
5	790.5	12	6	19.86	19.13	<44.77
		1	1	19.46	18.73	<44.77
		1	23	19.41	18.68	<44.77
		25	0	19.84	19.11	<44.77
		1	24	19.47	18.74	<44.77
		1	6	19.39	18.66	<44.77
	793.0	12	6	19.88	19.15	<44.77
		1	1	19.50	18.77	<44.77
		1	23	19.45	18.72	<44.77
		25	0	19.79	19.06	<44.77
		1	24	19.53	18.80	<44.77
		1	6	19.53	18.80	<44.77
	795.5	12	6	19.83	19.10	<44.77
		1	1	19.60	18.87	<44.77
		1	23	19.51	18.78	<44.77
		25	0	19.78	19.05	<44.77
		1	24	19.51	18.78	<44.77
		1	6	19.59	18.86	<44.77
10	793	25	12	19.83	19.10	<44.77
		1	1	19.38	18.65	<44.77
		1	50	19.39	18.66	<44.77
		50	0	19.82	19.09	<44.77
		1	51	19.35	18.62	<44.77
		1	0	19.36	18.63	<44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
CP-OFDM QPSK						
5	790.5	13	6	22.88	22.15	<44.77
		1	1	22.74	22.01	<44.77
		1	23	22.75	22.02	<44.77
		25	0	21.36	20.63	<44.77
		1	24	21.27	20.54	<44.77
		1	0	21.41	20.68	<44.77
	793.0	13	6	22.80	22.07	<44.77
		1	1	22.91	22.18	<44.77
		1	23	22.73	22.00	<44.77
		25	0	21.34	20.61	<44.77
		1	24	21.50	20.77	<44.77
		1	0	21.38	20.65	<44.77
	795.5	13	6	22.87	22.14	<44.77
		1	1	23.16	22.43	<44.77
		1	23	23.16	22.43	<44.77
		25	0	21.33	20.60	<44.77
		1	24	21.29	20.56	<44.77
		1	0	21.40	20.67	<44.77
10	793	26	13	22.84	22.11	<44.77
		1	1	22.84	22.11	<44.77
		1	50	22.71	21.98	<44.77
		52	0	21.37	20.64	<44.77
		1	51	21.27	20.54	<44.77
		1	0	21.41	20.68	<44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
CP-OFDM 16QAM						
5	790.5	13	6	22.39	21.66	<44.77
		1	1	22.57	21.84	<44.77
		1	23	22.46	21.73	<44.77
		25	0	21.36	20.63	<44.77
		1	24	21.64	20.91	<44.77
		1	0	21.73	21.00	<44.77
	793.0	13	6	22.52	21.79	<44.77
		1	1	22.55	21.82	<44.77
		1	23	22.49	21.76	<44.77
		25	0	21.35	20.62	<44.77
		1	24	21.64	20.91	<44.77
		1	0	21.77	21.04	<44.77
	795.5	13	6	22.45	21.72	<44.77
		1	1	22.72	21.99	<44.77
		1	23	22.60	21.87	<44.77
		25	0	21.46	20.73	<44.77
		1	24	21.23	20.50	<44.77
		1	0	21.23	20.50	<44.77
10	793	26	13	22.41	21.68	<44.77
		1	1	22.54	21.81	<44.77
		1	50	22.52	21.79	<44.77
		52	0	21.29	20.56	<44.77
		1	51	21.48	20.75	<44.77
		1	0	21.60	20.87	<44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
CP-OFDM 64QAM						
5	790.5	13	6	20.92	20.19	<44.77
		1	1	20.98	20.25	<44.77
		1	23	20.99	20.26	<44.77
		25	0	20.76	20.03	<44.77
		1	24	20.93	20.20	<44.77
		1	0	21.05	20.32	<44.77
	793.0	13	6	21.03	20.30	<44.77
		1	1	21.11	20.38	<44.77
		1	23	20.95	20.22	<44.77
		25	0	20.77	20.04	<44.77
		1	24	20.92	20.19	<44.77
		1	0	21.08	20.35	<44.77
	795.5	13	6	20.93	20.20	<44.77
		1	1	20.62	19.89	<44.77
		1	23	20.50	19.77	<44.77
		25	0	20.76	20.03	<44.77
		1	24	20.69	19.96	<44.77
		1	0	20.91	20.18	<44.77
10	793	26	13	20.94	20.21	<44.77
		1	1	21.01	20.28	<44.77
		1	50	20.87	20.14	<44.77
		52	0	20.81	20.08	<44.77
		1	51	20.89	20.16	<44.77
		1	0	21.03	20.30	<44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
CP-OFDM 256QAM						
5	790.5	13	6	17.99	17.26	<44.77
		1	1	17.48	16.75	<44.77
		1	23	17.44	16.71	<44.77
		25	0	17.84	17.11	<44.77
		1	24	17.49	16.76	<44.77
		1	0	17.48	16.75	<44.77
	793.0	13	6	18.17	17.44	<44.77
		1	1	17.53	16.80	<44.77
		1	23	17.50	16.77	<44.77
		25	0	17.84	17.11	<44.77
		1	24	17.61	16.88	<44.77
		1	0	17.56	16.83	<44.77
	795.5	13	6	18.09	17.36	<44.77
		1	1	17.78	17.05	<44.77
		1	23	17.64	16.91	<44.77
		25	0	17.88	17.15	<44.77
		1	24	17.64	16.91	<44.77
		1	0	17.80	17.07	<44.77
10	793	26	13	17.85	17.12	<44.77
		1	1	17.47	16.74	<44.77
		1	50	17.65	16.92	<44.77
		52	0	17.87	17.14	<44.77
		1	51	17.58	16.85	<44.77
		1	0	17.45	16.72	<44.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

n26

Note: The gain of this product is smaller than that of the module used, so the power reported in the original module report was referenced, please refer to the referenced module report for all power

n30

MAX Power

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Power Density (dBm/5MHz)	EIRP Density (dBm/5MHz)	Limit (dBm /5MHz)
DFT-s-OFDM PI/2 BPSK						
10	2310	1	0	22.62	23.90	< 23.98
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Power Density (dBm/5MHz)	EIRP Density (dBm/5MHz)	Limit (dBm /5MHz)
DFT-s-OFDM 16QAM						
5	2310	12	6	22.12	23.40	< 23.98
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Power Density (dBm/5MHz)	EIRP Density (dBm/5MHz)	Limit (dBm /5MHz)
DFT-s-OFDM 16QAM						
10	2310	25	12	22.07	23.35	< 23.98
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Power

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Power Density (dBm/5MHz)	EIRP Density (dBm/5MHz)	Limit (dBm /5MHz)
DFT-s-OFDM PI/2 BPSK						
5	2307.5	12	6	22.55	23.83	< 23.98
		1	1	22.20	23.48	< 23.98
		1	23	22.54	23.82	< 23.98
		25	0	22.30	23.58	< 23.98
		1	24	21.72	23.00	< 23.98
		1	0	22.25	23.53	< 23.98
	2310.0	12	6	22.46	23.74	< 23.98
		1	1	22.27	23.55	< 23.98
		1	23	22.44	23.72	< 23.98
		25	0	22.49	23.77	< 23.98
		1	24	22.27	23.55	< 23.98
		1	0	22.43	23.71	< 23.98
	2312.5	12	6	22.43	23.71	< 23.98
		1	1	22.50	23.78	< 23.98
		1	23	22.45	23.73	< 23.98
		25	0	22.41	23.69	< 23.98
		1	24	22.14	23.42	< 23.98
		1	0	21.87	23.15	< 23.98
10	2310.0	25	12	22.59	23.87	< 23.98
		1	1	22.48	23.76	< 23.98
		1	50	22.08	23.36	< 23.98
		50	0	19.92	21.20	< 23.98
		1	51	22.21	23.49	< 23.98
		1	0	22.62	23.90	< 23.98
Note: The EIRP (dBm/5MHz) = Output Power (dBm/5MHz) + Antenna Gain (dBi)						