




BUREAU
VERITAS


Test Report No.: PSU-NQN2502170113RF10

Test Mode: 802.11be EHT20




Mode:802.11be EHT20

Frequency:5745MHz Ant:Chain0




Mode:802.11be EHT20

Frequency:5785MHz Ant:Chain0




Mode:802.11be EHT20

Frequency:5825MHz Ant:Chain0




Mode:802.11be EHT20

Frequency:5745MHz Ant:Chain1



Mode:802.11be EHT20

Frequency:5785MHz Ant:Chain1




Mode:802.11be EHT20

Frequency:5825MHz Ant:Chain1



Test Mode: 802.11be EHT40






BUREAU
VERITAS


Test Report No.: PSU-NQN2502170113RF10

Test Mode: 802.11be EHT80



Mode:802.11be EHT80


Frequency:5775MHz Ant:Chain0



Mode:802.11be EHT80


Frequency:5775MHz Ant:Chain1

Test Mode: 802.11be EHT20




Mode:802.11be EHT20

Frequency:5745MHz Ant:Chain2



Mode:802.11be EHT20

Frequency:5785MHz Ant:Chain2



Mode:802.11be EHT20

6DB BANDWIDTH FOR RU

Offset 22.3dB = Attenuator + Temporary antenna connector loss + Cable loss

Test Mode	Antenna	6dB Bandwidth (MHz)		
		5745MHz	5785MHz	5825MHz
802.11ax HE20 26T	Chain0	2.00	2.00	2.05
802.11ax HE20 26T	Chain1	1.99	2.08	2.11
802.11be EHT20 26T	Chain0	1.96	2.02	2.05
802.11be EHT20 26T	Chain1	2.06	2.05	2.02

Test Mode	Antenna	6dB Bandwidth (MHz)		
		5745MHz	5785MHz	5825MHz
802.11ax HE20 26T	Chain2	1.92	2.00	2.06
802.11be EHT20 26T	Chain2	2.03	1.99	2.05

Test Mode	Antenna	6dB Bandwidth (MHz)		
		5755MHz	---	5795MHz
802.11ax HE40 26T	Chain0	2.07	---	2.04
802.11ax HE40 26T	Chain1	1.95	---	2.08
802.11be EHT40 26T	Chain0	1.96	---	2.03
802.11be EHT40 26T	Chain1	2.13	---	1.98
Test Mode	Antenna	6dB Bandwidth (MHz)		
		5755MHz	---	5795MHz
802.11ax HE40 26T	Chain2	2.03	---	2.03



802.11be EHT40 26T	Chain2	2.01	---	1.99
-----------------------	--------	------	-----	------

Test Mode	Antenna	6dB Bandwidth (MHz)		
		5775MHz	---	---
802.11ax HE80 26T	Chain0	2.02	---	---
802.11ax HE80 26T	Chain1	2.01	---	---
802.11be EHT80 26T	Chain0	16.57	---	---
802.11be EHT80 26T	Chain1	2.03	---	---
Test Mode	Antenna	6dB Bandwidth (MHz)		
		5775MHz	---	---
802.11ax HE80 26T	Chain2	2.04	---	---
802.11be EHT80 26T	Chain2	1.96	---	---


Test Mode: 802.11ax HE20 26T

Center Freq: 5.745000000 GHz Span: 60 MHz Occupied Bandwidth: 17.961 MHz Total Power: 16.1 dBm	Center Freq: 5.785000000 GHz Span: 60 MHz Occupied Bandwidth: 17.959 MHz Total Power: 15.6 dBm
Mode: 802.11ax HE20 26T Frequency: 5745 MHz Ant: Chain0	Mode: 802.11ax HE20 26T Frequency: 5785 MHz Ant: Chain0




BUREAU
VERITAS


Test Report No.: PSU-NQN2502170113RF10




Mode:802.11ax HE20 26T
Frequency:5825MHz Ant:Chain0



Mode:802.11ax HE20 26T
Frequency:5745MHz Ant:Chain1



Mode:802.11ax HE20 26T
Frequency:5785MHz Ant:Chain1




Mode:802.11ax HE20 26T
Frequency:5825MHz Ant:Chain1




BUREAU
VERITAS

Test Report No.: PSU-NQN2502170113RF10


Test Mode: 802.11be EHT20 26T




Mode:802.11be EHT20 26T
Frequency:5745MHz Ant:Chain0




Mode:802.11be EHT20 26T
Frequency:5785MHz Ant:Chain0




Mode:802.11be EHT20 26T
Frequency:5825MHz Ant:Chain0



Mode:802.11be EHT20 26T
Frequency:5745MHz Ant:Chain1




Mode:802.11be EHT20 26T
Frequency:5785MHz Ant:Chain1



Mode:802.11be EHT20 26T
Frequency:5825MHz Ant:Chain1




Test Mode: 802.11ax HE40 26T






Test Mode: 802.11be EHT40 26T






Test Report No.: PSU-NQN2502170113RF10

Test Mode: 802.11ax HE80 26T




Mode:802.11ax HE80 26T
Frequency:5775MHz Ant:Chain0




Mode:802.11ax HE80 26T
Frequency:5775MHz Ant:Chain1

Test Mode: 802.11be EHT80 26T





Mode:802.11be EHT80 26T
Frequency:5775MHz Ant:Chain0



Mode:802.11be EHT80 26T
Frequency:5775MHz Ant:Chain1

Test Mode: 802.11ax HE20 26T




Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province




Tel: +86 (0557) 368 1008



Mode:802.11ax HE20 26T Frequency:5745MHz Ant:Chain2	Mode:802.11ax HE20 26T Frequency:5785MHz Ant:Chain2
	
Mode:802.11ax HE20 26T Frequency:5825MHz Ant:Chain2	



Test Mode: 802.11be EHT20 26T


	
Mode:802.11be EHT20 26T Frequency:5745MHz Ant:Chain2	Mode:802.11be EHT20 26T Frequency:5785MHz Ant:Chain2
	
Mode:802.11be EHT20 26T Frequency:5825MHz Ant:Chain2	

Test Mode: 802.11ax HE40 26T




BUREAU
VERITAS

Test Report No.: PSU-NQN2502170113RF10




Mode:802.11ax HE40 26T
Frequency:5755MHz Ant:Chain2




Mode:802.11ax HE40 26T
Frequency:5795MHz Ant:Chain2

Test Mode: 802.11be EHT40 26T



Mode:802.11be EHT40 26T
Frequency:5755MHz Ant:Chain2




Mode:802.11be EHT40 26T
Frequency:5795MHz Ant:Chain2

Test Mode: 802.11ax HE80 26T




BUREAU
VERITAS

Test Report No.: PSU-NQN2502170113RF10



Mode:802.11ax HE80 26T
Frequency:5775MHz Ant:Chain2

Test Mode: 802.11be EHT80 26T



Mode:802.11be EHT80 26T
Frequency:5775MHz Ant:Chain2

TRANSMITTER POWER SPECTRAL DENSITY

Offset 22.3dB = Attenuator + Temporary antenna connector loss + Cable loss

Test Mode	Antenna	Tones	5745MHz		5785MHz		5825MHz	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11a	Chain0	NA	0.00	2.525	0.00	2.363	0.00	2.775
802.11a	Chain1	NA	0.00	1.766	0.00	3.047	0.00	2.064
802.11n HT20	Chain0	NA	0.00	1.121	0.00	2.083	0.00	1.491
802.11n HT20	Chain1	NA	0.00	0.584	0.00	2.040	0.00	1.314
802.11n HT20	MIMO	NA	0.00	5.798	0.00	6.625	0.00	6.162
802.11ac VHT20	Chain0	NA	0.00	3.120	0.00	2.376	0.00	1.711
802.11ac VHT20	Chain1	NA	0.00	2.698	0.00	2.326	0.00	1.793
802.11ac VHT20	MIMO	NA	0.00	7.619	0.00	7.169	0.00	6.557
802.11ax HE20	Chain0	26T	0.00	3.494	0.00	1.962	0.00	2.556
802.11ax HE20	Chain1	26T	0.00	1.501	0.00	1.801	0.00	1.578
802.11ax HE20	MIMO	26T	0.00	7.210	0.00	6.602	0.00	6.601
802.11ax HE20	Chain0	52T	0.00	0.401	0.00	-0.228	0.00	-0.769
802.11ax HE20	Chain1	52T	0.00	0.681	0.00	0.871	0.00	-0.910
802.11ax HE20	MIMO	52T	0.00	5.164	0.00	5.144	0.00	3.891



802.11ax HE20	Chain0	106T	0.00	-0.693	0.00	-0.943	0.00	-2.430
802.11ax HE20	Chain1	106T	0.00	-1.552	0.00	-0.635	0.00	-3.009
802.11ax HE20	MIMO	106T	0.00	3.830	0.00	3.787	0.00	1.833
802.11ax HE20	Chain0	242T	0.00	3.051	0.00	2.097	0.00	1.772
802.11ax HE20	Chain1	242T	0.00	2.125	0.00	1.992	0.00	1.171
802.11ax HE20	MIMO	242T	0.00	7.406	0.00	6.653	0.00	6.421

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.



Test Mode	Antenna	Tones	5745MHz		5785MHz		5825MHz	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11a	Chain2	NA	0.00	3.339	0.00	1.763	0.00	2.423
802.11n HT20	Chain2	NA	0.00	1.341	0.00	1.407	0.00	1.366
802.11ac VHT20	Chain2	NA	0.00	2.713	0.00	2.490	0.00	1.852
802.11ax HE20	Chain2	26T	0.00	2.074	0.00	1.727	0.00	1.248
802.11ax HE20	Chain2	52T	0.00	0.074	0.00	0.407	0.00	-0.963
802.11ax HE20	Chain2	106T	0.00	-0.638	0.00	-1.408	0.00	-3.435
802.11ax HE20	Chain2	242T	0.00	2.679	0.00	1.537	0.00	1.967

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.



Test Mode	Antenna	Tones	5755MHz		---		5795MHz	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11n HT40	Chain0	NA	0.00	-0.179	---	---	0.00	-1.785
802.11n HT40	Chain1	NA	0.00	-1.338	---	---	0.00	-2.091
802.11n HT40	MIMO	NA	0.00	4.327	---	---	0.00	3.638
802.11ac VHT40	Chain0	NA	0.00	1.193	---	---	0.00	2.471
802.11ac VHT40	Chain1	NA	0.00	0.128	---	---	0.00	2.457
802.11ac VHT40	MIMO	NA	0.00	5.647	---	---	0.00	6.733
802.11ax HE40	Chain0	484T	0.00	0.095	---	---	0.00	-0.651
802.11ax HE40	Chain1	484T	0.00	0.263	---	---	0.00	-0.148
802.11ax HE40	MIMO	484T	0.00	5.212	---	---	0.00	4.360

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.

Test Mode	Antenna	Tones	5755MHz		---		5795MHz	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11n HT40	Chain2	NA	0.00	0.059	---	---	0.00	0.130
802.11ac VHT40	Chain2	NA	0.00	1.221	---	---	0.00	0.742
802.11ax HE40	Chain2	484T	0.00	0.919	---	---	0.00	-0.448

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.

Test Mode	Antenna	Tones	5775MHz		---		---	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11ac VHT80	Chain0	NA	0.00	-0.712	---	---	---	---
802.11ac VHT80	Chain1	NA	0.00	-1.063	---	---	---	---
802.11ac VHT80	MIMO	NA	0.00	3.939	---	---	---	---
802.11ax HE80	Chain0	996T	0.00	-4.095	---	---	---	---
802.11ax HE80	Chain1	996T	0.00	-4.375	---	---	---	---
802.11ax HE80	MIMO	996T	0.00	0.401	---	---	---	---

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.



Test Mode	Antenna	Tones	5775MHz		---		---	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11ac VHT80	Chain2	NA	0.00	-0.731	---	---	---	---
802.11ax HE80	Chain2	996T	0.00	-4.659	---	---	---	---

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.



Test Mode	Antenna	Tones	5745MHz		5785MHz		5825MHz	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11be EHT20	Chain0	26T	0.00	-0.712	0.00	1.674	0.00	1.716
802.11be EHT20	Chain1	26T	0.00	-1.063	0.00	1.060	0.00	1.024
802.11be EHT20	MIMO	26T	0.00	3.939	0.00	6.012	0.00	5.832
802.11be EHT20	Chain0	52T	0.00	-4.095	0.00	1.972	0.00	0.262
802.11be EHT20	Chain1	52T	0.00	-4.375	0.00	0.747	0.00	0.693
802.11be EHT20	MIMO	52T	0.00	0.401	0.00	6.153	0.00	5.557
802.11be EHT20	Chain0	106T	0.00	-0.712	0.00	-0.386	0.00	-1.607
802.11be EHT20	Chain1	106T	0.00	-1.063	0.00	-0.952	0.00	-1.058
802.11be EHT20	MIMO	106T	0.00	3.939	0.00	3.862	0.00	3.398
802.11be EHT20	Chain0	242T	0.00	-4.095	0.00	3.115	0.00	2.480
802.11be EHT20	Chain1	242T	0.00	-4.375	0.00	3.373	0.00	3.134
802.11be EHT20	MIMO	242T	0.00	0.401	0.00	7.822	0.00	7.530
802.11be EHT20	Chain0	26+52	0.00	-0.712	0.00	0.638	0.00	-1.241
802.11be EHT20	Chain1	26+52	0.00	-1.063	0.00	-0.602	0.00	-1.016
802.11be	MIMO	26+52	0.00	3.939	0.00	4.707	0.00	3.946



EHT20								
802.11be EHT20	Chain0	26+106	0.00	-4.095	0.00	-1.764	0.00	-2.326
802.11be EHT20	Chain1	26+106	0.00	-4.375	0.00	-1.666	0.00	-2.407
802.11be EHT20	MIMO	26+106	0.00	0.401	0.00	3.193	0.00	2.502

Test Mode	Antenna	Tones	5745MHz		5785MHz		5825MHz	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11be EHT20	Chain2	26T	0.00	1.466	0.00	0.953	0.00	0.333
802.11be EHT20	Chain2	52T	0.00	1.971	0.00	1.339	0.00	1.334
802.11be EHT20	Chain2	106T	0.00	0.052	0.00	-1.455	0.00	-1.475
802.11be EHT20	Chain2	242T	0.00	4.289	0.00	2.631	0.00	2.635
802.11be EHT20	Chain2	26+52	0.00	0.309	0.00	-0.330	0.00	-0.278
802.11be EHT20	Chain2	26+106	0.00	-0.764	0.00	-1.317	0.00	-2.080

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.



Test Mode	Antenna	Tones	5755MHz		---		5795MHz	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11be EHT40	Chain0	484T	0.00	-2.339	---	---	0.00	-2.546
802.11be EHT40	Chain1	484T	0.00	-2.272	---	---	0.00	-2.761
802.11be EHT40	MIMO	484T	0.00	2.509	---	---	0.00	2.193

Test Mode	Antenna	Tones	5755MHz		---		5795MHz	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11be EHT40	Chain2	484T	0.00	-2.177	---	---	0.00	-2.434

Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.



Test Mode	Antenna	Tones	5775MHz		---		---	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11be EHT80	Chain0	996T	0.00	0.640	---	---	---	---
802.11be EHT80	Chain1	996T	0.00	-1.020	---	---	---	---
802.11be EHT80	MIMO	996T	0.00	4.636	---	---	---	---
802.11be EHT80	Chain0	242+484	0.00	-0.184	---	---	---	---
802.11be EHT80	Chain1	242+484	0.00	-1.703	---	---	---	---
802.11be EHT80	MIMO	242+484	0.00	4.198	---	---	---	---

Test Mode	Antenna	Tones	5775MHz		---		---	
			Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)	Correction Factor (dB)	Power Density (dBm/500KHz)
802.11be EHT80	Chain2	996T	0.00	-0.185	---	---	---	---
802.11be EHT80	Chain2	242+484	0.00	-0.023	---	---	---	---


Note: As measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10\log(500\text{kHz}/\text{RBW})$ to the measured result.



BUREAU
VERITAS

Test Report No.: PSU-NQN2502170113RF10

Test Mode: 802.11a



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province

Tel: +86 (0557) 368 1008




Test Report No.: PSU-NQN2502170113RF10


Ant:Chain1	Ant:Chain1
------------	------------




Test Mode: 802.11n HT20




Mode:802.11n HT20 Frequency:5745MHz
Ant:Chain0




Mode:802.11n HT20 Frequency:5785MHz
Ant:Chain0




Mode:802.11n HT20 Frequency:5825MHz
Ant:Chain0



Mode:802.11n HT20 Frequency:5745MHz
Ant:Chain1



Mode:802.11n HT20 Frequency:5785MHz



Mode:802.11n HT20 Frequency:5825MHz



Test Report No.: PSU-NQN2502170113RF10


Ant:Chain1	Ant:Chain1
------------	------------



BUREAU
VERITAS


Test Report No.: PSU-NQN2502170113RF10

Test Mode: 802.11ac VHT20




Mode:802.11ac VHT20

Frequency:5745MHz Ant:Chain0




Mode:802.11ac VHT20

Frequency:5785MHz Ant:Chain0




Mode:802.11ac VHT20

Frequency:5825MHz Ant:Chain0




Mode:802.11ac VHT20

Frequency:5745MHz Ant:Chain1



Mode:802.11ac VHT20



Mode:802.11ac VHT20

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province

Tel: +86 (0557) 368 1008



Test Report No.: PSU-NQN2502170113RF10


Frequency:5785MHz Ant:Chain1	Frequency:5825MHz Ant:Chain1
------------------------------	------------------------------




BUREAU
VERITAS

Test Report No.: PSU-NQN2502170113RF10


Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Tone:26T
Frequency:5745MHz Ant:Chain0




Mode:802.11ax HE20 Tone:26T
Frequency:5785MHz Ant:Chain0




Mode:802.11ax HE20 Tone:26T
Frequency:5825MHz Ant:Chain0



Mode:802.11ax HE20 Tone:26T
Frequency:5745MHz Ant:Chain1



Mode:802.11ax HE20 Tone:26T




Mode:802.11ax HE20 Tone:26T




BUREAU
VERITAS

Test Report No.: PSU-NQN2502170113RF10


Frequency:5785MHz Ant:Chain1




Frequency:5825MHz Ant:Chain1




Mode:802.11ax HE20 Tone:52T
Frequency:5745MHz Ant:Chain0




Mode:802.11ax HE20 Tone:52T
Frequency:5785MHz Ant:Chain0



Mode:802.11ax HE20 Tone:52T
Frequency:5825MHz Ant:Chain0



Mode:802.11ax HE20 Tone:52T
Frequency:5745MHz Ant:Chain1




Mode:802.11ax HE20 Tone:52T
Frequency:5785MHz Ant:Chain1

Mode:802.11ax HE20 Tone:52T
Frequency:5825MHz Ant:Chain1




BUREAU
VERITAS


Test Report No.: PSU-NQN2502170113RF10




Mode:802.11ax HE20 Tone:106T
Frequency:5745MHz Ant:Chain0




Mode:802.11ax HE20 Tone:106T
Frequency:5785MHz Ant:Chain0




Mode:802.11ax HE20 Tone:106T
Frequency:5825MHz Ant:Chain0



Mode:802.11ax HE20 Tone:106T
Frequency:5745MHz Ant:Chain1



Mode:802.11ax HE20 Tone:106T
Frequency:5785MHz Ant:Chain1




Mode:802.11ax HE20 Tone:106T
Frequency:5825MHz Ant:Chain1




BUREAU
VERITAS


Test Report No.: PSU-NQN2502170113RF10




Mode:802.11ax HE20 Tone:242T
Frequency:5745MHz Ant:Chain0




Mode:802.11ax HE20 Tone:242T
Frequency:5785MHz Ant:Chain0




Mode:802.11ax HE20 Tone:242T
Frequency:5825MHz Ant:Chain0



Mode:802.11ax HE20 Tone:242T
Frequency:5745MHz Ant:Chain1




Mode:802.11ax HE20 Tone:242T
Frequency:5785MHz Ant:Chain1




Mode:802.11ax HE20 Tone:242T
Frequency:5825MHz Ant:Chain1




Test Mode: 802.11n HT40




Mode:802.11n HT40 Frequency:5755MHz
Ant:Chain0



Mode:802.11n HT40 Frequency:5795MHz
Ant:Chain0




Mode:802.11n HT40 Frequency:5755MHz
Ant:Chain1




Mode:802.11n HT40 Frequency:5795MHz
Ant:Chain1




Test Mode: 802.11ac VHT40




Mode:802.11ac VHT40
Frequency:5755MHz Ant:Chain0



Mode:802.11ac VHT40
Frequency:5795MHz Ant:Chain0




Mode:802.11ac VHT40
Frequency:5755MHz Ant:Chain1




Mode:802.11ac VHT40
Frequency:5795MHz Ant:Chain1




Test Mode: 802.11ax HE40




Mode:802.11ax HE40 Tone:484T
Frequency:5755MHz Ant:Chain0



Mode:802.11ax HE40 Tone:484T
Frequency:5795MHz Ant:Chain0




Mode:802.11ax HE40 Tone:484T
Frequency:5755MHz Ant:Chain1



Mode:802.11ax HE40 Tone:484T
Frequency:5795MHz Ant:Chain1




Test Mode: 802.11ac VHT80







Test Mode: 802.11ax HE80



Test Mode: 802.11a







Mode:802.11a Frequency:5825MHz
Ant:Chain2




Test Mode: 802.11n HT20



Mode:802.11n HT20 Frequency:5745MHz
Ant:Chain2




Mode:802.11n HT20 Frequency:5785MHz
Ant:Chain2




Mode:802.11n HT20 Frequency:5825MHz
Ant:Chain2




Test Mode: 802.11ac VHT20



Mode:802.11ac VHT20
Frequency:5745MHz Ant:Chain2



Mode:802.11ac VHT20
Frequency:5785MHz Ant:Chain2




Mode:802.11ac VHT20
Frequency:5825MHz Ant:Chain2




BUREAU
VERITAS

Test Report No.: PSU-NQN2502170113RF10


Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Tone:26T
Frequency:5745MHz Ant:Chain2




Mode:802.11ax HE20 Tone:26T
Frequency:5785MHz Ant:Chain2




Mode:802.11ax HE20 Tone:26T
Frequency:5825MHz Ant:Chain2



Mode:802.11ax HE20 Tone:52T
Frequency:5745MHz Ant:Chain2



Mode:802.11ax HE20 Tone:52T



Mode:802.11ax HE20 Tone:52T

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province


Tel: +86 (0557) 368 1008




BUREAU
VERITAS

Test Report No.: PSU-NQN2502170113RF10


Frequency:5785MHz Ant:Chain2




Frequency:5825MHz Ant:Chain2




Mode:802.11ax HE20 Tone:106T
Frequency:5745MHz Ant:Chain2




Mode:802.11ax HE20 Tone:106T
Frequency:5785MHz Ant:Chain2



Mode:802.11ax HE20 Tone:106T
Frequency:5825MHz Ant:Chain2



Mode:802.11ax HE20 Tone:242T
Frequency:5745MHz Ant:Chain2




Mode:802.11ax HE20 Tone:242T
Frequency:5785MHz Ant:Chain2


Mode:802.11ax HE20 Tone:242T
Frequency:5825MHz Ant:Chain2




Test Mode: 802.11n HT40




Test Mode: 802.11ac VHT40



Test Mode: 802.11ax HE40




Mode:802.11ax HE40 Tone:484T
Frequency:5755MHz Ant:Chain2



Mode:802.11ax HE40 Tone:484T
Frequency:5795MHz Ant:Chain2




Test Mode: 802.11ac VHT80



Mode:802.11ac VHT80

Frequency:5775MHz Ant:Chain2

Test Mode: 802.11ax HE80



Mode:802.11ax HE80 Tone:996T


Frequency:5775MHz Ant:Chain2




BUREAU
VERITAS

Test Report No.: PSU-NQN2502170113RF10


Test Mode: 802.11be EHT20




Mode:802.11be EHT20 Tone:26T
Frequency:5745MHz Ant:Chain0




Mode:802.11be EHT20 Tone:26T
Frequency:5785MHz Ant:Chain0




Mode:802.11be EHT20 Tone:26T
Frequency:5825MHz Ant:Chain0



Mode:802.11be EHT20 Tone:26T
Frequency:5745MHz Ant:Chain1



Mode:802.11be EHT20 Tone:26T




Mode:802.11be EHT20 Tone:26T




BUREAU
VERITAS

Test Report No.: PSU-NQN2502170113RF10


Frequency:5785MHz Ant:Chain1




Frequency:5825MHz Ant:Chain1




Mode:802.11be EHT20 Tone:52T
Frequency:5745MHz Ant:Chain0




Mode:802.11be EHT20 Tone:52T
Frequency:5785MHz Ant:Chain0



Mode:802.11be EHT20 Tone:52T
Frequency:5825MHz Ant:Chain0



Mode:802.11be EHT20 Tone:52T
Frequency:5745MHz Ant:Chain1




Mode:802.11be EHT20 Tone:52T
Frequency:5785MHz Ant:Chain1

Mode:802.11be EHT20 Tone:52T
Frequency:5825MHz Ant:Chain1




BUREAU
VERITAS


Test Report No.: PSU-NQN2502170113RF10




Mode:802.11be EHT20 Tone:106T
Frequency:5745MHz Ant:Chain0




Mode:802.11be EHT20 Tone:106T
Frequency:5785MHz Ant:Chain0




Mode:802.11be EHT20 Tone:106T
Frequency:5825MHz Ant:Chain0



Mode:802.11be EHT20 Tone:106T
Frequency:5745MHz Ant:Chain1



Mode:802.11be EHT20 Tone:106T
Frequency:5785MHz Ant:Chain1



Mode:802.11be EHT20 Tone:106T
Frequency:5825MHz Ant:Chain1




BUREAU
VERITAS


Test Report No.: PSU-NQN2502170113RF10



Mode:802.11be EHT20 Tone:242T
Frequency:5745MHz Ant:Chain0




Mode:802.11be EHT20 Tone:242T
Frequency:5785MHz Ant:Chain0




Mode:802.11be EHT20 Tone:242T
Frequency:5825MHz Ant:Chain0



Mode:802.11be EHT20 Tone:242T
Frequency:5745MHz Ant:Chain1



Mode:802.11be EHT20 Tone:242T
Frequency:5785MHz Ant:Chain1




Mode:802.11be EHT20 Tone:242T
Frequency:5825MHz Ant:Chain1




BUREAU
VERITAS


Test Report No.: PSU-NQN2502170113RF10




Mode:802.11be EHT20 Tone:26+52
Frequency:5745MHz Ant:Chain0




Mode:802.11be EHT20 Tone:26+52
Frequency:5785MHz Ant:Chain0




Mode:802.11be EHT20 Tone:26+52
Frequency:5825MHz Ant:Chain0



Mode:802.11be EHT20 Tone:26+52
Frequency:5745MHz Ant:Chain1



Mode:802.11be EHT20 Tone:26+52
Frequency:5785MHz Ant:Chain1




Mode:802.11be EHT20 Tone:26+52
Frequency:5825MHz Ant:Chain1




BUREAU
VERITAS


Test Report No.: PSU-NQN2502170113RF10




Mode:802.11be EHT20 Tone:26+106
Frequency:5745MHz Ant:Chain0




Mode:802.11be EHT20 Tone:26+106
Frequency:5785MHz Ant:Chain0




Mode:802.11be EHT20 Tone:26+106
Frequency:5825MHz Ant:Chain0



Mode:802.11be EHT20 Tone:26+106
Frequency:5745MHz Ant:Chain1



Mode:802.11be EHT20 Tone:26+106
Frequency:5785MHz Ant:Chain1



Mode:802.11be EHT20 Tone:26+106
Frequency:5825MHz Ant:Chain1




BUREAU
VERITAS

Test Report No.: PSU-NQN2502170113RF10

Test Mode: 802.11be EHT40




Mode:802.11be EHT40 Tone:484T
Frequency:5755MHz Ant:Chain0



Mode:802.11be EHT40 Tone:484T
Frequency:5795MHz Ant:Chain0



Mode:802.11be EHT40 Tone:484T
Frequency:5755MHz Ant:Chain1




Mode:802.11be EHT40 Tone:484T
Frequency:5795MHz Ant:Chain1




BUREAU
VERITAS

Test Report No.: PSU-NQN2502170113RF10


Test Mode: 802.11be EHT80




Mode:802.11be EHT80 Tone:996T
Frequency:5775MHz Ant:Chain0



Mode:802.11be EHT80 Tone:996T
Frequency:5775MHz Ant:Chain1



Mode:802.11be EHT80 Tone:242+484
Frequency:5775MHz Ant:Chain0




Mode:802.11be EHT80 Tone:242+484
Frequency:5775MHz Ant:Chain1




BUREAU
VERITAS

Test Report No.: PSU-NQN2502170113RF10


Test Mode: 802.11be EHT20




Mode:802.11be EHT20 Tone:26T
Frequency:5745MHz Ant:Chain2




Mode:802.11be EHT20 Tone:26T
Frequency:5785MHz Ant:Chain2




Mode:802.11be EHT20 Tone:26T
Frequency:5825MHz Ant:Chain2



Mode:802.11be EHT20 Tone:52T
Frequency:5745MHz Ant:Chain2



Mode:802.11be EHT20 Tone:52T
Frequency:5785MHz Ant:Chain2




Mode:802.11be EHT20 Tone:52T
Frequency:5825MHz Ant:Chain2




BUREAU
VERITAS


Test Report No.: PSU-NQN2502170113RF10



Mode:802.11be EHT20 Tone:106T
Frequency:5745MHz Ant:Chain2




Mode:802.11be EHT20 Tone:106T
Frequency:5785MHz Ant:Chain2




Mode:802.11be EHT20 Tone:106T
Frequency:5825MHz Ant:Chain2



Mode:802.11be EHT20 Tone:242T
Frequency:5745MHz Ant:Chain2



Mode:802.11be EHT20 Tone:242T
Frequency:5785MHz Ant:Chain2




Mode:802.11be EHT20 Tone:242T
Frequency:5825MHz Ant:Chain2




BUREAU
VERITAS


Test Report No.: PSU-NQN2502170113RF10




Mode:802.11be EHT20 Tone:26+52
Frequency:5745MHz Ant:Chain2




Mode:802.11be EHT20 Tone:26+52
Frequency:5785MHz Ant:Chain2




Mode:802.11be EHT20 Tone:26+52
Frequency:5825MHz Ant:Chain2



Mode:802.11be EHT20 Tone:26+106
Frequency:5745MHz Ant:Chain2



Mode:802.11be EHT20 Tone:26+106
Frequency:5785MHz Ant:Chain2



Mode:802.11be EHT20 Tone:26+106
Frequency:5825MHz Ant:Chain2



Test Mode: 802.11be EHT40




Mode:802.11be EHT40 Tone:484T
Frequency:5755MHz Ant:Chain2



Mode:802.11be EHT40 Tone:484T
Frequency:5795MHz Ant:Chain2

Test Mode: 802.11be EHT80



Mode:802.11be EHT80 Tone:996T
Frequency:5775MHz Ant:Chain2



Mode:802.11be EHT80 Tone:242+484T
Frequency:5775MHz Ant:Chain2