





n48 30kHz SISO NTV 40MHz CP-OFDM 16 QAM 3570MHz Outer Full Ant1




n48 30kHz SISO NTV 40MHz CP-OFDM 16 QAM 3624.99MHz Outer Full Ant1






n48 30kHz SISO NTN 40MHz CP-OFDM 16 QAM 3679.98MHz Outer Full Ant1




n48 30kHz SISO NTN 40MHz CP-OFDM 64 QAM 3570MHz Outer Full Ant1






n48 30kHz SISO NTN 40MHz CP-OFDM 64 QAM 3624.99MHz Outer Full Ant1




n48 30kHz SISO NTN 40MHz CP-OFDM 64 QAM 3679.98MHz Outer Full Ant1






n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_256_QAM_3570MHz_Outer_Full_Ant1




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_256_QAM_3624.99MHz_Outer_Full_Ant1





n48 30kHz SISO_NTNV 40MHz CP-OFDM 256 QAM 3679.98MHz Outer Full Ant1





6. Spurious Emission

6.1 Test Result

6.1.1 30k_SISO_10MHz_NTNV

5G NR n48 SCS=30kHz SISO 10MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3555	Edge 1RB Left	Refer To Test Graph				Pass
		Edge 1RB Right	Refer To Test Graph				Pass
		Outer Full	Refer To Test Graph				Pass
		Inner 1RB Left	Refer To Test Graph				Pass
		Inner 1RB Right	Refer To Test Graph				Pass
	3624.99	Edge 1RB Left	Refer To Test Graph				Pass
	3694.98	Edge 1RB Left	Refer To Test Graph				Pass
		Edge 1RB Right	Refer To Test Graph				Pass
		Outer Full	Refer To Test Graph				Pass
		Inner 1RB Left	Refer To Test Graph				Pass
		Inner 1RB Right	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	3555	Edge 1RB Left	Refer To Test Graph				Pass
		Edge 1RB Right	Refer To Test Graph				Pass
		Outer Full	Refer To Test Graph				Pass
		Inner 1RB Left	Refer To Test Graph				Pass
		Inner 1RB Right	Refer To Test Graph				Pass
	3624.99	Edge 1RB Left	Refer To Test Graph				Pass
	3694.98	Edge 1RB Left	Refer To Test Graph				Pass
		Edge 1RB Right	Refer To Test Graph				Pass
		Outer Full	Refer To Test Graph				Pass
		Inner 1RB Left	Refer To Test Graph				Pass
		Inner 1RB Right	Refer To Test Graph				Pass
CP-OFDM QPSK	3555	Edge 1RB Left	Refer To Test Graph				Pass
		Edge 1RB Right	Refer To Test Graph				Pass
		Outer Full	Refer To Test Graph				Pass
		Inner 1RB Left	Refer To Test Graph				Pass
		Inner 1RB Right	Refer To Test Graph				Pass
	3624.99	Edge 1RB Left	Refer To Test Graph				Pass
	3694.98	Edge 1RB Left	Refer To Test Graph				Pass
		Edge 1RB Right	Refer To Test Graph				Pass
		Outer Full	Refer To Test Graph				Pass
		Inner 1RB Left	Refer To Test Graph				Pass
		Inner 1RB Right	Refer To Test Graph				Pass

6.1.2 30k_SISO_20MHz_NTNV

5G NR n48 SCS=30kHz SISO 20MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission			Verdict
			Ant1	Ant2	Sum	
DFT-s-OFDM PI/2 BPSK	3560.01	Edge 1RB Left	Refer To Test Graph			Pass
		Edge 1RB Right	Refer To Test Graph			Pass
		Outer Full	Refer To Test Graph			Pass
		Inner 1RB Left	Refer To Test Graph			Pass
		Inner 1RB Right	Refer To Test Graph			Pass
	3624.99	Edge 1RB Left	Refer To Test Graph			Pass



DFT-s-OFDM QPSK	3690	Edge 1RB Left	Refer To Test Graph	Pass
		Edge 1RB Right	Refer To Test Graph	Pass
		Outer Full	Refer To Test Graph	Pass
		Inner 1RB Left	Refer To Test Graph	Pass
		Inner 1RB Right	Refer To Test Graph	Pass
	3560.01	Edge 1RB Left	Refer To Test Graph	Pass
		Edge 1RB Right	Refer To Test Graph	Pass
		Outer Full	Refer To Test Graph	Pass
		Inner 1RB Left	Refer To Test Graph	Pass
		Inner 1RB Right	Refer To Test Graph	Pass
CP-OFDM QPSK	3624.99	Edge 1RB Left	Refer To Test Graph	Pass
	3690	Edge 1RB Left	Refer To Test Graph	Pass
		Edge 1RB Right	Refer To Test Graph	Pass
		Outer Full	Refer To Test Graph	Pass
		Inner 1RB Left	Refer To Test Graph	Pass
		Inner 1RB Right	Refer To Test Graph	Pass
	3560.01	Edge 1RB Left	Refer To Test Graph	Pass
		Edge 1RB Right	Refer To Test Graph	Pass
		Outer Full	Refer To Test Graph	Pass
		Inner 1RB Left	Refer To Test Graph	Pass
		Inner 1RB Right	Refer To Test Graph	Pass
CP-OFDM QPSK	3624.99	Edge 1RB Left	Refer To Test Graph	Pass
	3690	Edge 1RB Left	Refer To Test Graph	Pass
		Edge 1RB Right	Refer To Test Graph	Pass
		Outer Full	Refer To Test Graph	Pass
		Inner 1RB Left	Refer To Test Graph	Pass
		Inner 1RB Right	Refer To Test Graph	Pass
	3560.01	Edge 1RB Left	Refer To Test Graph	Pass
		Edge 1RB Right	Refer To Test Graph	Pass
		Outer Full	Refer To Test Graph	Pass
		Inner 1RB Left	Refer To Test Graph	Pass
		Inner 1RB Right	Refer To Test Graph	Pass

6.1.3 30k_SISO_30MHz_NTNV

5G NR n48 SCS=30kHz SISO 30MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3565.02	Edge 1RB Left	Refer To Test Graph				Pass
		Edge 1RB Right	Refer To Test Graph				Pass
		Outer Full	Refer To Test Graph				Pass
		Inner 1RB Left	Refer To Test Graph				Pass
		Inner 1RB Right	Refer To Test Graph				Pass
	3624.99	Edge 1RB Left	Refer To Test Graph				Pass
	3684.99	Edge 1RB Left	Refer To Test Graph				Pass
		Edge 1RB Right	Refer To Test Graph				Pass
		Outer Full	Refer To Test Graph				Pass
		Inner 1RB Left	Refer To Test Graph				Pass
Inner 1RB Right		Refer To Test Graph				Pass	
DFT-s-OFDM QPSK	3565.02	Edge 1RB Left	Refer To Test Graph				Pass
		Edge 1RB Right	Refer To Test Graph				Pass
		Outer Full	Refer To Test Graph				Pass
		Inner 1RB Left	Refer To Test Graph				Pass
		Inner 1RB Right	Refer To Test Graph				Pass
	3624.99	Edge 1RB Left	Refer To Test Graph				Pass
	3684.99	Edge 1RB Left	Refer To Test Graph				Pass
		Edge 1RB Right	Refer To Test Graph				Pass
Outer Full		Refer To Test Graph				Pass	



CP-OFDM QPSK		Inner 1RB Left	Refer To Test Graph	Pass
		Inner 1RB Right	Refer To Test Graph	Pass
	3565.02	Edge 1RB Left	Refer To Test Graph	Pass
		Edge 1RB Right	Refer To Test Graph	Pass
		Outer Full	Refer To Test Graph	Pass
		Inner 1RB Left	Refer To Test Graph	Pass
		Inner 1RB Right	Refer To Test Graph	Pass
	3624.99	Edge 1RB Left	Refer To Test Graph	Pass
		Edge 1RB Right	Refer To Test Graph	Pass
	3684.99	Outer Full	Refer To Test Graph	Pass
		Inner 1RB Left	Refer To Test Graph	Pass
		Inner 1RB Right	Refer To Test Graph	Pass
		Inner 1RB Right	Refer To Test Graph	Pass

6.1.4 30k_SISO_40MHz_NTNV

5G NR n48 SCS=30kHz SISO 40MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3570	Edge 1RB Left	Refer To Test Graph				Pass
		Edge 1RB Right	Refer To Test Graph				Pass
		Outer Full	Refer To Test Graph				Pass
		Inner 1RB Left	Refer To Test Graph				Pass
		Inner 1RB Right	Refer To Test Graph				Pass
	3624.99	Edge 1RB Left	Refer To Test Graph				Pass
	3679.98	Edge 1RB Left	Refer To Test Graph				Pass
		Edge 1RB Right	Refer To Test Graph				Pass
		Outer Full	Refer To Test Graph				Pass
		Inner 1RB Left	Refer To Test Graph				Pass
Inner 1RB Right		Refer To Test Graph				Pass	
DFT-s-OFDM QPSK	3570	Edge 1RB Left	Refer To Test Graph				Pass
		Edge 1RB Right	Refer To Test Graph				Pass
		Outer Full	Refer To Test Graph				Pass
		Inner 1RB Left	Refer To Test Graph				Pass
		Inner 1RB Right	Refer To Test Graph				Pass
	3624.99	Edge 1RB Left	Refer To Test Graph				Pass
	3679.98	Edge 1RB Left	Refer To Test Graph				Pass
		Edge 1RB Right	Refer To Test Graph				Pass
		Outer Full	Refer To Test Graph				Pass
		Inner 1RB Left	Refer To Test Graph				Pass
Inner 1RB Right		Refer To Test Graph				Pass	
CP-OFDM QPSK	3570	Edge 1RB Left	Refer To Test Graph				Pass
		Edge 1RB Right	Refer To Test Graph				Pass
		Outer Full	Refer To Test Graph				Pass
		Inner 1RB Left	Refer To Test Graph				Pass
		Inner 1RB Right	Refer To Test Graph				Pass
	3624.99	Edge 1RB Left	Refer To Test Graph				Pass
	3679.98	Edge 1RB Left	Refer To Test Graph				Pass
		Edge 1RB Right	Refer To Test Graph				Pass
		Outer Full	Refer To Test Graph				Pass
		Inner 1RB Left	Refer To Test Graph				Pass
Inner 1RB Right		Refer To Test Graph				Pass	




No.: PBJ-NQN2412130113RF02
FCC ID: 2AANY-IR624




6.2 Test Graph

6.2.1 30k_SISO_10MHz_NTNV

n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3555MHz Edge 1RB Left Ant1




n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3555MHz Edge 1RB Left Ant1






n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3555MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3535	1	/	1	2782.000	-42.01	-30	Pass
3535	3540	1	/	2	3535.600	-42.97	-25	Pass
3540	3545	1	/	3	3542.800	-42.87	-13	Pass
3545	3565	1	/	/	/	/	/	/
3565	3570	1	/	4	3569.200	-42.60	-13	Pass
3570	3575	1	/	5	3574.000	-42.82	-25	Pass
3575	37000	1	/	6	36991.600	-36.88	-30	Pass


n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3555MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3525	3535	1	CHP	1	3532.950	-43.24	-30	Pass
3535	3540	1	CHP	2	3539.100	-42.73	-25	Pass
3540	3545	1	CHP	3	3540.500	-43.01	-13	Pass
3545	3549	1	CHP	4	3548.050	-42.22	-10	Pass
3549	3550	0.1	/	5	3549.800	-51.30	-13	Pass
3550	3560	0.1	/	/	/	/	/	/
3560	3561	0.1	/	6	3560.050	-20.97	-13	Pass
3561	3565	1	CHP	7	3561.500	-33.36	-10	Pass
3565	3570	1	CHP	8	3567.000	-41.04	-13	Pass
3570	3575	1	CHP	9	3570.250	-42.00	-25	Pass
3575	3585	1	CHP	10	3575.450	-43.01	-30	Pass




n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3555MHz Outer Full Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3525	3535	1	CHP	1	3532.200	-39.51	-30	Pass
3535	3540	1	CHP	2	3538.700	-36.82	-25	Pass
3540	3545	1	CHP	3	3544.800	-35.78	-13	Pass
3545	3549	1	CHP	4	3546.750	-30.92	-10	Pass
3549	3550	0.1	/	5	3549.800	-29.00	-13	Pass
3550	3560	0.1	/	/	/	/	/	/
3560	3561	0.1	/	6	3560.050	-23.68	-13	Pass
3561	3565	1	CHP	7	3563.150	-29.56	-10	Pass
3565	3570	1	CHP	8	3565.050	-32.37	-13	Pass
3570	3575	1	CHP	9	3570.100	-36.27	-25	Pass
3575	3585	1	CHP	10	3575.050	-40.35	-30	Pass


n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3555MHz Inner 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3525	3535	1	CHP	1	3533.650	-42.84	-30	Pass
3535	3540	1	CHP	2	3540.000	-42.60	-25	Pass
3540	3545	1	CHP	3	3543.500	-40.21	-13	Pass
3545	3549	1	CHP	4	3548.500	-34.73	-10	Pass
3549	3550	0.1	/	5	3549.600	-28.58	-13	Pass
3550	3560	0.1	/	/	/	/	/	/
3560	3561	0.1	/	6	3560.050	-51.31	-13	Pass
3561	3565	1	CHP	7	3561.950	-41.69	-10	Pass
3565	3570	1	CHP	8	3566.100	-42.55	-13	Pass
3570	3575	1	CHP	9	3571.300	-42.42	-25	Pass
3575	3585	1	CHP	10	3580.150	-42.51	-30	Pass




n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_PI/2_BPSK_3555MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3525	3535	1	CHP	1	3533.950	-42.94	-30	Pass
3535	3540	1	CHP	2	3536.450	-42.96	-25	Pass
3540	3545	1	CHP	3	3545.000	-42.76	-13	Pass
3545	3549	1	CHP	4	3545.050	-42.76	-10	Pass
3549	3550	0.1	/	5	3549.350	-51.58	-13	Pass
3550	3560	0.1	/	/	/	/	/	/
3560	3561	0.1	/	6	3560.050	-17.58	-13	Pass
3561	3565	1	CHP	7	3561.500	-34.00	-10	Pass
3565	3570	1	CHP	8	3566.350	-41.62	-13	Pass
3570	3575	1	CHP	9	3570.900	-42.54	-25	Pass
3575	3585	1	CHP	10	3582.800	-42.95	-30	Pass


n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_PI/2_BPSK_3624.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	30.650	-43.19	-30	Pass




n48 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3605	1	/	1	2960.800	-41.92	-30	Pass
3605	3610	1	/	2	3605.200	-42.60	-25	Pass
3610	3615	1	/	3	3612.400	-41.51	-13	Pass
3615	3635	1	/	/	/	/	/	/
3635	3640	1	/	4	3636.400	-42.66	-13	Pass
3640	3645	1	/	5	3642.400	-43.23	25	Pass
3645	37000	1	/	6	36992.800	-36.90	-30	Pass


n48 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 3694.98MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3666.850	-43.68	-30	Pass
3675	3680	1	CHP	2	3678.350	-43.48	-25	Pass
3680	3685	1	CHP	3	3682.600	-41.85	-13	Pass
3685	3689	1	CHP	4	3688.500	-34.90	-10	Pass
3689	3690	0.1	/	5	3689.950	-22.86	-13	Pass
3690	3700	0.1	/	/	/	/	/	/
3700	3701	0.1	/	6	3700.050	-51.82	-13	Pass
3701	3705	1	CHP	7	3701.650	-42.89	-10	Pass
3705	3710	1	CHP	8	3707.150	-43.49	-13	Pass
3710	3715	1	CHP	9	3711.600	-43.92	-25	Pass
3715	3725	1	CHP	10	3717.750	-43.98	-30	Pass




n48 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 3694.98MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3673.500	-43.40	-30	Pass
3675	3680	1	CHP	2	3675.050	-43.73	-25	Pass
3680	3685	1	CHP	3	3682.400	-43.27	-13	Pass
3685	3689	1	CHP	4	3688.500	-43.18	-10	Pass
3689	3690	0.1	/	5	3689.100	-51.31	-13	Pass
3690	3700	0.1	/	/	/	/	/	/
3700	3701	0.1	/	6	3700.050	-18.80	-13	Pass
3701	3705	1	CHP	7	3701.500	-35.88	-10	Pass
3705	3710	1	CHP	8	3707.300	-42.05	-13	Pass
3710	3715	1	CHP	9	3710.050	-43.31	-25	Pass
3715	3725	1	CHP	10	3721.450	-44.07	-30	Pass


n48 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 3694.98MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	43.450	-43.18	-30	Pass




n48 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 3694.98MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3675	1	/	1	2971.600	-41.98	-30	Pass
3675	3680	1	/	2	3677.200	-43.19	-25	Pass
3680	3685	1	/	3	3683.200	-42.87	-13	Pass
3685	3705	1	/	/	/	/	/	/
3705	3710	1	/	4	3706.000	-41.78	-13	Pass
3710	3715	1	/	5	3712.000	-43.11	-25	Pass
3715	37000	1	/	6	35740.000	-36.99	-30	Pass


n48 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 3694.98MHz Outer Full Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3675.000	-40.65	-30	Pass
3675	3680	1	CHP	2	3677.600	-40.41	-25	Pass
3680	3685	1	CHP	3	3684.450	-36.48	-13	Pass
3685	3689	1	CHP	4	3686.300	-33.51	-10	Pass
3689	3690	0.1	/	5	3689.850	-26.43	-13	Pass
3690	3700	0.1	/	/	/	/	/	/
3700	3701	0.1	/	6	3700.400	-25.82	-13	Pass
3701	3705	1	CHP	7	3703.450	-34.24	-10	Pass
3705	3710	1	CHP	8	3705.450	-35.68	-13	Pass
3710	3715	1	CHP	9	3711.000	-38.94	-25	Pass
3715	3725	1	CHP	10	3715.150	-41.92	-30	Pass



n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3694.98MHz Inner 1RB Left Ant1




n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3694.98MHz Inner 1RB Right Ant1






n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3555MHz Edge 1RB Left Ant1




n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3555MHz Edge 1RB Left Ant1






n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3555MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3535	1	/	1	2358.400	-41.86	-30	Pass
3535	3540	1	/	2	3535.600	-42.75	-25	Pass
3540	3545	1	/	3	3541.600	-42.56	-13	Pass
3545	3565	1	/	/	/	/	/	/
3565	3570	1	/	4	3566.800	-42.18	-13	Pass
3570	3575	1	/	5	3570.400	-42.65	-25	Pass
3575	37000	1	/	6	36989.200	-36.77	-30	Pass


n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3555MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3525	3535	1	CHP	1	3534.200	-43.14	-30	Pass
3535	3540	1	CHP	2	3539.250	-43.52	-25	Pass
3540	3545	1	CHP	3	3542.300	-42.48	-13	Pass
3545	3549	1	CHP	4	3548.250	-42.94	-10	Pass
3549	3550	0.1	/	5	3549.800	-51.52	-13	Pass
3550	3560	0.1	/	/	/	/	/	/
3560	3561	0.1	/	6	3560.050	-19.57	-13	Pass
3561	3565	1	CHP	7	3561.500	-32.43	-10	Pass
3565	3570	1	CHP	8	3567.450	-41.22	-13	Pass
3570	3575	1	CHP	9	3571.000	-42.79	-25	Pass
3575	3585	1	CHP	10	3580.700	-43.30	-30	Pass




n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3555MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3525	3535	1	CHP	1	3535.000	-35.32	-30	Pass
3535	3540	1	CHP	2	3535.750	-34.29	-25	Pass
3540	3545	1	CHP	3	3544.000	-31.33	-13	Pass
3545	3549	1	CHP	4	3545.900	-31.79	-10	Pass
3549	3550	0.1	/	5	3549.900	-24.96	-13	Pass
3550	3560	0.1	/	/	/	/	/	/
3560	3561	0.1	/	6	3560.650	-33.40	-13	Pass
3561	3565	1	CHP	7	3561.500	-31.58	-10	Pass
3565	3570	1	CHP	8	3565.950	-33.21	-13	Pass
3570	3575	1	CHP	9	3572.650	-35.29	-25	Pass
3575	3585	1	CHP	10	3575.050	-37.00	-30	Pass


n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3555MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3525	3535	1	CHP	1	3525.500	-42.97	-30	Pass
3535	3540	1	CHP	2	3535.750	-42.79	-25	Pass
3540	3545	1	CHP	3	3543.200	-41.09	-13	Pass
3545	3549	1	CHP	4	3548.500	-37.33	-10	Pass
3549	3550	0.1	/	5	3549.700	-23.94	-13	Pass
3550	3560	0.1	/	/	/	/	/	/
3560	3561	0.1	/	6	3560.450	-51.07	-13	Pass
3561	3565	1	CHP	7	3561.500	-42.45	-10	Pass
3565	3570	1	CHP	8	3569.950	-43.07	-13	Pass
3570	3575	1	CHP	9	3570.450	-43.03	-25	Pass
3575	3585	1	CHP	10	3580.350	-42.85	-30	Pass




n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3555MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3525	3535	1	CHP	1	3534.700	-43.13	-30	Pass
3535	3540	1	CHP	2	3536.650	-42.77	-25	Pass
3540	3545	1	CHP	3	3543.850	-42.33	-13	Pass
3545	3549	1	CHP	4	3548.000	-42.08	-10	Pass
3549	3550	0.1	/	5	3549.750	-50.86	-13	Pass
3550	3560	0.1	/	/	/	/	/	/
3560	3561	0.1	/	6	3560.200	-26.12	-13	Pass
3561	3565	1	CHP	7	3562.000	-37.57	-10	Pass
3565	3570	1	CHP	8	3566.650	-41.02	-13	Pass
3570	3575	1	CHP	9	3570.050	-42.33	-25	Pass
3575	3585	1	CHP	10	3575.050	-42.78	-30	Pass


n48_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	39.350	-43.34	-30	Pass




n48_30kHz SISO NTV 10MHz DFT-s-OFDM QPSK 3624.99MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3605	1	/	1	2994.400	-42.27	-30	Pass
3605	3610	1	/	2	3606.400	-42.07	-25	Pass
3610	3615	1	/	3	3612.400	-39.94	-13	Pass
3615	3635	1	/	/	/	/	/	/
3635	3640	1	/	4	3635.200	-42.19	-13	Pass
3640	3645	1	/	5	3641.200	-42.96	25	Pass
3645	37000	1	/	6	36997.600	-36.84	-30	Pass


n48_30kHz SISO NTV 10MHz DFT-s-OFDM QPSK 3694.98MHz Edge 1RB Left Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3665.800	-43.62	-30	Pass
3675	3680	1	CHP	2	3680.000	-43.29	-25	Pass
3680	3685	1	CHP	3	3682.600	-42.37	-13	Pass
3685	3689	1	CHP	4	3688.500	-33.54	-10	Pass
3689	3690	0.1	/	5	3689.950	-15.81	-13	Pass
3690	3700	0.1	/	/	/	/	/	/
3700	3701	0.1	/	6	3700.750	-51.22	-13	Pass
3701	3705	1	CHP	7	3701.550	-43.70	-10	Pass
3705	3710	1	CHP	8	3707.200	-43.83	-13	Pass
3710	3715	1	CHP	9	3710.550	-43.65	-25	Pass
3715	3725	1	CHP	10	3715.250	-44.18	-30	Pass



n48 30kHz SISO NTNv 10MHz DFT-s-OFDM QPSK 3694.98MHz Edge 1RB Right Ant1




n48 30kHz SISO NTNv 10MHz DFT-s-OFDM QPSK 3694.98MHz Edge 1RB Right Ant1






n48 30kHz SISO NTV 10MHz DFT-s-OFDM QPSK 3694.98MHz Edge 1RB Right Ant1




n48 30kHz SISO NTV 10MHz DFT-s-OFDM QPSK 3694.98MHz Outer Full Ant1






n48_30kHz SISO NTV 10MHz DFT-s-OFDM QPSK 3694.98MHz Inner 1RB Left Ant1




n48_30kHz SISO NTV 10MHz DFT-s-OFDM QPSK 3694.98MHz Inner 1RB Right Ant1






n48 30kHz SISO NTV 10MHz CP-OFDM QPSK 3555MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3525	3535	1	CHP	1	3531.850	-43.09	-30	Pass
3535	3540	1	CHP	2	3539.950	-42.72	-25	Pass
3540	3545	1	CHP	3	3544.150	-42.23	-13	Pass
3545	3549	1	CHP	4	3548.500	-37.29	-10	Pass
3549	3550	0.1	/	5	3549.950	-24.17	-13	Pass
3550	3560	0.1	/	/	/	/	/	/
3560	3561	0.1	/	6	3560.500	-50.71	-13	Pass
3561	3565	1	CHP	7	3564.800	-42.71	-10	Pass
3565	3570	1	CHP	8	3565.050	-42.89	-13	Pass
3570	3575	1	CHP	9	3570.700	-43.05	-25	Pass
3575	3585	1	CHP	10	3576.400	-43.01	-30	Pass


n48 30kHz SISO NTV 10MHz CP-OFDM QPSK 3555MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	43.450	-42.93	-30	Pass




n48 30kHz SISO NTV 10MHz CP-OFDM QPSK 3555MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3535	1	/	1	2905.600	-42.19	-30	Pass
3535	3540	1	/	2	3535.600	-43.05	-25	Pass
3540	3545	1	/	3	3544.000	-42.72	-13	Pass
3545	3565	1	/	/	/	/	/	/
3565	3570	1	/	4	3566.800	-42.83	-13	Pass
3570	3575	1	/	5	3570.400	-42.54	-25	Pass
3575	37000	1	/	6	36984.400	-36.86	-30	Pass


n48 30kHz SISO NTV 10MHz CP-OFDM QPSK 3555MHz Edge 1RB Right Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3525	3535	1	CHP	1	3532.200	-43.22	-30	Pass
3535	3540	1	CHP	2	3538.800	-43.23	-25	Pass
3540	3545	1	CHP	3	3544.050	-42.95	-13	Pass
3545	3549	1	CHP	4	3546.650	-43.20	-10	Pass
3549	3550	0.1	/	5	3549.300	-51.39	-13	Pass
3550	3560	0.1	/	/	/	/	/	/
3560	3561	0.1	/	6	3560.100	-23.63	-13	Pass
3561	3565	1	CHP	7	3561.500	-37.77	-10	Pass
3565	3570	1	CHP	8	3567.400	-42.36	-13	Pass
3570	3575	1	CHP	9	3570.050	-42.65	-25	Pass
3575	3585	1	CHP	10	3581.750	-42.91	-30	Pass



n48 30kHz SISO NTV 10MHz CP-OFDM QPSK 3555MHz Outer Full Ant1




n48 30kHz SISO NTV 10MHz CP-OFDM QPSK 3555MHz Inner 1RB Left Ant1






n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3555MHz Inner 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3525	3535	1	CHP	1	3534.650	-43.11	-30	Pass
3535	3540	1	CHP	2	3538.700	-43.02	-25	Pass
3540	3545	1	CHP	3	3543.050	-42.77	-13	Pass
3545	3549	1	CHP	4	3547.750	-42.69	-10	Pass
3549	3550	0.1	/	5	3549.550	-52.13	-13	Pass
3550	3560	0.1	/	/	/	/	/	/
3560	3561	0.1	/	6	3560.250	-32.21	-13	Pass
3561	3565	1	CHP	7	3561.500	-37.05	-10	Pass
3565	3570	1	CHP	8	3566.500	-40.48	-13	Pass
3570	3575	1	CHP	9	3570.050	-42.73	-25	Pass
3575	3585	1	CHP	10	3580.500	-42.80	-30	Pass


n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3624.99MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	37.800	-43.18	-30	Pass




n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3624.99MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3605	1	/	1	2974.000	-42.01	-30	Pass
3605	3610	1	/	2	3607.600	-42.68	-25	Pass
3610	3615	1	/	3	3613.600	-43.08	-13	Pass
3615	3635	1	/	/	/	/	/	/
3635	3640	1	/	4	3637.600	-43.15	-13	Pass
3640	3645	1	/	5	3642.400	-43.44	-25	Pass
3645	37000	1	/	6	36966.400	-37.04	-30	Pass


n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3694.98MHz Edge 1RB Left Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3671.300	-43.20	-30	Pass
3675	3680	1	CHP	2	3679.150	-43.43	-25	Pass
3680	3685	1	CHP	3	3682.900	-43.10	-13	Pass
3685	3689	1	CHP	4	3688.500	-36.85	-10	Pass
3689	3690	0.1	/	5	3689.950	-31.30	-13	Pass
3690	3700	0.1	/	/	/	/	/	/
3700	3701	0.1	/	6	3700.700	-51.64	-13	Pass
3701	3705	1	CHP	7	3701.500	-43.59	-10	Pass
3705	3710	1	CHP	8	3706.550	-43.69	-13	Pass
3710	3715	1	CHP	9	3711.700	-44.12	-25	Pass
3715	3725	1	CHP	10	3717.150	-44.08	-30	Pass



n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3694.98MHz Edge 1RB Right Ant1




n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3694.98MHz Edge 1RB Right Ant1






n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3694.98MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3675	1	/	1	2986.000	-42.09	-30	Pass
3675	3680	1	/	2	3679.600	-43.34	-25	Pass
3680	3685	1	/	3	3683.200	-43.65	-13	Pass
3685	3705	1	/	/	/	/	/	/
3705	3710	1	/	4	3707.200	-42.42	-13	Pass
3710	3715	1	/	5	3714.400	-43.26	-25	Pass
3715	37000	1	/	6	36997.600	-37.00	-30	Pass


n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3694.98MHz Outer Full Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3665	3675	1	CHP	1	3674.900	-41.21	-30	Pass
3675	3680	1	CHP	2	3679.950	-37.93	-25	Pass
3680	3685	1	CHP	3	3685.000	-35.45	-13	Pass
3685	3689	1	CHP	4	3688.500	-33.08	-10	Pass
3689	3690	0.1	/	5	3689.950	-30.48	-13	Pass
3690	3700	0.1	/	/	/	/	/	/
3700	3701	0.1	/	6	3700.200	-34.89	-13	Pass
3701	3705	1	CHP	7	3701.500	-32.08	-10	Pass
3705	3710	1	CHP	8	3705.350	-34.10	-13	Pass
3710	3715	1	CHP	9	3710.350	-37.38	-25	Pass
3715	3725	1	CHP	10	3715.050	-42.34	-30	Pass



n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3694.98MHz Inner 1RB Left Ant1




n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3694.98MHz Inner 1RB Right Ant1






6.2.2 30k_SISO_20MHz_NTNV

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3560.01MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3515	3525	1	CHP	1	3519.350	-43.12	-30	Pass
3525	3530	1	CHP	2	3527.900	-42.97	-25	Pass
3530	3545	1	CHP	3	3540.400	-42.04	-13	Pass
3545	3549	1	CHP	4	3548.500	-32.58	-10	Pass
3549	3550	0.2	CHP	5	3549.950	-16.67	-13	Pass
3550	3570	0.2	CHP	/	/	/	/	/
3570	3571	0.2	CHP	6	3570.850	-49.17	-13	Pass
3571	3575	1	CHP	7	3573.500	-43.10	-10	Pass
3575	3590	1	CHP	8	3578.150	-43.01	-13	Pass
3590	3595	1	CHP	9	3592.900	-43.27	-25	Pass
3595	3605	1	CHP	10	3603.850	-43.14	-30	Pass


n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3560.01MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	30.500	-43.04	-30	Pass




n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3560.01MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3525	1	/	1	2993.200	-42.05	-30	Pass
3525	3530	1	/	2	3527.200	-42.72	-25	Pass
3530	3545	1	/	3	3542.800	-42.71	-13	Pass
3545	3575	1	/	/	/	/	/	/
3575	3590	1	/	4	3584.800	-42.42	-13	Pass
3590	3595	1	/	5	3590.800	-43.00	-25	Pass
3595	37000	1	/	6	36985.600	-36.90	-30	Pass


n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3560.01MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3515	3525	1	CHP	1	3515.500	-43.30	-30	Pass
3525	3530	1	CHP	2	3528.200	-43.44	-25	Pass
3530	3545	1	CHP	3	3543.000	-42.97	-13	Pass
3545	3549	1	CHP	4	3547.550	-42.76	-10	Pass
3549	3550	0.2	CHP	5	3549.450	-50.43	-13	Pass
3550	3570	0.2	CHP	/	/	/	/	/
3570	3571	0.2	CHP	6	3570.100	-18.66	-13	Pass
3571	3575	1	CHP	7	3571.500	-35.94	-10	Pass
3575	3590	1	CHP	8	3576.900	-41.12	-13	Pass
3590	3595	1	CHP	9	3592.900	-43.05	-25	Pass
3595	3605	1	CHP	10	3601.450	-42.89	-30	Pass




n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3560.01MHz Outer Full Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3515	3525	1	CHP	1	3525.000	-39.14	-30	Pass
3525	3530	1	CHP	2	3525.350	-39.03	-25	Pass
3530	3545	1	CHP	3	3542.050	-34.98	-13	Pass
3545	3549	1	CHP	4	3548.500	-34.95	-10	Pass
3549	3550	0.2	CHP	5	3549.950	-28.46	-13	Pass
3550	3570	0.2	CHP	/	/	/	/	/
3570	3571	0.2	CHP	6	3570.050	-36.88	-13	Pass
3571	3575	1	CHP	7	3571.500	-32.51	-10	Pass
3575	3590	1	CHP	8	3576.800	-30.13	-13	Pass
3590	3595	1	CHP	9	3592.250	-37.64	-25	Pass
3595	3605	1	CHP	10	3595.650	-37.89	-30	Pass


n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3560.01MHz Inner 1RB Left Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3515	3525	1	CHP	1	3525.000	-43.33	-30	Pass
3525	3530	1	CHP	2	3525.100	-43.30	-25	Pass
3530	3545	1	CHP	3	3543.650	-42.30	-13	Pass
3545	3549	1	CHP	4	3548.500	-37.18	-10	Pass
3549	3550	0.2	CHP	5	3549.950	-21.22	-13	Pass
3550	3570	0.2	CHP	/	/	/	/	/
3570	3571	0.2	CHP	6	3570.600	-49.76	-13	Pass
3571	3575	1	CHP	7	3574.950	-42.93	-10	Pass
3575	3590	1	CHP	8	3578.200	-42.83	-13	Pass
3590	3595	1	CHP	9	3590.050	-43.31	-25	Pass
3595	3605	1	CHP	10	3604.500	-43.16	-30	Pass



n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3560.01MHz Inner 1RB Right Ant1




n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant1






n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3575	1	/	1	2561.200	-42.20	-30	Pass
3575	3580	1	/	2	3577.600	-42.66	-25	Pass
3580	3605	1	/	3	3604.000	-42.08	-13	Pass
3605	3645	1	/	/	/	/	/	/
3645	3670	1	/	4	3647.200	-42.75	-13	Pass
3670	3675	1	/	5	3673.600	-43.74	25	Pass
3675	37000	1	/	6	36980.800	-36.88	-30	Pass


n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3653.900	-43.58	-30	Pass
3655	3660	1	CHP	2	3656.450	-43.49	-25	Pass
3660	3675	1	CHP	3	3672.450	-42.08	-13	Pass
3675	3679	1	CHP	4	3678.500	-37.07	-10	Pass
3679	3680	0.2	CHP	5	3679.850	-27.79	-13	Pass
3680	3700	0.2	CHP	/	/	/	/	/
3700	3701	0.2	CHP	6	3700.800	-50.82	-13	Pass
3701	3705	1	CHP	7	3701.650	-43.81	-10	Pass
3705	3720	1	CHP	8	3707.750	-43.91	-13	Pass
3720	3725	1	CHP	9	3720.900	-43.73	-25	Pass
3725	3735	1	CHP	10	3728.950	-44.07	-30	Pass




n48_30kHz SISO NTNv 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3646.200	-43.49	-30	Pass
3655	3660	1	CHP	2	3655.850	-43.40	-25	Pass
3660	3675	1	CHP	3	3663.800	-43.64	-13	Pass
3675	3679	1	CHP	4	3675.900	-43.65	-10	Pass
3679	3680	0.2	CHP	5	3679.700	-50.87	-13	Pass
3680	3700	0.2	CHP	/	/	/	/	/
3700	3701	0.2	CHP	6	3700.050	-20.73	-13	Pass
3701	3705	1	CHP	7	3701.500	-35.17	-10	Pass
3705	3720	1	CHP	8	3706.750	-43.02	-13	Pass
3720	3725	1	CHP	9	3724.400	-43.93	-25	Pass
3725	3735	1	CHP	10	3725.050	-44.13	-30	Pass


n48_30kHz SISO NTNv 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	38.800	-43.37	-30	Pass




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_3690MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3655	1	/	1	2968.000	-42.04	-30	Pass
3655	3660	1	/	2	3658.000	-43.31	-25	Pass
3660	3675	1	/	3	3662.800	-43.15	-13	Pass
3675	3705	1	/	/	/	/	/	/
3705	3720	1	/	4	3706.000	-42.94	-13	Pass
3720	3725	1	/	5	3720.400	-43.89	-25	Pass
3725	37000	1	/	6	36985.600	-36.86	-30	Pass


n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_3690MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3654.600	-40.10	-30	Pass
3655	3660	1	CHP	2	3657.800	-40.62	-25	Pass
3660	3675	1	CHP	3	3670.900	-36.77	-13	Pass
3675	3679	1	CHP	4	3677.350	-35.67	-10	Pass
3679	3680	0.2	CHP	5	3679.950	-33.62	-13	Pass
3680	3700	0.2	CHP	/	/	/	/	/
3700	3701	0.2	CHP	6	3700.050	-33.49	-13	Pass
3701	3705	1	CHP	7	3704.600	-37.00	-10	Pass
3705	3720	1	CHP	8	3707.500	-34.37	-13	Pass
3720	3725	1	CHP	9	3725.000	-41.66	-25	Pass
3725	3735	1	CHP	10	3728.350	-41.11	-30	Pass



n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Inner 1RB Left Ant1




n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Inner 1RB Right Ant1






n48_30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 3560.01MHz Edge 1RB Left Ant1




n48_30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 3560.01MHz Edge 1RB Left Ant1






n48_30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3560.01MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3525	1	/	1	2646.400	-42.08	-30	Pass
3525	3530	1	/	2	3527.200	-42.61	-25	Pass
3530	3545	1	/	3	3542.800	-41.86	-13	Pass
3545	3575	1	/	/	/	/	/	/
3575	3590	1	/	4	3582.400	-42.55	-13	Pass
3590	3595	1	/	5	3590.800	-42.53	-25	Pass
3595	37000	1	/	6	36997.600	-36.55	-30	Pass


n48_30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3560.01MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3515	3525	1	CHP	1	3520.850	-43.06	-30	Pass
3525	3530	1	CHP	2	3528.100	-43.47	-25	Pass
3530	3545	1	CHP	3	3544.250	-43.05	-13	Pass
3545	3549	1	CHP	4	3545.050	-43.31	-10	Pass
3549	3550	0.2	CHP	5	3549.500	-50.24	-13	Pass
3550	3570	0.2	CHP	/	/	/	/	/
3570	3571	0.2	CHP	6	3570.200	-26.67	-13	Pass
3571	3575	1	CHP	7	3571.500	-33.41	-10	Pass
3575	3590	1	CHP	8	3577.000	-41.39	-13	Pass
3590	3595	1	CHP	9	3591.300	-43.00	-25	Pass
3595	3605	1	CHP	10	3596.000	-43.11	-30	Pass




n48_30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 3560.01MHz Outer Full Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3515	3525	1	CHP	1	3524.700	-36.10	-30	Pass
3525	3530	1	CHP	2	3525.050	-36.28	-25	Pass
3530	3545	1	CHP	3	3543.650	-32.88	-13	Pass
3545	3549	1	CHP	4	3545.650	-32.31	-10	Pass
3549	3550	0.2	CHP	5	3549.950	-36.20	-13	Pass
3550	3570	0.2	CHP	/	/	/	/	/
3570	3571	0.2	CHP	6	3570.650	-37.43	-13	Pass
3571	3575	1	CHP	7	3573.650	-31.28	-10	Pass
3575	3590	1	CHP	8	3576.700	-32.11	-13	Pass
3590	3595	1	CHP	9	3590.950	-37.40	-25	Pass
3595	3605	1	CHP	10	3599.200	-37.49	-30	Pass


n48_30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 3560.01MHz Inner 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3515	3525	1	CHP	1	3522.950	-43.51	-30	Pass
3525	3530	1	CHP	2	3527.000	-43.15	-25	Pass
3530	3545	1	CHP	3	3543.050	-40.70	-13	Pass
3545	3549	1	CHP	4	3548.500	-34.70	-10	Pass
3549	3550	0.2	CHP	5	3549.950	-19.31	-13	Pass
3550	3570	0.2	CHP	/	/	/	/	/
3570	3571	0.2	CHP	6	3570.150	-49.73	-13	Pass
3571	3575	1	CHP	7	3572.650	-43.04	-10	Pass
3575	3590	1	CHP	8	3575.200	-43.00	-13	Pass
3590	3595	1	CHP	9	3594.500	-43.19	-25	Pass
3595	3605	1	CHP	10	3603.500	-43.17	-30	Pass




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3560.01MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3515	3525	1	CHP	1	3518.800	-43.40	-30	Pass
3525	3530	1	CHP	2	3526.600	-43.06	-25	Pass
3530	3545	1	CHP	3	3534.450	-43.00	-13	Pass
3545	3549	1	CHP	4	3545.450	-43.04	-10	Pass
3549	3550	0.2	CHP	5	3549.600	-50.03	-13	Pass
3550	3570	0.2	CHP	/	/	/	/	/
3570	3571	0.2	CHP	6	3570.200	-27.86	-13	Pass
3571	3575	1	CHP	7	3572.450	-38.30	-10	Pass
3575	3590	1	CHP	8	3576.800	-41.03	-13	Pass
3590	3595	1	CHP	9	3592.150	-42.58	-25	Pass
3595	3605	1	CHP	10	3604.150	-43.24	-30	Pass


n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	35.650	-43.30	-30	Pass



n48_30kHz SISO NTNv 20MHz DFT-s-OFDM QPSK 3624.99MHz Edge 1RB Left Ant1




n48_30kHz SISO NTNv 20MHz DFT-s-OFDM QPSK 3690MHz Edge 1RB Left Ant1






n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3690MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3646.350	-43.75	-30	Pass
3655	3660	1	CHP	2	3657.300	-43.57	-25	Pass
3660	3675	1	CHP	3	3663.800	-43.03	-13	Pass
3675	3679	1	CHP	4	3675.050	-43.52	-10	Pass
3679	3680	0.2	CHP	5	3679.800	-51.20	-13	Pass
3680	3700	0.2	CHP	/	/	/	/	/
3700	3701	0.2	CHP	6	3700.100	-23.09	-13	Pass
3701	3705	1	CHP	7	3701.500	-37.04	-10	Pass
3705	3720	1	CHP	8	3707.200	-42.35	-13	Pass
3720	3725	1	CHP	9	3721.650	-43.85	-25	Pass
3725	3735	1	CHP	10	3731.300	-44.39	-30	Pass


n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3690MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	46.300	-43.06	-30	Pass




n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3690MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3655	1	/	1	2510.800	-42.04	-30	Pass
3655	3660	1	/	2	3655.600	-43.46	-25	Pass
3660	3675	1	/	3	3664.000	-43.31	-13	Pass
3675	3705	1	/	/	/	/	/	/
3705	3720	1	/	4	3707.200	-43.58	-13	Pass
3720	3725	1	/	5	3720.400	-43.62	-25	Pass
3725	37000	1	/	6	36979.600	-36.71	-30	Pass


n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3690MHz Outer Full Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3651.800	-39.79	-30	Pass
3655	3660	1	CHP	2	3657.400	-40.10	-25	Pass
3660	3675	1	CHP	3	3675.000	-36.72	-13	Pass
3675	3679	1	CHP	4	3678.500	-32.56	-10	Pass
3679	3680	0.2	CHP	5	3679.900	-26.87	-13	Pass
3680	3700	0.2	CHP	/	/	/	/	/
3700	3701	0.2	CHP	6	3700.500	-35.96	-13	Pass
3701	3705	1	CHP	7	3701.500	-30.05	-10	Pass
3705	3720	1	CHP	8	3705.500	-35.92	-13	Pass
3720	3725	1	CHP	9	3721.500	-38.86	-25	Pass
3725	3735	1	CHP	10	3725.350	-38.77	-30	Pass




n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3690MHz Inner 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3650.950	-43.26	-30	Pass
3655	3660	1	CHP	2	3656.650	-43.41	-25	Pass
3660	3675	1	CHP	3	3672.950	-41.87	-13	Pass
3675	3679	1	CHP	4	3678.500	-33.85	-10	Pass
3679	3680	0.2	CHP	5	3679.850	-25.21	-13	Pass
3680	3700	0.2	CHP	/	/	/	/	/
3700	3701	0.2	CHP	6	3700.500	-51.01	-13	Pass
3701	3705	1	CHP	7	3702.050	-44.07	-10	Pass
3705	3720	1	CHP	8	3710.950	-44.10	-13	Pass
3720	3725	1	CHP	9	3721.450	-44.01	-25	Pass
3725	3735	1	CHP	10	3732.100	-44.33	-30	Pass


n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3690MHz Inner 1RB Right Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3645.550	-43.58	-30	Pass
3655	3660	1	CHP	2	3655.900	-43.76	-25	Pass
3660	3675	1	CHP	3	3663.750	-43.12	-13	Pass
3675	3679	1	CHP	4	3677.450	-43.52	-10	Pass
3679	3680	0.2	CHP	5	3679.800	-51.12	-13	Pass
3680	3700	0.2	CHP	/	/	/	/	/
3700	3701	0.2	CHP	6	3700.050	-20.51	-13	Pass
3701	3705	1	CHP	7	3701.850	-36.82	-10	Pass
3705	3720	1	CHP	8	3706.450	-42.27	-13	Pass
3720	3725	1	CHP	9	3722.300	-44.12	-25	Pass
3725	3735	1	CHP	10	3727.500	-44.09	-30	Pass



n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3560.01MHz Edge 1RB Left Ant1




n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3560.01MHz Edge 1RB Left Ant1






n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3560.01MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3525	1	/	1	2987.200	-41.94	-30	Pass
3525	3530	1	/	2	3526.000	-42.67	-25	Pass
3530	3545	1	/	3	3536.800	-42.59	-13	Pass
3545	3575	1	/	/	/	/	/	/
3575	3590	1	/	4	3582.400	-42.62	-13	Pass
3590	3595	1	/	5	3593.200	-42.82	-25	Pass
3595	37000	1	/	6	35844.400	-36.50	-30	Pass


n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3560.01MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3515	3525	1	CHP	1	3524.950	-43.33	-30	Pass
3525	3530	1	CHP	2	3529.100	-42.97	-25	Pass
3530	3545	1	CHP	3	3530.900	-43.16	-13	Pass
3545	3549	1	CHP	4	3545.550	-43.18	-10	Pass
3549	3550	0.2	CHP	5	3549.450	-49.81	-13	Pass
3550	3570	0.2	CHP	/	/	/	/	/
3570	3571	0.2	CHP	6	3570.350	-34.15	-13	Pass
3571	3575	1	CHP	7	3571.500	-35.41	-10	Pass
3575	3590	1	CHP	8	3577.400	-41.65	-13	Pass
3590	3595	1	CHP	9	3590.450	-43.42	-25	Pass
3595	3605	1	CHP	10	3595.550	-43.38	-30	Pass




n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3560.01MHz Outer Full Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3515	3525	1	CHP	1	3524.150	-39.10	-30	Pass
3525	3530	1	CHP	2	3529.650	-37.52	-25	Pass
3530	3545	1	CHP	3	3545.000	-31.44	-13	Pass
3545	3549	1	CHP	4	3547.850	-30.53	-10	Pass
3549	3550	0.2	CHP	5	3549.950	-31.35	-13	Pass
3550	3570	0.2	CHP	/	/	/	/	/
3570	3571	0.2	CHP	6	3570.200	-34.21	-13	Pass
3571	3575	1	CHP	7	3571.800	-29.69	-10	Pass
3575	3590	1	CHP	8	3577.500	-32.12	-13	Pass
3590	3595	1	CHP	9	3590.400	-37.08	-25	Pass
3595	3605	1	CHP	10	3596.650	-38.76	-30	Pass


n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3560.01MHz Inner 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3515	3525	1	CHP	1	3522.300	-42.92	-30	Pass
3525	3530	1	CHP	2	3529.950	-42.89	-25	Pass
3530	3545	1	CHP	3	3543.100	-41.96	-13	Pass
3545	3549	1	CHP	4	3548.500	-36.23	-10	Pass
3549	3550	0.2	CHP	5	3549.900	-24.67	-13	Pass
3550	3570	0.2	CHP	/	/	/	/	/
3570	3571	0.2	CHP	6	3570.700	-48.38	-13	Pass
3571	3575	1	CHP	7	3571.900	-42.70	-10	Pass
3575	3590	1	CHP	8	3575.550	-43.07	-13	Pass
3590	3595	1	CHP	9	3591.950	-43.19	-25	Pass
3595	3605	1	CHP	10	3600.500	-43.12	-30	Pass




n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3560.01MHz Inner 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3515	3525	1	CHP	1	3524.900	-43.34	-30	Pass
3525	3530	1	CHP	2	3529.600	-43.24	-25	Pass
3530	3545	1	CHP	3	3544.800	-42.81	-13	Pass
3545	3549	1	CHP	4	3545.350	-42.69	-10	Pass
3549	3550	0.2	CHP	5	3549.400	-49.46	-13	Pass
3550	3570	0.2	CHP	/	/	/	/	/
3570	3571	0.2	CHP	6	3570.050	-20.53	-13	Pass
3571	3575	1	CHP	7	3571.950	-37.11	-10	Pass
3575	3590	1	CHP	8	3576.900	-41.82	-13	Pass
3590	3595	1	CHP	9	3592.050	-42.80	-25	Pass
3595	3605	1	CHP	10	3596.100	-42.91	-30	Pass


n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3624.99MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	46.000	-43.27	-30	Pass




n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3624.99MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3575	1	/	1	2820.400	-41.90	-30	Pass
3575	3580	1	/	2	3580.000	-42.98	-25	Pass
3580	3605	1	/	3	3600.400	-42.56	-13	Pass
3605	3645	1	/	/	/	/	/	/
3645	3670	1	/	4	3654.400	-43.25	-13	Pass
3670	3675	1	/	5	3672.400	-43.34	-25	Pass
3675	37000	1	/	6	36952.000	-36.89	-30	Pass


n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3690MHz Edge 1RB Left Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3645.750	-43.47	-30	Pass
3655	3660	1	CHP	2	3658.500	-43.50	-25	Pass
3660	3675	1	CHP	3	3673.400	-42.07	-13	Pass
3675	3679	1	CHP	4	3678.500	-36.69	-10	Pass
3679	3680	0.2	CHP	5	3679.950	-19.26	-13	Pass
3680	3700	0.2	CHP	/	/	/	/	/
3700	3701	0.2	CHP	6	3700.050	-50.40	-13	Pass
3701	3705	1	CHP	7	3701.900	-43.95	-10	Pass
3705	3720	1	CHP	8	3706.600	-44.05	-13	Pass
3720	3725	1	CHP	9	3721.500	-44.15	-25	Pass
3725	3735	1	CHP	10	3727.700	-44.20	-30	Pass



n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3690MHz Edge 1RB Right Ant1




n48 30kHz SISO NTN 20MHz CP-OFDM QPSK 3690MHz Edge 1RB Right Ant1






n48 30kHz SISO NTV 20MHz CP-OFDM QPSK 3690MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3655	1	/	1	2490.400	-42.06	-30	Pass
3655	3660	1	/	2	3658.000	-43.36	-25	Pass
3660	3675	1	/	3	3665.200	-43.41	-13	Pass
3675	3705	1	/	/	/	/	/	/
3705	3720	1	/	4	3712.000	-43.55	-13	Pass
3720	3725	1	/	5	3721.600	-44.06	-25	Pass
3725	37000	1	/	6	36986.800	-36.86	-30	Pass


n48 30kHz SISO NTV 20MHz CP-OFDM QPSK 3690MHz Outer Full Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3652.200	-41.77	-30	Pass
3655	3660	1	CHP	2	3659.950	-39.58	-25	Pass
3660	3675	1	CHP	3	3674.800	-34.05	-13	Pass
3675	3679	1	CHP	4	3678.400	-29.99	-10	Pass
3679	3680	0.2	CHP	5	3679.850	-31.41	-13	Pass
3680	3700	0.2	CHP	/	/	/	/	/
3700	3701	0.2	CHP	6	3700.050	-30.56	-13	Pass
3701	3705	1	CHP	7	3702.050	-27.49	-10	Pass
3705	3720	1	CHP	8	3705.250	-33.72	-13	Pass
3720	3725	1	CHP	9	3723.100	-40.36	-25	Pass
3725	3735	1	CHP	10	3725.100	-40.83	-30	Pass




n48 30kHz SISO NTV 20MHz CP-OFDM QPSK 3690MHz Inner 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3653.900	-43.43	-30	Pass
3655	3660	1	CHP	2	3658.600	-43.35	-25	Pass
3660	3675	1	CHP	3	3673.050	-41.67	-13	Pass
3675	3679	1	CHP	4	3678.500	-34.61	-10	Pass
3679	3680	0.2	CHP	5	3679.950	-16.83	-13	Pass
3680	3700	0.2	CHP	/	/	/	/	/
3700	3701	0.2	CHP	6	3700.850	-49.53	-13	Pass
3701	3705	1	CHP	7	3704.550	-43.69	-10	Pass
3705	3720	1	CHP	8	3705.150	-43.84	-13	Pass
3720	3725	1	CHP	9	3720.100	-43.88	-25	Pass
3725	3735	1	CHP	10	3729.800	-44.18	-30	Pass

n48 30kHz SISO NTV 20MHz CP-OFDM QPSK 3690MHz Inner 1RB Right Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3645	3655	1	CHP	1	3653.800	-43.18	-30	Pass
3655	3660	1	CHP	2	3658.650	-43.88	-25	Pass
3660	3675	1	CHP	3	3674.300	-43.57	-13	Pass
3675	3679	1	CHP	4	3677.950	-43.25	-10	Pass
3679	3680	0.2	CHP	5	3679.950	-49.15	-13	Pass
3680	3700	0.2	CHP	/	/	/	/	/
3700	3701	0.2	CHP	6	3700.050	-25.31	-13	Pass
3701	3705	1	CHP	7	3701.500	-38.04	-10	Pass
3705	3720	1	CHP	8	3706.850	-42.70	-13	Pass
3720	3725	1	CHP	9	3722.350	-43.99	-25	Pass
3725	3735	1	CHP	10	3733.050	-44.10	-30	Pass




6.2.3 30k_SISO_30MHz_NTNV

n48 30kHz SISO NTNv 30MHz DFT-s-OFDM PI/2 BPSK 3565.02MHz Edge 1RB Left Ant1




n48 30kHz SISO NTNv 30MHz DFT-s-OFDM PI/2 BPSK 3565.02MHz Edge 1RB Left Ant1






n48 30kHz SISO NTN 30MHz DFT-s-OFDM PI/2 BPSK 3565.02MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3515	1	/	1	2905.600	-41.79	-30	Pass
3515	3520	1	/	2	3516.400	-42.84	-25	Pass
3520	3545	1	/	3	3542.800	-40.86	-13	Pass
3545	3585	1	/	/	/	/	/	/
3585	3610	1	/	4	3590.800	-42.74	-13	Pass
3610	3615	1	/	5	3611.200	-43.01	-25	Pass
3615	37000	1	/	6	36994.000	-36.81	-30	Pass


n48 30kHz SISO NTN 30MHz DFT-s-OFDM PI/2 BPSK 3565.02MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3505	3515	1	CHP	1	3511.120	-43.46	-30	Pass
3515	3520	1	CHP	2	3515.680	-44.10	-25	Pass
3520	3545	1	CHP	3	3533.200	-43.56	-13	Pass
3545	3549	1	CHP	4	3548.440	-43.84	-10	Pass
3549	3550	0.3	/	5	3549.640	-47.08	-13	Pass
3550	3580	0.3	/	/	/	/	/	/
3580	3581	0.3	/	6	3580.240	-24.98	-13	Pass
3581	3585	1	CHP	7	3581.080	-34.47	-10	Pass
3585	3610	1	CHP	8	3586.480	-40.96	-13	Pass
3610	3615	1	CHP	9	3613.240	-43.53	-25	Pass
3615	3625	1	CHP	10	3621.160	-43.87	-30	Pass




n48 30kHz SISO NTN 30MHz DFT-s-OFDM PI/2 BPSK 3565.02MHz Outer Full Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3505	3515	1	CHP	1	3513.040	-43.24	-30	Pass
3515	3520	1	CHP	2	3519.040	-42.91	-25	Pass
3520	3545	1	CHP	3	3538.480	-39.33	-13	Pass
3545	3549	1	CHP	4	3548.440	-35.20	-10	Pass
3549	3550	0.3	/	5	3549.880	-35.03	-13	Pass
3550	3580	0.3	/	/	/	/	/	/
3580	3581	0.3	/	6	3580.480	-37.17	-13	Pass
3581	3585	1	CHP	7	3581.800	-36.00	-10	Pass
3585	3610	1	CHP	8	3589.720	-32.58	-13	Pass
3610	3615	1	CHP	9	3613.120	-41.56	-25	Pass
3615	3625	1	CHP	10	3615.040	-42.32	-30	Pass


n48 30kHz SISO NTN 30MHz DFT-s-OFDM PI/2 BPSK 3565.02MHz Inner 1RB Left Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3505	3515	1	CHP	1	3509.200	-43.66	-30	Pass
3515	3520	1	CHP	2	3516.040	-43.40	-25	Pass
3520	3545	1	CHP	3	3543.280	-41.55	-13	Pass
3545	3549	1	CHP	4	3548.440	-35.86	-10	Pass
3549	3550	0.3	/	5	3549.880	-25.74	-13	Pass
3550	3580	0.3	/	/	/	/	/	/
3580	3581	0.3	/	6	3580.240	-47.52	-13	Pass
3581	3585	1	CHP	7	3581.920	-43.08	-10	Pass
3585	3610	1	CHP	8	3601.720	-43.31	-13	Pass
3610	3615	1	CHP	9	3614.560	-43.90	-25	Pass
3615	3625	1	CHP	10	3617.320	-43.75	-30	Pass



n48 30kHz SISO NTV 30MHz DFT-s-OFDM PI/2 BPSK 3565.02MHz Inner 1RB Right Ant1




n48 30kHz SISO NTV 30MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant1






n48 30kHz SISO NTV 30MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3575	1	/	1	2990.800	-42.21	-30	Pass
3575	3580	1	/	2	3575.200	-42.93	-25	Pass
3580	3605	1	/	3	3601.600	-42.57	-13	Pass
3605	3645	1	/	/	/	/	/	/
3645	3670	1	/	4	3650.800	-43.24	-13	Pass
3670	3675	1	/	5	3672.400	-43.41	-25	Pass
3675	37000	1	/	6	36961.600	-37.07	-30	Pass


n48 30kHz SISO NTV 30MHz DFT-s-OFDM PI/2 BPSK 3684.99MHz Edge 1RB Left Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3625	3635	1	CHP	1	3630.640	-43.70	-30	Pass
3635	3640	1	CHP	2	3637.480	-43.86	-25	Pass
3640	3665	1	CHP	3	3661.720	-42.21	-13	Pass
3665	3669	1	CHP	4	3668.440	-38.26	-10	Pass
3669	3670	0.3	/	5	3669.640	-30.14	-13	Pass
3670	3700	0.3	/	/	/	/	/	/
3700	3701	0.3	/	6	3700.840	-47.63	-13	Pass
3701	3705	1	CHP	7	3702.160	-44.21	-10	Pass
3705	3730	1	CHP	8	3715.600	-44.32	-13	Pass
3730	3735	1	CHP	9	3731.200	-44.68	-25	Pass
3735	3745	1	CHP	10	3743.080	-44.93	-30	Pass



n48 30kHz SISO NTV 30MHz DFT-s-OFDM PI/2 BPSK 3684.99MHz Edge 1RB Right Ant1




n48 30kHz SISO NTV 30MHz DFT-s-OFDM PI/2 BPSK 3684.99MHz Edge 1RB Right Ant1






n48_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3684.99MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3635	1	/	1	2971.600	-41.63	-30	Pass
3635	3640	1	/	2	3635.200	-43.38	-25	Pass
3640	3665	1	/	3	3660.400	-42.94	-13	Pass
3665	3705	1	/	/	/	/	/	/
3705	3730	1	/	4	3706.000	-42.27	-13	Pass
3730	3735	1	/	5	3733.600	-44.32	-25	Pass
3735	37000	1	/	6	36968.800	-36.91	-30	Pass


n48_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3684.99MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3625	3635	1	CHP	1	3630.040	-43.08	-30	Pass
3635	3640	1	CHP	2	3636.640	-42.93	-25	Pass
3640	3665	1	CHP	3	3658.480	-39.56	-13	Pass
3665	3669	1	CHP	4	3667.360	-38.39	-10	Pass
3669	3670	0.3	/	5	3669.400	-34.32	-13	Pass
3670	3700	0.3	/	/	/	/	/	/
3700	3701	0.3	/	6	3700.840	-39.48	-13	Pass
3701	3705	1	CHP	7	3701.560	-36.94	-10	Pass
3705	3730	1	CHP	8	3717.400	-37.81	-13	Pass
3730	3735	1	CHP	9	3730.120	-43.79	-25	Pass
3735	3745	1	CHP	10	3744.040	-44.11	-30	Pass



n48 30kHz SISO NTV 30MHz DFT-s-OFDM PI/2 BPSK 3684.99MHz Inner 1RB Left Ant1




n48 30kHz SISO NTV 30MHz DFT-s-OFDM PI/2 BPSK 3684.99MHz Inner 1RB Right Ant1






n48_30kHz SISO NTV 30MHz DFT-s-OFDM QPSK 3565.02MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3505	3515	1	CHP	1	3511.240	-43.64	-30	Pass
3515	3520	1	CHP	2	3515.080	-43.57	-25	Pass
3520	3545	1	CHP	3	3543.160	-41.68	-13	Pass
3545	3549	1	CHP	4	3548.920	-37.34	-10	Pass
3549	3550	0.3	/	5	3549.880	-26.72	-13	Pass
3550	3580	0.3	/	/	/	/	/	/
3580	3581	0.3	/	6	3580.720	-47.56	-13	Pass
3581	3585	1	CHP	7	3584.920	-43.55	-10	Pass
3585	3610	1	CHP	8	3585.160	-43.37	-13	Pass
3610	3615	1	CHP	9	3614.920	-43.41	-25	Pass
3615	3625	1	CHP	10	3615.280	-43.27	-30	Pass


n48_30kHz SISO NTV 30MHz DFT-s-OFDM QPSK 3565.02MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	32.550	-43.17	-30	Pass




n48_30kHz SISO NTNv 30MHz DFT-s-OFDM QPSK 3565.02MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3515	1	/	1	2831.200	-42.09	-30	Pass
3515	3520	1	/	2	3515.200	-42.70	-25	Pass
3520	3545	1	/	3	3542.800	-41.61	-13	Pass
3545	3585	1	/	/	/	/	/	/
3585	3610	1	/	4	3589.600	-42.55	-13	Pass
3610	3615	1	/	5	3614.800	-43.01	-25	Pass
3615	37000	1	/	6	36962.800	-37.05	-30	Pass


n48_30kHz SISO NTNv 30MHz DFT-s-OFDM QPSK 3565.02MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3505	3515	1	CHP	1	3508.960	-43.87	-30	Pass
3515	3520	1	CHP	2	3518.320	-43.90	-25	Pass
3520	3545	1	CHP	3	3544.720	-43.19	-13	Pass
3545	3549	1	CHP	4	3545.080	-43.59	-10	Pass
3549	3550	0.3	/	5	3549.400	-47.65	-13	Pass
3550	3580	0.3	/	/	/	/	/	/
3580	3581	0.3	/	6	3580.120	-14.52	-13	Pass
3581	3585	1	CHP	7	3581.560	-34.45	-10	Pass
3585	3610	1	CHP	8	3586.840	-41.37	-13	Pass
3610	3615	1	CHP	9	3612.520	-43.97	-25	Pass
3615	3625	1	CHP	10	3615.160	-44.00	-30	Pass




n48_30kHz SISO NTV 30MHz DFT-s-OFDM QPSK 3565.02MHz Outer Full Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3505	3515	1	CHP	1	3505.600	-38.94	-30	Pass
3515	3520	1	CHP	2	3517.600	-39.91	-25	Pass
3520	3545	1	CHP	3	3544.720	-34.72	-13	Pass
3545	3549	1	CHP	4	3548.200	-33.19	-10	Pass
3549	3550	0.3	/	5	3549.280	-36.72	-13	Pass
3550	3580	0.3	/	/	/	/	/	/
3580	3581	0.3	/	6	3580.360	-40.09	-13	Pass
3581	3585	1	CHP	7	3583.000	-34.18	-10	Pass
3585	3610	1	CHP	8	3587.440	-33.44	-13	Pass
3610	3615	1	CHP	9	3610.120	-39.93	-25	Pass
3615	3625	1	CHP	10	3619.120	-38.95	-30	Pass


n48_30kHz SISO NTV 30MHz DFT-s-OFDM QPSK 3565.02MHz Inner 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3505	3515	1	CHP	1	3512.440	-44.00	-30	Pass
3515	3520	1	CHP	2	3518.440	-43.85	-25	Pass
3520	3545	1	CHP	3	3543.040	-42.38	-13	Pass
3545	3549	1	CHP	4	3548.440	-37.09	-10	Pass
3549	3550	0.3	/	5	3549.880	-15.85	-13	Pass
3550	3580	0.3	/	/	/	/	/	/
3580	3581	0.3	/	6	3580.360	-46.62	-13	Pass
3581	3585	1	CHP	7	3581.800	-43.64	-10	Pass
3585	3610	1	CHP	8	3586.120	-43.50	-13	Pass
3610	3615	1	CHP	9	3610.120	-43.93	-25	Pass
3615	3625	1	CHP	10	3622.000	-43.90	-30	Pass




n48_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_3565.02MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3505	3515	1	CHP	1	3510.280	-43.77	-30	Pass
3515	3520	1	CHP	2	3517.960	-43.85	-25	Pass
3520	3545	1	CHP	3	3524.560	-42.90	-13	Pass
3545	3549	1	CHP	4	3547.600	-43.22	-10	Pass
3549	3550	0.3	/	5	3549.400	-47.58	-13	Pass
3550	3580	0.3	/	/	/	/	/	/
3580	3581	0.3	/	6	3580.240	-31.86	-13	Pass
3581	3585	1	CHP	7	3581.440	-33.81	-10	Pass
3585	3610	1	CHP	8	3586.720	-41.71	-13	Pass
3610	3615	1	CHP	9	3610.240	-43.79	-25	Pass
3615	3625	1	CHP	10	3623.320	-43.24	-30	Pass


n48_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	37.800	-43.03	-30	Pass



n48_30kHz SISO NTV 30MHz DFT-s-OFDM QPSK 3624.99MHz Edge 1RB Left Ant1




n48_30kHz SISO NTV 30MHz DFT-s-OFDM QPSK 3684.99MHz Edge 1RB Left Ant1






n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3684.99MHz Edge 1RB Right Ant1




n48 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 3684.99MHz Edge 1RB Right Ant1






n48 30kHz SISO NTV 30MHz DFT-s-OFDM QPSK 3684.99MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3635	1	/	1	2665.600	-42.15	-30	Pass
3635	3640	1	/	2	3637.600	-43.29	-25	Pass
3640	3665	1	/	3	3643.600	-42.90	-13	Pass
3665	3705	1	/	/	/	/	/	/
3705	3730	1	/	4	3706.000	-43.33	-13	Pass
3730	3735	1	/	5	3731.200	-43.80	-25	Pass
3735	37000	1	/	6	36970.000	-36.97	-30	Pass


n48 30kHz SISO NTV 30MHz DFT-s-OFDM QPSK 3684.99MHz Outer Full Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3625	3635	1	CHP	1	3630.400	-41.58	-30	Pass
3635	3640	1	CHP	2	3640.000	-41.62	-25	Pass
3640	3665	1	CHP	3	3663.400	-36.94	-13	Pass
3665	3669	1	CHP	4	3667.720	-31.04	-10	Pass
3669	3670	0.3	/	5	3669.880	-35.11	-13	Pass
3670	3700	0.3	/	/	/	/	/	/
3700	3701	0.3	/	6	3700.360	-33.71	-13	Pass
3701	3705	1	CHP	7	3701.560	-33.40	-10	Pass
3705	3730	1	CHP	8	3706.840	-35.64	-13	Pass
3730	3735	1	CHP	9	3731.560	-40.75	-25	Pass
3735	3745	1	CHP	10	3741.880	-41.19	-30	Pass




n48_30kHz SISO NTNv_30MHz DFT-s-OFDM QPSK 3684.99MHz Inner 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3625	3635	1	CHP	1	3630.640	-43.79	-30	Pass
3635	3640	1	CHP	2	3637.720	-44.10	-25	Pass
3640	3665	1	CHP	3	3663.640	-40.06	-13	Pass
3665	3669	1	CHP	4	3667.840	-36.48	-10	Pass
3669	3670	0.3	/	5	3669.280	-32.33	-13	Pass
3670	3700	0.3	/	/	/	/	/	/
3700	3701	0.3	/	6	3700.120	-48.22	-13	Pass
3701	3705	1	CHP	7	3703.840	-44.50	-10	Pass
3705	3730	1	CHP	8	3718.600	-44.67	-13	Pass
3730	3735	1	CHP	9	3732.880	-44.73	-25	Pass
3735	3745	1	CHP	10	3739.240	-44.90	-30	Pass


n48_30kHz SISO NTNv_30MHz DFT-s-OFDM QPSK 3684.99MHz Inner 1RB Right Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3625	3635	1	CHP	1	3633.400	-43.82	-30	Pass
3635	3640	1	CHP	2	3639.640	-44.45	-25	Pass
3640	3665	1	CHP	3	3644.440	-43.57	-13	Pass
3665	3669	1	CHP	4	3667.480	-43.56	-10	Pass
3669	3670	0.3	/	5	3669.160	-47.04	-13	Pass
3670	3700	0.3	/	/	/	/	/	/
3700	3701	0.3	/	6	3700.120	-31.36	-13	Pass
3701	3705	1	CHP	7	3701.560	-38.57	-10	Pass
3705	3730	1	CHP	8	3706.480	-43.03	-13	Pass
3730	3735	1	CHP	9	3730.600	-44.24	-25	Pass
3735	3745	1	CHP	10	3736.120	-44.86	-30	Pass



n48 30kHz SISO NTN 30MHz CP-OFDM QPSK 3565.02MHz Edge 1RB Left Ant1




n48 30kHz SISO NTN 30MHz CP-OFDM QPSK 3565.02MHz Edge 1RB Left Ant1






n48 30kHz SISO NTN 30MHz CP-OFDM QPSK 3565.02MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3515	1	/	1	2892.400	-42.21	-30	Pass
3515	3520	1	/	2	3518.800	-42.65	-25	Pass
3520	3545	1	/	3	3542.800	-41.57	-13	Pass
3545	3585	1	/	/	/	/	/	/
3585	3610	1	/	4	3592.000	-42.61	-13	Pass
3610	3615	1	/	5	3611.200	-43.22	-25	Pass
3615	37000	1	/	6	36926.800	-36.88	-30	Pass


n48 30kHz SISO NTN 30MHz CP-OFDM QPSK 3565.02MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3505	3515	1	CHP	1	3509.320	-43.65	-30	Pass
3515	3520	1	CHP	2	3515.560	-44.00	-25	Pass
3520	3545	1	CHP	3	3520.480	-43.89	-13	Pass
3545	3549	1	CHP	4	3547.720	-43.58	-10	Pass
3549	3550	0.3	/	5	3549.520	-47.47	-13	Pass
3550	3580	0.3	/	/	/	/	/	/
3580	3581	0.3	/	6	3580.120	-19.11	-13	Pass
3581	3585	1	CHP	7	3581.200	-35.18	-10	Pass
3585	3610	1	CHP	8	3587.080	-41.50	-13	Pass
3610	3615	1	CHP	9	3614.800	-43.88	-25	Pass
3615	3625	1	CHP	10	3618.400	-44.01	-30	Pass




n48 30kHz SISO NTN 30MHz CP-OFDM QPSK 3565.02MHz Outer Full Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3505	3515	1	CHP	1	3514.720	-40.10	-30	Pass
3515	3520	1	CHP	2	3516.400	-39.81	-25	Pass
3520	3545	1	CHP	3	3544.960	-33.61	-13	Pass
3545	3549	1	CHP	4	3547.840	-28.15	-10	Pass
3549	3550	0.3	/	5	3549.760	-29.64	-13	Pass
3550	3580	0.3	/	/	/	/	/	/
3580	3581	0.3	/	6	3580.240	-30.87	-13	Pass
3581	3585	1	CHP	7	3582.640	-31.28	-10	Pass
3585	3610	1	CHP	8	3593.560	-32.32	-13	Pass
3610	3615	1	CHP	9	3610.840	-39.06	-25	Pass
3615	3625	1	CHP	10	3616.240	-39.37	-30	Pass


n48 30kHz SISO NTN 30MHz CP-OFDM QPSK 3565.02MHz Inner 1RB Left Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3505	3515	1	CHP	1	3512.200	-43.83	-30	Pass
3515	3520	1	CHP	2	3519.160	-43.32	-25	Pass
3520	3545	1	CHP	3	3543.280	-41.83	-13	Pass
3545	3549	1	CHP	4	3547.720	-37.25	-10	Pass
3549	3550	0.3	/	5	3549.760	-22.17	-13	Pass
3550	3580	0.3	/	/	/	/	/	/
3580	3581	0.3	/	6	3580.240	-47.76	-13	Pass
3581	3585	1	CHP	7	3584.800	-44.12	-10	Pass
3585	3610	1	CHP	8	3600.760	-43.22	-13	Pass
3610	3615	1	CHP	9	3614.320	-43.99	-25	Pass
3615	3625	1	CHP	10	3618.520	-43.27	-30	Pass



n48 30kHz SISO NTN 30MHz CP-OFDM QPSK 3565.02MHz Inner 1RB Right Ant1




n48 30kHz SISO NTN 30MHz CP-OFDM QPSK 3624.99MHz Edge 1RB Left Ant1






n48 30kHz SISO NTN 30MHz CP-OFDM QPSK 3624.99MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3575	1	/	1	2953.600	-42.09	-30	Pass
3575	3580	1	/	2	3576.400	-42.89	-25	Pass
3580	3605	1	/	3	3602.800	-41.52	-13	Pass
3605	3645	1	/	/	/	/	/	/
3645	3670	1	/	4	3659.200	-43.07	-13	Pass
3670	3675	1	/	5	3672.400	-43.50	-25	Pass
3675	37000	1	/	6	36979.600	-36.99	-30	Pass


n48 30kHz SISO NTN 30MHz CP-OFDM QPSK 3684.99MHz Edge 1RB Left Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3625	3635	1	CHP	1	3627.040	-43.86	-30	Pass
3635	3640	1	CHP	2	3638.560	-43.86	-25	Pass
3640	3665	1	CHP	3	3662.680	-42.64	-13	Pass
3665	3669	1	CHP	4	3668.800	-35.78	-10	Pass
3669	3670	0.3	/	5	3669.880	-33.62	-13	Pass
3670	3700	0.3	/	/	/	/	/	/
3700	3701	0.3	/	6	3700.600	-48.30	-13	Pass
3701	3705	1	CHP	7	3703.600	-44.18	-10	Pass
3705	3730	1	CHP	8	3718.240	-44.49	-13	Pass
3730	3735	1	CHP	9	3732.760	-45.04	-25	Pass
3735	3745	1	CHP	10	3740.920	-44.68	-30	Pass



n48 30kHz SISO NTN 30MHz CP-OFDM QPSK 3684.99MHz Edge 1RB Right Ant1




n48 30kHz SISO NTN 30MHz CP-OFDM QPSK 3684.99MHz Edge 1RB Right Ant1






n48 30kHz SISO NTN 30MHz CP-OFDM QPSK 3684.99MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3635	1	/	1	2808.400	-42.15	-30	Pass
3635	3640	1	/	2	3635.200	-43.40	-25	Pass
3640	3665	1	/	3	3643.600	-42.97	-13	Pass
3665	3705	1	/	/	/	/	/	/
3705	3730	1	/	4	3707.200	-42.07	-13	Pass
3730	3735	1	/	5	3734.800	-43.71	-25	Pass
3735	37000	1	/	6	36995.200	-36.96	-30	Pass


n48 30kHz SISO NTN 30MHz CP-OFDM QPSK 3684.99MHz Outer Full Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3625	3635	1	CHP	1	3634.600	-41.38	-30	Pass
3635	3640	1	CHP	2	3638.440	-41.09	-25	Pass
3640	3665	1	CHP	3	3664.840	-35.83	-13	Pass
3665	3669	1	CHP	4	3668.440	-32.55	-10	Pass
3669	3670	0.3	/	5	3669.880	-33.99	-13	Pass
3670	3700	0.3	/	/	/	/	/	/
3700	3701	0.3	/	6	3700.120	-31.14	-13	Pass
3701	3705	1	CHP	7	3701.560	-31.41	-10	Pass
3705	3730	1	CHP	8	3706.240	-35.65	-13	Pass
3730	3735	1	CHP	9	3733.360	-40.41	-25	Pass
3735	3745	1	CHP	10	3735.520	-40.84	-30	Pass



n48 30kHz SISO NTN 30MHz CP-OFDM QPSK 3684.99MHz Inner 1RB Left Ant1




n48 30kHz SISO NTN 30MHz CP-OFDM QPSK 3684.99MHz Inner 1RB Right Ant1






6.2.4 30k_SISO_40MHz_NTNV

n48 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 3570MHz Edge 1RB Left Ant1




n48 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 3570MHz Edge 1RB Left Ant1






n48 30kHz SISO NTNv 40MHz DFT-s-OFDM PI/2 BPSK 3570MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3505	1	/	1	2965.600	-42.13	-30	Pass
3505	3510	1	/	2	3509.200	-43.05	-25	Pass
3510	3545	1	/	3	3541.600	-41.80	-13	Pass
3545	3595	1	/	/	/	/	/	/
3595	3630	1	/	4	3622.000	-42.91	-13	Pass
3630	3635	1	/	5	3630.400	-43.06	-25	Pass
3635	37000	1	/	6	37000.000	-36.64	-30	Pass


n48 30kHz SISO NTNv 40MHz DFT-s-OFDM PI/2 BPSK 3570MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3495	3505	1	CHP	1	3500.550	-43.77	-30	Pass
3505	3510	1	CHP	2	3510.000	-44.14	-25	Pass
3510	3545	1	CHP	3	3521.100	-43.67	-13	Pass
3545	3549	1	CHP	4	3545.400	-43.71	-10	Pass
3549	3550	0.4	CHP	5	3549.900	-48.21	-13	Pass
3550	3590	0.4	CHP	/	/	/	/	/
3590	3591	0.4	CHP	6	3590.100	-24.85	-13	Pass
3591	3595	1	CHP	7	3591.150	-36.92	-10	Pass
3595	3630	1	CHP	8	3596.400	-42.04	-13	Pass
3630	3635	1	CHP	9	3634.500	-43.85	-25	Pass
3635	3645	1	CHP	10	3640.200	-43.84	-30	Pass




n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3570MHz Outer Full Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3495	3505	1	CHP	1	3500.100	-42.79	-30	Pass
3505	3510	1	CHP	2	3509.550	-42.90	-25	Pass
3510	3545	1	CHP	3	3540.750	-37.10	-13	Pass
3545	3549	1	CHP	4	3548.100	-37.30	-10	Pass
3549	3550	0.4	CHP	5	3549.900	-30.88	-13	Pass
3550	3590	0.4	CHP	/	/	/	/	/
3590	3591	0.4	CHP	6	3590.400	-39.50	-13	Pass
3591	3595	1	CHP	7	3592.650	-32.76	-10	Pass
3595	3630	1	CHP	8	3604.350	-30.51	-13	Pass
3630	3635	1	CHP	9	3633.300	-39.09	-25	Pass
3635	3645	1	CHP	10	3637.050	-41.35	-30	Pass


n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3570MHz Inner 1RB Left Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3495	3505	1	CHP	1	3501.150	-43.45	-30	Pass
3505	3510	1	CHP	2	3505.350	-44.10	-25	Pass
3510	3545	1	CHP	3	3543.150	-41.20	-13	Pass
3545	3549	1	CHP	4	3549.000	-36.01	-10	Pass
3549	3550	0.4	CHP	5	3549.750	-16.99	-13	Pass
3550	3590	0.4	CHP	/	/	/	/	/
3590	3591	0.4	CHP	6	3591.000	-47.44	-13	Pass
3591	3595	1	CHP	7	3594.150	-43.58	-10	Pass
3595	3630	1	CHP	8	3625.500	-43.17	-13	Pass
3630	3635	1	CHP	9	3632.250	-44.29	-25	Pass
3635	3645	1	CHP	10	3642.750	-43.93	-30	Pass



n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_3570MHz_Inner_1RB_Right_Ant1




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_3624.99MHz_Edge_1RB_Left_Ant1






n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3545	1	/	1	2972.800	-42.02	-30	Pass
3545	3550	1	/	2	3548.800	-42.86	-25	Pass
3550	3595	1	/	3	3594.400	-41.68	-13	Pass
3595	3655	1	/	/	/	/	/	/
3655	3700	1	/	4	3662.800	-43.07	-13	Pass
3700	3705	1	/	5	3703.600	-44.01	-25	Pass
3705	37000	1	/	6	36984.400	-36.86	-30	Pass


n48 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 3679.98MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3605	3615	1	CHP	1	3611.450	-43.75	-30	Pass
3615	3620	1	CHP	2	3618.800	-43.71	-25	Pass
3620	3655	1	CHP	3	3653.300	-42.57	-13	Pass
3655	3659	1	CHP	4	3658.400	-36.94	-10	Pass
3659	3660	0.4	CHP	5	3659.600	-22.13	-13	Pass
3660	3700	0.4	CHP	/	/	/	/	/
3700	3701	0.4	CHP	6	3700.100	-48.08	-13	Pass
3701	3705	1	CHP	7	3701.600	-44.81	-10	Pass
3705	3740	1	CHP	8	3705.950	-44.33	-13	Pass
3740	3745	1	CHP	9	3743.900	-44.77	-25	Pass
3745	3755	1	CHP	10	3753.050	-44.91	-30	Pass




n48 30kHz SISO NTVN 40MHz DFT-s-OFDM PI/2 BPSK 3679.98MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3605	3615	1	CHP	1	3614.900	-43.61	-30	Pass
3615	3620	1	CHP	2	3615.050	-43.67	-25	Pass
3620	3655	1	CHP	3	3621.050	-43.82	-13	Pass
3655	3659	1	CHP	4	3656.900	-43.82	-10	Pass
3659	3660	0.4	CHP	5	3659.900	-48.34	-13	Pass
3660	3700	0.4	CHP	/	/	/	/	/
3700	3701	0.4	CHP	6	3701.000	-38.51	-13	Pass
3701	3705	1	CHP	7	3701.600	-36.85	-10	Pass
3705	3740	1	CHP	8	3706.700	-41.89	-13	Pass
3740	3745	1	CHP	9	3743.300	-44.79	-25	Pass
3745	3755	1	CHP	10	3752.450	-44.75	-30	Pass


n48 30kHz SISO NTVN 40MHz DFT-s-OFDM PI/2 BPSK 3679.98MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	41.000	-43.24	-30	Pass




n48 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 3679.98MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3615	1	/	1	2759.200	-41.98	-30	Pass
3615	3620	1	/	2	3616.000	-43.11	-25	Pass
3620	3655	1	/	3	3631.600	-42.66	-13	Pass
3655	3705	1	/	/	/	/	/	/
3705	3740	1	/	4	3732.400	-43.58	-13	Pass
3740	3745	1	/	5	3742.000	-44.19	-25	Pass
3745	37000	1	/	6	36965.200	-36.98	-30	Pass


n48 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 3679.98MHz Outer Full Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3605	3615	1	CHP	1	3612.800	-42.64	-30	Pass
3615	3620	1	CHP	2	3617.150	-43.34	-25	Pass
3620	3655	1	CHP	3	3650.000	-37.73	-13	Pass
3655	3659	1	CHP	4	3658.400	-36.75	-10	Pass
3659	3660	0.4	CHP	5	3659.900	-27.60	-13	Pass
3660	3700	0.4	CHP	/	/	/	/	/
3700	3701	0.4	CHP	6	3700.400	-39.87	-13	Pass
3701	3705	1	CHP	7	3701.750	-37.17	-10	Pass
3705	3740	1	CHP	8	3714.200	-35.18	-13	Pass
3740	3745	1	CHP	9	3742.100	-43.53	-25	Pass
3745	3755	1	CHP	10	3753.200	-43.05	-30	Pass




n48 30kHz SISO NTVN 40MHz DFT-s-OFDM PI/2 BPSK 3679.98MHz Inner 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3605	3615	1	CHP	1	3606.950	-44.06	-30	Pass
3615	3620	1	CHP	2	3619.250	-44.04	-25	Pass
3620	3655	1	CHP	3	3624.200	-41.91	-13	Pass
3655	3659	1	CHP	4	3658.250	-37.06	-10	Pass
3659	3660	0.4	CHP	5	3659.600	-25.39	-13	Pass
3660	3700	0.4	CHP	/	/	/	/	/
3700	3701	0.4	CHP	6	3700.100	-48.84	-13	Pass
3701	3705	1	CHP	7	3702.050	-44.46	-10	Pass
3705	3740	1	CHP	8	3716.900	-44.39	-13	Pass
3740	3745	1	CHP	9	3743.150	-44.84	-25	Pass
3745	3755	1	CHP	10	3748.550	-44.76	-30	Pass


n48 30kHz SISO NTVN 40MHz DFT-s-OFDM PI/2 BPSK 3679.98MHz Inner 1RB Right Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3605	3615	1	CHP	1	3610.250	-43.66	-30	Pass
3615	3620	1	CHP	2	3615.950	-43.50	-25	Pass
3620	3655	1	CHP	3	3631.550	-43.55	-13	Pass
3655	3659	1	CHP	4	3657.950	-44.28	-10	Pass
3659	3660	0.4	CHP	5	3659.600	-48.40	-13	Pass
3660	3700	0.4	CHP	/	/	/	/	/
3700	3701	0.4	CHP	6	3700.100	-21.21	-13	Pass
3701	3705	1	CHP	7	3701.750	-37.04	-10	Pass
3705	3740	1	CHP	8	3706.100	-42.23	-13	Pass
3740	3745	1	CHP	9	3741.200	-44.70	-25	Pass
3745	3755	1	CHP	10	3750.350	-44.80	-30	Pass



n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3570MHz Edge 1RB Left Ant1




n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3570MHz Edge 1RB Left Ant1






n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3570MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3505	1	/	1	2987.200	-42.02	-30	Pass
3505	3510	1	/	2	3509.200	-42.73	-25	Pass
3510	3545	1	/	3	3542.800	-40.93	-13	Pass
3545	3595	1	/	/	/	/	/	/
3595	3630	1	/	4	3608.800	-42.64	-13	Pass
3630	3635	1	/	5	3632.800	-43.15	-25	Pass
3635	37000	1	/	6	36991.600	-37.06	-30	Pass


n48 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 3570MHz Edge 1RB Right Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3495	3505	1	CHP	1	3496.650	-43.61	-30	Pass
3505	3510	1	CHP	2	3507.450	-43.86	-25	Pass
3510	3545	1	CHP	3	3525.600	-43.37	-13	Pass
3545	3549	1	CHP	4	3546.150	-43.36	-10	Pass
3549	3550	0.4	CHP	5	3549.600	-47.17	-13	Pass
3550	3590	0.4	CHP	/	/	/	/	/
3590	3591	0.4	CHP	6	3590.100	-19.54	-13	Pass
3591	3595	1	CHP	7	3592.200	-39.51	-10	Pass
3595	3630	1	CHP	8	3596.400	-42.88	-13	Pass
3630	3635	1	CHP	9	3632.700	-44.36	-25	Pass
3635	3645	1	CHP	10	3641.550	-44.31	-30	Pass




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_3570MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3495	3505	1	CHP	1	3501.450	-40.76	-30	Pass
3505	3510	1	CHP	2	3509.250	-41.05	-25	Pass
3510	3545	1	CHP	3	3515.550	-35.34	-13	Pass
3545	3549	1	CHP	4	3547.950	-31.29	-10	Pass
3549	3550	0.4	CHP	5	3549.600	-33.76	-13	Pass
3550	3590	0.4	CHP	/	/	/	/	/
3590	3591	0.4	CHP	6	3591.000	-39.26	-13	Pass
3591	3595	1	CHP	7	3591.600	-34.57	-10	Pass
3595	3630	1	CHP	8	3601.350	-33.77	-13	Pass
3630	3635	1	CHP	9	3633.150	-38.99	-25	Pass
3635	3645	1	CHP	10	3635.550	-38.40	-30	Pass


n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_3570MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3495	3505	1	CHP	1	3496.800	-43.51	-30	Pass
3505	3510	1	CHP	2	3508.650	-43.42	-25	Pass
3510	3545	1	CHP	3	3543.150	-41.88	-13	Pass
3545	3549	1	CHP	4	3548.400	-35.97	-10	Pass
3549	3550	0.4	CHP	5	3549.750	-18.01	-13	Pass
3550	3590	0.4	CHP	/	/	/	/	/
3590	3591	0.4	CHP	6	3590.250	-47.74	-13	Pass
3591	3595	1	CHP	7	3592.800	-43.37	-10	Pass
3595	3630	1	CHP	8	3595.050	-43.54	-13	Pass
3630	3635	1	CHP	9	3634.650	-43.95	-25	Pass
3635	3645	1	CHP	10	3643.200	-43.85	-30	Pass



n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_3570MHz_Inner_1RB_Right_Ant1




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1






n48_30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 3624.99MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3545	1	/	1	2972.800	-42.11	-30	Pass
3545	3550	1	/	2	3546.400	-42.51	-25	Pass
3550	3595	1	/	3	3575.200	-42.31	-13	Pass
3595	3655	1	/	/	/	/	/	/
3655	3700	1	/	4	3678.400	-43.16	-13	Pass
3700	3705	1	/	5	3702.400	-43.56	-25	Pass
3705	37000	1	/	6	36989.200	-36.95	-30	Pass


n48_30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 3679.98MHz Edge 1RB Left Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3605	3615	1	CHP	1	3613.850	-43.69	-30	Pass
3615	3620	1	CHP	2	3619.550	-43.42	-25	Pass
3620	3655	1	CHP	3	3653.000	-42.20	-13	Pass
3655	3659	1	CHP	4	3658.400	-36.21	-10	Pass
3659	3660	0.4	CHP	5	3659.900	-14.97	-13	Pass
3660	3700	0.4	CHP	/	/	/	/	/
3700	3701	0.4	CHP	6	3700.250	-48.33	-13	Pass
3701	3705	1	CHP	7	3701.600	-44.75	-10	Pass
3705	3740	1	CHP	8	3706.550	-44.35	-13	Pass
3740	3745	1	CHP	9	3744.950	-44.56	-25	Pass
3745	3755	1	CHP	10	3749.300	-44.49	-30	Pass



n48 30kHz SISO NTNv 40MHz DFT-s-OFDM QPSK 3679.98MHz Edge 1RB Right Ant1




n48 30kHz SISO NTNv 40MHz DFT-s-OFDM QPSK 3679.98MHz Edge 1RB Right Ant1






n48 30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 3679.98MHz Edge 1RB Right Ant1




n48 30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 3679.98MHz Outer Full Ant1






n48 30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 3679.98MHz Inner 1RB Left Ant1




n48 30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 3679.98MHz Inner 1RB Right Ant1






n48 30kHz SISO NTV 40MHz CP-OFDM QPSK 3570MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3495	3505	1	CHP	1	3502.200	-43.60	-30	Pass
3505	3510	1	CHP	2	3507.000	-44.28	-25	Pass
3510	3545	1	CHP	3	3542.550	-42.80	-13	Pass
3545	3549	1	CHP	4	3548.100	-39.50	-10	Pass
3549	3550	0.4	CHP	5	3549.900	-31.52	-13	Pass
3550	3590	0.4	CHP	/	/	/	/	/
3590	3591	0.4	CHP	6	3591.000	-48.72	-13	Pass
3591	3595	1	CHP	7	3592.200	-43.69	-10	Pass
3595	3630	1	CHP	8	3602.250	-43.66	-13	Pass
3630	3635	1	CHP	9	3634.950	-43.79	-25	Pass
3635	3645	1	CHP	10	3635.550	-43.78	-30	Pass


n48 30kHz SISO NTV 40MHz CP-OFDM QPSK 3570MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	46.400	-43.07	-30	Pass




n48 30kHz SISO NTV 40MHz CP-OFDM QPSK 3570MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3505	1	/	1	2984.800	-42.03	-30	Pass
3505	3510	1	/	2	3508.000	-43.09	-25	Pass
3510	3545	1	/	3	3542.800	-42.46	-13	Pass
3545	3595	1	/	/	/	/	/	/
3595	3630	1	/	4	3626.800	-42.61	-13	Pass
3630	3635	1	/	5	3630.400	-43.02	-25	Pass
3635	37000	1	/	6	36948.400	-36.96	-30	Pass


n48 30kHz SISO NTV 40MHz CP-OFDM QPSK 3570MHz Edge 1RB Right Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3495	3505	1	CHP	1	3499.650	-43.77	-30	Pass
3505	3510	1	CHP	2	3509.100	-43.67	-25	Pass
3510	3545	1	CHP	3	3533.850	-43.31	-13	Pass
3545	3549	1	CHP	4	3546.750	-44.01	-10	Pass
3549	3550	0.4	CHP	5	3549.900	-47.57	-13	Pass
3550	3590	0.4	CHP	/	/	/	/	/
3590	3591	0.4	CHP	6	3590.100	-26.68	-13	Pass
3591	3595	1	CHP	7	3591.150	-33.42	-10	Pass
3595	3630	1	CHP	8	3596.700	-42.23	-13	Pass
3630	3635	1	CHP	9	3632.250	-43.74	-25	Pass
3635	3645	1	CHP	10	3642.900	-43.94	-30	Pass



n48 30kHz SISO NTV 40MHz CP-OFDM QPSK 3570MHz Outer Full Ant1




n48 30kHz SISO NTV 40MHz CP-OFDM QPSK 3570MHz Inner 1RB Left Ant1






n48 30kHz SISO NTN 40MHz CP-OFDM QPSK 3570MHz Inner 1RB Right Ant1




n48 30kHz SISO NTN 40MHz CP-OFDM QPSK 3624.99MHz Edge 1RB Left Ant1






n48 30kHz SISO NTN 40MHz CP-OFDM QPSK 3624.99MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3545	1	/	1	2842.000	-41.98	-30	Pass
3545	3550	1	/	2	3550.000	-42.83	-25	Pass
3550	3595	1	/	3	3581.200	-42.68	-13	Pass
3595	3655	1	/	/	/	/	/	/
3655	3700	1	/	4	3655.600	-43.10	-13	Pass
3700	3705	1	/	5	3704.800	-43.72	-25	Pass
3705	37000	1	/	6	36964.000	-36.89	-30	Pass

n48 30kHz SISO NTN 40MHz CP-OFDM QPSK 3679.98MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3605	3615	1	CHP	1	3610.550	-43.59	-30	Pass
3615	3620	1	CHP	2	3616.400	-43.95	-25	Pass
3620	3655	1	CHP	3	3633.950	-42.80	-13	Pass
3655	3659	1	CHP	4	3658.400	-38.42	-10	Pass
3659	3660	0.4	CHP	5	3659.750	-18.10	-13	Pass
3660	3700	0.4	CHP	/	/	/	/	/
3700	3701	0.4	CHP	6	3700.400	-48.47	-13	Pass
3701	3705	1	CHP	7	3703.250	-44.62	-10	Pass
3705	3740	1	CHP	8	3710.900	-43.89	-13	Pass
3740	3745	1	CHP	9	3744.650	-44.37	-25	Pass
3745	3755	1	CHP	10	3745.100	-44.50	-30	Pass