128g铜版纸, 双面印 66x104mm

SARINA

KARAOKE MIC W/ IFD & SPEAKER

I. Buttons Operation

- 1.MICVOL
- +: The microphone volume increase - The microphone volume decrease.
- 2.REMIXVOL
- +: The microphone volume increase -: The microphone volume decrease.
- 3.M/POWERHold(Power) :ON/OFF Press(Mode): Mode switching
- Shore press for next song ,long for the volume increase; Uder selfie mode press it to enable selfie function
- (only for iso system mobile phone)
- play/bause, hole it for automatic search.
- 6. May: Shore press for prev song,long for the volume decrease; Uder selfie mode, press it to enable selfie function (only for Android system mobile phone)
 7.8 / LED
- Long press: LED switch.
- Short press:microphone switch
- 8.REC
- Record
- 9.USB USB Slot
- 10.DC5V/AUX/ANT
- DC5V;Power slot;
- ANT:FM mode need to insert audio line ACTS as a radio antenna;
- The headset 12.TF
- TF slot
- II. Wireless Karaoke
- 1.Sunpply power; Hold M/POWER button to start the product, 2. Wierless connection:enable the wireless o mobile phone click to connect.
- successful connection if prompt tone is produced 3.Adjust sound adjust the sound volume of mike and the reverberation to suitable level
- 4. Start Karaoke
- III. Recording with mobile phone
- 1.Connect the recording wire:insert the MICRO plug of the
- recording wire Into the MLCEI Interface of Karake Treasure and the 3 0mm Interface Into the earphone jack of the mobile phone.2. Open the Karaoke software in the mobile phone, such as:USING, Kugou music or other recording APPs, select your favorable song, record the song according to the above mentioned singing method 3 Test and save the song operate according to the in structions of Karaoke software
- IV. Selfie function
- 1 Press the M/POWER button to switch form wireless mode to selfle mode, 2 Enable wireless in the mobile phone, search "shutter", click connection; 3. Open the photograph interface
- of the mobile phone, press the way- or way- button to take photos, Note: 4.2.2or higher version for Android system, 6.0 or higher version for iOS system, It doesn't support otherversions temporally. It doesn't support he mobile Phone which has the independent
- and solid photograph button Technical Parameters

Max sound pressure Level: >115DB 1KHZ TDH <1% Reverberation Mode:sound effect reverberation Power Supply: Built-in 18850Li-battery Battery Capacity: 1200mAl FM Radio: 87.5~108Hz

Operation Manual SA-KALED FCC ID: 2AANZKALED BT ID: D042258 MADE IN CHINA



This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received including interference that may cause undesired operation.

Warning: Changes or modifications not expressly approved by the party responsible for compliance could void the useer's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no augrantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- · Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

RF warning statement:

The device has been evaluated to meetgeneral RF exposure

The device can be used in portable exposure condition without restriction.