






Appendix F: Conducted Spurious Emission

Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	Reference	-14.87	-14.87	---	PASS
			30~1000	-14.87	-59.03	≤ -34.87	PASS
			1000~26500	-14.87	-49.16	≤ -34.87	PASS
		2440	Reference	-16.09	-16.09	---	PASS
			30~1000	-16.09	-59.65	≤ -36.09	PASS
			1000~26500	-16.09	-45.37	≤ -36.09	PASS
		2480	Reference	-16.18	-16.18	---	PASS
			30~1000	-16.18	-59.51	≤ -36.18	PASS
			1000~26500	-16.18	-48.04	≤ -36.18	PASS
BLE_2M	Ant1	2402	Reference	-13.40	-13.40	---	PASS
			30~1000	-13.40	-59.16	≤ -33.4	PASS
			1000~26500	-13.40	-46.18	≤ -33.4	PASS
		2440	Reference	-16.22	-16.22	---	PASS
			30~1000	-16.22	-58.56	≤ -36.22	PASS
			1000~26500	-16.22	-49.26	≤ -36.22	PASS
		2480	Reference	-15.53	-15.53	---	PASS
			30~1000	-15.53	-59.32	≤ -35.53	PASS
			1000~26500	-15.53	-49.12	≤ -35.53	PASS




Test Graphs


BLE 1M Ant1 2402 0~Reference




BLE 1M Ant1 2402 30~1000




BLE 1M Ant1 2402 1000~26500




BLE 1M Ant1 2440 0~Reference



BLE_1M_Ant1_2440_30~1000




BLE_1M_Ant1_2440_1000~26500




BLE_1M_Ant1_2480_0~Reference




BLE_1M_Ant1_2480_30~1000




BLE_1M_Ant1_2480_1000~26500




BLE_2M_Ant1_2402_0~Reference



BLE_2M_Ant1_2402_30~1000




BLE_2M_Ant1_2402_1000~26500




BLE_2M_Ant1_2440_0~Reference




BLE_2M_Ant1_2440_30~1000




BLE_2M_Ant1_2440_1000~26500




BLE_2M_Ant1_2480_0~Reference



BLE_2M_Ant1_2480_30~1000



BLE_2M_Ant1_2480_1000~26500



The End Report