AE1103RC-V4 Signal Pod Operation Description

1. Unscrew the reverse component at the reverse of the signal pod. Insert 3 X AA batteries. LED arrows cannot function if the Signal Unit is installed upside down.



2. Turn on the signal pod by activating the switch at the bottom of the pod.



3. Once switch on, the red safety light will flash at all times other than when the indicator arrows are active.



4. Mount the remote control onto the front handle bars by tightening the screws.

5. Press the button under the L sign on the remote to activate the "left" arrows on the signal pod. The signal pod will beep twice every couple of seconds to remind you it is active. Press the button again to deactivate.



6. Press the button under the R sign on the remote to activate the "right" arrows on the signal pod. The signal pod will beep once every couple of seconds to remind you it is active. Press the button again to deactivate.



7. To activate the hazard signal, press the emergency button and both the left and right arrows will flash at once.



- 8. When functioning, the remote control signals are interchangeable.
- 9. If the voltage is below 3.3V, the warning sound will activate automatically. It warns you frequently until the batteries are changed.

FCC NOTE:

THE MANUFACTURER IS NOT RESPONSIBLE FOR ANY RADIO OR TV INTERFERENCE CAUSED BY UNAUTHORIZED MODIFICATIONS TO THIS EQUIPMENT. SUCH MODIFICATIONS COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:1. This device may not cause harmful interference, and 2. This device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- —Increase the separation between the equipment and receiver.
- —Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party reponsible for compliance could void users authority to operate the product.