

FCC ID: 2AAS9-MI14

802.11ax(HE20) - 5260MHz**RADAR TYPE 1**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	62	1	858
2	98	1	538
3	59	1	898
4	83	1	638
5	98	1	538
6	86	1	618
7	68	1	778
8	95	1	558
9	81	1	658
10	89	1	598
11	98	1	538
12	95	1	558
13	59	1	898
14	92	1	578
15	81	1	658
16	98	1	538
17	68	1	778
18	83	1	638
19	72	1	738
20	70	1	758
21	74	1	718
22	102	1	518
23	98	1	538
24	98	1	538
25	74	1	718
26	57	1	938
27	18	1	3066
28	65	1	818
29	70	1	758
30	98	1	538

802.11ax (HE20) - 5260MHz

RADAR TYPE 2

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	28	2.7	171
2	28	1.1	195
3	27	3.1	179
4	27	1.3	178
5	24	3.2	227
6	25	2.3	152
7	28	4	229
8	24	4.9	179
9	23	2.6	156
10	25	3.9	168
11	27	1	207
12	26	2.8	162
13	27	4.9	176
14	26	1	164
15	28	2.2	161
16	26	4.7	160
17	29	4.9	215
18	24	3.8	185
19	25	2.8	150
20	28	3.4	193
21	24	4.5	223
22	27	4.6	162
23	24	1.4	150
24	28	1.4	160
25	25	2.6	160
26	26	3.9	210
27	23	2.4	178
28	24	4.5	206
29	26	3.2	156
30	28	1.1	178

802.11ax (HE20) - 5260MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	18	6.5	211
2	18	7.2	302
3	17	6.2	473
4	17	8.1	344
5	17	6.6	293
6	17	6	255
7	17	7.1	427
8	18	7	255
9	18	6.7	250
10	17	7.2	457
11	16	6.1	302
12	18	8.3	237
13	17	9.5	451
14	18	7.6	389
15	17	7.8	436
16	17	6.4	435
17	18	9.7	266
18	18	6	415
19	16	7.1	310
20	17	9.8	301
21	18	8.9	371
22	17	7.4	367
23	18	7.1	398
24	16	8.7	396
25	16	9.3	462
26	17	9.2	235
27	16	9.9	478
28	17	8.8	247
29	17	9.9	227
30	16	9.5	275

802.11ax (HE20) - 5260MHz			
RADAR TYPE 4			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	13	18.7	365
2	12	12.6	238
3	14	18.7	430
4	14	13.7	454
5	15	13.9	261
6	14	18.2	255
7	15	14.4	225
8	12	14.1	400
9	13	17.1	286
10	13	16.3	409
11	12	19.6	327
12	15	14.5	342
13	13	13.3	376
14	14	18.5	493
15	16	15.5	236
16	14	11.6	371
17	16	18.4	201
18	15	14.2	326
19	15	15	437
20	14	18.9	448
21	14	12.3	307
22	14	13.9	336
23	12	17	402
24	13	18.2	236
25	16	15	222
26	16	19.3	452
27	14	17.9	224
28	15	18.2	476
29	14	18.5	409
30	16	12.2	468

802.11ax (HE20) - 5260MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	16	1	5260
2	6	1	5260
3	18	1	5260
4	7	1	5260
5	16	1	5260
6	6	1	5260
7	7	1	5260
8	17	1	5260
9	15	1	5260
10	10	1	5260
11	17	2	5256.8
12	10	2	5254
13	8	2	5253.2
14	18	2	5257.2
15	8	2	5253.2
16	17	2	5256.8
17	5	2	5252
18	5	2	5252
19	17	2	5256.8
20	18	2	5257.2
21	5	3	5268
22	13	3	5264.8
23	8	3	5266.8
24	5	3	5268
25	8	3	5266.8
26	8	3	5266.8
27	17	3	5263.2
28	13	3	5264.8
29	19	3	5262.4
30	14	3	5264.4

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	84.4	6	1455		320.961
2	1	90.1	6			47.169
3	1	80.1	6			648.965
4	2	52.1	6	1520		663.253
5	1	51.9	6			34.941
6	1	72.3	6			258.028
7	2	55.4	6	1864		455.926
8	3	70	6	1499	1223	24.724
9	2	95.4	6	1609		101.641
10	3	60.9	6	1336	1820	353.809
11	2	93.8	6	1930		667.456
12	2	91.9	6	1390		363.504
13	3	69.2	6	1543	1096	192.462
14	3	53.6	6	1083	1799	323.869
15	3	80.2	6	1355	1474	498.247
16	2	83.5	6	1144		161.165
17	3	51.9	6	1935	1294	39.582

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	95.9	18			547.124
2	2	63.9	18	1286		103.483
3	2	69.6	18	1593		682.226
4	3	91.4	18	1395	1490	788.479
5	2	81.5	18	1826		617.112
6	2	80	18	1997		839.605
7	2	73.5	18	1489		661.848
8	3	76.3	18	1919	1543	360.602
9	1	77.5	18			835.285
10	1	92.2	18			854.208
11	2	52.3	18	1009		489.221
12	1	88.7	18			810.654
13	1	58.8	18			43.577

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	53.8	16	1004		622.83
2	3	74.9	16	1382	1263	489.177
3	1	66.5	16			395.284
4	2	54.4	16	1668		701.541
5	1	55.2	16			347.509
6	3	70.3	16	1760	1390	562.716
7	2	51.1	16	1444		563.453
8	2	70.4	16	1406		134.67
9	2	87.6	16	1738		628.977
10	2	61.9	16	1947		496.514
11	2	53.6	16	1752		458.151
12	2	72.6	16	1684		22.859
13	2	87.2	16	1991		157.186
14	2	88.3	16	1463		63.543

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	81.6	6	1412		368.061
2	2	95.2	6	1063		736.31
3	3	98.3	6	1726	1549	532.69
4	1	54.6	6			51.35
5	1	87.2	6			322.22
6	2	80.9	6	1238		590.32
7	2	89.7	6	1299		20.69
8	3	94	6	1793	1743	724.14
9	2	95.4	6	1340		516.46
10	1	81.1	6			158.29
11	3	51	6	1743	1261	205.52
12	2	52.6	6	1417		239.72
13	1	96.9	6			514.7
14	3	64	6	1296	1735	191
15	2	67.6	6	1827		500.5

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	73.9	7	1195		208.921
2	2	55.9	7	1607		348.663
3	2	62.6	7	1827		488.766
4	2	80.6	7	1490		819.809
5	2	58.3	7	1662		575.502
6	2	58.4	7	1749		788.225
7	1	66.6	7			194.288
8	2	98.8	7	1246		105.512
9	2	85.2	7	1740		881.135
10	2	84	7	1915		456.918
11	2	76	7	1865		345.631
12	3	91.4	7	1174	1993	744.054
13	3	91	7	1797	1688	479.377

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	52.8	17	1214	1234	598.651
2	2	79.3	17	1823		140.455
3	1	77.1	17			432.11
4	1	56.4	17			85.37
5	2	54	17	1848		513.27
6	1	60.7	17			198.91
7	2	58.3	17	1243		607.48
8	1	84	17			225.19
9	1	79.4	17			251.28
10	2	99	17	1596		121.03
11	3	52.1	17	1944	1703	513
12	2	95	17	1871		580.01
13	2	79.2	17	1811		732.1
14	3	88.2	17	1257	1222	605.3
15	1	94.7	17			383.8

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	64.2	10			17.531
2	2	63	10	1818		354.893
3	3	57.9	10	1041	1494	34.877
4	3	97.3	10	1955	1984	537.29
5	2	67.8	10	1463		424.903
6	1	89.2	10			66.567
7	2	52.2	10	1901		215.13
8	2	98.8	10	1061		119.223
9	2	78.9	10	1478		241.207
10	1	75.7	10			269.65
11	2	65.5	10	1001		106.933
12	3	58.6	10	1547	1608	419.777
13	1	75.5	10			457.06
14	2	99.8	10	1278		204.273
15	2	82.3	10	1991		120.207
16	1	63.3	10			158.9
17	1	67.5	10			2.233
18	3	51.6	10	1947	1468	98.767

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	88.3	17			436.519
2	2	60	17	1909		125.423
3	2	55.1	17	1014		783.476
4	3	79.9	17	1553	1799	77.899
5	2	59.5	17	1222		540.462
6	3	94	17	1694	1271	489.455
7	2	66.1	17	1249		842.318
8	2	88.5	17	1373		392.792
9	2	60	17	1210		791.195
10	1	57.2	17			859.918
11	2	64	17	1372		781.631
12	2	80.9	17	1784		132.054
13	3	99.9	17	1493	1843	404.177

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	62.8	8	1364		610.631
2	2	68.1	8	1932		101.545
3	1	50.3	8			175.632
4	3	51.7	8	1328	1109	370.073
5	1	89.1	8			256.524
6	3	99.8	8	1928	1145	530.695
7	1	70.3	8			224.256
8	2	79.8	8	1787		337.047
9	3	55.3	8	1458	1499	586.518
10	2	52.3	8	1932		232.099
11	3	93	8	1294	1025	412.711
12	2	90.6	8	1946		366.182
13	2	50.6	8	1021		156.293
14	2	73.5	8	1149		102.664
15	3	73.3	8	1869	1008	327.445
16	3	78	8	1600	1965	518.866
17	3	71.9	8	1632	1921	549.537
18	3	57.1	8	1685	1765	117.458
19	2	67.6	8	1637		396.279

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	53.6	18	1357	1419	10.817
2	3	75.7	18	1775	1214	263.79
3	3	74.8	18	1581	1599	212.19
4	2	62.5	18	1823		571.27
5	3	76.6	18	1018	1739	604.02
6	2	70	18	1006		384.71
7	2	86.9	18	1258		624.53
8	2	87.1	18	1532		301.28
9	1	68.4	18			360.78
10	2	59.7	18	1379		127.09
11	1	84.2	18			388.37
12	3	90.9	18	1455	1840	643.56
13	3	79	18	1073	1091	224.74
14	3	90.1	18	1863	1237	730
15	2	76.1	18	1706		523.3

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 12

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	55.6	5			532.806
2	2	93.6	5	1471		174.778
3	1	85.3	5			501.99
4	3	98.7	5	1238	1324	689.93
5	3	58	5	1997	1842	723.79
6	2	63	5	1541		518.7
7	2	57.4	5	1600		64.69
8	1	74.3	5			173.38
9	2	74.7	5	1569		723.19
10	3	76.8	5	1181	1871	538.28
11	3	71	5	1993	1590	515.62
12	2	61.7	5	1395		585.96
13	2	63.9	5	1204		493.2
14	1	99.4	5			160.4
15	1	84.2	5			275.3

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 12

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	71.7	18	1365		116.975
2	3	99.5	18	1647	1507	392.893
3	2	89.8	18	1375		168.217
4	2	79.3	18	1115		525.52
5	1	51.5	18			529.583
6	1	61.3	18			212.387
7	1	99	18			235.78
8	2	54.3	18	1185		621.093
9	2	57	18	1455		385.547
10	1	75.1	18			494.18
11	2	65.8	18	1839		305.243
12	1	79.1	18			188.497
13	1	75.9	18			414.92
14	2	80.1	18	1079		203.753
15	1	84	18			462.197
16	3	70.4	18	1869	1661	359.3
17	3	57.6	18	1527	1949	218.633
18	2	57.8	18	1658		214.367

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	61	5			139.805
2	1	95	5			119.291
3	1	67.6	5			91.632
4	2	96.7	5	1482		311.103
5	1	55.7	5			157.894
6	3	50.3	5	1301	1815	448.885
7	1	66.5	5			470.636
8	3	52	5	1267	1394	22.847
9	2	77.2	5	1849		386.078
10	3	86.3	5	1249	1152	31.259
11	2	61.1	5	1192		83.261
12	2	59.2	5	1740		159.282
13	3	62.1	5	1564	1529	510.633
14	1	70.1	5			295.874
15	3	86.9	5	1122	1037	256.145
16	2	83.1	5	1601		206.296
17	3	96.1	5	1311	1672	542.537
18	3	79.2	5	1290	1183	281.658
19	2	83.7	5	1685		279.879

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	65.4	5	1629		645.331
2	2	89.9	5	1740		607.693
3	3	68.9	5	1810	1665	284.026
4	3	81.6	5	1001	1247	136.439
5	3	78.8	5	1477	1494	463.322
6	3	80.2	5	1576	1435	706.185
7	2	96.4	5	1202		7.708
8	1	51.1	5			549.332
9	3	54.8	5	1315	1065	355.945
10	1	73.6	5			826.248
11	2	93.5	5	1375		118.551
12	2	95.5	5	1406		148.054
13	2	74.5	5	1171		296.777

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	3	52.8	8	1841	1745	464.75
2	2	84	8	1835		793.11
3	1	53.5	8			664.78
4	2	60.8	8	1646		749.82
5	2	87.2	8	1225		686.94
6	1	52.3	8			626.28
7	1	81.2	8			93.1
8	2	97.2	8	1364		239.34
9	2	55.3	8	1121		70.04
10	3	53.1	8	1214	1222	674.42
11	3	83.6	8	1370	1224	317.39
12	3	51.9	8	1610	1382	56.06
13	3	69.8	8	1239	1269	185.99
14	3	66.8	8	1232	1380	128.5
15	1	63.6	8			490.5

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	71.4	13	1213	1649	15.776
2	2	95.2	13	1673		418.38
3	3	87.6	13	1755	1341	455.62
4	2	65	13	1529		16.54
5	2	60.3	13	1251		485.09
6	2	99.5	13	1233		383.01
7	1	60	13			395.29
8	3	54.5	13	1493	1455	379.46
9	2	51.1	13	1331		43.04
10	2	52.2	13	1374		134.79
11	2	72.8	13	1141		242.94
12	3	58.9	13	1445	1867	74.46
13	3	59.3	13	1779	1493	112.9
14	2	86.9	13	1953		501.42
15	3	53.8	13	1459	1751	168.18
16	2	53.5	13	1137		372.88
17	1	53.7	13			475.3
18	2	54.7	13	1951		174.9
19	3	71.1	13	1920	1776	144.7
20	2	85	13	1750		341.4

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	96	19			727.186
2	3	66.7	19	1206	1665	239.07
3	1	76.8	19			408.55
4	2	64.2	19	1609		49.18
5	2	69	19	1308		237.87
6	2	91.7	19	1646		549.65
7	2	59.2	19	1462		687.65
8	3	93.8	19	1731	1072	522.57
9	2	64.4	19	1650		316.85
10	2	64.4	19	1594		120.89
11	2	74.9	19	1385		887.6
12	2	50.6	19	1966		561.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	71.8	14	1150		31.191
2	1	71.2	14			528.87
3	3	59.6	14	1328	1108	56.75
4	3	77	14	1050	1853	248.34
5	1	98	14			141.62
6	2	93.9	14	1478		347.02
7	1	95.5	14			148.59
8	2	71.3	14	1812		697.81
9	2	76.2	14	1426		294.36
10	2	61.2	14	1314		72.25
11	2	69.4	14	1159		682.02
12	2	54	14	1252		216.16
13	2	57.2	14	1001		588.01
14	2	53.4	14	1056		237.88
15	2	71.6	14	1971		129.1
16	2	79.4	14	1236		493.4

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.378	20	
2	5.26	5.382	20	
3	5.26	5.547	20	
4	5.26	5.625	20	
5	5.26	5.579	20	
6	5.26	5.465	20	
7	5.26	5.322	20	
8	5.26	5.641	20	
9	5.26	5.611	20	
10	5.26	5.538	20	
11	5.26	5.621	20	
12	5.26	5.722	20	
13	5.26	5.376	20	
14	5.26	5.619	20	
15	5.26	5.412	20	
16	5.26	5.586	20	
17	5.26	5.529	20	
18	5.26	5.43	20	
19	5.26	5.638	20	
20	5.26	5.649	20	
21	5.26	5.276	20	
22	5.26	5.662	20	
23	5.26	5.636	20	
24	5.26	5.517	20	
25	5.26	5.318	20	
26	5.26	5.5	20	
27	5.26	5.574	20	
28	5.26	5.706	20	
29	5.26	5.368	20	
30	5.26	5.566	20	
31	5.26	5.561	20	
32	5.26	5.537	20	
33	5.26	5.607	20	
34	5.26	5.416	20	
35	5.26	5.357	20	
36	5.26	5.311	20	
37	5.26	5.363	20	
38	5.26	5.494	20	
39	5.26	5.438	20	
40	5.26	5.583	20	
41	5.26	5.615	20	
42	5.26	5.374	20	
43	5.26	5.56	20	
44	5.26	5.523	20	
45	5.26	5.273	20	
46	5.26	5.307	20	
47	5.26	5.696	20	

48	5.26	5.252	20	*
49	5.26	5.634	20	
50	5.26	5.673	20	
51	5.26	5.337	20	
52	5.26	5.381	20	
53	5.26	5.444	20	
54	5.26	5.383	20	
55	5.26	5.677	20	
56	5.26	5.251	20	*
57	5.26	5.36	20	
58	5.26	5.533	20	
59	5.26	5.31	20	
60	5.26	5.564	20	
61	5.26	5.506	20	
62	5.26	5.516	20	
63	5.26	5.598	20	
64	5.26	5.398	20	
65	5.26	5.263	20	*
66	5.26	5.295	20	
67	5.26	5.482	20	
68	5.26	5.587	20	
69	5.26	5.715	20	
70	5.26	5.256	20	*
71	5.26	5.439	20	
72	5.26	5.323	20	
73	5.26	5.391	20	
74	5.26	5.457	20	
75	5.26	5.448	20	
76	5.26	5.536	20	
77	5.26	5.287	20	
78	5.26	5.626	20	
79	5.26	5.418	20	
80	5.26	5.38	20	
81	5.26	5.495	20	
82	5.26	5.674	20	
83	5.26	5.525	20	
84	5.26	5.3	20	
85	5.26	5.617	20	
86	5.26	5.469	20	
87	5.26	5.639	20	
88	5.26	5.305	20	
89	5.26	5.267	20	*
90	5.26	5.724	20	
91	5.26	5.514	20	
92	5.26	5.577	20	
93	5.26	5.348	20	
94	5.26	5.69	20	
95	5.26	5.464	20	
96	5.26	5.711	20	
97	5.26	5.685	20	
98	5.26	5.281	20	
99	5.26	5.433	20	
100	5.26	5.527	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.618	20	
2	5.26	5.567	20	
3	5.26	5.472	20	
4	5.26	5.448	20	
5	5.26	5.259	20	*
6	5.26	5.293	20	
7	5.26	5.323	20	
8	5.26	5.591	20	
9	5.26	5.44	20	
10	5.26	5.499	20	
11	5.26	5.711	20	
12	5.26	5.267	20	*
13	5.26	5.661	20	
14	5.26	5.311	20	
15	5.26	5.589	20	
16	5.26	5.396	20	
17	5.26	5.699	20	
18	5.26	5.486	20	
19	5.26	5.399	20	
20	5.26	5.474	20	
21	5.26	5.288	20	
22	5.26	5.266	20	*
23	5.26	5.43	20	
24	5.26	5.716	20	
25	5.26	5.614	20	
26	5.26	5.378	20	
27	5.26	5.577	20	
28	5.26	5.305	20	
29	5.26	5.409	20	
30	5.26	5.312	20	
31	5.26	5.616	20	
32	5.26	5.68	20	
33	5.26	5.33	20	
34	5.26	5.648	20	
35	5.26	5.536	20	
36	5.26	5.585	20	
37	5.26	5.277	20	
38	5.26	5.27	20	*
39	5.26	5.319	20	
40	5.26	5.394	20	
41	5.26	5.451	20	
42	5.26	5.593	20	
43	5.26	5.563	20	
44	5.26	5.356	20	
45	5.26	5.682	20	
46	5.26	5.347	20	
47	5.26	5.32	20	

48	5.26	5.431	20	
49	5.26	5.583	20	
50	5.26	5.631	20	
51	5.26	5.587	20	
52	5.26	5.512	20	
53	5.26	5.575	20	
54	5.26	5.62	20	
55	5.26	5.471	20	
56	5.26	5.571	20	
57	5.26	5.5	20	
58	5.26	5.7	20	
59	5.26	5.641	20	
60	5.26	5.375	20	
61	5.26	5.714	20	
62	5.26	5.383	20	
63	5.26	5.414	20	
64	5.26	5.702	20	
65	5.26	5.539	20	
66	5.26	5.432	20	
67	5.26	5.268	20	*
68	5.26	5.668	20	
69	5.26	5.376	20	
70	5.26	5.553	20	
71	5.26	5.309	20	
72	5.26	5.665	20	
73	5.26	5.366	20	
74	5.26	5.381	20	
75	5.26	5.686	20	
76	5.26	5.367	20	
77	5.26	5.493	20	
78	5.26	5.461	20	
79	5.26	5.28	20	
80	5.26	5.647	20	
81	5.26	5.425	20	
82	5.26	5.444	20	
83	5.26	5.424	20	
84	5.26	5.556	20	
85	5.26	5.704	20	
86	5.26	5.676	20	
87	5.26	5.339	20	
88	5.26	5.346	20	
89	5.26	5.445	20	
90	5.26	5.384	20	
91	5.26	5.3	20	
92	5.26	5.52	20	
93	5.26	5.632	20	
94	5.26	5.483	20	
95	5.26	5.255	20	*
96	5.26	5.402	20	
97	5.26	5.361	20	
98	5.26	5.511	20	
99	5.26	5.413	20	
100	5.26	5.721	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.633	20	
2	5.26	5.679	20	
3	5.26	5.285	20	
4	5.26	5.362	20	
5	5.26	5.363	20	
6	5.26	5.705	20	
7	5.26	5.464	20	
8	5.26	5.622	20	
9	5.26	5.505	20	
10	5.26	5.288	20	
11	5.26	5.31	20	
12	5.26	5.561	20	
13	5.26	5.516	20	
14	5.26	5.535	20	
15	5.26	5.662	20	
16	5.26	5.706	20	
17	5.26	5.344	20	
18	5.26	5.327	20	
19	5.26	5.468	20	
20	5.26	5.703	20	
21	5.26	5.381	20	
22	5.26	5.501	20	
23	5.26	5.606	20	
24	5.26	5.406	20	
25	5.26	5.315	20	
26	5.26	5.254	20	*
27	5.26	5.449	20	
28	5.26	5.382	20	
29	5.26	5.652	20	
30	5.26	5.293	20	
31	5.26	5.502	20	
32	5.26	5.484	20	
33	5.26	5.332	20	
34	5.26	5.478	20	
35	5.26	5.541	20	
36	5.26	5.476	20	
37	5.26	5.25	20	*
38	5.26	5.322	20	
39	5.26	5.303	20	
40	5.26	5.611	20	
41	5.26	5.659	20	
42	5.26	5.308	20	
43	5.26	5.576	20	
44	5.26	5.421	20	
45	5.26	5.632	20	
46	5.26	5.59	20	
47	5.26	5.677	20	

48	5.26	5.584	20	
49	5.26	5.717	20	
50	5.26	5.441	20	
51	5.26	5.531	20	
52	5.26	5.472	20	
53	5.26	5.323	20	
54	5.26	5.437	20	
55	5.26	5.481	20	
56	5.26	5.459	20	
57	5.26	5.419	20	
58	5.26	5.685	20	
59	5.26	5.562	20	
60	5.26	5.469	20	
61	5.26	5.538	20	
62	5.26	5.356	20	
63	5.26	5.331	20	
64	5.26	5.42	20	
65	5.26	5.639	20	
66	5.26	5.297	20	
67	5.26	5.351	20	
68	5.26	5.513	20	
69	5.26	5.402	20	
70	5.26	5.462	20	
71	5.26	5.307	20	
72	5.26	5.655	20	
73	5.26	5.61	20	
74	5.26	5.681	20	
75	5.26	5.319	20	
76	5.26	5.686	20	
77	5.26	5.693	20	
78	5.26	5.348	20	
79	5.26	5.267	20	*
80	5.26	5.436	20	
81	5.26	5.721	20	
82	5.26	5.357	20	
83	5.26	5.713	20	
84	5.26	5.281	20	
85	5.26	5.398	20	
86	5.26	5.342	20	
87	5.26	5.458	20	
88	5.26	5.554	20	
89	5.26	5.404	20	
90	5.26	5.316	20	
91	5.26	5.6	20	
92	5.26	5.558	20	
93	5.26	5.691	20	
94	5.26	5.548	20	
95	5.26	5.349	20	
96	5.26	5.646	20	
97	5.26	5.326	20	
98	5.26	5.273	20	
99	5.26	5.664	20	
100	5.26	5.415	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.42	20	
2	5.26	5.296	20	
3	5.26	5.288	20	
4	5.26	5.324	20	
5	5.26	5.548	20	
6	5.26	5.647	20	
7	5.26	5.424	20	
8	5.26	5.453	20	
9	5.26	5.61	20	
10	5.26	5.469	20	
11	5.26	5.5	20	
12	5.26	5.53	20	
13	5.26	5.47	20	
14	5.26	5.668	20	
15	5.26	5.265	20	*
16	5.26	5.274	20	
17	5.26	5.664	20	
18	5.26	5.682	20	
19	5.26	5.466	20	
20	5.26	5.578	20	
21	5.26	5.513	20	
22	5.26	5.712	20	
23	5.26	5.343	20	
24	5.26	5.302	20	
25	5.26	5.461	20	
26	5.26	5.551	20	
27	5.26	5.257	20	*
28	5.26	5.356	20	
29	5.26	5.518	20	
30	5.26	5.474	20	
31	5.26	5.67	20	
32	5.26	5.528	20	
33	5.26	5.328	20	
34	5.26	5.312	20	
35	5.26	5.504	20	
36	5.26	5.497	20	
37	5.26	5.516	20	
38	5.26	5.596	20	
39	5.26	5.549	20	
40	5.26	5.646	20	
41	5.26	5.579	20	
42	5.26	5.582	20	
43	5.26	5.276	20	
44	5.26	5.659	20	
45	5.26	5.363	20	
46	5.26	5.537	20	
47	5.26	5.366	20	

48	5.26	5.656	20	
49	5.26	5.669	20	
50	5.26	5.335	20	
51	5.26	5.428	20	
52	5.26	5.572	20	
53	5.26	5.605	20	
54	5.26	5.455	20	
55	5.26	5.612	20	
56	5.26	5.407	20	
57	5.26	5.352	20	
58	5.26	5.686	20	
59	5.26	5.315	20	
60	5.26	5.559	20	
61	5.26	5.515	20	
62	5.26	5.511	20	
63	5.26	5.451	20	
64	5.26	5.291	20	
65	5.26	5.665	20	
66	5.26	5.298	20	
67	5.26	5.653	20	
68	5.26	5.364	20	
69	5.26	5.44	20	
70	5.26	5.266	20	*
71	5.26	5.355	20	
72	5.26	5.571	20	
73	5.26	5.562	20	
74	5.26	5.479	20	
75	5.26	5.458	20	
76	5.26	5.543	20	
77	5.26	5.384	20	
78	5.26	5.318	20	
79	5.26	5.396	20	
80	5.26	5.492	20	
81	5.26	5.72	20	
82	5.26	5.382	20	
83	5.26	5.413	20	
84	5.26	5.372	20	
85	5.26	5.285	20	
86	5.26	5.416	20	
87	5.26	5.331	20	
88	5.26	5.423	20	
89	5.26	5.351	20	
90	5.26	5.69	20	
91	5.26	5.35	20	
92	5.26	5.463	20	
93	5.26	5.412	20	
94	5.26	5.467	20	
95	5.26	5.41	20	
96	5.26	5.487	20	
97	5.26	5.427	20	
98	5.26	5.573	20	
99	5.26	5.452	20	
100	5.26	5.615	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.51	20	
2	5.26	5.471	20	
3	5.26	5.526	20	
4	5.26	5.641	20	
5	5.26	5.519	20	
6	5.26	5.633	20	
7	5.26	5.619	20	
8	5.26	5.286	20	
9	5.26	5.448	20	
10	5.26	5.423	20	
11	5.26	5.677	20	
12	5.26	5.4	20	
13	5.26	5.263	20	*
14	5.26	5.474	20	
15	5.26	5.643	20	
16	5.26	5.594	20	
17	5.26	5.585	20	
18	5.26	5.453	20	
19	5.26	5.64	20	
20	5.26	5.72	20	
21	5.26	5.525	20	
22	5.26	5.685	20	
23	5.26	5.42	20	
24	5.26	5.483	20	
25	5.26	5.702	20	
26	5.26	5.524	20	
27	5.26	5.444	20	
28	5.26	5.716	20	
29	5.26	5.655	20	
30	5.26	5.403	20	
31	5.26	5.376	20	
32	5.26	5.294	20	
33	5.26	5.558	20	
34	5.26	5.572	20	
35	5.26	5.679	20	
36	5.26	5.676	20	
37	5.26	5.417	20	
38	5.26	5.32	20	
39	5.26	5.288	20	
40	5.26	5.413	20	
41	5.26	5.657	20	
42	5.26	5.264	20	*
43	5.26	5.498	20	
44	5.26	5.438	20	
45	5.26	5.361	20	
46	5.26	5.53	20	
47	5.26	5.419	20	

48	5.26	5.672	20	
49	5.26	5.3	20	
50	5.26	5.364	20	
51	5.26	5.654	20	
52	5.26	5.54	20	
53	5.26	5.599	20	
54	5.26	5.369	20	
55	5.26	5.673	20	
56	5.26	5.35	20	
57	5.26	5.618	20	
58	5.26	5.723	20	
59	5.26	5.482	20	
60	5.26	5.308	20	
61	5.26	5.718	20	
62	5.26	5.516	20	
63	5.26	5.31	20	
64	5.26	5.616	20	
65	5.26	5.374	20	
66	5.26	5.319	20	
67	5.26	5.433	20	
68	5.26	5.707	20	
69	5.26	5.338	20	
70	5.26	5.696	20	
71	5.26	5.328	20	
72	5.26	5.531	20	
73	5.26	5.275	20	
74	5.26	5.571	20	
75	5.26	5.493	20	
76	5.26	5.529	20	
77	5.26	5.272	20	
78	5.26	5.671	20	
79	5.26	5.437	20	
80	5.26	5.65	20	
81	5.26	5.615	20	
82	5.26	5.515	20	
83	5.26	5.49	20	
84	5.26	5.391	20	
85	5.26	5.427	20	
86	5.26	5.261	20	*
87	5.26	5.316	20	
88	5.26	5.393	20	
89	5.26	5.623	20	
90	5.26	5.276	20	
91	5.26	5.486	20	
92	5.26	5.268	20	*
93	5.26	5.631	20	
94	5.26	5.613	20	
95	5.26	5.712	20	
96	5.26	5.351	20	
97	5.26	5.491	20	
98	5.26	5.502	20	
99	5.26	5.301	20	
100	5.26	5.315	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.55	20	
2	5.26	5.39	20	
3	5.26	5.61	20	
4	5.26	5.576	20	
5	5.26	5.336	20	
6	5.26	5.475	20	
7	5.26	5.671	20	
8	5.26	5.687	20	
9	5.26	5.587	20	
10	5.26	5.427	20	
11	5.26	5.296	20	
12	5.26	5.45	20	
13	5.26	5.567	20	
14	5.26	5.66	20	
15	5.26	5.287	20	
16	5.26	5.521	20	
17	5.26	5.615	20	
18	5.26	5.57	20	
19	5.26	5.428	20	
20	5.26	5.294	20	
21	5.26	5.374	20	
22	5.26	5.259	20	*
23	5.26	5.669	20	
24	5.26	5.395	20	
25	5.26	5.51	20	
26	5.26	5.629	20	
27	5.26	5.479	20	
28	5.26	5.348	20	
29	5.26	5.376	20	
30	5.26	5.575	20	
31	5.26	5.662	20	
32	5.26	5.531	20	
33	5.26	5.255	20	*
34	5.26	5.42	20	
35	5.26	5.305	20	
36	5.26	5.616	20	
37	5.26	5.261	20	*
38	5.26	5.477	20	
39	5.26	5.398	20	
40	5.26	5.589	20	
41	5.26	5.253	20	*
42	5.26	5.344	20	
43	5.26	5.578	20	
44	5.26	5.69	20	
45	5.26	5.266	20	*
46	5.26	5.363	20	
47	5.26	5.486	20	

48	5.26	5.556	20	
49	5.26	5.361	20	
50	5.26	5.618	20	
51	5.26	5.346	20	
52	5.26	5.634	20	
53	5.26	5.401	20	
54	5.26	5.593	20	
55	5.26	5.655	20	
56	5.26	5.424	20	
57	5.26	5.301	20	
58	5.26	5.443	20	
59	5.26	5.647	20	
60	5.26	5.31	20	
61	5.26	5.337	20	
62	5.26	5.58	20	
63	5.26	5.541	20	
64	5.26	5.52	20	
65	5.26	5.297	20	
66	5.26	5.44	20	
67	5.26	5.357	20	
68	5.26	5.581	20	
69	5.26	5.36	20	
70	5.26	5.282	20	
71	5.26	5.603	20	
72	5.26	5.304	20	
73	5.26	5.693	20	
74	5.26	5.303	20	
75	5.26	5.508	20	
76	5.26	5.723	20	
77	5.26	5.387	20	
78	5.26	5.333	20	
79	5.26	5.278	20	
80	5.26	5.588	20	
81	5.26	5.714	20	
82	5.26	5.68	20	
83	5.26	5.47	20	
84	5.26	5.529	20	
85	5.26	5.557	20	
86	5.26	5.463	20	
87	5.26	5.25	20	*
88	5.26	5.586	20	
89	5.26	5.525	20	
90	5.26	5.613	20	
91	5.26	5.623	20	
92	5.26	5.704	20	
93	5.26	5.716	20	
94	5.26	5.33	20	
95	5.26	5.4	20	
96	5.26	5.538	20	
97	5.26	5.594	20	
98	5.26	5.721	20	
99	5.26	5.715	20	
100	5.26	5.417	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.557	20	
2	5.26	5.62	20	
3	5.26	5.671	20	
4	5.26	5.276	20	
5	5.26	5.324	20	
6	5.26	5.265	20	*
7	5.26	5.459	20	
8	5.26	5.307	20	
9	5.26	5.392	20	
10	5.26	5.391	20	
11	5.26	5.46	20	
12	5.26	5.597	20	
13	5.26	5.449	20	
14	5.26	5.534	20	
15	5.26	5.707	20	
16	5.26	5.555	20	
17	5.26	5.618	20	
18	5.26	5.305	20	
19	5.26	5.462	20	
20	5.26	5.698	20	
21	5.26	5.335	20	
22	5.26	5.545	20	
23	5.26	5.411	20	
24	5.26	5.326	20	
25	5.26	5.374	20	
26	5.26	5.492	20	
27	5.26	5.5	20	
28	5.26	5.502	20	
29	5.26	5.679	20	
30	5.26	5.609	20	
31	5.26	5.603	20	
32	5.26	5.484	20	
33	5.26	5.564	20	
34	5.26	5.696	20	
35	5.26	5.648	20	
36	5.26	5.489	20	
37	5.26	5.43	20	
38	5.26	5.467	20	
39	5.26	5.253	20	*
40	5.26	5.586	20	
41	5.26	5.526	20	
42	5.26	5.608	20	
43	5.26	5.352	20	
44	5.26	5.705	20	
45	5.26	5.315	20	
46	5.26	5.558	20	
47	5.26	5.494	20	

48	5.26	5.349	20	
49	5.26	5.338	20	
50	5.26	5.569	20	
51	5.26	5.279	20	
52	5.26	5.632	20	
53	5.26	5.409	20	
54	5.26	5.702	20	
55	5.26	5.507	20	
56	5.26	5.657	20	
57	5.26	5.424	20	
58	5.26	5.653	20	
59	5.26	5.491	20	
60	5.26	5.31	20	
61	5.26	5.365	20	
62	5.26	5.376	20	
63	5.26	5.514	20	
64	5.26	5.521	20	
65	5.26	5.509	20	
66	5.26	5.595	20	
67	5.26	5.575	20	
68	5.26	5.626	20	
69	5.26	5.44	20	
70	5.26	5.334	20	
71	5.26	5.677	20	
72	5.26	5.402	20	
73	5.26	5.395	20	
74	5.26	5.341	20	
75	5.26	5.33	20	
76	5.26	5.295	20	
77	5.26	5.331	20	
78	5.26	5.288	20	
79	5.26	5.622	20	
80	5.26	5.587	20	
81	5.26	5.604	20	
82	5.26	5.536	20	
83	5.26	5.66	20	
84	5.26	5.435	20	
85	5.26	5.381	20	
86	5.26	5.717	20	
87	5.26	5.385	20	
88	5.26	5.682	20	
89	5.26	5.441	20	
90	5.26	5.524	20	
91	5.26	5.415	20	
92	5.26	5.576	20	
93	5.26	5.686	20	
94	5.26	5.384	20	
95	5.26	5.572	20	
96	5.26	5.283	20	
97	5.26	5.667	20	
98	5.26	5.706	20	
99	5.26	5.322	20	
100	5.26	5.463	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.319	20	
2	5.26	5.649	20	
3	5.26	5.619	20	
4	5.26	5.575	20	
5	5.26	5.673	20	
6	5.26	5.646	20	
7	5.26	5.47	20	
8	5.26	5.532	20	
9	5.26	5.614	20	
10	5.26	5.462	20	
11	5.26	5.385	20	
12	5.26	5.4	20	
13	5.26	5.638	20	
14	5.26	5.69	20	
15	5.26	5.252	20	*
16	5.26	5.552	20	
17	5.26	5.338	20	
18	5.26	5.263	20	*
19	5.26	5.327	20	
20	5.26	5.554	20	
21	5.26	5.325	20	
22	5.26	5.393	20	
23	5.26	5.685	20	
24	5.26	5.718	20	
25	5.26	5.653	20	
26	5.26	5.644	20	
27	5.26	5.384	20	
28	5.26	5.655	20	
29	5.26	5.411	20	
30	5.26	5.437	20	
31	5.26	5.617	20	
32	5.26	5.546	20	
33	5.26	5.641	20	
34	5.26	5.415	20	
35	5.26	5.344	20	
36	5.26	5.717	20	
37	5.26	5.38	20	
38	5.26	5.275	20	
39	5.26	5.611	20	
40	5.26	5.291	20	
41	5.26	5.477	20	
42	5.26	5.6	20	
43	5.26	5.391	20	
44	5.26	5.507	20	
45	5.26	5.707	20	
46	5.26	5.482	20	
47	5.26	5.609	20	

48	5.26	5.665	20	
49	5.26	5.624	20	
50	5.26	5.537	20	
51	5.26	5.599	20	
52	5.26	5.658	20	
53	5.26	5.256	20	*
54	5.26	5.543	20	
55	5.26	5.511	20	
56	5.26	5.503	20	
57	5.26	5.324	20	
58	5.26	5.492	20	
59	5.26	5.329	20	
60	5.26	5.381	20	
61	5.26	5.553	20	
62	5.26	5.414	20	
63	5.26	5.445	20	
64	5.26	5.654	20	
65	5.26	5.696	20	
66	5.26	5.469	20	
67	5.26	5.254	20	*
68	5.26	5.308	20	
69	5.26	5.438	20	
70	5.26	5.371	20	
71	5.26	5.662	20	
72	5.26	5.679	20	
73	5.26	5.452	20	
74	5.26	5.463	20	
75	5.26	5.633	20	
76	5.26	5.49	20	
77	5.26	5.508	20	
78	5.26	5.596	20	
79	5.26	5.683	20	
80	5.26	5.457	20	
81	5.26	5.398	20	
82	5.26	5.632	20	
83	5.26	5.595	20	
84	5.26	5.664	20	
85	5.26	5.476	20	
86	5.26	5.365	20	
87	5.26	5.261	20	*
88	5.26	5.555	20	
89	5.26	5.52	20	
90	5.26	5.551	20	
91	5.26	5.349	20	
92	5.26	5.453	20	
93	5.26	5.354	20	
94	5.26	5.455	20	
95	5.26	5.698	20	
96	5.26	5.29	20	
97	5.26	5.51	20	
98	5.26	5.564	20	
99	5.26	5.382	20	
100	5.26	5.257	20	*

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.321	20	
2	5.26	5.294	20	
3	5.26	5.451	20	
4	5.26	5.511	20	
5	5.26	5.701	20	
6	5.26	5.284	20	
7	5.26	5.631	20	
8	5.26	5.34	20	
9	5.26	5.687	20	
10	5.26	5.384	20	
11	5.26	5.517	20	
12	5.26	5.528	20	
13	5.26	5.372	20	
14	5.26	5.593	20	
15	5.26	5.348	20	
16	5.26	5.371	20	
17	5.26	5.571	20	
18	5.26	5.68	20	
19	5.26	5.618	20	
20	5.26	5.577	20	
21	5.26	5.552	20	
22	5.26	5.285	20	
23	5.26	5.28	20	
24	5.26	5.334	20	
25	5.26	5.323	20	
26	5.26	5.402	20	
27	5.26	5.672	20	
28	5.26	5.471	20	
29	5.26	5.554	20	
30	5.26	5.502	20	
31	5.26	5.38	20	
32	5.26	5.601	20	
33	5.26	5.466	20	
34	5.26	5.589	20	
35	5.26	5.265	20	*
36	5.26	5.557	20	
37	5.26	5.302	20	
38	5.26	5.315	20	
39	5.26	5.461	20	
40	5.26	5.317	20	
41	5.26	5.621	20	
42	5.26	5.661	20	
43	5.26	5.4	20	
44	5.26	5.292	20	
45	5.26	5.532	20	
46	5.26	5.67	20	
47	5.26	5.473	20	

48	5.26	5.647	20	
49	5.26	5.626	20	
50	5.26	5.704	20	
51	5.26	5.693	20	
52	5.26	5.71	20	
53	5.26	5.333	20	
54	5.26	5.301	20	
55	5.26	5.418	20	
56	5.26	5.395	20	
57	5.26	5.553	20	
58	5.26	5.722	20	
59	5.26	5.518	20	
60	5.26	5.563	20	
61	5.26	5.428	20	
62	5.26	5.625	20	
63	5.26	5.347	20	
64	5.26	5.366	20	
65	5.26	5.414	20	
66	5.26	5.646	20	
67	5.26	5.31	20	
68	5.26	5.636	20	
69	5.26	5.454	20	
70	5.26	5.714	20	
71	5.26	5.624	20	
72	5.26	5.406	20	
73	5.26	5.671	20	
74	5.26	5.5	20	
75	5.26	5.61	20	
76	5.26	5.535	20	
77	5.26	5.37	20	
78	5.26	5.579	20	
79	5.26	5.272	20	
80	5.26	5.415	20	
81	5.26	5.446	20	
82	5.26	5.29	20	
83	5.26	5.286	20	
84	5.26	5.602	20	
85	5.26	5.41	20	
86	5.26	5.683	20	
87	5.26	5.467	20	
88	5.26	5.547	20	
89	5.26	5.459	20	
90	5.26	5.639	20	
91	5.26	5.356	20	
92	5.26	5.533	20	
93	5.26	5.707	20	
94	5.26	5.599	20	
95	5.26	5.585	20	
96	5.26	5.682	20	
97	5.26	5.409	20	
98	5.26	5.337	20	
99	5.26	5.57	20	
100	5.26	5.642	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.567	20	
2	5.26	5.711	20	
3	5.26	5.34	20	
4	5.26	5.504	20	
5	5.26	5.396	20	
6	5.26	5.269	20	*
7	5.26	5.517	20	
8	5.26	5.302	20	
9	5.26	5.434	20	
10	5.26	5.425	20	
11	5.26	5.461	20	
12	5.26	5.291	20	
13	5.26	5.496	20	
14	5.26	5.637	20	
15	5.26	5.718	20	
16	5.26	5.571	20	
17	5.26	5.534	20	
18	5.26	5.255	20	*
19	5.26	5.676	20	
20	5.26	5.314	20	
21	5.26	5.453	20	
22	5.26	5.331	20	
23	5.26	5.619	20	
24	5.26	5.267	20	*
25	5.26	5.313	20	
26	5.26	5.634	20	
27	5.26	5.283	20	
28	5.26	5.722	20	
29	5.26	5.253	20	*
30	5.26	5.433	20	
31	5.26	5.664	20	
32	5.26	5.557	20	
33	5.26	5.703	20	
34	5.26	5.413	20	
35	5.26	5.648	20	
36	5.26	5.589	20	
37	5.26	5.447	20	
38	5.26	5.368	20	
39	5.26	5.585	20	
40	5.26	5.423	20	
41	5.26	5.632	20	
42	5.26	5.422	20	
43	5.26	5.616	20	
44	5.26	5.667	20	
45	5.26	5.398	20	
46	5.26	5.299	20	
47	5.26	5.33	20	

48	5.26	5.502	20	
49	5.26	5.527	20	
50	5.26	5.671	20	
51	5.26	5.64	20	
52	5.26	5.337	20	
53	5.26	5.439	20	
54	5.26	5.265	20	*
55	5.26	5.535	20	
56	5.26	5.509	20	
57	5.26	5.318	20	
58	5.26	5.459	20	
59	5.26	5.614	20	
60	5.26	5.553	20	
61	5.26	5.443	20	
62	5.26	5.712	20	
63	5.26	5.44	20	
64	5.26	5.476	20	
65	5.26	5.695	20	
66	5.26	5.45	20	
67	5.26	5.449	20	
68	5.26	5.575	20	
69	5.26	5.625	20	
70	5.26	5.258	20	*
71	5.26	5.692	20	
72	5.26	5.324	20	
73	5.26	5.378	20	
74	5.26	5.261	20	*
75	5.26	5.552	20	
76	5.26	5.694	20	
77	5.26	5.418	20	
78	5.26	5.691	20	
79	5.26	5.488	20	
80	5.26	5.486	20	
81	5.26	5.448	20	
82	5.26	5.622	20	
83	5.26	5.327	20	
84	5.26	5.393	20	
85	5.26	5.499	20	
86	5.26	5.537	20	
87	5.26	5.576	20	
88	5.26	5.472	20	
89	5.26	5.278	20	
90	5.26	5.32	20	
91	5.26	5.468	20	
92	5.26	5.46	20	
93	5.26	5.592	20	
94	5.26	5.661	20	
95	5.26	5.682	20	
96	5.26	5.474	20	
97	5.26	5.28	20	
98	5.26	5.568	20	
99	5.26	5.611	20	
100	5.26	5.615	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.375	20	
2	5.26	5.372	20	
3	5.26	5.499	20	
4	5.26	5.381	20	
5	5.26	5.474	20	
6	5.26	5.267	20	*
7	5.26	5.256	20	*
8	5.26	5.384	20	
9	5.26	5.301	20	
10	5.26	5.716	20	
11	5.26	5.438	20	
12	5.26	5.703	20	
13	5.26	5.564	20	
14	5.26	5.599	20	
15	5.26	5.333	20	
16	5.26	5.254	20	*
17	5.26	5.27	20	*
18	5.26	5.396	20	
19	5.26	5.663	20	
20	5.26	5.519	20	
21	5.26	5.691	20	
22	5.26	5.524	20	
23	5.26	5.339	20	
24	5.26	5.376	20	
25	5.26	5.616	20	
26	5.26	5.511	20	
27	5.26	5.262	20	*
28	5.26	5.695	20	
29	5.26	5.593	20	
30	5.26	5.253	20	*
31	5.26	5.348	20	
32	5.26	5.326	20	
33	5.26	5.307	20	
34	5.26	5.619	20	
35	5.26	5.508	20	
36	5.26	5.331	20	
37	5.26	5.263	20	*
38	5.26	5.62	20	
39	5.26	5.719	20	
40	5.26	5.694	20	
41	5.26	5.471	20	
42	5.26	5.275	20	
43	5.26	5.463	20	
44	5.26	5.412	20	
45	5.26	5.582	20	
46	5.26	5.63	20	
47	5.26	5.586	20	

48	5.26	5.427	20	
49	5.26	5.531	20	
50	5.26	5.579	20	
51	5.26	5.518	20	
52	5.26	5.522	20	
53	5.26	5.527	20	
54	5.26	5.666	20	
55	5.26	5.314	20	
56	5.26	5.313	20	
57	5.26	5.684	20	
58	5.26	5.54	20	
59	5.26	5.309	20	
60	5.26	5.558	20	
61	5.26	5.37	20	
62	5.26	5.362	20	
63	5.26	5.48	20	
64	5.26	5.661	20	
65	5.26	5.294	20	
66	5.26	5.352	20	
67	5.26	5.617	20	
68	5.26	5.409	20	
69	5.26	5.491	20	
70	5.26	5.515	20	
71	5.26	5.268	20	*
72	5.26	5.72	20	
73	5.26	5.264	20	*
74	5.26	5.71	20	
75	5.26	5.7	20	
76	5.26	5.486	20	
77	5.26	5.42	20	
78	5.26	5.546	20	
79	5.26	5.277	20	
80	5.26	5.432	20	
81	5.26	5.55	20	
82	5.26	5.637	20	
83	5.26	5.675	20	
84	5.26	5.685	20	
85	5.26	5.366	20	
86	5.26	5.686	20	
87	5.26	5.426	20	
88	5.26	5.595	20	
89	5.26	5.323	20	
90	5.26	5.543	20	
91	5.26	5.587	20	
92	5.26	5.565	20	
93	5.26	5.424	20	
94	5.26	5.34	20	
95	5.26	5.625	20	
96	5.26	5.298	20	
97	5.26	5.345	20	
98	5.26	5.548	20	
99	5.26	5.392	20	
100	5.26	5.588	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.418	20	
2	5.26	5.65	20	
3	5.26	5.54	20	
4	5.26	5.58	20	
5	5.26	5.408	20	
6	5.26	5.619	20	
7	5.26	5.274	20	
8	5.26	5.483	20	
9	5.26	5.364	20	
10	5.26	5.366	20	
11	5.26	5.573	20	
12	5.26	5.525	20	
13	5.26	5.712	20	
14	5.26	5.432	20	
15	5.26	5.37	20	
16	5.26	5.422	20	
17	5.26	5.567	20	
18	5.26	5.706	20	
19	5.26	5.541	20	
20	5.26	5.31	20	
21	5.26	5.334	20	
22	5.26	5.544	20	
23	5.26	5.648	20	
24	5.26	5.306	20	
25	5.26	5.345	20	
26	5.26	5.606	20	
27	5.26	5.548	20	
28	5.26	5.579	20	
29	5.26	5.509	20	
30	5.26	5.527	20	
31	5.26	5.411	20	
32	5.26	5.685	20	
33	5.26	5.282	20	
34	5.26	5.628	20	
35	5.26	5.335	20	
36	5.26	5.336	20	
37	5.26	5.592	20	
38	5.26	5.569	20	
39	5.26	5.433	20	
40	5.26	5.532	20	
41	5.26	5.678	20	
42	5.26	5.64	20	
43	5.26	5.42	20	
44	5.26	5.482	20	
45	5.26	5.518	20	
46	5.26	5.522	20	
47	5.26	5.684	20	

48	5.26	5.473	20	
49	5.26	5.572	20	
50	5.26	5.452	20	
51	5.26	5.566	20	
52	5.26	5.709	20	
53	5.26	5.357	20	
54	5.26	5.395	20	
55	5.26	5.348	20	
56	5.26	5.347	20	
57	5.26	5.582	20	
58	5.26	5.679	20	
59	5.26	5.587	20	
60	5.26	5.293	20	
61	5.26	5.51	20	
62	5.26	5.604	20	
63	5.26	5.302	20	
64	5.26	5.349	20	
65	5.26	5.657	20	
66	5.26	5.396	20	
67	5.26	5.713	20	
68	5.26	5.574	20	
69	5.26	5.261	20	*
70	5.26	5.56	20	
71	5.26	5.461	20	
72	5.26	5.365	20	
73	5.26	5.299	20	
74	5.26	5.71	20	
75	5.26	5.702	20	
76	5.26	5.593	20	
77	5.26	5.446	20	
78	5.26	5.447	20	
79	5.26	5.252	20	*
80	5.26	5.278	20	
81	5.26	5.251	20	*
82	5.26	5.409	20	
83	5.26	5.271	20	
84	5.26	5.414	20	
85	5.26	5.272	20	
86	5.26	5.545	20	
87	5.26	5.289	20	
88	5.26	5.584	20	
89	5.26	5.721	20	
90	5.26	5.465	20	
91	5.26	5.494	20	
92	5.26	5.575	20	
93	5.26	5.329	20	
94	5.26	5.693	20	
95	5.26	5.323	20	
96	5.26	5.611	20	
97	5.26	5.481	20	
98	5.26	5.523	20	
99	5.26	5.704	20	
100	5.26	5.716	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.384	20	
2	5.26	5.708	20	
3	5.26	5.623	20	
4	5.26	5.271	20	
5	5.26	5.368	20	
6	5.26	5.493	20	
7	5.26	5.687	20	
8	5.26	5.561	20	
9	5.26	5.534	20	
10	5.26	5.682	20	
11	5.26	5.59	20	
12	5.26	5.56	20	
13	5.26	5.399	20	
14	5.26	5.558	20	
15	5.26	5.525	20	
16	5.26	5.48	20	
17	5.26	5.619	20	
18	5.26	5.367	20	
19	5.26	5.544	20	
20	5.26	5.539	20	
21	5.26	5.542	20	
22	5.26	5.347	20	
23	5.26	5.33	20	
24	5.26	5.716	20	
25	5.26	5.458	20	
26	5.26	5.258	20	*
27	5.26	5.304	20	
28	5.26	5.481	20	
29	5.26	5.313	20	
30	5.26	5.391	20	
31	5.26	5.298	20	
32	5.26	5.338	20	
33	5.26	5.316	20	
34	5.26	5.409	20	
35	5.26	5.711	20	
36	5.26	5.532	20	
37	5.26	5.672	20	
38	5.26	5.309	20	
39	5.26	5.602	20	
40	5.26	5.478	20	
41	5.26	5.521	20	
42	5.26	5.537	20	
43	5.26	5.609	20	
44	5.26	5.498	20	
45	5.26	5.47	20	
46	5.26	5.635	20	
47	5.26	5.257	20	*

48	5.26	5.67	20	
49	5.26	5.636	20	
50	5.26	5.392	20	
51	5.26	5.259	20	*
52	5.26	5.492	20	
53	5.26	5.518	20	
54	5.26	5.269	20	*
55	5.26	5.513	20	
56	5.26	5.574	20	
57	5.26	5.589	20	
58	5.26	5.659	20	
59	5.26	5.717	20	
60	5.26	5.38	20	
61	5.26	5.441	20	
62	5.26	5.643	20	
63	5.26	5.299	20	
64	5.26	5.432	20	
65	5.26	5.581	20	
66	5.26	5.71	20	
67	5.26	5.637	20	
68	5.26	5.516	20	
69	5.26	5.359	20	
70	5.26	5.49	20	
71	5.26	5.277	20	
72	5.26	5.696	20	
73	5.26	5.477	20	
74	5.26	5.448	20	
75	5.26	5.652	20	
76	5.26	5.35	20	
77	5.26	5.489	20	
78	5.26	5.372	20	
79	5.26	5.629	20	
80	5.26	5.592	20	
81	5.26	5.689	20	
82	5.26	5.253	20	*
83	5.26	5.65	20	
84	5.26	5.562	20	
85	5.26	5.507	20	
86	5.26	5.685	20	
87	5.26	5.634	20	
88	5.26	5.42	20	
89	5.26	5.256	20	*
90	5.26	5.58	20	
91	5.26	5.422	20	
92	5.26	5.575	20	
93	5.26	5.587	20	
94	5.26	5.289	20	
95	5.26	5.357	20	
96	5.26	5.325	20	
97	5.26	5.649	20	
98	5.26	5.517	20	
99	5.26	5.552	20	
100	5.26	5.646	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.303	20	
2	5.26	5.326	20	
3	5.26	5.416	20	
4	5.26	5.471	20	
5	5.26	5.638	20	
6	5.26	5.543	20	
7	5.26	5.686	20	
8	5.26	5.618	20	
9	5.26	5.698	20	
10	5.26	5.361	20	
11	5.26	5.603	20	
12	5.26	5.694	20	
13	5.26	5.333	20	
14	5.26	5.412	20	
15	5.26	5.405	20	
16	5.26	5.492	20	
17	5.26	5.648	20	
18	5.26	5.528	20	
19	5.26	5.68	20	
20	5.26	5.429	20	
21	5.26	5.705	20	
22	5.26	5.345	20	
23	5.26	5.308	20	
24	5.26	5.307	20	
25	5.26	5.35	20	
26	5.26	5.419	20	
27	5.26	5.296	20	
28	5.26	5.657	20	
29	5.26	5.639	20	
30	5.26	5.373	20	
31	5.26	5.298	20	
32	5.26	5.555	20	
33	5.26	5.634	20	
34	5.26	5.453	20	
35	5.26	5.396	20	
36	5.26	5.673	20	
37	5.26	5.642	20	
38	5.26	5.455	20	
39	5.26	5.413	20	
40	5.26	5.554	20	
41	5.26	5.616	20	
42	5.26	5.57	20	
43	5.26	5.592	20	
44	5.26	5.383	20	
45	5.26	5.619	20	
46	5.26	5.512	20	
47	5.26	5.289	20	

48	5.26	5.338	20	
49	5.26	5.473	20	
50	5.26	5.335	20	
51	5.26	5.678	20	
52	5.26	5.331	20	
53	5.26	5.545	20	
54	5.26	5.578	20	
55	5.26	5.682	20	
56	5.26	5.689	20	
57	5.26	5.666	20	
58	5.26	5.501	20	
59	5.26	5.37	20	
60	5.26	5.505	20	
61	5.26	5.283	20	
62	5.26	5.601	20	
63	5.26	5.658	20	
64	5.26	5.467	20	
65	5.26	5.52	20	
66	5.26	5.275	20	
67	5.26	5.526	20	
68	5.26	5.493	20	
69	5.26	5.365	20	
70	5.26	5.496	20	
71	5.26	5.661	20	
72	5.26	5.707	20	
73	5.26	5.339	20	
74	5.26	5.652	20	
75	5.26	5.39	20	
76	5.26	5.273	20	
77	5.26	5.27	20	*
78	5.26	5.389	20	
79	5.26	5.584	20	
80	5.26	5.582	20	
81	5.26	5.477	20	
82	5.26	5.513	20	
83	5.26	5.665	20	
84	5.26	5.434	20	
85	5.26	5.624	20	
86	5.26	5.449	20	
87	5.26	5.295	20	
88	5.26	5.711	20	
89	5.26	5.49	20	
90	5.26	5.28	20	
91	5.26	5.641	20	
92	5.26	5.343	20	
93	5.26	5.565	20	
94	5.26	5.61	20	
95	5.26	5.481	20	
96	5.26	5.674	20	
97	5.26	5.677	20	
98	5.26	5.586	20	
99	5.26	5.325	20	
100	5.26	5.583	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.321	20	
2	5.26	5.422	20	
3	5.26	5.526	20	
4	5.26	5.552	20	
5	5.26	5.499	20	
6	5.26	5.384	20	
7	5.26	5.614	20	
8	5.26	5.443	20	
9	5.26	5.301	20	
10	5.26	5.39	20	
11	5.26	5.691	20	
12	5.26	5.358	20	
13	5.26	5.302	20	
14	5.26	5.605	20	
15	5.26	5.342	20	
16	5.26	5.577	20	
17	5.26	5.484	20	
18	5.26	5.537	20	
19	5.26	5.298	20	
20	5.26	5.457	20	
21	5.26	5.569	20	
22	5.26	5.258	20	*
23	5.26	5.393	20	
24	5.26	5.565	20	
25	5.26	5.453	20	
26	5.26	5.651	20	
27	5.26	5.333	20	
28	5.26	5.679	20	
29	5.26	5.452	20	
30	5.26	5.625	20	
31	5.26	5.369	20	
32	5.26	5.522	20	
33	5.26	5.629	20	
34	5.26	5.361	20	
35	5.26	5.677	20	
36	5.26	5.702	20	
37	5.26	5.29	20	
38	5.26	5.579	20	
39	5.26	5.407	20	
40	5.26	5.38	20	
41	5.26	5.568	20	
42	5.26	5.27	20	*
43	5.26	5.686	20	
44	5.26	5.265	20	*
45	5.26	5.308	20	
46	5.26	5.599	20	
47	5.26	5.332	20	

48	5.26	5.657	20	
49	5.26	5.382	20	
50	5.26	5.712	20	
51	5.26	5.278	20	
52	5.26	5.463	20	
53	5.26	5.631	20	
54	5.26	5.699	20	
55	5.26	5.388	20	
56	5.26	5.536	20	
57	5.26	5.668	20	
58	5.26	5.251	20	*
59	5.26	5.672	20	
60	5.26	5.401	20	
61	5.26	5.708	20	
62	5.26	5.397	20	
63	5.26	5.598	20	
64	5.26	5.507	20	
65	5.26	5.476	20	
66	5.26	5.475	20	
67	5.26	5.715	20	
68	5.26	5.459	20	
69	5.26	5.673	20	
70	5.26	5.709	20	
71	5.26	5.517	20	
72	5.26	5.566	20	
73	5.26	5.392	20	
74	5.26	5.601	20	
75	5.26	5.423	20	
76	5.26	5.671	20	
77	5.26	5.57	20	
78	5.26	5.284	20	
79	5.26	5.688	20	
80	5.26	5.547	20	
81	5.26	5.59	20	
82	5.26	5.391	20	
83	5.26	5.667	20	
84	5.26	5.44	20	
85	5.26	5.378	20	
86	5.26	5.597	20	
87	5.26	5.64	20	
88	5.26	5.632	20	
89	5.26	5.336	20	
90	5.26	5.491	20	
91	5.26	5.486	20	
92	5.26	5.626	20	
93	5.26	5.428	20	
94	5.26	5.661	20	
95	5.26	5.669	20	
96	5.26	5.263	20	*
97	5.26	5.616	20	
98	5.26	5.61	20	
99	5.26	5.346	20	
100	5.26	5.585	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.287	20	
2	5.26	5.697	20	
3	5.26	5.303	20	
4	5.26	5.6	20	
5	5.26	5.561	20	
6	5.26	5.355	20	
7	5.26	5.683	20	
8	5.26	5.66	20	
9	5.26	5.278	20	
10	5.26	5.358	20	
11	5.26	5.646	20	
12	5.26	5.348	20	
13	5.26	5.38	20	
14	5.26	5.279	20	
15	5.26	5.371	20	
16	5.26	5.336	20	
17	5.26	5.514	20	
18	5.26	5.719	20	
19	5.26	5.494	20	
20	5.26	5.35	20	
21	5.26	5.708	20	
22	5.26	5.573	20	
23	5.26	5.509	20	
24	5.26	5.546	20	
25	5.26	5.632	20	
26	5.26	5.301	20	
27	5.26	5.403	20	
28	5.26	5.572	20	
29	5.26	5.517	20	
30	5.26	5.647	20	
31	5.26	5.628	20	
32	5.26	5.707	20	
33	5.26	5.67	20	
34	5.26	5.451	20	
35	5.26	5.406	20	
36	5.26	5.592	20	
37	5.26	5.681	20	
38	5.26	5.576	20	
39	5.26	5.7	20	
40	5.26	5.618	20	
41	5.26	5.26	20	*
42	5.26	5.492	20	
43	5.26	5.428	20	
44	5.26	5.662	20	
45	5.26	5.553	20	
46	5.26	5.367	20	
47	5.26	5.346	20	

48	5.26	5.383	20	
49	5.26	5.257	20	*
50	5.26	5.663	20	
51	5.26	5.432	20	
52	5.26	5.686	20	
53	5.26	5.627	20	
54	5.26	5.659	20	
55	5.26	5.462	20	
56	5.26	5.487	20	
57	5.26	5.507	20	
58	5.26	5.444	20	
59	5.26	5.4	20	
60	5.26	5.51	20	
61	5.26	5.361	20	
62	5.26	5.335	20	
63	5.26	5.614	20	
64	5.26	5.443	20	
65	5.26	5.591	20	
66	5.26	5.42	20	
67	5.26	5.454	20	
68	5.26	5.638	20	
69	5.26	5.587	20	
70	5.26	5.563	20	
71	5.26	5.648	20	
72	5.26	5.349	20	
73	5.26	5.679	20	
74	5.26	5.661	20	
75	5.26	5.549	20	
76	5.26	5.498	20	
77	5.26	5.53	20	
78	5.26	5.63	20	
79	5.26	5.342	20	
80	5.26	5.677	20	
81	5.26	5.442	20	
82	5.26	5.722	20	
83	5.26	5.306	20	
84	5.26	5.445	20	
85	5.26	5.369	20	
86	5.26	5.603	20	
87	5.26	5.559	20	
88	5.26	5.625	20	
89	5.26	5.314	20	
90	5.26	5.513	20	
91	5.26	5.671	20	
92	5.26	5.721	20	
93	5.26	5.463	20	
94	5.26	5.562	20	
95	5.26	5.281	20	
96	5.26	5.253	20	*
97	5.26	5.256	20	*
98	5.26	5.309	20	
99	5.26	5.489	20	
100	5.26	5.497	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.251	20	*
2	5.26	5.719	20	
3	5.26	5.412	20	
4	5.26	5.434	20	
5	5.26	5.399	20	
6	5.26	5.311	20	
7	5.26	5.477	20	
8	5.26	5.541	20	
9	5.26	5.307	20	
10	5.26	5.706	20	
11	5.26	5.489	20	
12	5.26	5.421	20	
13	5.26	5.685	20	
14	5.26	5.437	20	
15	5.26	5.553	20	
16	5.26	5.31	20	
17	5.26	5.667	20	
18	5.26	5.314	20	
19	5.26	5.498	20	
20	5.26	5.475	20	
21	5.26	5.384	20	
22	5.26	5.356	20	
23	5.26	5.458	20	
24	5.26	5.296	20	
25	5.26	5.619	20	
26	5.26	5.601	20	
27	5.26	5.594	20	
28	5.26	5.419	20	
29	5.26	5.694	20	
30	5.26	5.27	20	*
31	5.26	5.665	20	
32	5.26	5.342	20	
33	5.26	5.68	20	
34	5.26	5.532	20	
35	5.26	5.42	20	
36	5.26	5.712	20	
37	5.26	5.592	20	
38	5.26	5.464	20	
39	5.26	5.56	20	
40	5.26	5.326	20	
41	5.26	5.487	20	
42	5.26	5.545	20	
43	5.26	5.292	20	
44	5.26	5.352	20	
45	5.26	5.635	20	
46	5.26	5.52	20	
47	5.26	5.509	20	

48	5.26	5.696	20	
49	5.26	5.658	20	
50	5.26	5.707	20	
51	5.26	5.58	20	
52	5.26	5.724	20	
53	5.26	5.722	20	
54	5.26	5.268	20	*
55	5.26	5.272	20	
56	5.26	5.55	20	
57	5.26	5.552	20	
58	5.26	5.35	20	
59	5.26	5.261	20	*
60	5.26	5.493	20	
61	5.26	5.252	20	*
62	5.26	5.572	20	
63	5.26	5.39	20	
64	5.26	5.63	20	
65	5.26	5.383	20	
66	5.26	5.303	20	
67	5.26	5.598	20	
68	5.26	5.649	20	
69	5.26	5.524	20	
70	5.26	5.45	20	
71	5.26	5.57	20	
72	5.26	5.535	20	
73	5.26	5.702	20	
74	5.26	5.254	20	*
75	5.26	5.505	20	
76	5.26	5.329	20	
77	5.26	5.345	20	
78	5.26	5.514	20	
79	5.26	5.616	20	
80	5.26	5.324	20	
81	5.26	5.444	20	
82	5.26	5.512	20	
83	5.26	5.508	20	
84	5.26	5.705	20	
85	5.26	5.595	20	
86	5.26	5.389	20	
87	5.26	5.286	20	
88	5.26	5.415	20	
89	5.26	5.297	20	
90	5.26	5.443	20	
91	5.26	5.26	20	*
92	5.26	5.544	20	
93	5.26	5.308	20	
94	5.26	5.546	20	
95	5.26	5.54	20	
96	5.26	5.681	20	
97	5.26	5.643	20	
98	5.26	5.672	20	
99	5.26	5.585	20	
100	5.26	5.405	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.355	20	
2	5.26	5.605	20	
3	5.26	5.506	20	
4	5.26	5.685	20	
5	5.26	5.437	20	
6	5.26	5.257	20	*
7	5.26	5.709	20	
8	5.26	5.706	20	
9	5.26	5.319	20	
10	5.26	5.671	20	
11	5.26	5.419	20	
12	5.26	5.634	20	
13	5.26	5.445	20	
14	5.26	5.447	20	
15	5.26	5.377	20	
16	5.26	5.424	20	
17	5.26	5.383	20	
18	5.26	5.462	20	
19	5.26	5.454	20	
20	5.26	5.598	20	
21	5.26	5.528	20	
22	5.26	5.635	20	
23	5.26	5.522	20	
24	5.26	5.656	20	
25	5.26	5.575	20	
26	5.26	5.689	20	
27	5.26	5.405	20	
28	5.26	5.321	20	
29	5.26	5.585	20	
30	5.26	5.44	20	
31	5.26	5.415	20	
32	5.26	5.296	20	
33	5.26	5.41	20	
34	5.26	5.632	20	
35	5.26	5.481	20	
36	5.26	5.263	20	*
37	5.26	5.487	20	
38	5.26	5.633	20	
39	5.26	5.388	20	
40	5.26	5.719	20	
41	5.26	5.588	20	
42	5.26	5.534	20	
43	5.26	5.382	20	
44	5.26	5.549	20	
45	5.26	5.681	20	
46	5.26	5.464	20	
47	5.26	5.642	20	

48	5.26	5.606	20	
49	5.26	5.354	20	
50	5.26	5.484	20	
51	5.26	5.694	20	
52	5.26	5.256	20	*
53	5.26	5.449	20	
54	5.26	5.289	20	
55	5.26	5.423	20	
56	5.26	5.545	20	
57	5.26	5.46	20	
58	5.26	5.274	20	
59	5.26	5.584	20	
60	5.26	5.365	20	
61	5.26	5.682	20	
62	5.26	5.535	20	
63	5.26	5.318	20	
64	5.26	5.543	20	
65	5.26	5.565	20	
66	5.26	5.297	20	
67	5.26	5.311	20	
68	5.26	5.264	20	*
69	5.26	5.348	20	
70	5.26	5.677	20	
71	5.26	5.703	20	
72	5.26	5.519	20	
73	5.26	5.362	20	
74	5.26	5.468	20	
75	5.26	5.701	20	
76	5.26	5.655	20	
77	5.26	5.529	20	
78	5.26	5.309	20	
79	5.26	5.45	20	
80	5.26	5.279	20	
81	5.26	5.341	20	
82	5.26	5.536	20	
83	5.26	5.312	20	
84	5.26	5.546	20	
85	5.26	5.566	20	
86	5.26	5.448	20	
87	5.26	5.255	20	*
88	5.26	5.475	20	
89	5.26	5.509	20	
90	5.26	5.34	20	
91	5.26	5.576	20	
92	5.26	5.434	20	
93	5.26	5.571	20	
94	5.26	5.669	20	
95	5.26	5.622	20	
96	5.26	5.521	20	
97	5.26	5.714	20	
98	5.26	5.426	20	
99	5.26	5.27	20	*
100	5.26	5.617	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.377	20	
2	5.26	5.504	20	
3	5.26	5.519	20	
4	5.26	5.715	20	
5	5.26	5.581	20	
6	5.26	5.592	20	
7	5.26	5.634	20	
8	5.26	5.681	20	
9	5.26	5.421	20	
10	5.26	5.347	20	
11	5.26	5.565	20	
12	5.26	5.335	20	
13	5.26	5.267	20	*
14	5.26	5.621	20	
15	5.26	5.363	20	
16	5.26	5.719	20	
17	5.26	5.309	20	
18	5.26	5.724	20	
19	5.26	5.255	20	*
20	5.26	5.375	20	
21	5.26	5.645	20	
22	5.26	5.286	20	
23	5.26	5.586	20	
24	5.26	5.611	20	
25	5.26	5.619	20	
26	5.26	5.537	20	
27	5.26	5.687	20	
28	5.26	5.667	20	
29	5.26	5.263	20	*
30	5.26	5.425	20	
31	5.26	5.45	20	
32	5.26	5.548	20	
33	5.26	5.651	20	
34	5.26	5.411	20	
35	5.26	5.632	20	
36	5.26	5.569	20	
37	5.26	5.722	20	
38	5.26	5.399	20	
39	5.26	5.254	20	*
40	5.26	5.353	20	
41	5.26	5.323	20	
42	5.26	5.455	20	
43	5.26	5.559	20	
44	5.26	5.52	20	
45	5.26	5.659	20	
46	5.26	5.437	20	
47	5.26	5.582	20	

48	5.26	5.653	20	
49	5.26	5.657	20	
50	5.26	5.699	20	
51	5.26	5.464	20	
52	5.26	5.467	20	
53	5.26	5.262	20	*
54	5.26	5.525	20	
55	5.26	5.424	20	
56	5.26	5.618	20	
57	5.26	5.668	20	
58	5.26	5.368	20	
59	5.26	5.369	20	
60	5.26	5.33	20	
61	5.26	5.27	20	*
62	5.26	5.415	20	
63	5.26	5.477	20	
64	5.26	5.549	20	
65	5.26	5.691	20	
66	5.26	5.49	20	
67	5.26	5.508	20	
68	5.26	5.557	20	
69	5.26	5.371	20	
70	5.26	5.308	20	
71	5.26	5.545	20	
72	5.26	5.654	20	
73	5.26	5.609	20	
74	5.26	5.677	20	
75	5.26	5.59	20	
76	5.26	5.359	20	
77	5.26	5.492	20	
78	5.26	5.643	20	
79	5.26	5.67	20	
80	5.26	5.646	20	
81	5.26	5.716	20	
82	5.26	5.515	20	
83	5.26	5.329	20	
84	5.26	5.274	20	
85	5.26	5.509	20	
86	5.26	5.636	20	
87	5.26	5.501	20	
88	5.26	5.341	20	
89	5.26	5.684	20	
90	5.26	5.702	20	
91	5.26	5.472	20	
92	5.26	5.573	20	
93	5.26	5.298	20	
94	5.26	5.376	20	
95	5.26	5.524	20	
96	5.26	5.32	20	
97	5.26	5.598	20	
98	5.26	5.434	20	
99	5.26	5.392	20	
100	5.26	5.658	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.433	20	
2	5.26	5.692	20	
3	5.26	5.296	20	
4	5.26	5.558	20	
5	5.26	5.67	20	
6	5.26	5.617	20	
7	5.26	5.354	20	
8	5.26	5.545	20	
9	5.26	5.445	20	
10	5.26	5.518	20	
11	5.26	5.366	20	
12	5.26	5.417	20	
13	5.26	5.3	20	
14	5.26	5.307	20	
15	5.26	5.351	20	
16	5.26	5.584	20	
17	5.26	5.251	20	*
18	5.26	5.447	20	
19	5.26	5.477	20	
20	5.26	5.527	20	
21	5.26	5.546	20	
22	5.26	5.595	20	
23	5.26	5.577	20	
24	5.26	5.542	20	
25	5.26	5.585	20	
26	5.26	5.373	20	
27	5.26	5.358	20	
28	5.26	5.481	20	
29	5.26	5.625	20	
30	5.26	5.528	20	
31	5.26	5.353	20	
32	5.26	5.377	20	
33	5.26	5.565	20	
34	5.26	5.509	20	
35	5.26	5.679	20	
36	5.26	5.333	20	
37	5.26	5.321	20	
38	5.26	5.438	20	
39	5.26	5.543	20	
40	5.26	5.343	20	
41	5.26	5.49	20	
42	5.26	5.403	20	
43	5.26	5.328	20	
44	5.26	5.695	20	
45	5.26	5.637	20	
46	5.26	5.454	20	
47	5.26	5.59	20	

48	5.26	5.503	20	
49	5.26	5.698	20	
50	5.26	5.267	20	*
51	5.26	5.533	20	
52	5.26	5.498	20	
53	5.26	5.325	20	
54	5.26	5.612	20	
55	5.26	5.589	20	
56	5.26	5.283	20	
57	5.26	5.45	20	
58	5.26	5.699	20	
59	5.26	5.701	20	
60	5.26	5.416	20	
61	5.26	5.606	20	
62	5.26	5.655	20	
63	5.26	5.302	20	
64	5.26	5.407	20	
65	5.26	5.384	20	
66	5.26	5.395	20	
67	5.26	5.432	20	
68	5.26	5.298	20	
69	5.26	5.696	20	
70	5.26	5.571	20	
71	5.26	5.378	20	
72	5.26	5.511	20	
73	5.26	5.678	20	
74	5.26	5.398	20	
75	5.26	5.708	20	
76	5.26	5.468	20	
77	5.26	5.381	20	
78	5.26	5.592	20	
79	5.26	5.607	20	
80	5.26	5.596	20	
81	5.26	5.466	20	
82	5.26	5.516	20	
83	5.26	5.5	20	
84	5.26	5.714	20	
85	5.26	5.521	20	
86	5.26	5.513	20	
87	5.26	5.705	20	
88	5.26	5.253	20	*
89	5.26	5.367	20	
90	5.26	5.32	20	
91	5.26	5.383	20	
92	5.26	5.645	20	
93	5.26	5.376	20	
94	5.26	5.524	20	
95	5.26	5.64	20	
96	5.26	5.375	20	
97	5.26	5.332	20	
98	5.26	5.301	20	
99	5.26	5.391	20	
100	5.26	5.422	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.486	20	
2	5.26	5.648	20	
3	5.26	5.56	20	
4	5.26	5.504	20	
5	5.26	5.449	20	
6	5.26	5.326	20	
7	5.26	5.473	20	
8	5.26	5.366	20	
9	5.26	5.709	20	
10	5.26	5.29	20	
11	5.26	5.273	20	
12	5.26	5.522	20	
13	5.26	5.327	20	
14	5.26	5.265	20	*
15	5.26	5.432	20	
16	5.26	5.532	20	
17	5.26	5.51	20	
18	5.26	5.304	20	
19	5.26	5.495	20	
20	5.26	5.54	20	
21	5.26	5.536	20	
22	5.26	5.383	20	
23	5.26	5.38	20	
24	5.26	5.277	20	
25	5.26	5.573	20	
26	5.26	5.634	20	
27	5.26	5.555	20	
28	5.26	5.367	20	
29	5.26	5.46	20	
30	5.26	5.703	20	
31	5.26	5.708	20	
32	5.26	5.503	20	
33	5.26	5.285	20	
34	5.26	5.278	20	
35	5.26	5.569	20	
36	5.26	5.531	20	
37	5.26	5.605	20	
38	5.26	5.453	20	
39	5.26	5.582	20	
40	5.26	5.589	20	
41	5.26	5.655	20	
42	5.26	5.596	20	
43	5.26	5.646	20	
44	5.26	5.369	20	
45	5.26	5.469	20	
46	5.26	5.312	20	
47	5.26	5.498	20	

48	5.26	5.505	20	
49	5.26	5.492	20	
50	5.26	5.354	20	
51	5.26	5.348	20	
52	5.26	5.307	20	
53	5.26	5.658	20	
54	5.26	5.405	20	
55	5.26	5.487	20	
56	5.26	5.324	20	
57	5.26	5.314	20	
58	5.26	5.297	20	
59	5.26	5.373	20	
60	5.26	5.602	20	
61	5.26	5.396	20	
62	5.26	5.68	20	
63	5.26	5.565	20	
64	5.26	5.494	20	
65	5.26	5.656	20	
66	5.26	5.441	20	
67	5.26	5.716	20	
68	5.26	5.358	20	
69	5.26	5.481	20	
70	5.26	5.624	20	
71	5.26	5.5	20	
72	5.26	5.719	20	
73	5.26	5.657	20	
74	5.26	5.692	20	
75	5.26	5.518	20	
76	5.26	5.283	20	
77	5.26	5.664	20	
78	5.26	5.303	20	
79	5.26	5.318	20	
80	5.26	5.491	20	
81	5.26	5.514	20	
82	5.26	5.451	20	
83	5.26	5.427	20	
84	5.26	5.276	20	
85	5.26	5.681	20	
86	5.26	5.288	20	
87	5.26	5.544	20	
88	5.26	5.651	20	
89	5.26	5.527	20	
90	5.26	5.281	20	
91	5.26	5.661	20	
92	5.26	5.305	20	
93	5.26	5.345	20	
94	5.26	5.533	20	
95	5.26	5.676	20	
96	5.26	5.413	20	
97	5.26	5.328	20	
98	5.26	5.683	20	
99	5.26	5.301	20	
100	5.26	5.462	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.698	20	
2	5.26	5.444	20	
3	5.26	5.617	20	
4	5.26	5.389	20	
5	5.26	5.279	20	
6	5.26	5.66	20	
7	5.26	5.694	20	
8	5.26	5.638	20	
9	5.26	5.311	20	
10	5.26	5.253	20	*
11	5.26	5.275	20	
12	5.26	5.675	20	
13	5.26	5.284	20	
14	5.26	5.612	20	
15	5.26	5.522	20	
16	5.26	5.314	20	
17	5.26	5.626	20	
18	5.26	5.67	20	
19	5.26	5.494	20	
20	5.26	5.619	20	
21	5.26	5.701	20	
22	5.26	5.504	20	
23	5.26	5.348	20	
24	5.26	5.577	20	
25	5.26	5.61	20	
26	5.26	5.535	20	
27	5.26	5.369	20	
28	5.26	5.422	20	
29	5.26	5.316	20	
30	5.26	5.714	20	
31	5.26	5.523	20	
32	5.26	5.341	20	
33	5.26	5.397	20	
34	5.26	5.705	20	
35	5.26	5.351	20	
36	5.26	5.313	20	
37	5.26	5.255	20	*
38	5.26	5.332	20	
39	5.26	5.659	20	
40	5.26	5.395	20	
41	5.26	5.516	20	
42	5.26	5.349	20	
43	5.26	5.503	20	
44	5.26	5.319	20	
45	5.26	5.69	20	
46	5.26	5.599	20	
47	5.26	5.603	20	

48	5.26	5.277	20	
49	5.26	5.491	20	
50	5.26	5.674	20	
51	5.26	5.259	20	*
52	5.26	5.475	20	
53	5.26	5.597	20	
54	5.26	5.355	20	
55	5.26	5.251	20	*
56	5.26	5.478	20	
57	5.26	5.508	20	
58	5.26	5.309	20	
59	5.26	5.267	20	*
60	5.26	5.495	20	
61	5.26	5.429	20	
62	5.26	5.34	20	
63	5.26	5.317	20	
64	5.26	5.654	20	
65	5.26	5.632	20	
66	5.26	5.625	20	
67	5.26	5.292	20	
68	5.26	5.272	20	
69	5.26	5.643	20	
70	5.26	5.318	20	
71	5.26	5.564	20	
72	5.26	5.393	20	
73	5.26	5.288	20	
74	5.26	5.506	20	
75	5.26	5.549	20	
76	5.26	5.721	20	
77	5.26	5.719	20	
78	5.26	5.379	20	
79	5.26	5.367	20	
80	5.26	5.53	20	
81	5.26	5.602	20	
82	5.26	5.56	20	
83	5.26	5.707	20	
84	5.26	5.392	20	
85	5.26	5.406	20	
86	5.26	5.51	20	
87	5.26	5.347	20	
88	5.26	5.452	20	
89	5.26	5.257	20	*
90	5.26	5.616	20	
91	5.26	5.546	20	
92	5.26	5.712	20	
93	5.26	5.409	20	
94	5.26	5.4	20	
95	5.26	5.416	20	
96	5.26	5.551	20	
97	5.26	5.404	20	
98	5.26	5.598	20	
99	5.26	5.435	20	
100	5.26	5.36	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.548	20	
2	5.26	5.455	20	
3	5.26	5.572	20	
4	5.26	5.584	20	
5	5.26	5.436	20	
6	5.26	5.337	20	
7	5.26	5.682	20	
8	5.26	5.693	20	
9	5.26	5.72	20	
10	5.26	5.351	20	
11	5.26	5.596	20	
12	5.26	5.408	20	
13	5.26	5.546	20	
14	5.26	5.711	20	
15	5.26	5.475	20	
16	5.26	5.32	20	
17	5.26	5.505	20	
18	5.26	5.345	20	
19	5.26	5.648	20	
20	5.26	5.396	20	
21	5.26	5.38	20	
22	5.26	5.56	20	
23	5.26	5.304	20	
24	5.26	5.599	20	
25	5.26	5.568	20	
26	5.26	5.477	20	
27	5.26	5.267	20	*
28	5.26	5.25	20	*
29	5.26	5.303	20	
30	5.26	5.482	20	
31	5.26	5.598	20	
32	5.26	5.438	20	
33	5.26	5.454	20	
34	5.26	5.381	20	
35	5.26	5.563	20	
36	5.26	5.28	20	
37	5.26	5.346	20	
38	5.26	5.365	20	
39	5.26	5.569	20	
40	5.26	5.369	20	
41	5.26	5.394	20	
42	5.26	5.542	20	
43	5.26	5.576	20	
44	5.26	5.696	20	
45	5.26	5.356	20	
46	5.26	5.639	20	
47	5.26	5.537	20	

48	5.26	5.674	20	
49	5.26	5.448	20	
50	5.26	5.319	20	
51	5.26	5.501	20	
52	5.26	5.415	20	
53	5.26	5.613	20	
54	5.26	5.317	20	
55	5.26	5.552	20	
56	5.26	5.309	20	
57	5.26	5.523	20	
58	5.26	5.447	20	
59	5.26	5.705	20	
60	5.26	5.378	20	
61	5.26	5.349	20	
62	5.26	5.612	20	
63	5.26	5.353	20	
64	5.26	5.479	20	
65	5.26	5.312	20	
66	5.26	5.549	20	
67	5.26	5.265	20	*
68	5.26	5.464	20	
69	5.26	5.466	20	
70	5.26	5.377	20	
71	5.26	5.631	20	
72	5.26	5.487	20	
73	5.26	5.582	20	
74	5.26	5.289	20	
75	5.26	5.512	20	
76	5.26	5.443	20	
77	5.26	5.57	20	
78	5.26	5.679	20	
79	5.26	5.331	20	
80	5.26	5.273	20	
81	5.26	5.709	20	
82	5.26	5.465	20	
83	5.26	5.555	20	
84	5.26	5.567	20	
85	5.26	5.61	20	
86	5.26	5.633	20	
87	5.26	5.314	20	
88	5.26	5.676	20	
89	5.26	5.442	20	
90	5.26	5.51	20	
91	5.26	5.48	20	
92	5.26	5.271	20	
93	5.26	5.391	20	
94	5.26	5.718	20	
95	5.26	5.544	20	
96	5.26	5.55	20	
97	5.26	5.343	20	
98	5.26	5.543	20	
99	5.26	5.644	20	
100	5.26	5.437	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.339	20	
2	5.26	5.304	20	
3	5.26	5.69	20	
4	5.26	5.468	20	
5	5.26	5.418	20	
6	5.26	5.445	20	
7	5.26	5.373	20	
8	5.26	5.43	20	
9	5.26	5.535	20	
10	5.26	5.525	20	
11	5.26	5.383	20	
12	5.26	5.4	20	
13	5.26	5.437	20	
14	5.26	5.477	20	
15	5.26	5.581	20	
16	5.26	5.661	20	
17	5.26	5.669	20	
18	5.26	5.667	20	
19	5.26	5.716	20	
20	5.26	5.36	20	
21	5.26	5.384	20	
22	5.26	5.441	20	
23	5.26	5.28	20	
24	5.26	5.583	20	
25	5.26	5.291	20	
26	5.26	5.376	20	
27	5.26	5.532	20	
28	5.26	5.25	20	*
29	5.26	5.606	20	
30	5.26	5.345	20	
31	5.26	5.528	20	
32	5.26	5.307	20	
33	5.26	5.703	20	
34	5.26	5.435	20	
35	5.26	5.439	20	
36	5.26	5.463	20	
37	5.26	5.332	20	
38	5.26	5.257	20	*
39	5.26	5.371	20	
40	5.26	5.422	20	
41	5.26	5.554	20	
42	5.26	5.353	20	
43	5.26	5.593	20	
44	5.26	5.327	20	
45	5.26	5.626	20	
46	5.26	5.654	20	
47	5.26	5.652	20	

48	5.26	5.292	20	
49	5.26	5.567	20	
50	5.26	5.358	20	
51	5.26	5.678	20	
52	5.26	5.367	20	
53	5.26	5.651	20	
54	5.26	5.402	20	
55	5.26	5.346	20	
56	5.26	5.5	20	
57	5.26	5.467	20	
58	5.26	5.459	20	
59	5.26	5.312	20	
60	5.26	5.706	20	
61	5.26	5.456	20	
62	5.26	5.334	20	
63	5.26	5.695	20	
64	5.26	5.487	20	
65	5.26	5.722	20	
66	5.26	5.443	20	
67	5.26	5.458	20	
68	5.26	5.712	20	
69	5.26	5.313	20	
70	5.26	5.386	20	
71	5.26	5.543	20	
72	5.26	5.286	20	
73	5.26	5.553	20	
74	5.26	5.481	20	
75	5.26	5.494	20	
76	5.26	5.27	20	*
77	5.26	5.524	20	
78	5.26	5.562	20	
79	5.26	5.311	20	
80	5.26	5.555	20	
81	5.26	5.411	20	
82	5.26	5.576	20	
83	5.26	5.566	20	
84	5.26	5.254	20	*
85	5.26	5.378	20	
86	5.26	5.446	20	
87	5.26	5.674	20	
88	5.26	5.413	20	
89	5.26	5.423	20	
90	5.26	5.544	20	
91	5.26	5.357	20	
92	5.26	5.575	20	
93	5.26	5.597	20	
94	5.26	5.601	20	
95	5.26	5.277	20	
96	5.26	5.609	20	
97	5.26	5.333	20	
98	5.26	5.636	20	
99	5.26	5.557	20	
100	5.26	5.282	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.67	20	
2	5.26	5.459	20	
3	5.26	5.367	20	
4	5.26	5.54	20	
5	5.26	5.513	20	
6	5.26	5.594	20	
7	5.26	5.586	20	
8	5.26	5.444	20	
9	5.26	5.354	20	
10	5.26	5.708	20	
11	5.26	5.299	20	
12	5.26	5.516	20	
13	5.26	5.39	20	
14	5.26	5.696	20	
15	5.26	5.47	20	
16	5.26	5.502	20	
17	5.26	5.446	20	
18	5.26	5.272	20	
19	5.26	5.316	20	
20	5.26	5.508	20	
21	5.26	5.317	20	
22	5.26	5.593	20	
23	5.26	5.489	20	
24	5.26	5.341	20	
25	5.26	5.409	20	
26	5.26	5.276	20	
27	5.26	5.493	20	
28	5.26	5.421	20	
29	5.26	5.553	20	
30	5.26	5.582	20	
31	5.26	5.267	20	*
32	5.26	5.351	20	
33	5.26	5.337	20	
34	5.26	5.266	20	*
35	5.26	5.41	20	
36	5.26	5.37	20	
37	5.26	5.433	20	
38	5.26	5.427	20	
39	5.26	5.275	20	
40	5.26	5.466	20	
41	5.26	5.346	20	
42	5.26	5.251	20	*
43	5.26	5.503	20	
44	5.26	5.482	20	
45	5.26	5.331	20	
46	5.26	5.665	20	
47	5.26	5.675	20	

48	5.26	5.4	20	
49	5.26	5.51	20	
50	5.26	5.334	20	
51	5.26	5.353	20	
52	5.26	5.323	20	
53	5.26	5.386	20	
54	5.26	5.29	20	
55	5.26	5.291	20	
56	5.26	5.298	20	
57	5.26	5.484	20	
58	5.26	5.258	20	*
59	5.26	5.514	20	
60	5.26	5.572	20	
61	5.26	5.687	20	
62	5.26	5.403	20	
63	5.26	5.419	20	
64	5.26	5.264	20	*
65	5.26	5.622	20	
66	5.26	5.681	20	
67	5.26	5.563	20	
68	5.26	5.634	20	
69	5.26	5.368	20	
70	5.26	5.619	20	
71	5.26	5.642	20	
72	5.26	5.578	20	
73	5.26	5.481	20	
74	5.26	5.372	20	
75	5.26	5.637	20	
76	5.26	5.66	20	
77	5.26	5.256	20	*
78	5.26	5.315	20	
79	5.26	5.378	20	
80	5.26	5.608	20	
81	5.26	5.391	20	
82	5.26	5.677	20	
83	5.26	5.294	20	
84	5.26	5.611	20	
85	5.26	5.641	20	
86	5.26	5.541	20	
87	5.26	5.528	20	
88	5.26	5.474	20	
89	5.26	5.538	20	
90	5.26	5.287	20	
91	5.26	5.454	20	
92	5.26	5.416	20	
93	5.26	5.259	20	*
94	5.26	5.429	20	
95	5.26	5.576	20	
96	5.26	5.282	20	
97	5.26	5.647	20	
98	5.26	5.522	20	
99	5.26	5.277	20	
100	5.26	5.617	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.525	20	
2	5.26	5.493	20	
3	5.26	5.434	20	
4	5.26	5.42	20	
5	5.26	5.695	20	
6	5.26	5.64	20	
7	5.26	5.648	20	
8	5.26	5.674	20	
9	5.26	5.593	20	
10	5.26	5.461	20	
11	5.26	5.524	20	
12	5.26	5.458	20	
13	5.26	5.275	20	
14	5.26	5.559	20	
15	5.26	5.6	20	
16	5.26	5.67	20	
17	5.26	5.627	20	
18	5.26	5.513	20	
19	5.26	5.603	20	
20	5.26	5.472	20	
21	5.26	5.282	20	
22	5.26	5.272	20	
23	5.26	5.401	20	
24	5.26	5.445	20	
25	5.26	5.447	20	
26	5.26	5.262	20	*
27	5.26	5.563	20	
28	5.26	5.333	20	
29	5.26	5.427	20	
30	5.26	5.337	20	
31	5.26	5.417	20	
32	5.26	5.423	20	
33	5.26	5.294	20	
34	5.26	5.356	20	
35	5.26	5.516	20	
36	5.26	5.58	20	
37	5.26	5.322	20	
38	5.26	5.439	20	
39	5.26	5.693	20	
40	5.26	5.532	20	
41	5.26	5.65	20	
42	5.26	5.419	20	
43	5.26	5.574	20	
44	5.26	5.313	20	
45	5.26	5.682	20	
46	5.26	5.552	20	
47	5.26	5.286	20	

48	5.26	5.646	20	
49	5.26	5.666	20	
50	5.26	5.259	20	*
51	5.26	5.316	20	
52	5.26	5.49	20	
53	5.26	5.677	20	
54	5.26	5.643	20	
55	5.26	5.686	20	
56	5.26	5.589	20	
57	5.26	5.541	20	
58	5.26	5.256	20	*
59	5.26	5.621	20	
60	5.26	5.649	20	
61	5.26	5.327	20	
62	5.26	5.297	20	
63	5.26	5.548	20	
64	5.26	5.268	20	*
65	5.26	5.375	20	
66	5.26	5.713	20	
67	5.26	5.529	20	
68	5.26	5.498	20	
69	5.26	5.466	20	
70	5.26	5.694	20	
71	5.26	5.452	20	
72	5.26	5.408	20	
73	5.26	5.52	20	
74	5.26	5.451	20	
75	5.26	5.273	20	
76	5.26	5.638	20	
77	5.26	5.384	20	
78	5.26	5.535	20	
79	5.26	5.51	20	
80	5.26	5.718	20	
81	5.26	5.507	20	
82	5.26	5.667	20	
83	5.26	5.407	20	
84	5.26	5.655	20	
85	5.26	5.659	20	
86	5.26	5.684	20	
87	5.26	5.383	20	
88	5.26	5.281	20	
89	5.26	5.575	20	
90	5.26	5.43	20	
91	5.26	5.489	20	
92	5.26	5.564	20	
93	5.26	5.657	20	
94	5.26	5.386	20	
95	5.26	5.533	20	
96	5.26	5.485	20	
97	5.26	5.269	20	*
98	5.26	5.522	20	
99	5.26	5.38	20	
100	5.26	5.338	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.62	20	
2	5.26	5.262	20	*
3	5.26	5.268	20	*
4	5.26	5.565	20	
5	5.26	5.558	20	
6	5.26	5.621	20	
7	5.26	5.288	20	
8	5.26	5.307	20	
9	5.26	5.628	20	
10	5.26	5.567	20	
11	5.26	5.613	20	
12	5.26	5.661	20	
13	5.26	5.615	20	
14	5.26	5.45	20	
15	5.26	5.693	20	
16	5.26	5.375	20	
17	5.26	5.258	20	*
18	5.26	5.303	20	
19	5.26	5.507	20	
20	5.26	5.527	20	
21	5.26	5.26	20	*
22	5.26	5.321	20	
23	5.26	5.664	20	
24	5.26	5.484	20	
25	5.26	5.448	20	
26	5.26	5.583	20	
27	5.26	5.369	20	
28	5.26	5.538	20	
29	5.26	5.407	20	
30	5.26	5.511	20	
31	5.26	5.423	20	
32	5.26	5.298	20	
33	5.26	5.301	20	
34	5.26	5.343	20	
35	5.26	5.395	20	
36	5.26	5.373	20	
37	5.26	5.523	20	
38	5.26	5.524	20	
39	5.26	5.555	20	
40	5.26	5.662	20	
41	5.26	5.347	20	
42	5.26	5.624	20	
43	5.26	5.697	20	
44	5.26	5.722	20	
45	5.26	5.594	20	
46	5.26	5.267	20	*
47	5.26	5.351	20	

48	5.26	5.573	20	
49	5.26	5.297	20	
50	5.26	5.449	20	
51	5.26	5.659	20	
52	5.26	5.508	20	
53	5.26	5.32	20	
54	5.26	5.391	20	
55	5.26	5.704	20	
56	5.26	5.672	20	
57	5.26	5.463	20	
58	5.26	5.355	20	
59	5.26	5.61	20	
60	5.26	5.411	20	
61	5.26	5.445	20	
62	5.26	5.72	20	
63	5.26	5.352	20	
64	5.26	5.694	20	
65	5.26	5.603	20	
66	5.26	5.493	20	
67	5.26	5.629	20	
68	5.26	5.582	20	
69	5.26	5.475	20	
70	5.26	5.334	20	
71	5.26	5.431	20	
72	5.26	5.377	20	
73	5.26	5.372	20	
74	5.26	5.434	20	
75	5.26	5.406	20	
76	5.26	5.658	20	
77	5.26	5.63	20	
78	5.26	5.401	20	
79	5.26	5.651	20	
80	5.26	5.477	20	
81	5.26	5.416	20	
82	5.26	5.686	20	
83	5.26	5.263	20	*
84	5.26	5.501	20	
85	5.26	5.494	20	
86	5.26	5.701	20	
87	5.26	5.491	20	
88	5.26	5.652	20	
89	5.26	5.65	20	
90	5.26	5.667	20	
91	5.26	5.724	20	
92	5.26	5.576	20	
93	5.26	5.383	20	
94	5.26	5.34	20	
95	5.26	5.574	20	
96	5.26	5.359	20	
97	5.26	5.473	20	
98	5.26	5.709	20	
99	5.26	5.485	20	
100	5.26	5.554	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.602	20	
2	5.26	5.548	20	
3	5.26	5.66	20	
4	5.26	5.286	20	
5	5.26	5.327	20	
6	5.26	5.336	20	
7	5.26	5.664	20	
8	5.26	5.506	20	
9	5.26	5.549	20	
10	5.26	5.276	20	
11	5.26	5.365	20	
12	5.26	5.589	20	
13	5.26	5.607	20	
14	5.26	5.398	20	
15	5.26	5.29	20	
16	5.26	5.485	20	
17	5.26	5.697	20	
18	5.26	5.359	20	
19	5.26	5.386	20	
20	5.26	5.532	20	
21	5.26	5.453	20	
22	5.26	5.626	20	
23	5.26	5.539	20	
24	5.26	5.653	20	
25	5.26	5.689	20	
26	5.26	5.718	20	
27	5.26	5.535	20	
28	5.26	5.529	20	
29	5.26	5.261	20	*
30	5.26	5.352	20	
31	5.26	5.528	20	
32	5.26	5.63	20	
33	5.26	5.33	20	
34	5.26	5.695	20	
35	5.26	5.26	20	*
36	5.26	5.3	20	
37	5.26	5.329	20	
38	5.26	5.568	20	
39	5.26	5.694	20	
40	5.26	5.372	20	
41	5.26	5.36	20	
42	5.26	5.574	20	
43	5.26	5.284	20	
44	5.26	5.487	20	
45	5.26	5.523	20	
46	5.26	5.597	20	
47	5.26	5.704	20	

48	5.26	5.54	20	
49	5.26	5.691	20	
50	5.26	5.459	20	
51	5.26	5.404	20	
52	5.26	5.557	20	
53	5.26	5.296	20	
54	5.26	5.468	20	
55	5.26	5.508	20	
56	5.26	5.627	20	
57	5.26	5.391	20	
58	5.26	5.408	20	
59	5.26	5.409	20	
60	5.26	5.624	20	
61	5.26	5.615	20	
62	5.26	5.339	20	
63	5.26	5.4	20	
64	5.26	5.512	20	
65	5.26	5.513	20	
66	5.26	5.274	20	
67	5.26	5.461	20	
68	5.26	5.605	20	
69	5.26	5.395	20	
70	5.26	5.458	20	
71	5.26	5.584	20	
72	5.26	5.253	20	*
73	5.26	5.637	20	
74	5.26	5.434	20	
75	5.26	5.518	20	
76	5.26	5.696	20	
77	5.26	5.416	20	
78	5.26	5.369	20	
79	5.26	5.455	20	
80	5.26	5.656	20	
81	5.26	5.679	20	
82	5.26	5.442	20	
83	5.26	5.722	20	
84	5.26	5.649	20	
85	5.26	5.257	20	*
86	5.26	5.642	20	
87	5.26	5.46	20	
88	5.26	5.482	20	
89	5.26	5.313	20	
90	5.26	5.585	20	
91	5.26	5.259	20	*
92	5.26	5.608	20	
93	5.26	5.375	20	
94	5.26	5.454	20	
95	5.26	5.635	20	
96	5.26	5.495	20	
97	5.26	5.357	20	
98	5.26	5.606	20	
99	5.26	5.623	20	
100	5.26	5.488	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.584	20	
2	5.26	5.376	20	
3	5.26	5.529	20	
4	5.26	5.451	20	
5	5.26	5.375	20	
6	5.26	5.329	20	
7	5.26	5.704	20	
8	5.26	5.549	20	
9	5.26	5.515	20	
10	5.26	5.486	20	
11	5.26	5.561	20	
12	5.26	5.681	20	
13	5.26	5.407	20	
14	5.26	5.476	20	
15	5.26	5.454	20	
16	5.26	5.333	20	
17	5.26	5.435	20	
18	5.26	5.302	20	
19	5.26	5.318	20	
20	5.26	5.267	20	*
21	5.26	5.616	20	
22	5.26	5.715	20	
23	5.26	5.568	20	
24	5.26	5.673	20	
25	5.26	5.271	20	
26	5.26	5.514	20	
27	5.26	5.254	20	*
28	5.26	5.415	20	
29	5.26	5.605	20	
30	5.26	5.536	20	
31	5.26	5.555	20	
32	5.26	5.62	20	
33	5.26	5.593	20	
34	5.26	5.706	20	
35	5.26	5.357	20	
36	5.26	5.458	20	
37	5.26	5.638	20	
38	5.26	5.442	20	
39	5.26	5.541	20	
40	5.26	5.31	20	
41	5.26	5.501	20	
42	5.26	5.38	20	
43	5.26	5.264	20	*
44	5.26	5.341	20	
45	5.26	5.606	20	
46	5.26	5.712	20	
47	5.26	5.539	20	

48	5.26	5.612	20	
49	5.26	5.377	20	
50	5.26	5.534	20	
51	5.26	5.462	20	
52	5.26	5.276	20	
53	5.26	5.303	20	
54	5.26	5.683	20	
55	5.26	5.306	20	
56	5.26	5.71	20	
57	5.26	5.382	20	
58	5.26	5.56	20	
59	5.26	5.465	20	
60	5.26	5.266	20	*
61	5.26	5.546	20	
62	5.26	5.366	20	
63	5.26	5.598	20	
64	5.26	5.723	20	
65	5.26	5.487	20	
66	5.26	5.573	20	
67	5.26	5.279	20	
68	5.26	5.721	20	
69	5.26	5.537	20	
70	5.26	5.348	20	
71	5.26	5.26	20	*
72	5.26	5.387	20	
73	5.26	5.661	20	
74	5.26	5.497	20	
75	5.26	5.388	20	
76	5.26	5.614	20	
77	5.26	5.553	20	
78	5.26	5.543	20	
79	5.26	5.523	20	
80	5.26	5.354	20	
81	5.26	5.674	20	
82	5.26	5.657	20	
83	5.26	5.581	20	
84	5.26	5.449	20	
85	5.26	5.639	20	
86	5.26	5.69	20	
87	5.26	5.34	20	
88	5.26	5.7	20	
89	5.26	5.425	20	
90	5.26	5.384	20	
91	5.26	5.381	20	
92	5.26	5.722	20	
93	5.26	5.284	20	
94	5.26	5.504	20	
95	5.26	5.506	20	
96	5.26	5.421	20	
97	5.26	5.367	20	
98	5.26	5.427	20	
99	5.26	5.472	20	
100	5.26	5.489	20	

802.11ax (HE20) - 5260MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.26	5.504	20	
2	5.26	5.461	20	
3	5.26	5.25	20	*
4	5.26	5.476	20	
5	5.26	5.672	20	
6	5.26	5.507	20	
7	5.26	5.502	20	
8	5.26	5.561	20	
9	5.26	5.276	20	
10	5.26	5.478	20	
11	5.26	5.6	20	
12	5.26	5.364	20	
13	5.26	5.541	20	
14	5.26	5.336	20	
15	5.26	5.354	20	
16	5.26	5.371	20	
17	5.26	5.5	20	
18	5.26	5.433	20	
19	5.26	5.255	20	*
20	5.26	5.612	20	
21	5.26	5.302	20	
22	5.26	5.527	20	
23	5.26	5.533	20	
24	5.26	5.635	20	
25	5.26	5.293	20	
26	5.26	5.614	20	
27	5.26	5.266	20	*
28	5.26	5.53	20	
29	5.26	5.416	20	
30	5.26	5.49	20	
31	5.26	5.271	20	
32	5.26	5.28	20	
33	5.26	5.559	20	
34	5.26	5.596	20	
35	5.26	5.618	20	
36	5.26	5.36	20	
37	5.26	5.581	20	
38	5.26	5.54	20	
39	5.26	5.689	20	
40	5.26	5.646	20	
41	5.26	5.528	20	
42	5.26	5.621	20	
43	5.26	5.281	20	
44	5.26	5.39	20	
45	5.26	5.493	20	
46	5.26	5.576	20	
47	5.26	5.643	20	

48	5.26	5.411	20	
49	5.26	5.71	20	
50	5.26	5.465	20	
51	5.26	5.414	20	
52	5.26	5.447	20	
53	5.26	5.723	20	
54	5.26	5.4	20	
55	5.26	5.342	20	
56	5.26	5.667	20	
57	5.26	5.278	20	
58	5.26	5.367	20	
59	5.26	5.693	20	
60	5.26	5.448	20	
61	5.26	5.37	20	
62	5.26	5.663	20	
63	5.26	5.658	20	
64	5.26	5.603	20	
65	5.26	5.384	20	
66	5.26	5.638	20	
67	5.26	5.715	20	
68	5.26	5.295	20	
69	5.26	5.543	20	
70	5.26	5.619	20	
71	5.26	5.453	20	
72	5.26	5.703	20	
73	5.26	5.415	20	
74	5.26	5.697	20	
75	5.26	5.427	20	
76	5.26	5.662	20	
77	5.26	5.615	20	
78	5.26	5.352	20	
79	5.26	5.589	20	
80	5.26	5.475	20	
81	5.26	5.574	20	
82	5.26	5.647	20	
83	5.26	5.477	20	
84	5.26	5.309	20	
85	5.26	5.47	20	
86	5.26	5.311	20	
87	5.26	5.491	20	
88	5.26	5.326	20	
89	5.26	5.64	20	
90	5.26	5.393	20	
91	5.26	5.718	20	
92	5.26	5.303	20	
93	5.26	5.325	20	
94	5.26	5.298	20	
95	5.26	5.503	20	
96	5.26	5.26	20	*
97	5.26	5.471	20	
98	5.26	5.65	20	
99	5.26	5.522	20	
100	5.26	5.373	20	

802.11ax (HE40) - 5270MHz			
RADAR TYPE 1			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	65	1	818
2	92	1	578
3	102	1	518
4	68	1	778
5	65	1	818
6	18	1	3066
7	67	1	798
8	70	1	758
9	89	1	598
10	89	1	598
11	76	1	698
12	72	1	738
13	78	1	678
14	92	1	578
15	89	1	598
16	61	1	878
17	81	1	658
18	81	1	658
19	62	1	858
20	83	1	638
21	89	1	598
22	62	1	858
23	70	1	758
24	61	1	878
25	78	1	678
26	59	1	898
27	74	1	718
28	95	1	558
29	72	1	738
30	74	1	718

802.11ax (HE40) - 5270MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	26	1.9	221
2	27	1.3	230
3	29	2.9	192
4	28	1.1	198
5	25	3.2	197
6	27	3.1	205
7	24	2.9	227
8	24	2.8	169
9	27	1.6	226
10	25	2.4	194
11	25	3.1	186
12	25	1.8	166
13	26	2.7	224
14	24	1.2	197
15	26	4.7	165
16	28	2.8	220
17	25	2.9	213
18	25	3.8	154
19	25	3.7	182
20	24	1.7	155
21	27	4.7	169
22	27	2.6	192
23	28	4.7	226
24	23	3.1	182
25	25	2.6	189
26	27	1.7	215
27	24	4.3	199
28	28	4	191
29	29	1.5	188
30	28	4.4	199

802.11ax (HE40) - 5270MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	17	8.3	302
2	17	7.5	257
3	17	9.6	399
4	16	8.9	359
5	17	8.1	477
6	16	10	411
7	18	6.1	280
8	18	9.4	343
9	18	6.3	261
10	18	9.5	389
11	16	7.8	407
12	16	8.4	241
13	17	8.6	357
14	17	7.7	314
15	17	6.3	341
16	18	7.7	410
17	17	8.5	388
18	18	7.7	253
19	18	7	223
20	17	9.2	400
21	17	9.3	294
22	17	8.7	453
23	17	8.5	267
24	17	7.9	374
25	16	6.3	320
26	17	10	200
27	17	6	302
28	17	6.7	216
29	16	6.5	492
30	18	8.5	322

802.11ax (HE40) - 5270MHz			
RADAR TYPE 4			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	13	14.1	399
2	13	16.4	330
3	15	17.9	325
4	16	14.1	500
5	12	12.1	457
6	15	15.6	392
7	12	16.8	499
8	14	11.6	316
9	13	11.3	216
10	15	14.3	357
11	13	11.9	334
12	13	13.1	441
13	13	11.8	325
14	16	18.2	464
15	13	15.8	364
16	12	17.4	218
17	13	19.7	365
18	14	14.2	473
19	15	13.8	223
20	12	11.7	243
21	15	13.4	384
22	13	16.2	264
23	14	13.1	426
24	14	14.8	390
25	15	19.6	204
26	15	16.1	418
27	13	16.8	459
28	12	15.3	357
29	15	16.6	500
30	12	18.9	290

802.11ax (HE40) - 5270MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	8	1	5270
2	20	1	5270
3	14	1	5270
4	16	1	5270
5	17	1	5270
6	17	1	5270
7	12	1	5270
8	7	1	5270
9	17	1	5270
10	20	1	5270
11	19	2	5258.6
12	8	2	5254.2
13	20	2	5259
14	13	2	5256.2
15	15	2	5257
16	15	2	5257
17	20	2	5259
18	18	2	5258.2
19	14	2	5256.6
20	17	2	5257.8
21	11	3	5284.6
22	8	3	5285.8
23	5	3	5287
24	18	3	5281.8
25	9	3	5285.4
26	16	3	5282.6
27	13	3	5283.8
28	7	3	5286.2
29	18	3	5281.8
30	7	3	5286.2

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	97.1	16	1281		134.622
2	2	64.6	16	1423		170.602
3	2	69.2	16	1529		411.585
4	1	92.4	16			275.183
5	1	76.6	16			399.961
6	3	72.6	16	1689	1510	577.448
7	2	96.6	16	1093		463.286
8	2	70.8	16	1212		246.534
9	2	61.7	16	1658		141.811
10	3	53.4	16	1495	1707	495.089
11	2	91.3	16	1173		609.466
12	2	64.4	16	1082		252.454
13	3	99.2	16	1674	1600	443.652
14	2	99.9	16	1364		169.639
15	2	59.5	16	1291		475.347
16	1	88.7	16			338.065
17	2	59.4	16	1248		153.682

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	99	17	1040		357.211
2	2	59.1	17	1095		491.148
3	2	100	17	1833		49.875
4	1	77.6	17			106.703
5	3	81.4	17	1741	1531	447.761
6	3	59.5	17	1592	1865	234.088
7	2	56.7	17	1379		636.616
8	1	62.8	17			138.244
9	1	74.7	17			657.641
10	3	53.8	17	1921	1310	532.169
11	2	67.4	17	1402		109.786
12	1	79.2	17			611.304
13	2	67.9	17	1296		262.512
14	1	91.4	17			64.529
15	2	70.8	17	1999		684.647
16	2	67.6	17	1484		554.365
17	1	92.9	17			697.182

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	75.2	12	1828		388.45
2	2	88.8	12	1902		64.11
3	2	82.7	12	1696		421.97
4	2	50.9	12	1428		166.39
5	1	70.6	12			869.77
6	2	59.8	12	1497		199.32
7	2	74	12	1553		447.59
8	1	57.7	12			233.75
9	2	92.5	12	1193		66.55
10	2	84.8	12	1686		808.41
11	3	57.2	12	1190	1893	231.9
12	3	52.9	12	1069	1462	257.5

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	81.1	7	1156	1655	551.884
2	3	57.9	7	1164	1969	490.18
3	2	52.5	7	1713		363.89
4	1	70.9	7			642.41
5	2	54	7	1901		38.18
6	1	99.3	7			433.72
7	3	60.4	7	1898	1651	29.92
8	3	98.6	7	1511	1299	465.9
9	2	89.7	7	1344		312.93
10	3	60.4	7	1360	1683	689.66
11	2	69.8	7	1565		428.86
12	2	83.6	7	1393		203.4
13	3	67.7	7	1643	1135	609.25
14	2	82.2	7	1693		542.1
15	3	79.2	7	1271	1410	555.1
16	2	50	7	1939		29.7

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	87.2	17	1313	1162	266.852
2	2	98.8	17	1441		671.078
3	2	63.7	17	1648		405.495
4	3	63.2	17	1596	1367	25.323
5	2	86.1	17	1854		635.841
6	1	50.4	17			616.988
7	2	72.2	17	1562		539.676
8	2	79.9	17	1223		487.804
9	2	95.8	17	1794		411.031
10	2	86.2	17	1854		316.419
11	2	73.8	17	1364		443.256
12	2	97.1	17	1365		625.734
13	3	88.5	17	1198	1530	338.572
14	2	76.2	17	1232		482.269
15	1	66.5	17			168.747
16	2	86.1	17	1026		610.865
17	3	66.1	17	1724	1074	0.782

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	97.8	20			572.303
2	2	65.7	20	1451		251.05
3	2	51	20	1315		6.51
4	2	55.1	20	1572		423.09
5	2	60.8	20	1641		193.09
6	3	64.5	20	1326	1714	403.88
7	1	71.8	20			646.17
8	3	54.8	20	1045	1774	458.39
9	1	89.3	20			596.78
10	3	98	20	1928	1427	62.46
11	3	82.6	20	1231	1419	96.14
12	1	99.9	20			490.3
13	2	73.4	20	1964		325.23
14	2	61.1	20	1849		266.3
15	2	57.1	20	1489		42

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	79.5	8	1552	1711	218.946
2	2	70.6	8	1475		13.808
3	2	75.3	8	1566		54.06
4	2	92.8	8	1362		12.52
5	2	65.8	8	1108		104.15
6	2	79.6	8	1764		471.94
7	2	93.8	8	1209		413.06
8	1	62.8	8			486.17
9	2	66.3	8	1151		203.27
10	2	52.4	8	1343		676.17
11	1	76	8			694.27
12	1	60.5	8			218.72
13	1	89.9	8			780.4
14	3	61	8	1037	1776	704.4
15	1	84.2	8			335.4

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	50.4	20	1105		688.863
2	2	50.5	20	1597		57.114
3	2	93.6	20	1573		85.164
4	2	72	20	1425		715.511
5	2	72.9	20	1339		808.549
6	2	60	20	1939		763.666
7	1	75.3	20			634.923
8	2	59.5	20	1899		814.71
9	2	56.2	20	1537		798.817
10	3	93.4	20	1336	1642	302.464
11	2	57.8	20	1025		321.641
12	2	81.3	20	1285		114.029
13	1	97.1	20			50.986
14	2	58.4	20	1979		780.243

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	88.9	15	1795	1897	50.419
2	1	68.6	15			792.087
3	2	97.9	15	1775		14.994
4	2	77.4	15	1468		246.411
5	2	76	15	1069		651.829
6	1	76.3	15			333.006
7	1	59.1	15			611.463
8	2	89.5	15	1731		294.02
9	2	54.9	15	1578		802.047
10	2	66.8	15	1737		282.994
11	2	93	15	1535		65.641
12	1	97.9	15			786.729
13	2	55.6	15	1849		509.786
14	2	50.3	15	1696		428.943

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	75.2	15	1440		51.026
2	2	100	15	1832		542.551
3	1	86.9	15			346.052
4	2	69.3	15	1353		478.153
5	2	94.9	15	1132		270.474
6	2	73.3	15	1245		263.635
7	2	79.1	15	1697		112.226
8	1	57.5	15			603.887
9	1	84.7	15			123.708
10	1	60.3	15			346.549
11	3	50.8	15	1056	1633	518.081
12	2	58.4	15	1321		65.592
13	3	91.4	15	1842	1801	386.383
14	2	67	15	1496		361.644
15	3	100	15	1151	1401	403.965
16	3	90.4	15	1105	1427	24.746
17	3	62	15	1430	1899	33.237
18	2	70.9	15	1535		134.758
19	3	92.6	15	1064	1939	112.979

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	78.4	20			398.811
2	3	72.2	20	1097	1056	19.916
3	2	52.3	20	1865		505.412
4	1	96.8	20			58.243
5	2	93.5	20	1044		450.234
6	1	90.3	20			468.965
7	2	78.2	20	1451		376.436
8	3	51.7	20	1518	1272	268.467
9	2	85.3	20	1152		560.018
10	2	72	20	1298		117.919
11	1	66.2	20			543.201
12	2	82.3	20	1783		233.962
13	2	81.7	20	1663		327.013
14	1	86.7	20			509.254
15	2	83.7	20	1361		577.095
16	2	93.3	20	1574		101.096
17	3	82.3	20	1385	1933	126.137
18	1	73	20			110.858
19	2	80.3	20	1164		231.779

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

[illegible]

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	91	17	1364		212.418
2	3	70.6	17	1447	1993	423.651
3	1	76.9	17			469.202
4	1	85.3	17			194.873
5	2	94.8	17	1493		469.764
6	2	74.3	17	1098		306.825
7	2	86	17	1390		16.806
8	2	55.2	17	1636		507.517
9	3	72.6	17	1457	1185	484.528
10	2	86.1	17	1292		194.809
11	3	73.4	17	1760	1902	514.001
12	2	65.3	17	1104		493.602
13	2	86.6	17	1898		460.263
14	2	69.8	17	1384		584.844
15	1	62.9	17			473.245
16	1	78.6	17			478.556
17	1	91.9	17			30.637
18	1	70.1	17			529.158
19	2	55.2	17	1237		449.279

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

[illegible]

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	66.4	8	1404	1118	99.235
2	1	68	8			563.691
3	2	70.6	8	1478		216.172
4	2	88.7	8	1444		256.393
5	2	65	8	1777		97.384
6	1	93.6	8			394.525
7	3	74.3	8	1311	1548	262.136
8	2	92.3	8	1817		350.207
9	1	66.2	8			100.588
10	2	59.8	8	1923		139.019
11	3	59.8	8	1031	1591	260.221
12	1	83.6	8			343.492
13	1	51.6	8			354.013
14	2	97	8	1256		619.554
15	2	88.1	8	1496		527.405
16	3	87.4	8	1001	1983	327.926
17	2	96.9	8	1479		36.137
18	3	62.5	8	1955	1951	277.258
19	2	80.5	8	1974		546.879

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	54.2	5	1207		610.644
2	1	61.4	5			258.34
3	2	56.8	5	1391		383.802
4	3	66.1	5	1885	1026	81.223
5	1	59.5	5			513.714
6	2	99.7	5	1921		364.005
7	2	74.7	5	1171		402.146
8	3	87.9	5	1167	1205	569.527
9	2	79.6	5	1762		386.068
10	2	74.8	5	1119		582.629
11	3	79.3	5	1272	1991	361.531
12	2	95.5	5	1010		143.632
13	2	81.8	5	1074		144.893
14	2	60.7	5	1651		323.804
15	3	86.9	5	1990	1555	472.625
16	1	87.8	5			249.516
17	2	91.6	5	1766		351.137
18	2	86.3	5	1883		595.258
19	2	63.1	5	1671		0.679

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	63.7	18	1487		124.217
2	1	88.8	18			374.82
3	2	71	18	1796		68.38
4	1	56.7	18			425.72
5	1	74.5	18			709.68
6	2	95.2	18	1562		632.86
7	2	62.1	18	1875		463.12
8	2	83.5	18	1010		790.6
9	2	90.6	18	1125		504.65
10	3	97.6	18	1383	1015	615.23
11	2	73.4	18	1936		422.26
12	2	65	18	1151		376.53
13	1	60.3	18			83.06
14	3	56.5	18	1352	1758	187.5
15	2	92.6	18	1236		177.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	71.6	9	1518	1911	534.984
2	3	76.8	9	1910	1564	815.75
3	3	50.4	9	1351	1837	226.96
4	2	56	9	1641		806.6
5	3	55.6	9	1276	1708	625.93
6	2	93	9	1375		673.87
7	2	94.1	9	1096		788.76
8	1	82.5	9			920.92
9	2	55.3	9	1968		645.92
10	2	65.1	9	1348		800.15
11	2	53	9	1599		702.4
12	2	84.7	9	1038		609.9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	63.1	16	1960		979.264
2	2	71.7	16	1808		229.47
3	2	70	16	1697		273.68
4	2	91.6	16	1513		344.84
5	1	67.6	16			232.05
6	2	67.7	16	1072		896.55
7	1	67.7	16			51.68
8	2	81.1	16	1865		25.72
9	2	53.2	16	1996		8.15
10	2	95.7	16	1244		558.37
11	1	69.9	16			420.3
12	2	85.3	16	1582		157.4

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	91.6	7	1334		384.144
2	2	70.8	7	1979		204.048
3	1	91.2	7			156.38
4	3	78.7	7	1487	1855	342.96
5	1	77.7	7			395.69
6	1	60.1	7			593.72
7	3	61.1	7	1542	1772	69.63
8	1	95.8	7			141.8
9	2	74.6	7	1333		325.41
10	2	73.2	7	1697		284.14
11	3	57.3	7	1068	1017	50.06
12	2	70.6	7	1029		490.69
13	2	97.5	7	1604		148.69
14	2	84.5	7	1691		480.76
15	2	53.5	7	1391		284.36
16	2	51.6	7	1431		67.54
17	2	88.7	7	1047		174.38
18	2	59.4	7	1042		408.6
19	2	89.8	7	1413		116.1
20	2	98.8	7	1566		316.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	76.9	18	1787	1149	353.586
2	1	79.7	18			340.247
3	2	64	18	1876		688.534
4	2	86.4	18	1649		323.771
5	1	51.7	18			798.889
6	1	56.6	18			36.246
7	1	63.2	18			364.663
8	2	73.2	18	1956		466.57
9	2	56.9	18	1180		371.447
10	2	82.1	18	1361		21.224
11	2	71.5	18	1664		529.141
12	2	78.2	18	1681		155.599
13	1	66.9	18			404.386
14	3	66.4	18	1758	1945	5.643

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	83.4	7	1646	1860	25.582
2	2	86.7	7	1240		88.024
3	3	71.5	7	1600	1990	502.552
4	1	74.4	7			500.343
5	3	72.2	7	1117	1707	499.434
6	2	86.4	7	1188		512.095
7	2	74.7	7	1599		173.016
8	2	95.3	7	1044		271.287
9	2	79.3	7	1529		191.978
10	2	81.5	7	1228		558.269
11	3	52.1	7	1346	1064	426.821
12	2	99.6	7	1609		55.842
13	1	67	7			189.703
14	2	63.9	7	1574		519.364
15	1	51.3	7			264.675
16	2	74.1	7	1799		310.166
17	1	77.6	7			254.437
18	1	66.1	7			311.358
19	2	52.1	7	1016		155.979

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 1

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.521	20	
2	5.27	5.286	20	
3	5.27	5.347	20	
4	5.27	5.519	20	
5	5.27	5.612	20	
6	5.27	5.312	20	
7	5.27	5.569	20	
8	5.27	5.578	20	
9	5.27	5.426	20	
10	5.27	5.33	20	
11	5.27	5.597	20	
12	5.27	5.346	20	
13	5.27	5.604	20	
14	5.27	5.461	20	
15	5.27	5.609	20	
16	5.27	5.271	20	*
17	5.27	5.528	20	
18	5.27	5.605	20	
19	5.27	5.394	20	
20	5.27	5.716	20	
21	5.27	5.282	20	
22	5.27	5.681	20	
23	5.27	5.664	20	
24	5.27	5.65	20	
25	5.27	5.696	20	
26	5.27	5.583	20	
27	5.27	5.4	20	
28	5.27	5.342	20	
29	5.27	5.329	20	
30	5.27	5.377	20	
31	5.27	5.596	20	
32	5.27	5.721	20	
33	5.27	5.682	20	
34	5.27	5.552	20	
35	5.27	5.308	20	
36	5.27	5.462	20	
37	5.27	5.656	20	
38	5.27	5.636	20	
39	5.27	5.655	20	
40	5.27	5.358	20	
41	5.27	5.278	20	*
42	5.27	5.304	20	
43	5.27	5.589	20	
44	5.27	5.315	20	
45	5.27	5.307	20	
46	5.27	5.688	20	
47	5.27	5.614	20	

48	5.27	5.616	20	
49	5.27	5.37	20	
50	5.27	5.478	20	
51	5.27	5.258	20	
52	5.27	5.658	20	
53	5.27	5.481	20	
54	5.27	5.617	20	
55	5.27	5.539	20	
56	5.27	5.692	20	
57	5.27	5.665	20	
58	5.27	5.577	20	
59	5.27	5.671	20	
60	5.27	5.676	20	
61	5.27	5.659	20	
62	5.27	5.39	20	
63	5.27	5.568	20	
64	5.27	5.59	20	
65	5.27	5.517	20	
66	5.27	5.487	20	
67	5.27	5.675	20	
68	5.27	5.369	20	
69	5.27	5.555	20	
70	5.27	5.362	20	
71	5.27	5.479	20	
72	5.27	5.66	20	
73	5.27	5.386	20	
74	5.27	5.537	20	
75	5.27	5.672	20	
76	5.27	5.413	20	
77	5.27	5.504	20	
78	5.27	5.516	20	
79	5.27	5.711	20	
80	5.27	5.332	20	
81	5.27	5.318	20	
82	5.27	5.384	20	
83	5.27	5.647	20	
84	5.27	5.407	20	
85	5.27	5.326	20	
86	5.27	5.455	20	
87	5.27	5.327	20	
88	5.27	5.554	20	
89	5.27	5.724	20	
90	5.27	5.319	20	
91	5.27	5.381	20	
92	5.27	5.348	20	
93	5.27	5.507	20	
94	5.27	5.438	20	
95	5.27	5.433	20	
96	5.27	5.388	20	
97	5.27	5.427	20	
98	5.27	5.444	20	
99	5.27	5.573	20	
100	5.27	5.503	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 2

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.588	20	
2	5.27	5.513	20	
3	5.27	5.254	20	
4	5.27	5.443	20	
5	5.27	5.333	20	
6	5.27	5.522	20	
7	5.27	5.673	20	
8	5.27	5.686	20	
9	5.27	5.511	20	
10	5.27	5.276	20	*
11	5.27	5.345	20	
12	5.27	5.719	20	
13	5.27	5.434	20	
14	5.27	5.591	20	
15	5.27	5.571	20	
16	5.27	5.627	20	
17	5.27	5.378	20	
18	5.27	5.349	20	
19	5.27	5.539	20	
20	5.27	5.695	20	
21	5.27	5.304	20	
22	5.27	5.655	20	
23	5.27	5.72	20	
24	5.27	5.389	20	
25	5.27	5.312	20	
26	5.27	5.447	20	
27	5.27	5.416	20	
28	5.27	5.384	20	
29	5.27	5.431	20	
30	5.27	5.652	20	
31	5.27	5.343	20	
32	5.27	5.573	20	
33	5.27	5.488	20	
34	5.27	5.677	20	
35	5.27	5.362	20	
36	5.27	5.38	20	
37	5.27	5.477	20	
38	5.27	5.466	20	
39	5.27	5.43	20	
40	5.27	5.341	20	
41	5.27	5.525	20	
42	5.27	5.295	20	
43	5.27	5.608	20	
44	5.27	5.418	20	
45	5.27	5.503	20	
46	5.27	5.619	20	
47	5.27	5.666	20	

48	5.27	5.496	20	
49	5.27	5.535	20	
50	5.27	5.724	20	
51	5.27	5.564	20	
52	5.27	5.294	20	
53	5.27	5.658	20	
54	5.27	5.292	20	
55	5.27	5.347	20	
56	5.27	5.64	20	
57	5.27	5.609	20	
58	5.27	5.328	20	
59	5.27	5.563	20	
60	5.27	5.256	20	
61	5.27	5.674	20	
62	5.27	5.298	20	
63	5.27	5.495	20	
64	5.27	5.672	20	
65	5.27	5.622	20	
66	5.27	5.413	20	
67	5.27	5.514	20	
68	5.27	5.31	20	
69	5.27	5.57	20	
70	5.27	5.309	20	
71	5.27	5.6	20	
72	5.27	5.649	20	
73	5.27	5.311	20	
74	5.27	5.542	20	
75	5.27	5.499	20	
76	5.27	5.374	20	
77	5.27	5.446	20	
78	5.27	5.368	20	
79	5.27	5.669	20	
80	5.27	5.69	20	
81	5.27	5.445	20	
82	5.27	5.582	20	
83	5.27	5.507	20	
84	5.27	5.494	20	
85	5.27	5.711	20	
86	5.27	5.548	20	
87	5.27	5.394	20	
88	5.27	5.694	20	
89	5.27	5.361	20	
90	5.27	5.422	20	
91	5.27	5.498	20	
92	5.27	5.493	20	
93	5.27	5.352	20	
94	5.27	5.401	20	
95	5.27	5.527	20	
96	5.27	5.717	20	
97	5.27	5.315	20	
98	5.27	5.714	20	
99	5.27	5.524	20	
100	5.27	5.29	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 3

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.631	20	
2	5.27	5.691	20	
3	5.27	5.701	20	
4	5.27	5.259	20	
5	5.27	5.576	20	
6	5.27	5.648	20	
7	5.27	5.504	20	
8	5.27	5.649	20	
9	5.27	5.659	20	
10	5.27	5.548	20	
11	5.27	5.521	20	
12	5.27	5.375	20	
13	5.27	5.328	20	
14	5.27	5.374	20	
15	5.27	5.555	20	
16	5.27	5.409	20	
17	5.27	5.508	20	
18	5.27	5.454	20	
19	5.27	5.394	20	
20	5.27	5.644	20	
21	5.27	5.367	20	
22	5.27	5.405	20	
23	5.27	5.331	20	
24	5.27	5.298	20	
25	5.27	5.297	20	
26	5.27	5.594	20	
27	5.27	5.564	20	
28	5.27	5.413	20	
29	5.27	5.621	20	
30	5.27	5.599	20	
31	5.27	5.478	20	
32	5.27	5.406	20	
33	5.27	5.411	20	
34	5.27	5.35	20	
35	5.27	5.503	20	
36	5.27	5.396	20	
37	5.27	5.668	20	
38	5.27	5.49	20	
39	5.27	5.418	20	
40	5.27	5.561	20	
41	5.27	5.263	20	*
42	5.27	5.494	20	
43	5.27	5.52	20	
44	5.27	5.628	20	
45	5.27	5.712	20	
46	5.27	5.426	20	
47	5.27	5.538	20	

48	5.27	5.313	20	
49	5.27	5.563	20	
50	5.27	5.318	20	
51	5.27	5.344	20	
52	5.27	5.685	20	
53	5.27	5.479	20	
54	5.27	5.662	20	
55	5.27	5.591	20	
56	5.27	5.65	20	
57	5.27	5.435	20	
58	5.27	5.398	20	
59	5.27	5.471	20	
60	5.27	5.703	20	
61	5.27	5.547	20	
62	5.27	5.582	20	
63	5.27	5.476	20	
64	5.27	5.357	20	
65	5.27	5.287	20	
66	5.27	5.271	20	*
67	5.27	5.604	20	
68	5.27	5.258	20	
69	5.27	5.552	20	
70	5.27	5.609	20	
71	5.27	5.46	20	
72	5.27	5.719	20	
73	5.27	5.549	20	
74	5.27	5.645	20	
75	5.27	5.284	20	
76	5.27	5.347	20	
77	5.27	5.622	20	
78	5.27	5.534	20	
79	5.27	5.425	20	
80	5.27	5.439	20	
81	5.27	5.542	20	
82	5.27	5.671	20	
83	5.27	5.629	20	
84	5.27	5.253	20	
85	5.27	5.528	20	
86	5.27	5.497	20	
87	5.27	5.295	20	
88	5.27	5.566	20	
89	5.27	5.484	20	
90	5.27	5.607	20	
91	5.27	5.575	20	
92	5.27	5.272	20	*
93	5.27	5.721	20	
94	5.27	5.314	20	
95	5.27	5.573	20	
96	5.27	5.392	20	
97	5.27	5.692	20	
98	5.27	5.53	20	
99	5.27	5.358	20	
100	5.27	5.42	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 4

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.29	20	
2	5.27	5.486	20	
3	5.27	5.683	20	
4	5.27	5.629	20	
5	5.27	5.621	20	
6	5.27	5.46	20	
7	5.27	5.593	20	
8	5.27	5.618	20	
9	5.27	5.299	20	
10	5.27	5.252	20	
11	5.27	5.349	20	
12	5.27	5.652	20	
13	5.27	5.377	20	
14	5.27	5.721	20	
15	5.27	5.389	20	
16	5.27	5.453	20	
17	5.27	5.566	20	
18	5.27	5.712	20	
19	5.27	5.515	20	
20	5.27	5.63	20	
21	5.27	5.251	20	
22	5.27	5.541	20	
23	5.27	5.679	20	
24	5.27	5.272	20	*
25	5.27	5.32	20	
26	5.27	5.488	20	
27	5.27	5.612	20	
28	5.27	5.588	20	
29	5.27	5.594	20	
30	5.27	5.556	20	
31	5.27	5.702	20	
32	5.27	5.529	20	
33	5.27	5.678	20	
34	5.27	5.379	20	
35	5.27	5.263	20	*
36	5.27	5.545	20	
37	5.27	5.35	20	
38	5.27	5.723	20	
39	5.27	5.433	20	
40	5.27	5.53	20	
41	5.27	5.586	20	
42	5.27	5.677	20	
43	5.27	5.38	20	
44	5.27	5.306	20	
45	5.27	5.3	20	
46	5.27	5.671	20	
47	5.27	5.551	20	

48	5.27	5.68	20	
49	5.27	5.288	20	
50	5.27	5.289	20	
51	5.27	5.411	20	
52	5.27	5.719	20	
53	5.27	5.682	20	
54	5.27	5.276	20	*
55	5.27	5.619	20	
56	5.27	5.643	20	
57	5.27	5.663	20	
58	5.27	5.568	20	
59	5.27	5.257	20	
60	5.27	5.397	20	
61	5.27	5.274	20	*
62	5.27	5.366	20	
63	5.27	5.647	20	
64	5.27	5.44	20	
65	5.27	5.343	20	
66	5.27	5.546	20	
67	5.27	5.483	20	
68	5.27	5.359	20	
69	5.27	5.536	20	
70	5.27	5.262	20	*
71	5.27	5.584	20	
72	5.27	5.672	20	
73	5.27	5.367	20	
74	5.27	5.516	20	
75	5.27	5.466	20	
76	5.27	5.265	20	*
77	5.27	5.626	20	
78	5.27	5.674	20	
79	5.27	5.261	20	*
80	5.27	5.538	20	
81	5.27	5.664	20	
82	5.27	5.465	20	
83	5.27	5.413	20	
84	5.27	5.69	20	
85	5.27	5.644	20	
86	5.27	5.421	20	
87	5.27	5.667	20	
88	5.27	5.449	20	
89	5.27	5.59	20	
90	5.27	5.382	20	
91	5.27	5.533	20	
92	5.27	5.623	20	
93	5.27	5.605	20	
94	5.27	5.532	20	
95	5.27	5.279	20	*
96	5.27	5.603	20	
97	5.27	5.267	20	*
98	5.27	5.613	20	
99	5.27	5.521	20	
100	5.27	5.478	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 5

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.72	20	
2	5.27	5.582	20	
3	5.27	5.598	20	
4	5.27	5.665	20	
5	5.27	5.614	20	
6	5.27	5.668	20	
7	5.27	5.637	20	
8	5.27	5.341	20	
9	5.27	5.261	20	*
10	5.27	5.368	20	
11	5.27	5.609	20	
12	5.27	5.649	20	
13	5.27	5.66	20	
14	5.27	5.57	20	
15	5.27	5.446	20	
16	5.27	5.401	20	
17	5.27	5.461	20	
18	5.27	5.409	20	
19	5.27	5.266	20	*
20	5.27	5.271	20	*
21	5.27	5.274	20	*
22	5.27	5.549	20	
23	5.27	5.269	20	*
24	5.27	5.667	20	
25	5.27	5.276	20	*
26	5.27	5.495	20	
27	5.27	5.621	20	
28	5.27	5.514	20	
29	5.27	5.527	20	
30	5.27	5.458	20	
31	5.27	5.324	20	
32	5.27	5.677	20	
33	5.27	5.336	20	
34	5.27	5.344	20	
35	5.27	5.498	20	
36	5.27	5.525	20	
37	5.27	5.328	20	
38	5.27	5.53	20	
39	5.27	5.373	20	
40	5.27	5.696	20	
41	5.27	5.532	20	
42	5.27	5.353	20	
43	5.27	5.251	20	
44	5.27	5.473	20	
45	5.27	5.487	20	
46	5.27	5.382	20	
47	5.27	5.62	20	

48	5.27	5.664	20	
49	5.27	5.632	20	
50	5.27	5.435	20	
51	5.27	5.482	20	
52	5.27	5.619	20	
53	5.27	5.43	20	
54	5.27	5.332	20	
55	5.27	5.556	20	
56	5.27	5.262	20	*
57	5.27	5.693	20	
58	5.27	5.708	20	
59	5.27	5.349	20	
60	5.27	5.444	20	
61	5.27	5.257	20	
62	5.27	5.279	20	*
63	5.27	5.562	20	
64	5.27	5.255	20	
65	5.27	5.361	20	
66	5.27	5.68	20	
67	5.27	5.584	20	
68	5.27	5.295	20	
69	5.27	5.588	20	
70	5.27	5.292	20	
71	5.27	5.673	20	
72	5.27	5.346	20	
73	5.27	5.679	20	
74	5.27	5.396	20	
75	5.27	5.366	20	
76	5.27	5.364	20	
77	5.27	5.259	20	
78	5.27	5.4	20	
79	5.27	5.553	20	
80	5.27	5.712	20	
81	5.27	5.463	20	
82	5.27	5.583	20	
83	5.27	5.441	20	
84	5.27	5.704	20	
85	5.27	5.521	20	
86	5.27	5.689	20	
87	5.27	5.661	20	
88	5.27	5.552	20	
89	5.27	5.317	20	
90	5.27	5.63	20	
91	5.27	5.395	20	
92	5.27	5.685	20	
93	5.27	5.402	20	
94	5.27	5.293	20	
95	5.27	5.519	20	
96	5.27	5.64	20	
97	5.27	5.571	20	
98	5.27	5.716	20	
99	5.27	5.456	20	
100	5.27	5.548	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 6

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.532	20	
2	5.27	5.577	20	
3	5.27	5.393	20	
4	5.27	5.557	20	
5	5.27	5.489	20	
6	5.27	5.435	20	
7	5.27	5.571	20	
8	5.27	5.413	20	
9	5.27	5.425	20	
10	5.27	5.569	20	
11	5.27	5.692	20	
12	5.27	5.3	20	
13	5.27	5.46	20	
14	5.27	5.307	20	
15	5.27	5.423	20	
16	5.27	5.643	20	
17	5.27	5.384	20	
18	5.27	5.702	20	
19	5.27	5.391	20	
20	5.27	5.334	20	
21	5.27	5.492	20	
22	5.27	5.549	20	
23	5.27	5.301	20	
24	5.27	5.365	20	
25	5.27	5.397	20	
26	5.27	5.619	20	
27	5.27	5.553	20	
28	5.27	5.662	20	
29	5.27	5.379	20	
30	5.27	5.685	20	
31	5.27	5.309	20	
32	5.27	5.428	20	
33	5.27	5.37	20	
34	5.27	5.64	20	
35	5.27	5.261	20	*
36	5.27	5.305	20	
37	5.27	5.601	20	
38	5.27	5.715	20	
39	5.27	5.599	20	
40	5.27	5.316	20	
41	5.27	5.342	20	
42	5.27	5.546	20	
43	5.27	5.719	20	
44	5.27	5.648	20	
45	5.27	5.26	20	*
46	5.27	5.612	20	
47	5.27	5.288	20	

48	5.27	5.724	20	
49	5.27	5.718	20	
50	5.27	5.518	20	
51	5.27	5.486	20	
52	5.27	5.578	20	
53	5.27	5.364	20	
54	5.27	5.317	20	
55	5.27	5.512	20	
56	5.27	5.52	20	
57	5.27	5.632	20	
58	5.27	5.627	20	
59	5.27	5.432	20	
60	5.27	5.605	20	
61	5.27	5.669	20	
62	5.27	5.647	20	
63	5.27	5.478	20	
64	5.27	5.548	20	
65	5.27	5.479	20	
66	5.27	5.519	20	
67	5.27	5.378	20	
68	5.27	5.591	20	
69	5.27	5.703	20	
70	5.27	5.714	20	
71	5.27	5.471	20	
72	5.27	5.651	20	
73	5.27	5.6	20	
74	5.27	5.709	20	
75	5.27	5.28	20	*
76	5.27	5.654	20	
77	5.27	5.259	20	
78	5.27	5.542	20	
79	5.27	5.682	20	
80	5.27	5.626	20	
81	5.27	5.72	20	
82	5.27	5.401	20	
83	5.27	5.631	20	
84	5.27	5.689	20	
85	5.27	5.698	20	
86	5.27	5.355	20	
87	5.27	5.473	20	
88	5.27	5.439	20	
89	5.27	5.348	20	
90	5.27	5.48	20	
91	5.27	5.493	20	
92	5.27	5.644	20	
93	5.27	5.263	20	*
94	5.27	5.366	20	
95	5.27	5.42	20	
96	5.27	5.531	20	
97	5.27	5.668	20	
98	5.27	5.504	20	
99	5.27	5.296	20	
100	5.27	5.694	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 7

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.694	20	
2	5.27	5.294	20	
3	5.27	5.314	20	
4	5.27	5.716	20	
5	5.27	5.316	20	
6	5.27	5.603	20	
7	5.27	5.276	20	*
8	5.27	5.72	20	
9	5.27	5.283	20	
10	5.27	5.566	20	
11	5.27	5.653	20	
12	5.27	5.66	20	
13	5.27	5.714	20	
14	5.27	5.64	20	
15	5.27	5.309	20	
16	5.27	5.545	20	
17	5.27	5.42	20	
18	5.27	5.7	20	
19	5.27	5.263	20	*
20	5.27	5.343	20	
21	5.27	5.25	20	
22	5.27	5.712	20	
23	5.27	5.589	20	
24	5.27	5.562	20	
25	5.27	5.55	20	
26	5.27	5.533	20	
27	5.27	5.404	20	
28	5.27	5.32	20	
29	5.27	5.496	20	
30	5.27	5.311	20	
31	5.27	5.638	20	
32	5.27	5.392	20	
33	5.27	5.458	20	
34	5.27	5.643	20	
35	5.27	5.672	20	
36	5.27	5.439	20	
37	5.27	5.564	20	
38	5.27	5.597	20	
39	5.27	5.323	20	
40	5.27	5.667	20	
41	5.27	5.601	20	
42	5.27	5.673	20	
43	5.27	5.615	20	
44	5.27	5.583	20	
45	5.27	5.305	20	
46	5.27	5.54	20	
47	5.27	5.665	20	

48	5.27	5.394	20	
49	5.27	5.506	20	
50	5.27	5.261	20	*
51	5.27	5.527	20	
52	5.27	5.478	20	
53	5.27	5.591	20	
54	5.27	5.468	20	
55	5.27	5.523	20	
56	5.27	5.605	20	
57	5.27	5.614	20	
58	5.27	5.58	20	
59	5.27	5.699	20	
60	5.27	5.497	20	
61	5.27	5.444	20	
62	5.27	5.717	20	
63	5.27	5.258	20	
64	5.27	5.6	20	
65	5.27	5.598	20	
66	5.27	5.552	20	
67	5.27	5.684	20	
68	5.27	5.326	20	
69	5.27	5.3	20	
70	5.27	5.285	20	
71	5.27	5.361	20	
72	5.27	5.375	20	
73	5.27	5.636	20	
74	5.27	5.602	20	
75	5.27	5.68	20	
76	5.27	5.454	20	
77	5.27	5.711	20	
78	5.27	5.467	20	
79	5.27	5.544	20	
80	5.27	5.595	20	
81	5.27	5.525	20	
82	5.27	5.618	20	
83	5.27	5.297	20	
84	5.27	5.558	20	
85	5.27	5.61	20	
86	5.27	5.47	20	
87	5.27	5.655	20	
88	5.27	5.436	20	
89	5.27	5.565	20	
90	5.27	5.483	20	
91	5.27	5.369	20	
92	5.27	5.541	20	
93	5.27	5.31	20	
94	5.27	5.563	20	
95	5.27	5.371	20	
96	5.27	5.532	20	
97	5.27	5.381	20	
98	5.27	5.63	20	
99	5.27	5.709	20	
100	5.27	5.631	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 8

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.559	20	
2	5.27	5.493	20	
3	5.27	5.387	20	
4	5.27	5.711	20	
5	5.27	5.527	20	
6	5.27	5.683	20	
7	5.27	5.491	20	
8	5.27	5.577	20	
9	5.27	5.716	20	
10	5.27	5.477	20	
11	5.27	5.373	20	
12	5.27	5.286	20	
13	5.27	5.362	20	
14	5.27	5.456	20	
15	5.27	5.531	20	
16	5.27	5.368	20	
17	5.27	5.576	20	
18	5.27	5.495	20	
19	5.27	5.472	20	
20	5.27	5.37	20	
21	5.27	5.312	20	
22	5.27	5.328	20	
23	5.27	5.659	20	
24	5.27	5.604	20	
25	5.27	5.337	20	
26	5.27	5.444	20	
27	5.27	5.582	20	
28	5.27	5.534	20	
29	5.27	5.657	20	
30	5.27	5.594	20	
31	5.27	5.701	20	
32	5.27	5.289	20	
33	5.27	5.517	20	
34	5.27	5.568	20	
35	5.27	5.515	20	
36	5.27	5.349	20	
37	5.27	5.624	20	
38	5.27	5.621	20	
39	5.27	5.523	20	
40	5.27	5.371	20	
41	5.27	5.64	20	
42	5.27	5.335	20	
43	5.27	5.585	20	
44	5.27	5.271	20	*
45	5.27	5.295	20	
46	5.27	5.47	20	
47	5.27	5.618	20	

48	5.27	5.393	20	
49	5.27	5.437	20	
50	5.27	5.454	20	
51	5.27	5.719	20	
52	5.27	5.374	20	
53	5.27	5.266	20	*
54	5.27	5.281	20	
55	5.27	5.636	20	
56	5.27	5.346	20	
57	5.27	5.465	20	
58	5.27	5.263	20	*
59	5.27	5.579	20	
60	5.27	5.651	20	
61	5.27	5.49	20	
62	5.27	5.513	20	
63	5.27	5.358	20	
64	5.27	5.692	20	
65	5.27	5.694	20	
66	5.27	5.473	20	
67	5.27	5.61	20	
68	5.27	5.365	20	
69	5.27	5.464	20	
70	5.27	5.553	20	
71	5.27	5.398	20	
72	5.27	5.324	20	
73	5.27	5.669	20	
74	5.27	5.256	20	
75	5.27	5.458	20	
76	5.27	5.367	20	
77	5.27	5.572	20	
78	5.27	5.414	20	
79	5.27	5.642	20	
80	5.27	5.391	20	
81	5.27	5.685	20	
82	5.27	5.476	20	
83	5.27	5.52	20	
84	5.27	5.272	20	*
85	5.27	5.357	20	
86	5.27	5.547	20	
87	5.27	5.415	20	
88	5.27	5.426	20	
89	5.27	5.43	20	
90	5.27	5.51	20	
91	5.27	5.631	20	
92	5.27	5.682	20	
93	5.27	5.343	20	
94	5.27	5.485	20	
95	5.27	5.612	20	
96	5.27	5.442	20	
97	5.27	5.695	20	
98	5.27	5.403	20	
99	5.27	5.673	20	
100	5.27	5.668	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 9

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.276	20	*
2	5.27	5.656	20	
3	5.27	5.717	20	
4	5.27	5.562	20	
5	5.27	5.485	20	
6	5.27	5.619	20	
7	5.27	5.493	20	
8	5.27	5.688	20	
9	5.27	5.614	20	
10	5.27	5.633	20	
11	5.27	5.471	20	
12	5.27	5.496	20	
13	5.27	5.424	20	
14	5.27	5.347	20	
15	5.27	5.615	20	
16	5.27	5.709	20	
17	5.27	5.555	20	
18	5.27	5.281	20	
19	5.27	5.405	20	
20	5.27	5.277	20	*
21	5.27	5.649	20	
22	5.27	5.63	20	
23	5.27	5.489	20	
24	5.27	5.288	20	
25	5.27	5.484	20	
26	5.27	5.377	20	
27	5.27	5.664	20	
28	5.27	5.603	20	
29	5.27	5.387	20	
30	5.27	5.698	20	
31	5.27	5.724	20	
32	5.27	5.45	20	
33	5.27	5.707	20	
34	5.27	5.686	20	
35	5.27	5.55	20	
36	5.27	5.458	20	
37	5.27	5.523	20	
38	5.27	5.616	20	
39	5.27	5.361	20	
40	5.27	5.309	20	
41	5.27	5.409	20	
42	5.27	5.408	20	
43	5.27	5.264	20	*
44	5.27	5.635	20	
45	5.27	5.575	20	
46	5.27	5.322	20	
47	5.27	5.444	20	

48	5.27	5.527	20	
49	5.27	5.36	20	
50	5.27	5.683	20	
51	5.27	5.534	20	
52	5.27	5.51	20	
53	5.27	5.545	20	
54	5.27	5.26	20	*
55	5.27	5.442	20	
56	5.27	5.446	20	
57	5.27	5.351	20	
58	5.27	5.587	20	
59	5.27	5.369	20	
60	5.27	5.604	20	
61	5.27	5.517	20	
62	5.27	5.295	20	
63	5.27	5.391	20	
64	5.27	5.374	20	
65	5.27	5.579	20	
66	5.27	5.325	20	
67	5.27	5.271	20	*
68	5.27	5.323	20	
69	5.27	5.316	20	
70	5.27	5.64	20	
71	5.27	5.365	20	
72	5.27	5.257	20	
73	5.27	5.566	20	
74	5.27	5.388	20	
75	5.27	5.671	20	
76	5.27	5.298	20	
77	5.27	5.463	20	
78	5.27	5.306	20	
79	5.27	5.373	20	
80	5.27	5.71	20	
81	5.27	5.67	20	
82	5.27	5.529	20	
83	5.27	5.588	20	
84	5.27	5.287	20	
85	5.27	5.274	20	*
86	5.27	5.627	20	
87	5.27	5.441	20	
88	5.27	5.509	20	
89	5.27	5.319	20	
90	5.27	5.516	20	
91	5.27	5.312	20	
92	5.27	5.685	20	
93	5.27	5.3	20	
94	5.27	5.472	20	
95	5.27	5.542	20	
96	5.27	5.397	20	
97	5.27	5.521	20	
98	5.27	5.335	20	
99	5.27	5.638	20	
100	5.27	5.266	20	*

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 10

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.673	20	
2	5.27	5.548	20	
3	5.27	5.487	20	
4	5.27	5.438	20	
5	5.27	5.397	20	
6	5.27	5.605	20	
7	5.27	5.293	20	
8	5.27	5.432	20	
9	5.27	5.254	20	
10	5.27	5.698	20	
11	5.27	5.58	20	
12	5.27	5.578	20	
13	5.27	5.382	20	
14	5.27	5.572	20	
15	5.27	5.294	20	
16	5.27	5.537	20	
17	5.27	5.648	20	
18	5.27	5.496	20	
19	5.27	5.634	20	
20	5.27	5.631	20	
21	5.27	5.379	20	
22	5.27	5.482	20	
23	5.27	5.582	20	
24	5.27	5.375	20	
25	5.27	5.313	20	
26	5.27	5.296	20	
27	5.27	5.336	20	
28	5.27	5.715	20	
29	5.27	5.287	20	
30	5.27	5.532	20	
31	5.27	5.622	20	
32	5.27	5.691	20	
33	5.27	5.453	20	
34	5.27	5.324	20	
35	5.27	5.531	20	
36	5.27	5.595	20	
37	5.27	5.714	20	
38	5.27	5.396	20	
39	5.27	5.323	20	
40	5.27	5.419	20	
41	5.27	5.539	20	
42	5.27	5.665	20	
43	5.27	5.443	20	
44	5.27	5.664	20	
45	5.27	5.696	20	
46	5.27	5.61	20	
47	5.27	5.604	20	

48	5.27	5.525	20	
49	5.27	5.514	20	
50	5.27	5.277	20	*
51	5.27	5.411	20	
52	5.27	5.704	20	
53	5.27	5.291	20	
54	5.27	5.645	20	
55	5.27	5.638	20	
56	5.27	5.614	20	
57	5.27	5.653	20	
58	5.27	5.426	20	
59	5.27	5.448	20	
60	5.27	5.657	20	
61	5.27	5.314	20	
62	5.27	5.298	20	
63	5.27	5.361	20	
64	5.27	5.553	20	
65	5.27	5.656	20	
66	5.27	5.52	20	
67	5.27	5.593	20	
68	5.27	5.404	20	
69	5.27	5.683	20	
70	5.27	5.364	20	
71	5.27	5.566	20	
72	5.27	5.598	20	
73	5.27	5.675	20	
74	5.27	5.611	20	
75	5.27	5.581	20	
76	5.27	5.326	20	
77	5.27	5.591	20	
78	5.27	5.579	20	
79	5.27	5.576	20	
80	5.27	5.573	20	
81	5.27	5.668	20	
82	5.27	5.257	20	
83	5.27	5.472	20	
84	5.27	5.536	20	
85	5.27	5.7	20	
86	5.27	5.311	20	
87	5.27	5.299	20	
88	5.27	5.69	20	
89	5.27	5.43	20	
90	5.27	5.456	20	
91	5.27	5.376	20	
92	5.27	5.646	20	
93	5.27	5.312	20	
94	5.27	5.416	20	
95	5.27	5.349	20	
96	5.27	5.332	20	
97	5.27	5.41	20	
98	5.27	5.354	20	
99	5.27	5.672	20	
100	5.27	5.535	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 11

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.315	20	
2	5.27	5.391	20	
3	5.27	5.549	20	
4	5.27	5.364	20	
5	5.27	5.598	20	
6	5.27	5.359	20	
7	5.27	5.3	20	
8	5.27	5.279	20	*
9	5.27	5.421	20	
10	5.27	5.679	20	
11	5.27	5.662	20	
12	5.27	5.389	20	
13	5.27	5.444	20	
14	5.27	5.417	20	
15	5.27	5.251	20	
16	5.27	5.281	20	
17	5.27	5.61	20	
18	5.27	5.577	20	
19	5.27	5.255	20	
20	5.27	5.702	20	
21	5.27	5.464	20	
22	5.27	5.5	20	
23	5.27	5.335	20	
24	5.27	5.283	20	
25	5.27	5.604	20	
26	5.27	5.52	20	
27	5.27	5.586	20	
28	5.27	5.563	20	
29	5.27	5.634	20	
30	5.27	5.516	20	
31	5.27	5.477	20	
32	5.27	5.475	20	
33	5.27	5.474	20	
34	5.27	5.718	20	
35	5.27	5.27	20	*
36	5.27	5.514	20	
37	5.27	5.649	20	
38	5.27	5.435	20	
39	5.27	5.378	20	
40	5.27	5.272	20	*
41	5.27	5.602	20	
42	5.27	5.589	20	
43	5.27	5.58	20	
44	5.27	5.665	20	
45	5.27	5.517	20	
46	5.27	5.403	20	
47	5.27	5.715	20	

48	5.27	5.414	20	
49	5.27	5.269	20	*
50	5.27	5.706	20	
51	5.27	5.371	20	
52	5.27	5.393	20	
53	5.27	5.616	20	
54	5.27	5.455	20	
55	5.27	5.479	20	
56	5.27	5.622	20	
57	5.27	5.407	20	
58	5.27	5.607	20	
59	5.27	5.457	20	
60	5.27	5.402	20	
61	5.27	5.522	20	
62	5.27	5.534	20	
63	5.27	5.452	20	
64	5.27	5.612	20	
65	5.27	5.548	20	
66	5.27	5.368	20	
67	5.27	5.582	20	
68	5.27	5.443	20	
69	5.27	5.469	20	
70	5.27	5.483	20	
71	5.27	5.297	20	
72	5.27	5.512	20	
73	5.27	5.347	20	
74	5.27	5.26	20	*
75	5.27	5.568	20	
76	5.27	5.385	20	
77	5.27	5.274	20	*
78	5.27	5.579	20	
79	5.27	5.654	20	
80	5.27	5.343	20	
81	5.27	5.621	20	
82	5.27	5.684	20	
83	5.27	5.334	20	
84	5.27	5.471	20	
85	5.27	5.298	20	
86	5.27	5.546	20	
87	5.27	5.36	20	
88	5.27	5.703	20	
89	5.27	5.318	20	
90	5.27	5.592	20	
91	5.27	5.392	20	
92	5.27	5.338	20	
93	5.27	5.632	20	
94	5.27	5.388	20	
95	5.27	5.533	20	
96	5.27	5.617	20	
97	5.27	5.411	20	
98	5.27	5.48	20	
99	5.27	5.341	20	
100	5.27	5.418	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 12

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.452	20	
2	5.27	5.301	20	
3	5.27	5.647	20	
4	5.27	5.296	20	
5	5.27	5.256	20	
6	5.27	5.7	20	
7	5.27	5.35	20	
8	5.27	5.482	20	
9	5.27	5.702	20	
10	5.27	5.711	20	
11	5.27	5.408	20	
12	5.27	5.29	20	
13	5.27	5.518	20	
14	5.27	5.509	20	
15	5.27	5.538	20	
16	5.27	5.392	20	
17	5.27	5.254	20	
18	5.27	5.366	20	
19	5.27	5.427	20	
20	5.27	5.368	20	
21	5.27	5.619	20	
22	5.27	5.425	20	
23	5.27	5.375	20	
24	5.27	5.616	20	
25	5.27	5.428	20	
26	5.27	5.444	20	
27	5.27	5.617	20	
28	5.27	5.501	20	
29	5.27	5.476	20	
30	5.27	5.687	20	
31	5.27	5.598	20	
32	5.27	5.58	20	
33	5.27	5.449	20	
34	5.27	5.622	20	
35	5.27	5.471	20	
36	5.27	5.379	20	
37	5.27	5.299	20	
38	5.27	5.443	20	
39	5.27	5.562	20	
40	5.27	5.717	20	
41	5.27	5.551	20	
42	5.27	5.492	20	
43	5.27	5.506	20	
44	5.27	5.69	20	
45	5.27	5.467	20	
46	5.27	5.596	20	
47	5.27	5.48	20	

48	5.27	5.391	20	
49	5.27	5.257	20	
50	5.27	5.414	20	
51	5.27	5.511	20	
52	5.27	5.358	20	
53	5.27	5.669	20	
54	5.27	5.317	20	
55	5.27	5.504	20	
56	5.27	5.571	20	
57	5.27	5.574	20	
58	5.27	5.607	20	
59	5.27	5.474	20	
60	5.27	5.265	20	*
61	5.27	5.513	20	
62	5.27	5.298	20	
63	5.27	5.284	20	
64	5.27	5.705	20	
65	5.27	5.591	20	
66	5.27	5.644	20	
67	5.27	5.496	20	
68	5.27	5.289	20	
69	5.27	5.398	20	
70	5.27	5.28	20	*
71	5.27	5.59	20	
72	5.27	5.446	20	
73	5.27	5.276	20	*
74	5.27	5.359	20	
75	5.27	5.442	20	
76	5.27	5.286	20	
77	5.27	5.275	20	*
78	5.27	5.288	20	
79	5.27	5.424	20	
80	5.27	5.535	20	
81	5.27	5.677	20	
82	5.27	5.382	20	
83	5.27	5.499	20	
84	5.27	5.345	20	
85	5.27	5.531	20	
86	5.27	5.383	20	
87	5.27	5.648	20	
88	5.27	5.305	20	
89	5.27	5.4	20	
90	5.27	5.389	20	
91	5.27	5.549	20	
92	5.27	5.337	20	
93	5.27	5.34	20	
94	5.27	5.455	20	
95	5.27	5.609	20	
96	5.27	5.539	20	
97	5.27	5.72	20	
98	5.27	5.372	20	
99	5.27	5.543	20	
100	5.27	5.421	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 13

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.409	20	
2	5.27	5.577	20	
3	5.27	5.564	20	
4	5.27	5.582	20	
5	5.27	5.601	20	
6	5.27	5.706	20	
7	5.27	5.529	20	
8	5.27	5.561	20	
9	5.27	5.387	20	
10	5.27	5.724	20	
11	5.27	5.399	20	
12	5.27	5.605	20	
13	5.27	5.417	20	
14	5.27	5.426	20	
15	5.27	5.46	20	
16	5.27	5.304	20	
17	5.27	5.347	20	
18	5.27	5.693	20	
19	5.27	5.325	20	
20	5.27	5.581	20	
21	5.27	5.324	20	
22	5.27	5.275	20	*
23	5.27	5.504	20	
24	5.27	5.435	20	
25	5.27	5.284	20	
26	5.27	5.533	20	
27	5.27	5.705	20	
28	5.27	5.321	20	
29	5.27	5.48	20	
30	5.27	5.461	20	
31	5.27	5.408	20	
32	5.27	5.642	20	
33	5.27	5.72	20	
34	5.27	5.391	20	
35	5.27	5.251	20	
36	5.27	5.471	20	
37	5.27	5.259	20	
38	5.27	5.278	20	*
39	5.27	5.307	20	
40	5.27	5.611	20	
41	5.27	5.5	20	
42	5.27	5.412	20	
43	5.27	5.334	20	
44	5.27	5.637	20	
45	5.27	5.294	20	
46	5.27	5.659	20	
47	5.27	5.39	20	

48	5.27	5.298	20	
49	5.27	5.578	20	
50	5.27	5.397	20	
51	5.27	5.368	20	
52	5.27	5.515	20	
53	5.27	5.574	20	
54	5.27	5.709	20	
55	5.27	5.551	20	
56	5.27	5.51	20	
57	5.27	5.338	20	
58	5.27	5.636	20	
59	5.27	5.565	20	
60	5.27	5.378	20	
61	5.27	5.594	20	
62	5.27	5.592	20	
63	5.27	5.698	20	
64	5.27	5.524	20	
65	5.27	5.694	20	
66	5.27	5.593	20	
67	5.27	5.662	20	
68	5.27	5.469	20	
69	5.27	5.404	20	
70	5.27	5.313	20	
71	5.27	5.54	20	
72	5.27	5.614	20	
73	5.27	5.644	20	
74	5.27	5.721	20	
75	5.27	5.607	20	
76	5.27	5.61	20	
77	5.27	5.59	20	
78	5.27	5.423	20	
79	5.27	5.631	20	
80	5.27	5.511	20	
81	5.27	5.443	20	
82	5.27	5.641	20	
83	5.27	5.651	20	
84	5.27	5.331	20	
85	5.27	5.335	20	
86	5.27	5.261	20	*
87	5.27	5.679	20	
88	5.27	5.543	20	
89	5.27	5.616	20	
90	5.27	5.553	20	
91	5.27	5.632	20	
92	5.27	5.647	20	
93	5.27	5.361	20	
94	5.27	5.615	20	
95	5.27	5.557	20	
96	5.27	5.315	20	
97	5.27	5.264	20	*
98	5.27	5.604	20	
99	5.27	5.558	20	
100	5.27	5.258	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 14

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.631	20	
2	5.27	5.503	20	
3	5.27	5.651	20	
4	5.27	5.406	20	
5	5.27	5.519	20	
6	5.27	5.58	20	
7	5.27	5.719	20	
8	5.27	5.474	20	
9	5.27	5.571	20	
10	5.27	5.373	20	
11	5.27	5.544	20	
12	5.27	5.698	20	
13	5.27	5.612	20	
14	5.27	5.508	20	
15	5.27	5.326	20	
16	5.27	5.667	20	
17	5.27	5.711	20	
18	5.27	5.552	20	
19	5.27	5.379	20	
20	5.27	5.668	20	
21	5.27	5.677	20	
22	5.27	5.511	20	
23	5.27	5.316	20	
24	5.27	5.502	20	
25	5.27	5.642	20	
26	5.27	5.45	20	
27	5.27	5.273	20	*
28	5.27	5.346	20	
29	5.27	5.349	20	
30	5.27	5.409	20	
31	5.27	5.259	20	
32	5.27	5.384	20	
33	5.27	5.434	20	
34	5.27	5.42	20	
35	5.27	5.301	20	
36	5.27	5.724	20	
37	5.27	5.516	20	
38	5.27	5.522	20	
39	5.27	5.49	20	
40	5.27	5.313	20	
41	5.27	5.288	20	
42	5.27	5.603	20	
43	5.27	5.706	20	
44	5.27	5.68	20	
45	5.27	5.357	20	
46	5.27	5.325	20	
47	5.27	5.506	20	

48	5.27	5.435	20	
49	5.27	5.564	20	
50	5.27	5.653	20	
51	5.27	5.565	20	
52	5.27	5.408	20	
53	5.27	5.715	20	
54	5.27	5.661	20	
55	5.27	5.306	20	
56	5.27	5.333	20	
57	5.27	5.543	20	
58	5.27	5.556	20	
59	5.27	5.705	20	
60	5.27	5.512	20	
61	5.27	5.475	20	
62	5.27	5.559	20	
63	5.27	5.402	20	
64	5.27	5.4	20	
65	5.27	5.625	20	
66	5.27	5.462	20	
67	5.27	5.537	20	
68	5.27	5.342	20	
69	5.27	5.46	20	
70	5.27	5.569	20	
71	5.27	5.709	20	
72	5.27	5.648	20	
73	5.27	5.38	20	
74	5.27	5.369	20	
75	5.27	5.507	20	
76	5.27	5.626	20	
77	5.27	5.689	20	
78	5.27	5.699	20	
79	5.27	5.296	20	
80	5.27	5.456	20	
81	5.27	5.361	20	
82	5.27	5.387	20	
83	5.27	5.717	20	
84	5.27	5.656	20	
85	5.27	5.65	20	
86	5.27	5.254	20	
87	5.27	5.671	20	
88	5.27	5.457	20	
89	5.27	5.703	20	
90	5.27	5.332	20	
91	5.27	5.463	20	
92	5.27	5.476	20	
93	5.27	5.455	20	
94	5.27	5.596	20	
95	5.27	5.471	20	
96	5.27	5.399	20	
97	5.27	5.255	20	
98	5.27	5.324	20	
99	5.27	5.529	20	
100	5.27	5.538	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 15

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.653	20	
2	5.27	5.574	20	
3	5.27	5.694	20	
4	5.27	5.302	20	
5	5.27	5.414	20	
6	5.27	5.625	20	
7	5.27	5.442	20	
8	5.27	5.451	20	
9	5.27	5.47	20	
10	5.27	5.531	20	
11	5.27	5.375	20	
12	5.27	5.716	20	
13	5.27	5.328	20	
14	5.27	5.56	20	
15	5.27	5.267	20	*
16	5.27	5.352	20	
17	5.27	5.686	20	
18	5.27	5.662	20	
19	5.27	5.467	20	
20	5.27	5.401	20	
21	5.27	5.393	20	
22	5.27	5.395	20	
23	5.27	5.255	20	
24	5.27	5.682	20	
25	5.27	5.721	20	
26	5.27	5.384	20	
27	5.27	5.285	20	
28	5.27	5.427	20	
29	5.27	5.538	20	
30	5.27	5.343	20	
31	5.27	5.469	20	
32	5.27	5.269	20	*
33	5.27	5.581	20	
34	5.27	5.557	20	
35	5.27	5.275	20	*
36	5.27	5.518	20	
37	5.27	5.645	20	
38	5.27	5.478	20	
39	5.27	5.707	20	
40	5.27	5.564	20	
41	5.27	5.366	20	
42	5.27	5.505	20	
43	5.27	5.655	20	
44	5.27	5.494	20	
45	5.27	5.279	20	*
46	5.27	5.498	20	
47	5.27	5.58	20	

48	5.27	5.656	20	
49	5.27	5.661	20	
50	5.27	5.308	20	
51	5.27	5.468	20	
52	5.27	5.515	20	
53	5.27	5.252	20	
54	5.27	5.61	20	
55	5.27	5.417	20	
56	5.27	5.407	20	
57	5.27	5.496	20	
58	5.27	5.445	20	
59	5.27	5.616	20	
60	5.27	5.428	20	
61	5.27	5.253	20	
62	5.27	5.303	20	
63	5.27	5.59	20	
64	5.27	5.441	20	
65	5.27	5.335	20	
66	5.27	5.381	20	
67	5.27	5.37	20	
68	5.27	5.33	20	
69	5.27	5.528	20	
70	5.27	5.622	20	
71	5.27	5.597	20	
72	5.27	5.502	20	
73	5.27	5.68	20	
74	5.27	5.463	20	
75	5.27	5.684	20	
76	5.27	5.64	20	
77	5.27	5.293	20	
78	5.27	5.529	20	
79	5.27	5.344	20	
80	5.27	5.406	20	
81	5.27	5.278	20	*
82	5.27	5.419	20	
83	5.27	5.719	20	
84	5.27	5.341	20	
85	5.27	5.504	20	
86	5.27	5.628	20	
87	5.27	5.671	20	
88	5.27	5.455	20	
89	5.27	5.698	20	
90	5.27	5.453	20	
91	5.27	5.394	20	
92	5.27	5.691	20	
93	5.27	5.599	20	
94	5.27	5.364	20	
95	5.27	5.492	20	
96	5.27	5.491	20	
97	5.27	5.672	20	
98	5.27	5.254	20	
99	5.27	5.34	20	
100	5.27	5.584	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 16

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.658	20	
2	5.27	5.646	20	
3	5.27	5.554	20	
4	5.27	5.389	20	
5	5.27	5.421	20	
6	5.27	5.309	20	
7	5.27	5.324	20	
8	5.27	5.719	20	
9	5.27	5.499	20	
10	5.27	5.405	20	
11	5.27	5.703	20	
12	5.27	5.644	20	
13	5.27	5.609	20	
14	5.27	5.532	20	
15	5.27	5.4	20	
16	5.27	5.408	20	
17	5.27	5.371	20	
18	5.27	5.529	20	
19	5.27	5.654	20	
20	5.27	5.55	20	
21	5.27	5.284	20	
22	5.27	5.576	20	
23	5.27	5.264	20	*
24	5.27	5.33	20	
25	5.27	5.438	20	
26	5.27	5.398	20	
27	5.27	5.475	20	
28	5.27	5.285	20	
29	5.27	5.355	20	
30	5.27	5.621	20	
31	5.27	5.361	20	
32	5.27	5.579	20	
33	5.27	5.669	20	
34	5.27	5.352	20	
35	5.27	5.641	20	
36	5.27	5.497	20	
37	5.27	5.568	20	
38	5.27	5.279	20	*
39	5.27	5.681	20	
40	5.27	5.549	20	
41	5.27	5.367	20	
42	5.27	5.663	20	
43	5.27	5.563	20	
44	5.27	5.591	20	
45	5.27	5.476	20	
46	5.27	5.433	20	
47	5.27	5.466	20	

48	5.27	5.47	20	
49	5.27	5.286	20	
50	5.27	5.661	20	
51	5.27	5.383	20	
52	5.27	5.601	20	
53	5.27	5.723	20	
54	5.27	5.296	20	
55	5.27	5.416	20	
56	5.27	5.693	20	
57	5.27	5.552	20	
58	5.27	5.496	20	
59	5.27	5.314	20	
60	5.27	5.608	20	
61	5.27	5.267	20	*
62	5.27	5.59	20	
63	5.27	5.447	20	
64	5.27	5.699	20	
65	5.27	5.269	20	*
66	5.27	5.467	20	
67	5.27	5.386	20	
68	5.27	5.328	20	
69	5.27	5.494	20	
70	5.27	5.551	20	
71	5.27	5.395	20	
72	5.27	5.339	20	
73	5.27	5.378	20	
74	5.27	5.722	20	
75	5.27	5.322	20	
76	5.27	5.473	20	
77	5.27	5.425	20	
78	5.27	5.292	20	
79	5.27	5.611	20	
80	5.27	5.374	20	
81	5.27	5.435	20	
82	5.27	5.276	20	*
83	5.27	5.379	20	
84	5.27	5.397	20	
85	5.27	5.445	20	
86	5.27	5.434	20	
87	5.27	5.62	20	
88	5.27	5.607	20	
89	5.27	5.412	20	
90	5.27	5.459	20	
91	5.27	5.539	20	
92	5.27	5.689	20	
93	5.27	5.429	20	
94	5.27	5.558	20	
95	5.27	5.321	20	
96	5.27	5.702	20	
97	5.27	5.667	20	
98	5.27	5.252	20	
99	5.27	5.562	20	
100	5.27	5.277	20	*

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 17

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.251	20	
2	5.27	5.581	20	
3	5.27	5.538	20	
4	5.27	5.607	20	
5	5.27	5.259	20	
6	5.27	5.484	20	
7	5.27	5.399	20	
8	5.27	5.555	20	
9	5.27	5.373	20	
10	5.27	5.264	20	*
11	5.27	5.468	20	
12	5.27	5.429	20	
13	5.27	5.561	20	
14	5.27	5.439	20	
15	5.27	5.541	20	
16	5.27	5.413	20	
17	5.27	5.334	20	
18	5.27	5.577	20	
19	5.27	5.571	20	
20	5.27	5.513	20	
21	5.27	5.648	20	
22	5.27	5.584	20	
23	5.27	5.503	20	
24	5.27	5.418	20	
25	5.27	5.293	20	
26	5.27	5.557	20	
27	5.27	5.506	20	
28	5.27	5.512	20	
29	5.27	5.531	20	
30	5.27	5.263	20	*
31	5.27	5.641	20	
32	5.27	5.405	20	
33	5.27	5.361	20	
34	5.27	5.515	20	
35	5.27	5.37	20	
36	5.27	5.478	20	
37	5.27	5.693	20	
38	5.27	5.366	20	
39	5.27	5.602	20	
40	5.27	5.51	20	
41	5.27	5.276	20	*
42	5.27	5.479	20	
43	5.27	5.698	20	
44	5.27	5.275	20	*
45	5.27	5.63	20	
46	5.27	5.524	20	
47	5.27	5.407	20	

48	5.27	5.363	20	
49	5.27	5.507	20	
50	5.27	5.435	20	
51	5.27	5.708	20	
52	5.27	5.454	20	
53	5.27	5.286	20	
54	5.27	5.496	20	
55	5.27	5.608	20	
56	5.27	5.329	20	
57	5.27	5.358	20	
58	5.27	5.597	20	
59	5.27	5.449	20	
60	5.27	5.665	20	
61	5.27	5.404	20	
62	5.27	5.289	20	
63	5.27	5.26	20	*
64	5.27	5.616	20	
65	5.27	5.678	20	
66	5.27	5.591	20	
67	5.27	5.381	20	
68	5.27	5.516	20	
69	5.27	5.673	20	
70	5.27	5.71	20	
71	5.27	5.394	20	
72	5.27	5.339	20	
73	5.27	5.471	20	
74	5.27	5.443	20	
75	5.27	5.663	20	
76	5.27	5.444	20	
77	5.27	5.277	20	*
78	5.27	5.33	20	
79	5.27	5.406	20	
80	5.27	5.58	20	
81	5.27	5.369	20	
82	5.27	5.298	20	
83	5.27	5.328	20	
84	5.27	5.432	20	
85	5.27	5.279	20	*
86	5.27	5.548	20	
87	5.27	5.317	20	
88	5.27	5.6	20	
89	5.27	5.393	20	
90	5.27	5.421	20	
91	5.27	5.504	20	
92	5.27	5.657	20	
93	5.27	5.376	20	
94	5.27	5.458	20	
95	5.27	5.331	20	
96	5.27	5.422	20	
97	5.27	5.672	20	
98	5.27	5.446	20	
99	5.27	5.696	20	
100	5.27	5.623	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 18

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.603	20	
2	5.27	5.288	20	
3	5.27	5.263	20	*
4	5.27	5.466	20	
5	5.27	5.434	20	
6	5.27	5.409	20	
7	5.27	5.635	20	
8	5.27	5.687	20	
9	5.27	5.554	20	
10	5.27	5.645	20	
11	5.27	5.534	20	
12	5.27	5.307	20	
13	5.27	5.497	20	
14	5.27	5.51	20	
15	5.27	5.668	20	
16	5.27	5.4	20	
17	5.27	5.544	20	
18	5.27	5.412	20	
19	5.27	5.532	20	
20	5.27	5.346	20	
21	5.27	5.596	20	
22	5.27	5.657	20	
23	5.27	5.359	20	
24	5.27	5.302	20	
25	5.27	5.279	20	*
26	5.27	5.26	20	*
27	5.27	5.292	20	
28	5.27	5.681	20	
29	5.27	5.717	20	
30	5.27	5.304	20	
31	5.27	5.483	20	
32	5.27	5.503	20	
33	5.27	5.637	20	
34	5.27	5.59	20	
35	5.27	5.283	20	
36	5.27	5.684	20	
37	5.27	5.404	20	
38	5.27	5.392	20	
39	5.27	5.273	20	*
40	5.27	5.353	20	
41	5.27	5.387	20	
42	5.27	5.616	20	
43	5.27	5.425	20	
44	5.27	5.314	20	
45	5.27	5.618	20	
46	5.27	5.682	20	
47	5.27	5.719	20	

48	5.27	5.674	20	
49	5.27	5.379	20	
50	5.27	5.569	20	
51	5.27	5.673	20	
52	5.27	5.599	20	
53	5.27	5.396	20	
54	5.27	5.548	20	
55	5.27	5.543	20	
56	5.27	5.335	20	
57	5.27	5.427	20	
58	5.27	5.517	20	
59	5.27	5.709	20	
60	5.27	5.468	20	
61	5.27	5.515	20	
62	5.27	5.491	20	
63	5.27	5.252	20	
64	5.27	5.349	20	
65	5.27	5.661	20	
66	5.27	5.382	20	
67	5.27	5.25	20	
68	5.27	5.584	20	
69	5.27	5.438	20	
70	5.27	5.326	20	
71	5.27	5.334	20	
72	5.27	5.49	20	
73	5.27	5.265	20	*
74	5.27	5.552	20	
75	5.27	5.633	20	
76	5.27	5.493	20	
77	5.27	5.393	20	
78	5.27	5.374	20	
79	5.27	5.415	20	
80	5.27	5.333	20	
81	5.27	5.698	20	
82	5.27	5.3	20	
83	5.27	5.316	20	
84	5.27	5.48	20	
85	5.27	5.299	20	
86	5.27	5.702	20	
87	5.27	5.443	20	
88	5.27	5.455	20	
89	5.27	5.36	20	
90	5.27	5.557	20	
91	5.27	5.315	20	
92	5.27	5.514	20	
93	5.27	5.671	20	
94	5.27	5.564	20	
95	5.27	5.376	20	
96	5.27	5.524	20	
97	5.27	5.65	20	
98	5.27	5.355	20	
99	5.27	5.636	20	
100	5.27	5.296	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 19

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.424	20	
2	5.27	5.271	20	*
3	5.27	5.373	20	
4	5.27	5.557	20	
5	5.27	5.307	20	
6	5.27	5.38	20	
7	5.27	5.449	20	
8	5.27	5.596	20	
9	5.27	5.334	20	
10	5.27	5.51	20	
11	5.27	5.441	20	
12	5.27	5.348	20	
13	5.27	5.386	20	
14	5.27	5.646	20	
15	5.27	5.586	20	
16	5.27	5.723	20	
17	5.27	5.665	20	
18	5.27	5.427	20	
19	5.27	5.48	20	
20	5.27	5.626	20	
21	5.27	5.351	20	
22	5.27	5.303	20	
23	5.27	5.581	20	
24	5.27	5.406	20	
25	5.27	5.292	20	
26	5.27	5.613	20	
27	5.27	5.296	20	
28	5.27	5.421	20	
29	5.27	5.606	20	
30	5.27	5.576	20	
31	5.27	5.547	20	
32	5.27	5.349	20	
33	5.27	5.263	20	*
34	5.27	5.377	20	
35	5.27	5.691	20	
36	5.27	5.341	20	
37	5.27	5.526	20	
38	5.27	5.589	20	
39	5.27	5.32	20	
40	5.27	5.67	20	
41	5.27	5.275	20	*
42	5.27	5.64	20	
43	5.27	5.693	20	
44	5.27	5.593	20	
45	5.27	5.657	20	
46	5.27	5.654	20	
47	5.27	5.26	20	*

48	5.27	5.585	20	
49	5.27	5.478	20	
50	5.27	5.52	20	
51	5.27	5.315	20	
52	5.27	5.431	20	
53	5.27	5.46	20	
54	5.27	5.286	20	
55	5.27	5.56	20	
56	5.27	5.489	20	
57	5.27	5.627	20	
58	5.27	5.328	20	
59	5.27	5.681	20	
60	5.27	5.473	20	
61	5.27	5.396	20	
62	5.27	5.435	20	
63	5.27	5.703	20	
64	5.27	5.329	20	
65	5.27	5.553	20	
66	5.27	5.711	20	
67	5.27	5.318	20	
68	5.27	5.252	20	
69	5.27	5.398	20	
70	5.27	5.492	20	
71	5.27	5.587	20	
72	5.27	5.59	20	
73	5.27	5.535	20	
74	5.27	5.709	20	
75	5.27	5.261	20	*
76	5.27	5.44	20	
77	5.27	5.545	20	
78	5.27	5.49	20	
79	5.27	5.312	20	
80	5.27	5.447	20	
81	5.27	5.525	20	
82	5.27	5.335	20	
83	5.27	5.276	20	*
84	5.27	5.393	20	
85	5.27	5.528	20	
86	5.27	5.251	20	
87	5.27	5.65	20	
88	5.27	5.467	20	
89	5.27	5.644	20	
90	5.27	5.378	20	
91	5.27	5.365	20	
92	5.27	5.269	20	*
93	5.27	5.569	20	
94	5.27	5.564	20	
95	5.27	5.705	20	
96	5.27	5.617	20	
97	5.27	5.671	20	
98	5.27	5.534	20	
99	5.27	5.418	20	
100	5.27	5.552	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 20

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.671	20	
2	5.27	5.684	20	
3	5.27	5.635	20	
4	5.27	5.723	20	
5	5.27	5.657	20	
6	5.27	5.405	20	
7	5.27	5.714	20	
8	5.27	5.599	20	
9	5.27	5.621	20	
10	5.27	5.544	20	
11	5.27	5.311	20	
12	5.27	5.546	20	
13	5.27	5.261	20	*
14	5.27	5.501	20	
15	5.27	5.435	20	
16	5.27	5.697	20	
17	5.27	5.606	20	
18	5.27	5.557	20	
19	5.27	5.539	20	
20	5.27	5.668	20	
21	5.27	5.317	20	
22	5.27	5.555	20	
23	5.27	5.312	20	
24	5.27	5.403	20	
25	5.27	5.384	20	
26	5.27	5.402	20	
27	5.27	5.283	20	
28	5.27	5.48	20	
29	5.27	5.64	20	
30	5.27	5.457	20	
31	5.27	5.583	20	
32	5.27	5.279	20	*
33	5.27	5.443	20	
34	5.27	5.627	20	
35	5.27	5.55	20	
36	5.27	5.441	20	
37	5.27	5.255	20	
38	5.27	5.471	20	
39	5.27	5.691	20	
40	5.27	5.339	20	
41	5.27	5.437	20	
42	5.27	5.693	20	
43	5.27	5.58	20	
44	5.27	5.388	20	
45	5.27	5.485	20	
46	5.27	5.576	20	
47	5.27	5.588	20	

48	5.27	5.66	20	
49	5.27	5.47	20	
50	5.27	5.512	20	
51	5.27	5.709	20	
52	5.27	5.553	20	
53	5.27	5.607	20	
54	5.27	5.662	20	
55	5.27	5.313	20	
56	5.27	5.351	20	
57	5.27	5.712	20	
58	5.27	5.648	20	
59	5.27	5.724	20	
60	5.27	5.574	20	
61	5.27	5.511	20	
62	5.27	5.456	20	
63	5.27	5.515	20	
64	5.27	5.548	20	
65	5.27	5.398	20	
66	5.27	5.306	20	
67	5.27	5.477	20	
68	5.27	5.347	20	
69	5.27	5.335	20	
70	5.27	5.37	20	
71	5.27	5.36	20	
72	5.27	5.327	20	
73	5.27	5.71	20	
74	5.27	5.594	20	
75	5.27	5.651	20	
76	5.27	5.559	20	
77	5.27	5.399	20	
78	5.27	5.622	20	
79	5.27	5.315	20	
80	5.27	5.366	20	
81	5.27	5.316	20	
82	5.27	5.404	20	
83	5.27	5.676	20	
84	5.27	5.633	20	
85	5.27	5.424	20	
86	5.27	5.419	20	
87	5.27	5.577	20	
88	5.27	5.661	20	
89	5.27	5.516	20	
90	5.27	5.636	20	
91	5.27	5.531	20	
92	5.27	5.667	20	
93	5.27	5.39	20	
94	5.27	5.619	20	
95	5.27	5.532	20	
96	5.27	5.67	20	
97	5.27	5.451	20	
98	5.27	5.355	20	
99	5.27	5.464	20	
100	5.27	5.624	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 21

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.497	20	
2	5.27	5.662	20	
3	5.27	5.433	20	
4	5.27	5.596	20	
5	5.27	5.326	20	
6	5.27	5.267	20	*
7	5.27	5.482	20	
8	5.27	5.302	20	
9	5.27	5.301	20	
10	5.27	5.434	20	
11	5.27	5.474	20	
12	5.27	5.677	20	
13	5.27	5.399	20	
14	5.27	5.672	20	
15	5.27	5.27	20	*
16	5.27	5.523	20	
17	5.27	5.406	20	
18	5.27	5.571	20	
19	5.27	5.673	20	
20	5.27	5.567	20	
21	5.27	5.361	20	
22	5.27	5.444	20	
23	5.27	5.402	20	
24	5.27	5.432	20	
25	5.27	5.549	20	
26	5.27	5.351	20	
27	5.27	5.591	20	
28	5.27	5.646	20	
29	5.27	5.521	20	
30	5.27	5.387	20	
31	5.27	5.426	20	
32	5.27	5.582	20	
33	5.27	5.423	20	
34	5.27	5.477	20	
35	5.27	5.308	20	
36	5.27	5.305	20	
37	5.27	5.507	20	
38	5.27	5.329	20	
39	5.27	5.335	20	
40	5.27	5.724	20	
41	5.27	5.304	20	
42	5.27	5.483	20	
43	5.27	5.452	20	
44	5.27	5.648	20	
45	5.27	5.63	20	
46	5.27	5.496	20	
47	5.27	5.614	20	

48	5.27	5.68	20	
49	5.27	5.706	20	
50	5.27	5.675	20	
51	5.27	5.65	20	
52	5.27	5.593	20	
53	5.27	5.565	20	
54	5.27	5.417	20	
55	5.27	5.552	20	
56	5.27	5.632	20	
57	5.27	5.317	20	
58	5.27	5.541	20	
59	5.27	5.307	20	
60	5.27	5.271	20	*
61	5.27	5.504	20	
62	5.27	5.686	20	
63	5.27	5.37	20	
64	5.27	5.665	20	
65	5.27	5.275	20	*
66	5.27	5.422	20	
67	5.27	5.525	20	
68	5.27	5.331	20	
69	5.27	5.415	20	
70	5.27	5.681	20	
71	5.27	5.489	20	
72	5.27	5.41	20	
73	5.27	5.478	20	
74	5.27	5.548	20	
75	5.27	5.341	20	
76	5.27	5.522	20	
77	5.27	5.325	20	
78	5.27	5.583	20	
79	5.27	5.606	20	
80	5.27	5.461	20	
81	5.27	5.602	20	
82	5.27	5.581	20	
83	5.27	5.705	20	
84	5.27	5.268	20	*
85	5.27	5.586	20	
86	5.27	5.524	20	
87	5.27	5.723	20	
88	5.27	5.303	20	
89	5.27	5.468	20	
90	5.27	5.362	20	
91	5.27	5.414	20	
92	5.27	5.311	20	
93	5.27	5.551	20	
94	5.27	5.587	20	
95	5.27	5.683	20	
96	5.27	5.484	20	
97	5.27	5.57	20	
98	5.27	5.453	20	
99	5.27	5.7	20	
100	5.27	5.352	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 22

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.523	20	
2	5.27	5.542	20	
3	5.27	5.369	20	
4	5.27	5.651	20	
5	5.27	5.538	20	
6	5.27	5.286	20	
7	5.27	5.426	20	
8	5.27	5.3	20	
9	5.27	5.673	20	
10	5.27	5.371	20	
11	5.27	5.52	20	
12	5.27	5.38	20	
13	5.27	5.575	20	
14	5.27	5.524	20	
15	5.27	5.313	20	
16	5.27	5.674	20	
17	5.27	5.264	20	*
18	5.27	5.518	20	
19	5.27	5.406	20	
20	5.27	5.443	20	
21	5.27	5.666	20	
22	5.27	5.393	20	
23	5.27	5.349	20	
24	5.27	5.483	20	
25	5.27	5.578	20	
26	5.27	5.382	20	
27	5.27	5.351	20	
28	5.27	5.697	20	
29	5.27	5.257	20	
30	5.27	5.577	20	
31	5.27	5.273	20	*
32	5.27	5.465	20	
33	5.27	5.603	20	
34	5.27	5.561	20	
35	5.27	5.33	20	
36	5.27	5.624	20	
37	5.27	5.51	20	
38	5.27	5.505	20	
39	5.27	5.439	20	
40	5.27	5.398	20	
41	5.27	5.648	20	
42	5.27	5.535	20	
43	5.27	5.709	20	
44	5.27	5.34	20	
45	5.27	5.574	20	
46	5.27	5.64	20	
47	5.27	5.654	20	

48	5.27	5.32	20	
49	5.27	5.462	20	
50	5.27	5.373	20	
51	5.27	5.27	20	*
52	5.27	5.381	20	
53	5.27	5.502	20	
54	5.27	5.534	20	
55	5.27	5.315	20	
56	5.27	5.306	20	
57	5.27	5.259	20	
58	5.27	5.684	20	
59	5.27	5.678	20	
60	5.27	5.622	20	
61	5.27	5.675	20	
62	5.27	5.554	20	
63	5.27	5.627	20	
64	5.27	5.477	20	
65	5.27	5.516	20	
66	5.27	5.7	20	
67	5.27	5.262	20	*
68	5.27	5.272	20	*
69	5.27	5.508	20	
70	5.27	5.581	20	
71	5.27	5.613	20	
72	5.27	5.302	20	
73	5.27	5.453	20	
74	5.27	5.597	20	
75	5.27	5.379	20	
76	5.27	5.671	20	
77	5.27	5.656	20	
78	5.27	5.361	20	
79	5.27	5.494	20	
80	5.27	5.639	20	
81	5.27	5.348	20	
82	5.27	5.251	20	
83	5.27	5.593	20	
84	5.27	5.619	20	
85	5.27	5.653	20	
86	5.27	5.587	20	
87	5.27	5.5	20	
88	5.27	5.594	20	
89	5.27	5.43	20	
90	5.27	5.317	20	
91	5.27	5.546	20	
92	5.27	5.53	20	
93	5.27	5.511	20	
94	5.27	5.549	20	
95	5.27	5.539	20	
96	5.27	5.424	20	
97	5.27	5.687	20	
98	5.27	5.274	20	*
99	5.27	5.625	20	
100	5.27	5.498	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 23

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.61	20	
2	5.27	5.567	20	
3	5.27	5.486	20	
4	5.27	5.652	20	
5	5.27	5.675	20	
6	5.27	5.641	20	
7	5.27	5.609	20	
8	5.27	5.654	20	
9	5.27	5.614	20	
10	5.27	5.272	20	*
11	5.27	5.254	20	
12	5.27	5.539	20	
13	5.27	5.473	20	
14	5.27	5.573	20	
15	5.27	5.267	20	*
16	5.27	5.443	20	
17	5.27	5.574	20	
18	5.27	5.358	20	
19	5.27	5.53	20	
20	5.27	5.359	20	
21	5.27	5.695	20	
22	5.27	5.43	20	
23	5.27	5.532	20	
24	5.27	5.331	20	
25	5.27	5.434	20	
26	5.27	5.582	20	
27	5.27	5.521	20	
28	5.27	5.3	20	
29	5.27	5.585	20	
30	5.27	5.667	20	
31	5.27	5.716	20	
32	5.27	5.345	20	
33	5.27	5.553	20	
34	5.27	5.689	20	
35	5.27	5.66	20	
36	5.27	5.41	20	
37	5.27	5.289	20	
38	5.27	5.546	20	
39	5.27	5.715	20	
40	5.27	5.302	20	
41	5.27	5.329	20	
42	5.27	5.373	20	
43	5.27	5.287	20	
44	5.27	5.554	20	
45	5.27	5.292	20	
46	5.27	5.374	20	
47	5.27	5.506	20	

48	5.27	5.451	20	
49	5.27	5.467	20	
50	5.27	5.497	20	
51	5.27	5.639	20	
52	5.27	5.628	20	
53	5.27	5.471	20	
54	5.27	5.705	20	
55	5.27	5.427	20	
56	5.27	5.408	20	
57	5.27	5.293	20	
58	5.27	5.364	20	
59	5.27	5.509	20	
60	5.27	5.363	20	
61	5.27	5.547	20	
62	5.27	5.419	20	
63	5.27	5.303	20	
64	5.27	5.484	20	
65	5.27	5.48	20	
66	5.27	5.307	20	
67	5.27	5.25	20	
68	5.27	5.496	20	
69	5.27	5.313	20	
70	5.27	5.361	20	
71	5.27	5.305	20	
72	5.27	5.601	20	
73	5.27	5.488	20	
74	5.27	5.286	20	
75	5.27	5.724	20	
76	5.27	5.255	20	
77	5.27	5.276	20	*
78	5.27	5.71	20	
79	5.27	5.336	20	
80	5.27	5.666	20	
81	5.27	5.453	20	
82	5.27	5.72	20	
83	5.27	5.399	20	
84	5.27	5.713	20	
85	5.27	5.709	20	
86	5.27	5.629	20	
87	5.27	5.683	20	
88	5.27	5.38	20	
89	5.27	5.696	20	
90	5.27	5.439	20	
91	5.27	5.382	20	
92	5.27	5.27	20	*
93	5.27	5.583	20	
94	5.27	5.251	20	
95	5.27	5.315	20	
96	5.27	5.638	20	
97	5.27	5.584	20	
98	5.27	5.665	20	
99	5.27	5.712	20	
100	5.27	5.636	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 24

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.38	20	
2	5.27	5.582	20	
3	5.27	5.464	20	
4	5.27	5.521	20	
5	5.27	5.568	20	
6	5.27	5.262	20	*
7	5.27	5.664	20	
8	5.27	5.652	20	
9	5.27	5.411	20	
10	5.27	5.386	20	
11	5.27	5.336	20	
12	5.27	5.522	20	
13	5.27	5.466	20	
14	5.27	5.35	20	
15	5.27	5.667	20	
16	5.27	5.46	20	
17	5.27	5.357	20	
18	5.27	5.36	20	
19	5.27	5.363	20	
20	5.27	5.432	20	
21	5.27	5.514	20	
22	5.27	5.564	20	
23	5.27	5.489	20	
24	5.27	5.611	20	
25	5.27	5.371	20	
26	5.27	5.492	20	
27	5.27	5.397	20	
28	5.27	5.265	20	*
29	5.27	5.33	20	
30	5.27	5.632	20	
31	5.27	5.712	20	
32	5.27	5.546	20	
33	5.27	5.274	20	*
34	5.27	5.493	20	
35	5.27	5.355	20	
36	5.27	5.671	20	
37	5.27	5.344	20	
38	5.27	5.614	20	
39	5.27	5.337	20	
40	5.27	5.374	20	
41	5.27	5.689	20	
42	5.27	5.331	20	
43	5.27	5.651	20	
44	5.27	5.361	20	
45	5.27	5.416	20	
46	5.27	5.3	20	
47	5.27	5.395	20	

48	5.27	5.435	20	
49	5.27	5.415	20	
50	5.27	5.602	20	
51	5.27	5.613	20	
52	5.27	5.596	20	
53	5.27	5.438	20	
54	5.27	5.44	20	
55	5.27	5.428	20	
56	5.27	5.668	20	
57	5.27	5.571	20	
58	5.27	5.633	20	
59	5.27	5.385	20	
60	5.27	5.478	20	
61	5.27	5.47	20	
62	5.27	5.649	20	
63	5.27	5.276	20	*
64	5.27	5.541	20	
65	5.27	5.679	20	
66	5.27	5.486	20	
67	5.27	5.68	20	
68	5.27	5.626	20	
69	5.27	5.429	20	
70	5.27	5.45	20	
71	5.27	5.675	20	
72	5.27	5.557	20	
73	5.27	5.688	20	
74	5.27	5.718	20	
75	5.27	5.548	20	
76	5.27	5.524	20	
77	5.27	5.257	20	
78	5.27	5.472	20	
79	5.27	5.326	20	
80	5.27	5.368	20	
81	5.27	5.369	20	
82	5.27	5.269	20	*
83	5.27	5.406	20	
84	5.27	5.448	20	
85	5.27	5.484	20	
86	5.27	5.559	20	
87	5.27	5.517	20	
88	5.27	5.589	20	
89	5.27	5.634	20	
90	5.27	5.456	20	
91	5.27	5.722	20	
92	5.27	5.653	20	
93	5.27	5.647	20	
94	5.27	5.455	20	
95	5.27	5.592	20	
96	5.27	5.373	20	
97	5.27	5.439	20	
98	5.27	5.5	20	
99	5.27	5.681	20	
100	5.27	5.442	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 25

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.518	20	
2	5.27	5.684	20	
3	5.27	5.585	20	
4	5.27	5.402	20	
5	5.27	5.437	20	
6	5.27	5.714	20	
7	5.27	5.542	20	
8	5.27	5.466	20	
9	5.27	5.327	20	
10	5.27	5.36	20	
11	5.27	5.403	20	
12	5.27	5.473	20	
13	5.27	5.665	20	
14	5.27	5.541	20	
15	5.27	5.53	20	
16	5.27	5.353	20	
17	5.27	5.679	20	
18	5.27	5.608	20	
19	5.27	5.6	20	
20	5.27	5.637	20	
21	5.27	5.423	20	
22	5.27	5.427	20	
23	5.27	5.592	20	
24	5.27	5.289	20	
25	5.27	5.463	20	
26	5.27	5.335	20	
27	5.27	5.499	20	
28	5.27	5.661	20	
29	5.27	5.628	20	
30	5.27	5.275	20	*
31	5.27	5.287	20	
32	5.27	5.383	20	
33	5.27	5.384	20	
34	5.27	5.315	20	
35	5.27	5.568	20	
36	5.27	5.425	20	
37	5.27	5.449	20	
38	5.27	5.543	20	
39	5.27	5.646	20	
40	5.27	5.647	20	
41	5.27	5.538	20	
42	5.27	5.712	20	
43	5.27	5.43	20	
44	5.27	5.404	20	
45	5.27	5.67	20	
46	5.27	5.453	20	
47	5.27	5.497	20	

48	5.27	5.57	20	
49	5.27	5.44	20	
50	5.27	5.511	20	
51	5.27	5.397	20	
52	5.27	5.702	20	
53	5.27	5.529	20	
54	5.27	5.325	20	
55	5.27	5.42	20	
56	5.27	5.311	20	
57	5.27	5.599	20	
58	5.27	5.358	20	
59	5.27	5.65	20	
60	5.27	5.533	20	
61	5.27	5.406	20	
62	5.27	5.442	20	
63	5.27	5.62	20	
64	5.27	5.303	20	
65	5.27	5.488	20	
66	5.27	5.686	20	
67	5.27	5.345	20	
68	5.27	5.715	20	
69	5.27	5.417	20	
70	5.27	5.566	20	
71	5.27	5.655	20	
72	5.27	5.569	20	
73	5.27	5.68	20	
74	5.27	5.581	20	
75	5.27	5.482	20	
76	5.27	5.319	20	
77	5.27	5.305	20	
78	5.27	5.376	20	
79	5.27	5.476	20	
80	5.27	5.368	20	
81	5.27	5.312	20	
82	5.27	5.39	20	
83	5.27	5.285	20	
84	5.27	5.341	20	
85	5.27	5.534	20	
86	5.27	5.636	20	
87	5.27	5.479	20	
88	5.27	5.669	20	
89	5.27	5.254	20	
90	5.27	5.506	20	
91	5.27	5.366	20	
92	5.27	5.612	20	
93	5.27	5.594	20	
94	5.27	5.283	20	
95	5.27	5.615	20	
96	5.27	5.582	20	
97	5.27	5.61	20	
98	5.27	5.613	20	
99	5.27	5.258	20	
100	5.27	5.268	20	*

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 26

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.523	20	
2	5.27	5.539	20	
3	5.27	5.346	20	
4	5.27	5.356	20	
5	5.27	5.324	20	
6	5.27	5.687	20	
7	5.27	5.682	20	
8	5.27	5.364	20	
9	5.27	5.723	20	
10	5.27	5.295	20	
11	5.27	5.499	20	
12	5.27	5.427	20	
13	5.27	5.328	20	
14	5.27	5.314	20	
15	5.27	5.253	20	
16	5.27	5.431	20	
17	5.27	5.577	20	
18	5.27	5.288	20	
19	5.27	5.444	20	
20	5.27	5.526	20	
21	5.27	5.488	20	
22	5.27	5.521	20	
23	5.27	5.683	20	
24	5.27	5.66	20	
25	5.27	5.528	20	
26	5.27	5.572	20	
27	5.27	5.668	20	
28	5.27	5.255	20	
29	5.27	5.351	20	
30	5.27	5.434	20	
31	5.27	5.284	20	
32	5.27	5.457	20	
33	5.27	5.504	20	
34	5.27	5.575	20	
35	5.27	5.377	20	
36	5.27	5.706	20	
37	5.27	5.471	20	
38	5.27	5.685	20	
39	5.27	5.609	20	
40	5.27	5.291	20	
41	5.27	5.571	20	
42	5.27	5.395	20	
43	5.27	5.429	20	
44	5.27	5.486	20	
45	5.27	5.522	20	
46	5.27	5.693	20	
47	5.27	5.33	20	

48	5.27	5.578	20	
49	5.27	5.296	20	
50	5.27	5.419	20	
51	5.27	5.46	20	
52	5.27	5.338	20	
53	5.27	5.261	20	*
54	5.27	5.557	20	
55	5.27	5.589	20	
56	5.27	5.478	20	
57	5.27	5.41	20	
58	5.27	5.485	20	
59	5.27	5.302	20	
60	5.27	5.331	20	
61	5.27	5.711	20	
62	5.27	5.59	20	
63	5.27	5.581	20	
64	5.27	5.404	20	
65	5.27	5.574	20	
66	5.27	5.496	20	
67	5.27	5.382	20	
68	5.27	5.306	20	
69	5.27	5.718	20	
70	5.27	5.473	20	
71	5.27	5.424	20	
72	5.27	5.341	20	
73	5.27	5.505	20	
74	5.27	5.257	20	
75	5.27	5.538	20	
76	5.27	5.493	20	
77	5.27	5.279	20	*
78	5.27	5.31	20	
79	5.27	5.273	20	*
80	5.27	5.399	20	
81	5.27	5.3	20	
82	5.27	5.612	20	
83	5.27	5.646	20	
84	5.27	5.305	20	
85	5.27	5.301	20	
86	5.27	5.509	20	
87	5.27	5.617	20	
88	5.27	5.54	20	
89	5.27	5.511	20	
90	5.27	5.353	20	
91	5.27	5.446	20	
92	5.27	5.467	20	
93	5.27	5.321	20	
94	5.27	5.72	20	
95	5.27	5.665	20	
96	5.27	5.492	20	
97	5.27	5.336	20	
98	5.27	5.516	20	
99	5.27	5.606	20	
100	5.27	5.366	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 27

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.365	20	
2	5.27	5.516	20	
3	5.27	5.55	20	
4	5.27	5.613	20	
5	5.27	5.368	20	
6	5.27	5.602	20	
7	5.27	5.544	20	
8	5.27	5.722	20	
9	5.27	5.699	20	
10	5.27	5.629	20	
11	5.27	5.604	20	
12	5.27	5.506	20	
13	5.27	5.274	20	*
14	5.27	5.505	20	
15	5.27	5.467	20	
16	5.27	5.332	20	
17	5.27	5.631	20	
18	5.27	5.294	20	
19	5.27	5.362	20	
20	5.27	5.42	20	
21	5.27	5.499	20	
22	5.27	5.654	20	
23	5.27	5.404	20	
24	5.27	5.462	20	
25	5.27	5.458	20	
26	5.27	5.293	20	
27	5.27	5.678	20	
28	5.27	5.716	20	
29	5.27	5.587	20	
30	5.27	5.555	20	
31	5.27	5.61	20	
32	5.27	5.614	20	
33	5.27	5.406	20	
34	5.27	5.684	20	
35	5.27	5.562	20	
36	5.27	5.278	20	*
37	5.27	5.464	20	
38	5.27	5.438	20	
39	5.27	5.51	20	
40	5.27	5.694	20	
41	5.27	5.408	20	
42	5.27	5.586	20	
43	5.27	5.686	20	
44	5.27	5.709	20	
45	5.27	5.393	20	
46	5.27	5.252	20	
47	5.27	5.279	20	*

48	5.27	5.512	20	
49	5.27	5.374	20	
50	5.27	5.599	20	
51	5.27	5.433	20	
52	5.27	5.703	20	
53	5.27	5.401	20	
54	5.27	5.36	20	
55	5.27	5.7	20	
56	5.27	5.565	20	
57	5.27	5.688	20	
58	5.27	5.547	20	
59	5.27	5.451	20	
60	5.27	5.424	20	
61	5.27	5.532	20	
62	5.27	5.637	20	
63	5.27	5.453	20	
64	5.27	5.715	20	
65	5.27	5.3	20	
66	5.27	5.384	20	
67	5.27	5.667	20	
68	5.27	5.598	20	
69	5.27	5.479	20	
70	5.27	5.348	20	
71	5.27	5.398	20	
72	5.27	5.697	20	
73	5.27	5.5	20	
74	5.27	5.291	20	
75	5.27	5.623	20	
76	5.27	5.322	20	
77	5.27	5.292	20	
78	5.27	5.267	20	*
79	5.27	5.579	20	
80	5.27	5.44	20	
81	5.27	5.394	20	
82	5.27	5.486	20	
83	5.27	5.487	20	
84	5.27	5.407	20	
85	5.27	5.409	20	
86	5.27	5.538	20	
87	5.27	5.642	20	
88	5.27	5.503	20	
89	5.27	5.673	20	
90	5.27	5.572	20	
91	5.27	5.576	20	
92	5.27	5.328	20	
93	5.27	5.28	20	*
94	5.27	5.369	20	
95	5.27	5.519	20	
96	5.27	5.303	20	
97	5.27	5.442	20	
98	5.27	5.585	20	
99	5.27	5.273	20	*
100	5.27	5.608	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 28

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.433	20	
2	5.27	5.704	20	
3	5.27	5.664	20	
4	5.27	5.364	20	
5	5.27	5.475	20	
6	5.27	5.637	20	
7	5.27	5.705	20	
8	5.27	5.472	20	
9	5.27	5.651	20	
10	5.27	5.58	20	
11	5.27	5.514	20	
12	5.27	5.608	20	
13	5.27	5.591	20	
14	5.27	5.289	20	
15	5.27	5.72	20	
16	5.27	5.521	20	
17	5.27	5.611	20	
18	5.27	5.5	20	
19	5.27	5.315	20	
20	5.27	5.512	20	
21	5.27	5.261	20	*
22	5.27	5.444	20	
23	5.27	5.257	20	
24	5.27	5.321	20	
25	5.27	5.583	20	
26	5.27	5.42	20	
27	5.27	5.405	20	
28	5.27	5.39	20	
29	5.27	5.353	20	
30	5.27	5.598	20	
31	5.27	5.64	20	
32	5.27	5.361	20	
33	5.27	5.629	20	
34	5.27	5.513	20	
35	5.27	5.467	20	
36	5.27	5.595	20	
37	5.27	5.456	20	
38	5.27	5.718	20	
39	5.27	5.406	20	
40	5.27	5.409	20	
41	5.27	5.417	20	
42	5.27	5.43	20	
43	5.27	5.36	20	
44	5.27	5.402	20	
45	5.27	5.485	20	
46	5.27	5.632	20	
47	5.27	5.574	20	

48	5.27	5.494	20	
49	5.27	5.569	20	
50	5.27	5.33	20	
51	5.27	5.562	20	
52	5.27	5.589	20	
53	5.27	5.722	20	
54	5.27	5.661	20	
55	5.27	5.427	20	
56	5.27	5.605	20	
57	5.27	5.685	20	
58	5.27	5.274	20	*
59	5.27	5.694	20	
60	5.27	5.343	20	
61	5.27	5.642	20	
62	5.27	5.317	20	
63	5.27	5.623	20	
64	5.27	5.604	20	
65	5.27	5.275	20	*
66	5.27	5.437	20	
67	5.27	5.69	20	
68	5.27	5.331	20	
69	5.27	5.719	20	
70	5.27	5.681	20	
71	5.27	5.439	20	
72	5.27	5.325	20	
73	5.27	5.602	20	
74	5.27	5.379	20	
75	5.27	5.625	20	
76	5.27	5.647	20	
77	5.27	5.37	20	
78	5.27	5.429	20	
79	5.27	5.542	20	
80	5.27	5.322	20	
81	5.27	5.555	20	
82	5.27	5.66	20	
83	5.27	5.638	20	
84	5.27	5.396	20	
85	5.27	5.466	20	
86	5.27	5.548	20	
87	5.27	5.698	20	
88	5.27	5.633	20	
89	5.27	5.711	20	
90	5.27	5.4	20	
91	5.27	5.594	20	
92	5.27	5.339	20	
93	5.27	5.313	20	
94	5.27	5.345	20	
95	5.27	5.463	20	
96	5.27	5.552	20	
97	5.27	5.565	20	
98	5.27	5.279	20	*
99	5.27	5.51	20	
100	5.27	5.394	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 29

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.254	20	
2	5.27	5.335	20	
3	5.27	5.444	20	
4	5.27	5.694	20	
5	5.27	5.316	20	
6	5.27	5.423	20	
7	5.27	5.655	20	
8	5.27	5.492	20	
9	5.27	5.301	20	
10	5.27	5.619	20	
11	5.27	5.422	20	
12	5.27	5.286	20	
13	5.27	5.724	20	
14	5.27	5.698	20	
15	5.27	5.469	20	
16	5.27	5.431	20	
17	5.27	5.598	20	
18	5.27	5.413	20	
19	5.27	5.472	20	
20	5.27	5.6	20	
21	5.27	5.392	20	
22	5.27	5.358	20	
23	5.27	5.412	20	
24	5.27	5.689	20	
25	5.27	5.597	20	
26	5.27	5.339	20	
27	5.27	5.572	20	
28	5.27	5.649	20	
29	5.27	5.605	20	
30	5.27	5.29	20	
31	5.27	5.576	20	
32	5.27	5.688	20	
33	5.27	5.687	20	
34	5.27	5.365	20	
35	5.27	5.513	20	
36	5.27	5.408	20	
37	5.27	5.654	20	
38	5.27	5.333	20	
39	5.27	5.633	20	
40	5.27	5.313	20	
41	5.27	5.321	20	
42	5.27	5.662	20	
43	5.27	5.595	20	
44	5.27	5.635	20	
45	5.27	5.643	20	
46	5.27	5.526	20	
47	5.27	5.51	20	

48	5.27	5.349	20	
49	5.27	5.653	20	
50	5.27	5.713	20	
51	5.27	5.393	20	
52	5.27	5.531	20	
53	5.27	5.397	20	
54	5.27	5.328	20	
55	5.27	5.289	20	
56	5.27	5.36	20	
57	5.27	5.481	20	
58	5.27	5.677	20	
59	5.27	5.666	20	
60	5.27	5.342	20	
61	5.27	5.581	20	
62	5.27	5.31	20	
63	5.27	5.556	20	
64	5.27	5.613	20	
65	5.27	5.305	20	
66	5.27	5.25	20	
67	5.27	5.268	20	*
68	5.27	5.368	20	
69	5.27	5.376	20	
70	5.27	5.42	20	
71	5.27	5.518	20	
72	5.27	5.362	20	
73	5.27	5.668	20	
74	5.27	5.573	20	
75	5.27	5.387	20	
76	5.27	5.53	20	
77	5.27	5.323	20	
78	5.27	5.343	20	
79	5.27	5.435	20	
80	5.27	5.507	20	
81	5.27	5.442	20	
82	5.27	5.502	20	
83	5.27	5.63	20	
84	5.27	5.623	20	
85	5.27	5.612	20	
86	5.27	5.532	20	
87	5.27	5.297	20	
88	5.27	5.559	20	
89	5.27	5.549	20	
90	5.27	5.337	20	
91	5.27	5.454	20	
92	5.27	5.56	20	
93	5.27	5.69	20	
94	5.27	5.34	20	
95	5.27	5.671	20	
96	5.27	5.449	20	
97	5.27	5.359	20	
98	5.27	5.503	20	
99	5.27	5.675	20	
100	5.27	5.691	20	

802.11ax (HE40) - 5270MHz

TYPE 6 PARAMETER SHEET

Trial Number : 30

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.27	5.414	20	
2	5.27	5.435	20	
3	5.27	5.616	20	
4	5.27	5.409	20	
5	5.27	5.656	20	
6	5.27	5.724	20	
7	5.27	5.714	20	
8	5.27	5.591	20	
9	5.27	5.502	20	
10	5.27	5.545	20	
11	5.27	5.515	20	
12	5.27	5.292	20	
13	5.27	5.69	20	
14	5.27	5.537	20	
15	5.27	5.405	20	
16	5.27	5.374	20	
17	5.27	5.54	20	
18	5.27	5.494	20	
19	5.27	5.357	20	
20	5.27	5.301	20	
21	5.27	5.415	20	
22	5.27	5.706	20	
23	5.27	5.358	20	
24	5.27	5.397	20	
25	5.27	5.455	20	
26	5.27	5.529	20	
27	5.27	5.339	20	
28	5.27	5.395	20	
29	5.27	5.325	20	
30	5.27	5.651	20	
31	5.27	5.655	20	
32	5.27	5.579	20	
33	5.27	5.707	20	
34	5.27	5.605	20	
35	5.27	5.4	20	
36	5.27	5.462	20	
37	5.27	5.259	20	
38	5.27	5.7	20	
39	5.27	5.473	20	
40	5.27	5.293	20	
41	5.27	5.322	20	
42	5.27	5.465	20	
43	5.27	5.623	20	
44	5.27	5.411	20	
45	5.27	5.271	20	*
46	5.27	5.413	20	
47	5.27	5.274	20	*

48	5.27	5.617	20	
49	5.27	5.493	20	
50	5.27	5.393	20	
51	5.27	5.683	20	
52	5.27	5.534	20	
53	5.27	5.531	20	
54	5.27	5.51	20	
55	5.27	5.458	20	
56	5.27	5.387	20	
57	5.27	5.28	20	*
58	5.27	5.695	20	
59	5.27	5.324	20	
60	5.27	5.62	20	
61	5.27	5.673	20	
62	5.27	5.31	20	
63	5.27	5.639	20	
64	5.27	5.509	20	
65	5.27	5.335	20	
66	5.27	5.558	20	
67	5.27	5.302	20	
68	5.27	5.381	20	
69	5.27	5.373	20	
70	5.27	5.32	20	
71	5.27	5.556	20	
72	5.27	5.467	20	
73	5.27	5.492	20	
74	5.27	5.607	20	
75	5.27	5.33	20	
76	5.27	5.601	20	
77	5.27	5.36	20	
78	5.27	5.418	20	
79	5.27	5.359	20	
80	5.27	5.692	20	
81	5.27	5.517	20	
82	5.27	5.516	20	
83	5.27	5.557	20	
84	5.27	5.543	20	
85	5.27	5.663	20	
86	5.27	5.681	20	
87	5.27	5.645	20	
88	5.27	5.674	20	
89	5.27	5.527	20	
90	5.27	5.3	20	
91	5.27	5.719	20	
92	5.27	5.648	20	
93	5.27	5.433	20	
94	5.27	5.476	20	
95	5.27	5.34	20	
96	5.27	5.672	20	
97	5.27	5.6	20	
98	5.27	5.306	20	
99	5.27	5.459	20	
100	5.27	5.298	20	

802.11ax (HE80) - 5290MHz			
RADAR TYPE 1			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	68	1	778
2	72	1	738
3	98	1	538
4	72	1	738
5	65	1	818
6	98	1	538
7	58	1	918
8	92	1	578
9	76	1	698
10	86	1	618
11	81	1	658
12	95	1	558
13	95	1	558
14	72	1	738
15	70	1	758
16	74	1	718
17	70	1	758
18	81	1	658
19	70	1	758
20	63	1	838
21	76	1	698
22	98	1	538
23	92	1	578
24	68	1	778
25	61	1	878
26	92	1	578
27	72	1	738
28	67	1	798
29	59	1	898
30	81	1	658

802.11ax (HE80) - 5290MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	28	1.4	190
2	27	4.7	228
3	24	1.4	204
4	25	2.6	222
5	26	1.4	218
6	28	3.6	171
7	26	4.5	201
8	27	4.7	167
9	29	1.7	192
10	29	3.2	169
11	24	1.9	152
12	28	4.7	163
13	26	1.2	186
14	28	3.6	189
15	27	3.3	162
16	24	4.4	202
17	28	3.8	174
18	23	1.1	167
19	25	1	158
20	28	3.3	180
21	26	1.5	224
22	25	1.3	160
23	27	3.7	185
24	24	3	165
25	25	3.5	165
26	24	2.8	172
27	27	5	187
28	27	2.2	159
29	28	2.2	177
30	29	3.3	166

802.11ax (HE80) - 5290MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	17	7	492
2	17	7.6	347
3	17	7	257
4	18	8.4	278
5	18	7.8	292
6	18	7.8	429
7	17	9.9	392
8	18	8.8	423
9	18	6	298
10	17	8.7	356
11	18	9	439
12	18	9.5	261
13	18	9.1	201
14	17	8.2	332
15	18	9.4	371
16	17	7.2	244
17	17	9.9	216
18	16	7.1	317
19	18	6.1	360
20	18	8.1	277
21	17	9.6	467
22	18	7.5	378
23	17	7.3	434
24	18	6.9	432
25	16	7.7	300
26	18	9.4	410
27	17	8.9	451
28	18	6.5	328
29	18	6.5	335
30	16	9.4	359

802.11ax (HE80) - 5290MHz			
RADAR TYPE 4			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	12	12.6	353
2	14	17.1	223
3	12	13.6	477
4	13	19	413
5	14	14.6	446
6	13	12.5	412
7	14	15.6	252
8	15	14.5	244
9	14	18.1	411
10	12	11.2	245
11	13	11.8	459
12	13	16	335
13	14	18.3	433
14	14	18.3	401
15	15	18.6	247
16	15	18.5	201
17	14	12.1	230
18	16	17.7	299
19	15	14.5	266
20	14	15.5	498
21	15	18.8	302
22	12	13.9	350
23	15	13.7	346
24	12	12.5	256
25	14	11	353
26	15	16.5	405
27	13	19.7	392
28	15	16.2	252
29	16	15.2	209
30	14	18.9	397

802.11ax (HE80) - 5290MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	14	1	5290
2	17	1	5290
3	14	1	5290
4	12	1	5290
5	19	1	5290
6	20	1	5290
7	17	1	5290
8	5	1	5290
9	10	1	5290
10	14	1	5290
11	8	2	5175.2
12	8	2	5175.2
13	15	2	5178
14	20	2	5180
15	15	2	5178
16	15	2	5178
17	9	2	5175.6
18	11	2	5176.4
19	20	2	5180
20	9	2	5175.6
21	16	3	5321.6
22	11	3	5323.6
23	18	3	5320.8
24	5	3	5326
25	11	3	5323.6
26	16	3	5321.6
27	9	3	5324.4
28	7	3	5325.2
29	17	3	5321.2
30	13	3	5322.8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	92.1	14	1267	1602	39.357
2	2	98.4	14	1254		643.53
3	3	93.7	14	1580	1476	429.23
4	3	62.4	14	1691	1990	40.63
5	2	52.4	14	1076		113.71
6	3	84.7	14	1722	1830	363.98
7	3	59.7	14	1399	1845	245.64
8	1	67.1	14			246.8
9	2	51.2	14	1406		17.37
10	1	78.6	14			446.42
11	2	73.7	14	1423		664.78
12	2	54.5	14	1204		592.15
13	2	69.6	14	1572		522.41
14	2	72.9	14	1703		480
15	2	63.6	14	1244		445.8
16	1	66	14			234.1

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	59.2	17	1319		403.5
2	2	86	17	1499		334.11
3	2	93.7	17	1065		11.11
4	1	54.1	17			30.31
5	3	63.8	17	1048	1670	607.37
6	1	77.1	17			714.31
7	2	54	17	1312		512.28
8	2	69.1	17	1274		450.88
9	1	94.7	17			583.09
10	3	100	17	1649	1612	233.6
11	2	68.9	17	1328		480.95
12	2	86.8	17	1219		336.02
13	2	63.9	17	1365		591.19
14	3	67.5	17	1294	1227	714.9
15	1	72.1	17			355.8
16	2	69	17	1571		314.4

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	78.1	14			205.22
2	2	81	14	1755		772.771
3	2	96.5	14	1229		235.922
4	3	88.1	14	1843	1071	782.043
5	1	77.7	14			309.944
6	2	91.6	14	1693		774.125
7	1	84.9	14			961.345
8	3	56.2	14	1007	1138	419.396
9	2	87.6	14	1547		21.347
10	2	98.1	14	1430		274.918
11	2	70	14	1254		912.809

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	65.4	19	1958		170.82
2	1	66.7	19			228.17
3	1	96.9	19			770.62
4	2	92.1	19	1588		69.33
5	1	81.8	19			66.21
6	1	81.4	19			496.17
7	2	96.6	19	1363		403.45
8	3	74.8	19	1394	1881	331.71
9	3	66.4	19	1077	1890	649.48
10	2	94.9	19	1613		256.27
11	3	99.6	19	1377	1297	779.14
12	3	77.6	19	1277	1133	320.22
13	2	70	19	1043		293.64
14	2	51.2	19	1798		668.1
15	2	57.7	19	1190		446.8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	59.5	20	1809	1084	512.969
2	1	76.9	20			85.189
3	2	85.6	20	1669		343.875
4	2	54.3	20	1859		131.323
5	2	67	20	1595		201.281
6	1	86.3	20			659.738
7	1	59.5	20			498.896
8	2	94.3	20	1489		45.924
9	2	76.9	20	1931		276.891
10	1	57.4	20			584.999
11	3	89.8	20	1515	1565	581.826
12	3	58.2	20	1326	1767	595.194
13	2	65.5	20	1280		71.812
14	3	82.4	20	1080	1337	518.929
15	3	57.4	20	1983	1224	516.547
16	2	67.3	20	1974		195.965
17	3	63.5	20	1471	1101	294.382

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	61.8	17	1795	1600	376.621
2	2	72.8	17	1375		13.148
3	3	68.1	17	1027	1547	698.786
4	2	53.1	17	1003		577.629
5	1	74.9	17			123.322
6	1	85.6	17			294.565
7	2	76.9	17	1361		841.048
8	2	86.6	17	1773		561.342
9	1	97.1	17			895.275
10	3	56	17	1107	1656	476.498
11	2	58.9	17	1910		862.531
12	2	99	17	1276		287.954
13	1	78.5	17			460.277

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	84.3	5	1136	1878	200.236
2	3	77.5	5	1902	1435	450.83
3	2	98.7	5	1287		718.4
4	2	78.3	5	1984		530.32
5	2	67.5	5	1342		297.13
6	2	50.1	5	1276		33.83
7	1	84.4	5			65.62
8	2	65.3	5	1884		411.14
9	2	52.5	5	1084		331.76
10	2	62.8	5	1773		129.57
11	3	53.3	5	1810	1054	715.24
12	2	70.8	5	1304		550.7
13	2	61.3	5	1368		121.9
14	3	97.7	5	1804	1494	742.7
15	3	88.3	5	1582	1830	530.7
16	2	99	5	1854		157.8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	77	10	1316		329.482
2	2	93.1	10	1632		452.85
3	3	92.7	10	1766	1588	231.4
4	3	66.2	10	1728	1911	105.17
5	3	60.3	10	1246	1800	2.11
6	2	61	10	1054		608.72
7	1	62.2	10			117.77
8	2	99.3	10	1410		716.25
9	3	91.3	10	1844	1863	250.46
10	1	67.8	10			413.52
11	2	88.7	10	1297		691.76
12	2	65.9	10	1211		701.6
13	3	59.6	10	1080	1394	513.68
14	2	55.2	10	1855		184.99
15	2	67.6	10	1364		148.3
16	2	72.6	10	1682		61.7

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	82.4	14	1682	1537	609.547
2	3	59.7	14	1935	1382	860.55
3	2	54.6	14	1803		177.43
4	2	94.7	14	1490		715.59
5	2	56.4	14	1939		449.48
6	1	67.2	14			939.39
7	2	65.2	14	1991		516.52
8	3	82.4	14	1120	1374	404.9
9	2	75.5	14	1243		696.36
10	1	96.4	14			8.74
11	2	78.8	14	1658		452.6
12	1	95.8	14			199.1

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	83.7	8	1935		557.504
2	3	73.5	8	1762	1088	304.03
3	2	57.1	8	1028		110.62
4	2	95.4	8	1947		777.31
5	2	58.3	8	1790		70.98
6	2	95	8	1747		731.11
7	3	72.6	8	1068	1075	615.77
8	1	56.9	8			703.97
9	3	54.6	8	1940	1053	193.78
10	1	97.4	8			328.25
11	2	69.2	8	1269		727.18
12	2	67.7	8	1430		142.41
13	1	63.5	8			21.83
14	2	98.5	8	1834		212.8
15	2	59.5	8	1919		779.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	81.6	8	1402	1831	20.204
2	1	78.7	8			253.997
3	3	92.2	8	1474	1365	138.404
4	2	63.5	8	1047		560.461
5	2	81.3	8	1857		581.119
6	3	86.7	8	1039	1834	830.446
7	3	98.7	8	1641	1445	195.303
8	2	63.1	8	1992		692.94
9	2	87.6	8	1164		369.247
10	2	50.2	8	1758		139.884
11	3	71.9	8	1679	1669	141.941
12	2	65.9	8	1469		392.769
13	1	94	8			770.386
14	1	51.1	8			129.843

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	98.6	15	1978		573.093
2	2	67.4	15	1178		443.991
3	3	92.1	15	1372	1165	111.582
4	2	81.4	15	1376		262.663
5	3	68.3	15	1550	1224	265.604
6	2	97.4	15	1910		305.905
7	3	63.4	15	1416	1349	577.786
8	2	50.5	15	1901		420.577
9	1	50.8	15			172.188
10	3	65	15	1195	1571	146.299
11	1	58.7	15			423.011
12	1	91	15			320.342
13	2	70.2	15	1143		107.663
14	3	71.6	15	1726	1960	34.804
15	2	81.8	15	1231		615.685
16	3	69.1	15	1729	1000	122.886
17	2	99.4	15	1629		378.537
18	3	81.1	15	1567	1845	191.858
19	2	62.5	15	1959		176.879

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	61.6	9	1833	1581	414.783
2	3	52.4	9	1590	1471	659.07
3	2	90.4	9	1868		337.6
4	2	95.8	9	1450		326.17
5	3	63.8	9	1007	1125	22.8
6	2	77.1	9	1664		557.23
7	1	82.1	9			10.13
8	2	65.5	9	1726		281.51
9	2	79.2	9	1415		142.01
10	2	53.5	9	1346		202.51
11	2	85.7	9	1513		594.12
12	2	65	9	1784		581.86
13	1	94.8	9			442.54
14	2	68.3	9	1427		158.51
15	2	78.2	9	1927		178.3
16	1	59.7	9			298.8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	80.7	11	1025		330.881
2	3	73.4	11	1913	1694	463.711
3	2	52.9	11	1902		169.852
4	2	69.8	11	1141		42.433
5	2	92.4	11	1170		259.244
6	1	94.4	11			108.085
7	2	86	11	1894		455.336
8	1	85	11			620.587
9	3	66.4	11	1931	1230	322.478
10	2	63.1	11	1536		117.199
11	3	52.9	11	1759	1446	134.401
12	3	86.5	11	1267	1692	326.212
13	2	96.4	11	1150		128.013
14	1	53.3	11			518.954
15	2	83.9	11	1516		408.835
16	2	56.3	11	1055		419.656
17	1	54.2	11			490.537
18	2	85.4	11	1131		294.458
19	2	89	11	1269		538.879

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	62.7	20	1543		343.805
2	3	98.4	20	1913	1103	309.41
3	1	54.5	20			447.18
4	1	61.2	20			602.82
5	1	94.5	20			225.7
6	3	97.7	20	1894	1727	675.92
7	2	89.8	20	1217		305.28
8	3	68.1	20	1379	1099	99.55
9	1	97.6	20			75.71
10	1	75.7	20			30.56
11	1	99.3	20			89.11
12	3	82.4	20	1004	1355	414.45
13	2	74.4	20	1231		733.49
14	2	70.1	20	1185		48.93
15	1	92.6	20			457.1
16	2	84.9	20	1268		415.1

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	66.8	9			12.879
2	1	63.6	9			293.153
3	2	82	9	1182		331.747
4	2	65.2	9	1020		128.92
5	2	60.7	9	1682		552.383
6	2	70.4	9	1818		225.667
7	1	52.6	9			411.27
8	2	86.5	9	1120		149.733
9	2	94	9	1499		582.487
10	2	55	9	1676		523.59
11	3	60.8	9	1380	1202	81.523
12	2	86.9	9	1193		351.127
13	2	88.6	9	1294		32.82
14	3	92.5	9	1108	1670	402.813
15	2	68.3	9	1826		482.587
16	2	69.2	9	1968		195.4
17	1	68.9	9			492.833
18	2	56.8	9	1136		445.267

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	98	16	1173		603.824
2	3	62.1	16	1835	1939	546.168
3	1	56.1	16			18.185
4	1	73.4	16			551.993
5	1	78.9	16			566.171
6	3	67.5	16	1030	1956	423.718
7	1	67.1	16			394.916
8	1	78.5	16			639.074
9	3	72.7	16	1295	1432	696.581
10	3	76.3	16	1550	1478	120.599
11	1	80.8	16			560.146
12	2	83.7	16	1498		348.744
13	3	91.6	16	1558	1902	75.282
14	1	51	16			441.459
15	3	99.3	16	1909	1452	212.047
16	2	57.8	16	1595		350.365
17	2	78.2	16	1890		401.882

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	99.3	11	1041		511.453
2	2	57.9	11	1233		787.257
3	2	50.8	11	1515		149.994
4	2	74.9	11	1526		728.951
5	1	58.6	11			825.279
6	2	56.6	11	1351		322.996
7	2	71.2	11	1530		766.153
8	2	79.4	11	1337		800.15
9	2	96.5	11	1019		644.237
10	2	83.8	11	1726		722.374
11	3	54.2	11	1270	1187	684.011
12	2	64.5	11	1383		436.519
13	1	52	11			62.886
14	1	50.8	11			794.643

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	97.5	18	1700		911.519
2	2	73.4	18	1865		534.041
3	3	71	18	1052	1692	1036.652
4	2	67.9	18	1700		232.223
5	1	89.3	18			850.104
6	2	70.6	18	1548		444.655
7	1	91.2	18			890.645
8	2	53.6	18	1060		55.436
9	2	73.4	18	1405		147.997
10	2	97.7	18	1250		57.968
11	2	61.9	18	1741		333.009

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 12

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	75.6	9	1358		330.202
2	2	93.5	9	1494		162.965
3	2	72	9	1624		574.02
4	1	58.3	9			271.41
5	2	52	9	1880		111.37
6	2	72.7	9	1006		226.06
7	2	69	9	1760		534.35
8	2	75.8	9	1427		6.36
9	2	59.6	9	1188		48.43
10	2	87	9	1029		561.72
11	1	55.1	9			300.78
12	3	72.6	9	1941	1993	82.99
13	2	82.4	9	1172		581.68
14	2	64.6	9	1710		474.57
15	1	52.7	9			75.99
16	3	91.2	9	1735	1095	362.21
17	2	78.6	9	1093		530.9
18	1	89.4	9			366.7
19	2	50.2	9	1096		221.4
20	3	99.3	9	1730	1477	384

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	82.3	7	1036		314.462
2	2	76.1	7	1590		615.8
3	2	50	7	1729		595
4	2	53.9	7	1125		303.09
5	1	68.3	7			315.41
6	3	91.3	7	1674	1444	607.86
7	3	67.9	7	1971	1237	494.32
8	1	57.2	7			437.78
9	3	77.8	7	1654	1045	677.99
10	2	84.5	7	1923		310.37
11	2	58.9	7	1496		386.85
12	2	95.9	7	1714		98.71
13	3	83.3	7	1238	1298	715.7
14	3	74.6	7	1506	1733	398.2
15	3	100	7	1388	1154	772.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	91	17	1849	1702	350.481
2	3	63.8	17	1065	1868	19.979
3	3	64.6	17	1243	1810	328.076
4	1	53.4	17			87.639
5	2	58.2	17	1061		528.212
6	2	87.8	17	1177		231.635
7	1	89.9	17			448.408
8	1	71.7	17			121.552
9	3	76.2	17	1446	1691	176.315
10	2	83.8	17	1515		141.008
11	3	84.2	17	1186	1352	187.811
12	1	83.2	17			207.454
13	3	97.5	17	1195	1711	249.377

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	91.3	13	1415	1044	404.652
2	3	92.1	13	1243	1330	522.467
3	2	55.3	13	1030		569.904
4	2	60.8	13	1952		387.531
5	1	51.4	13			537.469
6	2	67.7	13	1464		483.806
7	2	69.7	13	1952		528.033
8	1	83.7	13			185.23
9	2	91.9	13	1292		324.587
10	2	95.2	13	1495		675.744
11	2	60.9	13	1495		610.541
12	2	56	13	1616		745.229
13	2	94.2	13	1816		4.386
14	1	85.3	13			828.043

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.531	20	
2	5.29	5.397	20	
3	5.29	5.667	20	
4	5.29	5.37	20	
5	5.29	5.268	20	
6	5.29	5.641	20	
7	5.29	5.56	20	
8	5.29	5.719	20	
9	5.29	5.315	20	
10	5.29	5.277	20	
11	5.29	5.685	20	
12	5.29	5.653	20	
13	5.29	5.637	20	
14	5.29	5.276	20	
15	5.29	5.589	20	
16	5.29	5.651	20	
17	5.29	5.366	20	
18	5.29	5.5	20	
19	5.29	5.519	20	
20	5.29	5.416	20	
21	5.29	5.478	20	
22	5.29	5.517	20	
23	5.29	5.285	20	*
24	5.29	5.671	20	
25	5.29	5.544	20	
26	5.29	5.262	20	
27	5.29	5.504	20	
28	5.29	5.325	20	
29	5.29	5.473	20	
30	5.29	5.267	20	
31	5.29	5.645	20	
32	5.29	5.536	20	
33	5.29	5.52	20	
34	5.29	5.69	20	
35	5.29	5.423	20	
36	5.29	5.648	20	
37	5.29	5.534	20	
38	5.29	5.379	20	
39	5.29	5.314	20	
40	5.29	5.475	20	
41	5.29	5.678	20	
42	5.29	5.265	20	
43	5.29	5.576	20	
44	5.29	5.371	20	
45	5.29	5.456	20	
46	5.29	5.254	20	
47	5.29	5.472	20	

48	5.29	5.289	20	*
49	5.29	5.429	20	
50	5.29	5.714	20	
51	5.29	5.362	20	
52	5.29	5.529	20	
53	5.29	5.644	20	
54	5.29	5.384	20	
55	5.29	5.35	20	
56	5.29	5.383	20	
57	5.29	5.264	20	
58	5.29	5.359	20	
59	5.29	5.537	20	
60	5.29	5.368	20	
61	5.29	5.259	20	
62	5.29	5.524	20	
63	5.29	5.4	20	
64	5.29	5.683	20	
65	5.29	5.494	20	
66	5.29	5.713	20	
67	5.29	5.584	20	
68	5.29	5.613	20	
69	5.29	5.638	20	
70	5.29	5.398	20	
71	5.29	5.579	20	
72	5.29	5.296	20	*
73	5.29	5.42	20	
74	5.29	5.53	20	
75	5.29	5.696	20	
76	5.29	5.476	20	
77	5.29	5.498	20	
78	5.29	5.294	20	*
79	5.29	5.583	20	
80	5.29	5.452	20	
81	5.29	5.62	20	
82	5.29	5.595	20	
83	5.29	5.525	20	
84	5.29	5.263	20	
85	5.29	5.625	20	
86	5.29	5.256	20	
87	5.29	5.568	20	
88	5.29	5.612	20	
89	5.29	5.333	20	
90	5.29	5.322	20	
91	5.29	5.715	20	
92	5.29	5.672	20	
93	5.29	5.572	20	
94	5.29	5.694	20	
95	5.29	5.585	20	
96	5.29	5.503	20	
97	5.29	5.661	20	
98	5.29	5.253	20	
99	5.29	5.626	20	
100	5.29	5.605	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.421	20	
2	5.29	5.537	20	
3	5.29	5.657	20	
4	5.29	5.413	20	
5	5.29	5.55	20	
6	5.29	5.313	20	
7	5.29	5.588	20	
8	5.29	5.711	20	
9	5.29	5.479	20	
10	5.29	5.633	20	
11	5.29	5.406	20	
12	5.29	5.434	20	
13	5.29	5.551	20	
14	5.29	5.533	20	
15	5.29	5.262	20	
16	5.29	5.639	20	
17	5.29	5.565	20	
18	5.29	5.625	20	
19	5.29	5.667	20	
20	5.29	5.287	20	*
21	5.29	5.523	20	
22	5.29	5.692	20	
23	5.29	5.684	20	
24	5.29	5.705	20	
25	5.29	5.363	20	
26	5.29	5.272	20	
27	5.29	5.608	20	
28	5.29	5.719	20	
29	5.29	5.449	20	
30	5.29	5.457	20	
31	5.29	5.582	20	
32	5.29	5.676	20	
33	5.29	5.526	20	
34	5.29	5.601	20	
35	5.29	5.288	20	*
36	5.29	5.568	20	
37	5.29	5.668	20	
38	5.29	5.592	20	
39	5.29	5.499	20	
40	5.29	5.318	20	
41	5.29	5.716	20	
42	5.29	5.265	20	
43	5.29	5.69	20	
44	5.29	5.583	20	
45	5.29	5.571	20	
46	5.29	5.445	20	
47	5.29	5.359	20	

48	5.29	5.346	20	
49	5.29	5.489	20	
50	5.29	5.428	20	
51	5.29	5.482	20	
52	5.29	5.338	20	
53	5.29	5.623	20	
54	5.29	5.609	20	
55	5.29	5.331	20	
56	5.29	5.642	20	
57	5.29	5.65	20	
58	5.29	5.654	20	
59	5.29	5.305	20	
60	5.29	5.438	20	
61	5.29	5.636	20	
62	5.29	5.616	20	
63	5.29	5.696	20	
64	5.29	5.472	20	
65	5.29	5.377	20	
66	5.29	5.594	20	
67	5.29	5.674	20	
68	5.29	5.278	20	
69	5.29	5.613	20	
70	5.29	5.503	20	
71	5.29	5.321	20	
72	5.29	5.341	20	
73	5.29	5.386	20	
74	5.29	5.439	20	
75	5.29	5.586	20	
76	5.29	5.724	20	
77	5.29	5.507	20	
78	5.29	5.426	20	
79	5.29	5.694	20	
80	5.29	5.354	20	
81	5.29	5.468	20	
82	5.29	5.564	20	
83	5.29	5.535	20	
84	5.29	5.387	20	
85	5.29	5.407	20	
86	5.29	5.291	20	*
87	5.29	5.477	20	
88	5.29	5.634	20	
89	5.29	5.369	20	
90	5.29	5.627	20	
91	5.29	5.549	20	
92	5.29	5.628	20	
93	5.29	5.683	20	
94	5.29	5.454	20	
95	5.29	5.463	20	
96	5.29	5.322	20	
97	5.29	5.253	20	
98	5.29	5.63	20	
99	5.29	5.663	20	
100	5.29	5.587	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.364	20	
2	5.29	5.524	20	
3	5.29	5.665	20	
4	5.29	5.385	20	
5	5.29	5.294	20	*
6	5.29	5.551	20	
7	5.29	5.363	20	
8	5.29	5.54	20	
9	5.29	5.618	20	
10	5.29	5.418	20	
11	5.29	5.456	20	
12	5.29	5.298	20	*
13	5.29	5.427	20	
14	5.29	5.596	20	
15	5.29	5.356	20	
16	5.29	5.599	20	
17	5.29	5.466	20	
18	5.29	5.346	20	
19	5.29	5.571	20	
20	5.29	5.671	20	
21	5.29	5.372	20	
22	5.29	5.526	20	
23	5.29	5.724	20	
24	5.29	5.489	20	
25	5.29	5.479	20	
26	5.29	5.311	20	
27	5.29	5.521	20	
28	5.29	5.503	20	
29	5.29	5.279	20	
30	5.29	5.389	20	
31	5.29	5.647	20	
32	5.29	5.722	20	
33	5.29	5.448	20	
34	5.29	5.434	20	
35	5.29	5.501	20	
36	5.29	5.257	20	
37	5.29	5.706	20	
38	5.29	5.517	20	
39	5.29	5.558	20	
40	5.29	5.597	20	
41	5.29	5.578	20	
42	5.29	5.331	20	
43	5.29	5.296	20	*
44	5.29	5.668	20	
45	5.29	5.511	20	
46	5.29	5.375	20	
47	5.29	5.471	20	

48	5.29	5.498	20	
49	5.29	5.35	20	
50	5.29	5.406	20	
51	5.29	5.403	20	
52	5.29	5.536	20	
53	5.29	5.317	20	
54	5.29	5.492	20	
55	5.29	5.475	20	
56	5.29	5.255	20	
57	5.29	5.303	20	
58	5.29	5.478	20	
59	5.29	5.435	20	
60	5.29	5.26	20	
61	5.29	5.416	20	
62	5.29	5.278	20	
63	5.29	5.462	20	
64	5.29	5.641	20	
65	5.29	5.474	20	
66	5.29	5.502	20	
67	5.29	5.27	20	
68	5.29	5.51	20	
69	5.29	5.698	20	
70	5.29	5.588	20	
71	5.29	5.387	20	
72	5.29	5.566	20	
73	5.29	5.633	20	
74	5.29	5.407	20	
75	5.29	5.522	20	
76	5.29	5.276	20	
77	5.29	5.675	20	
78	5.29	5.321	20	
79	5.29	5.394	20	
80	5.29	5.374	20	
81	5.29	5.319	20	
82	5.29	5.277	20	
83	5.29	5.538	20	
84	5.29	5.353	20	
85	5.29	5.397	20	
86	5.29	5.611	20	
87	5.29	5.381	20	
88	5.29	5.269	20	
89	5.29	5.345	20	
90	5.29	5.708	20	
91	5.29	5.63	20	
92	5.29	5.563	20	
93	5.29	5.634	20	
94	5.29	5.68	20	
95	5.29	5.672	20	
96	5.29	5.354	20	
97	5.29	5.3	20	*
98	5.29	5.379	20	
99	5.29	5.651	20	
100	5.29	5.327	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.586	20	
2	5.29	5.53	20	
3	5.29	5.487	20	
4	5.29	5.514	20	
5	5.29	5.331	20	
6	5.29	5.49	20	
7	5.29	5.361	20	
8	5.29	5.409	20	
9	5.29	5.306	20	
10	5.29	5.539	20	
11	5.29	5.517	20	
12	5.29	5.445	20	
13	5.29	5.453	20	
14	5.29	5.646	20	
15	5.29	5.25	20	
16	5.29	5.658	20	
17	5.29	5.67	20	
18	5.29	5.705	20	
19	5.29	5.556	20	
20	5.29	5.273	20	
21	5.29	5.309	20	
22	5.29	5.51	20	
23	5.29	5.623	20	
24	5.29	5.314	20	
25	5.29	5.471	20	
26	5.29	5.27	20	
27	5.29	5.722	20	
28	5.29	5.54	20	
29	5.29	5.518	20	
30	5.29	5.532	20	
31	5.29	5.676	20	
32	5.29	5.278	20	
33	5.29	5.713	20	
34	5.29	5.281	20	*
35	5.29	5.592	20	
36	5.29	5.275	20	
37	5.29	5.572	20	
38	5.29	5.437	20	
39	5.29	5.642	20	
40	5.29	5.348	20	
41	5.29	5.509	20	
42	5.29	5.542	20	
43	5.29	5.4	20	
44	5.29	5.288	20	*
45	5.29	5.602	20	
46	5.29	5.364	20	
47	5.29	5.544	20	

48	5.29	5.513	20	
49	5.29	5.436	20	
50	5.29	5.651	20	
51	5.29	5.636	20	
52	5.29	5.557	20	
53	5.29	5.691	20	
54	5.29	5.443	20	
55	5.29	5.378	20	
56	5.29	5.336	20	
57	5.29	5.508	20	
58	5.29	5.688	20	
59	5.29	5.536	20	
60	5.29	5.652	20	
61	5.29	5.616	20	
62	5.29	5.555	20	
63	5.29	5.442	20	
64	5.29	5.58	20	
65	5.29	5.36	20	
66	5.29	5.355	20	
67	5.29	5.454	20	
68	5.29	5.45	20	
69	5.29	5.541	20	
70	5.29	5.251	20	
71	5.29	5.467	20	
72	5.29	5.52	20	
73	5.29	5.671	20	
74	5.29	5.374	20	
75	5.29	5.256	20	
76	5.29	5.474	20	
77	5.29	5.585	20	
78	5.29	5.338	20	
79	5.29	5.307	20	
80	5.29	5.461	20	
81	5.29	5.5	20	
82	5.29	5.334	20	
83	5.29	5.596	20	
84	5.29	5.571	20	
85	5.29	5.547	20	
86	5.29	5.381	20	
87	5.29	5.365	20	
88	5.29	5.626	20	
89	5.29	5.434	20	
90	5.29	5.333	20	
91	5.29	5.412	20	
92	5.29	5.679	20	
93	5.29	5.696	20	
94	5.29	5.624	20	
95	5.29	5.452	20	
96	5.29	5.687	20	
97	5.29	5.382	20	
98	5.29	5.393	20	
99	5.29	5.686	20	
100	5.29	5.279	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.327	20	
2	5.29	5.706	20	
3	5.29	5.508	20	
4	5.29	5.697	20	
5	5.29	5.64	20	
6	5.29	5.43	20	
7	5.29	5.35	20	
8	5.29	5.451	20	
9	5.29	5.613	20	
10	5.29	5.278	20	
11	5.29	5.639	20	
12	5.29	5.264	20	
13	5.29	5.27	20	
14	5.29	5.492	20	
15	5.29	5.536	20	
16	5.29	5.427	20	
17	5.29	5.684	20	
18	5.29	5.638	20	
19	5.29	5.702	20	
20	5.29	5.537	20	
21	5.29	5.572	20	
22	5.29	5.331	20	
23	5.29	5.675	20	
24	5.29	5.358	20	
25	5.29	5.28	20	*
26	5.29	5.553	20	
27	5.29	5.464	20	
28	5.29	5.407	20	
29	5.29	5.666	20	
30	5.29	5.293	20	*
31	5.29	5.514	20	
32	5.29	5.489	20	
33	5.29	5.4	20	
34	5.29	5.591	20	
35	5.29	5.328	20	
36	5.29	5.282	20	*
37	5.29	5.375	20	
38	5.29	5.359	20	
39	5.29	5.566	20	
40	5.29	5.394	20	
41	5.29	5.39	20	
42	5.29	5.52	20	
43	5.29	5.568	20	
44	5.29	5.276	20	
45	5.29	5.377	20	
46	5.29	5.34	20	
47	5.29	5.389	20	

48	5.29	5.41	20	
49	5.29	5.711	20	
50	5.29	5.712	20	
51	5.29	5.408	20	
52	5.29	5.681	20	
53	5.29	5.605	20	
54	5.29	5.714	20	
55	5.29	5.329	20	
56	5.29	5.569	20	
57	5.29	5.649	20	
58	5.29	5.302	20	
59	5.29	5.521	20	
60	5.29	5.259	20	
61	5.29	5.55	20	
62	5.29	5.541	20	
63	5.29	5.456	20	
64	5.29	5.422	20	
65	5.29	5.309	20	
66	5.29	5.538	20	
67	5.29	5.573	20	
68	5.29	5.708	20	
69	5.29	5.674	20	
70	5.29	5.364	20	
71	5.29	5.524	20	
72	5.29	5.403	20	
73	5.29	5.459	20	
74	5.29	5.623	20	
75	5.29	5.404	20	
76	5.29	5.285	20	*
77	5.29	5.458	20	
78	5.29	5.273	20	
79	5.29	5.269	20	
80	5.29	5.378	20	
81	5.29	5.616	20	
82	5.29	5.498	20	
83	5.29	5.32	20	
84	5.29	5.51	20	
85	5.29	5.71	20	
86	5.29	5.365	20	
87	5.29	5.372	20	
88	5.29	5.436	20	
89	5.29	5.701	20	
90	5.29	5.607	20	
91	5.29	5.256	20	
92	5.29	5.511	20	
93	5.29	5.528	20	
94	5.29	5.428	20	
95	5.29	5.347	20	
96	5.29	5.689	20	
97	5.29	5.305	20	
98	5.29	5.319	20	
99	5.29	5.367	20	
100	5.29	5.641	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.303	20	
2	5.29	5.587	20	
3	5.29	5.635	20	
4	5.29	5.631	20	
5	5.29	5.529	20	
6	5.29	5.67	20	
7	5.29	5.704	20	
8	5.29	5.56	20	
9	5.29	5.551	20	
10	5.29	5.334	20	
11	5.29	5.577	20	
12	5.29	5.622	20	
13	5.29	5.318	20	
14	5.29	5.574	20	
15	5.29	5.351	20	
16	5.29	5.589	20	
17	5.29	5.652	20	
18	5.29	5.432	20	
19	5.29	5.575	20	
20	5.29	5.707	20	
21	5.29	5.459	20	
22	5.29	5.429	20	
23	5.29	5.663	20	
24	5.29	5.45	20	
25	5.29	5.572	20	
26	5.29	5.29	20	*
27	5.29	5.57	20	
28	5.29	5.374	20	
29	5.29	5.408	20	
30	5.29	5.326	20	
31	5.29	5.368	20	
32	5.29	5.257	20	
33	5.29	5.428	20	
34	5.29	5.293	20	*
35	5.29	5.475	20	
36	5.29	5.26	20	
37	5.29	5.687	20	
38	5.29	5.534	20	
39	5.29	5.708	20	
40	5.29	5.647	20	
41	5.29	5.52	20	
42	5.29	5.525	20	
43	5.29	5.256	20	
44	5.29	5.651	20	
45	5.29	5.272	20	
46	5.29	5.28	20	*
47	5.29	5.578	20	

48	5.29	5.688	20	
49	5.29	5.608	20	
50	5.29	5.404	20	
51	5.29	5.682	20	
52	5.29	5.522	20	
53	5.29	5.579	20	
54	5.29	5.363	20	
55	5.29	5.69	20	
56	5.29	5.273	20	
57	5.29	5.653	20	
58	5.29	5.412	20	
59	5.29	5.699	20	
60	5.29	5.68	20	
61	5.29	5.605	20	
62	5.29	5.583	20	
63	5.29	5.571	20	
64	5.29	5.258	20	
65	5.29	5.296	20	*
66	5.29	5.336	20	
67	5.29	5.629	20	
68	5.29	5.281	20	*
69	5.29	5.437	20	
70	5.29	5.709	20	
71	5.29	5.541	20	
72	5.29	5.406	20	
73	5.29	5.591	20	
74	5.29	5.59	20	
75	5.29	5.679	20	
76	5.29	5.396	20	
77	5.29	5.557	20	
78	5.29	5.302	20	
79	5.29	5.508	20	
80	5.29	5.403	20	
81	5.29	5.584	20	
82	5.29	5.565	20	
83	5.29	5.535	20	
84	5.29	5.452	20	
85	5.29	5.4	20	
86	5.29	5.485	20	
87	5.29	5.523	20	
88	5.29	5.277	20	
89	5.29	5.613	20	
90	5.29	5.66	20	
91	5.29	5.472	20	
92	5.29	5.397	20	
93	5.29	5.395	20	
94	5.29	5.553	20	
95	5.29	5.511	20	
96	5.29	5.717	20	
97	5.29	5.715	20	
98	5.29	5.49	20	
99	5.29	5.72	20	
100	5.29	5.489	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.723	20	
2	5.29	5.325	20	
3	5.29	5.558	20	
4	5.29	5.37	20	
5	5.29	5.484	20	
6	5.29	5.276	20	
7	5.29	5.384	20	
8	5.29	5.707	20	
9	5.29	5.342	20	
10	5.29	5.316	20	
11	5.29	5.382	20	
12	5.29	5.35	20	
13	5.29	5.358	20	
14	5.29	5.284	20	*
15	5.29	5.576	20	
16	5.29	5.473	20	
17	5.29	5.683	20	
18	5.29	5.253	20	
19	5.29	5.521	20	
20	5.29	5.659	20	
21	5.29	5.257	20	
22	5.29	5.505	20	
23	5.29	5.573	20	
24	5.29	5.466	20	
25	5.29	5.447	20	
26	5.29	5.442	20	
27	5.29	5.495	20	
28	5.29	5.501	20	
29	5.29	5.612	20	
30	5.29	5.274	20	
31	5.29	5.658	20	
32	5.29	5.41	20	
33	5.29	5.287	20	*
34	5.29	5.441	20	
35	5.29	5.428	20	
36	5.29	5.681	20	
37	5.29	5.604	20	
38	5.29	5.51	20	
39	5.29	5.412	20	
40	5.29	5.523	20	
41	5.29	5.31	20	
42	5.29	5.426	20	
43	5.29	5.589	20	
44	5.29	5.699	20	
45	5.29	5.367	20	
46	5.29	5.56	20	
47	5.29	5.639	20	

48	5.29	5.627	20	
49	5.29	5.626	20	
50	5.29	5.587	20	
51	5.29	5.672	20	
52	5.29	5.322	20	
53	5.29	5.638	20	
54	5.29	5.45	20	
55	5.29	5.448	20	
56	5.29	5.401	20	
57	5.29	5.415	20	
58	5.29	5.377	20	
59	5.29	5.724	20	
60	5.29	5.453	20	
61	5.29	5.44	20	
62	5.29	5.624	20	
63	5.29	5.654	20	
64	5.29	5.396	20	
65	5.29	5.461	20	
66	5.29	5.66	20	
67	5.29	5.608	20	
68	5.29	5.547	20	
69	5.29	5.641	20	
70	5.29	5.649	20	
71	5.29	5.383	20	
72	5.29	5.597	20	
73	5.29	5.657	20	
74	5.29	5.664	20	
75	5.29	5.515	20	
76	5.29	5.569	20	
77	5.29	5.407	20	
78	5.29	5.636	20	
79	5.29	5.679	20	
80	5.29	5.525	20	
81	5.29	5.531	20	
82	5.29	5.619	20	
83	5.29	5.433	20	
84	5.29	5.588	20	
85	5.29	5.263	20	
86	5.29	5.478	20	
87	5.29	5.429	20	
88	5.29	5.252	20	
89	5.29	5.539	20	
90	5.29	5.369	20	
91	5.29	5.696	20	
92	5.29	5.621	20	
93	5.29	5.335	20	
94	5.29	5.446	20	
95	5.29	5.524	20	
96	5.29	5.357	20	
97	5.29	5.673	20	
98	5.29	5.595	20	
99	5.29	5.628	20	
100	5.29	5.625	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.572	20	
2	5.29	5.527	20	
3	5.29	5.454	20	
4	5.29	5.689	20	
5	5.29	5.481	20	
6	5.29	5.41	20	
7	5.29	5.706	20	
8	5.29	5.627	20	
9	5.29	5.434	20	
10	5.29	5.417	20	
11	5.29	5.525	20	
12	5.29	5.628	20	
13	5.29	5.437	20	
14	5.29	5.43	20	
15	5.29	5.61	20	
16	5.29	5.467	20	
17	5.29	5.503	20	
18	5.29	5.264	20	
19	5.29	5.368	20	
20	5.29	5.499	20	
21	5.29	5.388	20	
22	5.29	5.602	20	
23	5.29	5.48	20	
24	5.29	5.607	20	
25	5.29	5.663	20	
26	5.29	5.716	20	
27	5.29	5.546	20	
28	5.29	5.567	20	
29	5.29	5.652	20	
30	5.29	5.516	20	
31	5.29	5.604	20	
32	5.29	5.466	20	
33	5.29	5.257	20	
34	5.29	5.348	20	
35	5.29	5.517	20	
36	5.29	5.343	20	
37	5.29	5.422	20	
38	5.29	5.306	20	
39	5.29	5.363	20	
40	5.29	5.693	20	
41	5.29	5.699	20	
42	5.29	5.623	20	
43	5.29	5.425	20	
44	5.29	5.52	20	
45	5.29	5.447	20	
46	5.29	5.427	20	
47	5.29	5.362	20	

48	5.29	5.441	20	
49	5.29	5.569	20	
50	5.29	5.409	20	
51	5.29	5.707	20	
52	5.29	5.449	20	
53	5.29	5.432	20	
54	5.29	5.29	20	*
55	5.29	5.412	20	
56	5.29	5.288	20	*
57	5.29	5.522	20	
58	5.29	5.357	20	
59	5.29	5.391	20	
60	5.29	5.553	20	
61	5.29	5.717	20	
62	5.29	5.65	20	
63	5.29	5.272	20	
64	5.29	5.565	20	
65	5.29	5.477	20	
66	5.29	5.267	20	
67	5.29	5.305	20	
68	5.29	5.589	20	
69	5.29	5.698	20	
70	5.29	5.364	20	
71	5.29	5.624	20	
72	5.29	5.419	20	
73	5.29	5.456	20	
74	5.29	5.616	20	
75	5.29	5.424	20	
76	5.29	5.677	20	
77	5.29	5.568	20	
78	5.29	5.439	20	
79	5.29	5.358	20	
80	5.29	5.605	20	
81	5.29	5.675	20	
82	5.29	5.403	20	
83	5.29	5.478	20	
84	5.29	5.625	20	
85	5.29	5.545	20	
86	5.29	5.265	20	
87	5.29	5.352	20	
88	5.29	5.686	20	
89	5.29	5.662	20	
90	5.29	5.315	20	
91	5.29	5.353	20	
92	5.29	5.574	20	
93	5.29	5.713	20	
94	5.29	5.451	20	
95	5.29	5.648	20	
96	5.29	5.33	20	
97	5.29	5.722	20	
98	5.29	5.404	20	
99	5.29	5.273	20	
100	5.29	5.483	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.264	20	
2	5.29	5.648	20	
3	5.29	5.374	20	
4	5.29	5.262	20	
5	5.29	5.704	20	
6	5.29	5.456	20	
7	5.29	5.476	20	
8	5.29	5.363	20	
9	5.29	5.483	20	
10	5.29	5.3	20	*
11	5.29	5.323	20	
12	5.29	5.645	20	
13	5.29	5.5	20	
14	5.29	5.467	20	
15	5.29	5.635	20	
16	5.29	5.332	20	
17	5.29	5.646	20	
18	5.29	5.554	20	
19	5.29	5.274	20	
20	5.29	5.699	20	
21	5.29	5.336	20	
22	5.29	5.516	20	
23	5.29	5.457	20	
24	5.29	5.696	20	
25	5.29	5.445	20	
26	5.29	5.504	20	
27	5.29	5.282	20	*
28	5.29	5.406	20	
29	5.29	5.266	20	
30	5.29	5.518	20	
31	5.29	5.255	20	
32	5.29	5.466	20	
33	5.29	5.267	20	
34	5.29	5.565	20	
35	5.29	5.285	20	*
36	5.29	5.637	20	
37	5.29	5.414	20	
38	5.29	5.65	20	
39	5.29	5.702	20	
40	5.29	5.693	20	
41	5.29	5.658	20	
42	5.29	5.412	20	
43	5.29	5.605	20	
44	5.29	5.259	20	
45	5.29	5.29	20	*
46	5.29	5.395	20	
47	5.29	5.461	20	

48	5.29	5.67	20	
49	5.29	5.678	20	
50	5.29	5.442	20	
51	5.29	5.452	20	
52	5.29	5.497	20	
53	5.29	5.422	20	
54	5.29	5.706	20	
55	5.29	5.311	20	
56	5.29	5.579	20	
57	5.29	5.629	20	
58	5.29	5.695	20	
59	5.29	5.681	20	
60	5.29	5.331	20	
61	5.29	5.603	20	
62	5.29	5.328	20	
63	5.29	5.391	20	
64	5.29	5.657	20	
65	5.29	5.599	20	
66	5.29	5.669	20	
67	5.29	5.325	20	
68	5.29	5.587	20	
69	5.29	5.473	20	
70	5.29	5.428	20	
71	5.29	5.551	20	
72	5.29	5.454	20	
73	5.29	5.503	20	
74	5.29	5.315	20	
75	5.29	5.691	20	
76	5.29	5.651	20	
77	5.29	5.623	20	
78	5.29	5.668	20	
79	5.29	5.364	20	
80	5.29	5.718	20	
81	5.29	5.261	20	
82	5.29	5.388	20	
83	5.29	5.295	20	*
84	5.29	5.48	20	
85	5.29	5.626	20	
86	5.29	5.708	20	
87	5.29	5.488	20	
88	5.29	5.291	20	*
89	5.29	5.652	20	
90	5.29	5.717	20	
91	5.29	5.371	20	
92	5.29	5.672	20	
93	5.29	5.505	20	
94	5.29	5.327	20	
95	5.29	5.319	20	
96	5.29	5.541	20	
97	5.29	5.511	20	
98	5.29	5.42	20	
99	5.29	5.586	20	
100	5.29	5.472	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.25	20	
2	5.29	5.268	20	
3	5.29	5.605	20	
4	5.29	5.692	20	
5	5.29	5.673	20	
6	5.29	5.652	20	
7	5.29	5.608	20	
8	5.29	5.502	20	
9	5.29	5.383	20	
10	5.29	5.532	20	
11	5.29	5.415	20	
12	5.29	5.648	20	
13	5.29	5.715	20	
14	5.29	5.611	20	
15	5.29	5.439	20	
16	5.29	5.511	20	
17	5.29	5.351	20	
18	5.29	5.507	20	
19	5.29	5.592	20	
20	5.29	5.496	20	
21	5.29	5.539	20	
22	5.29	5.355	20	
23	5.29	5.353	20	
24	5.29	5.444	20	
25	5.29	5.717	20	
26	5.29	5.572	20	
27	5.29	5.724	20	
28	5.29	5.634	20	
29	5.29	5.41	20	
30	5.29	5.298	20	*
31	5.29	5.296	20	*
32	5.29	5.426	20	
33	5.29	5.389	20	
34	5.29	5.375	20	
35	5.29	5.451	20	
36	5.29	5.627	20	
37	5.29	5.293	20	*
38	5.29	5.568	20	
39	5.29	5.716	20	
40	5.29	5.556	20	
41	5.29	5.344	20	
42	5.29	5.571	20	
43	5.29	5.328	20	
44	5.29	5.464	20	
45	5.29	5.466	20	
46	5.29	5.579	20	
47	5.29	5.583	20	

48	5.29	5.596	20	
49	5.29	5.393	20	
50	5.29	5.317	20	
51	5.29	5.424	20	
52	5.29	5.575	20	
53	5.29	5.321	20	
54	5.29	5.651	20	
55	5.29	5.705	20	
56	5.29	5.395	20	
57	5.29	5.421	20	
58	5.29	5.693	20	
59	5.29	5.391	20	
60	5.29	5.359	20	
61	5.29	5.38	20	
62	5.29	5.545	20	
63	5.29	5.491	20	
64	5.29	5.588	20	
65	5.29	5.326	20	
66	5.29	5.315	20	
67	5.29	5.468	20	
68	5.29	5.306	20	
69	5.29	5.59	20	
70	5.29	5.269	20	
71	5.29	5.257	20	
72	5.29	5.647	20	
73	5.29	5.422	20	
74	5.29	5.5	20	
75	5.29	5.67	20	
76	5.29	5.323	20	
77	5.29	5.598	20	
78	5.29	5.364	20	
79	5.29	5.277	20	
80	5.29	5.565	20	
81	5.29	5.339	20	
82	5.29	5.406	20	
83	5.29	5.574	20	
84	5.29	5.526	20	
85	5.29	5.678	20	
86	5.29	5.623	20	
87	5.29	5.534	20	
88	5.29	5.649	20	
89	5.29	5.543	20	
90	5.29	5.414	20	
91	5.29	5.275	20	
92	5.29	5.265	20	
93	5.29	5.434	20	
94	5.29	5.68	20	
95	5.29	5.488	20	
96	5.29	5.295	20	*
97	5.29	5.509	20	
98	5.29	5.518	20	
99	5.29	5.253	20	
100	5.29	5.267	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.526	20	
2	5.29	5.544	20	
3	5.29	5.592	20	
4	5.29	5.664	20	
5	5.29	5.695	20	
6	5.29	5.288	20	*
7	5.29	5.514	20	
8	5.29	5.537	20	
9	5.29	5.456	20	
10	5.29	5.332	20	
11	5.29	5.416	20	
12	5.29	5.444	20	
13	5.29	5.409	20	
14	5.29	5.295	20	*
15	5.29	5.386	20	
16	5.29	5.405	20	
17	5.29	5.521	20	
18	5.29	5.287	20	*
19	5.29	5.445	20	
20	5.29	5.338	20	
21	5.29	5.401	20	
22	5.29	5.615	20	
23	5.29	5.68	20	
24	5.29	5.301	20	
25	5.29	5.254	20	
26	5.29	5.603	20	
27	5.29	5.546	20	
28	5.29	5.719	20	
29	5.29	5.366	20	
30	5.29	5.285	20	*
31	5.29	5.391	20	
32	5.29	5.498	20	
33	5.29	5.56	20	
34	5.29	5.34	20	
35	5.29	5.677	20	
36	5.29	5.57	20	
37	5.29	5.316	20	
38	5.29	5.364	20	
39	5.29	5.454	20	
40	5.29	5.715	20	
41	5.29	5.275	20	
42	5.29	5.628	20	
43	5.29	5.311	20	
44	5.29	5.333	20	
45	5.29	5.429	20	
46	5.29	5.617	20	
47	5.29	5.558	20	

48	5.29	5.693	20	
49	5.29	5.328	20	
50	5.29	5.721	20	
51	5.29	5.624	20	
52	5.29	5.642	20	
53	5.29	5.528	20	
54	5.29	5.348	20	
55	5.29	5.697	20	
56	5.29	5.25	20	
57	5.29	5.595	20	
58	5.29	5.71	20	
59	5.29	5.426	20	
60	5.29	5.331	20	
61	5.29	5.353	20	
62	5.29	5.683	20	
63	5.29	5.616	20	
64	5.29	5.286	20	*
65	5.29	5.578	20	
66	5.29	5.648	20	
67	5.29	5.432	20	
68	5.29	5.26	20	
69	5.29	5.255	20	
70	5.29	5.406	20	
71	5.29	5.463	20	
72	5.29	5.502	20	
73	5.29	5.58	20	
74	5.29	5.586	20	
75	5.29	5.614	20	
76	5.29	5.631	20	
77	5.29	5.707	20	
78	5.29	5.564	20	
79	5.29	5.273	20	
80	5.29	5.304	20	
81	5.29	5.493	20	
82	5.29	5.436	20	
83	5.29	5.419	20	
84	5.29	5.653	20	
85	5.29	5.51	20	
86	5.29	5.361	20	
87	5.29	5.457	20	
88	5.29	5.369	20	
89	5.29	5.448	20	
90	5.29	5.351	20	
91	5.29	5.548	20	
92	5.29	5.722	20	
93	5.29	5.496	20	
94	5.29	5.567	20	
95	5.29	5.517	20	
96	5.29	5.259	20	
97	5.29	5.522	20	
98	5.29	5.315	20	
99	5.29	5.37	20	
100	5.29	5.579	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.558	20	
2	5.29	5.347	20	
3	5.29	5.653	20	
4	5.29	5.373	20	
5	5.29	5.25	20	
6	5.29	5.525	20	
7	5.29	5.591	20	
8	5.29	5.583	20	
9	5.29	5.613	20	
10	5.29	5.666	20	
11	5.29	5.264	20	
12	5.29	5.459	20	
13	5.29	5.532	20	
14	5.29	5.405	20	
15	5.29	5.623	20	
16	5.29	5.545	20	
17	5.29	5.45	20	
18	5.29	5.479	20	
19	5.29	5.454	20	
20	5.29	5.675	20	
21	5.29	5.335	20	
22	5.29	5.429	20	
23	5.29	5.527	20	
24	5.29	5.475	20	
25	5.29	5.526	20	
26	5.29	5.596	20	
27	5.29	5.37	20	
28	5.29	5.391	20	
29	5.29	5.406	20	
30	5.29	5.647	20	
31	5.29	5.318	20	
32	5.29	5.701	20	
33	5.29	5.371	20	
34	5.29	5.649	20	
35	5.29	5.662	20	
36	5.29	5.357	20	
37	5.29	5.423	20	
38	5.29	5.645	20	
39	5.29	5.584	20	
40	5.29	5.594	20	
41	5.29	5.68	20	
42	5.29	5.69	20	
43	5.29	5.42	20	
44	5.29	5.698	20	
45	5.29	5.681	20	
46	5.29	5.539	20	
47	5.29	5.503	20	

48	5.29	5.635	20	
49	5.29	5.683	20	
50	5.29	5.368	20	
51	5.29	5.38	20	
52	5.29	5.587	20	
53	5.29	5.609	20	
54	5.29	5.428	20	
55	5.29	5.585	20	
56	5.29	5.252	20	
57	5.29	5.413	20	
58	5.29	5.336	20	
59	5.29	5.269	20	
60	5.29	5.699	20	
61	5.29	5.433	20	
62	5.29	5.369	20	
63	5.29	5.387	20	
64	5.29	5.44	20	
65	5.29	5.293	20	*
66	5.29	5.478	20	
67	5.29	5.302	20	
68	5.29	5.358	20	
69	5.29	5.421	20	
70	5.29	5.476	20	
71	5.29	5.267	20	
72	5.29	5.661	20	
73	5.29	5.629	20	
74	5.29	5.287	20	*
75	5.29	5.291	20	*
76	5.29	5.62	20	
77	5.29	5.718	20	
78	5.29	5.329	20	
79	5.29	5.52	20	
80	5.29	5.443	20	
81	5.29	5.57	20	
82	5.29	5.565	20	
83	5.29	5.483	20	
84	5.29	5.601	20	
85	5.29	5.332	20	
86	5.29	5.556	20	
87	5.29	5.485	20	
88	5.29	5.639	20	
89	5.29	5.422	20	
90	5.29	5.548	20	
91	5.29	5.515	20	
92	5.29	5.501	20	
93	5.29	5.374	20	
94	5.29	5.519	20	
95	5.29	5.567	20	
96	5.29	5.505	20	
97	5.29	5.41	20	
98	5.29	5.692	20	
99	5.29	5.484	20	
100	5.29	5.592	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.41	20	
2	5.29	5.676	20	
3	5.29	5.341	20	
4	5.29	5.704	20	
5	5.29	5.691	20	
6	5.29	5.645	20	
7	5.29	5.442	20	
8	5.29	5.644	20	
9	5.29	5.659	20	
10	5.29	5.6	20	
11	5.29	5.406	20	
12	5.29	5.477	20	
13	5.29	5.408	20	
14	5.29	5.303	20	
15	5.29	5.448	20	
16	5.29	5.255	20	
17	5.29	5.619	20	
18	5.29	5.428	20	
19	5.29	5.696	20	
20	5.29	5.608	20	
21	5.29	5.637	20	
22	5.29	5.38	20	
23	5.29	5.295	20	*
24	5.29	5.609	20	
25	5.29	5.646	20	
26	5.29	5.346	20	
27	5.29	5.667	20	
28	5.29	5.256	20	
29	5.29	5.495	20	
30	5.29	5.277	20	
31	5.29	5.578	20	
32	5.29	5.312	20	
33	5.29	5.612	20	
34	5.29	5.721	20	
35	5.29	5.514	20	
36	5.29	5.265	20	
37	5.29	5.397	20	
38	5.29	5.567	20	
39	5.29	5.324	20	
40	5.29	5.635	20	
41	5.29	5.443	20	
42	5.29	5.338	20	
43	5.29	5.594	20	
44	5.29	5.614	20	
45	5.29	5.5	20	
46	5.29	5.666	20	
47	5.29	5.572	20	

48	5.29	5.49	20	
49	5.29	5.694	20	
50	5.29	5.545	20	
51	5.29	5.626	20	
52	5.29	5.251	20	
53	5.29	5.59	20	
54	5.29	5.353	20	
55	5.29	5.503	20	
56	5.29	5.292	20	*
57	5.29	5.541	20	
58	5.29	5.507	20	
59	5.29	5.599	20	
60	5.29	5.402	20	
61	5.29	5.349	20	
62	5.29	5.393	20	
63	5.29	5.573	20	
64	5.29	5.364	20	
65	5.29	5.532	20	
66	5.29	5.576	20	
67	5.29	5.618	20	
68	5.29	5.52	20	
69	5.29	5.623	20	
70	5.29	5.692	20	
71	5.29	5.453	20	
72	5.29	5.529	20	
73	5.29	5.281	20	*
74	5.29	5.403	20	
75	5.29	5.624	20	
76	5.29	5.356	20	
77	5.29	5.427	20	
78	5.29	5.681	20	
79	5.29	5.519	20	
80	5.29	5.433	20	
81	5.29	5.517	20	
82	5.29	5.311	20	
83	5.29	5.418	20	
84	5.29	5.707	20	
85	5.29	5.344	20	
86	5.29	5.639	20	
87	5.29	5.309	20	
88	5.29	5.321	20	
89	5.29	5.48	20	
90	5.29	5.472	20	
91	5.29	5.597	20	
92	5.29	5.628	20	
93	5.29	5.473	20	
94	5.29	5.394	20	
95	5.29	5.604	20	
96	5.29	5.329	20	
97	5.29	5.252	20	
98	5.29	5.487	20	
99	5.29	5.651	20	
100	5.29	5.62	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.686	20	
2	5.29	5.685	20	
3	5.29	5.369	20	
4	5.29	5.67	20	
5	5.29	5.564	20	
6	5.29	5.317	20	
7	5.29	5.678	20	
8	5.29	5.351	20	
9	5.29	5.692	20	
10	5.29	5.489	20	
11	5.29	5.299	20	*
12	5.29	5.366	20	
13	5.29	5.292	20	*
14	5.29	5.681	20	
15	5.29	5.303	20	
16	5.29	5.256	20	
17	5.29	5.584	20	
18	5.29	5.394	20	
19	5.29	5.466	20	
20	5.29	5.301	20	
21	5.29	5.51	20	
22	5.29	5.281	20	*
23	5.29	5.39	20	
24	5.29	5.352	20	
25	5.29	5.551	20	
26	5.29	5.262	20	
27	5.29	5.398	20	
28	5.29	5.63	20	
29	5.29	5.493	20	
30	5.29	5.593	20	
31	5.29	5.46	20	
32	5.29	5.642	20	
33	5.29	5.569	20	
34	5.29	5.35	20	
35	5.29	5.638	20	
36	5.29	5.508	20	
37	5.29	5.4	20	
38	5.29	5.706	20	
39	5.29	5.567	20	
40	5.29	5.643	20	
41	5.29	5.456	20	
42	5.29	5.265	20	
43	5.29	5.632	20	
44	5.29	5.354	20	
45	5.29	5.293	20	*
46	5.29	5.447	20	
47	5.29	5.713	20	

48	5.29	5.525	20	
49	5.29	5.578	20	
50	5.29	5.604	20	
51	5.29	5.461	20	
52	5.29	5.722	20	
53	5.29	5.38	20	
54	5.29	5.675	20	
55	5.29	5.645	20	
56	5.29	5.674	20	
57	5.29	5.53	20	
58	5.29	5.387	20	
59	5.29	5.475	20	
60	5.29	5.469	20	
61	5.29	5.439	20	
62	5.29	5.445	20	
63	5.29	5.618	20	
64	5.29	5.487	20	
65	5.29	5.664	20	
66	5.29	5.544	20	
67	5.29	5.592	20	
68	5.29	5.42	20	
69	5.29	5.694	20	
70	5.29	5.696	20	
71	5.29	5.285	20	*
72	5.29	5.421	20	
73	5.29	5.503	20	
74	5.29	5.36	20	
75	5.29	5.472	20	
76	5.29	5.312	20	
77	5.29	5.25	20	
78	5.29	5.572	20	
79	5.29	5.588	20	
80	5.29	5.438	20	
81	5.29	5.304	20	
82	5.29	5.287	20	*
83	5.29	5.683	20	
84	5.29	5.322	20	
85	5.29	5.668	20	
86	5.29	5.607	20	
87	5.29	5.339	20	
88	5.29	5.368	20	
89	5.29	5.533	20	
90	5.29	5.298	20	*
91	5.29	5.702	20	
92	5.29	5.379	20	
93	5.29	5.612	20	
94	5.29	5.579	20	
95	5.29	5.341	20	
96	5.29	5.346	20	
97	5.29	5.558	20	
98	5.29	5.636	20	
99	5.29	5.462	20	
100	5.29	5.417	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.447	20	
2	5.29	5.39	20	
3	5.29	5.301	20	
4	5.29	5.569	20	
5	5.29	5.501	20	
6	5.29	5.278	20	
7	5.29	5.714	20	
8	5.29	5.254	20	
9	5.29	5.662	20	
10	5.29	5.373	20	
11	5.29	5.358	20	
12	5.29	5.487	20	
13	5.29	5.268	20	
14	5.29	5.691	20	
15	5.29	5.581	20	
16	5.29	5.687	20	
17	5.29	5.55	20	
18	5.29	5.659	20	
19	5.29	5.551	20	
20	5.29	5.533	20	
21	5.29	5.524	20	
22	5.29	5.489	20	
23	5.29	5.611	20	
24	5.29	5.708	20	
25	5.29	5.61	20	
26	5.29	5.49	20	
27	5.29	5.586	20	
28	5.29	5.257	20	
29	5.29	5.498	20	
30	5.29	5.258	20	
31	5.29	5.655	20	
32	5.29	5.571	20	
33	5.29	5.432	20	
34	5.29	5.355	20	
35	5.29	5.378	20	
36	5.29	5.692	20	
37	5.29	5.424	20	
38	5.29	5.608	20	
39	5.29	5.323	20	
40	5.29	5.657	20	
41	5.29	5.405	20	
42	5.29	5.517	20	
43	5.29	5.394	20	
44	5.29	5.604	20	
45	5.29	5.555	20	
46	5.29	5.493	20	
47	5.29	5.44	20	

48	5.29	5.274	20	
49	5.29	5.482	20	
50	5.29	5.546	20	
51	5.29	5.393	20	
52	5.29	5.526	20	
53	5.29	5.628	20	
54	5.29	5.705	20	
55	5.29	5.666	20	
56	5.29	5.438	20	
57	5.29	5.384	20	
58	5.29	5.521	20	
59	5.29	5.361	20	
60	5.29	5.568	20	
61	5.29	5.332	20	
62	5.29	5.674	20	
63	5.29	5.614	20	
64	5.29	5.554	20	
65	5.29	5.33	20	
66	5.29	5.396	20	
67	5.29	5.707	20	
68	5.29	5.722	20	
69	5.29	5.623	20	
70	5.29	5.305	20	
71	5.29	5.7	20	
72	5.29	5.252	20	
73	5.29	5.543	20	
74	5.29	5.365	20	
75	5.29	5.251	20	
76	5.29	5.38	20	
77	5.29	5.342	20	
78	5.29	5.669	20	
79	5.29	5.322	20	
80	5.29	5.296	20	*
81	5.29	5.364	20	
82	5.29	5.516	20	
83	5.29	5.5	20	
84	5.29	5.265	20	
85	5.29	5.486	20	
86	5.29	5.439	20	
87	5.29	5.653	20	
88	5.29	5.634	20	
89	5.29	5.441	20	
90	5.29	5.572	20	
91	5.29	5.402	20	
92	5.29	5.62	20	
93	5.29	5.475	20	
94	5.29	5.431	20	
95	5.29	5.511	20	
96	5.29	5.379	20	
97	5.29	5.617	20	
98	5.29	5.615	20	
99	5.29	5.548	20	
100	5.29	5.585	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.3	20	*
2	5.29	5.654	20	
3	5.29	5.634	20	
4	5.29	5.429	20	
5	5.29	5.64	20	
6	5.29	5.514	20	
7	5.29	5.257	20	
8	5.29	5.303	20	
9	5.29	5.585	20	
10	5.29	5.386	20	
11	5.29	5.55	20	
12	5.29	5.65	20	
13	5.29	5.589	20	
14	5.29	5.304	20	
15	5.29	5.32	20	
16	5.29	5.465	20	
17	5.29	5.36	20	
18	5.29	5.472	20	
19	5.29	5.311	20	
20	5.29	5.598	20	
21	5.29	5.549	20	
22	5.29	5.347	20	
23	5.29	5.353	20	
24	5.29	5.479	20	
25	5.29	5.701	20	
26	5.29	5.708	20	
27	5.29	5.283	20	*
28	5.29	5.618	20	
29	5.29	5.702	20	
30	5.29	5.571	20	
31	5.29	5.724	20	
32	5.29	5.525	20	
33	5.29	5.526	20	
34	5.29	5.315	20	
35	5.29	5.641	20	
36	5.29	5.694	20	
37	5.29	5.366	20	
38	5.29	5.611	20	
39	5.29	5.43	20	
40	5.29	5.485	20	
41	5.29	5.591	20	
42	5.29	5.66	20	
43	5.29	5.336	20	
44	5.29	5.391	20	
45	5.29	5.557	20	
46	5.29	5.629	20	
47	5.29	5.497	20	

48	5.29	5.405	20	
49	5.29	5.58	20	
50	5.29	5.406	20	
51	5.29	5.6	20	
52	5.29	5.716	20	
53	5.29	5.567	20	
54	5.29	5.461	20	
55	5.29	5.651	20	
56	5.29	5.308	20	
57	5.29	5.673	20	
58	5.29	5.563	20	
59	5.29	5.604	20	
60	5.29	5.25	20	
61	5.29	5.319	20	
62	5.29	5.712	20	
63	5.29	5.668	20	
64	5.29	5.541	20	
65	5.29	5.548	20	
66	5.29	5.624	20	
67	5.29	5.565	20	
68	5.29	5.626	20	
69	5.29	5.345	20	
70	5.29	5.253	20	
71	5.29	5.298	20	*
72	5.29	5.38	20	
73	5.29	5.532	20	
74	5.29	5.266	20	
75	5.29	5.293	20	*
76	5.29	5.329	20	
77	5.29	5.323	20	
78	5.29	5.655	20	
79	5.29	5.402	20	
80	5.29	5.653	20	
81	5.29	5.628	20	
82	5.29	5.281	20	*
83	5.29	5.299	20	*
84	5.29	5.343	20	
85	5.29	5.553	20	
86	5.29	5.622	20	
87	5.29	5.715	20	
88	5.29	5.425	20	
89	5.29	5.703	20	
90	5.29	5.258	20	
91	5.29	5.579	20	
92	5.29	5.256	20	
93	5.29	5.468	20	
94	5.29	5.7	20	
95	5.29	5.355	20	
96	5.29	5.252	20	
97	5.29	5.26	20	
98	5.29	5.475	20	
99	5.29	5.342	20	
100	5.29	5.422	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.715	20	
2	5.29	5.694	20	
3	5.29	5.714	20	
4	5.29	5.496	20	
5	5.29	5.406	20	
6	5.29	5.546	20	
7	5.29	5.591	20	
8	5.29	5.65	20	
9	5.29	5.716	20	
10	5.29	5.286	20	*
11	5.29	5.378	20	
12	5.29	5.281	20	*
13	5.29	5.678	20	
14	5.29	5.607	20	
15	5.29	5.367	20	
16	5.29	5.543	20	
17	5.29	5.719	20	
18	5.29	5.389	20	
19	5.29	5.289	20	*
20	5.29	5.363	20	
21	5.29	5.515	20	
22	5.29	5.412	20	
23	5.29	5.397	20	
24	5.29	5.298	20	*
25	5.29	5.256	20	
26	5.29	5.423	20	
27	5.29	5.483	20	
28	5.29	5.471	20	
29	5.29	5.651	20	
30	5.29	5.371	20	
31	5.29	5.357	20	
32	5.29	5.409	20	
33	5.29	5.277	20	
34	5.29	5.645	20	
35	5.29	5.458	20	
36	5.29	5.608	20	
37	5.29	5.518	20	
38	5.29	5.466	20	
39	5.29	5.27	20	
40	5.29	5.599	20	
41	5.29	5.669	20	
42	5.29	5.705	20	
43	5.29	5.428	20	
44	5.29	5.512	20	
45	5.29	5.506	20	
46	5.29	5.415	20	
47	5.29	5.329	20	

48	5.29	5.688	20	
49	5.29	5.653	20	
50	5.29	5.581	20	
51	5.29	5.693	20	
52	5.29	5.461	20	
53	5.29	5.614	20	
54	5.29	5.376	20	
55	5.29	5.718	20	
56	5.29	5.288	20	*
57	5.29	5.327	20	
58	5.29	5.524	20	
59	5.29	5.528	20	
60	5.29	5.723	20	
61	5.29	5.612	20	
62	5.29	5.37	20	
63	5.29	5.643	20	
64	5.29	5.399	20	
65	5.29	5.578	20	
66	5.29	5.704	20	
67	5.29	5.71	20	
68	5.29	5.413	20	
69	5.29	5.311	20	
70	5.29	5.511	20	
71	5.29	5.356	20	
72	5.29	5.294	20	*
73	5.29	5.568	20	
74	5.29	5.495	20	
75	5.29	5.362	20	
76	5.29	5.501	20	
77	5.29	5.267	20	
78	5.29	5.516	20	
79	5.29	5.333	20	
80	5.29	5.352	20	
81	5.29	5.264	20	
82	5.29	5.707	20	
83	5.29	5.708	20	
84	5.29	5.558	20	
85	5.29	5.585	20	
86	5.29	5.549	20	
87	5.29	5.351	20	
88	5.29	5.257	20	
89	5.29	5.451	20	
90	5.29	5.616	20	
91	5.29	5.336	20	
92	5.29	5.326	20	
93	5.29	5.438	20	
94	5.29	5.411	20	
95	5.29	5.425	20	
96	5.29	5.28	20	*
97	5.29	5.685	20	
98	5.29	5.408	20	
99	5.29	5.468	20	
100	5.29	5.285	20	*

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.3	20	*
2	5.29	5.544	20	
3	5.29	5.421	20	
4	5.29	5.41	20	
5	5.29	5.416	20	
6	5.29	5.699	20	
7	5.29	5.642	20	
8	5.29	5.69	20	
9	5.29	5.392	20	
10	5.29	5.488	20	
11	5.29	5.413	20	
12	5.29	5.664	20	
13	5.29	5.715	20	
14	5.29	5.432	20	
15	5.29	5.381	20	
16	5.29	5.683	20	
17	5.29	5.703	20	
18	5.29	5.55	20	
19	5.29	5.267	20	
20	5.29	5.526	20	
21	5.29	5.327	20	
22	5.29	5.346	20	
23	5.29	5.619	20	
24	5.29	5.374	20	
25	5.29	5.424	20	
26	5.29	5.577	20	
27	5.29	5.495	20	
28	5.29	5.605	20	
29	5.29	5.506	20	
30	5.29	5.378	20	
31	5.29	5.336	20	
32	5.29	5.637	20	
33	5.29	5.573	20	
34	5.29	5.496	20	
35	5.29	5.718	20	
36	5.29	5.5	20	
37	5.29	5.486	20	
38	5.29	5.439	20	
39	5.29	5.492	20	
40	5.29	5.581	20	
41	5.29	5.44	20	
42	5.29	5.482	20	
43	5.29	5.608	20	
44	5.29	5.597	20	
45	5.29	5.399	20	
46	5.29	5.667	20	
47	5.29	5.587	20	

48	5.29	5.284	20	*
49	5.29	5.693	20	
50	5.29	5.647	20	
51	5.29	5.564	20	
52	5.29	5.674	20	
53	5.29	5.62	20	
54	5.29	5.687	20	
55	5.29	5.322	20	
56	5.29	5.491	20	
57	5.29	5.536	20	
58	5.29	5.446	20	
59	5.29	5.628	20	
60	5.29	5.716	20	
61	5.29	5.333	20	
62	5.29	5.516	20	
63	5.29	5.279	20	
64	5.29	5.646	20	
65	5.29	5.655	20	
66	5.29	5.49	20	
67	5.29	5.342	20	
68	5.29	5.362	20	
69	5.29	5.414	20	
70	5.29	5.562	20	
71	5.29	5.294	20	*
72	5.29	5.574	20	
73	5.29	5.409	20	
74	5.29	5.285	20	*
75	5.29	5.471	20	
76	5.29	5.639	20	
77	5.29	5.438	20	
78	5.29	5.709	20	
79	5.29	5.417	20	
80	5.29	5.464	20	
81	5.29	5.303	20	
82	5.29	5.502	20	
83	5.29	5.71	20	
84	5.29	5.675	20	
85	5.29	5.457	20	
86	5.29	5.395	20	
87	5.29	5.408	20	
88	5.29	5.461	20	
89	5.29	5.459	20	
90	5.29	5.656	20	
91	5.29	5.538	20	
92	5.29	5.337	20	
93	5.29	5.356	20	
94	5.29	5.689	20	
95	5.29	5.403	20	
96	5.29	5.375	20	
97	5.29	5.451	20	
98	5.29	5.613	20	
99	5.29	5.653	20	
100	5.29	5.328	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.682	20	
2	5.29	5.548	20	
3	5.29	5.308	20	
4	5.29	5.313	20	
5	5.29	5.59	20	
6	5.29	5.602	20	
7	5.29	5.442	20	
8	5.29	5.673	20	
9	5.29	5.365	20	
10	5.29	5.617	20	
11	5.29	5.417	20	
12	5.29	5.391	20	
13	5.29	5.722	20	
14	5.29	5.428	20	
15	5.29	5.375	20	
16	5.29	5.666	20	
17	5.29	5.565	20	
18	5.29	5.443	20	
19	5.29	5.385	20	
20	5.29	5.433	20	
21	5.29	5.714	20	
22	5.29	5.351	20	
23	5.29	5.692	20	
24	5.29	5.707	20	
25	5.29	5.685	20	
26	5.29	5.501	20	
27	5.29	5.636	20	
28	5.29	5.552	20	
29	5.29	5.42	20	
30	5.29	5.521	20	
31	5.29	5.335	20	
32	5.29	5.632	20	
33	5.29	5.618	20	
34	5.29	5.629	20	
35	5.29	5.622	20	
36	5.29	5.539	20	
37	5.29	5.544	20	
38	5.29	5.278	20	
39	5.29	5.691	20	
40	5.29	5.464	20	
41	5.29	5.309	20	
42	5.29	5.543	20	
43	5.29	5.469	20	
44	5.29	5.423	20	
45	5.29	5.498	20	
46	5.29	5.675	20	
47	5.29	5.718	20	

48	5.29	5.259	20	
49	5.29	5.528	20	
50	5.29	5.296	20	*
51	5.29	5.663	20	
52	5.29	5.387	20	
53	5.29	5.493	20	
54	5.29	5.699	20	
55	5.29	5.257	20	
56	5.29	5.306	20	
57	5.29	5.557	20	
58	5.29	5.438	20	
59	5.29	5.546	20	
60	5.29	5.356	20	
61	5.29	5.312	20	
62	5.29	5.687	20	
63	5.29	5.651	20	
64	5.29	5.364	20	
65	5.29	5.284	20	*
66	5.29	5.467	20	
67	5.29	5.477	20	
68	5.29	5.492	20	
69	5.29	5.537	20	
70	5.29	5.569	20	
71	5.29	5.454	20	
72	5.29	5.586	20	
73	5.29	5.582	20	
74	5.29	5.484	20	
75	5.29	5.285	20	*
76	5.29	5.591	20	
77	5.29	5.323	20	
78	5.29	5.452	20	
79	5.29	5.479	20	
80	5.29	5.583	20	
81	5.29	5.279	20	
82	5.29	5.708	20	
83	5.29	5.64	20	
84	5.29	5.412	20	
85	5.29	5.58	20	
86	5.29	5.7	20	
87	5.29	5.512	20	
88	5.29	5.352	20	
89	5.29	5.321	20	
90	5.29	5.54	20	
91	5.29	5.653	20	
92	5.29	5.524	20	
93	5.29	5.678	20	
94	5.29	5.407	20	
95	5.29	5.439	20	
96	5.29	5.601	20	
97	5.29	5.49	20	
98	5.29	5.342	20	
99	5.29	5.613	20	
100	5.29	5.328	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.401	20	
2	5.29	5.471	20	
3	5.29	5.267	20	
4	5.29	5.573	20	
5	5.29	5.597	20	
6	5.29	5.437	20	
7	5.29	5.395	20	
8	5.29	5.38	20	
9	5.29	5.41	20	
10	5.29	5.685	20	
11	5.29	5.608	20	
12	5.29	5.622	20	
13	5.29	5.389	20	
14	5.29	5.385	20	
15	5.29	5.507	20	
16	5.29	5.301	20	
17	5.29	5.554	20	
18	5.29	5.615	20	
19	5.29	5.318	20	
20	5.29	5.379	20	
21	5.29	5.302	20	
22	5.29	5.312	20	
23	5.29	5.373	20	
24	5.29	5.639	20	
25	5.29	5.458	20	
26	5.29	5.356	20	
27	5.29	5.305	20	
28	5.29	5.572	20	
29	5.29	5.717	20	
30	5.29	5.377	20	
31	5.29	5.341	20	
32	5.29	5.641	20	
33	5.29	5.432	20	
34	5.29	5.684	20	
35	5.29	5.372	20	
36	5.29	5.344	20	
37	5.29	5.634	20	
38	5.29	5.723	20	
39	5.29	5.394	20	
40	5.29	5.299	20	*
41	5.29	5.378	20	
42	5.29	5.448	20	
43	5.29	5.315	20	
44	5.29	5.55	20	
45	5.29	5.45	20	
46	5.29	5.709	20	
47	5.29	5.701	20	

48	5.29	5.6	20	
49	5.29	5.623	20	
50	5.29	5.409	20	
51	5.29	5.642	20	
52	5.29	5.445	20	
53	5.29	5.262	20	
54	5.29	5.253	20	
55	5.29	5.261	20	
56	5.29	5.503	20	
57	5.29	5.271	20	
58	5.29	5.462	20	
59	5.29	5.294	20	*
60	5.29	5.575	20	
61	5.29	5.309	20	
62	5.29	5.353	20	
63	5.29	5.296	20	*
64	5.29	5.436	20	
65	5.29	5.491	20	
66	5.29	5.672	20	
67	5.29	5.268	20	
68	5.29	5.559	20	
69	5.29	5.631	20	
70	5.29	5.535	20	
71	5.29	5.715	20	
72	5.29	5.667	20	
73	5.29	5.606	20	
74	5.29	5.451	20	
75	5.29	5.547	20	
76	5.29	5.578	20	
77	5.29	5.695	20	
78	5.29	5.65	20	
79	5.29	5.665	20	
80	5.29	5.666	20	
81	5.29	5.5	20	
82	5.29	5.576	20	
83	5.29	5.336	20	
84	5.29	5.398	20	
85	5.29	5.692	20	
86	5.29	5.525	20	
87	5.29	5.46	20	
88	5.29	5.538	20	
89	5.29	5.297	20	*
90	5.29	5.453	20	
91	5.29	5.407	20	
92	5.29	5.4	20	
93	5.29	5.671	20	
94	5.29	5.668	20	
95	5.29	5.25	20	
96	5.29	5.63	20	
97	5.29	5.382	20	
98	5.29	5.718	20	
99	5.29	5.504	20	
100	5.29	5.259	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.681	20	
2	5.29	5.588	20	
3	5.29	5.616	20	
4	5.29	5.323	20	
5	5.29	5.26	20	
6	5.29	5.499	20	
7	5.29	5.657	20	
8	5.29	5.4	20	
9	5.29	5.428	20	
10	5.29	5.407	20	
11	5.29	5.42	20	
12	5.29	5.62	20	
13	5.29	5.43	20	
14	5.29	5.251	20	
15	5.29	5.392	20	
16	5.29	5.403	20	
17	5.29	5.352	20	
18	5.29	5.679	20	
19	5.29	5.719	20	
20	5.29	5.672	20	
21	5.29	5.559	20	
22	5.29	5.271	20	
23	5.29	5.338	20	
24	5.29	5.598	20	
25	5.29	5.609	20	
26	5.29	5.367	20	
27	5.29	5.281	20	*
28	5.29	5.52	20	
29	5.29	5.293	20	*
30	5.29	5.372	20	
31	5.29	5.467	20	
32	5.29	5.529	20	
33	5.29	5.398	20	
34	5.29	5.487	20	
35	5.29	5.501	20	
36	5.29	5.311	20	
37	5.29	5.585	20	
38	5.29	5.709	20	
39	5.29	5.654	20	
40	5.29	5.472	20	
41	5.29	5.36	20	
42	5.29	5.507	20	
43	5.29	5.676	20	
44	5.29	5.671	20	
45	5.29	5.388	20	
46	5.29	5.33	20	
47	5.29	5.292	20	*

48	5.29	5.51	20	
49	5.29	5.597	20	
50	5.29	5.253	20	
51	5.29	5.315	20	
52	5.29	5.322	20	
53	5.29	5.556	20	
54	5.29	5.28	20	*
55	5.29	5.683	20	
56	5.29	5.535	20	
57	5.29	5.385	20	
58	5.29	5.344	20	
59	5.29	5.699	20	
60	5.29	5.641	20	
61	5.29	5.373	20	
62	5.29	5.64	20	
63	5.29	5.312	20	
64	5.29	5.39	20	
65	5.29	5.348	20	
66	5.29	5.421	20	
67	5.29	5.505	20	
68	5.29	5.307	20	
69	5.29	5.561	20	
70	5.29	5.511	20	
71	5.29	5.659	20	
72	5.29	5.566	20	
73	5.29	5.259	20	
74	5.29	5.274	20	
75	5.29	5.422	20	
76	5.29	5.337	20	
77	5.29	5.279	20	
78	5.29	5.586	20	
79	5.29	5.417	20	
80	5.29	5.714	20	
81	5.29	5.557	20	
82	5.29	5.454	20	
83	5.29	5.497	20	
84	5.29	5.399	20	
85	5.29	5.713	20	
86	5.29	5.55	20	
87	5.29	5.695	20	
88	5.29	5.475	20	
89	5.29	5.498	20	
90	5.29	5.309	20	
91	5.29	5.418	20	
92	5.29	5.29	20	*
93	5.29	5.642	20	
94	5.29	5.432	20	
95	5.29	5.578	20	
96	5.29	5.473	20	
97	5.29	5.636	20	
98	5.29	5.477	20	
99	5.29	5.365	20	
100	5.29	5.406	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.686	20	
2	5.29	5.359	20	
3	5.29	5.495	20	
4	5.29	5.407	20	
5	5.29	5.702	20	
6	5.29	5.435	20	
7	5.29	5.55	20	
8	5.29	5.667	20	
9	5.29	5.293	20	*
10	5.29	5.443	20	
11	5.29	5.398	20	
12	5.29	5.311	20	
13	5.29	5.368	20	
14	5.29	5.351	20	
15	5.29	5.254	20	
16	5.29	5.499	20	
17	5.29	5.54	20	
18	5.29	5.317	20	
19	5.29	5.59	20	
20	5.29	5.309	20	
21	5.29	5.517	20	
22	5.29	5.258	20	
23	5.29	5.701	20	
24	5.29	5.383	20	
25	5.29	5.278	20	
26	5.29	5.374	20	
27	5.29	5.616	20	
28	5.29	5.65	20	
29	5.29	5.31	20	
30	5.29	5.541	20	
31	5.29	5.529	20	
32	5.29	5.375	20	
33	5.29	5.643	20	
34	5.29	5.544	20	
35	5.29	5.527	20	
36	5.29	5.313	20	
37	5.29	5.257	20	
38	5.29	5.318	20	
39	5.29	5.711	20	
40	5.29	5.615	20	
41	5.29	5.396	20	
42	5.29	5.669	20	
43	5.29	5.265	20	
44	5.29	5.526	20	
45	5.29	5.302	20	
46	5.29	5.45	20	
47	5.29	5.434	20	

48	5.29	5.509	20	
49	5.29	5.479	20	
50	5.29	5.371	20	
51	5.29	5.707	20	
52	5.29	5.571	20	
53	5.29	5.445	20	
54	5.29	5.654	20	
55	5.29	5.357	20	
56	5.29	5.391	20	
57	5.29	5.346	20	
58	5.29	5.308	20	
59	5.29	5.584	20	
60	5.29	5.378	20	
61	5.29	5.612	20	
62	5.29	5.706	20	
63	5.29	5.582	20	
64	5.29	5.462	20	
65	5.29	5.429	20	
66	5.29	5.561	20	
67	5.29	5.597	20	
68	5.29	5.475	20	
69	5.29	5.363	20	
70	5.29	5.323	20	
71	5.29	5.609	20	
72	5.29	5.41	20	
73	5.29	5.253	20	
74	5.29	5.376	20	
75	5.29	5.694	20	
76	5.29	5.46	20	
77	5.29	5.514	20	
78	5.29	5.647	20	
79	5.29	5.406	20	
80	5.29	5.677	20	
81	5.29	5.263	20	
82	5.29	5.604	20	
83	5.29	5.606	20	
84	5.29	5.595	20	
85	5.29	5.456	20	
86	5.29	5.562	20	
87	5.29	5.635	20	
88	5.29	5.379	20	
89	5.29	5.52	20	
90	5.29	5.563	20	
91	5.29	5.336	20	
92	5.29	5.394	20	
93	5.29	5.292	20	*
94	5.29	5.373	20	
95	5.29	5.419	20	
96	5.29	5.496	20	
97	5.29	5.591	20	
98	5.29	5.664	20	
99	5.29	5.452	20	
100	5.29	5.685	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.431	20	
2	5.29	5.621	20	
3	5.29	5.655	20	
4	5.29	5.479	20	
5	5.29	5.488	20	
6	5.29	5.606	20	
7	5.29	5.293	20	*
8	5.29	5.551	20	
9	5.29	5.529	20	
10	5.29	5.426	20	
11	5.29	5.36	20	
12	5.29	5.561	20	
13	5.29	5.647	20	
14	5.29	5.321	20	
15	5.29	5.594	20	
16	5.29	5.385	20	
17	5.29	5.405	20	
18	5.29	5.648	20	
19	5.29	5.641	20	
20	5.29	5.407	20	
21	5.29	5.701	20	
22	5.29	5.423	20	
23	5.29	5.589	20	
24	5.29	5.672	20	
25	5.29	5.486	20	
26	5.29	5.467	20	
27	5.29	5.57	20	
28	5.29	5.381	20	
29	5.29	5.707	20	
30	5.29	5.413	20	
31	5.29	5.314	20	
32	5.29	5.348	20	
33	5.29	5.505	20	
34	5.29	5.618	20	
35	5.29	5.27	20	
36	5.29	5.341	20	
37	5.29	5.549	20	
38	5.29	5.276	20	
39	5.29	5.278	20	
40	5.29	5.313	20	
41	5.29	5.33	20	
42	5.29	5.368	20	
43	5.29	5.396	20	
44	5.29	5.484	20	
45	5.29	5.595	20	
46	5.29	5.481	20	
47	5.29	5.593	20	

48	5.29	5.713	20	
49	5.29	5.395	20	
50	5.29	5.489	20	
51	5.29	5.288	20	*
52	5.29	5.628	20	
53	5.29	5.342	20	
54	5.29	5.5	20	
55	5.29	5.499	20	
56	5.29	5.515	20	
57	5.29	5.492	20	
58	5.29	5.674	20	
59	5.29	5.638	20	
60	5.29	5.365	20	
61	5.29	5.47	20	
62	5.29	5.542	20	
63	5.29	5.327	20	
64	5.29	5.435	20	
65	5.29	5.546	20	
66	5.29	5.453	20	
67	5.29	5.281	20	*
68	5.29	5.615	20	
69	5.29	5.259	20	
70	5.29	5.48	20	
71	5.29	5.528	20	
72	5.29	5.535	20	
73	5.29	5.376	20	
74	5.29	5.571	20	
75	5.29	5.503	20	
76	5.29	5.576	20	
77	5.29	5.476	20	
78	5.29	5.251	20	
79	5.29	5.303	20	
80	5.29	5.677	20	
81	5.29	5.694	20	
82	5.29	5.354	20	
83	5.29	5.703	20	
84	5.29	5.346	20	
85	5.29	5.521	20	
86	5.29	5.554	20	
87	5.29	5.328	20	
88	5.29	5.524	20	
89	5.29	5.506	20	
90	5.29	5.457	20	
91	5.29	5.623	20	
92	5.29	5.652	20	
93	5.29	5.608	20	
94	5.29	5.338	20	
95	5.29	5.386	20	
96	5.29	5.301	20	
97	5.29	5.519	20	
98	5.29	5.378	20	
99	5.29	5.673	20	
100	5.29	5.616	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.339	20	
2	5.29	5.307	20	
3	5.29	5.723	20	
4	5.29	5.331	20	
5	5.29	5.283	20	*
6	5.29	5.559	20	
7	5.29	5.308	20	
8	5.29	5.274	20	
9	5.29	5.332	20	
10	5.29	5.594	20	
11	5.29	5.647	20	
12	5.29	5.566	20	
13	5.29	5.396	20	
14	5.29	5.285	20	*
15	5.29	5.69	20	
16	5.29	5.317	20	
17	5.29	5.592	20	
18	5.29	5.427	20	
19	5.29	5.25	20	
20	5.29	5.495	20	
21	5.29	5.63	20	
22	5.29	5.584	20	
23	5.29	5.403	20	
24	5.29	5.534	20	
25	5.29	5.504	20	
26	5.29	5.253	20	
27	5.29	5.698	20	
28	5.29	5.608	20	
29	5.29	5.293	20	*
30	5.29	5.657	20	
31	5.29	5.583	20	
32	5.29	5.712	20	
33	5.29	5.517	20	
34	5.29	5.487	20	
35	5.29	5.37	20	
36	5.29	5.716	20	
37	5.29	5.431	20	
38	5.29	5.393	20	
39	5.29	5.364	20	
40	5.29	5.432	20	
41	5.29	5.518	20	
42	5.29	5.664	20	
43	5.29	5.483	20	
44	5.29	5.314	20	
45	5.29	5.465	20	
46	5.29	5.597	20	
47	5.29	5.556	20	

48	5.29	5.375	20	
49	5.29	5.289	20	*
50	5.29	5.71	20	
51	5.29	5.531	20	
52	5.29	5.652	20	
53	5.29	5.582	20	
54	5.29	5.321	20	
55	5.29	5.616	20	
56	5.29	5.524	20	
57	5.29	5.305	20	
58	5.29	5.475	20	
59	5.29	5.311	20	
60	5.29	5.287	20	*
61	5.29	5.414	20	
62	5.29	5.365	20	
63	5.29	5.411	20	
64	5.29	5.264	20	
65	5.29	5.687	20	
66	5.29	5.538	20	
67	5.29	5.412	20	
68	5.29	5.441	20	
69	5.29	5.266	20	
70	5.29	5.603	20	
71	5.29	5.615	20	
72	5.29	5.461	20	
73	5.29	5.493	20	
74	5.29	5.337	20	
75	5.29	5.392	20	
76	5.29	5.455	20	
77	5.29	5.581	20	
78	5.29	5.362	20	
79	5.29	5.468	20	
80	5.29	5.629	20	
81	5.29	5.252	20	
82	5.29	5.359	20	
83	5.29	5.484	20	
84	5.29	5.377	20	
85	5.29	5.433	20	
86	5.29	5.335	20	
87	5.29	5.391	20	
88	5.29	5.45	20	
89	5.29	5.645	20	
90	5.29	5.72	20	
91	5.29	5.546	20	
92	5.29	5.545	20	
93	5.29	5.625	20	
94	5.29	5.668	20	
95	5.29	5.281	20	*
96	5.29	5.494	20	
97	5.29	5.675	20	
98	5.29	5.689	20	
99	5.29	5.53	20	
100	5.29	5.381	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.615	20	
2	5.29	5.601	20	
3	5.29	5.456	20	
4	5.29	5.313	20	
5	5.29	5.664	20	
6	5.29	5.287	20	*
7	5.29	5.428	20	
8	5.29	5.592	20	
9	5.29	5.373	20	
10	5.29	5.5	20	
11	5.29	5.378	20	
12	5.29	5.662	20	
13	5.29	5.654	20	
14	5.29	5.277	20	
15	5.29	5.437	20	
16	5.29	5.677	20	
17	5.29	5.71	20	
18	5.29	5.31	20	
19	5.29	5.687	20	
20	5.29	5.646	20	
21	5.29	5.675	20	
22	5.29	5.661	20	
23	5.29	5.58	20	
24	5.29	5.609	20	
25	5.29	5.651	20	
26	5.29	5.379	20	
27	5.29	5.284	20	*
28	5.29	5.298	20	*
29	5.29	5.413	20	
30	5.29	5.336	20	
31	5.29	5.63	20	
32	5.29	5.597	20	
33	5.29	5.594	20	
34	5.29	5.587	20	
35	5.29	5.525	20	
36	5.29	5.275	20	
37	5.29	5.52	20	
38	5.29	5.583	20	
39	5.29	5.698	20	
40	5.29	5.681	20	
41	5.29	5.607	20	
42	5.29	5.469	20	
43	5.29	5.394	20	
44	5.29	5.575	20	
45	5.29	5.444	20	
46	5.29	5.364	20	
47	5.29	5.407	20	

48	5.29	5.602	20	
49	5.29	5.397	20	
50	5.29	5.536	20	
51	5.29	5.561	20	
52	5.29	5.358	20	
53	5.29	5.558	20	
54	5.29	5.598	20	
55	5.29	5.522	20	
56	5.29	5.658	20	
57	5.29	5.267	20	
58	5.29	5.342	20	
59	5.29	5.343	20	
60	5.29	5.527	20	
61	5.29	5.604	20	
62	5.29	5.457	20	
63	5.29	5.523	20	
64	5.29	5.492	20	
65	5.29	5.626	20	
66	5.29	5.663	20	
67	5.29	5.324	20	
68	5.29	5.671	20	
69	5.29	5.45	20	
70	5.29	5.327	20	
71	5.29	5.688	20	
72	5.29	5.436	20	
73	5.29	5.272	20	
74	5.29	5.497	20	
75	5.29	5.534	20	
76	5.29	5.547	20	
77	5.29	5.362	20	
78	5.29	5.685	20	
79	5.29	5.435	20	
80	5.29	5.574	20	
81	5.29	5.28	20	*
82	5.29	5.55	20	
83	5.29	5.503	20	
84	5.29	5.618	20	
85	5.29	5.337	20	
86	5.29	5.441	20	
87	5.29	5.463	20	
88	5.29	5.332	20	
89	5.29	5.268	20	
90	5.29	5.374	20	
91	5.29	5.504	20	
92	5.29	5.467	20	
93	5.29	5.491	20	
94	5.29	5.689	20	
95	5.29	5.707	20	
96	5.29	5.363	20	
97	5.29	5.508	20	
98	5.29	5.624	20	
99	5.29	5.552	20	
100	5.29	5.341	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.716	20	
2	5.29	5.441	20	
3	5.29	5.47	20	
4	5.29	5.461	20	
5	5.29	5.387	20	
6	5.29	5.416	20	
7	5.29	5.426	20	
8	5.29	5.546	20	
9	5.29	5.508	20	
10	5.29	5.453	20	
11	5.29	5.588	20	
12	5.29	5.382	20	
13	5.29	5.69	20	
14	5.29	5.421	20	
15	5.29	5.551	20	
16	5.29	5.338	20	
17	5.29	5.292	20	*
18	5.29	5.469	20	
19	5.29	5.577	20	
20	5.29	5.532	20	
21	5.29	5.609	20	
22	5.29	5.472	20	
23	5.29	5.627	20	
24	5.29	5.632	20	
25	5.29	5.611	20	
26	5.29	5.456	20	
27	5.29	5.27	20	
28	5.29	5.406	20	
29	5.29	5.682	20	
30	5.29	5.283	20	*
31	5.29	5.409	20	
32	5.29	5.374	20	
33	5.29	5.34	20	
34	5.29	5.451	20	
35	5.29	5.42	20	
36	5.29	5.493	20	
37	5.29	5.413	20	
38	5.29	5.345	20	
39	5.29	5.414	20	
40	5.29	5.386	20	
41	5.29	5.274	20	
42	5.29	5.462	20	
43	5.29	5.608	20	
44	5.29	5.398	20	
45	5.29	5.567	20	
46	5.29	5.383	20	
47	5.29	5.497	20	

48	5.29	5.399	20	
49	5.29	5.696	20	
50	5.29	5.541	20	
51	5.29	5.63	20	
52	5.29	5.309	20	
53	5.29	5.369	20	
54	5.29	5.372	20	
55	5.29	5.435	20	
56	5.29	5.607	20	
57	5.29	5.385	20	
58	5.29	5.706	20	
59	5.29	5.287	20	*
60	5.29	5.256	20	
61	5.29	5.411	20	
62	5.29	5.285	20	*
63	5.29	5.339	20	
64	5.29	5.581	20	
65	5.29	5.574	20	
66	5.29	5.688	20	
67	5.29	5.261	20	
68	5.29	5.452	20	
69	5.29	5.473	20	
70	5.29	5.592	20	
71	5.29	5.44	20	
72	5.29	5.635	20	
73	5.29	5.599	20	
74	5.29	5.673	20	
75	5.29	5.366	20	
76	5.29	5.402	20	
77	5.29	5.337	20	
78	5.29	5.537	20	
79	5.29	5.272	20	
80	5.29	5.289	20	*
81	5.29	5.712	20	
82	5.29	5.624	20	
83	5.29	5.534	20	
84	5.29	5.316	20	
85	5.29	5.704	20	
86	5.29	5.53	20	
87	5.29	5.548	20	
88	5.29	5.266	20	
89	5.29	5.646	20	
90	5.29	5.33	20	
91	5.29	5.562	20	
92	5.29	5.48	20	
93	5.29	5.269	20	
94	5.29	5.365	20	
95	5.29	5.349	20	
96	5.29	5.606	20	
97	5.29	5.518	20	
98	5.29	5.276	20	
99	5.29	5.7	20	
100	5.29	5.613	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.591	20	
2	5.29	5.411	20	
3	5.29	5.363	20	
4	5.29	5.382	20	
5	5.29	5.656	20	
6	5.29	5.549	20	
7	5.29	5.554	20	
8	5.29	5.281	20	*
9	5.29	5.583	20	
10	5.29	5.499	20	
11	5.29	5.38	20	
12	5.29	5.451	20	
13	5.29	5.441	20	
14	5.29	5.257	20	
15	5.29	5.27	20	
16	5.29	5.519	20	
17	5.29	5.672	20	
18	5.29	5.45	20	
19	5.29	5.676	20	
20	5.29	5.284	20	*
21	5.29	5.337	20	
22	5.29	5.365	20	
23	5.29	5.594	20	
24	5.29	5.309	20	
25	5.29	5.717	20	
26	5.29	5.259	20	
27	5.29	5.455	20	
28	5.29	5.632	20	
29	5.29	5.398	20	
30	5.29	5.691	20	
31	5.29	5.334	20	
32	5.29	5.438	20	
33	5.29	5.372	20	
34	5.29	5.49	20	
35	5.29	5.556	20	
36	5.29	5.355	20	
37	5.29	5.28	20	*
38	5.29	5.525	20	
39	5.29	5.609	20	
40	5.29	5.659	20	
41	5.29	5.559	20	
42	5.29	5.258	20	
43	5.29	5.371	20	
44	5.29	5.508	20	
45	5.29	5.468	20	
46	5.29	5.402	20	
47	5.29	5.596	20	

48	5.29	5.648	20	
49	5.29	5.674	20	
50	5.29	5.326	20	
51	5.29	5.523	20	
52	5.29	5.548	20	
53	5.29	5.317	20	
54	5.29	5.685	20	
55	5.29	5.33	20	
56	5.29	5.314	20	
57	5.29	5.353	20	
58	5.29	5.418	20	
59	5.29	5.502	20	
60	5.29	5.562	20	
61	5.29	5.443	20	
62	5.29	5.503	20	
63	5.29	5.671	20	
64	5.29	5.3	20	*
65	5.29	5.593	20	
66	5.29	5.495	20	
67	5.29	5.639	20	
68	5.29	5.393	20	
69	5.29	5.706	20	
70	5.29	5.623	20	
71	5.29	5.47	20	
72	5.29	5.688	20	
73	5.29	5.412	20	
74	5.29	5.36	20	
75	5.29	5.319	20	
76	5.29	5.69	20	
77	5.29	5.408	20	
78	5.29	5.565	20	
79	5.29	5.592	20	
80	5.29	5.693	20	
81	5.29	5.663	20	
82	5.29	5.287	20	*
83	5.29	5.655	20	
84	5.29	5.368	20	
85	5.29	5.263	20	
86	5.29	5.345	20	
87	5.29	5.378	20	
88	5.29	5.348	20	
89	5.29	5.511	20	
90	5.29	5.475	20	
91	5.29	5.603	20	
92	5.29	5.588	20	
93	5.29	5.434	20	
94	5.29	5.472	20	
95	5.29	5.354	20	
96	5.29	5.641	20	
97	5.29	5.547	20	
98	5.29	5.462	20	
99	5.29	5.377	20	
100	5.29	5.51	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.623	20	
2	5.29	5.432	20	
3	5.29	5.469	20	
4	5.29	5.365	20	
5	5.29	5.683	20	
6	5.29	5.517	20	
7	5.29	5.403	20	
8	5.29	5.555	20	
9	5.29	5.692	20	
10	5.29	5.325	20	
11	5.29	5.25	20	
12	5.29	5.46	20	
13	5.29	5.678	20	
14	5.29	5.338	20	
15	5.29	5.551	20	
16	5.29	5.282	20	*
17	5.29	5.472	20	
18	5.29	5.458	20	
19	5.29	5.366	20	
20	5.29	5.587	20	
21	5.29	5.664	20	
22	5.29	5.574	20	
23	5.29	5.505	20	
24	5.29	5.379	20	
25	5.29	5.693	20	
26	5.29	5.416	20	
27	5.29	5.437	20	
28	5.29	5.487	20	
29	5.29	5.363	20	
30	5.29	5.384	20	
31	5.29	5.467	20	
32	5.29	5.353	20	
33	5.29	5.419	20	
34	5.29	5.696	20	
35	5.29	5.651	20	
36	5.29	5.26	20	
37	5.29	5.627	20	
38	5.29	5.648	20	
39	5.29	5.322	20	
40	5.29	5.486	20	
41	5.29	5.296	20	*
42	5.29	5.315	20	
43	5.29	5.642	20	
44	5.29	5.259	20	
45	5.29	5.534	20	
46	5.29	5.316	20	
47	5.29	5.669	20	

48	5.29	5.348	20	
49	5.29	5.453	20	
50	5.29	5.562	20	
51	5.29	5.596	20	
52	5.29	5.685	20	
53	5.29	5.598	20	
54	5.29	5.536	20	
55	5.29	5.391	20	
56	5.29	5.41	20	
57	5.29	5.463	20	
58	5.29	5.292	20	*
59	5.29	5.57	20	
60	5.29	5.346	20	
61	5.29	5.533	20	
62	5.29	5.436	20	
63	5.29	5.3	20	*
64	5.29	5.523	20	
65	5.29	5.616	20	
66	5.29	5.673	20	
67	5.29	5.425	20	
68	5.29	5.557	20	
69	5.29	5.308	20	
70	5.29	5.697	20	
71	5.29	5.448	20	
72	5.29	5.482	20	
73	5.29	5.253	20	
74	5.29	5.38	20	
75	5.29	5.577	20	
76	5.29	5.552	20	
77	5.29	5.383	20	
78	5.29	5.524	20	
79	5.29	5.531	20	
80	5.29	5.411	20	
81	5.29	5.656	20	
82	5.29	5.56	20	
83	5.29	5.601	20	
84	5.29	5.526	20	
85	5.29	5.356	20	
86	5.29	5.566	20	
87	5.29	5.591	20	
88	5.29	5.515	20	
89	5.29	5.394	20	
90	5.29	5.261	20	
91	5.29	5.304	20	
92	5.29	5.417	20	
93	5.29	5.406	20	
94	5.29	5.543	20	
95	5.29	5.352	20	
96	5.29	5.313	20	
97	5.29	5.341	20	
98	5.29	5.604	20	
99	5.29	5.446	20	
100	5.29	5.499	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.586	20	
2	5.29	5.629	20	
3	5.29	5.526	20	
4	5.29	5.676	20	
5	5.29	5.578	20	
6	5.29	5.576	20	
7	5.29	5.319	20	
8	5.29	5.551	20	
9	5.29	5.517	20	
10	5.29	5.59	20	
11	5.29	5.263	20	
12	5.29	5.679	20	
13	5.29	5.268	20	
14	5.29	5.546	20	
15	5.29	5.377	20	
16	5.29	5.685	20	
17	5.29	5.468	20	
18	5.29	5.691	20	
19	5.29	5.308	20	
20	5.29	5.455	20	
21	5.29	5.403	20	
22	5.29	5.321	20	
23	5.29	5.549	20	
24	5.29	5.361	20	
25	5.29	5.617	20	
26	5.29	5.488	20	
27	5.29	5.298	20	*
28	5.29	5.367	20	
29	5.29	5.388	20	
30	5.29	5.252	20	
31	5.29	5.299	20	*
32	5.29	5.399	20	
33	5.29	5.436	20	
34	5.29	5.522	20	
35	5.29	5.502	20	
36	5.29	5.407	20	
37	5.29	5.707	20	
38	5.29	5.344	20	
39	5.29	5.266	20	
40	5.29	5.416	20	
41	5.29	5.28	20	*
42	5.29	5.359	20	
43	5.29	5.408	20	
44	5.29	5.463	20	
45	5.29	5.481	20	
46	5.29	5.588	20	
47	5.29	5.336	20	

48	5.29	5.255	20	
49	5.29	5.311	20	
50	5.29	5.593	20	
51	5.29	5.334	20	
52	5.29	5.37	20	
53	5.29	5.332	20	
54	5.29	5.6	20	
55	5.29	5.273	20	
56	5.29	5.466	20	
57	5.29	5.647	20	
58	5.29	5.483	20	
59	5.29	5.722	20	
60	5.29	5.699	20	
61	5.29	5.62	20	
62	5.29	5.457	20	
63	5.29	5.513	20	
64	5.29	5.643	20	
65	5.29	5.568	20	
66	5.29	5.27	20	
67	5.29	5.348	20	
68	5.29	5.697	20	
69	5.29	5.553	20	
70	5.29	5.425	20	
71	5.29	5.519	20	
72	5.29	5.681	20	
73	5.29	5.413	20	
74	5.29	5.601	20	
75	5.29	5.33	20	
76	5.29	5.261	20	
77	5.29	5.662	20	
78	5.29	5.492	20	
79	5.29	5.25	20	
80	5.29	5.494	20	
81	5.29	5.356	20	
82	5.29	5.264	20	
83	5.29	5.438	20	
84	5.29	5.493	20	
85	5.29	5.333	20	
86	5.29	5.653	20	
87	5.29	5.392	20	
88	5.29	5.337	20	
89	5.29	5.283	20	*
90	5.29	5.652	20	
91	5.29	5.445	20	
92	5.29	5.521	20	
93	5.29	5.54	20	
94	5.29	5.258	20	
95	5.29	5.448	20	
96	5.29	5.341	20	
97	5.29	5.461	20	
98	5.29	5.524	20	
99	5.29	5.474	20	
100	5.29	5.675	20	

802.11ax (HE80) - 5290MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.29	5.385	20	
2	5.29	5.441	20	
3	5.29	5.51	20	
4	5.29	5.578	20	
5	5.29	5.264	20	
6	5.29	5.688	20	
7	5.29	5.718	20	
8	5.29	5.72	20	
9	5.29	5.397	20	
10	5.29	5.516	20	
11	5.29	5.568	20	
12	5.29	5.369	20	
13	5.29	5.323	20	
14	5.29	5.48	20	
15	5.29	5.266	20	
16	5.29	5.52	20	
17	5.29	5.638	20	
18	5.29	5.3	20	*
19	5.29	5.414	20	
20	5.29	5.261	20	
21	5.29	5.268	20	
22	5.29	5.444	20	
23	5.29	5.715	20	
24	5.29	5.509	20	
25	5.29	5.536	20	
26	5.29	5.525	20	
27	5.29	5.621	20	
28	5.29	5.413	20	
29	5.29	5.408	20	
30	5.29	5.485	20	
31	5.29	5.404	20	
32	5.29	5.548	20	
33	5.29	5.576	20	
34	5.29	5.401	20	
35	5.29	5.579	20	
36	5.29	5.609	20	
37	5.29	5.652	20	
38	5.29	5.285	20	*
39	5.29	5.577	20	
40	5.29	5.344	20	
41	5.29	5.478	20	
42	5.29	5.596	20	
43	5.29	5.544	20	
44	5.29	5.524	20	
45	5.29	5.622	20	
46	5.29	5.312	20	
47	5.29	5.477	20	

48	5.29	5.611	20	
49	5.29	5.567	20	
50	5.29	5.449	20	
51	5.29	5.701	20	
52	5.29	5.351	20	
53	5.29	5.597	20	
54	5.29	5.581	20	
55	5.29	5.49	20	
56	5.29	5.33	20	
57	5.29	5.292	20	*
58	5.29	5.499	20	
59	5.29	5.661	20	
60	5.29	5.589	20	
61	5.29	5.267	20	
62	5.29	5.458	20	
63	5.29	5.254	20	
64	5.29	5.415	20	
65	5.29	5.388	20	
66	5.29	5.486	20	
67	5.29	5.379	20	
68	5.29	5.556	20	
69	5.29	5.654	20	
70	5.29	5.288	20	*
71	5.29	5.336	20	
72	5.29	5.574	20	
73	5.29	5.496	20	
74	5.29	5.563	20	
75	5.29	5.528	20	
76	5.29	5.659	20	
77	5.29	5.454	20	
78	5.29	5.674	20	
79	5.29	5.345	20	
80	5.29	5.457	20	
81	5.29	5.305	20	
82	5.29	5.717	20	
83	5.29	5.497	20	
84	5.29	5.46	20	
85	5.29	5.372	20	
86	5.29	5.392	20	
87	5.29	5.712	20	
88	5.29	5.662	20	
89	5.29	5.711	20	
90	5.29	5.365	20	
91	5.29	5.627	20	
92	5.29	5.514	20	
93	5.29	5.263	20	
94	5.29	5.539	20	
95	5.29	5.354	20	
96	5.29	5.501	20	
97	5.29	5.613	20	
98	5.29	5.672	20	
99	5.29	5.411	20	
100	5.29	5.387	20	

802.11ax (HE160) - 5250MHz

RADAR TYPE 1

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	76	1	698
2	61	1	878
3	58	1	918
4	62	1	858
5	92	1	578
6	74	1	718
7	58	1	918
8	83	1	638
9	18	1	3066
10	65	1	818
11	58	1	918
12	59	1	898
13	81	1	658
14	58	1	918
15	57	1	938
16	59	1	898
17	98	1	538
18	83	1	638
19	89	1	598
20	59	1	898
21	70	1	758
22	58	1	918
23	58	1	918
24	62	1	858
25	92	1	578
26	62	1	858
27	18	1	3066
28	95	1	558
29	83	1	638
30	70	1	758

802.11ax (HE160) - 5250MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	23	1.5	197
2	27	1.7	191
3	27	2.3	183
4	27	1.8	195
5	23	3.8	153
6	24	2.3	208
7	27	2	153
8	24	2.4	228
9	25	2.8	217
10	24	2.9	213
11	29	4	181
12	26	2.4	175
13	26	2.9	170
14	25	3.5	221
15	25	2	169
16	25	4.6	177
17	24	1.5	152
18	24	4.5	206
19	26	3.6	194
20	26	2.7	194
21	25	1	183
22	27	1.7	163
23	26	2	164
24	28	3.4	164
25	29	2.3	165
26	25	2.6	156
27	28	2.7	226
28	25	2.9	203
29	24	1.8	159
30	26	3.5	209

802.11ax (HE160) - 5250MHz

RADAR TYPE 3

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	17	6.4	306
2	17	8.3	288
3	18	9.5	312
4	17	9.3	233
5	18	7.3	369
6	18	8.6	404
7	17	6.9	263
8	17	8.3	247
9	18	9.8	235
10	17	10	405
11	18	7.2	261
12	16	9.2	292
13	17	8.2	403
14	17	6.7	262
15	17	8.8	470
16	17	8.3	450
17	17	8.2	384
18	17	7.7	377
19	17	6.8	394
20	17	6.3	291
21	18	7.1	246
22	16	7.6	310
23	17	8.2	334
24	17	7.8	429
25	16	6.1	307
26	17	8.1	315
27	16	6.6	402
28	18	8.5	297
29	17	6.3	340
30	17	9.8	423

802.11ax (HE160) - 5250MHz**RADAR TYPE 4**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	15	11.6	444
2	12	13.3	336
3	16	18	262
4	13	14.2	412
5	15	14.6	336
6	14	15.1	334
7	14	12.5	362
8	16	15.2	397
9	12	11.8	356
10	13	14.1	458
11	15	18.2	356
12	15	12.9	249
13	14	16.9	392
14	15	17.7	287
15	15	11.8	247
16	13	18.7	476
17	12	18.7	432
18	14	15.3	237
19	12	17	276
20	13	11.9	455
21	15	14.5	374
22	14	14.6	354
23	15	11.5	203
24	14	12.4	470
25	15	17.1	397
26	13	12.8	431
27	13	18.2	321
28	16	11	397
29	16	17.8	315
30	13	16.5	320

FCC 905462 D02 New Rules v02			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	13	1	5250
2	8	1	5250
3	10	1	5250
4	16	1	5250
5	18	1	5250
6	19	1	5250
7	7	1	5250
8	12	1	5250
9	12	1	5250
10	20	1	5250
11	10	2	5254
12	13	2	5255.2
13	12	2	5254.8
14	16	2	5256.4
15	8	2	5253.2
16	20	2	5258
17	6	2	5252.4
18	18	2	5257.2
19	20	2	5258
20	8	2	5253.2
21	5	3	5326
22	15	3	5322
23	20	3	5320
24	18	3	5320.8
25	15	3	5322
26	8	3	5324.8
27	13	3	5322.8
28	18	3	5320.8
29	11	3	5323.6
30	15	3	5322

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	94.2	13			331.033
2	1	55.4	13			223.214
3	2	81.4	13	1238		491.035
4	2	87.5	13	1422		691.123
5	3	65	13	1918	1019	314.491
6	1	87.6	13			457.178
7	1	94	13			432.696
8	2	70.9	13	1268		253.624
9	2	74.4	13	1682		584.251
10	3	52.6	13	1147	1594	669.929
11	3	61	13	1040	1746	534.926
12	3	71.1	13	1052	1580	74.804
13	2	73	13	1449		79.142
14	2	52.9	13	1450		395.619
15	1	74.2	13			496.447
16	2	84.8	13	1073		233.065
17	2	66.9	13	1427		444.982

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	84.8	10	1318	1050	158.028
2	2	98.2	10	1605		493.788
3	1	95.1	10			204.795
4	3	85.4	10	1993	1056	11.163
5	2	54.9	10	1209		76.991
6	1	91.2	10			205.078
7	3	93.3	10	1645	1556	650.246
8	2	75	10	1656		376.914
9	2	97.9	10	1397		512.511
10	1	68.4	10			407.839
11	2	70.8	10	1231		27.976
12	2	54.3	10	1076		247.664
13	1	80.8	10			656.812
14	2	75.4	10	1606		630.039
15	3	70.8	10	1059	1800	296.147
16	2	63.7	10	1848		694.465
17	1	94.6	10			96.382

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	83.5	16	1005	1915	812.105
2	3	82.9	16	1092	1218	222.277
3	3	59.6	16	1998	1959	489.214
4	3	83.6	16	1943	1051	776.091
5	1	73	16			778.079
6	3	77.2	16	1312	1353	321.106
7	2	83.9	16	1821		377.643
8	1	75.1	16			111.52
9	2	52.6	16	1711		121.067
10	2	75.1	16	1091		183.884
11	2	57.7	16	1185		732.221
12	2	85.1	16	1465		780.229
13	1	86	16			718.986
14	2	66.3	16	1132		55.843

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	78.1	7	1114	1757	123.072
2	1	89.8	7			8.52
3	2	59.6	7	1329		977.19
4	2	84	7	1087		50.71
5	3	93.2	7	1796	1672	375.67
6	2	97.1	7	1059		150.85
7	2	77.4	7	1672		502.6
8	2	63.7	7	1009		606.23
9	2	76.7	7	1069		535.95
10	2	89.2	7	1106		300.15
11	3	74.6	7	1327	1152	557.4
12	2	58.4	7	1604		986.6

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	66.7	12	1788	1905	647.054
2	3	55.5	12	1649	1990	208.91
3	2	50.4	12	1686		198.56
4	1	71	12			517.38
5	3	97.3	12	1401	1614	128.52
6	2	91	12	1227		473.12
7	2	82.5	12	1471		312.14
8	3	75.2	12	1236	1449	415.39
9	2	74.7	12	1978		67.52
10	2	99	12	1354		778.69
11	1	68.1	12			616.09
12	3	95	12	1845	1190	619.83
13	2	88.1	12	1700		396.31
14	1	54.7	12			601.1
15	1	66.3	12			707.8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	67.3	20	1882		382.673
2	3	74.8	20	1901	1299	667.3
3	2	82	20	1543		522.96
4	2	63.8	20	1242		663.11
5	1	87.5	20			688.22
6	1	96.8	20			546.13
7	1	80.5	20			335.81
8	2	66.8	20	1908		657.1
9	2	71	20	1227		2.88
10	3	95.9	20	1176	1032	685.99
11	2	99.9	20	1516		62.23
12	3	63.2	20	1283	1785	289.75
13	2	79.7	20	1672		127.38
14	1	80.5	20			237.4
15	2	62.8	20	1722		542.4
16	2	53.7	20	1938		578.5

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	61.5	13	1799	1361	391.71
2	2	78.3	13	1810		965.03
3	1	88.4	13			911.92
4	2	93.7	13	1250		806.79
5	2	62.8	13	1043		529.82
6	2	76.4	13	1659		287.48
7	2	57.7	13	1591		940.9
8	1	72	13			181.82
9	3	73.8	13	1831	1582	428
10	1	82	13			459.17
11	2	51.8	13	1754		80.5
12	3	76	13	1991	1939	113.8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	68.2	12			532.394
2	3	72.8	12	1793	1482	669.93
3	1	87.7	12			118.32
4	1	92.2	12			367.13
5	3	62.8	12	1014	1423	116.45
6	3	61.9	12	1592	1038	512.85
7	2	59.5	12	1681		286.74
8	3	54.5	12	1252	1439	75.65
9	2	97.9	12	1216		486.35
10	2	55.5	12	1496		481.25
11	1	89.4	12			49.88
12	2	96	12	1225		173.92
13	2	81.7	12	1963		25.87
14	2	96.8	12	1992		272.9
15	1	82.3	12			312.4
16	2	93.9	12	1813		714.1

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	69.5	16			267.62
2	2	55.1	16	1852		395.487
3	2	72	16	1342		158.154
4	1	61.7	16			482.551
5	2	54.7	16	1356		135.859
6	2	78.1	16	1613		422.936
7	2	58.6	16	1777		647.703
8	3	93	16	1360	1036	648.11
9	2	53.6	16	1369		69.637
10	3	67.5	16	1088	1926	245.664
11	2	93.5	16	1724		471.191
12	2	91.2	16	1446		46.219
13	1	83.6	16			722.186
14	2	60.4	16	1953		201.543

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	60	8			297.393
2	3	75.6	8	1368	1372	1044.011
3	3	98.5	8	1792	1817	264.062
4	3	98.6	8	1484	1947	310.133
5	1	59.4	8			231.984
6	2	54.2	8	1761		99.415
7	2	50.8	8	1676		507.115
8	3	63.2	8	1688	1298	591.666
9	2	63.9	8	1111		720.317
10	3	92.9	8	1583	1648	478.718
11	2	87.4	8	1865		239.909

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	87	20	1114	1972	224.123
2	1	92.6	20			372.2
3	3	53.7	20	1517	1101	309.7
4	2	89.5	20	1699		216.3
5	2	91.8	20	1329		696.37
6	2	88.9	20	1631		675
7	3	63.4	20	1034	1573	451.86
8	1	80.8	20			493.91
9	1	57.8	20			361.8
10	2	54.3	20	1478		90.75
11	2	89.4	20	1340		465.39
12	1	80.4	20			541.87
13	2	85.6	20	1383		165.02
14	2	79.6	20	1709		274.5
15	2	85.9	20	1205		369.1
16	2	72.4	20	1541		644.5

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	55.2	18	1101		442.221
2	2	68.7	18	1185		982.88
3	1	77.8	18			276.74
4	3	77.9	18	1667	1056	30.87
5	2	95.8	18	1483		89.29
6	2	54.3	18	1601		621.98
7	3	68.2	18	1241	1291	629.97
8	1	94.5	18			743.75
9	1	57.4	18			423.7
10	3	76.7	18	1442	1542	261.38
11	3	50.8	18	1344	1429	86.1
12	1	96.6	18			791.1

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	97.5	20	1646		756.645
2	2	76.7	20	1833		441.497
3	3	67.2	20	1505	1247	615.694
4	2	57.8	20	1508		717.611
5	2	60.3	20	1730		324.879
6	1	67	20			308.196
7	2	91	20	1793		495.703
8	3	83.4	20	1975	1036	264.94
9	2	56.3	20	1903		820.897
10	1	77.6	20			295.474
11	2	82.9	20	1672		421.831
12	2	85.1	20	1534		802.529
13	2	50.6	20	1402		101.386
14	2	73.9	20	1088		167.843

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	56.8	8			694.32
2	1	97.7	8			473.837
3	2	55.1	8	1409		416.504
4	3	75.2	8	1831	1939	121.851
5	2	97	8	1896		615.399
6	2	55.3	8	1247		274.696
7	2	92.3	8	1657		724.413
8	2	75.1	8	1485		63.42
9	2	93.5	8	1656		557.997
10	2	98.1	8	1593		537.244
11	2	62	8	1200		592.931
12	1	51	8			75.979
13	1	56.2	8			596.186
14	2	84.1	8	1248		598.143

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	79.3	5	1175		557.261
2	3	83.3	5	1167	1456	440.351
3	3	83.6	5	1625	1638	154.172
4	2	55	5	1311		64.683
5	1	68.4	5			275.154
6	2	99.6	5	1161		234.815
7	2	88.3	5	1834		521.766
8	2	81.3	5	1699		284.067
9	1	77.5	5			209.798
10	2	85.3	5	1670		394.159
11	1	96.8	5			437.231
12	1	85.8	5			591.382
13	1	54.3	5			524.043
14	2	65.6	5	1445		432.144
15	3	90.1	5	1499	1780	122.305
16	2	94	5	1135		148.016
17	1	73	5			419.337
18	1	71.8	5			550.958
19	2	80.6	5	1324		409.179

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	81.8	15	1467		510.435
2	2	67	15	1418		402.121
3	2	77.5	15	1543		104.322
4	2	93.8	15	1333		400.793
5	3	52	15	1027	1402	100.964
6	2	71.8	15	1594		30.825
7	2	51.9	15	1082		104.726
8	2	86.8	15	1113		103.517
9	2	63.1	15	1919		273.758
10	2	82.1	15	1719		34.989
11	2	99.6	15	1508		407.861
12	1	60.8	15			319.162
13	1	67.9	15			371.583
14	2	59	15	1331		571.334
15	1	59.9	15			536.735
16	1	59.5	15			256.346
17	2	51.2	15	1579		154.337
18	3	56.4	15	1963	1026	64.258
19	1	90.2	15			225.579

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	77.8	18	1070		540.719
2	2	84.8	18	1838		137.537
3	2	78.7	18	1781		341.15
4	1	91.2	18			548.69
5	2	83.7	18	1030		120.01
6	2	89.4	18	1121		400.3
7	2	72.8	18	1225		100.79
8	3	94.9	18	1187	1310	314.59
9	2	86.8	18	1752		170.1
10	2	70.3	18	1518		641.73
11	2	55.3	18	1460		452.61
12	1	76.2	18			60.22
13	1	59	18			191.97
14	2	50.2	18	1436		156.81
15	2	77.8	18	1784		728.4
16	2	84.5	18	1179		11.9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	64.8	15	1629		549.888
2	2	83.5	15	1084		29.071
3	2	54.2	15	1963		466.637
4	2	94.6	15	1497		423.26
5	2	58.1	15	1759		611.443
6	1	78.9	15			269.957
7	1	60.2	15			639.36
8	1	97.9	15			535.133
9	2	93.5	15	1650		130.827
10	2	79.9	15	1213		350.15
11	2	72.2	15	1738		311.053
12	1	69	15			646.717
13	1	64.5	15			178.42
14	2	52.5	15	1798		410.863
15	2	79.5	15	1908		11.267
16	1	83.2	15			383.3
17	2	67.9	15	1241		612.333
18	2	82.5	15	1579		256.667

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	91.3	8			248.194
2	1	53	8			540.49
3	2	97.3	8	1996		420.23
4	3	69.7	8	1022	1467	681.57
5	2	64.7	8	1944		651.85
6	1	90.6	8			626.16
7	1	73.6	8			731.89
8	3	60.9	8	1093	1294	65.51
9	3	96.8	8	1753	1286	665.22
10	1	91	8			185.39
11	2	80.7	8	1492		122.05
12	2	70.8	8	1021		448.47
13	3	55.9	8	1444	1284	272.26
14	3	89.4	8	1423	1477	97.44
15	2	58.8	8	1743		140.2
16	1	96.2	8			7.5

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	71.9	13	1273		140.368
2	1	87.2	13			888.66
3	3	74.5	13	1730	1768	428.6
4	2	90.8	13	1444		246.63
5	2	58.1	13	1372		479.8
6	1	85.5	13			131.19
7	2	92.1	13	1292		253.66
8	2	88.3	13	1746		36.2
9	2	79.4	13	1909		852.64
10	1	67.8	13			879.33
11	2	70.4	13	1149		330.5
12	2	80.7	13	1891		24.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	70.8	18	1727		646.584
2	2	74.5	18	1875		677.96
3	2	99.9	18	1030		122.39
4	3	62.5	18	1161	1886	46.12
5	2	86.8	18	1180		411.95
6	2	95.9	18	1369		362.02
7	2	95.1	18	1497		445.32
8	3	69.9	18	1894	1087	40.64
9	2	73.5	18	1289		571.17
10	2	65	18	1805		192.34
11	2	71.4	18	1402		188.88
12	3	59.7	18	1040	1782	42.34
13	3	65.7	18	1852	1669	736.4
14	2	74.9	18	1950		644.6
15	3	51.1	18	1625	1506	64.1

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	53.7	11			35.007
2	2	69.2	11	1678		505.83
3	2	63.8	11	1464		766.4
4	2	87.3	11	1089		326.32
5	1	71	11			745.69
6	2	69.1	11	1427		842.68
7	2	58.4	11	1801		612.86
8	2	94.2	11	1900		13.17
9	3	90.8	11	1178	1462	549.41
10	1	97.2	11			297.32
11	3	76.5	11	1280	1917	17.6
12	1	74.2	11			351.3

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 1

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.617	20	
2	5.25	5.27	20	
3	5.25	5.315	20	
4	5.25	5.313	20	
5	5.25	5.545	20	
6	5.25	5.319	20	
7	5.25	5.538	20	
8	5.25	5.435	20	
9	5.25	5.648	20	
10	5.25	5.541	20	
11	5.25	5.516	20	
12	5.25	5.467	20	
13	5.25	5.349	20	
14	5.25	5.263	20	
15	5.25	5.679	20	
16	5.25	5.72	20	
17	5.25	5.605	20	
18	5.25	5.601	20	
19	5.25	5.438	20	
20	5.25	5.571	20	
21	5.25	5.683	20	
22	5.25	5.722	20	
23	5.25	5.692	20	
24	5.25	5.686	20	
25	5.25	5.555	20	
26	5.25	5.702	20	
27	5.25	5.528	20	
28	5.25	5.704	20	
29	5.25	5.339	20	
30	5.25	5.67	20	
31	5.25	5.714	20	
32	5.25	5.613	20	
33	5.25	5.504	20	
34	5.25	5.43	20	
35	5.25	5.352	20	
36	5.25	5.633	20	
37	5.25	5.517	20	
38	5.25	5.65	20	
39	5.25	5.298	20	
40	5.25	5.372	20	
41	5.25	5.353	20	
42	5.25	5.512	20	
43	5.25	5.284	20	
44	5.25	5.677	20	
45	5.25	5.265	20	
46	5.25	5.637	20	
47	5.25	5.344	20	

48	5.25	5.645	20	
49	5.25	5.417	20	
50	5.25	5.49	20	
51	5.25	5.314	20	
52	5.25	5.316	20	
53	5.25	5.443	20	
54	5.25	5.431	20	
55	5.25	5.393	20	
56	5.25	5.309	20	
57	5.25	5.272	20	
58	5.25	5.715	20	
59	5.25	5.256	20	*
60	5.25	5.44	20	
61	5.25	5.433	20	
62	5.25	5.498	20	
63	5.25	5.654	20	
64	5.25	5.312	20	
65	5.25	5.368	20	
66	5.25	5.642	20	
67	5.25	5.489	20	
68	5.25	5.51	20	
69	5.25	5.383	20	
70	5.25	5.668	20	
71	5.25	5.308	20	
72	5.25	5.476	20	
73	5.25	5.258	20	*
74	5.25	5.576	20	
75	5.25	5.345	20	
76	5.25	5.624	20	
77	5.25	5.581	20	
78	5.25	5.672	20	
79	5.25	5.287	20	
80	5.25	5.621	20	
81	5.25	5.614	20	
82	5.25	5.457	20	
83	5.25	5.25	20	*
84	5.25	5.579	20	
85	5.25	5.331	20	
86	5.25	5.602	20	
87	5.25	5.394	20	
88	5.25	5.399	20	
89	5.25	5.662	20	
90	5.25	5.501	20	
91	5.25	5.694	20	
92	5.25	5.693	20	
93	5.25	5.708	20	
94	5.25	5.669	20	
95	5.25	5.465	20	
96	5.25	5.375	20	
97	5.25	5.71	20	
98	5.25	5.409	20	
99	5.25	5.649	20	
100	5.25	5.342	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 2

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.331	20	
2	5.25	5.442	20	
3	5.25	5.7	20	
4	5.25	5.498	20	
5	5.25	5.501	20	
6	5.25	5.377	20	
7	5.25	5.273	20	
8	5.25	5.298	20	
9	5.25	5.315	20	
10	5.25	5.57	20	
11	5.25	5.502	20	
12	5.25	5.326	20	
13	5.25	5.484	20	
14	5.25	5.653	20	
15	5.25	5.613	20	
16	5.25	5.461	20	
17	5.25	5.431	20	
18	5.25	5.25	20	*
19	5.25	5.533	20	
20	5.25	5.252	20	*
21	5.25	5.262	20	
22	5.25	5.361	20	
23	5.25	5.619	20	
24	5.25	5.66	20	
25	5.25	5.709	20	
26	5.25	5.55	20	
27	5.25	5.317	20	
28	5.25	5.313	20	
29	5.25	5.635	20	
30	5.25	5.568	20	
31	5.25	5.457	20	
32	5.25	5.698	20	
33	5.25	5.644	20	
34	5.25	5.68	20	
35	5.25	5.556	20	
36	5.25	5.337	20	
37	5.25	5.526	20	
38	5.25	5.543	20	
39	5.25	5.691	20	
40	5.25	5.622	20	
41	5.25	5.393	20	
42	5.25	5.531	20	
43	5.25	5.266	20	
44	5.25	5.347	20	
45	5.25	5.56	20	
46	5.25	5.496	20	
47	5.25	5.419	20	

48	5.25	5.265	20	
49	5.25	5.358	20	
50	5.25	5.722	20	
51	5.25	5.28	20	
52	5.25	5.522	20	
53	5.25	5.275	20	
54	5.25	5.704	20	
55	5.25	5.255	20	*
56	5.25	5.6	20	
57	5.25	5.267	20	
58	5.25	5.584	20	
59	5.25	5.569	20	
60	5.25	5.449	20	
61	5.25	5.339	20	
62	5.25	5.387	20	
63	5.25	5.489	20	
64	5.25	5.325	20	
65	5.25	5.316	20	
66	5.25	5.402	20	
67	5.25	5.611	20	
68	5.25	5.258	20	*
69	5.25	5.603	20	
70	5.25	5.354	20	
71	5.25	5.564	20	
72	5.25	5.388	20	
73	5.25	5.452	20	
74	5.25	5.608	20	
75	5.25	5.621	20	
76	5.25	5.701	20	
77	5.25	5.616	20	
78	5.25	5.623	20	
79	5.25	5.405	20	
80	5.25	5.283	20	
81	5.25	5.416	20	
82	5.25	5.488	20	
83	5.25	5.69	20	
84	5.25	5.63	20	
85	5.25	5.683	20	
86	5.25	5.378	20	
87	5.25	5.46	20	
88	5.25	5.699	20	
89	5.25	5.4	20	
90	5.25	5.711	20	
91	5.25	5.289	20	
92	5.25	5.667	20	
93	5.25	5.649	20	
94	5.25	5.573	20	
95	5.25	5.444	20	
96	5.25	5.664	20	
97	5.25	5.561	20	
98	5.25	5.42	20	
99	5.25	5.659	20	
100	5.25	5.64	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 3

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.278	20	
2	5.25	5.55	20	
3	5.25	5.497	20	
4	5.25	5.414	20	
5	5.25	5.391	20	
6	5.25	5.336	20	
7	5.25	5.614	20	
8	5.25	5.435	20	
9	5.25	5.514	20	
10	5.25	5.562	20	
11	5.25	5.412	20	
12	5.25	5.664	20	
13	5.25	5.532	20	
14	5.25	5.526	20	
15	5.25	5.346	20	
16	5.25	5.628	20	
17	5.25	5.522	20	
18	5.25	5.4	20	
19	5.25	5.668	20	
20	5.25	5.37	20	
21	5.25	5.484	20	
22	5.25	5.545	20	
23	5.25	5.474	20	
24	5.25	5.417	20	
25	5.25	5.445	20	
26	5.25	5.678	20	
27	5.25	5.425	20	
28	5.25	5.433	20	
29	5.25	5.257	20	*
30	5.25	5.52	20	
31	5.25	5.359	20	
32	5.25	5.5	20	
33	5.25	5.639	20	
34	5.25	5.666	20	
35	5.25	5.57	20	
36	5.25	5.279	20	
37	5.25	5.408	20	
38	5.25	5.644	20	
39	5.25	5.318	20	
40	5.25	5.634	20	
41	5.25	5.597	20	
42	5.25	5.665	20	
43	5.25	5.62	20	
44	5.25	5.456	20	
45	5.25	5.496	20	
46	5.25	5.291	20	
47	5.25	5.305	20	

48	5.25	5.45	20	
49	5.25	5.648	20	
50	5.25	5.269	20	
51	5.25	5.641	20	
52	5.25	5.528	20	
53	5.25	5.676	20	
54	5.25	5.377	20	
55	5.25	5.537	20	
56	5.25	5.638	20	
57	5.25	5.671	20	
58	5.25	5.696	20	
59	5.25	5.559	20	
60	5.25	5.325	20	
61	5.25	5.579	20	
62	5.25	5.682	20	
63	5.25	5.354	20	
64	5.25	5.649	20	
65	5.25	5.606	20	
66	5.25	5.327	20	
67	5.25	5.338	20	
68	5.25	5.707	20	
69	5.25	5.677	20	
70	5.25	5.513	20	
71	5.25	5.687	20	
72	5.25	5.679	20	
73	5.25	5.49	20	
74	5.25	5.443	20	
75	5.25	5.613	20	
76	5.25	5.624	20	
77	5.25	5.66	20	
78	5.25	5.536	20	
79	5.25	5.337	20	
80	5.25	5.492	20	
81	5.25	5.495	20	
82	5.25	5.455	20	
83	5.25	5.59	20	
84	5.25	5.393	20	
85	5.25	5.587	20	
86	5.25	5.363	20	
87	5.25	5.272	20	
88	5.25	5.36	20	
89	5.25	5.309	20	
90	5.25	5.588	20	
91	5.25	5.398	20	
92	5.25	5.478	20	
93	5.25	5.518	20	
94	5.25	5.572	20	
95	5.25	5.447	20	
96	5.25	5.617	20	
97	5.25	5.281	20	
98	5.25	5.421	20	
99	5.25	5.307	20	
100	5.25	5.605	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 4

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.597	20	
2	5.25	5.514	20	
3	5.25	5.382	20	
4	5.25	5.617	20	
5	5.25	5.611	20	
6	5.25	5.429	20	
7	5.25	5.493	20	
8	5.25	5.494	20	
9	5.25	5.508	20	
10	5.25	5.63	20	
11	5.25	5.267	20	
12	5.25	5.66	20	
13	5.25	5.712	20	
14	5.25	5.57	20	
15	5.25	5.541	20	
16	5.25	5.483	20	
17	5.25	5.316	20	
18	5.25	5.353	20	
19	5.25	5.718	20	
20	5.25	5.364	20	
21	5.25	5.497	20	
22	5.25	5.417	20	
23	5.25	5.576	20	
24	5.25	5.691	20	
25	5.25	5.251	20	*
26	5.25	5.421	20	
27	5.25	5.437	20	
28	5.25	5.408	20	
29	5.25	5.366	20	
30	5.25	5.294	20	
31	5.25	5.646	20	
32	5.25	5.392	20	
33	5.25	5.478	20	
34	5.25	5.404	20	
35	5.25	5.289	20	
36	5.25	5.325	20	
37	5.25	5.447	20	
38	5.25	5.658	20	
39	5.25	5.487	20	
40	5.25	5.51	20	
41	5.25	5.369	20	
42	5.25	5.496	20	
43	5.25	5.333	20	
44	5.25	5.636	20	
45	5.25	5.263	20	
46	5.25	5.502	20	
47	5.25	5.58	20	

48	5.25	5.278	20	
49	5.25	5.531	20	
50	5.25	5.277	20	
51	5.25	5.488	20	
52	5.25	5.463	20	
53	5.25	5.261	20	
54	5.25	5.7	20	
55	5.25	5.563	20	
56	5.25	5.507	20	
57	5.25	5.27	20	
58	5.25	5.443	20	
59	5.25	5.561	20	
60	5.25	5.722	20	
61	5.25	5.681	20	
62	5.25	5.288	20	
63	5.25	5.413	20	
64	5.25	5.516	20	
65	5.25	5.292	20	
66	5.25	5.471	20	
67	5.25	5.329	20	
68	5.25	5.573	20	
69	5.25	5.616	20	
70	5.25	5.723	20	
71	5.25	5.448	20	
72	5.25	5.587	20	
73	5.25	5.687	20	
74	5.25	5.452	20	
75	5.25	5.445	20	
76	5.25	5.538	20	
77	5.25	5.377	20	
78	5.25	5.653	20	
79	5.25	5.321	20	
80	5.25	5.469	20	
81	5.25	5.308	20	
82	5.25	5.659	20	
83	5.25	5.47	20	
84	5.25	5.499	20	
85	5.25	5.472	20	
86	5.25	5.501	20	
87	5.25	5.552	20	
88	5.25	5.311	20	
89	5.25	5.386	20	
90	5.25	5.667	20	
91	5.25	5.647	20	
92	5.25	5.295	20	
93	5.25	5.304	20	
94	5.25	5.259	20	*
95	5.25	5.468	20	
96	5.25	5.713	20	
97	5.25	5.612	20	
98	5.25	5.347	20	
99	5.25	5.45	20	
100	5.25	5.306	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 5

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.328	20	
2	5.25	5.287	20	
3	5.25	5.522	20	
4	5.25	5.31	20	
5	5.25	5.657	20	
6	5.25	5.451	20	
7	5.25	5.384	20	
8	5.25	5.712	20	
9	5.25	5.675	20	
10	5.25	5.695	20	
11	5.25	5.658	20	
12	5.25	5.425	20	
13	5.25	5.697	20	
14	5.25	5.305	20	
15	5.25	5.387	20	
16	5.25	5.313	20	
17	5.25	5.518	20	
18	5.25	5.349	20	
19	5.25	5.272	20	
20	5.25	5.459	20	
21	5.25	5.477	20	
22	5.25	5.28	20	
23	5.25	5.285	20	
24	5.25	5.618	20	
25	5.25	5.456	20	
26	5.25	5.442	20	
27	5.25	5.667	20	
28	5.25	5.25	20	*
29	5.25	5.642	20	
30	5.25	5.544	20	
31	5.25	5.35	20	
32	5.25	5.385	20	
33	5.25	5.37	20	
34	5.25	5.47	20	
35	5.25	5.395	20	
36	5.25	5.632	20	
37	5.25	5.537	20	
38	5.25	5.672	20	
39	5.25	5.711	20	
40	5.25	5.553	20	
41	5.25	5.296	20	
42	5.25	5.707	20	
43	5.25	5.306	20	
44	5.25	5.625	20	
45	5.25	5.461	20	
46	5.25	5.493	20	
47	5.25	5.329	20	

48	5.25	5.688	20	
49	5.25	5.638	20	
50	5.25	5.386	20	
51	5.25	5.283	20	
52	5.25	5.486	20	
53	5.25	5.63	20	
54	5.25	5.555	20	
55	5.25	5.523	20	
56	5.25	5.564	20	
57	5.25	5.382	20	
58	5.25	5.466	20	
59	5.25	5.422	20	
60	5.25	5.612	20	
61	5.25	5.316	20	
62	5.25	5.495	20	
63	5.25	5.498	20	
64	5.25	5.525	20	
65	5.25	5.258	20	*
66	5.25	5.481	20	
67	5.25	5.467	20	
68	5.25	5.708	20	
69	5.25	5.325	20	
70	5.25	5.595	20	
71	5.25	5.399	20	
72	5.25	5.647	20	
73	5.25	5.408	20	
74	5.25	5.441	20	
75	5.25	5.347	20	
76	5.25	5.437	20	
77	5.25	5.376	20	
78	5.25	5.661	20	
79	5.25	5.608	20	
80	5.25	5.694	20	
81	5.25	5.622	20	
82	5.25	5.292	20	
83	5.25	5.389	20	
84	5.25	5.427	20	
85	5.25	5.256	20	*
86	5.25	5.362	20	
87	5.25	5.391	20	
88	5.25	5.348	20	
89	5.25	5.575	20	
90	5.25	5.496	20	
91	5.25	5.336	20	
92	5.25	5.691	20	
93	5.25	5.474	20	
94	5.25	5.262	20	
95	5.25	5.39	20	
96	5.25	5.334	20	
97	5.25	5.62	20	
98	5.25	5.602	20	
99	5.25	5.589	20	
100	5.25	5.38	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 6

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.423	20	
2	5.25	5.333	20	
3	5.25	5.571	20	
4	5.25	5.713	20	
5	5.25	5.675	20	
6	5.25	5.436	20	
7	5.25	5.558	20	
8	5.25	5.54	20	
9	5.25	5.274	20	
10	5.25	5.254	20	*
11	5.25	5.716	20	
12	5.25	5.721	20	
13	5.25	5.387	20	
14	5.25	5.588	20	
15	5.25	5.32	20	
16	5.25	5.592	20	
17	5.25	5.487	20	
18	5.25	5.404	20	
19	5.25	5.427	20	
20	5.25	5.366	20	
21	5.25	5.324	20	
22	5.25	5.468	20	
23	5.25	5.426	20	
24	5.25	5.711	20	
25	5.25	5.434	20	
26	5.25	5.537	20	
27	5.25	5.552	20	
28	5.25	5.26	20	*
29	5.25	5.474	20	
30	5.25	5.444	20	
31	5.25	5.688	20	
32	5.25	5.545	20	
33	5.25	5.379	20	
34	5.25	5.267	20	
35	5.25	5.704	20	
36	5.25	5.353	20	
37	5.25	5.262	20	
38	5.25	5.635	20	
39	5.25	5.331	20	
40	5.25	5.62	20	
41	5.25	5.402	20	
42	5.25	5.392	20	
43	5.25	5.266	20	
44	5.25	5.492	20	
45	5.25	5.63	20	
46	5.25	5.408	20	
47	5.25	5.363	20	

48	5.25	5.577	20	
49	5.25	5.667	20	
50	5.25	5.589	20	
51	5.25	5.56	20	
52	5.25	5.64	20	
53	5.25	5.277	20	
54	5.25	5.42	20	
55	5.25	5.359	20	
56	5.25	5.441	20	
57	5.25	5.682	20	
58	5.25	5.287	20	
59	5.25	5.469	20	
60	5.25	5.47	20	
61	5.25	5.311	20	
62	5.25	5.596	20	
63	5.25	5.365	20	
64	5.25	5.413	20	
65	5.25	5.518	20	
66	5.25	5.251	20	*
67	5.25	5.503	20	
68	5.25	5.617	20	
69	5.25	5.719	20	
70	5.25	5.626	20	
71	5.25	5.49	20	
72	5.25	5.45	20	
73	5.25	5.308	20	
74	5.25	5.288	20	
75	5.25	5.449	20	
76	5.25	5.681	20	
77	5.25	5.647	20	
78	5.25	5.471	20	
79	5.25	5.568	20	
80	5.25	5.3	20	
81	5.25	5.327	20	
82	5.25	5.509	20	
83	5.25	5.439	20	
84	5.25	5.375	20	
85	5.25	5.383	20	
86	5.25	5.528	20	
87	5.25	5.313	20	
88	5.25	5.372	20	
89	5.25	5.674	20	
90	5.25	5.355	20	
91	5.25	5.547	20	
92	5.25	5.715	20	
93	5.25	5.511	20	
94	5.25	5.625	20	
95	5.25	5.464	20	
96	5.25	5.316	20	
97	5.25	5.538	20	
98	5.25	5.438	20	
99	5.25	5.409	20	
100	5.25	5.542	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 7

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.347	20	
2	5.25	5.46	20	
3	5.25	5.494	20	
4	5.25	5.673	20	
5	5.25	5.62	20	
6	5.25	5.508	20	
7	5.25	5.296	20	
8	5.25	5.492	20	
9	5.25	5.354	20	
10	5.25	5.602	20	
11	5.25	5.451	20	
12	5.25	5.479	20	
13	5.25	5.429	20	
14	5.25	5.591	20	
15	5.25	5.655	20	
16	5.25	5.328	20	
17	5.25	5.549	20	
18	5.25	5.332	20	
19	5.25	5.38	20	
20	5.25	5.597	20	
21	5.25	5.336	20	
22	5.25	5.642	20	
23	5.25	5.571	20	
24	5.25	5.346	20	
25	5.25	5.674	20	
26	5.25	5.663	20	
27	5.25	5.252	20	*
28	5.25	5.651	20	
29	5.25	5.568	20	
30	5.25	5.299	20	
31	5.25	5.677	20	
32	5.25	5.272	20	
33	5.25	5.369	20	
34	5.25	5.608	20	
35	5.25	5.528	20	
36	5.25	5.475	20	
37	5.25	5.668	20	
38	5.25	5.722	20	
39	5.25	5.717	20	
40	5.25	5.531	20	
41	5.25	5.579	20	
42	5.25	5.635	20	
43	5.25	5.34	20	
44	5.25	5.659	20	
45	5.25	5.612	20	
46	5.25	5.665	20	
47	5.25	5.462	20	

48	5.25	5.63	20	
49	5.25	5.458	20	
50	5.25	5.578	20	
51	5.25	5.254	20	*
52	5.25	5.438	20	
53	5.25	5.266	20	
54	5.25	5.273	20	
55	5.25	5.465	20	
56	5.25	5.415	20	
57	5.25	5.349	20	
58	5.25	5.343	20	
59	5.25	5.481	20	
60	5.25	5.714	20	
61	5.25	5.444	20	
62	5.25	5.695	20	
63	5.25	5.348	20	
64	5.25	5.599	20	
65	5.25	5.378	20	
66	5.25	5.329	20	
67	5.25	5.307	20	
68	5.25	5.477	20	
69	5.25	5.331	20	
70	5.25	5.711	20	
71	5.25	5.561	20	
72	5.25	5.713	20	
73	5.25	5.428	20	
74	5.25	5.559	20	
75	5.25	5.325	20	
76	5.25	5.558	20	
77	5.25	5.572	20	
78	5.25	5.672	20	
79	5.25	5.532	20	
80	5.25	5.437	20	
81	5.25	5.259	20	*
82	5.25	5.467	20	
83	5.25	5.723	20	
84	5.25	5.604	20	
85	5.25	5.297	20	
86	5.25	5.337	20	
87	5.25	5.436	20	
88	5.25	5.563	20	
89	5.25	5.69	20	
90	5.25	5.652	20	
91	5.25	5.551	20	
92	5.25	5.45	20	
93	5.25	5.293	20	
94	5.25	5.357	20	
95	5.25	5.476	20	
96	5.25	5.56	20	
97	5.25	5.498	20	
98	5.25	5.701	20	
99	5.25	5.493	20	
100	5.25	5.314	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 8

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.483	20	
2	5.25	5.313	20	
3	5.25	5.703	20	
4	5.25	5.345	20	
5	5.25	5.342	20	
6	5.25	5.261	20	
7	5.25	5.367	20	
8	5.25	5.677	20	
9	5.25	5.263	20	
10	5.25	5.564	20	
11	5.25	5.258	20	*
12	5.25	5.38	20	
13	5.25	5.43	20	
14	5.25	5.499	20	
15	5.25	5.54	20	
16	5.25	5.253	20	*
17	5.25	5.432	20	
18	5.25	5.717	20	
19	5.25	5.542	20	
20	5.25	5.363	20	
21	5.25	5.392	20	
22	5.25	5.494	20	
23	5.25	5.66	20	
24	5.25	5.366	20	
25	5.25	5.42	20	
26	5.25	5.298	20	
27	5.25	5.271	20	
28	5.25	5.398	20	
29	5.25	5.348	20	
30	5.25	5.598	20	
31	5.25	5.675	20	
32	5.25	5.323	20	
33	5.25	5.506	20	
34	5.25	5.33	20	
35	5.25	5.41	20	
36	5.25	5.569	20	
37	5.25	5.269	20	
38	5.25	5.584	20	
39	5.25	5.388	20	
40	5.25	5.7	20	
41	5.25	5.287	20	
42	5.25	5.597	20	
43	5.25	5.61	20	
44	5.25	5.285	20	
45	5.25	5.511	20	
46	5.25	5.358	20	
47	5.25	5.485	20	

48	5.25	5.537	20	
49	5.25	5.376	20	
50	5.25	5.489	20	
51	5.25	5.614	20	
52	5.25	5.52	20	
53	5.25	5.609	20	
54	5.25	5.536	20	
55	5.25	5.371	20	
56	5.25	5.607	20	
57	5.25	5.662	20	
58	5.25	5.589	20	
59	5.25	5.284	20	
60	5.25	5.531	20	
61	5.25	5.459	20	
62	5.25	5.547	20	
63	5.25	5.406	20	
64	5.25	5.654	20	
65	5.25	5.274	20	
66	5.25	5.627	20	
67	5.25	5.681	20	
68	5.25	5.602	20	
69	5.25	5.659	20	
70	5.25	5.472	20	
71	5.25	5.314	20	
72	5.25	5.715	20	
73	5.25	5.492	20	
74	5.25	5.527	20	
75	5.25	5.251	20	*
76	5.25	5.67	20	
77	5.25	5.623	20	
78	5.25	5.591	20	
79	5.25	5.365	20	
80	5.25	5.257	20	*
81	5.25	5.611	20	
82	5.25	5.416	20	
83	5.25	5.504	20	
84	5.25	5.71	20	
85	5.25	5.642	20	
86	5.25	5.296	20	
87	5.25	5.621	20	
88	5.25	5.356	20	
89	5.25	5.254	20	*
90	5.25	5.707	20	
91	5.25	5.387	20	
92	5.25	5.377	20	
93	5.25	5.613	20	
94	5.25	5.487	20	
95	5.25	5.278	20	
96	5.25	5.679	20	
97	5.25	5.718	20	
98	5.25	5.568	20	
99	5.25	5.434	20	
100	5.25	5.577	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 9

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.72	20	
2	5.25	5.393	20	
3	5.25	5.513	20	
4	5.25	5.396	20	
5	5.25	5.676	20	
6	5.25	5.282	20	
7	5.25	5.327	20	
8	5.25	5.53	20	
9	5.25	5.495	20	
10	5.25	5.649	20	
11	5.25	5.278	20	
12	5.25	5.673	20	
13	5.25	5.429	20	
14	5.25	5.439	20	
15	5.25	5.577	20	
16	5.25	5.317	20	
17	5.25	5.297	20	
18	5.25	5.363	20	
19	5.25	5.315	20	
20	5.25	5.54	20	
21	5.25	5.357	20	
22	5.25	5.402	20	
23	5.25	5.581	20	
24	5.25	5.258	20	*
25	5.25	5.281	20	
26	5.25	5.518	20	
27	5.25	5.489	20	
28	5.25	5.585	20	
29	5.25	5.446	20	
30	5.25	5.622	20	
31	5.25	5.253	20	*
32	5.25	5.652	20	
33	5.25	5.435	20	
34	5.25	5.459	20	
35	5.25	5.456	20	
36	5.25	5.349	20	
37	5.25	5.352	20	
38	5.25	5.427	20	
39	5.25	5.276	20	
40	5.25	5.505	20	
41	5.25	5.354	20	
42	5.25	5.611	20	
43	5.25	5.596	20	
44	5.25	5.299	20	
45	5.25	5.639	20	
46	5.25	5.578	20	
47	5.25	5.398	20	

48	5.25	5.514	20	
49	5.25	5.449	20	
50	5.25	5.414	20	
51	5.25	5.644	20	
52	5.25	5.595	20	
53	5.25	5.541	20	
54	5.25	5.323	20	
55	5.25	5.28	20	
56	5.25	5.37	20	
57	5.25	5.57	20	
58	5.25	5.678	20	
59	5.25	5.547	20	
60	5.25	5.383	20	
61	5.25	5.408	20	
62	5.25	5.529	20	
63	5.25	5.637	20	
64	5.25	5.322	20	
65	5.25	5.627	20	
66	5.25	5.498	20	
67	5.25	5.645	20	
68	5.25	5.397	20	
69	5.25	5.488	20	
70	5.25	5.705	20	
71	5.25	5.686	20	
72	5.25	5.674	20	
73	5.25	5.434	20	
74	5.25	5.528	20	
75	5.25	5.523	20	
76	5.25	5.521	20	
77	5.25	5.502	20	
78	5.25	5.615	20	
79	5.25	5.555	20	
80	5.25	5.409	20	
81	5.25	5.504	20	
82	5.25	5.6	20	
83	5.25	5.531	20	
84	5.25	5.691	20	
85	5.25	5.56	20	
86	5.25	5.338	20	
87	5.25	5.511	20	
88	5.25	5.461	20	
89	5.25	5.709	20	
90	5.25	5.29	20	
91	5.25	5.366	20	
92	5.25	5.52	20	
93	5.25	5.441	20	
94	5.25	5.527	20	
95	5.25	5.551	20	
96	5.25	5.643	20	
97	5.25	5.415	20	
98	5.25	5.291	20	
99	5.25	5.561	20	
100	5.25	5.507	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 10

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.561	20	
2	5.25	5.591	20	
3	5.25	5.489	20	
4	5.25	5.393	20	
5	5.25	5.585	20	
6	5.25	5.41	20	
7	5.25	5.374	20	
8	5.25	5.273	20	
9	5.25	5.662	20	
10	5.25	5.7	20	
11	5.25	5.564	20	
12	5.25	5.663	20	
13	5.25	5.306	20	
14	5.25	5.433	20	
15	5.25	5.553	20	
16	5.25	5.541	20	
17	5.25	5.545	20	
18	5.25	5.378	20	
19	5.25	5.292	20	
20	5.25	5.484	20	
21	5.25	5.283	20	
22	5.25	5.446	20	
23	5.25	5.639	20	
24	5.25	5.593	20	
25	5.25	5.655	20	
26	5.25	5.706	20	
27	5.25	5.355	20	
28	5.25	5.281	20	
29	5.25	5.558	20	
30	5.25	5.566	20	
31	5.25	5.402	20	
32	5.25	5.522	20	
33	5.25	5.267	20	
34	5.25	5.302	20	
35	5.25	5.526	20	
36	5.25	5.318	20	
37	5.25	5.36	20	
38	5.25	5.687	20	
39	5.25	5.287	20	
40	5.25	5.702	20	
41	5.25	5.602	20	
42	5.25	5.48	20	
43	5.25	5.67	20	
44	5.25	5.327	20	
45	5.25	5.595	20	
46	5.25	5.529	20	
47	5.25	5.479	20	

48	5.25	5.614	20	
49	5.25	5.633	20	
50	5.25	5.319	20	
51	5.25	5.504	20	
52	5.25	5.472	20	
53	5.25	5.324	20	
54	5.25	5.721	20	
55	5.25	5.512	20	
56	5.25	5.59	20	
57	5.25	5.29	20	
58	5.25	5.33	20	
59	5.25	5.551	20	
60	5.25	5.288	20	
61	5.25	5.689	20	
62	5.25	5.372	20	
63	5.25	5.309	20	
64	5.25	5.519	20	
65	5.25	5.255	20	*
66	5.25	5.409	20	
67	5.25	5.411	20	
68	5.25	5.265	20	
69	5.25	5.723	20	
70	5.25	5.316	20	
71	5.25	5.291	20	
72	5.25	5.405	20	
73	5.25	5.481	20	
74	5.25	5.387	20	
75	5.25	5.524	20	
76	5.25	5.664	20	
77	5.25	5.263	20	
78	5.25	5.345	20	
79	5.25	5.536	20	
80	5.25	5.447	20	
81	5.25	5.49	20	
82	5.25	5.464	20	
83	5.25	5.696	20	
84	5.25	5.491	20	
85	5.25	5.37	20	
86	5.25	5.719	20	
87	5.25	5.679	20	
88	5.25	5.395	20	
89	5.25	5.498	20	
90	5.25	5.578	20	
91	5.25	5.584	20	
92	5.25	5.579	20	
93	5.25	5.58	20	
94	5.25	5.415	20	
95	5.25	5.665	20	
96	5.25	5.616	20	
97	5.25	5.413	20	
98	5.25	5.581	20	
99	5.25	5.339	20	
100	5.25	5.644	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 11

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.26	20	*
2	5.25	5.472	20	
3	5.25	5.425	20	
4	5.25	5.664	20	
5	5.25	5.555	20	
6	5.25	5.407	20	
7	5.25	5.27	20	
8	5.25	5.627	20	
9	5.25	5.376	20	
10	5.25	5.262	20	
11	5.25	5.696	20	
12	5.25	5.323	20	
13	5.25	5.295	20	
14	5.25	5.366	20	
15	5.25	5.344	20	
16	5.25	5.409	20	
17	5.25	5.455	20	
18	5.25	5.39	20	
19	5.25	5.353	20	
20	5.25	5.252	20	*
21	5.25	5.364	20	
22	5.25	5.327	20	
23	5.25	5.371	20	
24	5.25	5.582	20	
25	5.25	5.652	20	
26	5.25	5.452	20	
27	5.25	5.497	20	
28	5.25	5.557	20	
29	5.25	5.614	20	
30	5.25	5.429	20	
31	5.25	5.52	20	
32	5.25	5.677	20	
33	5.25	5.531	20	
34	5.25	5.367	20	
35	5.25	5.464	20	
36	5.25	5.495	20	
37	5.25	5.723	20	
38	5.25	5.414	20	
39	5.25	5.512	20	
40	5.25	5.435	20	
41	5.25	5.338	20	
42	5.25	5.591	20	
43	5.25	5.662	20	
44	5.25	5.663	20	
45	5.25	5.473	20	
46	5.25	5.543	20	
47	5.25	5.553	20	

48	5.25	5.417	20	
49	5.25	5.499	20	
50	5.25	5.469	20	
51	5.25	5.711	20	
52	5.25	5.362	20	
53	5.25	5.715	20	
54	5.25	5.47	20	
55	5.25	5.58	20	
56	5.25	5.388	20	
57	5.25	5.647	20	
58	5.25	5.319	20	
59	5.25	5.654	20	
60	5.25	5.527	20	
61	5.25	5.303	20	
62	5.25	5.264	20	
63	5.25	5.365	20	
64	5.25	5.628	20	
65	5.25	5.356	20	
66	5.25	5.658	20	
67	5.25	5.525	20	
68	5.25	5.354	20	
69	5.25	5.48	20	
70	5.25	5.623	20	
71	5.25	5.524	20	
72	5.25	5.719	20	
73	5.25	5.38	20	
74	5.25	5.379	20	
75	5.25	5.462	20	
76	5.25	5.349	20	
77	5.25	5.411	20	
78	5.25	5.637	20	
79	5.25	5.345	20	
80	5.25	5.503	20	
81	5.25	5.62	20	
82	5.25	5.361	20	
83	5.25	5.678	20	
84	5.25	5.448	20	
85	5.25	5.308	20	
86	5.25	5.4	20	
87	5.25	5.681	20	
88	5.25	5.716	20	
89	5.25	5.41	20	
90	5.25	5.603	20	
91	5.25	5.68	20	
92	5.25	5.377	20	
93	5.25	5.424	20	
94	5.25	5.46	20	
95	5.25	5.63	20	
96	5.25	5.496	20	
97	5.25	5.374	20	
98	5.25	5.261	20	
99	5.25	5.283	20	
100	5.25	5.43	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 12

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.645	20	
2	5.25	5.316	20	
3	5.25	5.296	20	
4	5.25	5.532	20	
5	5.25	5.494	20	
6	5.25	5.441	20	
7	5.25	5.386	20	
8	5.25	5.41	20	
9	5.25	5.661	20	
10	5.25	5.263	20	
11	5.25	5.536	20	
12	5.25	5.5	20	
13	5.25	5.64	20	
14	5.25	5.273	20	
15	5.25	5.483	20	
16	5.25	5.639	20	
17	5.25	5.458	20	
18	5.25	5.361	20	
19	5.25	5.561	20	
20	5.25	5.557	20	
21	5.25	5.279	20	
22	5.25	5.676	20	
23	5.25	5.399	20	
24	5.25	5.425	20	
25	5.25	5.293	20	
26	5.25	5.642	20	
27	5.25	5.378	20	
28	5.25	5.456	20	
29	5.25	5.27	20	
30	5.25	5.701	20	
31	5.25	5.665	20	
32	5.25	5.567	20	
33	5.25	5.636	20	
34	5.25	5.35	20	
35	5.25	5.641	20	
36	5.25	5.692	20	
37	5.25	5.262	20	
38	5.25	5.355	20	
39	5.25	5.257	20	*
40	5.25	5.527	20	
41	5.25	5.533	20	
42	5.25	5.704	20	
43	5.25	5.397	20	
44	5.25	5.696	20	
45	5.25	5.709	20	
46	5.25	5.363	20	
47	5.25	5.276	20	

48	5.25	5.716	20	
49	5.25	5.633	20	
50	5.25	5.618	20	
51	5.25	5.538	20	
52	5.25	5.29	20	
53	5.25	5.579	20	
54	5.25	5.499	20	
55	5.25	5.662	20	
56	5.25	5.497	20	
57	5.25	5.368	20	
58	5.25	5.552	20	
59	5.25	5.638	20	
60	5.25	5.4	20	
61	5.25	5.523	20	
62	5.25	5.546	20	
63	5.25	5.683	20	
64	5.25	5.292	20	
65	5.25	5.563	20	
66	5.25	5.375	20	
67	5.25	5.372	20	
68	5.25	5.472	20	
69	5.25	5.412	20	
70	5.25	5.25	20	*
71	5.25	5.433	20	
72	5.25	5.668	20	
73	5.25	5.493	20	
74	5.25	5.467	20	
75	5.25	5.453	20	
76	5.25	5.619	20	
77	5.25	5.357	20	
78	5.25	5.267	20	
79	5.25	5.606	20	
80	5.25	5.409	20	
81	5.25	5.505	20	
82	5.25	5.723	20	
83	5.25	5.644	20	
84	5.25	5.547	20	
85	5.25	5.584	20	
86	5.25	5.345	20	
87	5.25	5.476	20	
88	5.25	5.602	20	
89	5.25	5.646	20	
90	5.25	5.415	20	
91	5.25	5.398	20	
92	5.25	5.513	20	
93	5.25	5.708	20	
94	5.25	5.699	20	
95	5.25	5.496	20	
96	5.25	5.286	20	
97	5.25	5.401	20	
98	5.25	5.258	20	*
99	5.25	5.628	20	
100	5.25	5.364	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 13

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.45	20	
2	5.25	5.564	20	
3	5.25	5.319	20	
4	5.25	5.722	20	
5	5.25	5.572	20	
6	5.25	5.654	20	
7	5.25	5.28	20	
8	5.25	5.65	20	
9	5.25	5.547	20	
10	5.25	5.675	20	
11	5.25	5.689	20	
12	5.25	5.486	20	
13	5.25	5.466	20	
14	5.25	5.394	20	
15	5.25	5.637	20	
16	5.25	5.557	20	
17	5.25	5.267	20	
18	5.25	5.373	20	
19	5.25	5.585	20	
20	5.25	5.261	20	
21	5.25	5.613	20	
22	5.25	5.703	20	
23	5.25	5.325	20	
24	5.25	5.253	20	*
25	5.25	5.639	20	
26	5.25	5.616	20	
27	5.25	5.591	20	
28	5.25	5.511	20	
29	5.25	5.63	20	
30	5.25	5.406	20	
31	5.25	5.266	20	
32	5.25	5.487	20	
33	5.25	5.418	20	
34	5.25	5.336	20	
35	5.25	5.72	20	
36	5.25	5.552	20	
37	5.25	5.624	20	
38	5.25	5.533	20	
39	5.25	5.64	20	
40	5.25	5.586	20	
41	5.25	5.645	20	
42	5.25	5.489	20	
43	5.25	5.563	20	
44	5.25	5.532	20	
45	5.25	5.403	20	
46	5.25	5.453	20	
47	5.25	5.529	20	

48	5.25	5.292	20	
49	5.25	5.581	20	
50	5.25	5.647	20	
51	5.25	5.673	20	
52	5.25	5.419	20	
53	5.25	5.7	20	
54	5.25	5.513	20	
55	5.25	5.357	20	
56	5.25	5.569	20	
57	5.25	5.542	20	
58	5.25	5.438	20	
59	5.25	5.588	20	
60	5.25	5.461	20	
61	5.25	5.546	20	
62	5.25	5.302	20	
63	5.25	5.409	20	
64	5.25	5.372	20	
65	5.25	5.405	20	
66	5.25	5.399	20	
67	5.25	5.589	20	
68	5.25	5.346	20	
69	5.25	5.543	20	
70	5.25	5.715	20	
71	5.25	5.441	20	
72	5.25	5.34	20	
73	5.25	5.378	20	
74	5.25	5.52	20	
75	5.25	5.37	20	
76	5.25	5.281	20	
77	5.25	5.635	20	
78	5.25	5.316	20	
79	5.25	5.413	20	
80	5.25	5.713	20	
81	5.25	5.536	20	
82	5.25	5.383	20	
83	5.25	5.422	20	
84	5.25	5.345	20	
85	5.25	5.3	20	
86	5.25	5.497	20	
87	5.25	5.402	20	
88	5.25	5.484	20	
89	5.25	5.274	20	
90	5.25	5.608	20	
91	5.25	5.676	20	
92	5.25	5.723	20	
93	5.25	5.665	20	
94	5.25	5.295	20	
95	5.25	5.512	20	
96	5.25	5.587	20	
97	5.25	5.426	20	
98	5.25	5.711	20	
99	5.25	5.471	20	
100	5.25	5.702	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 14

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.69	20	
2	5.25	5.438	20	
3	5.25	5.636	20	
4	5.25	5.583	20	
5	5.25	5.475	20	
6	5.25	5.574	20	
7	5.25	5.599	20	
8	5.25	5.683	20	
9	5.25	5.297	20	
10	5.25	5.618	20	
11	5.25	5.493	20	
12	5.25	5.412	20	
13	5.25	5.471	20	
14	5.25	5.284	20	
15	5.25	5.721	20	
16	5.25	5.288	20	
17	5.25	5.577	20	
18	5.25	5.31	20	
19	5.25	5.564	20	
20	5.25	5.507	20	
21	5.25	5.664	20	
22	5.25	5.635	20	
23	5.25	5.473	20	
24	5.25	5.257	20	*
25	5.25	5.529	20	
26	5.25	5.706	20	
27	5.25	5.421	20	
28	5.25	5.305	20	
29	5.25	5.695	20	
30	5.25	5.604	20	
31	5.25	5.602	20	
32	5.25	5.304	20	
33	5.25	5.327	20	
34	5.25	5.606	20	
35	5.25	5.524	20	
36	5.25	5.709	20	
37	5.25	5.534	20	
38	5.25	5.255	20	*
39	5.25	5.291	20	
40	5.25	5.461	20	
41	5.25	5.663	20	
42	5.25	5.352	20	
43	5.25	5.656	20	
44	5.25	5.594	20	
45	5.25	5.342	20	
46	5.25	5.708	20	
47	5.25	5.584	20	

48	5.25	5.436	20	
49	5.25	5.302	20	
50	5.25	5.716	20	
51	5.25	5.544	20	
52	5.25	5.593	20	
53	5.25	5.489	20	
54	5.25	5.365	20	
55	5.25	5.264	20	
56	5.25	5.605	20	
57	5.25	5.462	20	
58	5.25	5.537	20	
59	5.25	5.502	20	
60	5.25	5.504	20	
61	5.25	5.611	20	
62	5.25	5.295	20	
63	5.25	5.581	20	
64	5.25	5.358	20	
65	5.25	5.567	20	
66	5.25	5.349	20	
67	5.25	5.374	20	
68	5.25	5.381	20	
69	5.25	5.259	20	*
70	5.25	5.675	20	
71	5.25	5.551	20	
72	5.25	5.317	20	
73	5.25	5.643	20	
74	5.25	5.715	20	
75	5.25	5.669	20	
76	5.25	5.573	20	
77	5.25	5.526	20	
78	5.25	5.273	20	
79	5.25	5.393	20	
80	5.25	5.347	20	
81	5.25	5.646	20	
82	5.25	5.549	20	
83	5.25	5.383	20	
84	5.25	5.337	20	
85	5.25	5.59	20	
86	5.25	5.623	20	
87	5.25	5.687	20	
88	5.25	5.315	20	
89	5.25	5.58	20	
90	5.25	5.433	20	
91	5.25	5.455	20	
92	5.25	5.483	20	
93	5.25	5.522	20	
94	5.25	5.323	20	
95	5.25	5.528	20	
96	5.25	5.434	20	
97	5.25	5.552	20	
98	5.25	5.658	20	
99	5.25	5.348	20	
100	5.25	5.64	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 15

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.667	20	
2	5.25	5.42	20	
3	5.25	5.598	20	
4	5.25	5.468	20	
5	5.25	5.309	20	
6	5.25	5.367	20	
7	5.25	5.569	20	
8	5.25	5.368	20	
9	5.25	5.433	20	
10	5.25	5.712	20	
11	5.25	5.552	20	
12	5.25	5.587	20	
13	5.25	5.622	20	
14	5.25	5.525	20	
15	5.25	5.496	20	
16	5.25	5.617	20	
17	5.25	5.261	20	
18	5.25	5.418	20	
19	5.25	5.578	20	
20	5.25	5.445	20	
21	5.25	5.501	20	
22	5.25	5.38	20	
23	5.25	5.653	20	
24	5.25	5.613	20	
25	5.25	5.26	20	*
26	5.25	5.414	20	
27	5.25	5.267	20	
28	5.25	5.626	20	
29	5.25	5.536	20	
30	5.25	5.715	20	
31	5.25	5.507	20	
32	5.25	5.542	20	
33	5.25	5.323	20	
34	5.25	5.47	20	
35	5.25	5.36	20	
36	5.25	5.674	20	
37	5.25	5.342	20	
38	5.25	5.54	20	
39	5.25	5.387	20	
40	5.25	5.679	20	
41	5.25	5.347	20	
42	5.25	5.448	20	
43	5.25	5.298	20	
44	5.25	5.427	20	
45	5.25	5.643	20	
46	5.25	5.555	20	
47	5.25	5.585	20	

48	5.25	5.415	20	
49	5.25	5.625	20	
50	5.25	5.4	20	
51	5.25	5.286	20	
52	5.25	5.276	20	
53	5.25	5.517	20	
54	5.25	5.654	20	
55	5.25	5.447	20	
56	5.25	5.473	20	
57	5.25	5.492	20	
58	5.25	5.369	20	
59	5.25	5.408	20	
60	5.25	5.439	20	
61	5.25	5.687	20	
62	5.25	5.596	20	
63	5.25	5.515	20	
64	5.25	5.341	20	
65	5.25	5.458	20	
66	5.25	5.386	20	
67	5.25	5.562	20	
68	5.25	5.339	20	
69	5.25	5.701	20	
70	5.25	5.331	20	
71	5.25	5.402	20	
72	5.25	5.668	20	
73	5.25	5.417	20	
74	5.25	5.541	20	
75	5.25	5.446	20	
76	5.25	5.537	20	
77	5.25	5.602	20	
78	5.25	5.325	20	
79	5.25	5.685	20	
80	5.25	5.388	20	
81	5.25	5.709	20	
82	5.25	5.472	20	
83	5.25	5.573	20	
84	5.25	5.509	20	
85	5.25	5.338	20	
86	5.25	5.449	20	
87	5.25	5.374	20	
88	5.25	5.723	20	
89	5.25	5.614	20	
90	5.25	5.269	20	
91	5.25	5.332	20	
92	5.25	5.684	20	
93	5.25	5.392	20	
94	5.25	5.581	20	
95	5.25	5.495	20	
96	5.25	5.511	20	
97	5.25	5.28	20	
98	5.25	5.365	20	
99	5.25	5.278	20	
100	5.25	5.257	20	*

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 16

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.436	20	
2	5.25	5.554	20	
3	5.25	5.383	20	
4	5.25	5.539	20	
5	5.25	5.59	20	
6	5.25	5.473	20	
7	5.25	5.581	20	
8	5.25	5.442	20	
9	5.25	5.476	20	
10	5.25	5.411	20	
11	5.25	5.405	20	
12	5.25	5.265	20	
13	5.25	5.487	20	
14	5.25	5.72	20	
15	5.25	5.257	20	*
16	5.25	5.39	20	
17	5.25	5.562	20	
18	5.25	5.576	20	
19	5.25	5.365	20	
20	5.25	5.425	20	
21	5.25	5.426	20	
22	5.25	5.372	20	
23	5.25	5.279	20	
24	5.25	5.38	20	
25	5.25	5.483	20	
26	5.25	5.419	20	
27	5.25	5.677	20	
28	5.25	5.325	20	
29	5.25	5.663	20	
30	5.25	5.552	20	
31	5.25	5.441	20	
32	5.25	5.705	20	
33	5.25	5.511	20	
34	5.25	5.658	20	
35	5.25	5.374	20	
36	5.25	5.423	20	
37	5.25	5.583	20	
38	5.25	5.376	20	
39	5.25	5.588	20	
40	5.25	5.502	20	
41	5.25	5.516	20	
42	5.25	5.555	20	
43	5.25	5.499	20	
44	5.25	5.352	20	
45	5.25	5.672	20	
46	5.25	5.722	20	
47	5.25	5.369	20	

48	5.25	5.535	20	
49	5.25	5.669	20	
50	5.25	5.31	20	
51	5.25	5.399	20	
52	5.25	5.273	20	
53	5.25	5.646	20	
54	5.25	5.657	20	
55	5.25	5.428	20	
56	5.25	5.434	20	
57	5.25	5.278	20	
58	5.25	5.284	20	
59	5.25	5.62	20	
60	5.25	5.318	20	
61	5.25	5.375	20	
62	5.25	5.513	20	
63	5.25	5.386	20	
64	5.25	5.644	20	
65	5.25	5.541	20	
66	5.25	5.679	20	
67	5.25	5.46	20	
68	5.25	5.718	20	
69	5.25	5.707	20	
70	5.25	5.607	20	
71	5.25	5.312	20	
72	5.25	5.443	20	
73	5.25	5.306	20	
74	5.25	5.586	20	
75	5.25	5.522	20	
76	5.25	5.545	20	
77	5.25	5.464	20	
78	5.25	5.295	20	
79	5.25	5.493	20	
80	5.25	5.697	20	
81	5.25	5.432	20	
82	5.25	5.622	20	
83	5.25	5.721	20	
84	5.25	5.558	20	
85	5.25	5.587	20	
86	5.25	5.635	20	
87	5.25	5.637	20	
88	5.25	5.486	20	
89	5.25	5.362	20	
90	5.25	5.641	20	
91	5.25	5.364	20	
92	5.25	5.608	20	
93	5.25	5.711	20	
94	5.25	5.566	20	
95	5.25	5.633	20	
96	5.25	5.397	20	
97	5.25	5.619	20	
98	5.25	5.578	20	
99	5.25	5.267	20	
100	5.25	5.528	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 17

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.314	20	
2	5.25	5.562	20	
3	5.25	5.44	20	
4	5.25	5.684	20	
5	5.25	5.313	20	
6	5.25	5.271	20	
7	5.25	5.277	20	
8	5.25	5.275	20	
9	5.25	5.697	20	
10	5.25	5.358	20	
11	5.25	5.306	20	
12	5.25	5.354	20	
13	5.25	5.628	20	
14	5.25	5.669	20	
15	5.25	5.662	20	
16	5.25	5.612	20	
17	5.25	5.607	20	
18	5.25	5.492	20	
19	5.25	5.257	20	*
20	5.25	5.284	20	
21	5.25	5.69	20	
22	5.25	5.393	20	
23	5.25	5.641	20	
24	5.25	5.515	20	
25	5.25	5.506	20	
26	5.25	5.699	20	
27	5.25	5.566	20	
28	5.25	5.329	20	
29	5.25	5.37	20	
30	5.25	5.626	20	
31	5.25	5.719	20	
32	5.25	5.48	20	
33	5.25	5.671	20	
34	5.25	5.485	20	
35	5.25	5.337	20	
36	5.25	5.311	20	
37	5.25	5.274	20	
38	5.25	5.592	20	
39	5.25	5.452	20	
40	5.25	5.395	20	
41	5.25	5.631	20	
42	5.25	5.635	20	
43	5.25	5.25	20	*
44	5.25	5.633	20	
45	5.25	5.467	20	
46	5.25	5.447	20	
47	5.25	5.68	20	

48	5.25	5.364	20	
49	5.25	5.537	20	
50	5.25	5.296	20	
51	5.25	5.449	20	
52	5.25	5.4	20	
53	5.25	5.38	20	
54	5.25	5.465	20	
55	5.25	5.463	20	
56	5.25	5.585	20	
57	5.25	5.614	20	
58	5.25	5.578	20	
59	5.25	5.619	20	
60	5.25	5.7	20	
61	5.25	5.303	20	
62	5.25	5.45	20	
63	5.25	5.475	20	
64	5.25	5.701	20	
65	5.25	5.391	20	
66	5.25	5.402	20	
67	5.25	5.293	20	
68	5.25	5.414	20	
69	5.25	5.574	20	
70	5.25	5.66	20	
71	5.25	5.432	20	
72	5.25	5.263	20	
73	5.25	5.687	20	
74	5.25	5.558	20	
75	5.25	5.35	20	
76	5.25	5.627	20	
77	5.25	5.559	20	
78	5.25	5.51	20	
79	5.25	5.567	20	
80	5.25	5.299	20	
81	5.25	5.665	20	
82	5.25	5.302	20	
83	5.25	5.588	20	
84	5.25	5.615	20	
85	5.25	5.542	20	
86	5.25	5.489	20	
87	5.25	5.439	20	
88	5.25	5.609	20	
89	5.25	5.446	20	
90	5.25	5.418	20	
91	5.25	5.436	20	
92	5.25	5.602	20	
93	5.25	5.59	20	
94	5.25	5.643	20	
95	5.25	5.599	20	
96	5.25	5.357	20	
97	5.25	5.676	20	
98	5.25	5.474	20	
99	5.25	5.305	20	
100	5.25	5.659	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 18

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.312	20	
2	5.25	5.265	20	
3	5.25	5.403	20	
4	5.25	5.689	20	
5	5.25	5.419	20	
6	5.25	5.404	20	
7	5.25	5.325	20	
8	5.25	5.549	20	
9	5.25	5.284	20	
10	5.25	5.563	20	
11	5.25	5.469	20	
12	5.25	5.502	20	
13	5.25	5.349	20	
14	5.25	5.641	20	
15	5.25	5.363	20	
16	5.25	5.603	20	
17	5.25	5.288	20	
18	5.25	5.444	20	
19	5.25	5.293	20	
20	5.25	5.701	20	
21	5.25	5.275	20	
22	5.25	5.329	20	
23	5.25	5.525	20	
24	5.25	5.286	20	
25	5.25	5.362	20	
26	5.25	5.381	20	
27	5.25	5.439	20	
28	5.25	5.673	20	
29	5.25	5.665	20	
30	5.25	5.384	20	
31	5.25	5.566	20	
32	5.25	5.31	20	
33	5.25	5.667	20	
34	5.25	5.421	20	
35	5.25	5.489	20	
36	5.25	5.318	20	
37	5.25	5.491	20	
38	5.25	5.3	20	
39	5.25	5.69	20	
40	5.25	5.358	20	
41	5.25	5.556	20	
42	5.25	5.267	20	
43	5.25	5.503	20	
44	5.25	5.348	20	
45	5.25	5.586	20	
46	5.25	5.457	20	
47	5.25	5.471	20	

48	5.25	5.678	20	
49	5.25	5.306	20	
50	5.25	5.687	20	
51	5.25	5.584	20	
52	5.25	5.719	20	
53	5.25	5.428	20	
54	5.25	5.685	20	
55	5.25	5.643	20	
56	5.25	5.708	20	
57	5.25	5.604	20	
58	5.25	5.519	20	
59	5.25	5.581	20	
60	5.25	5.64	20	
61	5.25	5.694	20	
62	5.25	5.608	20	
63	5.25	5.658	20	
64	5.25	5.592	20	
65	5.25	5.635	20	
66	5.25	5.526	20	
67	5.25	5.438	20	
68	5.25	5.46	20	
69	5.25	5.508	20	
70	5.25	5.661	20	
71	5.25	5.413	20	
72	5.25	5.25	20	*
73	5.25	5.545	20	
74	5.25	5.62	20	
75	5.25	5.648	20	
76	5.25	5.366	20	
77	5.25	5.506	20	
78	5.25	5.561	20	
79	5.25	5.52	20	
80	5.25	5.577	20	
81	5.25	5.621	20	
82	5.25	5.499	20	
83	5.25	5.721	20	
84	5.25	5.606	20	
85	5.25	5.7	20	
86	5.25	5.595	20	
87	5.25	5.389	20	
88	5.25	5.518	20	
89	5.25	5.68	20	
90	5.25	5.352	20	
91	5.25	5.682	20	
92	5.25	5.321	20	
93	5.25	5.33	20	
94	5.25	5.309	20	
95	5.25	5.263	20	
96	5.25	5.338	20	
97	5.25	5.534	20	
98	5.25	5.552	20	
99	5.25	5.255	20	*
100	5.25	5.655	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 19

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.534	20	
2	5.25	5.465	20	
3	5.25	5.405	20	
4	5.25	5.263	20	
5	5.25	5.344	20	
6	5.25	5.448	20	
7	5.25	5.529	20	
8	5.25	5.46	20	
9	5.25	5.272	20	
10	5.25	5.576	20	
11	5.25	5.453	20	
12	5.25	5.532	20	
13	5.25	5.356	20	
14	5.25	5.366	20	
15	5.25	5.632	20	
16	5.25	5.341	20	
17	5.25	5.394	20	
18	5.25	5.653	20	
19	5.25	5.262	20	
20	5.25	5.66	20	
21	5.25	5.443	20	
22	5.25	5.667	20	
23	5.25	5.438	20	
24	5.25	5.361	20	
25	5.25	5.63	20	
26	5.25	5.639	20	
27	5.25	5.514	20	
28	5.25	5.459	20	
29	5.25	5.345	20	
30	5.25	5.315	20	
31	5.25	5.323	20	
32	5.25	5.582	20	
33	5.25	5.641	20	
34	5.25	5.712	20	
35	5.25	5.691	20	
36	5.25	5.31	20	
37	5.25	5.389	20	
38	5.25	5.609	20	
39	5.25	5.682	20	
40	5.25	5.347	20	
41	5.25	5.61	20	
42	5.25	5.302	20	
43	5.25	5.686	20	
44	5.25	5.352	20	
45	5.25	5.373	20	
46	5.25	5.358	20	
47	5.25	5.606	20	

48	5.25	5.314	20	
49	5.25	5.705	20	
50	5.25	5.714	20	
51	5.25	5.575	20	
52	5.25	5.283	20	
53	5.25	5.716	20	
54	5.25	5.526	20	
55	5.25	5.42	20	
56	5.25	5.515	20	
57	5.25	5.319	20	
58	5.25	5.659	20	
59	5.25	5.673	20	
60	5.25	5.549	20	
61	5.25	5.676	20	
62	5.25	5.508	20	
63	5.25	5.562	20	
64	5.25	5.379	20	
65	5.25	5.58	20	
66	5.25	5.339	20	
67	5.25	5.681	20	
68	5.25	5.699	20	
69	5.25	5.43	20	
70	5.25	5.697	20	
71	5.25	5.426	20	
72	5.25	5.539	20	
73	5.25	5.614	20	
74	5.25	5.551	20	
75	5.25	5.509	20	
76	5.25	5.578	20	
77	5.25	5.702	20	
78	5.25	5.346	20	
79	5.25	5.301	20	
80	5.25	5.518	20	
81	5.25	5.642	20	
82	5.25	5.644	20	
83	5.25	5.594	20	
84	5.25	5.543	20	
85	5.25	5.308	20	
86	5.25	5.703	20	
87	5.25	5.603	20	
88	5.25	5.385	20	
89	5.25	5.467	20	
90	5.25	5.349	20	
91	5.25	5.687	20	
92	5.25	5.651	20	
93	5.25	5.295	20	
94	5.25	5.564	20	
95	5.25	5.306	20	
96	5.25	5.452	20	
97	5.25	5.29	20	
98	5.25	5.342	20	
99	5.25	5.267	20	
100	5.25	5.521	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 20

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.498	20	
2	5.25	5.66	20	
3	5.25	5.254	20	*
4	5.25	5.589	20	
5	5.25	5.698	20	
6	5.25	5.421	20	
7	5.25	5.343	20	
8	5.25	5.367	20	
9	5.25	5.543	20	
10	5.25	5.679	20	
11	5.25	5.256	20	*
12	5.25	5.582	20	
13	5.25	5.52	20	
14	5.25	5.449	20	
15	5.25	5.312	20	
16	5.25	5.414	20	
17	5.25	5.418	20	
18	5.25	5.471	20	
19	5.25	5.584	20	
20	5.25	5.693	20	
21	5.25	5.639	20	
22	5.25	5.423	20	
23	5.25	5.365	20	
24	5.25	5.45	20	
25	5.25	5.464	20	
26	5.25	5.35	20	
27	5.25	5.646	20	
28	5.25	5.304	20	
29	5.25	5.341	20	
30	5.25	5.715	20	
31	5.25	5.63	20	
32	5.25	5.313	20	
33	5.25	5.345	20	
34	5.25	5.337	20	
35	5.25	5.508	20	
36	5.25	5.433	20	
37	5.25	5.653	20	
38	5.25	5.474	20	
39	5.25	5.419	20	
40	5.25	5.671	20	
41	5.25	5.534	20	
42	5.25	5.386	20	
43	5.25	5.266	20	
44	5.25	5.268	20	
45	5.25	5.632	20	
46	5.25	5.333	20	
47	5.25	5.494	20	

48	5.25	5.287	20	
49	5.25	5.656	20	
50	5.25	5.673	20	
51	5.25	5.344	20	
52	5.25	5.318	20	
53	5.25	5.626	20	
54	5.25	5.296	20	
55	5.25	5.633	20	
56	5.25	5.705	20	
57	5.25	5.486	20	
58	5.25	5.558	20	
59	5.25	5.551	20	
60	5.25	5.697	20	
61	5.25	5.267	20	
62	5.25	5.624	20	
63	5.25	5.276	20	
64	5.25	5.456	20	
65	5.25	5.662	20	
66	5.25	5.424	20	
67	5.25	5.462	20	
68	5.25	5.308	20	
69	5.25	5.629	20	
70	5.25	5.465	20	
71	5.25	5.446	20	
72	5.25	5.31	20	
73	5.25	5.578	20	
74	5.25	5.477	20	
75	5.25	5.497	20	
76	5.25	5.627	20	
77	5.25	5.39	20	
78	5.25	5.478	20	
79	5.25	5.378	20	
80	5.25	5.34	20	
81	5.25	5.381	20	
82	5.25	5.384	20	
83	5.25	5.599	20	
84	5.25	5.323	20	
85	5.25	5.431	20	
86	5.25	5.563	20	
87	5.25	5.481	20	
88	5.25	5.687	20	
89	5.25	5.44	20	
90	5.25	5.554	20	
91	5.25	5.641	20	
92	5.25	5.258	20	*
93	5.25	5.7	20	
94	5.25	5.413	20	
95	5.25	5.648	20	
96	5.25	5.585	20	
97	5.25	5.651	20	
98	5.25	5.334	20	
99	5.25	5.438	20	
100	5.25	5.621	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 21

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.372	20	
2	5.25	5.489	20	
3	5.25	5.515	20	
4	5.25	5.385	20	
5	5.25	5.67	20	
6	5.25	5.26	20	*
7	5.25	5.587	20	
8	5.25	5.272	20	
9	5.25	5.694	20	
10	5.25	5.253	20	*
11	5.25	5.552	20	
12	5.25	5.509	20	
13	5.25	5.547	20	
14	5.25	5.557	20	
15	5.25	5.327	20	
16	5.25	5.274	20	
17	5.25	5.323	20	
18	5.25	5.472	20	
19	5.25	5.546	20	
20	5.25	5.519	20	
21	5.25	5.328	20	
22	5.25	5.304	20	
23	5.25	5.361	20	
24	5.25	5.706	20	
25	5.25	5.615	20	
26	5.25	5.474	20	
27	5.25	5.422	20	
28	5.25	5.337	20	
29	5.25	5.405	20	
30	5.25	5.47	20	
31	5.25	5.461	20	
32	5.25	5.476	20	
33	5.25	5.322	20	
34	5.25	5.538	20	
35	5.25	5.473	20	
36	5.25	5.306	20	
37	5.25	5.532	20	
38	5.25	5.512	20	
39	5.25	5.297	20	
40	5.25	5.554	20	
41	5.25	5.299	20	
42	5.25	5.697	20	
43	5.25	5.402	20	
44	5.25	5.384	20	
45	5.25	5.262	20	
46	5.25	5.329	20	
47	5.25	5.477	20	

48	5.25	5.419	20	
49	5.25	5.635	20	
50	5.25	5.425	20	
51	5.25	5.365	20	
52	5.25	5.345	20	
53	5.25	5.511	20	
54	5.25	5.352	20	
55	5.25	5.471	20	
56	5.25	5.623	20	
57	5.25	5.267	20	
58	5.25	5.722	20	
59	5.25	5.308	20	
60	5.25	5.545	20	
61	5.25	5.705	20	
62	5.25	5.52	20	
63	5.25	5.622	20	
64	5.25	5.559	20	
65	5.25	5.577	20	
66	5.25	5.589	20	
67	5.25	5.34	20	
68	5.25	5.724	20	
69	5.25	5.695	20	
70	5.25	5.456	20	
71	5.25	5.38	20	
72	5.25	5.438	20	
73	5.25	5.436	20	
74	5.25	5.401	20	
75	5.25	5.574	20	
76	5.25	5.277	20	
77	5.25	5.483	20	
78	5.25	5.421	20	
79	5.25	5.522	20	
80	5.25	5.619	20	
81	5.25	5.709	20	
82	5.25	5.563	20	
83	5.25	5.412	20	
84	5.25	5.407	20	
85	5.25	5.686	20	
86	5.25	5.682	20	
87	5.25	5.431	20	
88	5.25	5.295	20	
89	5.25	5.283	20	
90	5.25	5.45	20	
91	5.25	5.507	20	
92	5.25	5.72	20	
93	5.25	5.5	20	
94	5.25	5.369	20	
95	5.25	5.65	20	
96	5.25	5.28	20	
97	5.25	5.413	20	
98	5.25	5.305	20	
99	5.25	5.276	20	
100	5.25	5.607	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 22

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.675	20	
2	5.25	5.685	20	
3	5.25	5.333	20	
4	5.25	5.399	20	
5	5.25	5.584	20	
6	5.25	5.435	20	
7	5.25	5.278	20	
8	5.25	5.606	20	
9	5.25	5.378	20	
10	5.25	5.373	20	
11	5.25	5.372	20	
12	5.25	5.476	20	
13	5.25	5.496	20	
14	5.25	5.543	20	
15	5.25	5.544	20	
16	5.25	5.613	20	
17	5.25	5.632	20	
18	5.25	5.351	20	
19	5.25	5.387	20	
20	5.25	5.464	20	
21	5.25	5.366	20	
22	5.25	5.581	20	
23	5.25	5.293	20	
24	5.25	5.516	20	
25	5.25	5.534	20	
26	5.25	5.312	20	
27	5.25	5.398	20	
28	5.25	5.273	20	
29	5.25	5.637	20	
30	5.25	5.609	20	
31	5.25	5.469	20	
32	5.25	5.628	20	
33	5.25	5.574	20	
34	5.25	5.279	20	
35	5.25	5.498	20	
36	5.25	5.411	20	
37	5.25	5.38	20	
38	5.25	5.352	20	
39	5.25	5.573	20	
40	5.25	5.474	20	
41	5.25	5.504	20	
42	5.25	5.542	20	
43	5.25	5.536	20	
44	5.25	5.513	20	
45	5.25	5.457	20	
46	5.25	5.466	20	
47	5.25	5.529	20	

48	5.25	5.537	20	
49	5.25	5.4	20	
50	5.25	5.267	20	
51	5.25	5.338	20	
52	5.25	5.318	20	
53	5.25	5.452	20	
54	5.25	5.554	20	
55	5.25	5.296	20	
56	5.25	5.412	20	
57	5.25	5.509	20	
58	5.25	5.638	20	
59	5.25	5.286	20	
60	5.25	5.646	20	
61	5.25	5.39	20	
62	5.25	5.5	20	
63	5.25	5.587	20	
64	5.25	5.521	20	
65	5.25	5.291	20	
66	5.25	5.257	20	*
67	5.25	5.389	20	
68	5.25	5.716	20	
69	5.25	5.47	20	
70	5.25	5.288	20	
71	5.25	5.401	20	
72	5.25	5.561	20	
73	5.25	5.441	20	
74	5.25	5.491	20	
75	5.25	5.481	20	
76	5.25	5.719	20	
77	5.25	5.621	20	
78	5.25	5.346	20	
79	5.25	5.626	20	
80	5.25	5.636	20	
81	5.25	5.294	20	
82	5.25	5.703	20	
83	5.25	5.565	20	
84	5.25	5.693	20	
85	5.25	5.256	20	*
86	5.25	5.443	20	
87	5.25	5.299	20	
88	5.25	5.41	20	
89	5.25	5.365	20	
90	5.25	5.705	20	
91	5.25	5.607	20	
92	5.25	5.377	20	
93	5.25	5.7	20	
94	5.25	5.532	20	
95	5.25	5.514	20	
96	5.25	5.402	20	
97	5.25	5.45	20	
98	5.25	5.52	20	
99	5.25	5.283	20	
100	5.25	5.364	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 23

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.339	20	
2	5.25	5.667	20	
3	5.25	5.396	20	
4	5.25	5.574	20	
5	5.25	5.359	20	
6	5.25	5.309	20	
7	5.25	5.717	20	
8	5.25	5.454	20	
9	5.25	5.611	20	
10	5.25	5.701	20	
11	5.25	5.588	20	
12	5.25	5.655	20	
13	5.25	5.593	20	
14	5.25	5.604	20	
15	5.25	5.695	20	
16	5.25	5.668	20	
17	5.25	5.615	20	
18	5.25	5.558	20	
19	5.25	5.581	20	
20	5.25	5.58	20	
21	5.25	5.456	20	
22	5.25	5.678	20	
23	5.25	5.262	20	
24	5.25	5.403	20	
25	5.25	5.349	20	
26	5.25	5.71	20	
27	5.25	5.394	20	
28	5.25	5.43	20	
29	5.25	5.592	20	
30	5.25	5.417	20	
31	5.25	5.25	20	*
32	5.25	5.645	20	
33	5.25	5.605	20	
34	5.25	5.641	20	
35	5.25	5.413	20	
36	5.25	5.583	20	
37	5.25	5.537	20	
38	5.25	5.435	20	
39	5.25	5.692	20	
40	5.25	5.603	20	
41	5.25	5.503	20	
42	5.25	5.705	20	
43	5.25	5.475	20	
44	5.25	5.3	20	
45	5.25	5.373	20	
46	5.25	5.662	20	
47	5.25	5.422	20	

48	5.25	5.477	20	
49	5.25	5.663	20	
50	5.25	5.498	20	
51	5.25	5.295	20	
52	5.25	5.56	20	
53	5.25	5.345	20	
54	5.25	5.596	20	
55	5.25	5.556	20	
56	5.25	5.29	20	
57	5.25	5.672	20	
58	5.25	5.279	20	
59	5.25	5.408	20	
60	5.25	5.412	20	
61	5.25	5.268	20	
62	5.25	5.675	20	
63	5.25	5.428	20	
64	5.25	5.31	20	
65	5.25	5.638	20	
66	5.25	5.65	20	
67	5.25	5.548	20	
68	5.25	5.39	20	
69	5.25	5.407	20	
70	5.25	5.358	20	
71	5.25	5.476	20	
72	5.25	5.602	20	
73	5.25	5.367	20	
74	5.25	5.517	20	
75	5.25	5.314	20	
76	5.25	5.469	20	
77	5.25	5.718	20	
78	5.25	5.618	20	
79	5.25	5.335	20	
80	5.25	5.547	20	
81	5.25	5.277	20	
82	5.25	5.499	20	
83	5.25	5.706	20	
84	5.25	5.366	20	
85	5.25	5.524	20	
86	5.25	5.317	20	
87	5.25	5.587	20	
88	5.25	5.365	20	
89	5.25	5.665	20	
90	5.25	5.263	20	
91	5.25	5.265	20	
92	5.25	5.62	20	
93	5.25	5.699	20	
94	5.25	5.523	20	
95	5.25	5.631	20	
96	5.25	5.393	20	
97	5.25	5.302	20	
98	5.25	5.561	20	
99	5.25	5.535	20	
100	5.25	5.522	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 24

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.423	20	
2	5.25	5.482	20	
3	5.25	5.443	20	
4	5.25	5.326	20	
5	5.25	5.66	20	
6	5.25	5.342	20	
7	5.25	5.567	20	
8	5.25	5.672	20	
9	5.25	5.354	20	
10	5.25	5.546	20	
11	5.25	5.606	20	
12	5.25	5.352	20	
13	5.25	5.701	20	
14	5.25	5.36	20	
15	5.25	5.449	20	
16	5.25	5.628	20	
17	5.25	5.338	20	
18	5.25	5.405	20	
19	5.25	5.436	20	
20	5.25	5.433	20	
21	5.25	5.616	20	
22	5.25	5.496	20	
23	5.25	5.361	20	
24	5.25	5.653	20	
25	5.25	5.47	20	
26	5.25	5.559	20	
27	5.25	5.581	20	
28	5.25	5.619	20	
29	5.25	5.59	20	
30	5.25	5.681	20	
31	5.25	5.609	20	
32	5.25	5.461	20	
33	5.25	5.287	20	
34	5.25	5.302	20	
35	5.25	5.507	20	
36	5.25	5.492	20	
37	5.25	5.511	20	
38	5.25	5.43	20	
39	5.25	5.389	20	
40	5.25	5.523	20	
41	5.25	5.667	20	
42	5.25	5.408	20	
43	5.25	5.554	20	
44	5.25	5.474	20	
45	5.25	5.447	20	
46	5.25	5.62	20	
47	5.25	5.536	20	

48	5.25	5.452	20	
49	5.25	5.588	20	
50	5.25	5.418	20	
51	5.25	5.613	20	
52	5.25	5.41	20	
53	5.25	5.286	20	
54	5.25	5.662	20	
55	5.25	5.498	20	
56	5.25	5.289	20	
57	5.25	5.413	20	
58	5.25	5.517	20	
59	5.25	5.537	20	
60	5.25	5.454	20	
61	5.25	5.61	20	
62	5.25	5.57	20	
63	5.25	5.723	20	
64	5.25	5.629	20	
65	5.25	5.549	20	
66	5.25	5.574	20	
67	5.25	5.56	20	
68	5.25	5.273	20	
69	5.25	5.362	20	
70	5.25	5.582	20	
71	5.25	5.378	20	
72	5.25	5.626	20	
73	5.25	5.472	20	
74	5.25	5.601	20	
75	5.25	5.575	20	
76	5.25	5.323	20	
77	5.25	5.715	20	
78	5.25	5.278	20	
79	5.25	5.387	20	
80	5.25	5.304	20	
81	5.25	5.275	20	
82	5.25	5.54	20	
83	5.25	5.399	20	
84	5.25	5.709	20	
85	5.25	5.512	20	
86	5.25	5.39	20	
87	5.25	5.556	20	
88	5.25	5.682	20	
89	5.25	5.603	20	
90	5.25	5.504	20	
91	5.25	5.711	20	
92	5.25	5.262	20	
93	5.25	5.509	20	
94	5.25	5.579	20	
95	5.25	5.622	20	
96	5.25	5.611	20	
97	5.25	5.573	20	
98	5.25	5.325	20	
99	5.25	5.705	20	
100	5.25	5.673	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 25

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.274	20	
2	5.25	5.504	20	
3	5.25	5.692	20	
4	5.25	5.678	20	
5	5.25	5.375	20	
6	5.25	5.424	20	
7	5.25	5.601	20	
8	5.25	5.403	20	
9	5.25	5.691	20	
10	5.25	5.579	20	
11	5.25	5.511	20	
12	5.25	5.664	20	
13	5.25	5.704	20	
14	5.25	5.348	20	
15	5.25	5.685	20	
16	5.25	5.282	20	
17	5.25	5.462	20	
18	5.25	5.422	20	
19	5.25	5.684	20	
20	5.25	5.566	20	
21	5.25	5.294	20	
22	5.25	5.391	20	
23	5.25	5.349	20	
24	5.25	5.371	20	
25	5.25	5.337	20	
26	5.25	5.445	20	
27	5.25	5.527	20	
28	5.25	5.534	20	
29	5.25	5.473	20	
30	5.25	5.444	20	
31	5.25	5.625	20	
32	5.25	5.611	20	
33	5.25	5.315	20	
34	5.25	5.512	20	
35	5.25	5.381	20	
36	5.25	5.722	20	
37	5.25	5.644	20	
38	5.25	5.354	20	
39	5.25	5.526	20	
40	5.25	5.36	20	
41	5.25	5.412	20	
42	5.25	5.493	20	
43	5.25	5.438	20	
44	5.25	5.384	20	
45	5.25	5.311	20	
46	5.25	5.518	20	
47	5.25	5.667	20	

48	5.25	5.382	20	
49	5.25	5.343	20	
50	5.25	5.364	20	
51	5.25	5.642	20	
52	5.25	5.622	20	
53	5.25	5.602	20	
54	5.25	5.267	20	
55	5.25	5.352	20	
56	5.25	5.306	20	
57	5.25	5.532	20	
58	5.25	5.603	20	
59	5.25	5.476	20	
60	5.25	5.414	20	
61	5.25	5.336	20	
62	5.25	5.561	20	
63	5.25	5.454	20	
64	5.25	5.286	20	
65	5.25	5.296	20	
66	5.25	5.674	20	
67	5.25	5.544	20	
68	5.25	5.477	20	
69	5.25	5.376	20	
70	5.25	5.563	20	
71	5.25	5.411	20	
72	5.25	5.61	20	
73	5.25	5.608	20	
74	5.25	5.416	20	
75	5.25	5.281	20	
76	5.25	5.482	20	
77	5.25	5.686	20	
78	5.25	5.712	20	
79	5.25	5.567	20	
80	5.25	5.366	20	
81	5.25	5.552	20	
82	5.25	5.583	20	
83	5.25	5.633	20	
84	5.25	5.417	20	
85	5.25	5.401	20	
86	5.25	5.327	20	
87	5.25	5.431	20	
88	5.25	5.304	20	
89	5.25	5.314	20	
90	5.25	5.547	20	
91	5.25	5.53	20	
92	5.25	5.436	20	
93	5.25	5.266	20	
94	5.25	5.326	20	
95	5.25	5.439	20	
96	5.25	5.415	20	
97	5.25	5.703	20	
98	5.25	5.677	20	
99	5.25	5.447	20	
100	5.25	5.423	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 26

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.39	20	
2	5.25	5.635	20	
3	5.25	5.471	20	
4	5.25	5.288	20	
5	5.25	5.262	20	
6	5.25	5.613	20	
7	5.25	5.354	20	
8	5.25	5.401	20	
9	5.25	5.627	20	
10	5.25	5.482	20	
11	5.25	5.395	20	
12	5.25	5.357	20	
13	5.25	5.645	20	
14	5.25	5.274	20	
15	5.25	5.464	20	
16	5.25	5.625	20	
17	5.25	5.406	20	
18	5.25	5.284	20	
19	5.25	5.437	20	
20	5.25	5.543	20	
21	5.25	5.458	20	
22	5.25	5.582	20	
23	5.25	5.548	20	
24	5.25	5.396	20	
25	5.25	5.29	20	
26	5.25	5.324	20	
27	5.25	5.558	20	
28	5.25	5.682	20	
29	5.25	5.609	20	
30	5.25	5.589	20	
31	5.25	5.676	20	
32	5.25	5.325	20	
33	5.25	5.359	20	
34	5.25	5.604	20	
35	5.25	5.358	20	
36	5.25	5.41	20	
37	5.25	5.62	20	
38	5.25	5.499	20	
39	5.25	5.67	20	
40	5.25	5.658	20	
41	5.25	5.299	20	
42	5.25	5.488	20	
43	5.25	5.597	20	
44	5.25	5.382	20	
45	5.25	5.626	20	
46	5.25	5.721	20	
47	5.25	5.349	20	

48	5.25	5.701	20	
49	5.25	5.675	20	
50	5.25	5.584	20	
51	5.25	5.266	20	
52	5.25	5.486	20	
53	5.25	5.427	20	
54	5.25	5.38	20	
55	5.25	5.664	20	
56	5.25	5.636	20	
57	5.25	5.683	20	
58	5.25	5.397	20	
59	5.25	5.417	20	
60	5.25	5.258	20	*
61	5.25	5.632	20	
62	5.25	5.619	20	
63	5.25	5.457	20	
64	5.25	5.48	20	
65	5.25	5.289	20	
66	5.25	5.485	20	
67	5.25	5.631	20	
68	5.25	5.268	20	
69	5.25	5.719	20	
70	5.25	5.529	20	
71	5.25	5.456	20	
72	5.25	5.551	20	
73	5.25	5.623	20	
74	5.25	5.431	20	
75	5.25	5.523	20	
76	5.25	5.368	20	
77	5.25	5.7	20	
78	5.25	5.319	20	
79	5.25	5.603	20	
80	5.25	5.478	20	
81	5.25	5.451	20	
82	5.25	5.366	20	
83	5.25	5.341	20	
84	5.25	5.587	20	
85	5.25	5.297	20	
86	5.25	5.697	20	
87	5.25	5.706	20	
88	5.25	5.322	20	
89	5.25	5.621	20	
90	5.25	5.522	20	
91	5.25	5.54	20	
92	5.25	5.367	20	
93	5.25	5.723	20	
94	5.25	5.345	20	
95	5.25	5.517	20	
96	5.25	5.447	20	
97	5.25	5.326	20	
98	5.25	5.467	20	
99	5.25	5.505	20	
100	5.25	5.436	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 27

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.456	20	
2	5.25	5.621	20	
3	5.25	5.487	20	
4	5.25	5.539	20	
5	5.25	5.492	20	
6	5.25	5.718	20	
7	5.25	5.495	20	
8	5.25	5.327	20	
9	5.25	5.719	20	
10	5.25	5.507	20	
11	5.25	5.255	20	*
12	5.25	5.298	20	
13	5.25	5.406	20	
14	5.25	5.364	20	
15	5.25	5.723	20	
16	5.25	5.64	20	
17	5.25	5.521	20	
18	5.25	5.716	20	
19	5.25	5.717	20	
20	5.25	5.724	20	
21	5.25	5.677	20	
22	5.25	5.671	20	
23	5.25	5.313	20	
24	5.25	5.688	20	
25	5.25	5.262	20	
26	5.25	5.465	20	
27	5.25	5.311	20	
28	5.25	5.309	20	
29	5.25	5.599	20	
30	5.25	5.46	20	
31	5.25	5.32	20	
32	5.25	5.379	20	
33	5.25	5.448	20	
34	5.25	5.538	20	
35	5.25	5.513	20	
36	5.25	5.272	20	
37	5.25	5.405	20	
38	5.25	5.556	20	
39	5.25	5.652	20	
40	5.25	5.287	20	
41	5.25	5.644	20	
42	5.25	5.534	20	
43	5.25	5.44	20	
44	5.25	5.395	20	
45	5.25	5.572	20	
46	5.25	5.687	20	
47	5.25	5.543	20	

48	5.25	5.566	20	
49	5.25	5.628	20	
50	5.25	5.494	20	
51	5.25	5.551	20	
52	5.25	5.547	20	
53	5.25	5.463	20	
54	5.25	5.51	20	
55	5.25	5.37	20	
56	5.25	5.338	20	
57	5.25	5.514	20	
58	5.25	5.412	20	
59	5.25	5.713	20	
60	5.25	5.42	20	
61	5.25	5.722	20	
62	5.25	5.391	20	
63	5.25	5.402	20	
64	5.25	5.353	20	
65	5.25	5.356	20	
66	5.25	5.425	20	
67	5.25	5.297	20	
68	5.25	5.397	20	
69	5.25	5.422	20	
70	5.25	5.282	20	
71	5.25	5.661	20	
72	5.25	5.618	20	
73	5.25	5.699	20	
74	5.25	5.47	20	
75	5.25	5.54	20	
76	5.25	5.259	20	*
77	5.25	5.512	20	
78	5.25	5.418	20	
79	5.25	5.325	20	
80	5.25	5.341	20	
81	5.25	5.268	20	
82	5.25	5.444	20	
83	5.25	5.5	20	
84	5.25	5.567	20	
85	5.25	5.477	20	
86	5.25	5.315	20	
87	5.25	5.285	20	
88	5.25	5.421	20	
89	5.25	5.382	20	
90	5.25	5.328	20	
91	5.25	5.332	20	
92	5.25	5.257	20	*
93	5.25	5.694	20	
94	5.25	5.34	20	
95	5.25	5.254	20	*
96	5.25	5.647	20	
97	5.25	5.622	20	
98	5.25	5.576	20	
99	5.25	5.366	20	
100	5.25	5.527	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 28

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.347	20	
2	5.25	5.351	20	
3	5.25	5.401	20	
4	5.25	5.534	20	
5	5.25	5.302	20	
6	5.25	5.472	20	
7	5.25	5.443	20	
8	5.25	5.398	20	
9	5.25	5.521	20	
10	5.25	5.704	20	
11	5.25	5.638	20	
12	5.25	5.44	20	
13	5.25	5.331	20	
14	5.25	5.262	20	
15	5.25	5.324	20	
16	5.25	5.622	20	
17	5.25	5.546	20	
18	5.25	5.66	20	
19	5.25	5.295	20	
20	5.25	5.446	20	
21	5.25	5.716	20	
22	5.25	5.678	20	
23	5.25	5.647	20	
24	5.25	5.571	20	
25	5.25	5.57	20	
26	5.25	5.559	20	
27	5.25	5.298	20	
28	5.25	5.399	20	
29	5.25	5.408	20	
30	5.25	5.482	20	
31	5.25	5.395	20	
32	5.25	5.318	20	
33	5.25	5.486	20	
34	5.25	5.496	20	
35	5.25	5.524	20	
36	5.25	5.257	20	*
37	5.25	5.685	20	
38	5.25	5.294	20	
39	5.25	5.362	20	
40	5.25	5.309	20	
41	5.25	5.605	20	
42	5.25	5.643	20	
43	5.25	5.597	20	
44	5.25	5.502	20	
45	5.25	5.65	20	
46	5.25	5.315	20	
47	5.25	5.415	20	

48	5.25	5.393	20	
49	5.25	5.658	20	
50	5.25	5.275	20	
51	5.25	5.286	20	
52	5.25	5.491	20	
53	5.25	5.581	20	
54	5.25	5.529	20	
55	5.25	5.427	20	
56	5.25	5.625	20	
57	5.25	5.722	20	
58	5.25	5.673	20	
59	5.25	5.328	20	
60	5.25	5.445	20	
61	5.25	5.323	20	
62	5.25	5.409	20	
63	5.25	5.616	20	
64	5.25	5.454	20	
65	5.25	5.452	20	
66	5.25	5.252	20	*
67	5.25	5.264	20	
68	5.25	5.343	20	
69	5.25	5.394	20	
70	5.25	5.451	20	
71	5.25	5.332	20	
72	5.25	5.438	20	
73	5.25	5.576	20	
74	5.25	5.433	20	
75	5.25	5.494	20	
76	5.25	5.365	20	
77	5.25	5.403	20	
78	5.25	5.37	20	
79	5.25	5.431	20	
80	5.25	5.469	20	
81	5.25	5.619	20	
82	5.25	5.531	20	
83	5.25	5.552	20	
84	5.25	5.49	20	
85	5.25	5.28	20	
86	5.25	5.348	20	
87	5.25	5.565	20	
88	5.25	5.483	20	
89	5.25	5.584	20	
90	5.25	5.274	20	
91	5.25	5.266	20	
92	5.25	5.306	20	
93	5.25	5.695	20	
94	5.25	5.299	20	
95	5.25	5.382	20	
96	5.25	5.642	20	
97	5.25	5.303	20	
98	5.25	5.518	20	
99	5.25	5.489	20	
100	5.25	5.548	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 29

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.667	20	
2	5.25	5.401	20	
3	5.25	5.716	20	
4	5.25	5.528	20	
5	5.25	5.438	20	
6	5.25	5.514	20	
7	5.25	5.466	20	
8	5.25	5.345	20	
9	5.25	5.67	20	
10	5.25	5.618	20	
11	5.25	5.691	20	
12	5.25	5.311	20	
13	5.25	5.702	20	
14	5.25	5.285	20	
15	5.25	5.464	20	
16	5.25	5.493	20	
17	5.25	5.535	20	
18	5.25	5.439	20	
19	5.25	5.421	20	
20	5.25	5.695	20	
21	5.25	5.302	20	
22	5.25	5.251	20	*
23	5.25	5.341	20	
24	5.25	5.346	20	
25	5.25	5.447	20	
26	5.25	5.435	20	
27	5.25	5.699	20	
28	5.25	5.45	20	
29	5.25	5.495	20	
30	5.25	5.378	20	
31	5.25	5.489	20	
32	5.25	5.291	20	
33	5.25	5.491	20	
34	5.25	5.481	20	
35	5.25	5.555	20	
36	5.25	5.662	20	
37	5.25	5.594	20	
38	5.25	5.584	20	
39	5.25	5.392	20	
40	5.25	5.572	20	
41	5.25	5.415	20	
42	5.25	5.69	20	
43	5.25	5.252	20	*
44	5.25	5.398	20	
45	5.25	5.488	20	
46	5.25	5.64	20	
47	5.25	5.42	20	

48	5.25	5.305	20	
49	5.25	5.422	20	
50	5.25	5.507	20	
51	5.25	5.534	20	
52	5.25	5.431	20	
53	5.25	5.419	20	
54	5.25	5.597	20	
55	5.25	5.542	20	
56	5.25	5.681	20	
57	5.25	5.578	20	
58	5.25	5.657	20	
59	5.25	5.444	20	
60	5.25	5.452	20	
61	5.25	5.25	20	*
62	5.25	5.278	20	
63	5.25	5.569	20	
64	5.25	5.564	20	
65	5.25	5.563	20	
66	5.25	5.643	20	
67	5.25	5.554	20	
68	5.25	5.721	20	
69	5.25	5.44	20	
70	5.25	5.318	20	
71	5.25	5.41	20	
72	5.25	5.254	20	*
73	5.25	5.531	20	
74	5.25	5.357	20	
75	5.25	5.31	20	
76	5.25	5.333	20	
77	5.25	5.262	20	
78	5.25	5.319	20	
79	5.25	5.436	20	
80	5.25	5.297	20	
81	5.25	5.622	20	
82	5.25	5.503	20	
83	5.25	5.339	20	
84	5.25	5.352	20	
85	5.25	5.713	20	
86	5.25	5.546	20	
87	5.25	5.326	20	
88	5.25	5.637	20	
89	5.25	5.395	20	
90	5.25	5.72	20	
91	5.25	5.703	20	
92	5.25	5.631	20	
93	5.25	5.301	20	
94	5.25	5.663	20	
95	5.25	5.678	20	
96	5.25	5.553	20	
97	5.25	5.7	20	
98	5.25	5.388	20	
99	5.25	5.478	20	
100	5.25	5.36	20	

802.11ax (HE160) - 5250MHz

TYPE 6 PARAMETER SHEET

Trial Number : 30

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.25	5.551	20	
2	5.25	5.265	20	
3	5.25	5.471	20	
4	5.25	5.388	20	
5	5.25	5.525	20	
6	5.25	5.615	20	
7	5.25	5.257	20	*
8	5.25	5.402	20	
9	5.25	5.448	20	
10	5.25	5.567	20	
11	5.25	5.69	20	
12	5.25	5.414	20	
13	5.25	5.251	20	*
14	5.25	5.624	20	
15	5.25	5.524	20	
16	5.25	5.701	20	
17	5.25	5.672	20	
18	5.25	5.492	20	
19	5.25	5.379	20	
20	5.25	5.333	20	
21	5.25	5.419	20	
22	5.25	5.462	20	
23	5.25	5.262	20	
24	5.25	5.431	20	
25	5.25	5.437	20	
26	5.25	5.446	20	
27	5.25	5.436	20	
28	5.25	5.711	20	
29	5.25	5.531	20	
30	5.25	5.554	20	
31	5.25	5.527	20	
32	5.25	5.43	20	
33	5.25	5.382	20	
34	5.25	5.611	20	
35	5.25	5.327	20	
36	5.25	5.578	20	
37	5.25	5.699	20	
38	5.25	5.545	20	
39	5.25	5.449	20	
40	5.25	5.72	20	
41	5.25	5.604	20	
42	5.25	5.347	20	
43	5.25	5.472	20	
44	5.25	5.452	20	
45	5.25	5.399	20	
46	5.25	5.478	20	
47	5.25	5.637	20	

48	5.25	5.694	20	
49	5.25	5.274	20	
50	5.25	5.369	20	
51	5.25	5.528	20	
52	5.25	5.396	20	
53	5.25	5.56	20	
54	5.25	5.389	20	
55	5.25	5.292	20	
56	5.25	5.585	20	
57	5.25	5.317	20	
58	5.25	5.609	20	
59	5.25	5.288	20	
60	5.25	5.592	20	
61	5.25	5.553	20	
62	5.25	5.314	20	
63	5.25	5.438	20	
64	5.25	5.678	20	
65	5.25	5.367	20	
66	5.25	5.513	20	
67	5.25	5.355	20	
68	5.25	5.562	20	
69	5.25	5.659	20	
70	5.25	5.253	20	*
71	5.25	5.289	20	
72	5.25	5.273	20	
73	5.25	5.684	20	
74	5.25	5.25	20	*
75	5.25	5.408	20	
76	5.25	5.318	20	
77	5.25	5.298	20	
78	5.25	5.718	20	
79	5.25	5.537	20	
80	5.25	5.377	20	
81	5.25	5.529	20	
82	5.25	5.338	20	
83	5.25	5.683	20	
84	5.25	5.52	20	
85	5.25	5.368	20	
86	5.25	5.6	20	
87	5.25	5.599	20	
88	5.25	5.579	20	
89	5.25	5.387	20	
90	5.25	5.404	20	
91	5.25	5.708	20	
92	5.25	5.675	20	
93	5.25	5.709	20	
94	5.25	5.601	20	
95	5.25	5.407	20	
96	5.25	5.372	20	
97	5.25	5.65	20	
98	5.25	5.658	20	
99	5.25	5.689	20	
100	5.25	5.325	20	

802.11ax (HE20) - 5500MHz			
RADAR TYPE 1			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	95	1	558
2	74	1	718
3	81	1	658
4	70	1	758
5	81	1	658
6	74	1	718
7	18	1	3066
8	72	1	738
9	63	1	838
10	86	1	618
11	78	1	678
12	83	1	638
13	74	1	718
14	72	1	738
15	70	1	758
16	78	1	678
17	74	1	718
18	98	1	538
19	83	1	638
20	59	1	898
21	95	1	558
22	83	1	638
23	81	1	658
24	67	1	798
25	67	1	798
26	86	1	618
27	98	1	538
28	61	1	878
29	67	1	798
30	18	1	3066

802.11ax (HE20) - 5500MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	26	1.2	154
2	27	2.3	201
3	25	3.8	150
4	23	2.1	199
5	29	1.7	187
6	25	2.5	218
7	26	3.3	210
8	23	4	185
9	26	4	166
10	27	1.5	191
11	25	2.3	174
12	23	4.1	214
13	25	1	197
14	26	2.6	189
15	29	1	220
16	28	3.9	204
17	23	1.7	207
18	26	1.5	172
19	27	1	230
20	23	4.6	178
21	27	3.9	160
22	27	3.3	211
23	29	3.2	180
24	27	4.9	179
25	25	1.4	167
26	28	2.7	213
27	24	3.2	173
28	27	3.2	214
29	23	1.1	219
30	24	2.5	152

802.11ax (HE20) - 5500MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	18	8.5	238
2	17	8.2	302
3	17	8.7	486
4	17	7.2	433
5	17	8.3	401
6	17	9.7	282
7	17	8.6	473
8	17	8.1	370
9	16	7.4	469
10	18	8.2	363
11	18	7.5	234
12	18	8.1	500
13	17	9.8	410
14	18	6.9	331
15	17	7.9	408
16	17	8.1	425
17	17	9.1	267
18	16	6.4	237
19	17	9	355
20	16	9.8	470
21	18	9.1	315
22	16	8.1	336
23	17	6.9	487
24	17	8.8	447
25	17	8.5	468
26	18	7.7	430
27	18	9.9	261
28	17	8.8	406
29	17	7.8	361
30	17	8.2	500

802.11ax (HE20) - 5500MHz			
RADAR TYPE 4			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	15	14.7	419
2	16	16.3	494
3	16	17.1	346
4	13	13.8	377
5	14	17.2	462
6	14	16.9	323
7	16	18.3	473
8	16	11.8	260
9	14	18	383
10	13	15.1	489
11	13	16.2	216
12	14	18.4	391
13	15	13.2	446
14	13	16.5	463
15	14	16.9	312
16	15	15.8	450
17	13	11.7	244
18	13	13	318
19	14	12	497
20	14	11.5	204
21	15	18.1	363
22	16	12.6	264
23	14	17.2	270
24	15	17.2	439
25	14	15.4	272
26	16	18.7	336
27	14	16.1	365
28	15	16.5	400
29	15	17	348
30	14	16.4	282

802.11ax (HE20) - 5500MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	20	1	5500
2	12	1	5500
3	9	1	5500
4	11	1	5500
5	13	1	5500
6	18	1	5500
7	20	1	5500
8	20	1	5500
9	14	1	5500
10	11	1	5500
11	13	2	5495.2
12	9	2	5493.6
13	6	2	5492.4
14	11	2	5494.4
15	17	2	5496.8
16	15	2	5496
17	5	2	5492
18	19	2	5497.6
19	19	2	5497.6
20	18	2	5497.2
21	17	3	5503.2
22	15	3	5504
23	15	3	5504
24	11	3	5505.6
25	12	3	5505.2
26	15	3	5504
27	11	3	5505.6
28	10	3	5506
29	6	3	5507.6
30	13	3	5504.8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	89	20	1893		537.644
2	1	66.6	20			530.881
3	2	96.3	20	1598		310.672
4	2	89.8	20	1256		613.513
5	1	54.8	20			436.494
6	1	55.5	20			311.935
7	2	93.9	20	1612		1.096
8	1	53.5	20			245.247
9	1	90.5	20			560.278
10	2	57.5	20	1102		356.949
11	2	57.2	20	1642		378.031
12	2	50.1	20	1932		529.252
13	3	80.6	20	1077	1499	129.743
14	2	82.9	20	1531		550.584
15	2	96.5	20	1668		589.825
16	2	59.2	20	1432		504.806
17	2	61.4	20	1668		603.737
18	1	75.5	20			301.858
19	1	55.8	20			13.579

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	74.1	12	1512	1060	237.402
2	2	88.9	12	1968		213.593
3	2	57	12	1695		636.306
4	3	79.4	12	1167	1255	683.119
5	1	89.2	12			718.992
6	1	81.4	12			676.355
7	2	54.1	12	1963		219.998
8	3	95.5	12	1579	1357	892.032
9	2	56.2	12	1560		201.505
10	2	91.5	12	1246		726.138
11	1	79.3	12			313.501
12	2	53.7	12	1674		917.054
13	1	84.4	12			508.677

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	74.1	9			498.774
2	1	83.4	9			353.58
3	1	51.1	9			417.99
4	3	92.5	9	1583	1486	317.3
5	1	94.1	9			143.51
6	1	72.8	9			342.8
7	3	87.7	9	1385	1966	599.02
8	2	91.8	9	1104		727.58
9	1	99.6	9			349.13
10	2	69.1	9	1412		581.97
11	2	87	9	1297		305.52
12	2	72	9	1836		444.76
13	3	62.5	9	1445	1670	98.09
14	3	83.5	9	1626	1126	150.69
15	1	84.3	9			77.3
16	2	73.6	9	1929		452.1

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	93.3	11	1588		96.865
2	2	75.6	11	1826		294.74
3	3	82.5	11	1694	1124	213.757
4	2	61.6	11	1183		615.41
5	3	50.6	11	1383	1141	404.143
6	2	88.9	11	1961		234.397
7	2	94.4	11	1486		417.85
8	2	91.3	11	1395		566.033
9	1	97.4	11			287.587
10	2	99.7	11	1058		616.77
11	1	59.9	11			442.113
12	2	94.8	11	1338		371.427
13	2	80.8	11	1673		541.62
14	1	65.2	11			50.473
15	1	52.6	11			654.807
16	1	76	11			209.2
17	3	84.3	11	1677	1487	12.433
18	2	82.6	11	1357		232.767

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	78.9	18	1238	1044	129.823
2	2	90.7	18	1972		29.883
3	1	96.7	18			267.965
4	2	79.7	18	1155		532.273
5	3	94.8	18	1199	1491	567.441
6	3	64.4	18	1544	1560	189.838
7	2	79.5	18	1240		422.016
8	2	76.8	18	1031		406.824
9	3	85.8	18	1146	1489	314.941
10	1	62.9	18			547.439
11	2	61.5	18	1808		259.636
12	2	62.1	18	1298		221.024
13	2	72.4	18	1160		508.862
14	1	66.2	18			7.379
15	2	79.5	18	1482		417.447
16	2	70.2	18	1869		608.565
17	2	97.8	18	1066		253.382

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	63.1	20	1515		261.369
2	2	51.2	20	1574		463.497
3	3	89.1	20	1732	1414	78.664
4	2	68.5	20	1506		184.711
5	3	68.7	20	1786	1175	837.399
6	3	69	20	1187	1563	362.086
7	3	95.9	20	1547	1094	166.313
8	2	62.3	20	1403		268.91
9	1	96.4	20			766.867
10	1	59.5	20			335.564
11	2	80.1	20	1394		152.161
12	2	78.4	20	1463		787.029
13	1	59	20			464.786
14	3	55.1	20	1778	1845	834.243

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 12

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	74.4	11			767.117
2	1	95	11			12.432
3	2	69.9	11	1216		423.324
4	1	84.4	11			492.411
5	2	67.1	11	1223		114.069
6	1	80.6	11			604.566
7	3	85.4	11	1489	1686	411.183
8	2	81.7	11	1044		600.51
9	2	93.3	11	1531		634.237
10	3	63.6	11	1247	1782	844.764
11	2	95.3	11	1713		91.431
12	2	61.2	11	1426		737.729
13	2	68.6	11	1639		60.986
14	2	61.7	11	1449		709.843

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

[illegible]

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

[illegible]

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	63.4	11	1692	1831	415.102
2	1	95.7	11			511.93
3	3	99.3	11	1468	1875	124.47
4	1	89.1	11			746.35
5	2	67.5	11	1424		30.38
6	2	91.5	11	1238		736.35
7	2	89.9	11	1002		599.11
8	2	82.9	11	1473		459.61
9	3	91.7	11	1009	1503	67.69
10	1	84.3	11			260.34
11	2	59	11	1397		71.54
12	3	54	11	1041	1492	387.23
13	2	96.6	11	1237		694
14	2	64.7	11	1309		372.2
15	3	87.9	11	1675	1353	336.9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	51.6	17	1113	1836	163.551
2	1	93.1	17			746.163
3	2	91.5	17	1996		916.176
4	2	85.7	17	1114		493.049
5	2	52.5	17	1142		625.692
6	2	99.4	17	1840		656.715
7	1	91.6	17			677.008
8	2	53.6	17	1166		702.112
9	1	60.4	17			869.915
10	2	74.6	17	1887		591.328
11	1	66.4	17			421.731
12	2	64.1	17	1195		842.654
13	2	53.9	17	1437		452.177

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	80.9	15	1452		219.445
2	1	94.2	15			225.827
3	2	81.1	15	1742		32.802
4	1	87.8	15			83.423
5	2	93.8	15	1885		321.824
6	3	63.1	15	1743	1285	623.755
7	3	71.9	15	1866	1016	538.326
8	2	74.1	15	1357		609.247
9	1	69.7	15			304.498
10	3	76.3	15	1032	1592	17.829
11	2	57.7	15	1692		577.371
12	2	79.8	15	1417		66.282
13	1	95.8	15			54.423
14	2	71.9	15	1115		175.834
15	3	82.7	15	1463	1441	568.925
16	3	86	15	1504	1489	565.016
17	2	95.3	15	1942		515.137
18	1	70	15			6.258
19	2	70.2	15	1877		485.779

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	78.7	5	1275		557.873
2	3	58.3	5	1845	1505	873.543
3	2	64	5	1755		232.796
4	1	61.9	5			531.419
5	2	58.9	5	1508		362.972
6	2	82.5	5	1742		596.625
7	2	93.2	5	1897		68.308
8	2	91.6	5	1294		617.012
9	3	68.3	5	1925	1014	803.035
10	2	73.6	5	1946		123.488
11	3	64.2	5	1719	1263	793.731
12	1	84.6	5			9.654
13	2	79.2	5	1682		473.977

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	82.9	19	1247		402.559
2	2	81.4	19	1502		450.7
3	1	59.6	19			316.21
4	3	94.2	19	1341	1791	712.09
5	1	54.2	19			504.62
6	1	87.6	19			151.84
7	1	54.8	19			775.5
8	1	77.1	19			731.37
9	1	96.2	19			400.38
10	2	56	19	1335		749.26
11	1	84.2	19			470.9
12	2	65.8	19	1671		127.49
13	2	94.5	19	1511		333.9
14	2	89.6	19	2000		453.6
15	2	56.4	19	1658		685.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	51	18	1874	1766	389.46
2	3	99.4	18	1244	1345	391.828
3	2	83.5	18	1339		448.69
4	2	68.1	18	1554		455.67
5	1	83.9	18			270.5
6	1	65.2	18			245.85
7	1	77.4	18			107.32
8	1	89.7	18			210.19
9	2	68.8	18	1972		256.48
10	1	52.6	18			223.96
11	2	94.5	18	1163		323.41
12	1	73.4	18			109.67
13	2	82.9	18	1401		414.93
14	2	58	18	1780		449.46
15	2	51.4	18	1463		210.68
16	2	91.1	18	1849		209.35
17	2	72.8	18	1836		183.39
18	3	56.2	18	1246	1506	529.9
19	1	84.2	18			98.3
20	2	53.5	18	1976		49.1

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	83.9	17	1026	1202	263.863
2	2	70.3	17	1241		600.071
3	1	61.2	17			482.442
4	2	87.7	17	1987		505.643
5	2	78	17	1009		517.514
6	1	89.6	17			452.975
7	3	95.6	17	1353	1725	98.336
8	1	95.7	17			322.127
9	2	54.2	17	1339		311.468
10	3	66.5	17	1360	1334	620.639
11	2	76	17	1670		19.041
12	2	85.3	17	1717		164.132
13	2	63.8	17	1072		89.543
14	2	77.1	17	1634		238.304
15	1	75.7	17			517.355
16	3	53.8	17	1326	1141	32.416
17	2	97.8	17	1520		493.037
18	2	83.1	17	1136		522.958
19	1	83.2	17			390.679

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	82.9	15	1952	1446	528.814
2	1	91.9	15			509.21
3	2	80.5	15	1021		242.28
4	2	73.3	15	1804		218.72
5	2	69.4	15	1247		710.79
6	2	96.5	15	1201		504.71
7	2	64.4	15	1211		11.12
8	2	75.7	15	1638		362.25
9	2	95.4	15	1069		89.07
10	3	67.5	15	1380	1238	348.36
11	2	66	15	1080		305.9
12	2	65.8	15	1124		105.1

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

[illegible]

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 12

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	68.9	15	1635	1318	183.57
2	2	69.9	15	1789		447.863
3	1	85.4	15			128.587
4	3	83.5	15	1715	1300	242.7
5	2	54.8	15	1191		608.813
6	2	79.9	15	1493		25.627
7	2	78.1	15	1038		107.02
8	1	58.6	15			94.513
9	2	70.5	15	1452		63.417
10	2	83.5	15	1414		177.8
11	1	60.1	15			278.023
12	3	83.8	15	1407	1270	401.437
13	2	80.7	15	1549		13.8
14	2	79.1	15	1470		286.293
15	3	86.2	15	1932	1205	539.397
16	3	86.1	15	1603	1589	43.7
17	2	60.4	15	1648		370.833
18	2	57.2	15	1220		360.767

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	64.3	10	1375		518.814
2	3	62.3	10	1286	1683	445.653
3	1	96	10			80.857
4	3	58.1	10	1479	1108	290.5
5	2	83.4	10	1150		530.423
6	2	96.9	10	1488		437.697
7	2	78.6	10	1719		156.28
8	1	73.3	10			286.963
9	3	53.7	10	1842	1563	113.527
10	2	81.3	10	1379		40.51
11	1	70.9	10			441.863
12	1	97.3	10			441.197
13	2	86.7	10	1798		306.4
14	1	92.7	10			490.033
15	3	63.9	10	1941	1267	453.717
16	1	66.3	10			13.6
17	2	55.2	10	1161		294.833
18	2	60.2	10	1784		98.567

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	95.8	13	1678		37.377
2	3	94.4	13	1275	1886	437.468
3	3	54.1	13	1835	1140	226.835
4	2	65.2	13	1961		616.033
5	1	88.5	13			327.721
6	1	74.5	13			237.448
7	2	53.6	13	1806		203.356
8	2	51	13	1560		602.064
9	2	64.8	13	1461		204.301
10	3	64.3	13	1441	1276	57.699
11	3	84.7	13	1592	1169	598.836
12	3	88.6	13	1536	1622	189.504
13	1	64.3	13			679.502
14	2	88.2	13	1774		662.149
15	2	99.3	13	1524		218.847
16	2	64.2	13	1856		635.365
17	1	91.7	13			632.182

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 1

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.574	20	
2	5.646	5.628	20	
3	5.646	5.382	20	
4	5.646	5.287	20	
5	5.646	5.545	20	
6	5.646	5.375	20	
7	5.646	5.4	20	
8	5.646	5.51	20	
9	5.646	5.438	20	
10	5.646	5.613	20	
11	5.646	5.252	20	
12	5.646	5.493	20	
13	5.646	5.427	20	
14	5.646	5.297	20	
15	5.646	5.699	20	
16	5.646	5.44	20	
17	5.646	5.593	20	
18	5.646	5.476	20	
19	5.646	5.594	20	
20	5.646	5.343	20	
21	5.646	5.68	20	
22	5.646	5.408	20	
23	5.646	5.503	20	
24	5.646	5.583	20	
25	5.646	5.394	20	
26	5.646	5.6	20	
27	5.646	5.634	20	
28	5.646	5.633	20	
29	5.646	5.531	20	
30	5.646	5.325	20	
31	5.646	5.581	20	
32	5.646	5.409	20	
33	5.646	5.482	20	
34	5.646	5.321	20	
35	5.646	5.41	20	
36	5.646	5.665	20	
37	5.646	5.312	20	
38	5.646	5.358	20	
39	5.646	5.693	20	
40	5.646	5.418	20	
41	5.646	5.692	20	
42	5.646	5.342	20	
43	5.646	5.339	20	
44	5.646	5.379	20	
45	5.646	5.707	20	
46	5.646	5.367	20	
47	5.646	5.717	20	

48	5.646	5.706	20	
49	5.646	5.501	20	
50	5.646	5.432	20	
51	5.646	5.691	20	
52	5.646	5.651	20	*
53	5.646	5.254	20	
54	5.646	5.687	20	
55	5.646	5.513	20	
56	5.646	5.273	20	
57	5.646	5.357	20	
58	5.646	5.437	20	
59	5.646	5.293	20	
60	5.646	5.282	20	
61	5.646	5.295	20	
62	5.646	5.345	20	
63	5.646	5.29	20	
64	5.646	5.262	20	
65	5.646	5.272	20	
66	5.646	5.65	20	*
67	5.646	5.324	20	
68	5.646	5.624	20	
69	5.646	5.46	20	
70	5.646	5.402	20	
71	5.646	5.387	20	
72	5.646	5.721	20	
73	5.646	5.481	20	
74	5.646	5.487	20	
75	5.646	5.452	20	
76	5.646	5.635	20	
77	5.646	5.348	20	
78	5.646	5.326	20	
79	5.646	5.286	20	
80	5.646	5.678	20	
81	5.646	5.467	20	
82	5.646	5.584	20	
83	5.646	5.462	20	
84	5.646	5.389	20	
85	5.646	5.414	20	
86	5.646	5.406	20	
87	5.646	5.36	20	
88	5.646	5.444	20	
89	5.646	5.458	20	
90	5.646	5.602	20	
91	5.646	5.597	20	
92	5.646	5.711	20	
93	5.646	5.337	20	
94	5.646	5.516	20	
95	5.646	5.364	20	
96	5.646	5.306	20	
97	5.646	5.494	20	
98	5.646	5.429	20	
99	5.646	5.521	20	
100	5.646	5.331	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 2

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.485	20	
2	5.646	5.267	20	
3	5.646	5.6	20	
4	5.646	5.695	20	
5	5.646	5.686	20	
6	5.646	5.68	20	
7	5.646	5.641	20	*
8	5.646	5.305	20	
9	5.646	5.352	20	
10	5.646	5.256	20	
11	5.646	5.301	20	
12	5.646	5.484	20	
13	5.646	5.396	20	
14	5.646	5.512	20	
15	5.646	5.657	20	
16	5.646	5.471	20	
17	5.646	5.473	20	
18	5.646	5.608	20	
19	5.646	5.634	20	
20	5.646	5.439	20	
21	5.646	5.42	20	
22	5.646	5.381	20	
23	5.646	5.495	20	
24	5.646	5.331	20	
25	5.646	5.649	20	*
26	5.646	5.699	20	
27	5.646	5.542	20	
28	5.646	5.372	20	
29	5.646	5.517	20	
30	5.646	5.255	20	
31	5.646	5.456	20	
32	5.646	5.635	20	
33	5.646	5.394	20	
34	5.646	5.678	20	
35	5.646	5.639	20	*
36	5.646	5.611	20	
37	5.646	5.49	20	
38	5.646	5.698	20	
39	5.646	5.587	20	
40	5.646	5.694	20	
41	5.646	5.408	20	
42	5.646	5.302	20	
43	5.646	5.714	20	
44	5.646	5.282	20	
45	5.646	5.535	20	
46	5.646	5.609	20	
47	5.646	5.431	20	

48	5.646	5.64	20	*
49	5.646	5.566	20	
50	5.646	5.513	20	
51	5.646	5.548	20	
52	5.646	5.453	20	
53	5.646	5.55	20	
54	5.646	5.365	20	
55	5.646	5.392	20	
56	5.646	5.713	20	
57	5.646	5.482	20	
58	5.646	5.406	20	
59	5.646	5.564	20	
60	5.646	5.434	20	
61	5.646	5.661	20	
62	5.646	5.442	20	
63	5.646	5.674	20	
64	5.646	5.59	20	
65	5.646	5.373	20	
66	5.646	5.617	20	
67	5.646	5.343	20	
68	5.646	5.429	20	
69	5.646	5.555	20	
70	5.646	5.309	20	
71	5.646	5.581	20	
72	5.646	5.575	20	
73	5.646	5.629	20	
74	5.646	5.428	20	
75	5.646	5.656	20	*
76	5.646	5.598	20	
77	5.646	5.455	20	
78	5.646	5.5	20	
79	5.646	5.289	20	
80	5.646	5.332	20	
81	5.646	5.715	20	
82	5.646	5.351	20	
83	5.646	5.671	20	
84	5.646	5.272	20	
85	5.646	5.425	20	
86	5.646	5.567	20	
87	5.646	5.34	20	
88	5.646	5.378	20	
89	5.646	5.38	20	
90	5.646	5.43	20	
91	5.646	5.683	20	
92	5.646	5.593	20	
93	5.646	5.407	20	
94	5.646	5.447	20	
95	5.646	5.293	20	
96	5.646	5.335	20	
97	5.646	5.422	20	
98	5.646	5.346	20	
99	5.646	5.278	20	
100	5.646	5.382	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 3

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.69	20	
2	5.646	5.672	20	
3	5.646	5.615	20	
4	5.646	5.324	20	
5	5.646	5.408	20	
6	5.646	5.35	20	
7	5.646	5.266	20	
8	5.646	5.716	20	
9	5.646	5.511	20	
10	5.646	5.521	20	
11	5.646	5.308	20	
12	5.646	5.442	20	
13	5.646	5.493	20	
14	5.646	5.604	20	
15	5.646	5.263	20	
16	5.646	5.502	20	
17	5.646	5.318	20	
18	5.646	5.627	20	
19	5.646	5.452	20	
20	5.646	5.641	20	*
21	5.646	5.457	20	
22	5.646	5.351	20	
23	5.646	5.675	20	
24	5.646	5.544	20	
25	5.646	5.632	20	
26	5.646	5.385	20	
27	5.646	5.649	20	*
28	5.646	5.549	20	
29	5.646	5.337	20	
30	5.646	5.34	20	
31	5.646	5.327	20	
32	5.646	5.653	20	*
33	5.646	5.538	20	
34	5.646	5.365	20	
35	5.646	5.612	20	
36	5.646	5.383	20	
37	5.646	5.274	20	
38	5.646	5.559	20	
39	5.646	5.487	20	
40	5.646	5.398	20	
41	5.646	5.407	20	
42	5.646	5.526	20	
43	5.646	5.252	20	
44	5.646	5.503	20	
45	5.646	5.364	20	
46	5.646	5.362	20	
47	5.646	5.717	20	

48	5.646	5.661	20	
49	5.646	5.454	20	
50	5.646	5.284	20	
51	5.646	5.492	20	
52	5.646	5.582	20	
53	5.646	5.474	20	
54	5.646	5.311	20	
55	5.646	5.296	20	
56	5.646	5.418	20	
57	5.646	5.665	20	
58	5.646	5.451	20	
59	5.646	5.63	20	
60	5.646	5.393	20	
61	5.646	5.489	20	
62	5.646	5.321	20	
63	5.646	5.295	20	
64	5.646	5.358	20	
65	5.646	5.648	20	*
66	5.646	5.288	20	
67	5.646	5.462	20	
68	5.646	5.352	20	
69	5.646	5.481	20	
70	5.646	5.681	20	
71	5.646	5.453	20	
72	5.646	5.714	20	
73	5.646	5.286	20	
74	5.646	5.44	20	
75	5.646	5.624	20	
76	5.646	5.466	20	
77	5.646	5.605	20	
78	5.646	5.692	20	
79	5.646	5.404	20	
80	5.646	5.592	20	
81	5.646	5.265	20	
82	5.646	5.593	20	
83	5.646	5.469	20	
84	5.646	5.703	20	
85	5.646	5.555	20	
86	5.646	5.657	20	
87	5.646	5.464	20	
88	5.646	5.376	20	
89	5.646	5.417	20	
90	5.646	5.671	20	
91	5.646	5.326	20	
92	5.646	5.31	20	
93	5.646	5.461	20	
94	5.646	5.386	20	
95	5.646	5.361	20	
96	5.646	5.599	20	
97	5.646	5.53	20	
98	5.646	5.328	20	
99	5.646	5.491	20	
100	5.646	5.377	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 4

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.299	20	
2	5.646	5.471	20	
3	5.646	5.36	20	
4	5.646	5.659	20	
5	5.646	5.288	20	
6	5.646	5.385	20	
7	5.646	5.713	20	
8	5.646	5.549	20	
9	5.646	5.488	20	
10	5.646	5.535	20	
11	5.646	5.625	20	
12	5.646	5.296	20	
13	5.646	5.494	20	
14	5.646	5.413	20	
15	5.646	5.348	20	
16	5.646	5.401	20	
17	5.646	5.279	20	
18	5.646	5.644	20	*
19	5.646	5.512	20	
20	5.646	5.493	20	
21	5.646	5.451	20	
22	5.646	5.325	20	
23	5.646	5.496	20	
24	5.646	5.497	20	
25	5.646	5.457	20	
26	5.646	5.705	20	
27	5.646	5.513	20	
28	5.646	5.28	20	
29	5.646	5.454	20	
30	5.646	5.284	20	
31	5.646	5.555	20	
32	5.646	5.396	20	
33	5.646	5.298	20	
34	5.646	5.49	20	
35	5.646	5.319	20	
36	5.646	5.609	20	
37	5.646	5.443	20	
38	5.646	5.312	20	
39	5.646	5.414	20	
40	5.646	5.532	20	
41	5.646	5.538	20	
42	5.646	5.386	20	
43	5.646	5.619	20	
44	5.646	5.567	20	
45	5.646	5.306	20	
46	5.646	5.366	20	
47	5.646	5.527	20	

48	5.646	5.51	20	
49	5.646	5.517	20	
50	5.646	5.548	20	
51	5.646	5.424	20	
52	5.646	5.295	20	
53	5.646	5.351	20	
54	5.646	5.269	20	
55	5.646	5.404	20	
56	5.646	5.688	20	
57	5.646	5.56	20	
58	5.646	5.61	20	
59	5.646	5.292	20	
60	5.646	5.268	20	
61	5.646	5.607	20	
62	5.646	5.627	20	
63	5.646	5.579	20	
64	5.646	5.403	20	
65	5.646	5.267	20	
66	5.646	5.669	20	
67	5.646	5.642	20	*
68	5.646	5.251	20	
69	5.646	5.58	20	
70	5.646	5.559	20	
71	5.646	5.604	20	
72	5.646	5.618	20	
73	5.646	5.317	20	
74	5.646	5.395	20	
75	5.646	5.345	20	
76	5.646	5.362	20	
77	5.646	5.69	20	
78	5.646	5.474	20	
79	5.646	5.492	20	
80	5.646	5.673	20	
81	5.646	5.655	20	*
82	5.646	5.589	20	
83	5.646	5.566	20	
84	5.646	5.302	20	
85	5.646	5.708	20	
86	5.646	5.263	20	
87	5.646	5.626	20	
88	5.646	5.551	20	
89	5.646	5.303	20	
90	5.646	5.359	20	
91	5.646	5.715	20	
92	5.646	5.645	20	*
93	5.646	5.289	20	
94	5.646	5.509	20	
95	5.646	5.546	20	
96	5.646	5.5	20	
97	5.646	5.355	20	
98	5.646	5.458	20	
99	5.646	5.66	20	
100	5.646	5.699	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 5

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.379	20	
2	5.646	5.484	20	
3	5.646	5.561	20	
4	5.646	5.423	20	
5	5.646	5.449	20	
6	5.646	5.603	20	
7	5.646	5.621	20	
8	5.646	5.663	20	
9	5.646	5.482	20	
10	5.646	5.652	20	*
11	5.646	5.321	20	
12	5.646	5.261	20	
13	5.646	5.453	20	
14	5.646	5.425	20	
15	5.646	5.33	20	
16	5.646	5.67	20	
17	5.646	5.289	20	
18	5.646	5.564	20	
19	5.646	5.291	20	
20	5.646	5.668	20	
21	5.646	5.525	20	
22	5.646	5.66	20	
23	5.646	5.38	20	
24	5.646	5.308	20	
25	5.646	5.324	20	
26	5.646	5.369	20	
27	5.646	5.256	20	
28	5.646	5.645	20	*
29	5.646	5.65	20	*
30	5.646	5.366	20	
31	5.646	5.441	20	
32	5.646	5.361	20	
33	5.646	5.599	20	
34	5.646	5.627	20	
35	5.646	5.692	20	
36	5.646	5.339	20	
37	5.646	5.49	20	
38	5.646	5.385	20	
39	5.646	5.389	20	
40	5.646	5.341	20	
41	5.646	5.573	20	
42	5.646	5.45	20	
43	5.646	5.577	20	
44	5.646	5.421	20	
45	5.646	5.686	20	
46	5.646	5.628	20	
47	5.646	5.672	20	

48	5.646	5.363	20	
49	5.646	5.313	20	
50	5.646	5.583	20	
51	5.646	5.644	20	*
52	5.646	5.566	20	
53	5.646	5.407	20	
54	5.646	5.5	20	
55	5.646	5.446	20	
56	5.646	5.266	20	
57	5.646	5.71	20	
58	5.646	5.616	20	
59	5.646	5.678	20	
60	5.646	5.512	20	
61	5.646	5.594	20	
62	5.646	5.456	20	
63	5.646	5.403	20	
64	5.646	5.406	20	
65	5.646	5.467	20	
66	5.646	5.464	20	
67	5.646	5.518	20	
68	5.646	5.488	20	
69	5.646	5.43	20	
70	5.646	5.61	20	
71	5.646	5.281	20	
72	5.646	5.661	20	
73	5.646	5.587	20	
74	5.646	5.25	20	
75	5.646	5.427	20	
76	5.646	5.633	20	
77	5.646	5.534	20	
78	5.646	5.414	20	
79	5.646	5.541	20	
80	5.646	5.695	20	
81	5.646	5.516	20	
82	5.646	5.614	20	
83	5.646	5.487	20	
84	5.646	5.47	20	
85	5.646	5.4	20	
86	5.646	5.619	20	
87	5.646	5.262	20	
88	5.646	5.251	20	
89	5.646	5.519	20	
90	5.646	5.478	20	
91	5.646	5.492	20	
92	5.646	5.301	20	
93	5.646	5.458	20	
94	5.646	5.386	20	
95	5.646	5.489	20	
96	5.646	5.64	20	*
97	5.646	5.41	20	
98	5.646	5.496	20	
99	5.646	5.31	20	
100	5.646	5.517	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 6

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.595	20	
2	5.646	5.284	20	
3	5.646	5.373	20	
4	5.646	5.44	20	
5	5.646	5.34	20	
6	5.646	5.27	20	
7	5.646	5.514	20	
8	5.646	5.619	20	
9	5.646	5.351	20	
10	5.646	5.578	20	
11	5.646	5.386	20	
12	5.646	5.309	20	
13	5.646	5.535	20	
14	5.646	5.468	20	
15	5.646	5.429	20	
16	5.646	5.706	20	
17	5.646	5.664	20	
18	5.646	5.652	20	*
19	5.646	5.424	20	
20	5.646	5.54	20	
21	5.646	5.522	20	
22	5.646	5.267	20	
23	5.646	5.335	20	
24	5.646	5.471	20	
25	5.646	5.65	20	*
26	5.646	5.488	20	
27	5.646	5.534	20	
28	5.646	5.291	20	
29	5.646	5.288	20	
30	5.646	5.622	20	
31	5.646	5.697	20	
32	5.646	5.617	20	
33	5.646	5.366	20	
34	5.646	5.376	20	
35	5.646	5.379	20	
36	5.646	5.375	20	
37	5.646	5.677	20	
38	5.646	5.624	20	
39	5.646	5.559	20	
40	5.646	5.657	20	
41	5.646	5.26	20	
42	5.646	5.724	20	
43	5.646	5.362	20	
44	5.646	5.673	20	
45	5.646	5.347	20	
46	5.646	5.566	20	
47	5.646	5.579	20	

48	5.646	5.541	20	
49	5.646	5.427	20	
50	5.646	5.331	20	
51	5.646	5.474	20	
52	5.646	5.396	20	
53	5.646	5.634	20	
54	5.646	5.491	20	
55	5.646	5.411	20	
56	5.646	5.354	20	
57	5.646	5.606	20	
58	5.646	5.478	20	
59	5.646	5.494	20	
60	5.646	5.47	20	
61	5.646	5.636	20	*
62	5.646	5.512	20	
63	5.646	5.568	20	
64	5.646	5.25	20	
65	5.646	5.421	20	
66	5.646	5.365	20	
67	5.646	5.583	20	
68	5.646	5.671	20	
69	5.646	5.332	20	
70	5.646	5.313	20	
71	5.646	5.702	20	
72	5.646	5.456	20	
73	5.646	5.367	20	
74	5.646	5.623	20	
75	5.646	5.593	20	
76	5.646	5.504	20	
77	5.646	5.263	20	
78	5.646	5.625	20	
79	5.646	5.519	20	
80	5.646	5.272	20	
81	5.646	5.627	20	
82	5.646	5.28	20	
83	5.646	5.287	20	
84	5.646	5.56	20	
85	5.646	5.505	20	
86	5.646	5.557	20	
87	5.646	5.704	20	
88	5.646	5.435	20	
89	5.646	5.558	20	
90	5.646	5.277	20	
91	5.646	5.616	20	
92	5.646	5.684	20	
93	5.646	5.493	20	
94	5.646	5.71	20	
95	5.646	5.286	20	
96	5.646	5.477	20	
97	5.646	5.543	20	
98	5.646	5.432	20	
99	5.646	5.686	20	
100	5.646	5.592	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 7

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.487	20	
2	5.646	5.409	20	
3	5.646	5.59	20	
4	5.646	5.402	20	
5	5.646	5.561	20	
6	5.646	5.534	20	
7	5.646	5.659	20	
8	5.646	5.584	20	
9	5.646	5.495	20	
10	5.646	5.665	20	
11	5.646	5.282	20	
12	5.646	5.435	20	
13	5.646	5.288	20	
14	5.646	5.443	20	
15	5.646	5.589	20	
16	5.646	5.276	20	
17	5.646	5.454	20	
18	5.646	5.639	20	*
19	5.646	5.669	20	
20	5.646	5.644	20	*
21	5.646	5.55	20	
22	5.646	5.706	20	
23	5.646	5.382	20	
24	5.646	5.358	20	
25	5.646	5.328	20	
26	5.646	5.553	20	
27	5.646	5.362	20	
28	5.646	5.307	20	
29	5.646	5.48	20	
30	5.646	5.558	20	
31	5.646	5.617	20	
32	5.646	5.511	20	
33	5.646	5.591	20	
34	5.646	5.325	20	
35	5.646	5.354	20	
36	5.646	5.587	20	
37	5.646	5.67	20	
38	5.646	5.426	20	
39	5.646	5.627	20	
40	5.646	5.463	20	
41	5.646	5.293	20	
42	5.646	5.548	20	
43	5.646	5.411	20	
44	5.646	5.565	20	
45	5.646	5.671	20	
46	5.646	5.472	20	
47	5.646	5.501	20	

48	5.646	5.711	20	
49	5.646	5.294	20	
50	5.646	5.5	20	
51	5.646	5.441	20	
52	5.646	5.479	20	
53	5.646	5.253	20	
54	5.646	5.693	20	
55	5.646	5.632	20	
56	5.646	5.526	20	
57	5.646	5.606	20	
58	5.646	5.518	20	
59	5.646	5.515	20	
60	5.646	5.541	20	
61	5.646	5.527	20	
62	5.646	5.266	20	
63	5.646	5.355	20	
64	5.646	5.316	20	
65	5.646	5.696	20	
66	5.646	5.418	20	
67	5.646	5.339	20	
68	5.646	5.603	20	
69	5.646	5.329	20	
70	5.646	5.327	20	
71	5.646	5.428	20	
72	5.646	5.516	20	
73	5.646	5.462	20	
74	5.646	5.608	20	
75	5.646	5.442	20	
76	5.646	5.63	20	
77	5.646	5.699	20	
78	5.646	5.352	20	
79	5.646	5.302	20	
80	5.646	5.356	20	
81	5.646	5.477	20	
82	5.646	5.349	20	
83	5.646	5.433	20	
84	5.646	5.452	20	
85	5.646	5.453	20	
86	5.646	5.701	20	
87	5.646	5.263	20	
88	5.646	5.414	20	
89	5.646	5.53	20	
90	5.646	5.278	20	
91	5.646	5.683	20	
92	5.646	5.389	20	
93	5.646	5.61	20	
94	5.646	5.397	20	
95	5.646	5.457	20	
96	5.646	5.364	20	
97	5.646	5.648	20	*
98	5.646	5.429	20	
99	5.646	5.372	20	
100	5.646	5.388	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 8

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.582	20	
2	5.646	5.331	20	
3	5.646	5.681	20	
4	5.646	5.285	20	
5	5.646	5.504	20	
6	5.646	5.498	20	
7	5.646	5.648	20	*
8	5.646	5.58	20	
9	5.646	5.523	20	
10	5.646	5.631	20	
11	5.646	5.334	20	
12	5.646	5.475	20	
13	5.646	5.57	20	
14	5.646	5.704	20	
15	5.646	5.364	20	
16	5.646	5.386	20	
17	5.646	5.452	20	
18	5.646	5.574	20	
19	5.646	5.29	20	
20	5.646	5.723	20	
21	5.646	5.691	20	
22	5.646	5.529	20	
23	5.646	5.308	20	
24	5.646	5.355	20	
25	5.646	5.361	20	
26	5.646	5.508	20	
27	5.646	5.256	20	
28	5.646	5.47	20	
29	5.646	5.45	20	
30	5.646	5.462	20	
31	5.646	5.254	20	
32	5.646	5.326	20	
33	5.646	5.519	20	
34	5.646	5.261	20	
35	5.646	5.293	20	
36	5.646	5.578	20	
37	5.646	5.344	20	
38	5.646	5.273	20	
39	5.646	5.301	20	
40	5.646	5.627	20	
41	5.646	5.503	20	
42	5.646	5.317	20	
43	5.646	5.443	20	
44	5.646	5.482	20	
45	5.646	5.366	20	
46	5.646	5.721	20	
47	5.646	5.351	20	

48	5.646	5.289	20	
49	5.646	5.64	20	*
50	5.646	5.628	20	
51	5.646	5.505	20	
52	5.646	5.349	20	
53	5.646	5.36	20	
54	5.646	5.446	20	
55	5.646	5.623	20	
56	5.646	5.665	20	
57	5.646	5.318	20	
58	5.646	5.39	20	
59	5.646	5.705	20	
60	5.646	5.384	20	
61	5.646	5.426	20	
62	5.646	5.274	20	
63	5.646	5.476	20	
64	5.646	5.708	20	
65	5.646	5.291	20	
66	5.646	5.445	20	
67	5.646	5.278	20	
68	5.646	5.287	20	
69	5.646	5.369	20	
70	5.646	5.63	20	
71	5.646	5.527	20	
72	5.646	5.389	20	
73	5.646	5.591	20	
74	5.646	5.304	20	
75	5.646	5.604	20	
76	5.646	5.453	20	
77	5.646	5.636	20	*
78	5.646	5.41	20	
79	5.646	5.264	20	
80	5.646	5.433	20	
81	5.646	5.456	20	
82	5.646	5.501	20	
83	5.646	5.55	20	
84	5.646	5.603	20	
85	5.646	5.477	20	
86	5.646	5.558	20	
87	5.646	5.589	20	
88	5.646	5.324	20	
89	5.646	5.371	20	
90	5.646	5.263	20	
91	5.646	5.657	20	
92	5.646	5.649	20	*
93	5.646	5.632	20	
94	5.646	5.471	20	
95	5.646	5.583	20	
96	5.646	5.25	20	
97	5.646	5.624	20	
98	5.646	5.515	20	
99	5.646	5.46	20	
100	5.646	5.512	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 9

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.457	20	
2	5.646	5.34	20	
3	5.646	5.6	20	
4	5.646	5.355	20	
5	5.646	5.511	20	
6	5.646	5.56	20	
7	5.646	5.587	20	
8	5.646	5.533	20	
9	5.646	5.373	20	
10	5.646	5.722	20	
11	5.646	5.393	20	
12	5.646	5.697	20	
13	5.646	5.508	20	
14	5.646	5.437	20	
15	5.646	5.586	20	
16	5.646	5.458	20	
17	5.646	5.711	20	
18	5.646	5.717	20	
19	5.646	5.466	20	
20	5.646	5.279	20	
21	5.646	5.541	20	
22	5.646	5.364	20	
23	5.646	5.462	20	
24	5.646	5.62	20	
25	5.646	5.427	20	
26	5.646	5.28	20	
27	5.646	5.3	20	
28	5.646	5.646	20	*
29	5.646	5.425	20	
30	5.646	5.641	20	*
31	5.646	5.659	20	
32	5.646	5.469	20	
33	5.646	5.379	20	
34	5.646	5.284	20	
35	5.646	5.515	20	
36	5.646	5.719	20	
37	5.646	5.567	20	
38	5.646	5.712	20	
39	5.646	5.4	20	
40	5.646	5.527	20	
41	5.646	5.571	20	
42	5.646	5.631	20	
43	5.646	5.481	20	
44	5.646	5.411	20	
45	5.646	5.255	20	
46	5.646	5.58	20	
47	5.646	5.387	20	

48	5.646	5.329	20	
49	5.646	5.625	20	
50	5.646	5.715	20	
51	5.646	5.275	20	
52	5.646	5.559	20	
53	5.646	5.48	20	
54	5.646	5.544	20	
55	5.646	5.42	20	
56	5.646	5.298	20	
57	5.646	5.467	20	
58	5.646	5.293	20	
59	5.646	5.474	20	
60	5.646	5.282	20	
61	5.646	5.65	20	*
62	5.646	5.5	20	
63	5.646	5.46	20	
64	5.646	5.484	20	
65	5.646	5.689	20	
66	5.646	5.701	20	
67	5.646	5.551	20	
68	5.646	5.585	20	
69	5.646	5.676	20	
70	5.646	5.335	20	
71	5.646	5.502	20	
72	5.646	5.254	20	
73	5.646	5.452	20	
74	5.646	5.673	20	
75	5.646	5.285	20	
76	5.646	5.359	20	
77	5.646	5.445	20	
78	5.646	5.563	20	
79	5.646	5.483	20	
80	5.646	5.308	20	
81	5.646	5.503	20	
82	5.646	5.596	20	
83	5.646	5.57	20	
84	5.646	5.648	20	*
85	5.646	5.35	20	
86	5.646	5.521	20	
87	5.646	5.593	20	
88	5.646	5.29	20	
89	5.646	5.674	20	
90	5.646	5.348	20	
91	5.646	5.367	20	
92	5.646	5.37	20	
93	5.646	5.687	20	
94	5.646	5.507	20	
95	5.646	5.392	20	
96	5.646	5.386	20	
97	5.646	5.318	20	
98	5.646	5.406	20	
99	5.646	5.428	20	
100	5.646	5.351	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 10

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.391	20	
2	5.646	5.715	20	
3	5.646	5.466	20	
4	5.646	5.609	20	
5	5.646	5.34	20	
6	5.646	5.424	20	
7	5.646	5.697	20	
8	5.646	5.303	20	
9	5.646	5.693	20	
10	5.646	5.53	20	
11	5.646	5.71	20	
12	5.646	5.298	20	
13	5.646	5.279	20	
14	5.646	5.395	20	
15	5.646	5.362	20	
16	5.646	5.534	20	
17	5.646	5.467	20	
18	5.646	5.281	20	
19	5.646	5.691	20	
20	5.646	5.533	20	
21	5.646	5.603	20	
22	5.646	5.263	20	
23	5.646	5.469	20	
24	5.646	5.501	20	
25	5.646	5.495	20	
26	5.646	5.549	20	
27	5.646	5.605	20	
28	5.646	5.433	20	
29	5.646	5.525	20	
30	5.646	5.417	20	
31	5.646	5.286	20	
32	5.646	5.376	20	
33	5.646	5.598	20	
34	5.646	5.559	20	
35	5.646	5.62	20	
36	5.646	5.492	20	
37	5.646	5.388	20	
38	5.646	5.558	20	
39	5.646	5.59	20	
40	5.646	5.315	20	
41	5.646	5.407	20	
42	5.646	5.341	20	
43	5.646	5.481	20	
44	5.646	5.511	20	
45	5.646	5.252	20	
46	5.646	5.292	20	
47	5.646	5.455	20	

48	5.646	5.291	20	
49	5.646	5.438	20	
50	5.646	5.453	20	
51	5.646	5.544	20	
52	5.646	5.293	20	
53	5.646	5.472	20	
54	5.646	5.484	20	
55	5.646	5.654	20	*
56	5.646	5.675	20	
57	5.646	5.647	20	*
58	5.646	5.523	20	
59	5.646	5.494	20	
60	5.646	5.563	20	
61	5.646	5.69	20	
62	5.646	5.556	20	
63	5.646	5.509	20	
64	5.646	5.508	20	
65	5.646	5.322	20	
66	5.646	5.406	20	
67	5.646	5.67	20	
68	5.646	5.64	20	*
69	5.646	5.626	20	
70	5.646	5.687	20	
71	5.646	5.565	20	
72	5.646	5.428	20	
73	5.646	5.325	20	
74	5.646	5.635	20	
75	5.646	5.351	20	
76	5.646	5.392	20	
77	5.646	5.474	20	
78	5.646	5.361	20	
79	5.646	5.629	20	
80	5.646	5.487	20	
81	5.646	5.331	20	
82	5.646	5.557	20	
83	5.646	5.624	20	
84	5.646	5.45	20	
85	5.646	5.412	20	
86	5.646	5.686	20	
87	5.646	5.283	20	
88	5.646	5.692	20	
89	5.646	5.634	20	
90	5.646	5.345	20	
91	5.646	5.269	20	
92	5.646	5.354	20	
93	5.646	5.389	20	
94	5.646	5.448	20	
95	5.646	5.528	20	
96	5.646	5.289	20	
97	5.646	5.261	20	
98	5.646	5.3	20	
99	5.646	5.707	20	
100	5.646	5.537	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 11

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.416	20	
2	5.646	5.721	20	
3	5.646	5.455	20	
4	5.646	5.367	20	
5	5.646	5.364	20	
6	5.646	5.568	20	
7	5.646	5.505	20	
8	5.646	5.697	20	
9	5.646	5.456	20	
10	5.646	5.651	20	*
11	5.646	5.273	20	
12	5.646	5.382	20	
13	5.646	5.441	20	
14	5.646	5.423	20	
15	5.646	5.311	20	
16	5.646	5.362	20	
17	5.646	5.618	20	
18	5.646	5.576	20	
19	5.646	5.492	20	
20	5.646	5.353	20	
21	5.646	5.537	20	
22	5.646	5.539	20	
23	5.646	5.461	20	
24	5.646	5.557	20	
25	5.646	5.522	20	
26	5.646	5.503	20	
27	5.646	5.496	20	
28	5.646	5.308	20	
29	5.646	5.687	20	
30	5.646	5.415	20	
31	5.646	5.491	20	
32	5.646	5.254	20	
33	5.646	5.285	20	
34	5.646	5.63	20	
35	5.646	5.531	20	
36	5.646	5.59	20	
37	5.646	5.584	20	
38	5.646	5.662	20	
39	5.646	5.688	20	
40	5.646	5.654	20	*
41	5.646	5.324	20	
42	5.646	5.295	20	
43	5.646	5.682	20	
44	5.646	5.684	20	
45	5.646	5.614	20	
46	5.646	5.511	20	
47	5.646	5.318	20	

48	5.646	5.319	20	
49	5.646	5.37	20	
50	5.646	5.301	20	
51	5.646	5.592	20	
52	5.646	5.272	20	
53	5.646	5.417	20	
54	5.646	5.309	20	
55	5.646	5.282	20	
56	5.646	5.454	20	
57	5.646	5.399	20	
58	5.646	5.321	20	
59	5.646	5.486	20	
60	5.646	5.644	20	*
61	5.646	5.624	20	
62	5.646	5.332	20	
63	5.646	5.711	20	
64	5.646	5.266	20	
65	5.646	5.377	20	
66	5.646	5.448	20	
67	5.646	5.608	20	
68	5.646	5.665	20	
69	5.646	5.383	20	
70	5.646	5.36	20	
71	5.646	5.276	20	
72	5.646	5.611	20	
73	5.646	5.265	20	
74	5.646	5.425	20	
75	5.646	5.396	20	
76	5.646	5.51	20	
77	5.646	5.596	20	
78	5.646	5.251	20	
79	5.646	5.349	20	
80	5.646	5.678	20	
81	5.646	5.435	20	
82	5.646	5.625	20	
83	5.646	5.41	20	
84	5.646	5.695	20	
85	5.646	5.444	20	
86	5.646	5.546	20	
87	5.646	5.405	20	
88	5.646	5.341	20	
89	5.646	5.289	20	
90	5.646	5.315	20	
91	5.646	5.554	20	
92	5.646	5.541	20	
93	5.646	5.566	20	
94	5.646	5.68	20	
95	5.646	5.269	20	
96	5.646	5.447	20	
97	5.646	5.536	20	
98	5.646	5.279	20	
99	5.646	5.723	20	
100	5.646	5.518	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 12

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.258	20	
2	5.646	5.635	20	
3	5.646	5.501	20	
4	5.646	5.331	20	
5	5.646	5.543	20	
6	5.646	5.317	20	
7	5.646	5.264	20	
8	5.646	5.723	20	
9	5.646	5.713	20	
10	5.646	5.692	20	
11	5.646	5.507	20	
12	5.646	5.279	20	
13	5.646	5.649	20	*
14	5.646	5.642	20	*
15	5.646	5.378	20	
16	5.646	5.724	20	
17	5.646	5.616	20	
18	5.646	5.261	20	
19	5.646	5.576	20	
20	5.646	5.482	20	
21	5.646	5.511	20	
22	5.646	5.41	20	
23	5.646	5.644	20	*
24	5.646	5.322	20	
25	5.646	5.473	20	
26	5.646	5.395	20	
27	5.646	5.536	20	
28	5.646	5.313	20	
29	5.646	5.594	20	
30	5.646	5.58	20	
31	5.646	5.498	20	
32	5.646	5.262	20	
33	5.646	5.379	20	
34	5.646	5.629	20	
35	5.646	5.59	20	
36	5.646	5.354	20	
37	5.646	5.596	20	
38	5.646	5.257	20	
39	5.646	5.347	20	
40	5.646	5.615	20	
41	5.646	5.418	20	
42	5.646	5.552	20	
43	5.646	5.368	20	
44	5.646	5.656	20	*
45	5.646	5.337	20	
46	5.646	5.538	20	
47	5.646	5.376	20	

48	5.646	5.49	20	
49	5.646	5.565	20	
50	5.646	5.349	20	
51	5.646	5.695	20	
52	5.646	5.612	20	
53	5.646	5.706	20	
54	5.646	5.352	20	
55	5.646	5.653	20	*
56	5.646	5.581	20	
57	5.646	5.312	20	
58	5.646	5.374	20	
59	5.646	5.416	20	
60	5.646	5.605	20	
61	5.646	5.542	20	
62	5.646	5.526	20	
63	5.646	5.595	20	
64	5.646	5.454	20	
65	5.646	5.252	20	
66	5.646	5.348	20	
67	5.646	5.588	20	
68	5.646	5.495	20	
69	5.646	5.509	20	
70	5.646	5.42	20	
71	5.646	5.48	20	
72	5.646	5.437	20	
73	5.646	5.702	20	
74	5.646	5.291	20	
75	5.646	5.256	20	
76	5.646	5.677	20	
77	5.646	5.427	20	
78	5.646	5.316	20	
79	5.646	5.577	20	
80	5.646	5.474	20	
81	5.646	5.413	20	
82	5.646	5.566	20	
83	5.646	5.278	20	
84	5.646	5.579	20	
85	5.646	5.407	20	
86	5.646	5.56	20	
87	5.646	5.271	20	
88	5.646	5.444	20	
89	5.646	5.453	20	
90	5.646	5.479	20	
91	5.646	5.304	20	
92	5.646	5.598	20	
93	5.646	5.519	20	
94	5.646	5.367	20	
95	5.646	5.513	20	
96	5.646	5.591	20	
97	5.646	5.448	20	
98	5.646	5.651	20	*
99	5.646	5.652	20	*
100	5.646	5.631	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 13

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.304	20	
2	5.646	5.592	20	
3	5.646	5.434	20	
4	5.646	5.433	20	
5	5.646	5.331	20	
6	5.646	5.522	20	
7	5.646	5.544	20	
8	5.646	5.514	20	
9	5.646	5.263	20	
10	5.646	5.616	20	
11	5.646	5.328	20	
12	5.646	5.586	20	
13	5.646	5.721	20	
14	5.646	5.655	20	*
15	5.646	5.416	20	
16	5.646	5.457	20	
17	5.646	5.578	20	
18	5.646	5.683	20	
19	5.646	5.642	20	*
20	5.646	5.585	20	
21	5.646	5.61	20	
22	5.646	5.506	20	
23	5.646	5.709	20	
24	5.646	5.256	20	
25	5.646	5.323	20	
26	5.646	5.382	20	
27	5.646	5.399	20	
28	5.646	5.388	20	
29	5.646	5.396	20	
30	5.646	5.368	20	
31	5.646	5.362	20	
32	5.646	5.58	20	
33	5.646	5.602	20	
34	5.646	5.68	20	
35	5.646	5.536	20	
36	5.646	5.529	20	
37	5.646	5.564	20	
38	5.646	5.714	20	
39	5.646	5.41	20	
40	5.646	5.37	20	
41	5.646	5.711	20	
42	5.646	5.27	20	
43	5.646	5.32	20	
44	5.646	5.293	20	
45	5.646	5.46	20	
46	5.646	5.469	20	
47	5.646	5.526	20	

48	5.646	5.258	20	
49	5.646	5.445	20	
50	5.646	5.587	20	
51	5.646	5.516	20	
52	5.646	5.604	20	
53	5.646	5.386	20	
54	5.646	5.59	20	
55	5.646	5.701	20	
56	5.646	5.384	20	
57	5.646	5.427	20	
58	5.646	5.344	20	
59	5.646	5.552	20	
60	5.646	5.269	20	
61	5.646	5.426	20	
62	5.646	5.346	20	
63	5.646	5.543	20	
64	5.646	5.573	20	
65	5.646	5.535	20	
66	5.646	5.364	20	
67	5.646	5.417	20	
68	5.646	5.579	20	
69	5.646	5.311	20	
70	5.646	5.428	20	
71	5.646	5.653	20	*
72	5.646	5.321	20	
73	5.646	5.519	20	
74	5.646	5.503	20	
75	5.646	5.379	20	
76	5.646	5.353	20	
77	5.646	5.39	20	
78	5.646	5.521	20	
79	5.646	5.694	20	
80	5.646	5.454	20	
81	5.646	5.678	20	
82	5.646	5.596	20	
83	5.646	5.315	20	
84	5.646	5.652	20	*
85	5.646	5.517	20	
86	5.646	5.489	20	
87	5.646	5.333	20	
88	5.646	5.36	20	
89	5.646	5.636	20	*
90	5.646	5.261	20	
91	5.646	5.654	20	*
92	5.646	5.619	20	
93	5.646	5.342	20	
94	5.646	5.663	20	
95	5.646	5.485	20	
96	5.646	5.518	20	
97	5.646	5.279	20	
98	5.646	5.468	20	
99	5.646	5.369	20	
100	5.646	5.374	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 14

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.704	20	
2	5.646	5.321	20	
3	5.646	5.705	20	
4	5.646	5.535	20	
5	5.646	5.441	20	
6	5.646	5.635	20	
7	5.646	5.664	20	
8	5.646	5.258	20	
9	5.646	5.438	20	
10	5.646	5.353	20	
11	5.646	5.563	20	
12	5.646	5.709	20	
13	5.646	5.273	20	
14	5.646	5.369	20	
15	5.646	5.674	20	
16	5.646	5.609	20	
17	5.646	5.58	20	
18	5.646	5.38	20	
19	5.646	5.554	20	
20	5.646	5.545	20	
21	5.646	5.521	20	
22	5.646	5.684	20	
23	5.646	5.699	20	
24	5.646	5.625	20	
25	5.646	5.556	20	
26	5.646	5.64	20	*
27	5.646	5.574	20	
28	5.646	5.422	20	
29	5.646	5.435	20	
30	5.646	5.48	20	
31	5.646	5.655	20	*
32	5.646	5.703	20	
33	5.646	5.658	20	
34	5.646	5.663	20	
35	5.646	5.358	20	
36	5.646	5.368	20	
37	5.646	5.675	20	
38	5.646	5.595	20	
39	5.646	5.293	20	
40	5.646	5.274	20	
41	5.646	5.47	20	
42	5.646	5.272	20	
43	5.646	5.472	20	
44	5.646	5.686	20	
45	5.646	5.373	20	
46	5.646	5.378	20	
47	5.646	5.287	20	

48	5.646	5.501	20	
49	5.646	5.517	20	
50	5.646	5.512	20	
51	5.646	5.499	20	
52	5.646	5.721	20	
53	5.646	5.716	20	
54	5.646	5.489	20	
55	5.646	5.46	20	
56	5.646	5.551	20	
57	5.646	5.289	20	
58	5.646	5.379	20	
59	5.646	5.337	20	
60	5.646	5.464	20	
61	5.646	5.539	20	
62	5.646	5.573	20	
63	5.646	5.643	20	*
64	5.646	5.413	20	
65	5.646	5.326	20	
66	5.646	5.488	20	
67	5.646	5.641	20	*
68	5.646	5.549	20	
69	5.646	5.397	20	
70	5.646	5.291	20	
71	5.646	5.537	20	
72	5.646	5.607	20	
73	5.646	5.613	20	
74	5.646	5.377	20	
75	5.646	5.443	20	
76	5.646	5.506	20	
77	5.646	5.603	20	
78	5.646	5.284	20	
79	5.646	5.525	20	
80	5.646	5.541	20	
81	5.646	5.362	20	
82	5.646	5.479	20	
83	5.646	5.343	20	
84	5.646	5.497	20	
85	5.646	5.283	20	
86	5.646	5.616	20	
87	5.646	5.671	20	
88	5.646	5.555	20	
89	5.646	5.261	20	
90	5.646	5.394	20	
91	5.646	5.72	20	
92	5.646	5.468	20	
93	5.646	5.322	20	
94	5.646	5.477	20	
95	5.646	5.604	20	
96	5.646	5.433	20	
97	5.646	5.649	20	*
98	5.646	5.526	20	
99	5.646	5.339	20	
100	5.646	5.277	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 15

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.567	20	
2	5.646	5.356	20	
3	5.646	5.383	20	
4	5.646	5.621	20	
5	5.646	5.678	20	
6	5.646	5.6	20	
7	5.646	5.368	20	
8	5.646	5.512	20	
9	5.646	5.562	20	
10	5.646	5.709	20	
11	5.646	5.608	20	
12	5.646	5.291	20	
13	5.646	5.545	20	
14	5.646	5.518	20	
15	5.646	5.543	20	
16	5.646	5.507	20	
17	5.646	5.415	20	
18	5.646	5.676	20	
19	5.646	5.544	20	
20	5.646	5.337	20	
21	5.646	5.447	20	
22	5.646	5.557	20	
23	5.646	5.7	20	
24	5.646	5.444	20	
25	5.646	5.354	20	
26	5.646	5.252	20	
27	5.646	5.389	20	
28	5.646	5.626	20	
29	5.646	5.467	20	
30	5.646	5.697	20	
31	5.646	5.37	20	
32	5.646	5.501	20	
33	5.646	5.497	20	
34	5.646	5.353	20	
35	5.646	5.524	20	
36	5.646	5.478	20	
37	5.646	5.624	20	
38	5.646	5.387	20	
39	5.646	5.571	20	
40	5.646	5.646	20	*
41	5.646	5.502	20	
42	5.646	5.713	20	
43	5.646	5.345	20	
44	5.646	5.442	20	
45	5.646	5.391	20	
46	5.646	5.41	20	
47	5.646	5.586	20	

48	5.646	5.32	20	
49	5.646	5.623	20	
50	5.646	5.579	20	
51	5.646	5.598	20	
52	5.646	5.625	20	
53	5.646	5.563	20	
54	5.646	5.691	20	
55	5.646	5.537	20	
56	5.646	5.257	20	
57	5.646	5.61	20	
58	5.646	5.723	20	
59	5.646	5.366	20	
60	5.646	5.5	20	
61	5.646	5.289	20	
62	5.646	5.639	20	*
63	5.646	5.449	20	
64	5.646	5.418	20	
65	5.646	5.482	20	
66	5.646	5.38	20	
67	5.646	5.381	20	
68	5.646	5.712	20	
69	5.646	5.342	20	
70	5.646	5.542	20	
71	5.646	5.672	20	
72	5.646	5.398	20	
73	5.646	5.681	20	
74	5.646	5.707	20	
75	5.646	5.593	20	
76	5.646	5.604	20	
77	5.646	5.438	20	
78	5.646	5.659	20	
79	5.646	5.281	20	
80	5.646	5.489	20	
81	5.646	5.456	20	
82	5.646	5.375	20	
83	5.646	5.614	20	
84	5.646	5.552	20	
85	5.646	5.594	20	
86	5.646	5.636	20	*
87	5.646	5.665	20	
88	5.646	5.452	20	
89	5.646	5.509	20	
90	5.646	5.549	20	
91	5.646	5.318	20	
92	5.646	5.251	20	
93	5.646	5.302	20	
94	5.646	5.587	20	
95	5.646	5.369	20	
96	5.646	5.597	20	
97	5.646	5.523	20	
98	5.646	5.654	20	*
99	5.646	5.278	20	
100	5.646	5.668	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 16

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.565	20	
2	5.646	5.639	20	*
3	5.646	5.699	20	
4	5.646	5.255	20	
5	5.646	5.455	20	
6	5.646	5.659	20	
7	5.646	5.341	20	
8	5.646	5.625	20	
9	5.646	5.35	20	
10	5.646	5.396	20	
11	5.646	5.719	20	
12	5.646	5.439	20	
13	5.646	5.402	20	
14	5.646	5.459	20	
15	5.646	5.642	20	*
16	5.646	5.349	20	
17	5.646	5.56	20	
18	5.646	5.398	20	
19	5.646	5.614	20	
20	5.646	5.643	20	*
21	5.646	5.391	20	
22	5.646	5.39	20	
23	5.646	5.365	20	
24	5.646	5.686	20	
25	5.646	5.431	20	
26	5.646	5.704	20	
27	5.646	5.42	20	
28	5.646	5.543	20	
29	5.646	5.299	20	
30	5.646	5.258	20	
31	5.646	5.566	20	
32	5.646	5.527	20	
33	5.646	5.693	20	
34	5.646	5.49	20	
35	5.646	5.325	20	
36	5.646	5.597	20	
37	5.646	5.491	20	
38	5.646	5.461	20	
39	5.646	5.393	20	
40	5.646	5.666	20	
41	5.646	5.277	20	
42	5.646	5.531	20	
43	5.646	5.38	20	
44	5.646	5.537	20	
45	5.646	5.399	20	
46	5.646	5.495	20	
47	5.646	5.564	20	

48	5.646	5.451	20	
49	5.646	5.547	20	
50	5.646	5.58	20	
51	5.646	5.579	20	
52	5.646	5.605	20	
53	5.646	5.473	20	
54	5.646	5.705	20	
55	5.646	5.688	20	
56	5.646	5.276	20	
57	5.646	5.436	20	
58	5.646	5.657	20	
59	5.646	5.489	20	
60	5.646	5.294	20	
61	5.646	5.677	20	
62	5.646	5.331	20	
63	5.646	5.288	20	
64	5.646	5.287	20	
65	5.646	5.664	20	
66	5.646	5.514	20	
67	5.646	5.353	20	
68	5.646	5.581	20	
69	5.646	5.723	20	
70	5.646	5.617	20	
71	5.646	5.48	20	
72	5.646	5.274	20	
73	5.646	5.604	20	
74	5.646	5.389	20	
75	5.646	5.387	20	
76	5.646	5.416	20	
77	5.646	5.51	20	
78	5.646	5.266	20	
79	5.646	5.463	20	
80	5.646	5.472	20	
81	5.646	5.479	20	
82	5.646	5.572	20	
83	5.646	5.301	20	
84	5.646	5.589	20	
85	5.646	5.724	20	
86	5.646	5.333	20	
87	5.646	5.43	20	
88	5.646	5.698	20	
89	5.646	5.293	20	
90	5.646	5.528	20	
91	5.646	5.279	20	
92	5.646	5.673	20	
93	5.646	5.322	20	
94	5.646	5.595	20	
95	5.646	5.583	20	
96	5.646	5.485	20	
97	5.646	5.269	20	
98	5.646	5.332	20	
99	5.646	5.373	20	
100	5.646	5.711	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 17

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.658	20	
2	5.646	5.32	20	
3	5.646	5.441	20	
4	5.646	5.722	20	
5	5.646	5.348	20	
6	5.646	5.478	20	
7	5.646	5.548	20	
8	5.646	5.516	20	
9	5.646	5.341	20	
10	5.646	5.577	20	
11	5.646	5.355	20	
12	5.646	5.562	20	
13	5.646	5.472	20	
14	5.646	5.352	20	
15	5.646	5.493	20	
16	5.646	5.645	20	*
17	5.646	5.356	20	
18	5.646	5.668	20	
19	5.646	5.316	20	
20	5.646	5.413	20	
21	5.646	5.272	20	
22	5.646	5.401	20	
23	5.646	5.546	20	
24	5.646	5.322	20	
25	5.646	5.399	20	
26	5.646	5.326	20	
27	5.646	5.554	20	
28	5.646	5.657	20	
29	5.646	5.563	20	
30	5.646	5.408	20	
31	5.646	5.479	20	
32	5.646	5.633	20	
33	5.646	5.276	20	
34	5.646	5.371	20	
35	5.646	5.544	20	
36	5.646	5.506	20	
37	5.646	5.294	20	
38	5.646	5.315	20	
39	5.646	5.448	20	
40	5.646	5.295	20	
41	5.646	5.6	20	
42	5.646	5.549	20	
43	5.646	5.598	20	
44	5.646	5.29	20	
45	5.646	5.484	20	
46	5.646	5.281	20	
47	5.646	5.651	20	*

48	5.646	5.523	20	
49	5.646	5.358	20	
50	5.646	5.25	20	
51	5.646	5.586	20	
52	5.646	5.254	20	
53	5.646	5.723	20	
54	5.646	5.653	20	*
55	5.646	5.45	20	
56	5.646	5.343	20	
57	5.646	5.616	20	
58	5.646	5.256	20	
59	5.646	5.514	20	
60	5.646	5.351	20	
61	5.646	5.393	20	
62	5.646	5.463	20	
63	5.646	5.639	20	*
64	5.646	5.581	20	
65	5.646	5.537	20	
66	5.646	5.498	20	
67	5.646	5.643	20	*
68	5.646	5.591	20	
69	5.646	5.333	20	
70	5.646	5.273	20	
71	5.646	5.592	20	
72	5.646	5.571	20	
73	5.646	5.394	20	
74	5.646	5.313	20	
75	5.646	5.695	20	
76	5.646	5.574	20	
77	5.646	5.662	20	
78	5.646	5.569	20	
79	5.646	5.652	20	*
80	5.646	5.504	20	
81	5.646	5.389	20	
82	5.646	5.418	20	
83	5.646	5.338	20	
84	5.646	5.542	20	
85	5.646	5.52	20	
86	5.646	5.382	20	
87	5.646	5.259	20	
88	5.646	5.624	20	
89	5.646	5.421	20	
90	5.646	5.57	20	
91	5.646	5.532	20	
92	5.646	5.618	20	
93	5.646	5.407	20	
94	5.646	5.683	20	
95	5.646	5.268	20	
96	5.646	5.589	20	
97	5.646	5.391	20	
98	5.646	5.298	20	
99	5.646	5.706	20	
100	5.646	5.619	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 18

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.426	20	
2	5.646	5.421	20	
3	5.646	5.58	20	
4	5.646	5.278	20	
5	5.646	5.678	20	
6	5.646	5.501	20	
7	5.646	5.374	20	
8	5.646	5.568	20	
9	5.646	5.36	20	
10	5.646	5.343	20	
11	5.646	5.641	20	*
12	5.646	5.722	20	
13	5.646	5.314	20	
14	5.646	5.514	20	
15	5.646	5.445	20	
16	5.646	5.311	20	
17	5.646	5.289	20	
18	5.646	5.594	20	
19	5.646	5.703	20	
20	5.646	5.471	20	
21	5.646	5.379	20	
22	5.646	5.573	20	
23	5.646	5.271	20	
24	5.646	5.607	20	
25	5.646	5.43	20	
26	5.646	5.396	20	
27	5.646	5.337	20	
28	5.646	5.661	20	
29	5.646	5.549	20	
30	5.646	5.527	20	
31	5.646	5.451	20	
32	5.646	5.375	20	
33	5.646	5.668	20	
34	5.646	5.561	20	
35	5.646	5.519	20	
36	5.646	5.536	20	
37	5.646	5.433	20	
38	5.646	5.321	20	
39	5.646	5.294	20	
40	5.646	5.307	20	
41	5.646	5.562	20	
42	5.646	5.48	20	
43	5.646	5.633	20	
44	5.646	5.258	20	
45	5.646	5.576	20	
46	5.646	5.665	20	
47	5.646	5.705	20	

48	5.646	5.358	20	
49	5.646	5.442	20	
50	5.646	5.336	20	
51	5.646	5.338	20	
52	5.646	5.695	20	
53	5.646	5.724	20	
54	5.646	5.257	20	
55	5.646	5.4	20	
56	5.646	5.646	20	*
57	5.646	5.689	20	
58	5.646	5.586	20	
59	5.646	5.66	20	
60	5.646	5.304	20	
61	5.646	5.279	20	
62	5.646	5.397	20	
63	5.646	5.267	20	
64	5.646	5.504	20	
65	5.646	5.367	20	
66	5.646	5.315	20	
67	5.646	5.506	20	
68	5.646	5.459	20	
69	5.646	5.52	20	
70	5.646	5.364	20	
71	5.646	5.458	20	
72	5.646	5.359	20	
73	5.646	5.317	20	
74	5.646	5.447	20	
75	5.646	5.495	20	
76	5.646	5.473	20	
77	5.646	5.618	20	
78	5.646	5.373	20	
79	5.646	5.452	20	
80	5.646	5.603	20	
81	5.646	5.55	20	
82	5.646	5.637	20	*
83	5.646	5.653	20	*
84	5.646	5.273	20	
85	5.646	5.484	20	
86	5.646	5.31	20	
87	5.646	5.351	20	
88	5.646	5.533	20	
89	5.646	5.625	20	
90	5.646	5.667	20	
91	5.646	5.256	20	
92	5.646	5.352	20	
93	5.646	5.469	20	
94	5.646	5.254	20	
95	5.646	5.45	20	
96	5.646	5.517	20	
97	5.646	5.558	20	
98	5.646	5.59	20	
99	5.646	5.699	20	
100	5.646	5.631	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 19

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.319	20	
2	5.646	5.566	20	
3	5.646	5.556	20	
4	5.646	5.452	20	
5	5.646	5.649	20	*
6	5.646	5.719	20	
7	5.646	5.484	20	
8	5.646	5.537	20	
9	5.646	5.353	20	
10	5.646	5.718	20	
11	5.646	5.46	20	
12	5.646	5.555	20	
13	5.646	5.666	20	
14	5.646	5.329	20	
15	5.646	5.57	20	
16	5.646	5.437	20	
17	5.646	5.293	20	
18	5.646	5.673	20	
19	5.646	5.658	20	
20	5.646	5.603	20	
21	5.646	5.632	20	
22	5.646	5.323	20	
23	5.646	5.52	20	
24	5.646	5.661	20	
25	5.646	5.412	20	
26	5.646	5.549	20	
27	5.646	5.457	20	
28	5.646	5.389	20	
29	5.646	5.612	20	
30	5.646	5.662	20	
31	5.646	5.667	20	
32	5.646	5.371	20	
33	5.646	5.31	20	
34	5.646	5.567	20	
35	5.646	5.355	20	
36	5.646	5.296	20	
37	5.646	5.273	20	
38	5.646	5.417	20	
39	5.646	5.529	20	
40	5.646	5.521	20	
41	5.646	5.393	20	
42	5.646	5.659	20	
43	5.646	5.585	20	
44	5.646	5.625	20	
45	5.646	5.687	20	
46	5.646	5.62	20	
47	5.646	5.523	20	

48	5.646	5.64	20	*
49	5.646	5.688	20	
50	5.646	5.265	20	
51	5.646	5.638	20	*
52	5.646	5.468	20	
53	5.646	5.517	20	
54	5.646	5.268	20	
55	5.646	5.342	20	
56	5.646	5.297	20	
57	5.646	5.349	20	
58	5.646	5.311	20	
59	5.646	5.642	20	*
60	5.646	5.655	20	*
61	5.646	5.324	20	
62	5.646	5.63	20	
63	5.646	5.584	20	
64	5.646	5.622	20	
65	5.646	5.646	20	*
66	5.646	5.519	20	
67	5.646	5.524	20	
68	5.646	5.553	20	
69	5.646	5.291	20	
70	5.646	5.378	20	
71	5.646	5.461	20	
72	5.646	5.32	20	
73	5.646	5.367	20	
74	5.646	5.373	20	
75	5.646	5.5	20	
76	5.646	5.264	20	
77	5.646	5.455	20	
78	5.646	5.451	20	
79	5.646	5.641	20	*
80	5.646	5.255	20	
81	5.646	5.318	20	
82	5.646	5.26	20	
83	5.646	5.295	20	
84	5.646	5.716	20	
85	5.646	5.252	20	
86	5.646	5.357	20	
87	5.646	5.354	20	
88	5.646	5.645	20	*
89	5.646	5.71	20	
90	5.646	5.636	20	*
91	5.646	5.518	20	
92	5.646	5.674	20	
93	5.646	5.434	20	
94	5.646	5.656	20	*
95	5.646	5.405	20	
96	5.646	5.447	20	
97	5.646	5.395	20	
98	5.646	5.406	20	
99	5.646	5.317	20	
100	5.646	5.458	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 20

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.616	20	
2	5.646	5.618	20	
3	5.646	5.491	20	
4	5.646	5.543	20	
5	5.646	5.536	20	
6	5.646	5.537	20	
7	5.646	5.292	20	
8	5.646	5.422	20	
9	5.646	5.263	20	
10	5.646	5.474	20	
11	5.646	5.369	20	
12	5.646	5.682	20	
13	5.646	5.648	20	*
14	5.646	5.282	20	
15	5.646	5.647	20	*
16	5.646	5.271	20	
17	5.646	5.394	20	
18	5.646	5.684	20	
19	5.646	5.318	20	
20	5.646	5.579	20	
21	5.646	5.526	20	
22	5.646	5.683	20	
23	5.646	5.703	20	
24	5.646	5.407	20	
25	5.646	5.562	20	
26	5.646	5.582	20	
27	5.646	5.257	20	
28	5.646	5.62	20	
29	5.646	5.493	20	
30	5.646	5.509	20	
31	5.646	5.449	20	
32	5.646	5.427	20	
33	5.646	5.588	20	
34	5.646	5.273	20	
35	5.646	5.367	20	
36	5.646	5.624	20	
37	5.646	5.576	20	
38	5.646	5.399	20	
39	5.646	5.418	20	
40	5.646	5.392	20	
41	5.646	5.419	20	
42	5.646	5.71	20	
43	5.646	5.343	20	
44	5.646	5.652	20	*
45	5.646	5.32	20	
46	5.646	5.608	20	
47	5.646	5.654	20	*

48	5.646	5.571	20	
49	5.646	5.581	20	
50	5.646	5.513	20	
51	5.646	5.29	20	
52	5.646	5.472	20	
53	5.646	5.34	20	
54	5.646	5.253	20	
55	5.646	5.309	20	
56	5.646	5.678	20	
57	5.646	5.523	20	
58	5.646	5.483	20	
59	5.646	5.357	20	
60	5.646	5.497	20	
61	5.646	5.674	20	
62	5.646	5.314	20	
63	5.646	5.387	20	
64	5.646	5.251	20	
65	5.646	5.518	20	
66	5.646	5.346	20	
67	5.646	5.691	20	
68	5.646	5.307	20	
69	5.646	5.281	20	
70	5.646	5.601	20	
71	5.646	5.331	20	
72	5.646	5.358	20	
73	5.646	5.672	20	
74	5.646	5.634	20	
75	5.646	5.274	20	
76	5.646	5.389	20	
77	5.646	5.501	20	
78	5.646	5.563	20	
79	5.646	5.596	20	
80	5.646	5.405	20	
81	5.646	5.298	20	
82	5.646	5.687	20	
83	5.646	5.412	20	
84	5.646	5.485	20	
85	5.646	5.461	20	
86	5.646	5.621	20	
87	5.646	5.636	20	*
88	5.646	5.557	20	
89	5.646	5.377	20	
90	5.646	5.7	20	
91	5.646	5.443	20	
92	5.646	5.268	20	
93	5.646	5.395	20	
94	5.646	5.4	20	
95	5.646	5.61	20	
96	5.646	5.463	20	
97	5.646	5.495	20	
98	5.646	5.598	20	
99	5.646	5.468	20	
100	5.646	5.254	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 21

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.479	20	
2	5.646	5.408	20	
3	5.646	5.416	20	
4	5.646	5.565	20	
5	5.646	5.683	20	
6	5.646	5.582	20	
7	5.646	5.474	20	
8	5.646	5.635	20	
9	5.646	5.627	20	
10	5.646	5.574	20	
11	5.646	5.452	20	
12	5.646	5.687	20	
13	5.646	5.372	20	
14	5.646	5.336	20	
15	5.646	5.564	20	
16	5.646	5.312	20	
17	5.646	5.615	20	
18	5.646	5.577	20	
19	5.646	5.449	20	
20	5.646	5.31	20	
21	5.646	5.253	20	
22	5.646	5.673	20	
23	5.646	5.534	20	
24	5.646	5.711	20	
25	5.646	5.403	20	
26	5.646	5.684	20	
27	5.646	5.405	20	
28	5.646	5.303	20	
29	5.646	5.715	20	
30	5.646	5.357	20	
31	5.646	5.708	20	
32	5.646	5.53	20	
33	5.646	5.495	20	
34	5.646	5.47	20	
35	5.646	5.583	20	
36	5.646	5.467	20	
37	5.646	5.697	20	
38	5.646	5.493	20	
39	5.646	5.412	20	
40	5.646	5.285	20	
41	5.646	5.524	20	
42	5.646	5.548	20	
43	5.646	5.62	20	
44	5.646	5.681	20	
45	5.646	5.34	20	
46	5.646	5.569	20	
47	5.646	5.437	20	

48	5.646	5.608	20	
49	5.646	5.423	20	
50	5.646	5.348	20	
51	5.646	5.664	20	
52	5.646	5.695	20	
53	5.646	5.278	20	
54	5.646	5.258	20	
55	5.646	5.394	20	
56	5.646	5.327	20	
57	5.646	5.575	20	
58	5.646	5.716	20	
59	5.646	5.376	20	
60	5.646	5.699	20	
61	5.646	5.257	20	
62	5.646	5.638	20	*
63	5.646	5.604	20	
64	5.646	5.473	20	
65	5.646	5.367	20	
66	5.646	5.7	20	
67	5.646	5.584	20	
68	5.646	5.486	20	
69	5.646	5.434	20	
70	5.646	5.579	20	
71	5.646	5.377	20	
72	5.646	5.407	20	
73	5.646	5.679	20	
74	5.646	5.702	20	
75	5.646	5.341	20	
76	5.646	5.433	20	
77	5.646	5.572	20	
78	5.646	5.707	20	
79	5.646	5.344	20	
80	5.646	5.256	20	
81	5.646	5.611	20	
82	5.646	5.402	20	
83	5.646	5.316	20	
84	5.646	5.384	20	
85	5.646	5.619	20	
86	5.646	5.631	20	
87	5.646	5.717	20	
88	5.646	5.503	20	
89	5.646	5.526	20	
90	5.646	5.46	20	
91	5.646	5.323	20	
92	5.646	5.383	20	
93	5.646	5.545	20	
94	5.646	5.539	20	
95	5.646	5.271	20	
96	5.646	5.325	20	
97	5.646	5.59	20	
98	5.646	5.648	20	*
99	5.646	5.379	20	
100	5.646	5.541	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 22

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.276	20	
2	5.646	5.325	20	
3	5.646	5.6	20	
4	5.646	5.31	20	
5	5.646	5.28	20	
6	5.646	5.615	20	
7	5.646	5.257	20	
8	5.646	5.517	20	
9	5.646	5.666	20	
10	5.646	5.478	20	
11	5.646	5.593	20	
12	5.646	5.551	20	
13	5.646	5.572	20	
14	5.646	5.702	20	
15	5.646	5.369	20	
16	5.646	5.582	20	
17	5.646	5.51	20	
18	5.646	5.589	20	
19	5.646	5.389	20	
20	5.646	5.338	20	
21	5.646	5.396	20	
22	5.646	5.67	20	
23	5.646	5.574	20	
24	5.646	5.484	20	
25	5.646	5.621	20	
26	5.646	5.676	20	
27	5.646	5.513	20	
28	5.646	5.393	20	
29	5.646	5.481	20	
30	5.646	5.553	20	
31	5.646	5.523	20	
32	5.646	5.39	20	
33	5.646	5.516	20	
34	5.646	5.348	20	
35	5.646	5.568	20	
36	5.646	5.716	20	
37	5.646	5.631	20	
38	5.646	5.529	20	
39	5.646	5.528	20	
40	5.646	5.714	20	
41	5.646	5.387	20	
42	5.646	5.535	20	
43	5.646	5.65	20	*
44	5.646	5.659	20	
45	5.646	5.313	20	
46	5.646	5.594	20	
47	5.646	5.575	20	

48	5.646	5.69	20	
49	5.646	5.545	20	
50	5.646	5.402	20	
51	5.646	5.488	20	
52	5.646	5.651	20	*
53	5.646	5.673	20	
54	5.646	5.718	20	
55	5.646	5.591	20	
56	5.646	5.722	20	
57	5.646	5.717	20	
58	5.646	5.436	20	
59	5.646	5.298	20	
60	5.646	5.706	20	
61	5.646	5.573	20	
62	5.646	5.471	20	
63	5.646	5.68	20	
64	5.646	5.385	20	
65	5.646	5.531	20	
66	5.646	5.53	20	
67	5.646	5.351	20	
68	5.646	5.72	20	
69	5.646	5.361	20	
70	5.646	5.641	20	*
71	5.646	5.466	20	
72	5.646	5.265	20	
73	5.646	5.556	20	
74	5.646	5.281	20	
75	5.646	5.474	20	
76	5.646	5.433	20	
77	5.646	5.431	20	
78	5.646	5.252	20	
79	5.646	5.543	20	
80	5.646	5.472	20	
81	5.646	5.449	20	
82	5.646	5.41	20	
83	5.646	5.376	20	
84	5.646	5.27	20	
85	5.646	5.609	20	
86	5.646	5.62	20	
87	5.646	5.443	20	
88	5.646	5.662	20	
89	5.646	5.555	20	
90	5.646	5.302	20	
91	5.646	5.368	20	
92	5.646	5.323	20	
93	5.646	5.679	20	
94	5.646	5.314	20	
95	5.646	5.261	20	
96	5.646	5.604	20	
97	5.646	5.644	20	*
98	5.646	5.705	20	
99	5.646	5.398	20	
100	5.646	5.599	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 23

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.712	20	
2	5.646	5.629	20	
3	5.646	5.29	20	
4	5.646	5.513	20	
5	5.646	5.602	20	
6	5.646	5.69	20	
7	5.646	5.604	20	
8	5.646	5.42	20	
9	5.646	5.368	20	
10	5.646	5.471	20	
11	5.646	5.321	20	
12	5.646	5.621	20	
13	5.646	5.298	20	
14	5.646	5.397	20	
15	5.646	5.366	20	
16	5.646	5.663	20	
17	5.646	5.699	20	
18	5.646	5.599	20	
19	5.646	5.379	20	
20	5.646	5.38	20	
21	5.646	5.465	20	
22	5.646	5.326	20	
23	5.646	5.428	20	
24	5.646	5.254	20	
25	5.646	5.511	20	
26	5.646	5.557	20	
27	5.646	5.709	20	
28	5.646	5.555	20	
29	5.646	5.282	20	
30	5.646	5.675	20	
31	5.646	5.432	20	
32	5.646	5.437	20	
33	5.646	5.325	20	
34	5.646	5.659	20	
35	5.646	5.396	20	
36	5.646	5.28	20	
37	5.646	5.283	20	
38	5.646	5.613	20	
39	5.646	5.522	20	
40	5.646	5.288	20	
41	5.646	5.442	20	
42	5.646	5.454	20	
43	5.646	5.26	20	
44	5.646	5.658	20	
45	5.646	5.3	20	
46	5.646	5.611	20	
47	5.646	5.274	20	

48	5.646	5.415	20	
49	5.646	5.447	20	
50	5.646	5.384	20	
51	5.646	5.67	20	
52	5.646	5.314	20	
53	5.646	5.556	20	
54	5.646	5.491	20	
55	5.646	5.724	20	
56	5.646	5.523	20	
57	5.646	5.605	20	
58	5.646	5.444	20	
59	5.646	5.448	20	
60	5.646	5.423	20	
61	5.646	5.537	20	
62	5.646	5.433	20	
63	5.646	5.689	20	
64	5.646	5.646	20	*
65	5.646	5.299	20	
66	5.646	5.261	20	
67	5.646	5.295	20	
68	5.646	5.25	20	
69	5.646	5.376	20	
70	5.646	5.553	20	
71	5.646	5.294	20	
72	5.646	5.521	20	
73	5.646	5.72	20	
74	5.646	5.716	20	
75	5.646	5.361	20	
76	5.646	5.703	20	
77	5.646	5.54	20	
78	5.646	5.408	20	
79	5.646	5.617	20	
80	5.646	5.619	20	
81	5.646	5.59	20	
82	5.646	5.656	20	*
83	5.646	5.412	20	
84	5.646	5.706	20	
85	5.646	5.698	20	
86	5.646	5.353	20	
87	5.646	5.588	20	
88	5.646	5.71	20	
89	5.646	5.34	20	
90	5.646	5.702	20	
91	5.646	5.52	20	
92	5.646	5.378	20	
93	5.646	5.541	20	
94	5.646	5.422	20	
95	5.646	5.483	20	
96	5.646	5.66	20	
97	5.646	5.596	20	
98	5.646	5.648	20	*
99	5.646	5.562	20	
100	5.646	5.443	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 24

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.497	20	
2	5.646	5.671	20	
3	5.646	5.475	20	
4	5.646	5.471	20	
5	5.646	5.529	20	
6	5.646	5.344	20	
7	5.646	5.405	20	
8	5.646	5.293	20	
9	5.646	5.36	20	
10	5.646	5.553	20	
11	5.646	5.648	20	*
12	5.646	5.46	20	
13	5.646	5.44	20	
14	5.646	5.644	20	*
15	5.646	5.355	20	
16	5.646	5.337	20	
17	5.646	5.256	20	
18	5.646	5.421	20	
19	5.646	5.357	20	
20	5.646	5.388	20	
21	5.646	5.261	20	
22	5.646	5.42	20	
23	5.646	5.386	20	
24	5.646	5.518	20	
25	5.646	5.472	20	
26	5.646	5.346	20	
27	5.646	5.549	20	
28	5.646	5.3	20	
29	5.646	5.702	20	
30	5.646	5.433	20	
31	5.646	5.412	20	
32	5.646	5.266	20	
33	5.646	5.543	20	
34	5.646	5.562	20	
35	5.646	5.446	20	
36	5.646	5.515	20	
37	5.646	5.608	20	
38	5.646	5.305	20	
39	5.646	5.633	20	
40	5.646	5.268	20	
41	5.646	5.297	20	
42	5.646	5.257	20	
43	5.646	5.349	20	
44	5.646	5.707	20	
45	5.646	5.602	20	
46	5.646	5.591	20	
47	5.646	5.334	20	

48	5.646	5.522	20	
49	5.646	5.624	20	
50	5.646	5.67	20	
51	5.646	5.621	20	
52	5.646	5.53	20	
53	5.646	5.699	20	
54	5.646	5.637	20	*
55	5.646	5.458	20	
56	5.646	5.279	20	
57	5.646	5.295	20	
58	5.646	5.558	20	
59	5.646	5.319	20	
60	5.646	5.517	20	
61	5.646	5.614	20	
62	5.646	5.329	20	
63	5.646	5.289	20	
64	5.646	5.258	20	
65	5.646	5.335	20	
66	5.646	5.423	20	
67	5.646	5.62	20	
68	5.646	5.715	20	
69	5.646	5.483	20	
70	5.646	5.572	20	
71	5.646	5.434	20	
72	5.646	5.323	20	
73	5.646	5.272	20	
74	5.646	5.29	20	
75	5.646	5.408	20	
76	5.646	5.311	20	
77	5.646	5.445	20	
78	5.646	5.409	20	
79	5.646	5.568	20	
80	5.646	5.397	20	
81	5.646	5.324	20	
82	5.646	5.554	20	
83	5.646	5.713	20	
84	5.646	5.607	20	
85	5.646	5.296	20	
86	5.646	5.658	20	
87	5.646	5.422	20	
88	5.646	5.442	20	
89	5.646	5.561	20	
90	5.646	5.406	20	
91	5.646	5.649	20	*
92	5.646	5.491	20	
93	5.646	5.682	20	
94	5.646	5.509	20	
95	5.646	5.545	20	
96	5.646	5.432	20	
97	5.646	5.709	20	
98	5.646	5.369	20	
99	5.646	5.601	20	
100	5.646	5.537	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 25

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.513	20	
2	5.646	5.345	20	
3	5.646	5.694	20	
4	5.646	5.325	20	
5	5.646	5.423	20	
6	5.646	5.528	20	
7	5.646	5.411	20	
8	5.646	5.47	20	
9	5.646	5.693	20	
10	5.646	5.292	20	
11	5.646	5.709	20	
12	5.646	5.372	20	
13	5.646	5.475	20	
14	5.646	5.4	20	
15	5.646	5.585	20	
16	5.646	5.684	20	
17	5.646	5.563	20	
18	5.646	5.253	20	
19	5.646	5.641	20	*
20	5.646	5.631	20	
21	5.646	5.53	20	
22	5.646	5.319	20	
23	5.646	5.448	20	
24	5.646	5.391	20	
25	5.646	5.265	20	
26	5.646	5.271	20	
27	5.646	5.473	20	
28	5.646	5.57	20	
29	5.646	5.465	20	
30	5.646	5.467	20	
31	5.646	5.373	20	
32	5.646	5.532	20	
33	5.646	5.695	20	
34	5.646	5.586	20	
35	5.646	5.599	20	
36	5.646	5.283	20	
37	5.646	5.504	20	
38	5.646	5.547	20	
39	5.646	5.627	20	
40	5.646	5.601	20	
41	5.646	5.603	20	
42	5.646	5.672	20	
43	5.646	5.565	20	
44	5.646	5.649	20	*
45	5.646	5.469	20	
46	5.646	5.596	20	
47	5.646	5.358	20	

48	5.646	5.49	20	
49	5.646	5.395	20	
50	5.646	5.555	20	
51	5.646	5.606	20	
52	5.646	5.587	20	
53	5.646	5.361	20	
54	5.646	5.595	20	
55	5.646	5.318	20	
56	5.646	5.677	20	
57	5.646	5.616	20	
58	5.646	5.509	20	
59	5.646	5.413	20	
60	5.646	5.72	20	
61	5.646	5.298	20	
62	5.646	5.479	20	
63	5.646	5.405	20	
64	5.646	5.654	20	*
65	5.646	5.466	20	
66	5.646	5.575	20	
67	5.646	5.459	20	
68	5.646	5.281	20	
69	5.646	5.65	20	*
70	5.646	5.518	20	
71	5.646	5.536	20	
72	5.646	5.408	20	
73	5.646	5.706	20	
74	5.646	5.558	20	
75	5.646	5.625	20	
76	5.646	5.377	20	
77	5.646	5.446	20	
78	5.646	5.447	20	
79	5.646	5.371	20	
80	5.646	5.294	20	
81	5.646	5.685	20	
82	5.646	5.387	20	
83	5.646	5.48	20	
84	5.646	5.626	20	
85	5.646	5.637	20	*
86	5.646	5.336	20	
87	5.646	5.669	20	
88	5.646	5.517	20	
89	5.646	5.718	20	
90	5.646	5.286	20	
91	5.646	5.55	20	
92	5.646	5.696	20	
93	5.646	5.676	20	
94	5.646	5.397	20	
95	5.646	5.426	20	
96	5.646	5.418	20	
97	5.646	5.251	20	
98	5.646	5.416	20	
99	5.646	5.542	20	
100	5.646	5.384	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 26

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.544	20	
2	5.646	5.258	20	
3	5.646	5.584	20	
4	5.646	5.533	20	
5	5.646	5.321	20	
6	5.646	5.535	20	
7	5.646	5.425	20	
8	5.646	5.438	20	
9	5.646	5.563	20	
10	5.646	5.481	20	
11	5.646	5.581	20	
12	5.646	5.517	20	
13	5.646	5.289	20	
14	5.646	5.663	20	
15	5.646	5.641	20	*
16	5.646	5.697	20	
17	5.646	5.688	20	
18	5.646	5.264	20	
19	5.646	5.499	20	
20	5.646	5.301	20	
21	5.646	5.456	20	
22	5.646	5.62	20	
23	5.646	5.702	20	
24	5.646	5.293	20	
25	5.646	5.275	20	
26	5.646	5.564	20	
27	5.646	5.261	20	
28	5.646	5.65	20	*
29	5.646	5.362	20	
30	5.646	5.559	20	
31	5.646	5.607	20	
32	5.646	5.461	20	
33	5.646	5.434	20	
34	5.646	5.383	20	
35	5.646	5.51	20	
36	5.646	5.588	20	
37	5.646	5.692	20	
38	5.646	5.268	20	
39	5.646	5.691	20	
40	5.646	5.525	20	
41	5.646	5.442	20	
42	5.646	5.534	20	
43	5.646	5.439	20	
44	5.646	5.583	20	
45	5.646	5.708	20	
46	5.646	5.724	20	
47	5.646	5.331	20	

48	5.646	5.305	20	
49	5.646	5.557	20	
50	5.646	5.572	20	
51	5.646	5.464	20	
52	5.646	5.351	20	
53	5.646	5.386	20	
54	5.646	5.399	20	
55	5.646	5.411	20	
56	5.646	5.652	20	*
57	5.646	5.346	20	
58	5.646	5.488	20	
59	5.646	5.25	20	
60	5.646	5.397	20	
61	5.646	5.354	20	
62	5.646	5.681	20	
63	5.646	5.608	20	
64	5.646	5.685	20	
65	5.646	5.603	20	
66	5.646	5.336	20	
67	5.646	5.263	20	
68	5.646	5.556	20	
69	5.646	5.695	20	
70	5.646	5.322	20	
71	5.646	5.36	20	
72	5.646	5.422	20	
73	5.646	5.365	20	
74	5.646	5.545	20	
75	5.646	5.573	20	
76	5.646	5.282	20	
77	5.646	5.384	20	
78	5.646	5.503	20	
79	5.646	5.722	20	
80	5.646	5.343	20	
81	5.646	5.562	20	
82	5.646	5.666	20	
83	5.646	5.647	20	*
84	5.646	5.423	20	
85	5.646	5.262	20	
86	5.646	5.696	20	
87	5.646	5.622	20	
88	5.646	5.638	20	*
89	5.646	5.673	20	
90	5.646	5.532	20	
91	5.646	5.591	20	
92	5.646	5.515	20	
93	5.646	5.38	20	
94	5.646	5.335	20	
95	5.646	5.458	20	
96	5.646	5.334	20	
97	5.646	5.443	20	
98	5.646	5.552	20	
99	5.646	5.37	20	
100	5.646	5.379	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 27

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.544	20	
2	5.646	5.669	20	
3	5.646	5.408	20	
4	5.646	5.438	20	
5	5.646	5.301	20	
6	5.646	5.338	20	
7	5.646	5.574	20	
8	5.646	5.388	20	
9	5.646	5.365	20	
10	5.646	5.251	20	
11	5.646	5.502	20	
12	5.646	5.335	20	
13	5.646	5.413	20	
14	5.646	5.59	20	
15	5.646	5.513	20	
16	5.646	5.352	20	
17	5.646	5.34	20	
18	5.646	5.563	20	
19	5.646	5.582	20	
20	5.646	5.635	20	
21	5.646	5.423	20	
22	5.646	5.466	20	
23	5.646	5.662	20	
24	5.646	5.258	20	
25	5.646	5.689	20	
26	5.646	5.569	20	
27	5.646	5.443	20	
28	5.646	5.398	20	
29	5.646	5.5	20	
30	5.646	5.333	20	
31	5.646	5.488	20	
32	5.646	5.605	20	
33	5.646	5.43	20	
34	5.646	5.679	20	
35	5.646	5.421	20	
36	5.646	5.604	20	
37	5.646	5.487	20	
38	5.646	5.655	20	*
39	5.646	5.559	20	
40	5.646	5.403	20	
41	5.646	5.52	20	
42	5.646	5.566	20	
43	5.646	5.327	20	
44	5.646	5.607	20	
45	5.646	5.369	20	
46	5.646	5.394	20	
47	5.646	5.637	20	*

48	5.646	5.531	20	
49	5.646	5.518	20	
50	5.646	5.349	20	
51	5.646	5.576	20	
52	5.646	5.433	20	
53	5.646	5.363	20	
54	5.646	5.65	20	*
55	5.646	5.274	20	
56	5.646	5.526	20	
57	5.646	5.56	20	
58	5.646	5.456	20	
59	5.646	5.546	20	
60	5.646	5.437	20	
61	5.646	5.381	20	
62	5.646	5.376	20	
63	5.646	5.357	20	
64	5.646	5.601	20	
65	5.646	5.344	20	
66	5.646	5.671	20	
67	5.646	5.372	20	
68	5.646	5.483	20	
69	5.646	5.561	20	
70	5.646	5.707	20	
71	5.646	5.264	20	
72	5.646	5.426	20	
73	5.646	5.64	20	*
74	5.646	5.479	20	
75	5.646	5.348	20	
76	5.646	5.47	20	
77	5.646	5.562	20	
78	5.646	5.387	20	
79	5.646	5.397	20	
80	5.646	5.537	20	
81	5.646	5.418	20	
82	5.646	5.417	20	
83	5.646	5.295	20	
84	5.646	5.688	20	
85	5.646	5.642	20	*
86	5.646	5.557	20	
87	5.646	5.306	20	
88	5.646	5.504	20	
89	5.646	5.522	20	
90	5.646	5.665	20	
91	5.646	5.581	20	
92	5.646	5.342	20	
93	5.646	5.567	20	
94	5.646	5.26	20	
95	5.646	5.272	20	
96	5.646	5.364	20	
97	5.646	5.485	20	
98	5.646	5.263	20	
99	5.646	5.471	20	
100	5.646	5.472	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 28

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.604	20	
2	5.646	5.513	20	
3	5.646	5.335	20	
4	5.646	5.497	20	
5	5.646	5.66	20	
6	5.646	5.428	20	
7	5.646	5.675	20	
8	5.646	5.501	20	
9	5.646	5.538	20	
10	5.646	5.397	20	
11	5.646	5.592	20	
12	5.646	5.47	20	
13	5.646	5.354	20	
14	5.646	5.281	20	
15	5.646	5.571	20	
16	5.646	5.658	20	
17	5.646	5.645	20	*
18	5.646	5.718	20	
19	5.646	5.291	20	
20	5.646	5.471	20	
21	5.646	5.452	20	
22	5.646	5.488	20	
23	5.646	5.399	20	
24	5.646	5.43	20	
25	5.646	5.563	20	
26	5.646	5.256	20	
27	5.646	5.259	20	
28	5.646	5.534	20	
29	5.646	5.72	20	
30	5.646	5.552	20	
31	5.646	5.266	20	
32	5.646	5.333	20	
33	5.646	5.631	20	
34	5.646	5.586	20	
35	5.646	5.287	20	
36	5.646	5.37	20	
37	5.646	5.508	20	
38	5.646	5.292	20	
39	5.646	5.282	20	
40	5.646	5.427	20	
41	5.646	5.301	20	
42	5.646	5.371	20	
43	5.646	5.567	20	
44	5.646	5.439	20	
45	5.646	5.312	20	
46	5.646	5.331	20	
47	5.646	5.32	20	

48	5.646	5.344	20	
49	5.646	5.339	20	
50	5.646	5.367	20	
51	5.646	5.345	20	
52	5.646	5.275	20	
53	5.646	5.334	20	
54	5.646	5.468	20	
55	5.646	5.558	20	
56	5.646	5.265	20	
57	5.646	5.685	20	
58	5.646	5.384	20	
59	5.646	5.402	20	
60	5.646	5.553	20	
61	5.646	5.527	20	
62	5.646	5.662	20	
63	5.646	5.704	20	
64	5.646	5.45	20	
65	5.646	5.382	20	
66	5.646	5.296	20	
67	5.646	5.357	20	
68	5.646	5.671	20	
69	5.646	5.498	20	
70	5.646	5.27	20	
71	5.646	5.717	20	
72	5.646	5.25	20	
73	5.646	5.647	20	*
74	5.646	5.715	20	
75	5.646	5.724	20	
76	5.646	5.479	20	
77	5.646	5.719	20	
78	5.646	5.696	20	
79	5.646	5.542	20	
80	5.646	5.679	20	
81	5.646	5.492	20	
82	5.646	5.555	20	
83	5.646	5.294	20	
84	5.646	5.48	20	
85	5.646	5.545	20	
86	5.646	5.416	20	
87	5.646	5.494	20	
88	5.646	5.435	20	
89	5.646	5.285	20	
90	5.646	5.591	20	
91	5.646	5.533	20	
92	5.646	5.393	20	
93	5.646	5.651	20	*
94	5.646	5.663	20	
95	5.646	5.277	20	
96	5.646	5.716	20	
97	5.646	5.424	20	
98	5.646	5.273	20	
99	5.646	5.309	20	
100	5.646	5.683	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 29

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.669	20	
2	5.646	5.591	20	
3	5.646	5.26	20	
4	5.646	5.617	20	
5	5.646	5.422	20	
6	5.646	5.299	20	
7	5.646	5.449	20	
8	5.646	5.489	20	
9	5.646	5.499	20	
10	5.646	5.404	20	
11	5.646	5.324	20	
12	5.646	5.459	20	
13	5.646	5.36	20	
14	5.646	5.717	20	
15	5.646	5.689	20	
16	5.646	5.322	20	
17	5.646	5.369	20	
18	5.646	5.623	20	
19	5.646	5.471	20	
20	5.646	5.286	20	
21	5.646	5.672	20	
22	5.646	5.306	20	
23	5.646	5.533	20	
24	5.646	5.581	20	
25	5.646	5.666	20	
26	5.646	5.39	20	
27	5.646	5.278	20	
28	5.646	5.698	20	
29	5.646	5.719	20	
30	5.646	5.659	20	
31	5.646	5.418	20	
32	5.646	5.667	20	
33	5.646	5.253	20	
34	5.646	5.625	20	
35	5.646	5.461	20	
36	5.646	5.553	20	
37	5.646	5.399	20	
38	5.646	5.332	20	
39	5.646	5.619	20	
40	5.646	5.552	20	
41	5.646	5.715	20	
42	5.646	5.415	20	
43	5.646	5.687	20	
44	5.646	5.709	20	
45	5.646	5.714	20	
46	5.646	5.491	20	
47	5.646	5.429	20	

48	5.646	5.723	20	
49	5.646	5.688	20	
50	5.646	5.289	20	
51	5.646	5.252	20	
52	5.646	5.351	20	
53	5.646	5.629	20	
54	5.646	5.697	20	
55	5.646	5.255	20	
56	5.646	5.563	20	
57	5.646	5.564	20	
58	5.646	5.27	20	
59	5.646	5.609	20	
60	5.646	5.637	20	*
61	5.646	5.514	20	
62	5.646	5.506	20	
63	5.646	5.691	20	
64	5.646	5.71	20	
65	5.646	5.366	20	
66	5.646	5.49	20	
67	5.646	5.382	20	
68	5.646	5.261	20	
69	5.646	5.631	20	
70	5.646	5.519	20	
71	5.646	5.319	20	
72	5.646	5.308	20	
73	5.646	5.313	20	
74	5.646	5.412	20	
75	5.646	5.555	20	
76	5.646	5.675	20	
77	5.646	5.403	20	
78	5.646	5.462	20	
79	5.646	5.265	20	
80	5.646	5.528	20	
81	5.646	5.427	20	
82	5.646	5.65	20	*
83	5.646	5.685	20	
84	5.646	5.618	20	
85	5.646	5.56	20	
86	5.646	5.577	20	
87	5.646	5.641	20	*
88	5.646	5.636	20	*
89	5.646	5.541	20	
90	5.646	5.626	20	
91	5.646	5.474	20	
92	5.646	5.568	20	
93	5.646	5.658	20	
94	5.646	5.593	20	
95	5.646	5.487	20	
96	5.646	5.574	20	
97	5.646	5.612	20	
98	5.646	5.437	20	
99	5.646	5.507	20	
100	5.646	5.341	20	

802.11ax (HE20) - 5500MHz

TYPE 6 PARAMETER SHEET

Trial Number : 30

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.646	5.536	20	
2	5.646	5.69	20	
3	5.646	5.674	20	
4	5.646	5.439	20	
5	5.646	5.591	20	
6	5.646	5.571	20	
7	5.646	5.508	20	
8	5.646	5.53	20	
9	5.646	5.669	20	
10	5.646	5.405	20	
11	5.646	5.484	20	
12	5.646	5.325	20	
13	5.646	5.665	20	
14	5.646	5.71	20	
15	5.646	5.482	20	
16	5.646	5.462	20	
17	5.646	5.311	20	
18	5.646	5.374	20	
19	5.646	5.26	20	
20	5.646	5.449	20	
21	5.646	5.525	20	
22	5.646	5.384	20	
23	5.646	5.278	20	
24	5.646	5.704	20	
25	5.646	5.35	20	
26	5.646	5.578	20	
27	5.646	5.678	20	
28	5.646	5.37	20	
29	5.646	5.378	20	
30	5.646	5.644	20	*
31	5.646	5.597	20	
32	5.646	5.616	20	
33	5.646	5.54	20	
34	5.646	5.25	20	
35	5.646	5.413	20	
36	5.646	5.672	20	
37	5.646	5.266	20	
38	5.646	5.624	20	
39	5.646	5.506	20	
40	5.646	5.29	20	
41	5.646	5.417	20	
42	5.646	5.316	20	
43	5.646	5.366	20	
44	5.646	5.471	20	
45	5.646	5.61	20	
46	5.646	5.605	20	
47	5.646	5.424	20	

48	5.646	5.634	20	
49	5.646	5.464	20	
50	5.646	5.333	20	
51	5.646	5.331	20	
52	5.646	5.355	20	
53	5.646	5.307	20	
54	5.646	5.444	20	
55	5.646	5.503	20	
56	5.646	5.512	20	
57	5.646	5.65	20	*
58	5.646	5.514	20	
59	5.646	5.414	20	
60	5.646	5.713	20	
61	5.646	5.535	20	
62	5.646	5.426	20	
63	5.646	5.394	20	
64	5.646	5.72	20	
65	5.646	5.59	20	
66	5.646	5.32	20	
67	5.646	5.448	20	
68	5.646	5.251	20	
69	5.646	5.66	20	
70	5.646	5.694	20	
71	5.646	5.446	20	
72	5.646	5.633	20	
73	5.646	5.593	20	
74	5.646	5.379	20	
75	5.646	5.281	20	
76	5.646	5.309	20	
77	5.646	5.724	20	
78	5.646	5.52	20	
79	5.646	5.709	20	
80	5.646	5.418	20	
81	5.646	5.7	20	
82	5.646	5.662	20	
83	5.646	5.623	20	
84	5.646	5.689	20	
85	5.646	5.421	20	
86	5.646	5.451	20	
87	5.646	5.552	20	
88	5.646	5.717	20	
89	5.646	5.347	20	
90	5.646	5.268	20	
91	5.646	5.452	20	
92	5.646	5.46	20	
93	5.646	5.387	20	
94	5.646	5.493	20	
95	5.646	5.683	20	
96	5.646	5.47	20	
97	5.646	5.666	20	
98	5.646	5.346	20	
99	5.646	5.546	20	
100	5.646	5.504	20	

802.11ax (HE40) - 5510MHz			
RADAR TYPE 1			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	62	1	858
2	92	1	578
3	18	1	3066
4	68	1	778
5	67	1	798
6	72	1	738
7	98	1	538
8	95	1	558
9	58	1	918
10	65	1	818
11	62	1	858
12	102	1	518
13	63	1	838
14	78	1	678
15	86	1	618
16	18	1	3066
17	70	1	758
18	62	1	858
19	98	1	538
20	74	1	718
21	65	1	818
22	70	1	758
23	92	1	578
24	98	1	538
25	62	1	858
26	95	1	558
27	92	1	578
28	70	1	758
29	63	1	838
30	57	1	938

802.11ax (HE40) - 5510MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	27	2.2	182
2	24	1.4	223
3	23	4.3	194
4	27	2.1	229
5	25	3.5	182
6	23	3	163
7	29	3.5	224
8	28	3.4	200
9	26	4.3	177
10	29	1.5	152
11	26	2.9	191
12	27	4.8	181
13	28	4.3	166
14	28	5	167
15	26	3.4	214
16	27	1.1	179
17	28	2.2	154
18	28	1.2	173
19	28	2.2	171
20	28	1.4	161
21	27	2.3	208
22	29	1.8	170
23	29	2.6	186
24	27	2.9	216
25	23	1.4	221
26	28	1.9	150
27	28	4.1	184
28	24	2.1	224
29	24	2.4	200
30	27	5	158

802.11ax (HE40) - 5510MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	18	9.8	383
2	16	8.5	243
3	17	6.6	290
4	17	9.5	210
5	16	8.1	210
6	17	7.5	319
7	17	7.7	251
8	16	8.4	240
9	17	8.4	267
10	18	7.2	316
11	17	7.8	398
12	17	7.3	275
13	17	9.5	226
14	17	9.6	313
15	17	9.4	407
16	16	6.7	397
17	16	9.4	447
18	16	9.1	408
19	17	6.6	204
20	16	9.9	274
21	17	6.3	494
22	17	9.9	462
23	17	8.3	271
24	17	8.7	425
25	18	8	316
26	17	8.9	318
27	16	6.7	411
28	17	9.2	362
29	17	8.5	471
30	17	7.4	366

802.11ax (HE40) - 5510MHz			
RADAR TYPE 4			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	13	18.1	478
2	16	12.8	458
3	16	18	499
4	15	13.1	468
5	12	19.4	337
6	14	14.7	284
7	14	15.4	318
8	15	14.1	409
9	14	11.2	389
10	13	18.8	449
11	14	13.3	378
12	13	19.7	348
13	15	16.8	294
14	12	19.1	411
15	14	11.8	239
16	16	11.4	344
17	12	15.5	495
18	14	14	310
19	13	18	258
20	14	12.2	371
21	13	19.1	257
22	16	19.6	219
23	13	13.2	455
24	15	11	241
25	14	17	378
26	16	15.4	384
27	12	19.4	367
28	15	19.7	458
29	13	17.1	308
30	15	17.9	209

802.11ax (HE40) - 5510MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	6	1	5510
2	8	1	5510
3	19	1	5510
4	7	1	5510
5	7	1	5510
6	13	1	5510
7	17	1	5510
8	8	1	5510
9	6	1	5510
10	5	1	5510
11	14	2	5496.6
12	19	2	5498.6
13	5	2	5493
14	16	2	5497.4
15	14	2	5496.6
16	13	2	5496.2
17	16	2	5497.4
18	10	2	5495
19	17	2	5497.8
20	10	2	5495
21	8	3	5565.8
22	7	3	5566.2
23	16	3	5562.6
24	18	3	5561.8
25	11	3	5564.6
26	17	3	5562.2
27	16	3	5562.6
28	17	3	5562.2
29	10	3	5565
30	20	3	5561

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	77.9	6	1163		668.058
2	3	86	6	1698	1004	275.667
3	3	93.9	6	1426	1257	400.705
4	2	51.2	6	1892		599.973
5	1	64.1	6			392.371
6	1	68.1	6			279.888
7	3	53.7	6	1036	1003	34.036
8	2	64.4	6	1504		507.214
9	3	70.9	6	1314	1218	636.131
10	1	80.9	6			56.179
11	3	84.8	6	1396	1526	204.766
12	2	91.3	6	1131		125.454
13	2	73	6	1677		181.592
14	2	97.8	6	1480		581.589
15	2	64.1	6	1013		412.047
16	3	86.1	6	1090	1741	604.865
17	2	78.7	6	1624		414.582

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	63	8	1231		14.701
2	3	88.2	8	1902	1804	260.39
3	1	93.8	8			498.98
4	2	85.4	8	1730		772.19
5	1	88.4	8			606.66
6	2	79.8	8	1323		460.87
7	2	69	8	1211		318.92
8	2	91.3	8	1225		16.92
9	2	77.8	8	1612		565.07
10	3	77.4	8	1283	1051	6.7
11	1	50.3	8			394.44
12	1	66.4	8			535.7
13	1	83.4	8			326.92
14	2	58.1	8	1177		526.2
15	3	70.3	8	1820	1884	307.8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	64.3	19	1493		424.858
2	1	88.4	19			31.096
3	3	60	19	1588	1612	772.166
4	2	54.1	19	1329		638.059
5	1	51.7	19			679.112
6	1	50.9	19			274.995
7	2	89.5	19	1850		839.858
8	2	88.4	19	1941		474.992
9	3	98.2	19	1232	1266	647.225
10	3	92.3	19	1357	1656	280.768
11	3	53.2	19	1768	1787	148.531
12	2	81.7	19	1382		912.854
13	3	78.4	19	1941	1599	129.877

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	62.1	7	1672	1954	613.25
2	2	67.9	7	1938		719.92
3	2	91.6	7	1050		785.08
4	2	87.6	7	1127		420.15
5	2	95.6	7	1396		590.39
6	2	72.4	7	1169		448.95
7	1	69.2	7			348.37
8	3	90.6	7	1115	1391	531.56
9	2	75.3	7	1650		770.32
10	2	72.7	7	1362		374.38
11	2	61.6	7	1739		779.99
12	3	50.5	7	1168	1869	352.67
13	3	92.4	7	1538	1251	647.4
14	1	50	7			296.8
15	2	55.1	7	1518		23.4

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	73.3	7	1947		59.119
2	1	79.8	7			234.475
3	3	84.1	7	1014	1116	413.115
4	2	56.8	7	1255		259.483
5	2	86.8	7	1519		343.401
6	2	57.7	7	1104		63.848
7	1	52.5	7			578.216
8	1	87.6	7			516.464
9	2	53.4	7	1890		73.181
10	2	52.9	7	1215		53.279
11	3	93.9	7	1641	1913	99.886
12	1	93.1	7			548.064
13	3	84.8	7	1363	1492	411.992
14	2	88.1	7	1886		605.369
15	1	51.7	7			192.747
16	1	97.7	7			487.165
17	3	75.9	7	1823	1500	533.182

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	68	13	1158		721.258
2	2	82	13	1637		707.693
3	2	79.4	13	1050		297.196
4	2	76.4	13	1118		637.669
5	3	98.2	13	1403	1545	266.192
6	3	98.1	13	1444	1308	305.435
7	2	51.3	13	1528		274.738
8	1	99.6	13			97.072
9	2	78.8	13	1043		627.595
10	1	96.8	13			627.668
11	2	81.3	13	1889		30.781
12	1	79	13			568.754
13	1	61.2	13			606.177

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	87.1	17	1190		709.33
2	3	62.7	17	1510	1166	703.637
3	1	97.1	17			1.084
4	2	66.9	17	1563		1.831
5	1	87.8	17			104.499
6	1	54	17			161.266
7	3	66.4	17	1961	1977	255.843
8	1	87.4	17			679.46
9	1	57.2	17			281.987
10	2	83.7	17	1832		47.304
11	1	63.9	17			218.731
12	2	67.3	17	1503		25.099
13	3	76.1	17	1451	1763	218.086
14	3	50.1	17	1809	1587	459.643

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	76.5	8	1035	1490	51.243
2	3	91	8	1649	1160	399.973
3	2	91.1	8	1628		498.077
4	3	58.2	8	1256	1374	237.15
5	3	54	8	1874	1026	90.443
6	2	52	8	1877		324.967
7	2	64.3	8	1424		349.42
8	2	97.2	8	1660		589.643
9	2	98.7	8	1792		249.437
10	2	72.1	8	1500		152.77
11	3	92.6	8	1911	1891	473.643
12	3	65.7	8	1653	1730	565.967
13	1	73.2	8			395.41
14	2	91.1	8	1385		173.873
15	1	55.6	8			265.197
16	2	54.9	8	1243		503.1
17	2	68.6	8	1371		580.833
18	3	60.6	8	1537	1186	550.267

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	91.7	5	1869		224.071
2	2	58.5	5	1036		354.01
3	2	67.8	5	1773		586.02
4	3	63.9	5	1046	1646	653.66
5	1	74.3	5			331.11
6	2	52.2	5	1228		0.63
7	1	90.3	5			84.88
8	2	55.3	5	1935		68.65
9	2	88	5	1852		397.37
10	1	87	5			866.51
11	2	64.2	5	1418		779.2
12	2	89.4	5	1387		921.8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	53.2	14	1086		424.206
2	2	59.5	14	1199		145.525
3	1	91.8	14			31.962
4	2	88.1	14	1983		148.923
5	2	53.3	14	1918		29.684
6	2	56.7	14	1271		184.985
7	2	76	14	1696		32.976
8	2	100	14	1603		506.927
9	2	81.4	14	1340		623.628
10	3	89.2	14	1408	1270	267.009
11	1	62.4	14			49.281
12	1	85	14			487.462
13	1	72.3	14			202.763
14	2	52.3	14	1358		524.914
15	1	70.8	14			567.885
16	1	50.2	14			499.686
17	2	51.1	14	1219		549.337
18	2	54.4	14	1685		207.758
19	1	65.8	14			572.279

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	72.1	19	1232		542.209
2	3	54.5	19	1157	1814	186.686
3	2	55.8	19	1510		110.067
4	2	88.4	19	1670		472.08
5	3	94.2	19	1433	1249	364.273
6	3	87.7	19	1959	1493	279.577
7	3	96	19	1975	1211	476.1
8	2	91	19	1680		453.673
9	2	82.6	19	1790		418.707
10	2	78.3	19	1671		340.7
11	3	69	19	1028	1289	8.133
12	3	64.1	19	1309	1482	513.047
13	2	98.8	19	1415		427.42
14	3	95	19	1563	1866	638.683
15	2	51.7	19	1188		332.427
16	1	83.7	19			597.8
17	1	95.4	19			37.833
18	2	95.5	19	1936		569.467

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	98	5	1025		242.001
2	2	88	5	1726		498.21
3	3	84.2	5	1407	1071	530.71
4	1	99.4	5			44.93
5	3	68.1	5	1469	1273	59.98
6	3	82.8	5	1133	1364	647.57
7	2	84.6	5	1575		277.51
8	1	85.7	5			345.23
9	2	66.6	5	1612		190.49
10	3	97	5	1336	1025	180.75
11	2	98.6	5	1050		588.85
12	2	85.7	5	1913		417.76
13	1	89.8	5			453.13
14	1	60.1	5			394.9
15	2	91.2	5	1153		371.7
16	1	62.7	5			731.7

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	59.3	13	1152		236.018
2	3	56.2	13	1039	1097	309.43
3	3	88	13	1293	1598	732.7
4	3	59.6	13	1690	1220	536.77
5	1	82.5	13			182.87
6	2	53	13	1505		317.06
7	3	74	13	1048	1522	735.36
8	2	75	13	1877		741.79
9	2	89.4	13	1411		522.76
10	2	61.2	13	1594		235.16
11	3	72.4	13	1997	1500	238.52
12	3	67.7	13	1386	1781	22.86
13	2	89.3	13	1858		163.88
14	2	65.9	13	1397		405.6
15	1	75.4	13			35.5
16	2	73.4	13	1965		263.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	80.9	16	1286		256.299
2	1	92.1	16			282.31
3	1	73.1	16			508.75
4	3	99.8	16	1897	1869	140.32
5	2	82.1	16	1180		148.2
6	2	52	16	1770		914.03
7	3	80.1	16	1058	1481	729.65
8	2	75.9	16	1100		705.2
9	1	65.8	16			423.04
10	2	53	16	1413		775.58
11	2	65.2	16	1594		607.2
12	1	87.1	16			134.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	55	10			226.158
2	2	57	10	1956		597.753
3	3	82.3	10	1072	1517	391.307
4	3	90.9	10	1387	1141	317.66
5	2	54.2	10	1906		160.283
6	2	64.2	10	1393		605.097
7	3	75.4	10	1915	1006	364.31
8	1	81.1	10			647.583
9	2	74.6	10	1790		313.497
10	2	62.3	10	1841		468.87
11	2	72	10	1263		658.453
12	1	91	10			232.497
13	2	69.4	10	1242		405.57
14	1	97.1	10			253.403
15	2	78.1	10	1132		328.997
16	2	60.1	10	1651		588.2
17	1	87.4	10			183.233
18	3	71	10	1143	1038	124.567

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	98.2	10	1638	1239	79.398
2	3	62.3	10	1310	1423	479.54
3	3	75.1	10	1341	1055	8.82
4	3	97	10	1561	1821	489.17
5	1	88.6	10			79.02
6	3	63.4	10	1857	1380	549.89
7	1	79.2	10			468.25
8	3	60	10	1901	1383	334.05
9	2	71.2	10	1253		230.74
10	2	87.1	10	1926		207.56
11	1	91.9	10			152.04
12	2	93.2	10	1500		76.36
13	3	52.4	10	1803	1565	2.79
14	2	59.5	10	1662		397.69
15	3	72.3	10	1934	1149	243.46
16	1	50.8	10			399.94
17	2	55.3	10	1862		1.89
18	3	94.7	10	1309	1915	291.9
19	3	53.4	10	1803	1016	585.8
20	1	99.8	10			251.2

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	80.8	8	1765		0.899
2	2	89.9	8	1774		460.713
3	1	65.8	8			310.457
4	1	94.4	8			498.11
5	2	96.2	8	1325		501.033
6	1	74	8			334.017
7	2	66.2	8	1573		46.45
8	2	66.9	8	1267		592.223
9	2	83	8	1004		387.167
10	2	58.2	8	1398		199.06
11	2	60.4	8	1561		316.853
12	2	60.3	8	1795		8.537
13	2	97	8	1572		137.4
14	1	63.5	8			296.943
15	3	52.9	8	1650	1449	511.047
16	2	61.4	8	1185		67.1
17	1	91	8			97.133
18	2	95.8	8	1079		658.767

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	65.5	7	1436		281.932
2	3	67.6	7	1828	1276	255.555
3	3	51.9	7	1616	1576	148.692
4	1	62	7			5.713
5	3	98.9	7	1512	1461	315.914
6	2	85.8	7	1133		215.685
7	3	65.8	7	1776	1359	551.796
8	2	55	7	1789		380.197
9	2	82.2	7	1469		172.008
10	2	96.2	7	1082		72.199
11	3	93.7	7	1727	1822	275.501
12	2	55.3	7	1709		117.462
13	1	77.2	7			512.573
14	2	84	7	1709		393.134
15	3	82.9	7	1918	1820	59.655
16	2	68.7	7	1792		562.116
17	2	52.6	7	1554		502.537
18	1	91.8	7			334.258
19	1	52.9	7			132.379

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	52.8	16	1102	1229	501.383
2	2	57.2	16	1934		441.163
3	3	57.2	16	1788	1112	368.857
4	3	89.3	16	1589	1966	510.07
5	2	62.9	16	1206		389.823
6	2	97.6	16	1325		407.757
7	2	70.2	16	1976		164.57
8	2	91.4	16	1297		293.283
9	3	50	16	1887	1677	404.927
10	2	93.6	16	1685		367.03
11	1	73.1	16			137.883
12	2	50	16	1870		377.437
13	3	78.7	16	1892	1792	74.79
14	1	94.5	16			219.703
15	2	68.8	16	1869		568.807
16	1	92.7	16			401.6
17	3	95.5	16	1001	1033	495.033
18	3	92.5	16	1891	1348	376.767

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	65.7	18			302.132
2	3	86.2	18	1292	1502	847.291
3	3	94.5	18	1774	1788	627.332
4	2	82.3	18	1951		632.283
5	2	61.5	18	1274		792.744
6	1	69.6	18			511.785
7	1	59.5	18			1042.635
8	2	88	18	1753		440.716
9	2	98.4	18	1855		706.617
10	1	77.4	18			833.518
11	2	81.2	18	1703		500.309

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	95.9	17	1469		384.703
2	3	60.5	17	1521	1574	231.646
3	2	66.8	17	1800		194.005
4	1	72.3	17			22.963
5	3	77.5	17	1535	1991	582.401
6	1	70.8	17			569.378
7	1	79.4	17			228.496
8	3	92.9	17	1060	1777	183.324
9	2	64.1	17	1846		288.991
10	1	93.5	17			202.339
11	2	64.9	17	1669		690.156
12	3	71	17	1160	1606	321.164
13	2	53.7	17	1098		676.432
14	2	89.5	17	1304		142.799
15	3	50.5	17	1287	1876	319.047
16	3	89.5	17	1313	1564	627.165
17	1	94.3	17			380.282

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	95	16	1585		968.407
2	1	63.7	16			850.19
3	2	80	16	1319		635.85
4	3	91.9	16	1058	1026	576.64
5	2	92.3	16	1209		112.33
6	2	60	16	1630		529.94
7	1	75.9	16			690.3
8	3	65.4	16	1100	1381	363.95
9	2	70.1	16	1715		907.8
10	2	71	16	1533		814.6
11	2	52.6	16	1400		438.7
12	3	79.4	16	1046	1736	321.9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	55.2	17	1264	1539	476.431
2	3	95.4	17	1135	1929	787.73
3	2	89.9	17	1761		473.35
4	2	50.2	17	1167		871.09
5	2	76.8	17	1668		215.45
6	3	70.5	17	1046	1629	410.33
7	2	84.9	17	1017		77.68
8	2	51.5	17	1328		315.3
9	2	78.5	17	1248		218.48
10	3	63.1	17	1993	1481	835.88
11	2	94.5	17	1252		688.5
12	2	82.9	17	1624		760.2

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 12

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	63.6	20	1890		611.112
2	3	82	20	1373	1939	740.56
3	2	89.4	20	1781		126.15
4	1	98.6	20			593.45
5	3	75.4	20	1723	1963	130.22
6	2	58.7	20	1576		748.62
7	2	63.5	20	1170		406.28
8	2	88.4	20	1631		477.34
9	1	88.3	20			367.73
10	2	94.4	20	1482		425.86
11	3	72.9	20	1972	1356	340.85
12	2	98.6	20	1309		283.4
13	2	99.1	20	1174		270.54
14	3	84.5	20	1643	1793	713.7
15	1	71.6	20			237.2

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 1

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.557	20	
2	5.51	5.531	20	
3	5.51	5.528	20	
4	5.51	5.722	20	
5	5.51	5.634	20	
6	5.51	5.541	20	
7	5.51	5.409	20	
8	5.51	5.555	20	
9	5.51	5.711	20	
10	5.51	5.362	20	
11	5.51	5.416	20	
12	5.51	5.343	20	
13	5.51	5.608	20	
14	5.51	5.542	20	
15	5.51	5.664	20	
16	5.51	5.685	20	
17	5.51	5.683	20	
18	5.51	5.619	20	
19	5.51	5.396	20	
20	5.51	5.311	20	
21	5.51	5.378	20	
22	5.51	5.582	20	
23	5.51	5.354	20	
24	5.51	5.455	20	
25	5.51	5.675	20	
26	5.51	5.263	20	
27	5.51	5.552	20	
28	5.51	5.373	20	
29	5.51	5.38	20	
30	5.51	5.315	20	
31	5.51	5.371	20	
32	5.51	5.641	20	
33	5.51	5.347	20	
34	5.51	5.428	20	
35	5.51	5.709	20	
36	5.51	5.363	20	
37	5.51	5.49	20	
38	5.51	5.444	20	
39	5.51	5.421	20	
40	5.51	5.429	20	
41	5.51	5.554	20	
42	5.51	5.266	20	
43	5.51	5.438	20	
44	5.51	5.561	20	
45	5.51	5.452	20	
46	5.51	5.459	20	
47	5.51	5.723	20	

48	5.51	5.318	20	
49	5.51	5.307	20	
50	5.51	5.534	20	
51	5.51	5.717	20	
52	5.51	5.294	20	
53	5.51	5.394	20	
54	5.51	5.39	20	
55	5.51	5.297	20	
56	5.51	5.565	20	
57	5.51	5.387	20	
58	5.51	5.721	20	
59	5.51	5.504	20	*
60	5.51	5.615	20	
61	5.51	5.708	20	
62	5.51	5.571	20	
63	5.51	5.283	20	
64	5.51	5.368	20	
65	5.51	5.364	20	
66	5.51	5.264	20	
67	5.51	5.511	20	*
68	5.51	5.551	20	
69	5.51	5.424	20	
70	5.51	5.687	20	
71	5.51	5.358	20	
72	5.51	5.309	20	
73	5.51	5.67	20	
74	5.51	5.465	20	
75	5.51	5.611	20	
76	5.51	5.506	20	*
77	5.51	5.366	20	
78	5.51	5.255	20	
79	5.51	5.393	20	
80	5.51	5.696	20	
81	5.51	5.624	20	
82	5.51	5.485	20	
83	5.51	5.505	20	*
84	5.51	5.692	20	
85	5.51	5.404	20	
86	5.51	5.268	20	
87	5.51	5.291	20	
88	5.51	5.705	20	
89	5.51	5.413	20	
90	5.51	5.346	20	
91	5.51	5.449	20	
92	5.51	5.405	20	
93	5.51	5.482	20	
94	5.51	5.304	20	
95	5.51	5.569	20	
96	5.51	5.576	20	
97	5.51	5.628	20	
98	5.51	5.682	20	
99	5.51	5.327	20	
100	5.51	5.26	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 2

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.378	20	
2	5.51	5.466	20	
3	5.51	5.517	20	*
4	5.51	5.647	20	
5	5.51	5.263	20	
6	5.51	5.621	20	
7	5.51	5.467	20	
8	5.51	5.69	20	
9	5.51	5.638	20	
10	5.51	5.705	20	
11	5.51	5.32	20	
12	5.51	5.337	20	
13	5.51	5.562	20	
14	5.51	5.645	20	
15	5.51	5.498	20	
16	5.51	5.672	20	
17	5.51	5.342	20	
18	5.51	5.698	20	
19	5.51	5.609	20	
20	5.51	5.541	20	
21	5.51	5.576	20	
22	5.51	5.365	20	
23	5.51	5.557	20	
24	5.51	5.588	20	
25	5.51	5.299	20	
26	5.51	5.677	20	
27	5.51	5.552	20	
28	5.51	5.581	20	
29	5.51	5.502	20	*
30	5.51	5.662	20	
31	5.51	5.269	20	
32	5.51	5.603	20	
33	5.51	5.388	20	
34	5.51	5.423	20	
35	5.51	5.327	20	
36	5.51	5.549	20	
37	5.51	5.7	20	
38	5.51	5.628	20	
39	5.51	5.478	20	
40	5.51	5.465	20	
41	5.51	5.406	20	
42	5.51	5.402	20	
43	5.51	5.519	20	*
44	5.51	5.563	20	
45	5.51	5.394	20	
46	5.51	5.718	20	
47	5.51	5.369	20	

48	5.51	5.283	20	
49	5.51	5.464	20	
50	5.51	5.291	20	
51	5.51	5.271	20	
52	5.51	5.634	20	
53	5.51	5.715	20	
54	5.51	5.516	20	*
55	5.51	5.492	20	
56	5.51	5.287	20	
57	5.51	5.298	20	
58	5.51	5.683	20	
59	5.51	5.346	20	
60	5.51	5.308	20	
61	5.51	5.724	20	
62	5.51	5.297	20	
63	5.51	5.319	20	
64	5.51	5.3	20	
65	5.51	5.678	20	
66	5.51	5.34	20	
67	5.51	5.455	20	
68	5.51	5.601	20	
69	5.51	5.514	20	*
70	5.51	5.535	20	
71	5.51	5.285	20	
72	5.51	5.389	20	
73	5.51	5.336	20	
74	5.51	5.489	20	
75	5.51	5.524	20	
76	5.51	5.367	20	
77	5.51	5.586	20	
78	5.51	5.526	20	
79	5.51	5.532	20	
80	5.51	5.52	20	*
81	5.51	5.629	20	
82	5.51	5.453	20	
83	5.51	5.578	20	
84	5.51	5.282	20	
85	5.51	5.566	20	
86	5.51	5.421	20	
87	5.51	5.295	20	
88	5.51	5.256	20	
89	5.51	5.543	20	
90	5.51	5.538	20	
91	5.51	5.377	20	
92	5.51	5.251	20	
93	5.51	5.321	20	
94	5.51	5.53	20	
95	5.51	5.488	20	
96	5.51	5.534	20	
97	5.51	5.6	20	
98	5.51	5.633	20	
99	5.51	5.507	20	*
100	5.51	5.258	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 3

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.393	20	
2	5.51	5.344	20	
3	5.51	5.422	20	
4	5.51	5.26	20	
5	5.51	5.454	20	
6	5.51	5.62	20	
7	5.51	5.257	20	
8	5.51	5.358	20	
9	5.51	5.456	20	
10	5.51	5.557	20	
11	5.51	5.267	20	
12	5.51	5.413	20	
13	5.51	5.403	20	
14	5.51	5.519	20	*
15	5.51	5.364	20	
16	5.51	5.27	20	
17	5.51	5.696	20	
18	5.51	5.318	20	
19	5.51	5.452	20	
20	5.51	5.53	20	
21	5.51	5.55	20	
22	5.51	5.5	20	*
23	5.51	5.701	20	
24	5.51	5.295	20	
25	5.51	5.49	20	
26	5.51	5.711	20	
27	5.51	5.679	20	
28	5.51	5.442	20	
29	5.51	5.596	20	
30	5.51	5.672	20	
31	5.51	5.552	20	
32	5.51	5.603	20	
33	5.51	5.692	20	
34	5.51	5.648	20	
35	5.51	5.25	20	
36	5.51	5.359	20	
37	5.51	5.631	20	
38	5.51	5.302	20	
39	5.51	5.7	20	
40	5.51	5.328	20	
41	5.51	5.714	20	
42	5.51	5.647	20	
43	5.51	5.606	20	
44	5.51	5.382	20	
45	5.51	5.41	20	
46	5.51	5.601	20	
47	5.51	5.61	20	

48	5.51	5.496	20	
49	5.51	5.72	20	
50	5.51	5.653	20	
51	5.51	5.512	20	*
52	5.51	5.564	20	
53	5.51	5.278	20	
54	5.51	5.36	20	
55	5.51	5.646	20	
56	5.51	5.538	20	
57	5.51	5.455	20	
58	5.51	5.436	20	
59	5.51	5.429	20	
60	5.51	5.542	20	
61	5.51	5.445	20	
62	5.51	5.573	20	
63	5.51	5.39	20	
64	5.51	5.499	20	
65	5.51	5.473	20	
66	5.51	5.391	20	
67	5.51	5.443	20	
68	5.51	5.493	20	
69	5.51	5.373	20	
70	5.51	5.652	20	
71	5.51	5.649	20	
72	5.51	5.504	20	*
73	5.51	5.602	20	
74	5.51	5.506	20	*
75	5.51	5.526	20	
76	5.51	5.283	20	
77	5.51	5.47	20	
78	5.51	5.32	20	
79	5.51	5.269	20	
80	5.51	5.594	20	
81	5.51	5.66	20	
82	5.51	5.539	20	
83	5.51	5.597	20	
84	5.51	5.33	20	
85	5.51	5.655	20	
86	5.51	5.508	20	*
87	5.51	5.311	20	
88	5.51	5.453	20	
89	5.51	5.576	20	
90	5.51	5.553	20	
91	5.51	5.681	20	
92	5.51	5.398	20	
93	5.51	5.617	20	
94	5.51	5.643	20	
95	5.51	5.261	20	
96	5.51	5.298	20	
97	5.51	5.461	20	
98	5.51	5.406	20	
99	5.51	5.514	20	*
100	5.51	5.656	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 4

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.415	20	
2	5.51	5.592	20	
3	5.51	5.306	20	
4	5.51	5.291	20	
5	5.51	5.367	20	
6	5.51	5.544	20	
7	5.51	5.708	20	
8	5.51	5.571	20	
9	5.51	5.405	20	
10	5.51	5.71	20	
11	5.51	5.684	20	
12	5.51	5.617	20	
13	5.51	5.251	20	
14	5.51	5.629	20	
15	5.51	5.652	20	
16	5.51	5.539	20	
17	5.51	5.608	20	
18	5.51	5.28	20	
19	5.51	5.462	20	
20	5.51	5.353	20	
21	5.51	5.298	20	
22	5.51	5.711	20	
23	5.51	5.351	20	
24	5.51	5.43	20	
25	5.51	5.378	20	
26	5.51	5.401	20	
27	5.51	5.502	20	*
28	5.51	5.423	20	
29	5.51	5.402	20	
30	5.51	5.329	20	
31	5.51	5.59	20	
32	5.51	5.511	20	*
33	5.51	5.31	20	
34	5.51	5.665	20	
35	5.51	5.391	20	
36	5.51	5.385	20	
37	5.51	5.38	20	
38	5.51	5.705	20	
39	5.51	5.632	20	
40	5.51	5.488	20	
41	5.51	5.543	20	
42	5.51	5.293	20	
43	5.51	5.51	20	*
44	5.51	5.701	20	
45	5.51	5.262	20	
46	5.51	5.558	20	
47	5.51	5.472	20	

48	5.51	5.309	20	
49	5.51	5.593	20	
50	5.51	5.339	20	
51	5.51	5.443	20	
52	5.51	5.447	20	
53	5.51	5.646	20	
54	5.51	5.399	20	
55	5.51	5.723	20	
56	5.51	5.603	20	
57	5.51	5.394	20	
58	5.51	5.529	20	
59	5.51	5.551	20	
60	5.51	5.418	20	
61	5.51	5.602	20	
62	5.51	5.63	20	
63	5.51	5.361	20	
64	5.51	5.346	20	
65	5.51	5.467	20	
66	5.51	5.685	20	
67	5.51	5.468	20	
68	5.51	5.643	20	
69	5.51	5.442	20	
70	5.51	5.653	20	
71	5.51	5.512	20	*
72	5.51	5.3	20	
73	5.51	5.671	20	
74	5.51	5.476	20	
75	5.51	5.461	20	
76	5.51	5.285	20	
77	5.51	5.661	20	
78	5.51	5.44	20	
79	5.51	5.352	20	
80	5.51	5.697	20	
81	5.51	5.68	20	
82	5.51	5.483	20	
83	5.51	5.484	20	
84	5.51	5.704	20	
85	5.51	5.317	20	
86	5.51	5.437	20	
87	5.51	5.647	20	
88	5.51	5.453	20	
89	5.51	5.473	20	
90	5.51	5.412	20	
91	5.51	5.541	20	
92	5.51	5.287	20	
93	5.51	5.635	20	
94	5.51	5.409	20	
95	5.51	5.382	20	
96	5.51	5.314	20	
97	5.51	5.276	20	
98	5.51	5.681	20	
99	5.51	5.485	20	
100	5.51	5.62	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 5

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.417	20	
2	5.51	5.563	20	
3	5.51	5.409	20	
4	5.51	5.511	20	*
5	5.51	5.554	20	
6	5.51	5.555	20	
7	5.51	5.65	20	
8	5.51	5.385	20	
9	5.51	5.293	20	
10	5.51	5.361	20	
11	5.51	5.675	20	
12	5.51	5.565	20	
13	5.51	5.548	20	
14	5.51	5.31	20	
15	5.51	5.429	20	
16	5.51	5.691	20	
17	5.51	5.699	20	
18	5.51	5.332	20	
19	5.51	5.643	20	
20	5.51	5.329	20	
21	5.51	5.689	20	
22	5.51	5.365	20	
23	5.51	5.274	20	
24	5.51	5.547	20	
25	5.51	5.673	20	
26	5.51	5.597	20	
27	5.51	5.585	20	
28	5.51	5.461	20	
29	5.51	5.636	20	
30	5.51	5.664	20	
31	5.51	5.485	20	
32	5.51	5.38	20	
33	5.51	5.518	20	*
34	5.51	5.379	20	
35	5.51	5.709	20	
36	5.51	5.258	20	
37	5.51	5.622	20	
38	5.51	5.387	20	
39	5.51	5.369	20	
40	5.51	5.704	20	
41	5.51	5.564	20	
42	5.51	5.678	20	
43	5.51	5.688	20	
44	5.51	5.569	20	
45	5.51	5.631	20	
46	5.51	5.346	20	
47	5.51	5.304	20	

48	5.51	5.629	20	
49	5.51	5.313	20	
50	5.51	5.295	20	
51	5.51	5.493	20	
52	5.51	5.574	20	
53	5.51	5.611	20	
54	5.51	5.314	20	
55	5.51	5.285	20	
56	5.51	5.489	20	
57	5.51	5.373	20	
58	5.51	5.722	20	
59	5.51	5.532	20	
60	5.51	5.465	20	
61	5.51	5.646	20	
62	5.51	5.276	20	
63	5.51	5.46	20	
64	5.51	5.255	20	
65	5.51	5.256	20	
66	5.51	5.261	20	
67	5.51	5.587	20	
68	5.51	5.53	20	
69	5.51	5.368	20	
70	5.51	5.594	20	
71	5.51	5.662	20	
72	5.51	5.318	20	
73	5.51	5.701	20	
74	5.51	5.292	20	
75	5.51	5.716	20	
76	5.51	5.438	20	
77	5.51	5.482	20	
78	5.51	5.453	20	
79	5.51	5.36	20	
80	5.51	5.536	20	
81	5.51	5.287	20	
82	5.51	5.481	20	
83	5.51	5.381	20	
84	5.51	5.41	20	
85	5.51	5.571	20	
86	5.51	5.537	20	
87	5.51	5.416	20	
88	5.51	5.723	20	
89	5.51	5.319	20	
90	5.51	5.657	20	
91	5.51	5.58	20	
92	5.51	5.619	20	
93	5.51	5.49	20	
94	5.51	5.267	20	
95	5.51	5.692	20	
96	5.51	5.468	20	
97	5.51	5.649	20	
98	5.51	5.479	20	
99	5.51	5.572	20	
100	5.51	5.615	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 6

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.315	20	
2	5.51	5.7	20	
3	5.51	5.316	20	
4	5.51	5.608	20	
5	5.51	5.257	20	
6	5.51	5.338	20	
7	5.51	5.394	20	
8	5.51	5.464	20	
9	5.51	5.547	20	
10	5.51	5.482	20	
11	5.51	5.654	20	
12	5.51	5.313	20	
13	5.51	5.72	20	
14	5.51	5.575	20	
15	5.51	5.523	20	
16	5.51	5.689	20	
17	5.51	5.662	20	
18	5.51	5.681	20	
19	5.51	5.66	20	
20	5.51	5.469	20	
21	5.51	5.694	20	
22	5.51	5.589	20	
23	5.51	5.351	20	
24	5.51	5.326	20	
25	5.51	5.306	20	
26	5.51	5.437	20	
27	5.51	5.468	20	
28	5.51	5.446	20	
29	5.51	5.601	20	
30	5.51	5.611	20	
31	5.51	5.487	20	
32	5.51	5.399	20	
33	5.51	5.542	20	
34	5.51	5.52	20	*
35	5.51	5.333	20	
36	5.51	5.512	20	*
37	5.51	5.444	20	
38	5.51	5.686	20	
39	5.51	5.358	20	
40	5.51	5.568	20	
41	5.51	5.527	20	
42	5.51	5.699	20	
43	5.51	5.318	20	
44	5.51	5.323	20	
45	5.51	5.335	20	
46	5.51	5.412	20	
47	5.51	5.698	20	

48	5.51	5.346	20	
49	5.51	5.431	20	
50	5.51	5.422	20	
51	5.51	5.614	20	
52	5.51	5.44	20	
53	5.51	5.376	20	
54	5.51	5.584	20	
55	5.51	5.272	20	
56	5.51	5.331	20	
57	5.51	5.428	20	
58	5.51	5.504	20	*
59	5.51	5.494	20	
60	5.51	5.379	20	
61	5.51	5.525	20	
62	5.51	5.291	20	
63	5.51	5.253	20	
64	5.51	5.273	20	
65	5.51	5.364	20	
66	5.51	5.285	20	
67	5.51	5.286	20	
68	5.51	5.518	20	*
69	5.51	5.254	20	
70	5.51	5.514	20	*
71	5.51	5.566	20	
72	5.51	5.341	20	
73	5.51	5.552	20	
74	5.51	5.384	20	
75	5.51	5.567	20	
76	5.51	5.391	20	
77	5.51	5.51	20	*
78	5.51	5.684	20	
79	5.51	5.705	20	
80	5.51	5.371	20	
81	5.51	5.633	20	
82	5.51	5.683	20	
83	5.51	5.647	20	
84	5.51	5.595	20	
85	5.51	5.284	20	
86	5.51	5.309	20	
87	5.51	5.39	20	
88	5.51	5.281	20	
89	5.51	5.54	20	
90	5.51	5.345	20	
91	5.51	5.48	20	
92	5.51	5.458	20	
93	5.51	5.265	20	
94	5.51	5.71	20	
95	5.51	5.652	20	
96	5.51	5.658	20	
97	5.51	5.519	20	*
98	5.51	5.704	20	
99	5.51	5.717	20	
100	5.51	5.312	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 7

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.573	20	
2	5.51	5.477	20	
3	5.51	5.57	20	
4	5.51	5.525	20	
5	5.51	5.304	20	
6	5.51	5.297	20	
7	5.51	5.668	20	
8	5.51	5.666	20	
9	5.51	5.589	20	
10	5.51	5.557	20	
11	5.51	5.416	20	
12	5.51	5.491	20	
13	5.51	5.693	20	
14	5.51	5.389	20	
15	5.51	5.553	20	
16	5.51	5.616	20	
17	5.51	5.598	20	
18	5.51	5.53	20	
19	5.51	5.621	20	
20	5.51	5.356	20	
21	5.51	5.337	20	
22	5.51	5.441	20	
23	5.51	5.528	20	
24	5.51	5.33	20	
25	5.51	5.423	20	
26	5.51	5.696	20	
27	5.51	5.421	20	
28	5.51	5.482	20	
29	5.51	5.635	20	
30	5.51	5.724	20	
31	5.51	5.543	20	
32	5.51	5.258	20	
33	5.51	5.521	20	
34	5.51	5.395	20	
35	5.51	5.537	20	
36	5.51	5.7	20	
37	5.51	5.371	20	
38	5.51	5.346	20	
39	5.51	5.293	20	
40	5.51	5.436	20	
41	5.51	5.526	20	
42	5.51	5.476	20	
43	5.51	5.369	20	
44	5.51	5.267	20	
45	5.51	5.685	20	
46	5.51	5.523	20	
47	5.51	5.453	20	

48	5.51	5.626	20	
49	5.51	5.65	20	
50	5.51	5.391	20	
51	5.51	5.555	20	
52	5.51	5.532	20	
53	5.51	5.632	20	
54	5.51	5.378	20	
55	5.51	5.517	20	*
56	5.51	5.454	20	
57	5.51	5.364	20	
58	5.51	5.567	20	
59	5.51	5.613	20	
60	5.51	5.505	20	*
61	5.51	5.496	20	
62	5.51	5.609	20	
63	5.51	5.411	20	
64	5.51	5.671	20	
65	5.51	5.345	20	
66	5.51	5.296	20	
67	5.51	5.479	20	
68	5.51	5.452	20	
69	5.51	5.328	20	
70	5.51	5.353	20	
71	5.51	5.674	20	
72	5.51	5.338	20	
73	5.51	5.334	20	
74	5.51	5.619	20	
75	5.51	5.599	20	
76	5.51	5.478	20	
77	5.51	5.461	20	
78	5.51	5.434	20	
79	5.51	5.703	20	
80	5.51	5.513	20	*
81	5.51	5.268	20	
82	5.51	5.654	20	
83	5.51	5.676	20	
84	5.51	5.707	20	
85	5.51	5.617	20	
86	5.51	5.503	20	*
87	5.51	5.554	20	
88	5.51	5.623	20	
89	5.51	5.677	20	
90	5.51	5.515	20	*
91	5.51	5.645	20	
92	5.51	5.372	20	
93	5.51	5.331	20	
94	5.51	5.394	20	
95	5.51	5.71	20	
96	5.51	5.401	20	
97	5.51	5.278	20	
98	5.51	5.564	20	
99	5.51	5.327	20	
100	5.51	5.316	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 8

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.551	20	
2	5.51	5.423	20	
3	5.51	5.719	20	
4	5.51	5.682	20	
5	5.51	5.586	20	
6	5.51	5.366	20	
7	5.51	5.311	20	
8	5.51	5.261	20	
9	5.51	5.636	20	
10	5.51	5.407	20	
11	5.51	5.379	20	
12	5.51	5.528	20	
13	5.51	5.258	20	
14	5.51	5.548	20	
15	5.51	5.368	20	
16	5.51	5.384	20	
17	5.51	5.56	20	
18	5.51	5.64	20	
19	5.51	5.406	20	
20	5.51	5.72	20	
21	5.51	5.496	20	
22	5.51	5.547	20	
23	5.51	5.372	20	
24	5.51	5.45	20	
25	5.51	5.525	20	
26	5.51	5.501	20	*
27	5.51	5.33	20	
28	5.51	5.294	20	
29	5.51	5.661	20	
30	5.51	5.398	20	
31	5.51	5.283	20	
32	5.51	5.555	20	
33	5.51	5.608	20	
34	5.51	5.38	20	
35	5.51	5.482	20	
36	5.51	5.364	20	
37	5.51	5.347	20	
38	5.51	5.386	20	
39	5.51	5.284	20	
40	5.51	5.418	20	
41	5.51	5.455	20	
42	5.51	5.362	20	
43	5.51	5.533	20	
44	5.51	5.648	20	
45	5.51	5.706	20	
46	5.51	5.5	20	*
47	5.51	5.315	20	

48	5.51	5.566	20	
49	5.51	5.309	20	
50	5.51	5.46	20	
51	5.51	5.321	20	
52	5.51	5.504	20	*
53	5.51	5.328	20	
54	5.51	5.337	20	
55	5.51	5.251	20	
56	5.51	5.409	20	
57	5.51	5.41	20	
58	5.51	5.375	20	
59	5.51	5.262	20	
60	5.51	5.679	20	
61	5.51	5.301	20	
62	5.51	5.539	20	
63	5.51	5.306	20	
64	5.51	5.277	20	
65	5.51	5.553	20	
66	5.51	5.336	20	
67	5.51	5.436	20	
68	5.51	5.268	20	
69	5.51	5.523	20	
70	5.51	5.643	20	
71	5.51	5.633	20	
72	5.51	5.377	20	
73	5.51	5.307	20	
74	5.51	5.434	20	
75	5.51	5.419	20	
76	5.51	5.485	20	
77	5.51	5.582	20	
78	5.51	5.335	20	
79	5.51	5.287	20	
80	5.51	5.471	20	
81	5.51	5.288	20	
82	5.51	5.565	20	
83	5.51	5.387	20	
84	5.51	5.543	20	
85	5.51	5.487	20	
86	5.51	5.275	20	
87	5.51	5.552	20	
88	5.51	5.49	20	
89	5.51	5.417	20	
90	5.51	5.331	20	
91	5.51	5.483	20	
92	5.51	5.488	20	
93	5.51	5.651	20	
94	5.51	5.592	20	
95	5.51	5.613	20	
96	5.51	5.443	20	
97	5.51	5.472	20	
98	5.51	5.529	20	
99	5.51	5.314	20	
100	5.51	5.422	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 9

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.486	20	
2	5.51	5.464	20	
3	5.51	5.701	20	
4	5.51	5.446	20	
5	5.51	5.466	20	
6	5.51	5.333	20	
7	5.51	5.481	20	
8	5.51	5.256	20	
9	5.51	5.665	20	
10	5.51	5.648	20	
11	5.51	5.59	20	
12	5.51	5.472	20	
13	5.51	5.605	20	
14	5.51	5.377	20	
15	5.51	5.698	20	
16	5.51	5.72	20	
17	5.51	5.281	20	
18	5.51	5.319	20	
19	5.51	5.704	20	
20	5.51	5.67	20	
21	5.51	5.697	20	
22	5.51	5.589	20	
23	5.51	5.263	20	
24	5.51	5.5	20	*
25	5.51	5.479	20	
26	5.51	5.563	20	
27	5.51	5.285	20	
28	5.51	5.491	20	
29	5.51	5.424	20	
30	5.51	5.436	20	
31	5.51	5.427	20	
32	5.51	5.37	20	
33	5.51	5.418	20	
34	5.51	5.689	20	
35	5.51	5.504	20	*
36	5.51	5.407	20	
37	5.51	5.58	20	
38	5.51	5.314	20	
39	5.51	5.493	20	
40	5.51	5.438	20	
41	5.51	5.335	20	
42	5.51	5.631	20	
43	5.51	5.312	20	
44	5.51	5.536	20	
45	5.51	5.417	20	
46	5.51	5.28	20	
47	5.51	5.616	20	

48	5.51	5.612	20	
49	5.51	5.326	20	
50	5.51	5.661	20	
51	5.51	5.331	20	
52	5.51	5.412	20	
53	5.51	5.492	20	
54	5.51	5.451	20	
55	5.51	5.27	20	
56	5.51	5.273	20	
57	5.51	5.503	20	*
58	5.51	5.332	20	
59	5.51	5.316	20	
60	5.51	5.572	20	
61	5.51	5.425	20	
62	5.51	5.342	20	
63	5.51	5.401	20	
64	5.51	5.284	20	
65	5.51	5.635	20	
66	5.51	5.299	20	
67	5.51	5.561	20	
68	5.51	5.433	20	
69	5.51	5.528	20	
70	5.51	5.262	20	
71	5.51	5.484	20	
72	5.51	5.552	20	
73	5.51	5.546	20	
74	5.51	5.692	20	
75	5.51	5.251	20	
76	5.51	5.576	20	
77	5.51	5.329	20	
78	5.51	5.334	20	
79	5.51	5.346	20	
80	5.51	5.462	20	
81	5.51	5.664	20	
82	5.51	5.458	20	
83	5.51	5.33	20	
84	5.51	5.615	20	
85	5.51	5.292	20	
86	5.51	5.65	20	
87	5.51	5.448	20	
88	5.51	5.295	20	
89	5.51	5.296	20	
90	5.51	5.48	20	
91	5.51	5.395	20	
92	5.51	5.639	20	
93	5.51	5.403	20	
94	5.51	5.359	20	
95	5.51	5.434	20	
96	5.51	5.266	20	
97	5.51	5.687	20	
98	5.51	5.279	20	
99	5.51	5.463	20	
100	5.51	5.366	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 10

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.625	20	
2	5.51	5.344	20	
3	5.51	5.295	20	
4	5.51	5.507	20	*
5	5.51	5.647	20	
6	5.51	5.256	20	
7	5.51	5.363	20	
8	5.51	5.261	20	
9	5.51	5.584	20	
10	5.51	5.6	20	
11	5.51	5.437	20	
12	5.51	5.544	20	
13	5.51	5.519	20	*
14	5.51	5.604	20	
15	5.51	5.485	20	
16	5.51	5.408	20	
17	5.51	5.663	20	
18	5.51	5.411	20	
19	5.51	5.684	20	
20	5.51	5.481	20	
21	5.51	5.401	20	
22	5.51	5.347	20	
23	5.51	5.653	20	
24	5.51	5.253	20	
25	5.51	5.488	20	
26	5.51	5.399	20	
27	5.51	5.368	20	
28	5.51	5.626	20	
29	5.51	5.252	20	
30	5.51	5.474	20	
31	5.51	5.637	20	
32	5.51	5.579	20	
33	5.51	5.66	20	
34	5.51	5.362	20	
35	5.51	5.724	20	
36	5.51	5.549	20	
37	5.51	5.436	20	
38	5.51	5.456	20	
39	5.51	5.692	20	
40	5.51	5.304	20	
41	5.51	5.257	20	
42	5.51	5.274	20	
43	5.51	5.646	20	
44	5.51	5.389	20	
45	5.51	5.495	20	
46	5.51	5.438	20	
47	5.51	5.292	20	

48	5.51	5.317	20	
49	5.51	5.504	20	*
50	5.51	5.398	20	
51	5.51	5.612	20	
52	5.51	5.4	20	
53	5.51	5.714	20	
54	5.51	5.439	20	
55	5.51	5.392	20	
56	5.51	5.476	20	
57	5.51	5.365	20	
58	5.51	5.572	20	
59	5.51	5.375	20	
60	5.51	5.449	20	
61	5.51	5.499	20	
62	5.51	5.419	20	
63	5.51	5.632	20	
64	5.51	5.47	20	
65	5.51	5.272	20	
66	5.51	5.614	20	
67	5.51	5.281	20	
68	5.51	5.5	20	*
69	5.51	5.467	20	
70	5.51	5.615	20	
71	5.51	5.546	20	
72	5.51	5.563	20	
73	5.51	5.723	20	
74	5.51	5.291	20	
75	5.51	5.606	20	
76	5.51	5.592	20	
77	5.51	5.479	20	
78	5.51	5.71	20	
79	5.51	5.591	20	
80	5.51	5.492	20	
81	5.51	5.333	20	
82	5.51	5.446	20	
83	5.51	5.284	20	
84	5.51	5.658	20	
85	5.51	5.29	20	
86	5.51	5.654	20	
87	5.51	5.429	20	
88	5.51	5.512	20	*
89	5.51	5.497	20	
90	5.51	5.349	20	
91	5.51	5.718	20	
92	5.51	5.43	20	
93	5.51	5.695	20	
94	5.51	5.668	20	
95	5.51	5.685	20	
96	5.51	5.72	20	
97	5.51	5.686	20	
98	5.51	5.402	20	
99	5.51	5.378	20	
100	5.51	5.381	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 11

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.672	20	
2	5.51	5.48	20	
3	5.51	5.462	20	
4	5.51	5.45	20	
5	5.51	5.64	20	
6	5.51	5.437	20	
7	5.51	5.546	20	
8	5.51	5.486	20	
9	5.51	5.295	20	
10	5.51	5.36	20	
11	5.51	5.372	20	
12	5.51	5.32	20	
13	5.51	5.597	20	
14	5.51	5.417	20	
15	5.51	5.482	20	
16	5.51	5.293	20	
17	5.51	5.426	20	
18	5.51	5.611	20	
19	5.51	5.446	20	
20	5.51	5.273	20	
21	5.51	5.575	20	
22	5.51	5.537	20	
23	5.51	5.705	20	
24	5.51	5.47	20	
25	5.51	5.356	20	
26	5.51	5.451	20	
27	5.51	5.637	20	
28	5.51	5.269	20	
29	5.51	5.363	20	
30	5.51	5.629	20	
31	5.51	5.695	20	
32	5.51	5.258	20	
33	5.51	5.395	20	
34	5.51	5.449	20	
35	5.51	5.6	20	
36	5.51	5.435	20	
37	5.51	5.391	20	
38	5.51	5.329	20	
39	5.51	5.604	20	
40	5.51	5.531	20	
41	5.51	5.274	20	
42	5.51	5.589	20	
43	5.51	5.328	20	
44	5.51	5.4	20	
45	5.51	5.339	20	
46	5.51	5.655	20	
47	5.51	5.535	20	

48	5.51	5.314	20	
49	5.51	5.512	20	*
50	5.51	5.327	20	
51	5.51	5.353	20	
52	5.51	5.262	20	
53	5.51	5.264	20	
54	5.51	5.588	20	
55	5.51	5.454	20	
56	5.51	5.671	20	
57	5.51	5.481	20	
58	5.51	5.504	20	*
59	5.51	5.555	20	
60	5.51	5.566	20	
61	5.51	5.467	20	
62	5.51	5.666	20	
63	5.51	5.469	20	
64	5.51	5.54	20	
65	5.51	5.319	20	
66	5.51	5.337	20	
67	5.51	5.544	20	
68	5.51	5.613	20	
69	5.51	5.593	20	
70	5.51	5.57	20	
71	5.51	5.461	20	
72	5.51	5.693	20	
73	5.51	5.681	20	
74	5.51	5.321	20	
75	5.51	5.445	20	
76	5.51	5.514	20	*
77	5.51	5.259	20	
78	5.51	5.351	20	
79	5.51	5.332	20	
80	5.51	5.392	20	
81	5.51	5.49	20	
82	5.51	5.58	20	
83	5.51	5.452	20	
84	5.51	5.466	20	
85	5.51	5.686	20	
86	5.51	5.719	20	
87	5.51	5.539	20	
88	5.51	5.706	20	
89	5.51	5.455	20	
90	5.51	5.631	20	
91	5.51	5.432	20	
92	5.51	5.429	20	
93	5.51	5.532	20	
94	5.51	5.494	20	
95	5.51	5.489	20	
96	5.51	5.653	20	
97	5.51	5.568	20	
98	5.51	5.315	20	
99	5.51	5.56	20	
100	5.51	5.479	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 12

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.267	20	
2	5.51	5.314	20	
3	5.51	5.427	20	
4	5.51	5.401	20	
5	5.51	5.594	20	
6	5.51	5.367	20	
7	5.51	5.379	20	
8	5.51	5.584	20	
9	5.51	5.628	20	
10	5.51	5.308	20	
11	5.51	5.601	20	
12	5.51	5.688	20	
13	5.51	5.435	20	
14	5.51	5.256	20	
15	5.51	5.684	20	
16	5.51	5.579	20	
17	5.51	5.403	20	
18	5.51	5.483	20	
19	5.51	5.337	20	
20	5.51	5.33	20	
21	5.51	5.568	20	
22	5.51	5.645	20	
23	5.51	5.686	20	
24	5.51	5.374	20	
25	5.51	5.487	20	
26	5.51	5.626	20	
27	5.51	5.332	20	
28	5.51	5.493	20	
29	5.51	5.478	20	
30	5.51	5.265	20	
31	5.51	5.545	20	
32	5.51	5.722	20	
33	5.51	5.392	20	
34	5.51	5.56	20	
35	5.51	5.502	20	*
36	5.51	5.446	20	
37	5.51	5.714	20	
38	5.51	5.549	20	
39	5.51	5.47	20	
40	5.51	5.485	20	
41	5.51	5.619	20	
42	5.51	5.675	20	
43	5.51	5.426	20	
44	5.51	5.448	20	
45	5.51	5.393	20	
46	5.51	5.424	20	
47	5.51	5.548	20	

48	5.51	5.341	20	
49	5.51	5.361	20	
50	5.51	5.471	20	
51	5.51	5.646	20	
52	5.51	5.416	20	
53	5.51	5.681	20	
54	5.51	5.581	20	
55	5.51	5.655	20	
56	5.51	5.303	20	
57	5.51	5.287	20	
58	5.51	5.494	20	
59	5.51	5.703	20	
60	5.51	5.716	20	
61	5.51	5.382	20	
62	5.51	5.521	20	
63	5.51	5.562	20	
64	5.51	5.7	20	
65	5.51	5.378	20	
66	5.51	5.436	20	
67	5.51	5.346	20	
68	5.51	5.444	20	
69	5.51	5.627	20	
70	5.51	5.466	20	
71	5.51	5.484	20	
72	5.51	5.643	20	
73	5.51	5.57	20	
74	5.51	5.707	20	
75	5.51	5.582	20	
76	5.51	5.384	20	
77	5.51	5.481	20	
78	5.51	5.342	20	
79	5.51	5.596	20	
80	5.51	5.644	20	
81	5.51	5.58	20	
82	5.51	5.357	20	
83	5.51	5.635	20	
84	5.51	5.641	20	
85	5.51	5.559	20	
86	5.51	5.611	20	
87	5.51	5.319	20	
88	5.51	5.5	20	*
89	5.51	5.72	20	
90	5.51	5.526	20	
91	5.51	5.595	20	
92	5.51	5.316	20	
93	5.51	5.433	20	
94	5.51	5.315	20	
95	5.51	5.558	20	
96	5.51	5.282	20	
97	5.51	5.523	20	
98	5.51	5.575	20	
99	5.51	5.251	20	
100	5.51	5.587	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 13

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.424	20	
2	5.51	5.687	20	
3	5.51	5.518	20	*
4	5.51	5.465	20	
5	5.51	5.684	20	
6	5.51	5.459	20	
7	5.51	5.289	20	
8	5.51	5.626	20	
9	5.51	5.397	20	
10	5.51	5.553	20	
11	5.51	5.577	20	
12	5.51	5.482	20	
13	5.51	5.546	20	
14	5.51	5.328	20	
15	5.51	5.503	20	*
16	5.51	5.594	20	
17	5.51	5.267	20	
18	5.51	5.458	20	
19	5.51	5.31	20	
20	5.51	5.433	20	
21	5.51	5.396	20	
22	5.51	5.47	20	
23	5.51	5.281	20	
24	5.51	5.41	20	
25	5.51	5.686	20	
26	5.51	5.672	20	
27	5.51	5.273	20	
28	5.51	5.466	20	
29	5.51	5.492	20	
30	5.51	5.388	20	
31	5.51	5.592	20	
32	5.51	5.344	20	
33	5.51	5.353	20	
34	5.51	5.468	20	
35	5.51	5.254	20	
36	5.51	5.567	20	
37	5.51	5.333	20	
38	5.51	5.679	20	
39	5.51	5.277	20	
40	5.51	5.461	20	
41	5.51	5.366	20	
42	5.51	5.708	20	
43	5.51	5.659	20	
44	5.51	5.441	20	
45	5.51	5.635	20	
46	5.51	5.364	20	
47	5.51	5.682	20	

48	5.51	5.469	20	
49	5.51	5.69	20	
50	5.51	5.641	20	
51	5.51	5.505	20	*
52	5.51	5.696	20	
53	5.51	5.578	20	
54	5.51	5.709	20	
55	5.51	5.67	20	
56	5.51	5.58	20	
57	5.51	5.706	20	
58	5.51	5.293	20	
59	5.51	5.304	20	
60	5.51	5.35	20	
61	5.51	5.625	20	
62	5.51	5.476	20	
63	5.51	5.369	20	
64	5.51	5.484	20	
65	5.51	5.4	20	
66	5.51	5.3	20	
67	5.51	5.685	20	
68	5.51	5.26	20	
69	5.51	5.28	20	
70	5.51	5.427	20	
71	5.51	5.663	20	
72	5.51	5.571	20	
73	5.51	5.616	20	
74	5.51	5.676	20	
75	5.51	5.662	20	
76	5.51	5.452	20	
77	5.51	5.301	20	
78	5.51	5.521	20	
79	5.51	5.677	20	
80	5.51	5.617	20	
81	5.51	5.475	20	
82	5.51	5.37	20	
83	5.51	5.517	20	*
84	5.51	5.639	20	
85	5.51	5.669	20	
86	5.51	5.623	20	
87	5.51	5.721	20	
88	5.51	5.551	20	
89	5.51	5.345	20	
90	5.51	5.647	20	
91	5.51	5.534	20	
92	5.51	5.338	20	
93	5.51	5.502	20	*
94	5.51	5.347	20	
95	5.51	5.386	20	
96	5.51	5.408	20	
97	5.51	5.614	20	
98	5.51	5.568	20	
99	5.51	5.536	20	
100	5.51	5.341	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 14

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.608	20	
2	5.51	5.572	20	
3	5.51	5.293	20	
4	5.51	5.275	20	
5	5.51	5.463	20	
6	5.51	5.299	20	
7	5.51	5.284	20	
8	5.51	5.303	20	
9	5.51	5.26	20	
10	5.51	5.633	20	
11	5.51	5.553	20	
12	5.51	5.307	20	
13	5.51	5.609	20	
14	5.51	5.535	20	
15	5.51	5.673	20	
16	5.51	5.356	20	
17	5.51	5.532	20	
18	5.51	5.499	20	
19	5.51	5.395	20	
20	5.51	5.513	20	*
21	5.51	5.323	20	
22	5.51	5.55	20	
23	5.51	5.522	20	
24	5.51	5.435	20	
25	5.51	5.342	20	
26	5.51	5.33	20	
27	5.51	5.445	20	
28	5.51	5.574	20	
29	5.51	5.579	20	
30	5.51	5.404	20	
31	5.51	5.665	20	
32	5.51	5.36	20	
33	5.51	5.591	20	
34	5.51	5.375	20	
35	5.51	5.531	20	
36	5.51	5.251	20	
37	5.51	5.5	20	*
38	5.51	5.533	20	
39	5.51	5.29	20	
40	5.51	5.449	20	
41	5.51	5.257	20	
42	5.51	5.359	20	
43	5.51	5.667	20	
44	5.51	5.281	20	
45	5.51	5.592	20	
46	5.51	5.71	20	
47	5.51	5.72	20	

48	5.51	5.59	20	
49	5.51	5.711	20	
50	5.51	5.378	20	
51	5.51	5.628	20	
52	5.51	5.551	20	
53	5.51	5.265	20	
54	5.51	5.322	20	
55	5.51	5.593	20	
56	5.51	5.417	20	
57	5.51	5.717	20	
58	5.51	5.637	20	
59	5.51	5.397	20	
60	5.51	5.282	20	
61	5.51	5.365	20	
62	5.51	5.392	20	
63	5.51	5.568	20	
64	5.51	5.319	20	
65	5.51	5.295	20	
66	5.51	5.389	20	
67	5.51	5.519	20	*
68	5.51	5.268	20	
69	5.51	5.41	20	
70	5.51	5.401	20	
71	5.51	5.492	20	
72	5.51	5.277	20	
73	5.51	5.278	20	
74	5.51	5.527	20	
75	5.51	5.57	20	
76	5.51	5.626	20	
77	5.51	5.438	20	
78	5.51	5.646	20	
79	5.51	5.332	20	
80	5.51	5.537	20	
81	5.51	5.555	20	
82	5.51	5.292	20	
83	5.51	5.64	20	
84	5.51	5.658	20	
85	5.51	5.479	20	
86	5.51	5.612	20	
87	5.51	5.42	20	
88	5.51	5.534	20	
89	5.51	5.676	20	
90	5.51	5.294	20	
91	5.51	5.325	20	
92	5.51	5.418	20	
93	5.51	5.569	20	
94	5.51	5.393	20	
95	5.51	5.374	20	
96	5.51	5.448	20	
97	5.51	5.663	20	
98	5.51	5.685	20	
99	5.51	5.705	20	
100	5.51	5.478	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 15

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.43	20	
2	5.51	5.433	20	
3	5.51	5.604	20	
4	5.51	5.495	20	
5	5.51	5.462	20	
6	5.51	5.298	20	
7	5.51	5.603	20	
8	5.51	5.634	20	
9	5.51	5.677	20	
10	5.51	5.251	20	
11	5.51	5.383	20	
12	5.51	5.611	20	
13	5.51	5.551	20	
14	5.51	5.361	20	
15	5.51	5.345	20	
16	5.51	5.258	20	
17	5.51	5.343	20	
18	5.51	5.556	20	
19	5.51	5.622	20	
20	5.51	5.479	20	
21	5.51	5.427	20	
22	5.51	5.558	20	
23	5.51	5.717	20	
24	5.51	5.493	20	
25	5.51	5.389	20	
26	5.51	5.545	20	
27	5.51	5.667	20	
28	5.51	5.596	20	
29	5.51	5.525	20	
30	5.51	5.311	20	
31	5.51	5.473	20	
32	5.51	5.333	20	
33	5.51	5.347	20	
34	5.51	5.394	20	
35	5.51	5.355	20	
36	5.51	5.32	20	
37	5.51	5.641	20	
38	5.51	5.371	20	
39	5.51	5.627	20	
40	5.51	5.487	20	
41	5.51	5.37	20	
42	5.51	5.255	20	
43	5.51	5.535	20	
44	5.51	5.454	20	
45	5.51	5.698	20	
46	5.51	5.408	20	
47	5.51	5.575	20	

48	5.51	5.334	20	
49	5.51	5.357	20	
50	5.51	5.626	20	
51	5.51	5.346	20	
52	5.51	5.628	20	
53	5.51	5.335	20	
54	5.51	5.364	20	
55	5.51	5.509	20	*
56	5.51	5.488	20	
57	5.51	5.381	20	
58	5.51	5.395	20	
59	5.51	5.555	20	
60	5.51	5.522	20	
61	5.51	5.66	20	
62	5.51	5.635	20	
63	5.51	5.378	20	
64	5.51	5.456	20	
65	5.51	5.386	20	
66	5.51	5.36	20	
67	5.51	5.53	20	
68	5.51	5.565	20	
69	5.51	5.49	20	
70	5.51	5.307	20	
71	5.51	5.679	20	
72	5.51	5.319	20	
73	5.51	5.528	20	
74	5.51	5.313	20	
75	5.51	5.318	20	
76	5.51	5.607	20	
77	5.51	5.54	20	
78	5.51	5.692	20	
79	5.51	5.299	20	
80	5.51	5.322	20	
81	5.51	5.59	20	
82	5.51	5.513	20	*
83	5.51	5.616	20	
84	5.51	5.292	20	
85	5.51	5.659	20	
86	5.51	5.534	20	
87	5.51	5.373	20	
88	5.51	5.289	20	
89	5.51	5.6	20	
90	5.51	5.533	20	
91	5.51	5.52	20	*
92	5.51	5.507	20	*
93	5.51	5.658	20	
94	5.51	5.366	20	
95	5.51	5.564	20	
96	5.51	5.254	20	
97	5.51	5.631	20	
98	5.51	5.691	20	
99	5.51	5.372	20	
100	5.51	5.369	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 16

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.647	20	
2	5.51	5.268	20	
3	5.51	5.626	20	
4	5.51	5.633	20	
5	5.51	5.594	20	
6	5.51	5.285	20	
7	5.51	5.455	20	
8	5.51	5.565	20	
9	5.51	5.351	20	
10	5.51	5.625	20	
11	5.51	5.473	20	
12	5.51	5.615	20	
13	5.51	5.378	20	
14	5.51	5.358	20	
15	5.51	5.338	20	
16	5.51	5.342	20	
17	5.51	5.26	20	
18	5.51	5.701	20	
19	5.51	5.337	20	
20	5.51	5.597	20	
21	5.51	5.364	20	
22	5.51	5.377	20	
23	5.51	5.528	20	
24	5.51	5.563	20	
25	5.51	5.707	20	
26	5.51	5.426	20	
27	5.51	5.636	20	
28	5.51	5.329	20	
29	5.51	5.373	20	
30	5.51	5.555	20	
31	5.51	5.708	20	
32	5.51	5.657	20	
33	5.51	5.438	20	
34	5.51	5.252	20	
35	5.51	5.262	20	
36	5.51	5.507	20	*
37	5.51	5.296	20	
38	5.51	5.403	20	
39	5.51	5.288	20	
40	5.51	5.641	20	
41	5.51	5.344	20	
42	5.51	5.571	20	
43	5.51	5.544	20	
44	5.51	5.391	20	
45	5.51	5.487	20	
46	5.51	5.334	20	
47	5.51	5.66	20	

48	5.51	5.307	20	
49	5.51	5.369	20	
50	5.51	5.712	20	
51	5.51	5.549	20	
52	5.51	5.511	20	*
53	5.51	5.45	20	
54	5.51	5.537	20	
55	5.51	5.576	20	
56	5.51	5.299	20	
57	5.51	5.538	20	
58	5.51	5.709	20	
59	5.51	5.257	20	
60	5.51	5.472	20	
61	5.51	5.355	20	
62	5.51	5.303	20	
63	5.51	5.479	20	
64	5.51	5.667	20	
65	5.51	5.34	20	
66	5.51	5.292	20	
67	5.51	5.559	20	
68	5.51	5.389	20	
69	5.51	5.274	20	
70	5.51	5.489	20	
71	5.51	5.674	20	
72	5.51	5.515	20	*
73	5.51	5.713	20	
74	5.51	5.289	20	
75	5.51	5.567	20	
76	5.51	5.315	20	
77	5.51	5.69	20	
78	5.51	5.628	20	
79	5.51	5.332	20	
80	5.51	5.619	20	
81	5.51	5.536	20	
82	5.51	5.463	20	
83	5.51	5.357	20	
84	5.51	5.49	20	
85	5.51	5.394	20	
86	5.51	5.663	20	
87	5.51	5.661	20	
88	5.51	5.459	20	
89	5.51	5.573	20	
90	5.51	5.423	20	
91	5.51	5.366	20	
92	5.51	5.711	20	
93	5.51	5.475	20	
94	5.51	5.343	20	
95	5.51	5.55	20	
96	5.51	5.525	20	
97	5.51	5.673	20	
98	5.51	5.509	20	*
99	5.51	5.465	20	
100	5.51	5.428	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 17

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.643	20	
2	5.51	5.351	20	
3	5.51	5.398	20	
4	5.51	5.393	20	
5	5.51	5.419	20	
6	5.51	5.423	20	
7	5.51	5.361	20	
8	5.51	5.477	20	
9	5.51	5.407	20	
10	5.51	5.517	20	*
11	5.51	5.599	20	
12	5.51	5.543	20	
13	5.51	5.656	20	
14	5.51	5.553	20	
15	5.51	5.308	20	
16	5.51	5.623	20	
17	5.51	5.384	20	
18	5.51	5.6	20	
19	5.51	5.66	20	
20	5.51	5.327	20	
21	5.51	5.655	20	
22	5.51	5.434	20	
23	5.51	5.577	20	
24	5.51	5.567	20	
25	5.51	5.688	20	
26	5.51	5.522	20	
27	5.51	5.316	20	
28	5.51	5.615	20	
29	5.51	5.681	20	
30	5.51	5.508	20	*
31	5.51	5.578	20	
32	5.51	5.493	20	
33	5.51	5.372	20	
34	5.51	5.468	20	
35	5.51	5.633	20	
36	5.51	5.343	20	
37	5.51	5.257	20	
38	5.51	5.408	20	
39	5.51	5.342	20	
40	5.51	5.276	20	
41	5.51	5.622	20	
42	5.51	5.561	20	
43	5.51	5.653	20	
44	5.51	5.492	20	
45	5.51	5.619	20	
46	5.51	5.386	20	
47	5.51	5.53	20	

48	5.51	5.704	20	
49	5.51	5.425	20	
50	5.51	5.588	20	
51	5.51	5.545	20	
52	5.51	5.266	20	
53	5.51	5.526	20	
54	5.51	5.252	20	
55	5.51	5.364	20	
56	5.51	5.334	20	
57	5.51	5.513	20	*
58	5.51	5.443	20	
59	5.51	5.402	20	
60	5.51	5.465	20	
61	5.51	5.336	20	
62	5.51	5.689	20	
63	5.51	5.44	20	
64	5.51	5.441	20	
65	5.51	5.708	20	
66	5.51	5.662	20	
67	5.51	5.385	20	
68	5.51	5.697	20	
69	5.51	5.406	20	
70	5.51	5.38	20	
71	5.51	5.284	20	
72	5.51	5.649	20	
73	5.51	5.68	20	
74	5.51	5.629	20	
75	5.51	5.272	20	
76	5.51	5.347	20	
77	5.51	5.307	20	
78	5.51	5.703	20	
79	5.51	5.458	20	
80	5.51	5.34	20	
81	5.51	5.72	20	
82	5.51	5.388	20	
83	5.51	5.537	20	
84	5.51	5.544	20	
85	5.51	5.479	20	
86	5.51	5.285	20	
87	5.51	5.45	20	
88	5.51	5.368	20	
89	5.51	5.288	20	
90	5.51	5.678	20	
91	5.51	5.289	20	
92	5.51	5.478	20	
93	5.51	5.618	20	
94	5.51	5.323	20	
95	5.51	5.4	20	
96	5.51	5.677	20	
97	5.51	5.632	20	
98	5.51	5.459	20	
99	5.51	5.338	20	
100	5.51	5.41	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 18

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.446	20	
2	5.51	5.447	20	
3	5.51	5.284	20	
4	5.51	5.636	20	
5	5.51	5.386	20	
6	5.51	5.491	20	
7	5.51	5.327	20	
8	5.51	5.653	20	
9	5.51	5.325	20	
10	5.51	5.536	20	
11	5.51	5.674	20	
12	5.51	5.368	20	
13	5.51	5.665	20	
14	5.51	5.388	20	
15	5.51	5.263	20	
16	5.51	5.649	20	
17	5.51	5.643	20	
18	5.51	5.317	20	
19	5.51	5.472	20	
20	5.51	5.526	20	
21	5.51	5.307	20	
22	5.51	5.484	20	
23	5.51	5.495	20	
24	5.51	5.339	20	
25	5.51	5.433	20	
26	5.51	5.331	20	
27	5.51	5.502	20	*
28	5.51	5.582	20	
29	5.51	5.487	20	
30	5.51	5.417	20	
31	5.51	5.523	20	
32	5.51	5.43	20	
33	5.51	5.593	20	
34	5.51	5.42	20	
35	5.51	5.257	20	
36	5.51	5.634	20	
37	5.51	5.318	20	
38	5.51	5.35	20	
39	5.51	5.29	20	
40	5.51	5.381	20	
41	5.51	5.366	20	
42	5.51	5.443	20	
43	5.51	5.456	20	
44	5.51	5.65	20	
45	5.51	5.371	20	
46	5.51	5.384	20	
47	5.51	5.631	20	

48	5.51	5.413	20	
49	5.51	5.601	20	
50	5.51	5.668	20	
51	5.51	5.264	20	
52	5.51	5.464	20	
53	5.51	5.503	20	*
54	5.51	5.534	20	
55	5.51	5.718	20	
56	5.51	5.344	20	
57	5.51	5.721	20	
58	5.51	5.349	20	
59	5.51	5.565	20	
60	5.51	5.621	20	
61	5.51	5.588	20	
62	5.51	5.379	20	
63	5.51	5.673	20	
64	5.51	5.273	20	
65	5.51	5.276	20	
66	5.51	5.424	20	
67	5.51	5.256	20	
68	5.51	5.389	20	
69	5.51	5.452	20	
70	5.51	5.496	20	
71	5.51	5.717	20	
72	5.51	5.612	20	
73	5.51	5.277	20	
74	5.51	5.704	20	
75	5.51	5.62	20	
76	5.51	5.654	20	
77	5.51	5.369	20	
78	5.51	5.6	20	
79	5.51	5.253	20	
80	5.51	5.352	20	
81	5.51	5.321	20	
82	5.51	5.355	20	
83	5.51	5.293	20	
84	5.51	5.25	20	
85	5.51	5.538	20	
86	5.51	5.455	20	
87	5.51	5.28	20	
88	5.51	5.678	20	
89	5.51	5.493	20	
90	5.51	5.259	20	
91	5.51	5.595	20	
92	5.51	5.614	20	
93	5.51	5.267	20	
94	5.51	5.31	20	
95	5.51	5.298	20	
96	5.51	5.428	20	
97	5.51	5.47	20	
98	5.51	5.445	20	
99	5.51	5.59	20	
100	5.51	5.552	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 19

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.587	20	
2	5.51	5.461	20	
3	5.51	5.536	20	
4	5.51	5.414	20	
5	5.51	5.599	20	
6	5.51	5.59	20	
7	5.51	5.659	20	
8	5.51	5.376	20	
9	5.51	5.273	20	
10	5.51	5.28	20	
11	5.51	5.447	20	
12	5.51	5.371	20	
13	5.51	5.546	20	
14	5.51	5.532	20	
15	5.51	5.572	20	
16	5.51	5.34	20	
17	5.51	5.355	20	
18	5.51	5.392	20	
19	5.51	5.468	20	
20	5.51	5.253	20	
21	5.51	5.512	20	*
22	5.51	5.471	20	
23	5.51	5.48	20	
24	5.51	5.658	20	
25	5.51	5.585	20	
26	5.51	5.721	20	
27	5.51	5.368	20	
28	5.51	5.612	20	
29	5.51	5.481	20	
30	5.51	5.545	20	
31	5.51	5.5	20	*
32	5.51	5.345	20	
33	5.51	5.541	20	
34	5.51	5.302	20	
35	5.51	5.551	20	
36	5.51	5.623	20	
37	5.51	5.682	20	
38	5.51	5.609	20	
39	5.51	5.286	20	
40	5.51	5.351	20	
41	5.51	5.417	20	
42	5.51	5.389	20	
43	5.51	5.411	20	
44	5.51	5.618	20	
45	5.51	5.395	20	
46	5.51	5.548	20	
47	5.51	5.463	20	

48	5.51	5.26	20	
49	5.51	5.63	20	
50	5.51	5.31	20	
51	5.51	5.329	20	
52	5.51	5.439	20	
53	5.51	5.707	20	
54	5.51	5.645	20	
55	5.51	5.535	20	
56	5.51	5.467	20	
57	5.51	5.713	20	
58	5.51	5.412	20	
59	5.51	5.437	20	
60	5.51	5.531	20	
61	5.51	5.54	20	
62	5.51	5.254	20	
63	5.51	5.719	20	
64	5.51	5.264	20	
65	5.51	5.66	20	
66	5.51	5.295	20	
67	5.51	5.284	20	
68	5.51	5.49	20	
69	5.51	5.451	20	
70	5.51	5.534	20	
71	5.51	5.524	20	
72	5.51	5.272	20	
73	5.51	5.491	20	
74	5.51	5.667	20	
75	5.51	5.553	20	
76	5.51	5.688	20	
77	5.51	5.519	20	*
78	5.51	5.636	20	
79	5.51	5.487	20	
80	5.51	5.529	20	
81	5.51	5.495	20	
82	5.51	5.669	20	
83	5.51	5.539	20	
84	5.51	5.679	20	
85	5.51	5.432	20	
86	5.51	5.671	20	
87	5.51	5.415	20	
88	5.51	5.493	20	
89	5.51	5.359	20	
90	5.51	5.326	20	
91	5.51	5.361	20	
92	5.51	5.595	20	
93	5.51	5.336	20	
94	5.51	5.53	20	
95	5.51	5.683	20	
96	5.51	5.483	20	
97	5.51	5.278	20	
98	5.51	5.588	20	
99	5.51	5.409	20	
100	5.51	5.365	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 20

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.586	20	
2	5.51	5.701	20	
3	5.51	5.573	20	
4	5.51	5.439	20	
5	5.51	5.683	20	
6	5.51	5.432	20	
7	5.51	5.545	20	
8	5.51	5.603	20	
9	5.51	5.54	20	
10	5.51	5.572	20	
11	5.51	5.673	20	
12	5.51	5.289	20	
13	5.51	5.256	20	
14	5.51	5.527	20	
15	5.51	5.477	20	
16	5.51	5.35	20	
17	5.51	5.443	20	
18	5.51	5.549	20	
19	5.51	5.694	20	
20	5.51	5.483	20	
21	5.51	5.541	20	
22	5.51	5.582	20	
23	5.51	5.467	20	
24	5.51	5.441	20	
25	5.51	5.291	20	
26	5.51	5.424	20	
27	5.51	5.542	20	
28	5.51	5.322	20	
29	5.51	5.661	20	
30	5.51	5.286	20	
31	5.51	5.585	20	
32	5.51	5.288	20	
33	5.51	5.718	20	
34	5.51	5.488	20	
35	5.51	5.475	20	
36	5.51	5.448	20	
37	5.51	5.528	20	
38	5.51	5.551	20	
39	5.51	5.522	20	
40	5.51	5.346	20	
41	5.51	5.613	20	
42	5.51	5.592	20	
43	5.51	5.628	20	
44	5.51	5.526	20	
45	5.51	5.509	20	*
46	5.51	5.711	20	
47	5.51	5.457	20	

48	5.51	5.328	20	
49	5.51	5.577	20	
50	5.51	5.663	20	
51	5.51	5.653	20	
52	5.51	5.706	20	
53	5.51	5.667	20	
54	5.51	5.721	20	
55	5.51	5.587	20	
56	5.51	5.56	20	
57	5.51	5.299	20	
58	5.51	5.524	20	
59	5.51	5.584	20	
60	5.51	5.506	20	*
61	5.51	5.535	20	
62	5.51	5.641	20	
63	5.51	5.658	20	
64	5.51	5.423	20	
65	5.51	5.659	20	
66	5.51	5.507	20	*
67	5.51	5.449	20	
68	5.51	5.548	20	
69	5.51	5.714	20	
70	5.51	5.325	20	
71	5.51	5.568	20	
72	5.51	5.724	20	
73	5.51	5.41	20	
74	5.51	5.409	20	
75	5.51	5.463	20	
76	5.51	5.579	20	
77	5.51	5.258	20	
78	5.51	5.677	20	
79	5.51	5.436	20	
80	5.51	5.514	20	*
81	5.51	5.508	20	*
82	5.51	5.616	20	
83	5.51	5.567	20	
84	5.51	5.335	20	
85	5.51	5.279	20	
86	5.51	5.635	20	
87	5.51	5.275	20	
88	5.51	5.283	20	
89	5.51	5.639	20	
90	5.51	5.319	20	
91	5.51	5.462	20	
92	5.51	5.666	20	
93	5.51	5.719	20	
94	5.51	5.523	20	
95	5.51	5.705	20	
96	5.51	5.717	20	
97	5.51	5.287	20	
98	5.51	5.444	20	
99	5.51	5.313	20	
100	5.51	5.599	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 21

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.491	20	
2	5.51	5.461	20	
3	5.51	5.552	20	
4	5.51	5.542	20	
5	5.51	5.584	20	
6	5.51	5.624	20	
7	5.51	5.458	20	
8	5.51	5.326	20	
9	5.51	5.666	20	
10	5.51	5.264	20	
11	5.51	5.633	20	
12	5.51	5.313	20	
13	5.51	5.507	20	*
14	5.51	5.361	20	
15	5.51	5.556	20	
16	5.51	5.69	20	
17	5.51	5.676	20	
18	5.51	5.381	20	
19	5.51	5.303	20	
20	5.51	5.356	20	
21	5.51	5.366	20	
22	5.51	5.349	20	
23	5.51	5.648	20	
24	5.51	5.546	20	
25	5.51	5.496	20	
26	5.51	5.687	20	
27	5.51	5.4	20	
28	5.51	5.406	20	
29	5.51	5.475	20	
30	5.51	5.334	20	
31	5.51	5.718	20	
32	5.51	5.389	20	
33	5.51	5.572	20	
34	5.51	5.292	20	
35	5.51	5.339	20	
36	5.51	5.362	20	
37	5.51	5.534	20	
38	5.51	5.601	20	
39	5.51	5.291	20	
40	5.51	5.503	20	*
41	5.51	5.472	20	
42	5.51	5.471	20	
43	5.51	5.412	20	
44	5.51	5.555	20	
45	5.51	5.506	20	*
46	5.51	5.499	20	
47	5.51	5.522	20	

48	5.51	5.26	20	
49	5.51	5.54	20	
50	5.51	5.408	20	
51	5.51	5.588	20	
52	5.51	5.568	20	
53	5.51	5.535	20	
54	5.51	5.512	20	*
55	5.51	5.579	20	
56	5.51	5.562	20	
57	5.51	5.693	20	
58	5.51	5.369	20	
59	5.51	5.611	20	
60	5.51	5.671	20	
61	5.51	5.657	20	
62	5.51	5.58	20	
63	5.51	5.282	20	
64	5.51	5.532	20	
65	5.51	5.431	20	
66	5.51	5.553	20	
67	5.51	5.678	20	
68	5.51	5.305	20	
69	5.51	5.631	20	
70	5.51	5.622	20	
71	5.51	5.645	20	
72	5.51	5.649	20	
73	5.51	5.467	20	
74	5.51	5.477	20	
75	5.51	5.485	20	
76	5.51	5.519	20	*
77	5.51	5.37	20	
78	5.51	5.7	20	
79	5.51	5.276	20	
80	5.51	5.258	20	
81	5.51	5.46	20	
82	5.51	5.396	20	
83	5.51	5.386	20	
84	5.51	5.614	20	
85	5.51	5.427	20	
86	5.51	5.283	20	
87	5.51	5.712	20	
88	5.51	5.5	20	*
89	5.51	5.528	20	
90	5.51	5.443	20	
91	5.51	5.459	20	
92	5.51	5.341	20	
93	5.51	5.452	20	
94	5.51	5.422	20	
95	5.51	5.338	20	
96	5.51	5.353	20	
97	5.51	5.698	20	
98	5.51	5.456	20	
99	5.51	5.564	20	
100	5.51	5.654	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 22

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.566	20	
2	5.51	5.29	20	
3	5.51	5.609	20	
4	5.51	5.272	20	
5	5.51	5.65	20	
6	5.51	5.392	20	
7	5.51	5.429	20	
8	5.51	5.443	20	
9	5.51	5.401	20	
10	5.51	5.699	20	
11	5.51	5.505	20	*
12	5.51	5.512	20	*
13	5.51	5.502	20	*
14	5.51	5.64	20	
15	5.51	5.278	20	
16	5.51	5.44	20	
17	5.51	5.383	20	
18	5.51	5.532	20	
19	5.51	5.702	20	
20	5.51	5.533	20	
21	5.51	5.285	20	
22	5.51	5.711	20	
23	5.51	5.697	20	
24	5.51	5.568	20	
25	5.51	5.696	20	
26	5.51	5.304	20	
27	5.51	5.301	20	
28	5.51	5.667	20	
29	5.51	5.261	20	
30	5.51	5.337	20	
31	5.51	5.619	20	
32	5.51	5.483	20	
33	5.51	5.496	20	
34	5.51	5.361	20	
35	5.51	5.374	20	
36	5.51	5.358	20	
37	5.51	5.371	20	
38	5.51	5.38	20	
39	5.51	5.551	20	
40	5.51	5.54	20	
41	5.51	5.411	20	
42	5.51	5.641	20	
43	5.51	5.438	20	
44	5.51	5.276	20	
45	5.51	5.386	20	
46	5.51	5.296	20	
47	5.51	5.47	20	

48	5.51	5.253	20	
49	5.51	5.442	20	
50	5.51	5.521	20	
51	5.51	5.264	20	
52	5.51	5.676	20	
53	5.51	5.693	20	
54	5.51	5.389	20	
55	5.51	5.623	20	
56	5.51	5.524	20	
57	5.51	5.349	20	
58	5.51	5.653	20	
59	5.51	5.658	20	
60	5.51	5.695	20	
61	5.51	5.373	20	
62	5.51	5.614	20	
63	5.51	5.603	20	
64	5.51	5.274	20	
65	5.51	5.404	20	
66	5.51	5.421	20	
67	5.51	5.679	20	
68	5.51	5.445	20	
69	5.51	5.265	20	
70	5.51	5.677	20	
71	5.51	5.327	20	
72	5.51	5.329	20	
73	5.51	5.659	20	
74	5.51	5.548	20	
75	5.51	5.647	20	
76	5.51	5.719	20	
77	5.51	5.669	20	
78	5.51	5.485	20	
79	5.51	5.458	20	
80	5.51	5.369	20	
81	5.51	5.662	20	
82	5.51	5.588	20	
83	5.51	5.489	20	
84	5.51	5.299	20	
85	5.51	5.539	20	
86	5.51	5.595	20	
87	5.51	5.629	20	
88	5.51	5.367	20	
89	5.51	5.583	20	
90	5.51	5.493	20	
91	5.51	5.673	20	
92	5.51	5.453	20	
93	5.51	5.564	20	
94	5.51	5.362	20	
95	5.51	5.515	20	*
96	5.51	5.643	20	
97	5.51	5.651	20	
98	5.51	5.402	20	
99	5.51	5.271	20	
100	5.51	5.67	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 23

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.332	20	
2	5.51	5.335	20	
3	5.51	5.286	20	
4	5.51	5.601	20	
5	5.51	5.379	20	
6	5.51	5.397	20	
7	5.51	5.691	20	
8	5.51	5.612	20	
9	5.51	5.411	20	
10	5.51	5.619	20	
11	5.51	5.403	20	
12	5.51	5.431	20	
13	5.51	5.455	20	
14	5.51	5.449	20	
15	5.51	5.416	20	
16	5.51	5.701	20	
17	5.51	5.415	20	
18	5.51	5.308	20	
19	5.51	5.312	20	
20	5.51	5.423	20	
21	5.51	5.636	20	
22	5.51	5.51	20	*
23	5.51	5.334	20	
24	5.51	5.291	20	
25	5.51	5.276	20	
26	5.51	5.446	20	
27	5.51	5.375	20	
28	5.51	5.465	20	
29	5.51	5.497	20	
30	5.51	5.72	20	
31	5.51	5.681	20	
32	5.51	5.377	20	
33	5.51	5.418	20	
34	5.51	5.323	20	
35	5.51	5.345	20	
36	5.51	5.554	20	
37	5.51	5.264	20	
38	5.51	5.421	20	
39	5.51	5.354	20	
40	5.51	5.717	20	
41	5.51	5.485	20	
42	5.51	5.503	20	*
43	5.51	5.252	20	
44	5.51	5.303	20	
45	5.51	5.617	20	
46	5.51	5.451	20	
47	5.51	5.341	20	

48	5.51	5.522	20	
49	5.51	5.333	20	
50	5.51	5.493	20	
51	5.51	5.25	20	
52	5.51	5.382	20	
53	5.51	5.348	20	
54	5.51	5.716	20	
55	5.51	5.464	20	
56	5.51	5.361	20	
57	5.51	5.355	20	
58	5.51	5.665	20	
59	5.51	5.372	20	
60	5.51	5.481	20	
61	5.51	5.324	20	
62	5.51	5.557	20	
63	5.51	5.39	20	
64	5.51	5.635	20	
65	5.51	5.368	20	
66	5.51	5.393	20	
67	5.51	5.643	20	
68	5.51	5.592	20	
69	5.51	5.433	20	
70	5.51	5.419	20	
71	5.51	5.693	20	
72	5.51	5.479	20	
73	5.51	5.594	20	
74	5.51	5.624	20	
75	5.51	5.641	20	
76	5.51	5.266	20	
77	5.51	5.473	20	
78	5.51	5.5	20	*
79	5.51	5.259	20	
80	5.51	5.32	20	
81	5.51	5.672	20	
82	5.51	5.467	20	
83	5.51	5.268	20	
84	5.51	5.408	20	
85	5.51	5.512	20	*
86	5.51	5.529	20	
87	5.51	5.558	20	
88	5.51	5.582	20	
89	5.51	5.444	20	
90	5.51	5.541	20	
91	5.51	5.514	20	*
92	5.51	5.519	20	*
93	5.51	5.463	20	
94	5.51	5.634	20	
95	5.51	5.277	20	
96	5.51	5.321	20	
97	5.51	5.466	20	
98	5.51	5.509	20	*
99	5.51	5.396	20	
100	5.51	5.447	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 24

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.539	20	
2	5.51	5.699	20	
3	5.51	5.388	20	
4	5.51	5.372	20	
5	5.51	5.284	20	
6	5.51	5.344	20	
7	5.51	5.473	20	
8	5.51	5.614	20	
9	5.51	5.526	20	
10	5.51	5.358	20	
11	5.51	5.464	20	
12	5.51	5.283	20	
13	5.51	5.379	20	
14	5.51	5.333	20	
15	5.51	5.312	20	
16	5.51	5.299	20	
17	5.51	5.255	20	
18	5.51	5.341	20	
19	5.51	5.355	20	
20	5.51	5.337	20	
21	5.51	5.351	20	
22	5.51	5.68	20	
23	5.51	5.501	20	*
24	5.51	5.638	20	
25	5.51	5.504	20	*
26	5.51	5.269	20	
27	5.51	5.436	20	
28	5.51	5.509	20	*
29	5.51	5.619	20	
30	5.51	5.393	20	
31	5.51	5.634	20	
32	5.51	5.416	20	
33	5.51	5.607	20	
34	5.51	5.721	20	
35	5.51	5.435	20	
36	5.51	5.653	20	
37	5.51	5.704	20	
38	5.51	5.518	20	*
39	5.51	5.718	20	
40	5.51	5.62	20	
41	5.51	5.571	20	
42	5.51	5.31	20	
43	5.51	5.563	20	
44	5.51	5.69	20	
45	5.51	5.487	20	
46	5.51	5.622	20	
47	5.51	5.479	20	

48	5.51	5.418	20	
49	5.51	5.398	20	
50	5.51	5.349	20	
51	5.51	5.689	20	
52	5.51	5.462	20	
53	5.51	5.645	20	
54	5.51	5.583	20	
55	5.51	5.709	20	
56	5.51	5.371	20	
57	5.51	5.314	20	
58	5.51	5.646	20	
59	5.51	5.536	20	
60	5.51	5.488	20	
61	5.51	5.629	20	
62	5.51	5.593	20	
63	5.51	5.407	20	
64	5.51	5.535	20	
65	5.51	5.272	20	
66	5.51	5.426	20	
67	5.51	5.65	20	
68	5.51	5.697	20	
69	5.51	5.612	20	
70	5.51	5.511	20	*
71	5.51	5.672	20	
72	5.51	5.458	20	
73	5.51	5.564	20	
74	5.51	5.508	20	*
75	5.51	5.589	20	
76	5.51	5.502	20	*
77	5.51	5.328	20	
78	5.51	5.374	20	
79	5.51	5.682	20	
80	5.51	5.702	20	
81	5.51	5.544	20	
82	5.51	5.598	20	
83	5.51	5.668	20	
84	5.51	5.25	20	
85	5.51	5.259	20	
86	5.51	5.309	20	
87	5.51	5.55	20	
88	5.51	5.474	20	
89	5.51	5.547	20	
90	5.51	5.565	20	
91	5.51	5.597	20	
92	5.51	5.572	20	
93	5.51	5.286	20	
94	5.51	5.386	20	
95	5.51	5.695	20	
96	5.51	5.609	20	
97	5.51	5.587	20	
98	5.51	5.454	20	
99	5.51	5.446	20	
100	5.51	5.664	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 25

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.429	20	
2	5.51	5.255	20	
3	5.51	5.43	20	
4	5.51	5.595	20	
5	5.51	5.584	20	
6	5.51	5.471	20	
7	5.51	5.573	20	
8	5.51	5.477	20	
9	5.51	5.57	20	
10	5.51	5.622	20	
11	5.51	5.612	20	
12	5.51	5.34	20	
13	5.51	5.543	20	
14	5.51	5.662	20	
15	5.51	5.262	20	
16	5.51	5.666	20	
17	5.51	5.379	20	
18	5.51	5.714	20	
19	5.51	5.493	20	
20	5.51	5.508	20	*
21	5.51	5.629	20	
22	5.51	5.308	20	
23	5.51	5.699	20	
24	5.51	5.643	20	
25	5.51	5.532	20	
26	5.51	5.617	20	
27	5.51	5.295	20	
28	5.51	5.673	20	
29	5.51	5.694	20	
30	5.51	5.623	20	
31	5.51	5.357	20	
32	5.51	5.588	20	
33	5.51	5.396	20	
34	5.51	5.628	20	
35	5.51	5.272	20	
36	5.51	5.513	20	*
37	5.51	5.409	20	
38	5.51	5.39	20	
39	5.51	5.625	20	
40	5.51	5.488	20	
41	5.51	5.582	20	
42	5.51	5.484	20	
43	5.51	5.358	20	
44	5.51	5.347	20	
45	5.51	5.655	20	
46	5.51	5.516	20	*
47	5.51	5.378	20	

48	5.51	5.326	20	
49	5.51	5.324	20	
50	5.51	5.422	20	
51	5.51	5.363	20	
52	5.51	5.558	20	
53	5.51	5.456	20	
54	5.51	5.518	20	*
55	5.51	5.316	20	
56	5.51	5.531	20	
57	5.51	5.384	20	
58	5.51	5.49	20	
59	5.51	5.483	20	
60	5.51	5.398	20	
61	5.51	5.503	20	*
62	5.51	5.688	20	
63	5.51	5.577	20	
64	5.51	5.355	20	
65	5.51	5.417	20	
66	5.51	5.356	20	
67	5.51	5.555	20	
68	5.51	5.523	20	
69	5.51	5.544	20	
70	5.51	5.682	20	
71	5.51	5.656	20	
72	5.51	5.677	20	
73	5.51	5.268	20	
74	5.51	5.37	20	
75	5.51	5.291	20	
76	5.51	5.658	20	
77	5.51	5.426	20	
78	5.51	5.478	20	
79	5.51	5.463	20	
80	5.51	5.325	20	
81	5.51	5.446	20	
82	5.51	5.589	20	
83	5.51	5.307	20	
84	5.51	5.592	20	
85	5.51	5.306	20	
86	5.51	5.305	20	
87	5.51	5.521	20	
88	5.51	5.534	20	
89	5.51	5.285	20	
90	5.51	5.273	20	
91	5.51	5.383	20	
92	5.51	5.323	20	
93	5.51	5.506	20	*
94	5.51	5.282	20	
95	5.51	5.55	20	
96	5.51	5.65	20	
97	5.51	5.571	20	
98	5.51	5.548	20	
99	5.51	5.6	20	
100	5.51	5.485	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 26

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.348	20	
2	5.51	5.537	20	
3	5.51	5.642	20	
4	5.51	5.584	20	
5	5.51	5.322	20	
6	5.51	5.596	20	
7	5.51	5.334	20	
8	5.51	5.432	20	
9	5.51	5.261	20	
10	5.51	5.297	20	
11	5.51	5.27	20	
12	5.51	5.622	20	
13	5.51	5.475	20	
14	5.51	5.654	20	
15	5.51	5.471	20	
16	5.51	5.508	20	*
17	5.51	5.407	20	
18	5.51	5.712	20	
19	5.51	5.578	20	
20	5.51	5.326	20	
21	5.51	5.53	20	
22	5.51	5.338	20	
23	5.51	5.382	20	
24	5.51	5.703	20	
25	5.51	5.467	20	
26	5.51	5.317	20	
27	5.51	5.682	20	
28	5.51	5.458	20	
29	5.51	5.567	20	
30	5.51	5.572	20	
31	5.51	5.603	20	
32	5.51	5.632	20	
33	5.51	5.412	20	
34	5.51	5.51	20	*
35	5.51	5.657	20	
36	5.51	5.619	20	
37	5.51	5.674	20	
38	5.51	5.558	20	
39	5.51	5.552	20	
40	5.51	5.397	20	
41	5.51	5.446	20	
42	5.51	5.581	20	
43	5.51	5.354	20	
44	5.51	5.504	20	*
45	5.51	5.306	20	
46	5.51	5.568	20	
47	5.51	5.371	20	

48	5.51	5.253	20	
49	5.51	5.535	20	
50	5.51	5.509	20	*
51	5.51	5.314	20	
52	5.51	5.44	20	
53	5.51	5.561	20	
54	5.51	5.551	20	
55	5.51	5.574	20	
56	5.51	5.403	20	
57	5.51	5.387	20	
58	5.51	5.7	20	
59	5.51	5.663	20	
60	5.51	5.695	20	
61	5.51	5.34	20	
62	5.51	5.582	20	
63	5.51	5.652	20	
64	5.51	5.287	20	
65	5.51	5.269	20	
66	5.51	5.416	20	
67	5.51	5.653	20	
68	5.51	5.646	20	
69	5.51	5.54	20	
70	5.51	5.333	20	
71	5.51	5.257	20	
72	5.51	5.63	20	
73	5.51	5.633	20	
74	5.51	5.517	20	*
75	5.51	5.255	20	
76	5.51	5.373	20	
77	5.51	5.565	20	
78	5.51	5.367	20	
79	5.51	5.474	20	
80	5.51	5.386	20	
81	5.51	5.68	20	
82	5.51	5.639	20	
83	5.51	5.618	20	
84	5.51	5.628	20	
85	5.51	5.32	20	
86	5.51	5.621	20	
87	5.51	5.526	20	
88	5.51	5.252	20	
89	5.51	5.277	20	
90	5.51	5.545	20	
91	5.51	5.65	20	
92	5.51	5.586	20	
93	5.51	5.362	20	
94	5.51	5.623	20	
95	5.51	5.313	20	
96	5.51	5.459	20	
97	5.51	5.466	20	
98	5.51	5.409	20	
99	5.51	5.688	20	
100	5.51	5.549	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 27

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.537	20	
2	5.51	5.385	20	
3	5.51	5.329	20	
4	5.51	5.657	20	
5	5.51	5.638	20	
6	5.51	5.429	20	
7	5.51	5.32	20	
8	5.51	5.661	20	
9	5.51	5.251	20	
10	5.51	5.61	20	
11	5.51	5.354	20	
12	5.51	5.299	20	
13	5.51	5.458	20	
14	5.51	5.535	20	
15	5.51	5.417	20	
16	5.51	5.271	20	
17	5.51	5.471	20	
18	5.51	5.48	20	
19	5.51	5.53	20	
20	5.51	5.309	20	
21	5.51	5.686	20	
22	5.51	5.724	20	
23	5.51	5.478	20	
24	5.51	5.346	20	
25	5.51	5.382	20	
26	5.51	5.285	20	
27	5.51	5.714	20	
28	5.51	5.274	20	
29	5.51	5.498	20	
30	5.51	5.656	20	
31	5.51	5.542	20	
32	5.51	5.442	20	
33	5.51	5.7	20	
34	5.51	5.38	20	
35	5.51	5.649	20	
36	5.51	5.473	20	
37	5.51	5.546	20	
38	5.51	5.552	20	
39	5.51	5.438	20	
40	5.51	5.254	20	
41	5.51	5.287	20	
42	5.51	5.405	20	
43	5.51	5.263	20	
44	5.51	5.513	20	*
45	5.51	5.359	20	
46	5.51	5.457	20	
47	5.51	5.529	20	

48	5.51	5.26	20	
49	5.51	5.464	20	
50	5.51	5.369	20	
51	5.51	5.598	20	
52	5.51	5.279	20	
53	5.51	5.491	20	
54	5.51	5.608	20	
55	5.51	5.503	20	*
56	5.51	5.44	20	
57	5.51	5.321	20	
58	5.51	5.357	20	
59	5.51	5.469	20	
60	5.51	5.688	20	
61	5.51	5.596	20	
62	5.51	5.36	20	
63	5.51	5.439	20	
64	5.51	5.642	20	
65	5.51	5.635	20	
66	5.51	5.277	20	
67	5.51	5.307	20	
68	5.51	5.629	20	
69	5.51	5.45	20	
70	5.51	5.548	20	
71	5.51	5.687	20	
72	5.51	5.378	20	
73	5.51	5.474	20	
74	5.51	5.563	20	
75	5.51	5.446	20	
76	5.51	5.252	20	
77	5.51	5.567	20	
78	5.51	5.374	20	
79	5.51	5.444	20	
80	5.51	5.322	20	
81	5.51	5.585	20	
82	5.51	5.521	20	
83	5.51	5.435	20	
84	5.51	5.338	20	
85	5.51	5.628	20	
86	5.51	5.447	20	
87	5.51	5.545	20	
88	5.51	5.684	20	
89	5.51	5.505	20	*
90	5.51	5.721	20	
91	5.51	5.619	20	
92	5.51	5.393	20	
93	5.51	5.538	20	
94	5.51	5.593	20	
95	5.51	5.326	20	
96	5.51	5.669	20	
97	5.51	5.35	20	
98	5.51	5.295	20	
99	5.51	5.576	20	
100	5.51	5.412	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 28

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.334	20	
2	5.51	5.663	20	
3	5.51	5.373	20	
4	5.51	5.473	20	
5	5.51	5.307	20	
6	5.51	5.678	20	
7	5.51	5.443	20	
8	5.51	5.278	20	
9	5.51	5.405	20	
10	5.51	5.681	20	
11	5.51	5.587	20	
12	5.51	5.638	20	
13	5.51	5.55	20	
14	5.51	5.544	20	
15	5.51	5.397	20	
16	5.51	5.703	20	
17	5.51	5.564	20	
18	5.51	5.524	20	
19	5.51	5.506	20	*
20	5.51	5.585	20	
21	5.51	5.685	20	
22	5.51	5.657	20	
23	5.51	5.61	20	
24	5.51	5.372	20	
25	5.51	5.347	20	
26	5.51	5.32	20	
27	5.51	5.558	20	
28	5.51	5.504	20	*
29	5.51	5.659	20	
30	5.51	5.538	20	
31	5.51	5.693	20	
32	5.51	5.409	20	
33	5.51	5.514	20	*
34	5.51	5.328	20	
35	5.51	5.548	20	
36	5.51	5.598	20	
37	5.51	5.418	20	
38	5.51	5.284	20	
39	5.51	5.33	20	
40	5.51	5.3	20	
41	5.51	5.488	20	
42	5.51	5.456	20	
43	5.51	5.344	20	
44	5.51	5.487	20	
45	5.51	5.701	20	
46	5.51	5.336	20	
47	5.51	5.596	20	

48	5.51	5.399	20	
49	5.51	5.385	20	
50	5.51	5.253	20	
51	5.51	5.584	20	
52	5.51	5.276	20	
53	5.51	5.382	20	
54	5.51	5.444	20	
55	5.51	5.411	20	
56	5.51	5.35	20	
57	5.51	5.43	20	
58	5.51	5.422	20	
59	5.51	5.653	20	
60	5.51	5.493	20	
61	5.51	5.262	20	
62	5.51	5.415	20	
63	5.51	5.58	20	
64	5.51	5.366	20	
65	5.51	5.429	20	
66	5.51	5.706	20	
67	5.51	5.543	20	
68	5.51	5.48	20	
69	5.51	5.376	20	
70	5.51	5.286	20	
71	5.51	5.508	20	*
72	5.51	5.265	20	
73	5.51	5.716	20	
74	5.51	5.502	20	*
75	5.51	5.556	20	
76	5.51	5.34	20	
77	5.51	5.618	20	
78	5.51	5.603	20	
79	5.51	5.283	20	
80	5.51	5.363	20	
81	5.51	5.407	20	
82	5.51	5.719	20	
83	5.51	5.433	20	
84	5.51	5.637	20	
85	5.51	5.476	20	
86	5.51	5.6	20	
87	5.51	5.46	20	
88	5.51	5.439	20	
89	5.51	5.457	20	
90	5.51	5.654	20	
91	5.51	5.72	20	
92	5.51	5.402	20	
93	5.51	5.652	20	
94	5.51	5.374	20	
95	5.51	5.515	20	*
96	5.51	5.301	20	
97	5.51	5.575	20	
98	5.51	5.406	20	
99	5.51	5.642	20	
100	5.51	5.398	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 29

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.368	20	
2	5.51	5.471	20	
3	5.51	5.3	20	
4	5.51	5.427	20	
5	5.51	5.718	20	
6	5.51	5.315	20	
7	5.51	5.31	20	
8	5.51	5.308	20	
9	5.51	5.621	20	
10	5.51	5.268	20	
11	5.51	5.678	20	
12	5.51	5.438	20	
13	5.51	5.292	20	
14	5.51	5.437	20	
15	5.51	5.642	20	
16	5.51	5.332	20	
17	5.51	5.543	20	
18	5.51	5.55	20	
19	5.51	5.383	20	
20	5.51	5.516	20	*
21	5.51	5.695	20	
22	5.51	5.416	20	
23	5.51	5.623	20	
24	5.51	5.705	20	
25	5.51	5.614	20	
26	5.51	5.406	20	
27	5.51	5.631	20	
28	5.51	5.483	20	
29	5.51	5.465	20	
30	5.51	5.317	20	
31	5.51	5.486	20	
32	5.51	5.348	20	
33	5.51	5.28	20	
34	5.51	5.259	20	
35	5.51	5.56	20	
36	5.51	5.505	20	*
37	5.51	5.401	20	
38	5.51	5.291	20	
39	5.51	5.297	20	
40	5.51	5.599	20	
41	5.51	5.673	20	
42	5.51	5.561	20	
43	5.51	5.316	20	
44	5.51	5.531	20	
45	5.51	5.356	20	
46	5.51	5.417	20	
47	5.51	5.712	20	

48	5.51	5.371	20	
49	5.51	5.635	20	
50	5.51	5.264	20	
51	5.51	5.672	20	
52	5.51	5.649	20	
53	5.51	5.61	20	
54	5.51	5.499	20	
55	5.51	5.607	20	
56	5.51	5.559	20	
57	5.51	5.598	20	
58	5.51	5.568	20	
59	5.51	5.313	20	
60	5.51	5.302	20	
61	5.51	5.507	20	*
62	5.51	5.545	20	
63	5.51	5.657	20	
64	5.51	5.694	20	
65	5.51	5.435	20	
66	5.51	5.461	20	
67	5.51	5.549	20	
68	5.51	5.467	20	
69	5.51	5.703	20	
70	5.51	5.444	20	
71	5.51	5.722	20	
72	5.51	5.525	20	
73	5.51	5.554	20	
74	5.51	5.462	20	
75	5.51	5.62	20	
76	5.51	5.424	20	
77	5.51	5.581	20	
78	5.51	5.307	20	
79	5.51	5.68	20	
80	5.51	5.353	20	
81	5.51	5.285	20	
82	5.51	5.608	20	
83	5.51	5.537	20	
84	5.51	5.403	20	
85	5.51	5.604	20	
86	5.51	5.64	20	
87	5.51	5.585	20	
88	5.51	5.445	20	
89	5.51	5.306	20	
90	5.51	5.71	20	
91	5.51	5.661	20	
92	5.51	5.464	20	
93	5.51	5.532	20	
94	5.51	5.314	20	
95	5.51	5.59	20	
96	5.51	5.669	20	
97	5.51	5.263	20	
98	5.51	5.395	20	
99	5.51	5.428	20	
100	5.51	5.687	20	

802.11ax (HE40) - 5510MHz

TYPE 6 PARAMETER SHEET

Trial Number : 30

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.671	20	
2	5.51	5.629	20	
3	5.51	5.676	20	
4	5.51	5.529	20	
5	5.51	5.601	20	
6	5.51	5.696	20	
7	5.51	5.551	20	
8	5.51	5.314	20	
9	5.51	5.348	20	
10	5.51	5.512	20	*
11	5.51	5.342	20	
12	5.51	5.586	20	
13	5.51	5.666	20	
14	5.51	5.547	20	
15	5.51	5.388	20	
16	5.51	5.669	20	
17	5.51	5.275	20	
18	5.51	5.507	20	*
19	5.51	5.635	20	
20	5.51	5.411	20	
21	5.51	5.559	20	
22	5.51	5.361	20	
23	5.51	5.475	20	
24	5.51	5.472	20	
25	5.51	5.584	20	
26	5.51	5.719	20	
27	5.51	5.27	20	
28	5.51	5.524	20	
29	5.51	5.707	20	
30	5.51	5.461	20	
31	5.51	5.281	20	
32	5.51	5.655	20	
33	5.51	5.533	20	
34	5.51	5.498	20	
35	5.51	5.546	20	
36	5.51	5.566	20	
37	5.51	5.526	20	
38	5.51	5.585	20	
39	5.51	5.521	20	
40	5.51	5.695	20	
41	5.51	5.327	20	
42	5.51	5.393	20	
43	5.51	5.518	20	*
44	5.51	5.688	20	
45	5.51	5.428	20	
46	5.51	5.25	20	
47	5.51	5.58	20	

48	5.51	5.583	20	
49	5.51	5.344	20	
50	5.51	5.436	20	
51	5.51	5.401	20	
52	5.51	5.277	20	
53	5.51	5.263	20	
54	5.51	5.26	20	
55	5.51	5.343	20	
56	5.51	5.47	20	
57	5.51	5.439	20	
58	5.51	5.403	20	
59	5.51	5.562	20	
60	5.51	5.564	20	
61	5.51	5.41	20	
62	5.51	5.469	20	
63	5.51	5.358	20	
64	5.51	5.517	20	*
65	5.51	5.254	20	
66	5.51	5.306	20	
67	5.51	5.704	20	
68	5.51	5.591	20	
69	5.51	5.286	20	
70	5.51	5.332	20	
71	5.51	5.34	20	
72	5.51	5.36	20	
73	5.51	5.57	20	
74	5.51	5.385	20	
75	5.51	5.491	20	
76	5.51	5.496	20	
77	5.51	5.553	20	
78	5.51	5.364	20	
79	5.51	5.302	20	
80	5.51	5.373	20	
81	5.51	5.259	20	
82	5.51	5.458	20	
83	5.51	5.609	20	
84	5.51	5.43	20	
85	5.51	5.252	20	
86	5.51	5.467	20	
87	5.51	5.607	20	
88	5.51	5.446	20	
89	5.51	5.44	20	
90	5.51	5.299	20	
91	5.51	5.462	20	
92	5.51	5.269	20	
93	5.51	5.673	20	
94	5.51	5.613	20	
95	5.51	5.65	20	
96	5.51	5.55	20	
97	5.51	5.367	20	
98	5.51	5.712	20	
99	5.51	5.654	20	
100	5.51	5.556	20	

802.11ax (HE80) - 5530MHz			
RADAR TYPE 1			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	57	1	938
2	81	1	658
3	74	1	718
4	59	1	898
5	89	1	598
6	76	1	698
7	61	1	878
8	83	1	638
9	81	1	658
10	62	1	858
11	98	1	538
12	59	1	898
13	92	1	578
14	98	1	538
15	67	1	798
16	18	1	3066
17	76	1	698
18	81	1	658
19	58	1	918
20	67	1	798
21	78	1	678
22	57	1	938
23	65	1	818
24	61	1	878
25	74	1	718
26	65	1	818
27	102	1	518
28	70	1	758
29	76	1	698
30	57	1	938

802.11ax (HE80) - 5530MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	27	4	187
2	23	3.5	203
3	28	1	201
4	25	4.5	187
5	29	1.8	180
6	27	4.1	222
7	24	2.5	161
8	23	4.5	151
9	27	4.6	230
10	25	2.7	220
11	27	1.7	208
12	24	2.2	197
13	29	1.1	183
14	26	3	183
15	26	1.9	164
16	28	1.3	191
17	24	2.3	194
18	25	4.2	202
19	29	2.8	177
20	26	3.1	175
21	27	2.1	156
22	27	3.4	197
23	26	4.7	216
24	27	2.8	175
25	27	4.4	221
26	24	3.8	184
27	27	1.8	188
28	26	5	191
29	25	1	212
30	23	3.6	153

802.11ax (HE80) - 5530MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	17	9.4	363
2	16	7.5	267
3	18	6.2	241
4	16	9.3	233
5	17	9.6	418
6	16	6.5	401
7	17	8.1	435
8	17	6.6	212
9	17	6.6	355
10	17	6.1	306
11	17	8.1	445
12	17	7.2	239
13	17	8.6	484
14	16	6.1	442
15	17	8.1	356
16	17	7.6	442
17	17	8.3	364
18	17	9.6	350
19	16	6.8	483
20	18	7.3	205
21	16	10	323
22	17	6.5	447
23	17	7.1	440
24	17	8.1	297
25	17	6.3	220
26	17	7.7	256
27	17	9.8	391
28	16	7.1	263
29	16	9	277
30	18	7.5	322

802.11ax (HE80) - 5530MHz			
RADAR TYPE 4			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	14	11.1	268
2	15	16.7	222
3	12	20	476
4	16	13.8	252
5	13	17.6	245
6	15	19	216
7	13	11.7	314
8	14	17	406
9	14	15.4	317
10	15	19.2	260
11	16	12	278
12	15	15.2	351
13	15	15.8	205
14	13	13	373
15	15	13.2	369
16	12	17.3	356
17	15	14.6	283
18	16	17.5	318
19	13	13.7	461
20	14	17.7	421
21	13	18.8	486
22	16	19.2	459
23	13	11.4	476
24	12	18	223
25	15	12.9	471
26	13	15.4	293
27	13	14	405
28	14	12.9	307
29	16	19.3	478
30	15	12.7	227

802.11ax (HE80) - 5530MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	12	1	5530
2	12	1	5530
3	12	1	5530
4	20	1	5530
5	9	1	5530
6	18	1	5530
7	8	1	5530
8	5	1	5530
9	5	1	5530
10	5	1	5530
11	14	2	5496.6
12	11	2	5495.4
13	11	2	5495.4
14	8	2	5494.2
15	8	2	5494.2
16	19	2	5498.6
17	5	2	5493
18	10	2	5495
19	17	2	5497.8
20	15	2	5497
21	14	3	5563.4
22	15	3	5563
23	6	3	5566.6
24	19	3	5561.4
25	16	3	5562.6
26	11	3	5564.6
27	16	3	5562.6
28	8	3	5565.8
29	12	3	5564.2
30	8	3	5565.8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	75.5	12			120.45
2	3	70.7	12	1422	1851	666.501
3	1	77.9	12			387.282
4	1	65.3	12			204.843
5	2	75.2	12	1838		449.534
6	1	57.3	12			318.255
7	1	63	12			864.285
8	2	89	12	1615		654.596
9	1	76.1	12			171.857
10	2	81.6	12	1209		1041.018
11	2	93.3	12	1157		134.009

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	97.9	12	1659	1844	419.07
2	2	71.5	12	1890		133.453
3	2	90.3	12	1180		286.02
4	2	93.4	12	1825		324.3
5	1	69.8	12			411.71
6	1	70.8	12			539.09
7	3	79.7	12	1919	1264	63.37
8	3	74.2	12	1993	1955	441.92
9	2	96.2	12	1563		366.34
10	2	63.8	12	1079		408.49
11	2	63.1	12	1104		272.63
12	1	50.4	12			191.71
13	1	54.4	12			133.72
14	3	89.5	12	1339	1035	688.5
15	2	86.1	12	1055		24

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	68.4	20	1143	1339	651.731
2	3	59.3	20	1448	1092	876.94
3	2	97.8	20	1727		53.84
4	2	67.1	20	1966		391.87
5	3	63.3	20	1780	1503	791.59
6	1	91.6	20			30.43
7	1	57.4	20			761.23
8	2	89.3	20	1885		960.34
9	1	68	20			500.88
10	3	78.7	20	1392	1640	467.87
11	2	60.2	20	1999		27.7
12	3	55	20	1499	1258	883.4

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	69.2	18	1334		451.097
2	2	50	18	1987		389.011
3	3	100	18	1571	1429	584.792
4	3	60.2	18	1902	1621	465.913
5	2	86.8	18	1043		1008.484
6	1	78.6	18			512.725
7	2	66.4	18	1834		1052.955
8	2	67.5	18	1071		892.726
9	2	83.1	18	1748		576.827
10	1	90.3	18			307.618
11	2	66.3	18	1668		735.109

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	87.1	5	1986	1031	441.755
2	2	65.8	5	1924		242.856
3	3	54.5	5	1420	1190	101.885
4	3	85.5	5	1112	1909	132.473
5	2	80.7	5	1718		140.721
6	3	97.8	5	1815	1628	616.908
7	2	56.9	5	1480		344.976
8	3	64.5	5	1051	1051	149.074
9	3	89.5	5	1264	1294	542.941
10	3	75.8	5	1457	1713	453.609
11	2	64.2	5	1224		286.336
12	3	61.4	5	1084	1858	67.604
13	2	73	5	1859		121.612
14	1	57.2	5			659.999
15	2	92.7	5	1805		541.347
16	2	71.6	5	1816		447.065
17	1	62.6	5			395.982

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	80.7	5			621.064
2	2	63.4	5	1329		430.573
3	1	81.6	5			238.337
4	2	78.2	5	1805		651.22
5	2	93.7	5	1366		321.943
6	2	88.9	5	1761		398.757
7	2	96	5	1175		395.02
8	1	56.2	5			442.643
9	2	60.1	5	1190		313.327
10	2	64.4	5	1027		608.72
11	1	97.5	5			131.583
12	1	54.9	5			579.547
13	2	84.7	5	1180		582.88
14	2	54.1	5	1417		69.253
15	1	90.8	5			45.817
16	3	59.1	5	1139	1577	119.6
17	1	95.1	5			218.833
18	2	53.3	5	1358		482.167

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	88.9	11	1896	1602	401.724
2	2	76.3	11	1115		423.358
3	2	76.6	11	1248		358.845
4	2	67.9	11	1648		619.553
5	2	65.8	11	1310		268.561
6	3	74.5	11	1933	1912	504.268
7	1	83	11			268.856
8	1	63.9	11			40.244
9	3	51.9	11	1087	1448	538.341
10	2	98.5	11	1979		175.579
11	2	50	11	1693		179.506
12	2	77	11	1339		326.434
13	3	69.9	11	1522	1690	168.332
14	1	94.1	11			444.039
15	2	96.4	11	1871		652.347
16	3	50.4	11	1539	1348	294.865
17	2	52.8	11	1810		473.882

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	86.2	8			114.555
2	3	60.2	8	1682	1741	423.47
3	1	91.3	8			364.43
4	1	86	8			462.53
5	2	50	8	1112		362.15
6	1	62	8			316.52
7	2	62.2	8	1333		210.18
8	2	51.3	8	1310		465.87
9	3	69.8	8	1327	2000	366.92
10	3	93.4	8	1524	1898	310.01
11	2	74.9	8	1608		9.05
12	2	92.9	8	1564		454.95
13	3	60.5	8	1575	1098	174.07
14	2	86.2	8	1099		289.46
15	1	94.1	8			431.56
16	2	96.4	8	1506		578.26
17	2	96	8	1700		544
18	2	96.8	8	1975		589.8
19	2	63.9	8	1224		431.5
20	3	74.8	8	1012	1267	339

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	51.7	8			747.591
2	2	82.8	8	1205		574.283
3	2	59.6	8	1683		563.496
4	1	76.3	8			374.099
5	3	98.8	8	1806	1899	294.802
6	1	70.3	8			537.765
7	1	56.8	8			320.558
8	2	75	8	1403		530.562
9	3	90	8	1718	1595	417.595
10	2	52.8	8	1560		816.968
11	2	50	8	1578		699.731
12	3	89.5	8	1120	1132	897.854
13	1	72.4	8			408.877

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	72.4	19	1266	1855	122.096
2	2	77.4	19	1693		789.09
3	2	51.5	19	1017		399.31
4	2	66.5	19	1797		256.86
5	2	74.5	19	1574		26.51
6	3	61.3	19	1076	1820	107.78
7	3	79.9	19	1749	1915	636.59
8	3	62.3	19	1520	1834	640.55
9	2	79.5	19	1157		498.09
10	1	66.1	19			219.35
11	1	80.8	19			906.6
12	1	77.4	19			652.7

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	83.7	10			515.699
2	3	71.1	10	1320	1592	781.66
3	2	72.6	10	1837		791.63
4	2	78.7	10	1787		260.91
5	2	86.5	10	1196		575.28
6	2	51.1	10	1572		104
7	3	91.5	10	1686	1281	668.75
8	2	57	10	1054		711.88
9	1	50.8	10			24.7
10	2	85.9	10	1137		272.27
11	2	95.8	10	1650		320.82
12	3	92.2	10	1326	1677	720.14
13	2	86.8	10	1889		160.55
14	1	69.4	10			256.7
15	1	99.5	10			103.5

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	71.4	17	1388		259.709
2	3	82	17	1440	1254	370.351
3	1	89.8	17			617.472
4	2	59.9	17	1761		96.323
5	2	89.8	17	1653		375.594
6	2	80.4	17	1465		148.575
7	2	94.2	17	1596		467.706
8	1	96	17			495.157
9	2	59.4	17	1175		472.938
10	3	88.3	17	1485	1677	136.279
11	2	87.1	17	1845		345.141
12	2	84.3	17	1399		245.202
13	2	80.5	17	1430		45.723
14	1	97.8	17			267.054
15	3	66.2	17	1293	1320	434.525
16	2	91.6	17	1482		561.016
17	1	97.5	17			43.237
18	3	57	17	1047	1064	547.558
19	1	63.1	17			480.979

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	69.5	14	1739	1269	713.082
2	1	76.1	14			537.62
3	2	52.9	14	1427		387.9
4	3	68.2	14	1852	1573	332.03
5	1	62.1	14			697.18
6	1	60.3	14			420.7
7	2	81.5	14	1393		80.05
8	2	91.1	14	1527		660.91
9	2	70.6	14	1023		162.29
10	2	71.2	14	1604		338.75
11	2	96.1	14	1668		2.77
12	2	91.8	14	1237		360.05
13	2	50	14	1622		650.6
14	2	86	14	1065		107.68
15	1	64.7	14			293.9
16	2	69.7	14	1800		145

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	69.6	15	1927	1943	487.514
2	3	97.1	15	1239	1826	888.041
3	3	64.4	15	1595	1316	792.492
4	2	76.9	15	1532		808.273
5	2	79.1	15	1375		751.954
6	2	74.1	15	1729		354.095
7	2	84.2	15	1018		35.375
8	2	52.8	15	1219		920.936
9	1	83.9	15			141.467
10	1	57.8	15			1084.618
11	1	81.3	15			85.009

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	94.1	19	1823	1980	257.09
2	1	94.3	19			401.56
3	2	93.1	19	1527		514.14
4	2	63	19	1333		131.26
5	2	71.1	19	1744		486.94
6	3	69.8	19	1399	1183	198.14
7	1	57.1	19			587.87
8	3	50.8	19	1236	1922	586.82
9	3	88.4	19	1653	1389	27.7
10	1	56	19			101.78
11	2	87.3	19	1206		427.32
12	3	63.8	19	1240	1645	27.13
13	3	53.1	19	1926	1931	3.29
14	3	83.5	19	1038	1491	207.1
15	3	56.6	19	1720	1413	52.3
16	1	95.1	19			660.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	74	16	1264		95.463
2	2	52.6	16	1784		218.452
3	2	87.9	16	1280		197.28
4	2	80.9	16	1269		446.79
5	3	53.1	16	1410	1499	206.51
6	1	61.7	16			196.4
7	1	58.1	16			182.63
8	1	97.8	16			372.1
9	2	92.9	16	1779		233
10	2	58	16	1372		337.78
11	2	52.5	16	1511		473.64
12	2	60	16	1424		551.96
13	2	97.2	16	1073		277.64
14	2	99.5	16	1773		534.15
15	3	56.4	16	1170	1780	547.63
16	3	74.3	16	1550	1276	295.88
17	2	83.1	16	1919		527.2
18	3	57.9	16	1845	1826	205.4
19	3	61.6	16	1902	1452	362.8
20	1	99.5	16			269.4

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	71.4	16	1997	1805	534.432
2	1	86.4	16			580.687
3	1	82.8	16			585.034
4	2	77.5	16	1009		555.391
5	1	70.5	16			176.489
6	1	95.5	16			614.566
7	1	67.9	16			51.953
8	1	100	16			819.7
9	1	63.5	16			668.767
10	3	50.8	16	1403	1022	809.924
11	3	51	16	1228	1082	464.591
12	2	94.9	16	1048		594.229
13	2	68.8	16	1436		53.786
14	2	54.1	16	1022		352.543

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	85.7	8			709.723
2	3	64.3	8	1019	1032	537.921
3	1	73	8			866.682
4	2	93.4	8	1664		1068.523
5	2	76.5	8	1297		754.894
6	2	63.4	8	1456		761.315
7	1	72.4	8			97.135
8	2	96.8	8	1984		142.046
9	3	58.8	8	1994	1749	548.307
10	2	96.6	8	1848		1003.318
11	1	60.4	8			524.009

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	99.7	12	1600		553.377
2	1	69.1	12			446.771
3	2	96.3	12	1095		87.832
4	2	73.2	12	1214		466.553
5	3	53.9	12	1972	1592	340.554
6	2	95.6	12	1144		486.185
7	3	94	12	1733	1870	378.026
8	2	68.3	12	1937		228.407
9	2	66.2	12	1097		364.908
10	2	87.7	12	1275		294.859
11	3	75	12	1321	1132	44.221
12	1	99.5	12			548.492
13	3	64.1	12	1375	1181	602.333
14	1	73.1	12			354.464
15	2	50.9	12	1915		566.775
16	3	94.4	12	1571	1049	400.066
17	2	66.3	12	1740		21.237
18	3	81.3	12	1761	1021	262.858
19	1	68.6	12			225.179

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	96.8	8	1757		176.715
2	3	82.2	8	1033	1590	56.293
3	2	84.6	8	1683		458.934
4	2	80.5	8	1209		323.311
5	2	52.7	8	1178		598.439
6	2	86.9	8	1700		831.396
7	2	52	8	1801		48.163
8	2	88.3	8	1782		731.29
9	3	77.6	8	1177	1057	278.107
10	1	91.3	8			706.834
11	2	97.5	8	1721		57.601
12	2	82	8	1462		776.629
13	1	90.3	8			703.386
14	3	98.8	8	1759	1522	219.843

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 1

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.661	20	
2	5.53	5.485	20	
3	5.53	5.675	20	
4	5.53	5.532	20	*
5	5.53	5.429	20	
6	5.53	5.624	20	
7	5.53	5.521	20	*
8	5.53	5.67	20	
9	5.53	5.574	20	
10	5.53	5.709	20	
11	5.53	5.325	20	
12	5.53	5.507	20	
13	5.53	5.464	20	
14	5.53	5.399	20	
15	5.53	5.583	20	
16	5.53	5.664	20	
17	5.53	5.678	20	
18	5.53	5.354	20	
19	5.53	5.605	20	
20	5.53	5.519	20	
21	5.53	5.686	20	
22	5.53	5.32	20	
23	5.53	5.702	20	
24	5.53	5.484	20	
25	5.53	5.253	20	
26	5.53	5.266	20	
27	5.53	5.685	20	
28	5.53	5.411	20	
29	5.53	5.317	20	
30	5.53	5.528	20	*
31	5.53	5.603	20	
32	5.53	5.71	20	
33	5.53	5.36	20	
34	5.53	5.296	20	
35	5.53	5.453	20	
36	5.53	5.336	20	
37	5.53	5.48	20	
38	5.53	5.517	20	
39	5.53	5.26	20	
40	5.53	5.367	20	
41	5.53	5.523	20	*
42	5.53	5.444	20	
43	5.53	5.66	20	
44	5.53	5.299	20	
45	5.53	5.55	20	
46	5.53	5.343	20	
47	5.53	5.705	20	

48	5.53	5.724	20	
49	5.53	5.295	20	
50	5.53	5.466	20	
51	5.53	5.442	20	
52	5.53	5.394	20	
53	5.53	5.563	20	
54	5.53	5.52	20	*
55	5.53	5.703	20	
56	5.53	5.403	20	
57	5.53	5.4	20	
58	5.53	5.534	20	*
59	5.53	5.368	20	
60	5.53	5.401	20	
61	5.53	5.531	20	*
62	5.53	5.365	20	
63	5.53	5.496	20	
64	5.53	5.5	20	
65	5.53	5.68	20	
66	5.53	5.646	20	
67	5.53	5.545	20	
68	5.53	5.407	20	
69	5.53	5.448	20	
70	5.53	5.621	20	
71	5.53	5.59	20	
72	5.53	5.643	20	
73	5.53	5.571	20	
74	5.53	5.431	20	
75	5.53	5.251	20	
76	5.53	5.364	20	
77	5.53	5.465	20	
78	5.53	5.379	20	
79	5.53	5.718	20	
80	5.53	5.578	20	
81	5.53	5.293	20	
82	5.53	5.315	20	
83	5.53	5.452	20	
84	5.53	5.599	20	
85	5.53	5.615	20	
86	5.53	5.282	20	
87	5.53	5.633	20	
88	5.53	5.458	20	
89	5.53	5.58	20	
90	5.53	5.6	20	
91	5.53	5.268	20	
92	5.53	5.409	20	
93	5.53	5.565	20	
94	5.53	5.454	20	
95	5.53	5.601	20	
96	5.53	5.666	20	
97	5.53	5.258	20	
98	5.53	5.388	20	
99	5.53	5.595	20	
100	5.53	5.694	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 2

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.631	20	
2	5.53	5.434	20	
3	5.53	5.358	20	
4	5.53	5.438	20	
5	5.53	5.326	20	
6	5.53	5.585	20	
7	5.53	5.707	20	
8	5.53	5.498	20	
9	5.53	5.597	20	
10	5.53	5.255	20	
11	5.53	5.278	20	
12	5.53	5.625	20	
13	5.53	5.687	20	
14	5.53	5.347	20	
15	5.53	5.306	20	
16	5.53	5.632	20	
17	5.53	5.628	20	
18	5.53	5.521	20	*
19	5.53	5.598	20	
20	5.53	5.571	20	
21	5.53	5.31	20	
22	5.53	5.25	20	
23	5.53	5.689	20	
24	5.53	5.34	20	
25	5.53	5.423	20	
26	5.53	5.399	20	
27	5.53	5.441	20	
28	5.53	5.602	20	
29	5.53	5.563	20	
30	5.53	5.335	20	
31	5.53	5.367	20	
32	5.53	5.44	20	
33	5.53	5.466	20	
34	5.53	5.527	20	*
35	5.53	5.591	20	
36	5.53	5.605	20	
37	5.53	5.344	20	
38	5.53	5.717	20	
39	5.53	5.534	20	*
40	5.53	5.476	20	
41	5.53	5.651	20	
42	5.53	5.509	20	
43	5.53	5.398	20	
44	5.53	5.412	20	
45	5.53	5.279	20	
46	5.53	5.402	20	
47	5.53	5.297	20	

48	5.53	5.681	20	
49	5.53	5.694	20	
50	5.53	5.387	20	
51	5.53	5.718	20	
52	5.53	5.396	20	
53	5.53	5.532	20	*
54	5.53	5.302	20	
55	5.53	5.339	20	
56	5.53	5.688	20	
57	5.53	5.316	20	
58	5.53	5.723	20	
59	5.53	5.552	20	
60	5.53	5.324	20	
61	5.53	5.382	20	
62	5.53	5.662	20	
63	5.53	5.282	20	
64	5.53	5.678	20	
65	5.53	5.643	20	
66	5.53	5.661	20	
67	5.53	5.497	20	
68	5.53	5.482	20	
69	5.53	5.522	20	*
70	5.53	5.644	20	
71	5.53	5.356	20	
72	5.53	5.311	20	
73	5.53	5.56	20	
74	5.53	5.704	20	
75	5.53	5.677	20	
76	5.53	5.452	20	
77	5.53	5.512	20	
78	5.53	5.447	20	
79	5.53	5.506	20	
80	5.53	5.271	20	
81	5.53	5.648	20	
82	5.53	5.371	20	
83	5.53	5.724	20	
84	5.53	5.526	20	*
85	5.53	5.68	20	
86	5.53	5.379	20	
87	5.53	5.309	20	
88	5.53	5.701	20	
89	5.53	5.256	20	
90	5.53	5.259	20	
91	5.53	5.53	20	*
92	5.53	5.67	20	
93	5.53	5.501	20	
94	5.53	5.601	20	
95	5.53	5.691	20	
96	5.53	5.672	20	
97	5.53	5.696	20	
98	5.53	5.548	20	
99	5.53	5.566	20	
100	5.53	5.337	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 3

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.456	20	
2	5.53	5.633	20	
3	5.53	5.545	20	
4	5.53	5.552	20	
5	5.53	5.373	20	
6	5.53	5.513	20	
7	5.53	5.415	20	
8	5.53	5.338	20	
9	5.53	5.561	20	
10	5.53	5.258	20	
11	5.53	5.573	20	
12	5.53	5.704	20	
13	5.53	5.323	20	
14	5.53	5.686	20	
15	5.53	5.505	20	
16	5.53	5.342	20	
17	5.53	5.547	20	
18	5.53	5.475	20	
19	5.53	5.64	20	
20	5.53	5.34	20	
21	5.53	5.346	20	
22	5.53	5.325	20	
23	5.53	5.497	20	
24	5.53	5.257	20	
25	5.53	5.304	20	
26	5.53	5.482	20	
27	5.53	5.486	20	
28	5.53	5.713	20	
29	5.53	5.297	20	
30	5.53	5.596	20	
31	5.53	5.299	20	
32	5.53	5.544	20	
33	5.53	5.632	20	
34	5.53	5.347	20	
35	5.53	5.27	20	
36	5.53	5.285	20	
37	5.53	5.677	20	
38	5.53	5.322	20	
39	5.53	5.301	20	
40	5.53	5.477	20	
41	5.53	5.446	20	
42	5.53	5.528	20	*
43	5.53	5.355	20	
44	5.53	5.526	20	*
45	5.53	5.332	20	
46	5.53	5.639	20	
47	5.53	5.69	20	

48	5.53	5.261	20	
49	5.53	5.661	20	
50	5.53	5.461	20	
51	5.53	5.705	20	
52	5.53	5.372	20	
53	5.53	5.385	20	
54	5.53	5.431	20	
55	5.53	5.673	20	
56	5.53	5.499	20	
57	5.53	5.423	20	
58	5.53	5.542	20	
59	5.53	5.611	20	
60	5.53	5.459	20	
61	5.53	5.452	20	
62	5.53	5.676	20	
63	5.53	5.31	20	
64	5.53	5.691	20	
65	5.53	5.265	20	
66	5.53	5.255	20	
67	5.53	5.652	20	
68	5.53	5.408	20	
69	5.53	5.387	20	
70	5.53	5.418	20	
71	5.53	5.681	20	
72	5.53	5.328	20	
73	5.53	5.445	20	
74	5.53	5.714	20	
75	5.53	5.555	20	
76	5.53	5.574	20	
77	5.53	5.425	20	
78	5.53	5.541	20	
79	5.53	5.341	20	
80	5.53	5.498	20	
81	5.53	5.33	20	
82	5.53	5.47	20	
83	5.53	5.438	20	
84	5.53	5.579	20	
85	5.53	5.534	20	*
86	5.53	5.71	20	
87	5.53	5.326	20	
88	5.53	5.626	20	
89	5.53	5.523	20	*
90	5.53	5.25	20	
91	5.53	5.298	20	
92	5.53	5.351	20	
93	5.53	5.583	20	
94	5.53	5.412	20	
95	5.53	5.716	20	
96	5.53	5.518	20	
97	5.53	5.278	20	
98	5.53	5.578	20	
99	5.53	5.392	20	
100	5.53	5.383	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 4

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.588	20	
2	5.53	5.331	20	
3	5.53	5.355	20	
4	5.53	5.406	20	
5	5.53	5.659	20	
6	5.53	5.542	20	
7	5.53	5.685	20	
8	5.53	5.252	20	
9	5.53	5.351	20	
10	5.53	5.319	20	
11	5.53	5.541	20	
12	5.53	5.423	20	
13	5.53	5.332	20	
14	5.53	5.438	20	
15	5.53	5.573	20	
16	5.53	5.365	20	
17	5.53	5.489	20	
18	5.53	5.655	20	
19	5.53	5.297	20	
20	5.53	5.605	20	
21	5.53	5.454	20	
22	5.53	5.416	20	
23	5.53	5.565	20	
24	5.53	5.344	20	
25	5.53	5.501	20	
26	5.53	5.463	20	
27	5.53	5.623	20	
28	5.53	5.689	20	
29	5.53	5.334	20	
30	5.53	5.699	20	
31	5.53	5.294	20	
32	5.53	5.54	20	*
33	5.53	5.321	20	
34	5.53	5.528	20	*
35	5.53	5.529	20	*
36	5.53	5.578	20	
37	5.53	5.662	20	
38	5.53	5.428	20	
39	5.53	5.341	20	
40	5.53	5.697	20	
41	5.53	5.491	20	
42	5.53	5.469	20	
43	5.53	5.513	20	
44	5.53	5.264	20	
45	5.53	5.593	20	
46	5.53	5.322	20	
47	5.53	5.446	20	

48	5.53	5.671	20	
49	5.53	5.664	20	
50	5.53	5.57	20	
51	5.53	5.507	20	
52	5.53	5.486	20	
53	5.53	5.424	20	
54	5.53	5.478	20	
55	5.53	5.427	20	
56	5.53	5.608	20	
57	5.53	5.695	20	
58	5.53	5.429	20	
59	5.53	5.48	20	
60	5.53	5.476	20	
61	5.53	5.494	20	
62	5.53	5.49	20	
63	5.53	5.62	20	
64	5.53	5.452	20	
65	5.53	5.312	20	
66	5.53	5.684	20	
67	5.53	5.638	20	
68	5.53	5.505	20	
69	5.53	5.718	20	
70	5.53	5.58	20	
71	5.53	5.42	20	
72	5.53	5.566	20	
73	5.53	5.721	20	
74	5.53	5.394	20	
75	5.53	5.555	20	
76	5.53	5.375	20	
77	5.53	5.496	20	
78	5.53	5.362	20	
79	5.53	5.434	20	
80	5.53	5.275	20	
81	5.53	5.587	20	
82	5.53	5.317	20	
83	5.53	5.437	20	
84	5.53	5.367	20	
85	5.53	5.345	20	
86	5.53	5.658	20	
87	5.53	5.693	20	
88	5.53	5.622	20	
89	5.53	5.255	20	
90	5.53	5.525	20	*
91	5.53	5.674	20	
92	5.53	5.419	20	
93	5.53	5.388	20	
94	5.53	5.535	20	*
95	5.53	5.547	20	
96	5.53	5.443	20	
97	5.53	5.472	20	
98	5.53	5.305	20	
99	5.53	5.337	20	
100	5.53	5.512	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 5

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.349	20	
2	5.53	5.529	20	*
3	5.53	5.535	20	*
4	5.53	5.55	20	
5	5.53	5.396	20	
6	5.53	5.42	20	
7	5.53	5.41	20	
8	5.53	5.536	20	*
9	5.53	5.672	20	
10	5.53	5.359	20	
11	5.53	5.353	20	
12	5.53	5.637	20	
13	5.53	5.677	20	
14	5.53	5.559	20	
15	5.53	5.325	20	
16	5.53	5.671	20	
17	5.53	5.711	20	
18	5.53	5.582	20	
19	5.53	5.678	20	
20	5.53	5.554	20	
21	5.53	5.568	20	
22	5.53	5.355	20	
23	5.53	5.418	20	
24	5.53	5.45	20	
25	5.53	5.318	20	
26	5.53	5.688	20	
27	5.53	5.327	20	
28	5.53	5.416	20	
29	5.53	5.62	20	
30	5.53	5.717	20	
31	5.53	5.452	20	
32	5.53	5.377	20	
33	5.53	5.544	20	
34	5.53	5.288	20	
35	5.53	5.706	20	
36	5.53	5.401	20	
37	5.53	5.266	20	
38	5.53	5.681	20	
39	5.53	5.618	20	
40	5.53	5.26	20	
41	5.53	5.329	20	
42	5.53	5.605	20	
43	5.53	5.383	20	
44	5.53	5.382	20	
45	5.53	5.606	20	
46	5.53	5.427	20	
47	5.53	5.545	20	

48	5.53	5.304	20	
49	5.53	5.624	20	
50	5.53	5.547	20	
51	5.53	5.297	20	
52	5.53	5.655	20	
53	5.53	5.701	20	
54	5.53	5.275	20	
55	5.53	5.696	20	
56	5.53	5.645	20	
57	5.53	5.425	20	
58	5.53	5.431	20	
59	5.53	5.441	20	
60	5.53	5.375	20	
61	5.53	5.294	20	
62	5.53	5.575	20	
63	5.53	5.303	20	
64	5.53	5.459	20	
65	5.53	5.287	20	
66	5.53	5.659	20	
67	5.53	5.646	20	
68	5.53	5.305	20	
69	5.53	5.291	20	
70	5.53	5.539	20	*
71	5.53	5.599	20	
72	5.53	5.593	20	
73	5.53	5.524	20	*
74	5.53	5.674	20	
75	5.53	5.282	20	
76	5.53	5.669	20	
77	5.53	5.272	20	
78	5.53	5.483	20	
79	5.53	5.627	20	
80	5.53	5.516	20	
81	5.53	5.716	20	
82	5.53	5.326	20	
83	5.53	5.57	20	
84	5.53	5.619	20	
85	5.53	5.525	20	*
86	5.53	5.662	20	
87	5.53	5.446	20	
88	5.53	5.497	20	
89	5.53	5.369	20	
90	5.53	5.526	20	*
91	5.53	5.277	20	
92	5.53	5.724	20	
93	5.53	5.665	20	
94	5.53	5.309	20	
95	5.53	5.443	20	
96	5.53	5.411	20	
97	5.53	5.611	20	
98	5.53	5.651	20	
99	5.53	5.508	20	
100	5.53	5.351	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 6

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.555	20	
2	5.53	5.328	20	
3	5.53	5.651	20	
4	5.53	5.431	20	
5	5.53	5.406	20	
6	5.53	5.548	20	
7	5.53	5.653	20	
8	5.53	5.312	20	
9	5.53	5.449	20	
10	5.53	5.509	20	
11	5.53	5.586	20	
12	5.53	5.471	20	
13	5.53	5.453	20	
14	5.53	5.702	20	
15	5.53	5.701	20	
16	5.53	5.391	20	
17	5.53	5.315	20	
18	5.53	5.428	20	
19	5.53	5.589	20	
20	5.53	5.532	20	*
21	5.53	5.346	20	
22	5.53	5.654	20	
23	5.53	5.563	20	
24	5.53	5.447	20	
25	5.53	5.537	20	*
26	5.53	5.4	20	
27	5.53	5.376	20	
28	5.53	5.706	20	
29	5.53	5.303	20	
30	5.53	5.485	20	
31	5.53	5.611	20	
32	5.53	5.278	20	
33	5.53	5.426	20	
34	5.53	5.392	20	
35	5.53	5.699	20	
36	5.53	5.363	20	
37	5.53	5.612	20	
38	5.53	5.251	20	
39	5.53	5.429	20	
40	5.53	5.296	20	
41	5.53	5.63	20	
42	5.53	5.54	20	*
43	5.53	5.301	20	
44	5.53	5.495	20	
45	5.53	5.442	20	
46	5.53	5.512	20	
47	5.53	5.441	20	

48	5.53	5.648	20	
49	5.53	5.64	20	
50	5.53	5.685	20	
51	5.53	5.605	20	
52	5.53	5.258	20	
53	5.53	5.395	20	
54	5.53	5.291	20	
55	5.53	5.668	20	
56	5.53	5.342	20	
57	5.53	5.388	20	
58	5.53	5.343	20	
59	5.53	5.464	20	
60	5.53	5.335	20	
61	5.53	5.565	20	
62	5.53	5.42	20	
63	5.53	5.566	20	
64	5.53	5.38	20	
65	5.53	5.326	20	
66	5.53	5.337	20	
67	5.53	5.703	20	
68	5.53	5.663	20	
69	5.53	5.314	20	
70	5.53	5.287	20	
71	5.53	5.643	20	
72	5.53	5.271	20	
73	5.53	5.292	20	
74	5.53	5.316	20	
75	5.53	5.53	20	*
76	5.53	5.585	20	
77	5.53	5.592	20	
78	5.53	5.416	20	
79	5.53	5.379	20	
80	5.53	5.598	20	
81	5.53	5.618	20	
82	5.53	5.355	20	
83	5.53	5.538	20	*
84	5.53	5.374	20	
85	5.53	5.724	20	
86	5.53	5.455	20	
87	5.53	5.683	20	
88	5.53	5.327	20	
89	5.53	5.709	20	
90	5.53	5.679	20	
91	5.53	5.381	20	
92	5.53	5.628	20	
93	5.53	5.627	20	
94	5.53	5.51	20	
95	5.53	5.505	20	
96	5.53	5.673	20	
97	5.53	5.375	20	
98	5.53	5.311	20	
99	5.53	5.587	20	
100	5.53	5.323	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 7

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.622	20	
2	5.53	5.442	20	
3	5.53	5.414	20	
4	5.53	5.501	20	
5	5.53	5.617	20	
6	5.53	5.307	20	
7	5.53	5.59	20	
8	5.53	5.293	20	
9	5.53	5.703	20	
10	5.53	5.294	20	
11	5.53	5.608	20	
12	5.53	5.604	20	
13	5.53	5.544	20	
14	5.53	5.494	20	
15	5.53	5.502	20	
16	5.53	5.352	20	
17	5.53	5.587	20	
18	5.53	5.328	20	
19	5.53	5.537	20	*
20	5.53	5.529	20	*
21	5.53	5.479	20	
22	5.53	5.662	20	
23	5.53	5.573	20	
24	5.53	5.627	20	
25	5.53	5.625	20	
26	5.53	5.46	20	
27	5.53	5.468	20	
28	5.53	5.724	20	
29	5.53	5.265	20	
30	5.53	5.358	20	
31	5.53	5.57	20	
32	5.53	5.491	20	
33	5.53	5.412	20	
34	5.53	5.341	20	
35	5.53	5.58	20	
36	5.53	5.467	20	
37	5.53	5.672	20	
38	5.53	5.685	20	
39	5.53	5.61	20	
40	5.53	5.711	20	
41	5.53	5.595	20	
42	5.53	5.388	20	
43	5.53	5.606	20	
44	5.53	5.357	20	
45	5.53	5.325	20	
46	5.53	5.336	20	
47	5.53	5.569	20	

48	5.53	5.418	20	
49	5.53	5.583	20	
50	5.53	5.458	20	
51	5.53	5.373	20	
52	5.53	5.677	20	
53	5.53	5.72	20	
54	5.53	5.709	20	
55	5.53	5.43	20	
56	5.53	5.317	20	
57	5.53	5.678	20	
58	5.53	5.723	20	
59	5.53	5.258	20	
60	5.53	5.348	20	
61	5.53	5.698	20	
62	5.53	5.545	20	
63	5.53	5.6	20	
64	5.53	5.691	20	
65	5.53	5.575	20	
66	5.53	5.66	20	
67	5.53	5.454	20	
68	5.53	5.396	20	
69	5.53	5.256	20	
70	5.53	5.654	20	
71	5.53	5.506	20	
72	5.53	5.715	20	
73	5.53	5.287	20	
74	5.53	5.383	20	
75	5.53	5.62	20	
76	5.53	5.349	20	
77	5.53	5.556	20	
78	5.53	5.666	20	
79	5.53	5.704	20	
80	5.53	5.472	20	
81	5.53	5.4	20	
82	5.53	5.42	20	
83	5.53	5.615	20	
84	5.53	5.572	20	
85	5.53	5.384	20	
86	5.53	5.589	20	
87	5.53	5.289	20	
88	5.53	5.438	20	
89	5.53	5.68	20	
90	5.53	5.477	20	
91	5.53	5.315	20	
92	5.53	5.321	20	
93	5.53	5.609	20	
94	5.53	5.482	20	
95	5.53	5.702	20	
96	5.53	5.264	20	
97	5.53	5.578	20	
98	5.53	5.486	20	
99	5.53	5.323	20	
100	5.53	5.51	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 8

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.408	20	
2	5.53	5.388	20	
3	5.53	5.487	20	
4	5.53	5.649	20	
5	5.53	5.468	20	
6	5.53	5.533	20	*
7	5.53	5.312	20	
8	5.53	5.564	20	
9	5.53	5.614	20	
10	5.53	5.526	20	*
11	5.53	5.397	20	
12	5.53	5.504	20	
13	5.53	5.486	20	
14	5.53	5.698	20	
15	5.53	5.269	20	
16	5.53	5.64	20	
17	5.53	5.499	20	
18	5.53	5.575	20	
19	5.53	5.251	20	
20	5.53	5.663	20	
21	5.53	5.44	20	
22	5.53	5.286	20	
23	5.53	5.492	20	
24	5.53	5.257	20	
25	5.53	5.433	20	
26	5.53	5.322	20	
27	5.53	5.419	20	
28	5.53	5.482	20	
29	5.53	5.681	20	
30	5.53	5.329	20	
31	5.53	5.587	20	
32	5.53	5.297	20	
33	5.53	5.441	20	
34	5.53	5.685	20	
35	5.53	5.425	20	
36	5.53	5.692	20	
37	5.53	5.338	20	
38	5.53	5.384	20	
39	5.53	5.377	20	
40	5.53	5.36	20	
41	5.53	5.476	20	
42	5.53	5.528	20	*
43	5.53	5.724	20	
44	5.53	5.335	20	
45	5.53	5.672	20	
46	5.53	5.455	20	
47	5.53	5.362	20	

48	5.53	5.284	20	
49	5.53	5.438	20	
50	5.53	5.515	20	
51	5.53	5.645	20	
52	5.53	5.302	20	
53	5.53	5.363	20	
54	5.53	5.414	20	
55	5.53	5.274	20	
56	5.53	5.651	20	
57	5.53	5.4	20	
58	5.53	5.694	20	
59	5.53	5.707	20	
60	5.53	5.702	20	
61	5.53	5.416	20	
62	5.53	5.392	20	
63	5.53	5.275	20	
64	5.53	5.546	20	
65	5.53	5.327	20	
66	5.53	5.571	20	
67	5.53	5.67	20	
68	5.53	5.68	20	
69	5.53	5.326	20	
70	5.53	5.661	20	
71	5.53	5.63	20	
72	5.53	5.635	20	
73	5.53	5.556	20	
74	5.53	5.51	20	
75	5.53	5.56	20	
76	5.53	5.382	20	
77	5.53	5.347	20	
78	5.53	5.541	20	
79	5.53	5.448	20	
80	5.53	5.502	20	
81	5.53	5.273	20	
82	5.53	5.422	20	
83	5.53	5.484	20	
84	5.53	5.473	20	
85	5.53	5.259	20	
86	5.53	5.372	20	
87	5.53	5.595	20	
88	5.53	5.641	20	
89	5.53	5.703	20	
90	5.53	5.453	20	
91	5.53	5.3	20	
92	5.53	5.387	20	
93	5.53	5.299	20	
94	5.53	5.678	20	
95	5.53	5.677	20	
96	5.53	5.475	20	
97	5.53	5.436	20	
98	5.53	5.34	20	
99	5.53	5.559	20	
100	5.53	5.592	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 9

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.343	20	
2	5.53	5.386	20	
3	5.53	5.578	20	
4	5.53	5.357	20	
5	5.53	5.581	20	
6	5.53	5.635	20	
7	5.53	5.306	20	
8	5.53	5.387	20	
9	5.53	5.61	20	
10	5.53	5.719	20	
11	5.53	5.7	20	
12	5.53	5.443	20	
13	5.53	5.678	20	
14	5.53	5.282	20	
15	5.53	5.385	20	
16	5.53	5.532	20	*
17	5.53	5.389	20	
18	5.53	5.286	20	
19	5.53	5.713	20	
20	5.53	5.421	20	
21	5.53	5.398	20	
22	5.53	5.517	20	
23	5.53	5.268	20	
24	5.53	5.643	20	
25	5.53	5.432	20	
26	5.53	5.654	20	
27	5.53	5.551	20	
28	5.53	5.425	20	
29	5.53	5.709	20	
30	5.53	5.665	20	
31	5.53	5.516	20	
32	5.53	5.706	20	
33	5.53	5.717	20	
34	5.53	5.406	20	
35	5.53	5.512	20	
36	5.53	5.724	20	
37	5.53	5.612	20	
38	5.53	5.64	20	
39	5.53	5.488	20	
40	5.53	5.56	20	
41	5.53	5.384	20	
42	5.53	5.519	20	
43	5.53	5.675	20	
44	5.53	5.405	20	
45	5.53	5.307	20	
46	5.53	5.419	20	
47	5.53	5.394	20	

48	5.53	5.427	20	
49	5.53	5.329	20	
50	5.53	5.647	20	
51	5.53	5.409	20	
52	5.53	5.606	20	
53	5.53	5.35	20	
54	5.53	5.309	20	
55	5.53	5.723	20	
56	5.53	5.372	20	
57	5.53	5.378	20	
58	5.53	5.305	20	
59	5.53	5.614	20	
60	5.53	5.298	20	
61	5.53	5.26	20	
62	5.53	5.403	20	
63	5.53	5.542	20	
64	5.53	5.54	20	*
65	5.53	5.499	20	
66	5.53	5.496	20	
67	5.53	5.344	20	
68	5.53	5.362	20	
69	5.53	5.337	20	
70	5.53	5.402	20	
71	5.53	5.455	20	
72	5.53	5.627	20	
73	5.53	5.69	20	
74	5.53	5.393	20	
75	5.53	5.442	20	
76	5.53	5.359	20	
77	5.53	5.351	20	
78	5.53	5.676	20	
79	5.53	5.313	20	
80	5.53	5.576	20	
81	5.53	5.507	20	
82	5.53	5.563	20	
83	5.53	5.487	20	
84	5.53	5.43	20	
85	5.53	5.433	20	
86	5.53	5.668	20	
87	5.53	5.569	20	
88	5.53	5.429	20	
89	5.53	5.259	20	
90	5.53	5.27	20	
91	5.53	5.68	20	
92	5.53	5.482	20	
93	5.53	5.32	20	
94	5.53	5.597	20	
95	5.53	5.6	20	
96	5.53	5.649	20	
97	5.53	5.526	20	*
98	5.53	5.311	20	
99	5.53	5.252	20	
100	5.53	5.594	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 10

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.686	20	
2	5.53	5.327	20	
3	5.53	5.546	20	
4	5.53	5.525	20	*
5	5.53	5.276	20	
6	5.53	5.504	20	
7	5.53	5.43	20	
8	5.53	5.352	20	
9	5.53	5.646	20	
10	5.53	5.621	20	
11	5.53	5.445	20	
12	5.53	5.642	20	
13	5.53	5.464	20	
14	5.53	5.372	20	
15	5.53	5.308	20	
16	5.53	5.318	20	
17	5.53	5.289	20	
18	5.53	5.633	20	
19	5.53	5.585	20	
20	5.53	5.554	20	
21	5.53	5.692	20	
22	5.53	5.284	20	
23	5.53	5.258	20	
24	5.53	5.595	20	
25	5.53	5.333	20	
26	5.53	5.607	20	
27	5.53	5.63	20	
28	5.53	5.277	20	
29	5.53	5.542	20	
30	5.53	5.355	20	
31	5.53	5.297	20	
32	5.53	5.506	20	
33	5.53	5.402	20	
34	5.53	5.455	20	
35	5.53	5.602	20	
36	5.53	5.553	20	
37	5.53	5.581	20	
38	5.53	5.283	20	
39	5.53	5.693	20	
40	5.53	5.365	20	
41	5.53	5.272	20	
42	5.53	5.538	20	*
43	5.53	5.565	20	
44	5.53	5.374	20	
45	5.53	5.705	20	
46	5.53	5.556	20	
47	5.53	5.401	20	

48	5.53	5.344	20	
49	5.53	5.507	20	
50	5.53	5.483	20	
51	5.53	5.501	20	
52	5.53	5.391	20	
53	5.53	5.322	20	
54	5.53	5.394	20	
55	5.53	5.648	20	
56	5.53	5.278	20	
57	5.53	5.32	20	
58	5.53	5.518	20	
59	5.53	5.617	20	
60	5.53	5.715	20	
61	5.53	5.587	20	
62	5.53	5.348	20	
63	5.53	5.569	20	
64	5.53	5.393	20	
65	5.53	5.71	20	
66	5.53	5.422	20	
67	5.53	5.53	20	*
68	5.53	5.39	20	
69	5.53	5.442	20	
70	5.53	5.264	20	
71	5.53	5.619	20	
72	5.53	5.545	20	
73	5.53	5.326	20	
74	5.53	5.366	20	
75	5.53	5.699	20	
76	5.53	5.508	20	
77	5.53	5.325	20	
78	5.53	5.274	20	
79	5.53	5.716	20	
80	5.53	5.697	20	
81	5.53	5.711	20	
82	5.53	5.484	20	
83	5.53	5.479	20	
84	5.53	5.717	20	
85	5.53	5.582	20	
86	5.53	5.317	20	
87	5.53	5.408	20	
88	5.53	5.373	20	
89	5.53	5.59	20	
90	5.53	5.695	20	
91	5.53	5.398	20	
92	5.53	5.338	20	
93	5.53	5.527	20	*
94	5.53	5.639	20	
95	5.53	5.664	20	
96	5.53	5.547	20	
97	5.53	5.552	20	
98	5.53	5.436	20	
99	5.53	5.429	20	
100	5.53	5.478	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 11

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.64	20	
2	5.53	5.488	20	
3	5.53	5.612	20	
4	5.53	5.481	20	
5	5.53	5.296	20	
6	5.53	5.625	20	
7	5.53	5.557	20	
8	5.53	5.286	20	
9	5.53	5.269	20	
10	5.53	5.471	20	
11	5.53	5.72	20	
12	5.53	5.532	20	*
13	5.53	5.332	20	
14	5.53	5.659	20	
15	5.53	5.566	20	
16	5.53	5.323	20	
17	5.53	5.38	20	
18	5.53	5.421	20	
19	5.53	5.353	20	
20	5.53	5.257	20	
21	5.53	5.721	20	
22	5.53	5.288	20	
23	5.53	5.449	20	
24	5.53	5.271	20	
25	5.53	5.437	20	
26	5.53	5.325	20	
27	5.53	5.658	20	
28	5.53	5.613	20	
29	5.53	5.274	20	
30	5.53	5.272	20	
31	5.53	5.714	20	
32	5.53	5.677	20	
33	5.53	5.483	20	
34	5.53	5.577	20	
35	5.53	5.433	20	
36	5.53	5.661	20	
37	5.53	5.35	20	
38	5.53	5.562	20	
39	5.53	5.58	20	
40	5.53	5.423	20	
41	5.53	5.708	20	
42	5.53	5.415	20	
43	5.53	5.499	20	
44	5.53	5.681	20	
45	5.53	5.391	20	
46	5.53	5.715	20	
47	5.53	5.414	20	

48	5.53	5.405	20	
49	5.53	5.258	20	
50	5.53	5.666	20	
51	5.53	5.386	20	
52	5.53	5.536	20	*
53	5.53	5.493	20	
54	5.53	5.412	20	
55	5.53	5.629	20	
56	5.53	5.689	20	
57	5.53	5.568	20	
58	5.53	5.419	20	
59	5.53	5.432	20	
60	5.53	5.491	20	
61	5.53	5.522	20	*
62	5.53	5.478	20	
63	5.53	5.648	20	
64	5.53	5.606	20	
65	5.53	5.275	20	
66	5.53	5.607	20	
67	5.53	5.469	20	
68	5.53	5.427	20	
69	5.53	5.417	20	
70	5.53	5.436	20	
71	5.53	5.517	20	
72	5.53	5.335	20	
73	5.53	5.317	20	
74	5.53	5.318	20	
75	5.53	5.67	20	
76	5.53	5.447	20	
77	5.53	5.315	20	
78	5.53	5.366	20	
79	5.53	5.403	20	
80	5.53	5.651	20	
81	5.53	5.487	20	
82	5.53	5.309	20	
83	5.53	5.313	20	
84	5.53	5.685	20	
85	5.53	5.565	20	
86	5.53	5.55	20	
87	5.53	5.492	20	
88	5.53	5.381	20	
89	5.53	5.387	20	
90	5.53	5.617	20	
91	5.53	5.614	20	
92	5.53	5.328	20	
93	5.53	5.724	20	
94	5.53	5.479	20	
95	5.53	5.482	20	
96	5.53	5.707	20	
97	5.53	5.468	20	
98	5.53	5.31	20	
99	5.53	5.546	20	
100	5.53	5.696	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 12

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.436	20	
2	5.53	5.491	20	
3	5.53	5.492	20	
4	5.53	5.57	20	
5	5.53	5.555	20	
6	5.53	5.678	20	
7	5.53	5.275	20	
8	5.53	5.601	20	
9	5.53	5.702	20	
10	5.53	5.509	20	
11	5.53	5.56	20	
12	5.53	5.569	20	
13	5.53	5.582	20	
14	5.53	5.58	20	
15	5.53	5.3	20	
16	5.53	5.308	20	
17	5.53	5.691	20	
18	5.53	5.323	20	
19	5.53	5.639	20	
20	5.53	5.348	20	
21	5.53	5.368	20	
22	5.53	5.255	20	
23	5.53	5.657	20	
24	5.53	5.64	20	
25	5.53	5.503	20	
26	5.53	5.65	20	
27	5.53	5.554	20	
28	5.53	5.345	20	
29	5.53	5.282	20	
30	5.53	5.495	20	
31	5.53	5.384	20	
32	5.53	5.431	20	
33	5.53	5.66	20	
34	5.53	5.611	20	
35	5.53	5.674	20	
36	5.53	5.654	20	
37	5.53	5.499	20	
38	5.53	5.595	20	
39	5.53	5.705	20	
40	5.53	5.367	20	
41	5.53	5.438	20	
42	5.53	5.261	20	
43	5.53	5.267	20	
44	5.53	5.541	20	
45	5.53	5.279	20	
46	5.53	5.485	20	
47	5.53	5.316	20	

48	5.53	5.607	20	
49	5.53	5.426	20	
50	5.53	5.375	20	
51	5.53	5.553	20	
52	5.53	5.463	20	
53	5.53	5.519	20	
54	5.53	5.473	20	
55	5.53	5.526	20	*
56	5.53	5.333	20	
57	5.53	5.536	20	*
58	5.53	5.661	20	
59	5.53	5.382	20	
60	5.53	5.25	20	
61	5.53	5.545	20	
62	5.53	5.633	20	
63	5.53	5.29	20	
64	5.53	5.669	20	
65	5.53	5.613	20	
66	5.53	5.462	20	
67	5.53	5.427	20	
68	5.53	5.649	20	
69	5.53	5.511	20	
70	5.53	5.684	20	
71	5.53	5.631	20	
72	5.53	5.43	20	
73	5.53	5.694	20	
74	5.53	5.719	20	
75	5.53	5.387	20	
76	5.53	5.456	20	
77	5.53	5.277	20	
78	5.53	5.343	20	
79	5.53	5.459	20	
80	5.53	5.612	20	
81	5.53	5.643	20	
82	5.53	5.506	20	
83	5.53	5.422	20	
84	5.53	5.392	20	
85	5.53	5.616	20	
86	5.53	5.36	20	
87	5.53	5.673	20	
88	5.53	5.683	20	
89	5.53	5.318	20	
90	5.53	5.679	20	
91	5.53	5.498	20	
92	5.53	5.621	20	
93	5.53	5.556	20	
94	5.53	5.666	20	
95	5.53	5.404	20	
96	5.53	5.418	20	
97	5.53	5.486	20	
98	5.53	5.377	20	
99	5.53	5.585	20	
100	5.53	5.304	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 13

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.25	20	
2	5.53	5.63	20	
3	5.53	5.698	20	
4	5.53	5.454	20	
5	5.53	5.543	20	
6	5.53	5.329	20	
7	5.53	5.576	20	
8	5.53	5.582	20	
9	5.53	5.699	20	
10	5.53	5.373	20	
11	5.53	5.416	20	
12	5.53	5.276	20	
13	5.53	5.428	20	
14	5.53	5.299	20	
15	5.53	5.308	20	
16	5.53	5.476	20	
17	5.53	5.591	20	
18	5.53	5.512	20	
19	5.53	5.478	20	
20	5.53	5.676	20	
21	5.53	5.375	20	
22	5.53	5.575	20	
23	5.53	5.565	20	
24	5.53	5.528	20	*
25	5.53	5.37	20	
26	5.53	5.516	20	
27	5.53	5.584	20	
28	5.53	5.717	20	
29	5.53	5.503	20	
30	5.53	5.32	20	
31	5.53	5.259	20	
32	5.53	5.713	20	
33	5.53	5.4	20	
34	5.53	5.483	20	
35	5.53	5.69	20	
36	5.53	5.607	20	
37	5.53	5.451	20	
38	5.53	5.406	20	
39	5.53	5.531	20	*
40	5.53	5.341	20	
41	5.53	5.447	20	
42	5.53	5.696	20	
43	5.53	5.548	20	
44	5.53	5.506	20	
45	5.53	5.515	20	
46	5.53	5.471	20	
47	5.53	5.482	20	

48	5.53	5.547	20	
49	5.53	5.613	20	
50	5.53	5.466	20	
51	5.53	5.714	20	
52	5.53	5.413	20	
53	5.53	5.423	20	
54	5.53	5.367	20	
55	5.53	5.467	20	
56	5.53	5.344	20	
57	5.53	5.41	20	
58	5.53	5.602	20	
59	5.53	5.581	20	
60	5.53	5.302	20	
61	5.53	5.52	20	*
62	5.53	5.261	20	
63	5.53	5.682	20	
64	5.53	5.709	20	
65	5.53	5.657	20	
66	5.53	5.347	20	
67	5.53	5.688	20	
68	5.53	5.561	20	
69	5.53	5.292	20	
70	5.53	5.712	20	
71	5.53	5.339	20	
72	5.53	5.295	20	
73	5.53	5.606	20	
74	5.53	5.281	20	
75	5.53	5.646	20	
76	5.53	5.298	20	
77	5.53	5.556	20	
78	5.53	5.273	20	
79	5.53	5.533	20	*
80	5.53	5.521	20	*
81	5.53	5.673	20	
82	5.53	5.279	20	
83	5.53	5.477	20	
84	5.53	5.403	20	
85	5.53	5.722	20	
86	5.53	5.426	20	
87	5.53	5.578	20	
88	5.53	5.552	20	
89	5.53	5.359	20	
90	5.53	5.659	20	
91	5.53	5.511	20	
92	5.53	5.535	20	*
93	5.53	5.604	20	
94	5.53	5.322	20	
95	5.53	5.328	20	
96	5.53	5.464	20	
97	5.53	5.677	20	
98	5.53	5.539	20	*
99	5.53	5.365	20	
100	5.53	5.603	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 14

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.343	20	
2	5.53	5.584	20	
3	5.53	5.263	20	
4	5.53	5.394	20	
5	5.53	5.678	20	
6	5.53	5.254	20	
7	5.53	5.32	20	
8	5.53	5.679	20	
9	5.53	5.31	20	
10	5.53	5.402	20	
11	5.53	5.518	20	
12	5.53	5.657	20	
13	5.53	5.62	20	
14	5.53	5.281	20	
15	5.53	5.687	20	
16	5.53	5.508	20	
17	5.53	5.451	20	
18	5.53	5.622	20	
19	5.53	5.533	20	*
20	5.53	5.392	20	
21	5.53	5.506	20	
22	5.53	5.534	20	*
23	5.53	5.667	20	
24	5.53	5.572	20	
25	5.53	5.631	20	
26	5.53	5.387	20	
27	5.53	5.269	20	
28	5.53	5.652	20	
29	5.53	5.305	20	
30	5.53	5.304	20	
31	5.53	5.452	20	
32	5.53	5.498	20	
33	5.53	5.543	20	
34	5.53	5.363	20	
35	5.53	5.33	20	
36	5.53	5.648	20	
37	5.53	5.318	20	
38	5.53	5.512	20	
39	5.53	5.257	20	
40	5.53	5.523	20	*
41	5.53	5.594	20	
42	5.53	5.647	20	
43	5.53	5.405	20	
44	5.53	5.353	20	
45	5.53	5.386	20	
46	5.53	5.264	20	
47	5.53	5.356	20	

48	5.53	5.707	20	
49	5.53	5.547	20	
50	5.53	5.409	20	
51	5.53	5.331	20	
52	5.53	5.44	20	
53	5.53	5.546	20	
54	5.53	5.636	20	
55	5.53	5.47	20	
56	5.53	5.672	20	
57	5.53	5.43	20	
58	5.53	5.467	20	
59	5.53	5.285	20	
60	5.53	5.635	20	
61	5.53	5.633	20	
62	5.53	5.59	20	
63	5.53	5.556	20	
64	5.53	5.616	20	
65	5.53	5.315	20	
66	5.53	5.426	20	
67	5.53	5.497	20	
68	5.53	5.457	20	
69	5.53	5.626	20	
70	5.53	5.702	20	
71	5.53	5.598	20	
72	5.53	5.715	20	
73	5.53	5.662	20	
74	5.53	5.408	20	
75	5.53	5.434	20	
76	5.53	5.334	20	
77	5.53	5.718	20	
78	5.53	5.586	20	
79	5.53	5.524	20	*
80	5.53	5.627	20	
81	5.53	5.722	20	
82	5.53	5.35	20	
83	5.53	5.429	20	
84	5.53	5.293	20	
85	5.53	5.705	20	
86	5.53	5.577	20	
87	5.53	5.319	20	
88	5.53	5.515	20	
89	5.53	5.326	20	
90	5.53	5.341	20	
91	5.53	5.436	20	
92	5.53	5.339	20	
93	5.53	5.643	20	
94	5.53	5.514	20	
95	5.53	5.502	20	
96	5.53	5.348	20	
97	5.53	5.422	20	
98	5.53	5.313	20	
99	5.53	5.536	20	*
100	5.53	5.464	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 15

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.326	20	
2	5.53	5.599	20	
3	5.53	5.673	20	
4	5.53	5.649	20	
5	5.53	5.52	20	*
6	5.53	5.69	20	
7	5.53	5.404	20	
8	5.53	5.674	20	
9	5.53	5.435	20	
10	5.53	5.684	20	
11	5.53	5.473	20	
12	5.53	5.612	20	
13	5.53	5.523	20	*
14	5.53	5.458	20	
15	5.53	5.268	20	
16	5.53	5.415	20	
17	5.53	5.55	20	
18	5.53	5.624	20	
19	5.53	5.358	20	
20	5.53	5.522	20	*
21	5.53	5.588	20	
22	5.53	5.257	20	
23	5.53	5.36	20	
24	5.53	5.619	20	
25	5.53	5.563	20	
26	5.53	5.569	20	
27	5.53	5.608	20	
28	5.53	5.529	20	*
29	5.53	5.27	20	
30	5.53	5.319	20	
31	5.53	5.545	20	
32	5.53	5.271	20	
33	5.53	5.334	20	
34	5.53	5.501	20	
35	5.53	5.551	20	
36	5.53	5.431	20	
37	5.53	5.723	20	
38	5.53	5.292	20	
39	5.53	5.708	20	
40	5.53	5.574	20	
41	5.53	5.699	20	
42	5.53	5.467	20	
43	5.53	5.471	20	
44	5.53	5.517	20	
45	5.53	5.466	20	
46	5.53	5.562	20	
47	5.53	5.722	20	

48	5.53	5.263	20	
49	5.53	5.591	20	
50	5.53	5.669	20	
51	5.53	5.287	20	
52	5.53	5.552	20	
53	5.53	5.393	20	
54	5.53	5.647	20	
55	5.53	5.251	20	
56	5.53	5.255	20	
57	5.53	5.566	20	
58	5.53	5.67	20	
59	5.53	5.623	20	
60	5.53	5.345	20	
61	5.53	5.397	20	
62	5.53	5.605	20	
63	5.53	5.655	20	
64	5.53	5.571	20	
65	5.53	5.532	20	*
66	5.53	5.37	20	
67	5.53	5.68	20	
68	5.53	5.434	20	
69	5.53	5.372	20	
70	5.53	5.305	20	
71	5.53	5.291	20	
72	5.53	5.437	20	
73	5.53	5.297	20	
74	5.53	5.335	20	
75	5.53	5.677	20	
76	5.53	5.688	20	
77	5.53	5.493	20	
78	5.53	5.414	20	
79	5.53	5.568	20	
80	5.53	5.519	20	
81	5.53	5.478	20	
82	5.53	5.429	20	
83	5.53	5.544	20	
84	5.53	5.32	20	
85	5.53	5.573	20	
86	5.53	5.506	20	
87	5.53	5.448	20	
88	5.53	5.594	20	
89	5.53	5.561	20	
90	5.53	5.272	20	
91	5.53	5.453	20	
92	5.53	5.258	20	
93	5.53	5.476	20	
94	5.53	5.7	20	
95	5.53	5.406	20	
96	5.53	5.402	20	
97	5.53	5.604	20	
98	5.53	5.597	20	
99	5.53	5.541	20	
100	5.53	5.313	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 16

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.444	20	
2	5.53	5.6	20	
3	5.53	5.373	20	
4	5.53	5.434	20	
5	5.53	5.361	20	
6	5.53	5.543	20	
7	5.53	5.597	20	
8	5.53	5.499	20	
9	5.53	5.522	20	*
10	5.53	5.325	20	
11	5.53	5.306	20	
12	5.53	5.407	20	
13	5.53	5.547	20	
14	5.53	5.539	20	*
15	5.53	5.303	20	
16	5.53	5.291	20	
17	5.53	5.4	20	
18	5.53	5.602	20	
19	5.53	5.609	20	
20	5.53	5.46	20	
21	5.53	5.311	20	
22	5.53	5.448	20	
23	5.53	5.608	20	
24	5.53	5.328	20	
25	5.53	5.429	20	
26	5.53	5.629	20	
27	5.53	5.321	20	
28	5.53	5.326	20	
29	5.53	5.585	20	
30	5.53	5.624	20	
31	5.53	5.702	20	
32	5.53	5.533	20	*
33	5.53	5.34	20	
34	5.53	5.594	20	
35	5.53	5.29	20	
36	5.53	5.525	20	*
37	5.53	5.651	20	
38	5.53	5.529	20	*
39	5.53	5.333	20	
40	5.53	5.432	20	
41	5.53	5.655	20	
42	5.53	5.658	20	
43	5.53	5.564	20	
44	5.53	5.721	20	
45	5.53	5.557	20	
46	5.53	5.336	20	
47	5.53	5.711	20	

48	5.53	5.284	20	
49	5.53	5.469	20	
50	5.53	5.687	20	
51	5.53	5.359	20	
52	5.53	5.283	20	
53	5.53	5.705	20	
54	5.53	5.634	20	
55	5.53	5.648	20	
56	5.53	5.459	20	
57	5.53	5.271	20	
58	5.53	5.644	20	
59	5.53	5.343	20	
60	5.53	5.722	20	
61	5.53	5.339	20	
62	5.53	5.553	20	
63	5.53	5.329	20	
64	5.53	5.32	20	
65	5.53	5.443	20	
66	5.53	5.415	20	
67	5.53	5.69	20	
68	5.53	5.314	20	
69	5.53	5.683	20	
70	5.53	5.507	20	
71	5.53	5.318	20	
72	5.53	5.473	20	
73	5.53	5.413	20	
74	5.53	5.296	20	
75	5.53	5.513	20	
76	5.53	5.7	20	
77	5.53	5.289	20	
78	5.53	5.461	20	
79	5.53	5.379	20	
80	5.53	5.661	20	
81	5.53	5.701	20	
82	5.53	5.673	20	
83	5.53	5.567	20	
84	5.53	5.707	20	
85	5.53	5.391	20	
86	5.53	5.698	20	
87	5.53	5.716	20	
88	5.53	5.587	20	
89	5.53	5.412	20	
90	5.53	5.605	20	
91	5.53	5.384	20	
92	5.53	5.68	20	
93	5.53	5.497	20	
94	5.53	5.421	20	
95	5.53	5.308	20	
96	5.53	5.612	20	
97	5.53	5.556	20	
98	5.53	5.518	20	
99	5.53	5.27	20	
100	5.53	5.454	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 17

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.383	20	
2	5.53	5.293	20	
3	5.53	5.294	20	
4	5.53	5.687	20	
5	5.53	5.488	20	
6	5.53	5.321	20	
7	5.53	5.355	20	
8	5.53	5.576	20	
9	5.53	5.582	20	
10	5.53	5.574	20	
11	5.53	5.362	20	
12	5.53	5.356	20	
13	5.53	5.282	20	
14	5.53	5.592	20	
15	5.53	5.642	20	
16	5.53	5.409	20	
17	5.53	5.598	20	
18	5.53	5.359	20	
19	5.53	5.567	20	
20	5.53	5.718	20	
21	5.53	5.288	20	
22	5.53	5.457	20	
23	5.53	5.385	20	
24	5.53	5.351	20	
25	5.53	5.32	20	
26	5.53	5.526	20	*
27	5.53	5.542	20	
28	5.53	5.399	20	
29	5.53	5.28	20	
30	5.53	5.395	20	
31	5.53	5.433	20	
32	5.53	5.446	20	
33	5.53	5.495	20	
34	5.53	5.715	20	
35	5.53	5.529	20	*
36	5.53	5.325	20	
37	5.53	5.599	20	
38	5.53	5.371	20	
39	5.53	5.349	20	
40	5.53	5.647	20	
41	5.53	5.641	20	
42	5.53	5.381	20	
43	5.53	5.494	20	
44	5.53	5.332	20	
45	5.53	5.64	20	
46	5.53	5.407	20	
47	5.53	5.55	20	

48	5.53	5.65	20	
49	5.53	5.301	20	
50	5.53	5.372	20	
51	5.53	5.539	20	*
52	5.53	5.365	20	
53	5.53	5.709	20	
54	5.53	5.256	20	
55	5.53	5.348	20	
56	5.53	5.633	20	
57	5.53	5.396	20	
58	5.53	5.52	20	*
59	5.53	5.453	20	
60	5.53	5.679	20	
61	5.53	5.691	20	
62	5.53	5.657	20	
63	5.53	5.298	20	
64	5.53	5.473	20	
65	5.53	5.519	20	
66	5.53	5.51	20	
67	5.53	5.284	20	
68	5.53	5.512	20	
69	5.53	5.431	20	
70	5.53	5.478	20	
71	5.53	5.717	20	
72	5.53	5.417	20	
73	5.53	5.548	20	
74	5.53	5.638	20	
75	5.53	5.402	20	
76	5.53	5.631	20	
77	5.53	5.374	20	
78	5.53	5.316	20	
79	5.53	5.594	20	
80	5.53	5.477	20	
81	5.53	5.637	20	
82	5.53	5.666	20	
83	5.53	5.585	20	
84	5.53	5.684	20	
85	5.53	5.711	20	
86	5.53	5.722	20	
87	5.53	5.713	20	
88	5.53	5.375	20	
89	5.53	5.703	20	
90	5.53	5.612	20	
91	5.53	5.432	20	
92	5.53	5.434	20	
93	5.53	5.324	20	
94	5.53	5.475	20	
95	5.53	5.339	20	
96	5.53	5.302	20	
97	5.53	5.337	20	
98	5.53	5.425	20	
99	5.53	5.397	20	
100	5.53	5.354	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 18

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.514	20	
2	5.53	5.298	20	
3	5.53	5.32	20	
4	5.53	5.272	20	
5	5.53	5.393	20	
6	5.53	5.694	20	
7	5.53	5.36	20	
8	5.53	5.441	20	
9	5.53	5.613	20	
10	5.53	5.587	20	
11	5.53	5.691	20	
12	5.53	5.575	20	
13	5.53	5.48	20	
14	5.53	5.473	20	
15	5.53	5.292	20	
16	5.53	5.311	20	
17	5.53	5.651	20	
18	5.53	5.515	20	
19	5.53	5.357	20	
20	5.53	5.283	20	
21	5.53	5.426	20	
22	5.53	5.429	20	
23	5.53	5.364	20	
24	5.53	5.529	20	*
25	5.53	5.469	20	
26	5.53	5.316	20	
27	5.53	5.463	20	
28	5.53	5.664	20	
29	5.53	5.526	20	*
30	5.53	5.607	20	
31	5.53	5.335	20	
32	5.53	5.629	20	
33	5.53	5.367	20	
34	5.53	5.437	20	
35	5.53	5.483	20	
36	5.53	5.261	20	
37	5.53	5.67	20	
38	5.53	5.536	20	*
39	5.53	5.397	20	
40	5.53	5.403	20	
41	5.53	5.485	20	
42	5.53	5.424	20	
43	5.53	5.595	20	
44	5.53	5.284	20	
45	5.53	5.458	20	
46	5.53	5.63	20	
47	5.53	5.666	20	

48	5.53	5.42	20	
49	5.53	5.699	20	
50	5.53	5.657	20	
51	5.53	5.574	20	
52	5.53	5.377	20	
53	5.53	5.445	20	
54	5.53	5.481	20	
55	5.53	5.34	20	
56	5.53	5.46	20	
57	5.53	5.504	20	
58	5.53	5.716	20	
59	5.53	5.413	20	
60	5.53	5.452	20	
61	5.53	5.488	20	
62	5.53	5.373	20	
63	5.53	5.517	20	
64	5.53	5.702	20	
65	5.53	5.327	20	
66	5.53	5.318	20	
67	5.53	5.303	20	
68	5.53	5.671	20	
69	5.53	5.557	20	
70	5.53	5.705	20	
71	5.53	5.572	20	
72	5.53	5.581	20	
73	5.53	5.679	20	
74	5.53	5.551	20	
75	5.53	5.53	20	*
76	5.53	5.253	20	
77	5.53	5.308	20	
78	5.53	5.635	20	
79	5.53	5.568	20	
80	5.53	5.482	20	
81	5.53	5.66	20	
82	5.53	5.28	20	
83	5.53	5.571	20	
84	5.53	5.563	20	
85	5.53	5.547	20	
86	5.53	5.58	20	
87	5.53	5.662	20	
88	5.53	5.57	20	
89	5.53	5.418	20	
90	5.53	5.3	20	
91	5.53	5.528	20	*
92	5.53	5.374	20	
93	5.53	5.489	20	
94	5.53	5.258	20	
95	5.53	5.7	20	
96	5.53	5.359	20	
97	5.53	5.677	20	
98	5.53	5.611	20	
99	5.53	5.395	20	
100	5.53	5.642	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 19

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.48	20	
2	5.53	5.418	20	
3	5.53	5.439	20	
4	5.53	5.54	20	*
5	5.53	5.552	20	
6	5.53	5.605	20	
7	5.53	5.565	20	
8	5.53	5.663	20	
9	5.53	5.517	20	
10	5.53	5.352	20	
11	5.53	5.422	20	
12	5.53	5.616	20	
13	5.53	5.252	20	
14	5.53	5.372	20	
15	5.53	5.444	20	
16	5.53	5.297	20	
17	5.53	5.403	20	
18	5.53	5.468	20	
19	5.53	5.61	20	
20	5.53	5.319	20	
21	5.53	5.671	20	
22	5.53	5.311	20	
23	5.53	5.718	20	
24	5.53	5.437	20	
25	5.53	5.391	20	
26	5.53	5.7	20	
27	5.53	5.593	20	
28	5.53	5.705	20	
29	5.53	5.432	20	
30	5.53	5.536	20	*
31	5.53	5.29	20	
32	5.53	5.419	20	
33	5.53	5.286	20	
34	5.53	5.532	20	*
35	5.53	5.584	20	
36	5.53	5.251	20	
37	5.53	5.273	20	
38	5.53	5.265	20	
39	5.53	5.441	20	
40	5.53	5.648	20	
41	5.53	5.388	20	
42	5.53	5.521	20	*
43	5.53	5.684	20	
44	5.53	5.692	20	
45	5.53	5.32	20	
46	5.53	5.65	20	
47	5.53	5.257	20	

48	5.53	5.402	20	
49	5.53	5.633	20	
50	5.53	5.551	20	
51	5.53	5.361	20	
52	5.53	5.423	20	
53	5.53	5.415	20	
54	5.53	5.293	20	
55	5.53	5.467	20	
56	5.53	5.328	20	
57	5.53	5.318	20	
58	5.53	5.438	20	
59	5.53	5.476	20	
60	5.53	5.644	20	
61	5.53	5.569	20	
62	5.53	5.315	20	
63	5.53	5.457	20	
64	5.53	5.449	20	
65	5.53	5.331	20	
66	5.53	5.341	20	
67	5.53	5.542	20	
68	5.53	5.618	20	
69	5.53	5.632	20	
70	5.53	5.426	20	
71	5.53	5.41	20	
72	5.53	5.42	20	
73	5.53	5.606	20	
74	5.53	5.489	20	
75	5.53	5.704	20	
76	5.53	5.51	20	
77	5.53	5.598	20	
78	5.53	5.677	20	
79	5.53	5.269	20	
80	5.53	5.383	20	
81	5.53	5.378	20	
82	5.53	5.398	20	
83	5.53	5.698	20	
84	5.53	5.463	20	
85	5.53	5.345	20	
86	5.53	5.675	20	
87	5.53	5.613	20	
88	5.53	5.31	20	
89	5.53	5.492	20	
90	5.53	5.658	20	
91	5.53	5.406	20	
92	5.53	5.505	20	
93	5.53	5.342	20	
94	5.53	5.271	20	
95	5.53	5.585	20	
96	5.53	5.393	20	
97	5.53	5.291	20	
98	5.53	5.382	20	
99	5.53	5.564	20	
100	5.53	5.253	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 20

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.591	20	
2	5.53	5.532	20	*
3	5.53	5.424	20	
4	5.53	5.442	20	
5	5.53	5.292	20	
6	5.53	5.673	20	
7	5.53	5.611	20	
8	5.53	5.655	20	
9	5.53	5.475	20	
10	5.53	5.52	20	*
11	5.53	5.553	20	
12	5.53	5.273	20	
13	5.53	5.375	20	
14	5.53	5.291	20	
15	5.53	5.324	20	
16	5.53	5.426	20	
17	5.53	5.661	20	
18	5.53	5.537	20	*
19	5.53	5.472	20	
20	5.53	5.592	20	
21	5.53	5.542	20	
22	5.53	5.396	20	
23	5.53	5.252	20	
24	5.53	5.262	20	
25	5.53	5.602	20	
26	5.53	5.585	20	
27	5.53	5.647	20	
28	5.53	5.627	20	
29	5.53	5.487	20	
30	5.53	5.34	20	
31	5.53	5.361	20	
32	5.53	5.481	20	
33	5.53	5.386	20	
34	5.53	5.669	20	
35	5.53	5.495	20	
36	5.53	5.39	20	
37	5.53	5.527	20	*
38	5.53	5.672	20	
39	5.53	5.418	20	
40	5.53	5.59	20	
41	5.53	5.562	20	
42	5.53	5.503	20	
43	5.53	5.428	20	
44	5.53	5.667	20	
45	5.53	5.652	20	
46	5.53	5.578	20	
47	5.53	5.329	20	

48	5.53	5.659	20	
49	5.53	5.445	20	
50	5.53	5.654	20	
51	5.53	5.44	20	
52	5.53	5.581	20	
53	5.53	5.256	20	
54	5.53	5.342	20	
55	5.53	5.321	20	
56	5.53	5.356	20	
57	5.53	5.319	20	
58	5.53	5.433	20	
59	5.53	5.55	20	
60	5.53	5.267	20	
61	5.53	5.371	20	
62	5.53	5.586	20	
63	5.53	5.657	20	
64	5.53	5.372	20	
65	5.53	5.281	20	
66	5.53	5.296	20	
67	5.53	5.63	20	
68	5.53	5.546	20	
69	5.53	5.714	20	
70	5.53	5.322	20	
71	5.53	5.326	20	
72	5.53	5.595	20	
73	5.53	5.533	20	*
74	5.53	5.476	20	
75	5.53	5.687	20	
76	5.53	5.305	20	
77	5.53	5.511	20	
78	5.53	5.259	20	
79	5.53	5.346	20	
80	5.53	5.466	20	
81	5.53	5.385	20	
82	5.53	5.287	20	
83	5.53	5.432	20	
84	5.53	5.624	20	
85	5.53	5.61	20	
86	5.53	5.336	20	
87	5.53	5.643	20	
88	5.53	5.33	20	
89	5.53	5.364	20	
90	5.53	5.468	20	
91	5.53	5.384	20	
92	5.53	5.28	20	
93	5.53	5.642	20	
94	5.53	5.414	20	
95	5.53	5.485	20	
96	5.53	5.701	20	
97	5.53	5.53	20	*
98	5.53	5.274	20	
99	5.53	5.3	20	
100	5.53	5.58	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 21

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.567	20	
2	5.53	5.723	20	
3	5.53	5.649	20	
4	5.53	5.436	20	
5	5.53	5.494	20	
6	5.53	5.399	20	
7	5.53	5.504	20	
8	5.53	5.679	20	
9	5.53	5.453	20	
10	5.53	5.408	20	
11	5.53	5.713	20	
12	5.53	5.435	20	
13	5.53	5.672	20	
14	5.53	5.595	20	
15	5.53	5.418	20	
16	5.53	5.696	20	
17	5.53	5.484	20	
18	5.53	5.69	20	
19	5.53	5.603	20	
20	5.53	5.299	20	
21	5.53	5.351	20	
22	5.53	5.525	20	*
23	5.53	5.396	20	
24	5.53	5.266	20	
25	5.53	5.533	20	*
26	5.53	5.665	20	
27	5.53	5.338	20	
28	5.53	5.405	20	
29	5.53	5.698	20	
30	5.53	5.254	20	
31	5.53	5.465	20	
32	5.53	5.488	20	
33	5.53	5.357	20	
34	5.53	5.315	20	
35	5.53	5.647	20	
36	5.53	5.645	20	
37	5.53	5.629	20	
38	5.53	5.544	20	
39	5.53	5.372	20	
40	5.53	5.278	20	
41	5.53	5.281	20	
42	5.53	5.506	20	
43	5.53	5.335	20	
44	5.53	5.472	20	
45	5.53	5.635	20	
46	5.53	5.443	20	
47	5.53	5.594	20	

48	5.53	5.309	20	
49	5.53	5.43	20	
50	5.53	5.473	20	
51	5.53	5.661	20	
52	5.53	5.431	20	
53	5.53	5.596	20	
54	5.53	5.393	20	
55	5.53	5.49	20	
56	5.53	5.584	20	
57	5.53	5.462	20	
58	5.53	5.701	20	
59	5.53	5.318	20	
60	5.53	5.341	20	
61	5.53	5.681	20	
62	5.53	5.652	20	
63	5.53	5.589	20	
64	5.53	5.493	20	
65	5.53	5.688	20	
66	5.53	5.664	20	
67	5.53	5.705	20	
68	5.53	5.289	20	
69	5.53	5.509	20	
70	5.53	5.587	20	
71	5.53	5.425	20	
72	5.53	5.724	20	
73	5.53	5.562	20	
74	5.53	5.471	20	
75	5.53	5.676	20	
76	5.53	5.343	20	
77	5.53	5.25	20	
78	5.53	5.495	20	
79	5.53	5.475	20	
80	5.53	5.657	20	
81	5.53	5.613	20	
82	5.53	5.415	20	
83	5.53	5.389	20	
84	5.53	5.442	20	
85	5.53	5.58	20	
86	5.53	5.411	20	
87	5.53	5.459	20	
88	5.53	5.363	20	
89	5.53	5.448	20	
90	5.53	5.293	20	
91	5.53	5.456	20	
92	5.53	5.286	20	
93	5.53	5.302	20	
94	5.53	5.499	20	
95	5.53	5.675	20	
96	5.53	5.3	20	
97	5.53	5.38	20	
98	5.53	5.374	20	
99	5.53	5.296	20	
100	5.53	5.512	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 22

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.332	20	
2	5.53	5.597	20	
3	5.53	5.585	20	
4	5.53	5.383	20	
5	5.53	5.545	20	
6	5.53	5.626	20	
7	5.53	5.678	20	
8	5.53	5.319	20	
9	5.53	5.526	20	*
10	5.53	5.618	20	
11	5.53	5.608	20	
12	5.53	5.605	20	
13	5.53	5.415	20	
14	5.53	5.55	20	
15	5.53	5.718	20	
16	5.53	5.682	20	
17	5.53	5.386	20	
18	5.53	5.673	20	
19	5.53	5.561	20	
20	5.53	5.454	20	
21	5.53	5.347	20	
22	5.53	5.315	20	
23	5.53	5.345	20	
24	5.53	5.266	20	
25	5.53	5.449	20	
26	5.53	5.564	20	
27	5.53	5.45	20	
28	5.53	5.494	20	
29	5.53	5.43	20	
30	5.53	5.418	20	
31	5.53	5.394	20	
32	5.53	5.705	20	
33	5.53	5.653	20	
34	5.53	5.298	20	
35	5.53	5.634	20	
36	5.53	5.603	20	
37	5.53	5.478	20	
38	5.53	5.7	20	
39	5.53	5.307	20	
40	5.53	5.264	20	
41	5.53	5.664	20	
42	5.53	5.515	20	
43	5.53	5.412	20	
44	5.53	5.269	20	
45	5.53	5.355	20	
46	5.53	5.607	20	
47	5.53	5.393	20	

48	5.53	5.611	20	
49	5.53	5.351	20	
50	5.53	5.491	20	
51	5.53	5.259	20	
52	5.53	5.559	20	
53	5.53	5.715	20	
54	5.53	5.322	20	
55	5.53	5.398	20	
56	5.53	5.588	20	
57	5.53	5.4	20	
58	5.53	5.278	20	
59	5.53	5.27	20	
60	5.53	5.487	20	
61	5.53	5.622	20	
62	5.53	5.538	20	*
63	5.53	5.421	20	
64	5.53	5.691	20	
65	5.53	5.689	20	
66	5.53	5.503	20	
67	5.53	5.375	20	
68	5.53	5.297	20	
69	5.53	5.527	20	*
70	5.53	5.575	20	
71	5.53	5.609	20	
72	5.53	5.433	20	
73	5.53	5.334	20	
74	5.53	5.469	20	
75	5.53	5.681	20	
76	5.53	5.459	20	
77	5.53	5.488	20	
78	5.53	5.489	20	
79	5.53	5.35	20	
80	5.53	5.581	20	
81	5.53	5.637	20	
82	5.53	5.554	20	
83	5.53	5.592	20	
84	5.53	5.566	20	
85	5.53	5.326	20	
86	5.53	5.716	20	
87	5.53	5.265	20	
88	5.53	5.422	20	
89	5.53	5.616	20	
90	5.53	5.279	20	
91	5.53	5.348	20	
92	5.53	5.688	20	
93	5.53	5.669	20	
94	5.53	5.537	20	*
95	5.53	5.647	20	
96	5.53	5.5	20	
97	5.53	5.263	20	
98	5.53	5.407	20	
99	5.53	5.465	20	
100	5.53	5.434	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 23

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.275	20	
2	5.53	5.347	20	
3	5.53	5.652	20	
4	5.53	5.645	20	
5	5.53	5.412	20	
6	5.53	5.454	20	
7	5.53	5.691	20	
8	5.53	5.369	20	
9	5.53	5.361	20	
10	5.53	5.282	20	
11	5.53	5.371	20	
12	5.53	5.292	20	
13	5.53	5.323	20	
14	5.53	5.622	20	
15	5.53	5.505	20	
16	5.53	5.509	20	
17	5.53	5.435	20	
18	5.53	5.648	20	
19	5.53	5.649	20	
20	5.53	5.573	20	
21	5.53	5.675	20	
22	5.53	5.709	20	
23	5.53	5.281	20	
24	5.53	5.617	20	
25	5.53	5.296	20	
26	5.53	5.339	20	
27	5.53	5.544	20	
28	5.53	5.632	20	
29	5.53	5.534	20	*
30	5.53	5.655	20	
31	5.53	5.697	20	
32	5.53	5.591	20	
33	5.53	5.308	20	
34	5.53	5.261	20	
35	5.53	5.564	20	
36	5.53	5.377	20	
37	5.53	5.543	20	
38	5.53	5.658	20	
39	5.53	5.305	20	
40	5.53	5.558	20	
41	5.53	5.612	20	
42	5.53	5.349	20	
43	5.53	5.563	20	
44	5.53	5.625	20	
45	5.53	5.266	20	
46	5.53	5.489	20	
47	5.53	5.293	20	

48	5.53	5.321	20	
49	5.53	5.695	20	
50	5.53	5.566	20	
51	5.53	5.326	20	
52	5.53	5.677	20	
53	5.53	5.319	20	
54	5.53	5.579	20	
55	5.53	5.562	20	
56	5.53	5.503	20	
57	5.53	5.619	20	
58	5.53	5.272	20	
59	5.53	5.512	20	
60	5.53	5.713	20	
61	5.53	5.717	20	
62	5.53	5.678	20	
63	5.53	5.684	20	
64	5.53	5.406	20	
65	5.53	5.719	20	
66	5.53	5.664	20	
67	5.53	5.673	20	
68	5.53	5.683	20	
69	5.53	5.389	20	
70	5.53	5.53	20	*
71	5.53	5.7	20	
72	5.53	5.459	20	
73	5.53	5.712	20	
74	5.53	5.455	20	
75	5.53	5.368	20	
76	5.53	5.624	20	
77	5.53	5.418	20	
78	5.53	5.536	20	*
79	5.53	5.532	20	*
80	5.53	5.631	20	
81	5.53	5.668	20	
82	5.53	5.703	20	
83	5.53	5.465	20	
84	5.53	5.317	20	
85	5.53	5.553	20	
86	5.53	5.279	20	
87	5.53	5.295	20	
88	5.53	5.642	20	
89	5.53	5.685	20	
90	5.53	5.257	20	
91	5.53	5.539	20	*
92	5.53	5.527	20	*
93	5.53	5.284	20	
94	5.53	5.529	20	*
95	5.53	5.593	20	
96	5.53	5.45	20	
97	5.53	5.415	20	
98	5.53	5.259	20	
99	5.53	5.696	20	
100	5.53	5.332	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 24

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.337	20	
2	5.53	5.411	20	
3	5.53	5.551	20	
4	5.53	5.503	20	
5	5.53	5.606	20	
6	5.53	5.552	20	
7	5.53	5.574	20	
8	5.53	5.632	20	
9	5.53	5.477	20	
10	5.53	5.446	20	
11	5.53	5.366	20	
12	5.53	5.297	20	
13	5.53	5.273	20	
14	5.53	5.405	20	
15	5.53	5.317	20	
16	5.53	5.562	20	
17	5.53	5.382	20	
18	5.53	5.704	20	
19	5.53	5.31	20	
20	5.53	5.333	20	
21	5.53	5.375	20	
22	5.53	5.473	20	
23	5.53	5.596	20	
24	5.53	5.525	20	*
25	5.53	5.537	20	*
26	5.53	5.618	20	
27	5.53	5.421	20	
28	5.53	5.326	20	
29	5.53	5.303	20	
30	5.53	5.724	20	
31	5.53	5.578	20	
32	5.53	5.369	20	
33	5.53	5.3	20	
34	5.53	5.298	20	
35	5.53	5.302	20	
36	5.53	5.529	20	*
37	5.53	5.54	20	*
38	5.53	5.541	20	
39	5.53	5.306	20	
40	5.53	5.546	20	
41	5.53	5.413	20	
42	5.53	5.278	20	
43	5.53	5.697	20	
44	5.53	5.467	20	
45	5.53	5.707	20	
46	5.53	5.577	20	
47	5.53	5.566	20	

48	5.53	5.314	20	
49	5.53	5.305	20	
50	5.53	5.49	20	
51	5.53	5.263	20	
52	5.53	5.454	20	
53	5.53	5.687	20	
54	5.53	5.542	20	
55	5.53	5.698	20	
56	5.53	5.693	20	
57	5.53	5.283	20	
58	5.53	5.397	20	
59	5.53	5.287	20	
60	5.53	5.272	20	
61	5.53	5.672	20	
62	5.53	5.702	20	
63	5.53	5.289	20	
64	5.53	5.52	20	*
65	5.53	5.644	20	
66	5.53	5.474	20	
67	5.53	5.652	20	
68	5.53	5.511	20	
69	5.53	5.576	20	
70	5.53	5.267	20	
71	5.53	5.665	20	
72	5.53	5.426	20	
73	5.53	5.538	20	*
74	5.53	5.674	20	
75	5.53	5.332	20	
76	5.53	5.288	20	
77	5.53	5.353	20	
78	5.53	5.417	20	
79	5.53	5.713	20	
80	5.53	5.445	20	
81	5.53	5.409	20	
82	5.53	5.383	20	
83	5.53	5.345	20	
84	5.53	5.519	20	
85	5.53	5.647	20	
86	5.53	5.709	20	
87	5.53	5.571	20	
88	5.53	5.308	20	
89	5.53	5.662	20	
90	5.53	5.689	20	
91	5.53	5.403	20	
92	5.53	5.682	20	
93	5.53	5.285	20	
94	5.53	5.711	20	
95	5.53	5.357	20	
96	5.53	5.299	20	
97	5.53	5.535	20	*
98	5.53	5.513	20	
99	5.53	5.601	20	
100	5.53	5.376	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 25

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.399	20	
2	5.53	5.261	20	
3	5.53	5.644	20	
4	5.53	5.608	20	
5	5.53	5.427	20	
6	5.53	5.597	20	
7	5.53	5.425	20	
8	5.53	5.467	20	
9	5.53	5.59	20	
10	5.53	5.26	20	
11	5.53	5.697	20	
12	5.53	5.429	20	
13	5.53	5.321	20	
14	5.53	5.684	20	
15	5.53	5.509	20	
16	5.53	5.556	20	
17	5.53	5.257	20	
18	5.53	5.609	20	
19	5.53	5.434	20	
20	5.53	5.513	20	
21	5.53	5.701	20	
22	5.53	5.316	20	
23	5.53	5.661	20	
24	5.53	5.621	20	
25	5.53	5.44	20	
26	5.53	5.277	20	
27	5.53	5.3	20	
28	5.53	5.458	20	
29	5.53	5.724	20	
30	5.53	5.453	20	
31	5.53	5.504	20	
32	5.53	5.61	20	
33	5.53	5.485	20	
34	5.53	5.585	20	
35	5.53	5.313	20	
36	5.53	5.449	20	
37	5.53	5.424	20	
38	5.53	5.444	20	
39	5.53	5.494	20	
40	5.53	5.686	20	
41	5.53	5.291	20	
42	5.53	5.457	20	
43	5.53	5.475	20	
44	5.53	5.436	20	
45	5.53	5.571	20	
46	5.53	5.456	20	
47	5.53	5.371	20	

48	5.53	5.498	20	
49	5.53	5.417	20	
50	5.53	5.405	20	
51	5.53	5.676	20	
52	5.53	5.714	20	
53	5.53	5.332	20	
54	5.53	5.58	20	
55	5.53	5.49	20	
56	5.53	5.394	20	
57	5.53	5.699	20	
58	5.53	5.401	20	
59	5.53	5.33	20	
60	5.53	5.472	20	
61	5.53	5.396	20	
62	5.53	5.345	20	
63	5.53	5.702	20	
64	5.53	5.432	20	
65	5.53	5.267	20	
66	5.53	5.536	20	*
67	5.53	5.298	20	
68	5.53	5.579	20	
69	5.53	5.302	20	
70	5.53	5.326	20	
71	5.53	5.519	20	
72	5.53	5.426	20	
73	5.53	5.566	20	
74	5.53	5.552	20	
75	5.53	5.495	20	
76	5.53	5.487	20	
77	5.53	5.325	20	
78	5.53	5.362	20	
79	5.53	5.639	20	
80	5.53	5.572	20	
81	5.53	5.703	20	
82	5.53	5.594	20	
83	5.53	5.327	20	
84	5.53	5.618	20	
85	5.53	5.303	20	
86	5.53	5.336	20	
87	5.53	5.337	20	
88	5.53	5.599	20	
89	5.53	5.542	20	
90	5.53	5.37	20	
91	5.53	5.274	20	
92	5.53	5.575	20	
93	5.53	5.356	20	
94	5.53	5.259	20	
95	5.53	5.258	20	
96	5.53	5.385	20	
97	5.53	5.657	20	
98	5.53	5.613	20	
99	5.53	5.69	20	
100	5.53	5.549	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 26

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.3	20	
2	5.53	5.284	20	
3	5.53	5.701	20	
4	5.53	5.469	20	
5	5.53	5.274	20	
6	5.53	5.631	20	
7	5.53	5.623	20	
8	5.53	5.552	20	
9	5.53	5.467	20	
10	5.53	5.698	20	
11	5.53	5.27	20	
12	5.53	5.365	20	
13	5.53	5.543	20	
14	5.53	5.471	20	
15	5.53	5.406	20	
16	5.53	5.267	20	
17	5.53	5.704	20	
18	5.53	5.596	20	
19	5.53	5.544	20	
20	5.53	5.481	20	
21	5.53	5.558	20	
22	5.53	5.483	20	
23	5.53	5.542	20	
24	5.53	5.716	20	
25	5.53	5.32	20	
26	5.53	5.513	20	
27	5.53	5.489	20	
28	5.53	5.577	20	
29	5.53	5.478	20	
30	5.53	5.343	20	
31	5.53	5.338	20	
32	5.53	5.304	20	
33	5.53	5.271	20	
34	5.53	5.31	20	
35	5.53	5.378	20	
36	5.53	5.51	20	
37	5.53	5.579	20	
38	5.53	5.429	20	
39	5.53	5.697	20	
40	5.53	5.382	20	
41	5.53	5.468	20	
42	5.53	5.263	20	
43	5.53	5.323	20	
44	5.53	5.525	20	*
45	5.53	5.319	20	
46	5.53	5.61	20	
47	5.53	5.388	20	

48	5.53	5.671	20	
49	5.53	5.64	20	
50	5.53	5.668	20	
51	5.53	5.36	20	
52	5.53	5.504	20	
53	5.53	5.369	20	
54	5.53	5.628	20	
55	5.53	5.461	20	
56	5.53	5.295	20	
57	5.53	5.683	20	
58	5.53	5.453	20	
59	5.53	5.581	20	
60	5.53	5.283	20	
61	5.53	5.401	20	
62	5.53	5.703	20	
63	5.53	5.52	20	*
64	5.53	5.601	20	
65	5.53	5.448	20	
66	5.53	5.476	20	
67	5.53	5.509	20	
68	5.53	5.291	20	
69	5.53	5.69	20	
70	5.53	5.603	20	
71	5.53	5.595	20	
72	5.53	5.537	20	*
73	5.53	5.675	20	
74	5.53	5.538	20	*
75	5.53	5.326	20	
76	5.53	5.676	20	
77	5.53	5.7	20	
78	5.53	5.55	20	
79	5.53	5.565	20	
80	5.53	5.336	20	
81	5.53	5.253	20	
82	5.53	5.265	20	
83	5.53	5.696	20	
84	5.53	5.607	20	
85	5.53	5.493	20	
86	5.53	5.651	20	
87	5.53	5.58	20	
88	5.53	5.494	20	
89	5.53	5.322	20	
90	5.53	5.68	20	
91	5.53	5.691	20	
92	5.53	5.614	20	
93	5.53	5.373	20	
94	5.53	5.573	20	
95	5.53	5.371	20	
96	5.53	5.455	20	
97	5.53	5.713	20	
98	5.53	5.556	20	
99	5.53	5.496	20	
100	5.53	5.503	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 27

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.69	20	
2	5.53	5.499	20	
3	5.53	5.514	20	
4	5.53	5.416	20	
5	5.53	5.262	20	
6	5.53	5.493	20	
7	5.53	5.3	20	
8	5.53	5.4	20	
9	5.53	5.445	20	
10	5.53	5.478	20	
11	5.53	5.722	20	
12	5.53	5.574	20	
13	5.53	5.302	20	
14	5.53	5.331	20	
15	5.53	5.463	20	
16	5.53	5.551	20	
17	5.53	5.378	20	
18	5.53	5.313	20	
19	5.53	5.666	20	
20	5.53	5.563	20	
21	5.53	5.348	20	
22	5.53	5.639	20	
23	5.53	5.25	20	
24	5.53	5.673	20	
25	5.53	5.653	20	
26	5.53	5.49	20	
27	5.53	5.279	20	
28	5.53	5.401	20	
29	5.53	5.42	20	
30	5.53	5.685	20	
31	5.53	5.689	20	
32	5.53	5.601	20	
33	5.53	5.386	20	
34	5.53	5.267	20	
35	5.53	5.284	20	
36	5.53	5.62	20	
37	5.53	5.637	20	
38	5.53	5.549	20	
39	5.53	5.395	20	
40	5.53	5.669	20	
41	5.53	5.486	20	
42	5.53	5.516	20	
43	5.53	5.421	20	
44	5.53	5.41	20	
45	5.53	5.347	20	
46	5.53	5.45	20	
47	5.53	5.392	20	

48	5.53	5.555	20	
49	5.53	5.432	20	
50	5.53	5.292	20	
51	5.53	5.369	20	
52	5.53	5.359	20	
53	5.53	5.705	20	
54	5.53	5.277	20	
55	5.53	5.656	20	
56	5.53	5.266	20	
57	5.53	5.654	20	
58	5.53	5.598	20	
59	5.53	5.412	20	
60	5.53	5.617	20	
61	5.53	5.332	20	
62	5.53	5.587	20	
63	5.53	5.521	20	*
64	5.53	5.723	20	
65	5.53	5.575	20	
66	5.53	5.627	20	
67	5.53	5.301	20	
68	5.53	5.659	20	
69	5.53	5.423	20	
70	5.53	5.546	20	
71	5.53	5.379	20	
72	5.53	5.467	20	
73	5.53	5.718	20	
74	5.53	5.391	20	
75	5.53	5.424	20	
76	5.53	5.307	20	
77	5.53	5.706	20	
78	5.53	5.355	20	
79	5.53	5.592	20	
80	5.53	5.44	20	
81	5.53	5.281	20	
82	5.53	5.651	20	
83	5.53	5.649	20	
84	5.53	5.511	20	
85	5.53	5.652	20	
86	5.53	5.339	20	
87	5.53	5.707	20	
88	5.53	5.289	20	
89	5.53	5.524	20	*
90	5.53	5.544	20	
91	5.53	5.396	20	
92	5.53	5.272	20	
93	5.53	5.693	20	
94	5.53	5.565	20	
95	5.53	5.308	20	
96	5.53	5.647	20	
97	5.53	5.61	20	
98	5.53	5.537	20	*
99	5.53	5.548	20	
100	5.53	5.371	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 28

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.465	20	
2	5.53	5.522	20	*
3	5.53	5.371	20	
4	5.53	5.489	20	
5	5.53	5.436	20	
6	5.53	5.42	20	
7	5.53	5.633	20	
8	5.53	5.255	20	
9	5.53	5.274	20	
10	5.53	5.3	20	
11	5.53	5.669	20	
12	5.53	5.537	20	*
13	5.53	5.72	20	
14	5.53	5.424	20	
15	5.53	5.327	20	
16	5.53	5.557	20	
17	5.53	5.639	20	
18	5.53	5.681	20	
19	5.53	5.38	20	
20	5.53	5.651	20	
21	5.53	5.438	20	
22	5.53	5.423	20	
23	5.53	5.524	20	*
24	5.53	5.648	20	
25	5.53	5.25	20	
26	5.53	5.414	20	
27	5.53	5.703	20	
28	5.53	5.544	20	
29	5.53	5.308	20	
30	5.53	5.486	20	
31	5.53	5.437	20	
32	5.53	5.265	20	
33	5.53	5.408	20	
34	5.53	5.708	20	
35	5.53	5.561	20	
36	5.53	5.658	20	
37	5.53	5.447	20	
38	5.53	5.316	20	
39	5.53	5.413	20	
40	5.53	5.464	20	
41	5.53	5.404	20	
42	5.53	5.372	20	
43	5.53	5.632	20	
44	5.53	5.546	20	
45	5.53	5.273	20	
46	5.53	5.565	20	
47	5.53	5.674	20	

48	5.53	5.253	20	
49	5.53	5.439	20	
50	5.53	5.624	20	
51	5.53	5.573	20	
52	5.53	5.379	20	
53	5.53	5.536	20	*
54	5.53	5.508	20	
55	5.53	5.44	20	
56	5.53	5.36	20	
57	5.53	5.535	20	*
58	5.53	5.636	20	
59	5.53	5.586	20	
60	5.53	5.712	20	
61	5.53	5.641	20	
62	5.53	5.541	20	
63	5.53	5.391	20	
64	5.53	5.377	20	
65	5.53	5.66	20	
66	5.53	5.543	20	
67	5.53	5.551	20	
68	5.53	5.445	20	
69	5.53	5.375	20	
70	5.53	5.511	20	
71	5.53	5.682	20	
72	5.53	5.4	20	
73	5.53	5.548	20	
74	5.53	5.591	20	
75	5.53	5.687	20	
76	5.53	5.634	20	
77	5.53	5.392	20	
78	5.53	5.516	20	
79	5.53	5.354	20	
80	5.53	5.506	20	
81	5.53	5.665	20	
82	5.53	5.296	20	
83	5.53	5.552	20	
84	5.53	5.619	20	
85	5.53	5.289	20	
86	5.53	5.69	20	
87	5.53	5.554	20	
88	5.53	5.291	20	
89	5.53	5.382	20	
90	5.53	5.258	20	
91	5.53	5.51	20	
92	5.53	5.458	20	
93	5.53	5.715	20	
94	5.53	5.452	20	
95	5.53	5.608	20	
96	5.53	5.683	20	
97	5.53	5.419	20	
98	5.53	5.358	20	
99	5.53	5.697	20	
100	5.53	5.293	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 29

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.401	20	
2	5.53	5.472	20	
3	5.53	5.626	20	
4	5.53	5.65	20	
5	5.53	5.475	20	
6	5.53	5.422	20	
7	5.53	5.319	20	
8	5.53	5.436	20	
9	5.53	5.576	20	
10	5.53	5.705	20	
11	5.53	5.4	20	
12	5.53	5.299	20	
13	5.53	5.599	20	
14	5.53	5.712	20	
15	5.53	5.404	20	
16	5.53	5.667	20	
17	5.53	5.327	20	
18	5.53	5.698	20	
19	5.53	5.58	20	
20	5.53	5.324	20	
21	5.53	5.31	20	
22	5.53	5.533	20	*
23	5.53	5.399	20	
24	5.53	5.342	20	
25	5.53	5.27	20	
26	5.53	5.433	20	
27	5.53	5.621	20	
28	5.53	5.286	20	
29	5.53	5.537	20	*
30	5.53	5.569	20	
31	5.53	5.372	20	
32	5.53	5.574	20	
33	5.53	5.491	20	
34	5.53	5.635	20	
35	5.53	5.529	20	*
36	5.53	5.585	20	
37	5.53	5.408	20	
38	5.53	5.68	20	
39	5.53	5.648	20	
40	5.53	5.603	20	
41	5.53	5.545	20	
42	5.53	5.636	20	
43	5.53	5.409	20	
44	5.53	5.688	20	
45	5.53	5.6	20	
46	5.53	5.676	20	
47	5.53	5.543	20	

48	5.53	5.477	20	
49	5.53	5.264	20	
50	5.53	5.29	20	
51	5.53	5.455	20	
52	5.53	5.524	20	*
53	5.53	5.344	20	
54	5.53	5.434	20	
55	5.53	5.606	20	
56	5.53	5.277	20	
57	5.53	5.44	20	
58	5.53	5.602	20	
59	5.53	5.555	20	
60	5.53	5.259	20	
61	5.53	5.664	20	
62	5.53	5.617	20	
63	5.53	5.652	20	
64	5.53	5.316	20	
65	5.53	5.365	20	
66	5.53	5.582	20	
67	5.53	5.384	20	
68	5.53	5.531	20	*
69	5.53	5.614	20	
70	5.53	5.325	20	
71	5.53	5.654	20	
72	5.53	5.584	20	
73	5.53	5.52	20	*
74	5.53	5.711	20	
75	5.53	5.398	20	
76	5.53	5.67	20	
77	5.53	5.293	20	
78	5.53	5.359	20	
79	5.53	5.534	20	*
80	5.53	5.681	20	
81	5.53	5.335	20	
82	5.53	5.568	20	
83	5.53	5.313	20	
84	5.53	5.415	20	
85	5.53	5.483	20	
86	5.53	5.696	20	
87	5.53	5.724	20	
88	5.53	5.485	20	
89	5.53	5.72	20	
90	5.53	5.638	20	
91	5.53	5.454	20	
92	5.53	5.562	20	
93	5.53	5.625	20	
94	5.53	5.256	20	
95	5.53	5.525	20	*
96	5.53	5.47	20	
97	5.53	5.262	20	
98	5.53	5.471	20	
99	5.53	5.521	20	*
100	5.53	5.629	20	

802.11ax (HE80) - 5530MHz

TYPE 6 PARAMETER SHEET

Trial Number : 30

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.568	20	
2	5.53	5.283	20	
3	5.53	5.654	20	
4	5.53	5.38	20	
5	5.53	5.647	20	
6	5.53	5.662	20	
7	5.53	5.438	20	
8	5.53	5.601	20	
9	5.53	5.349	20	
10	5.53	5.384	20	
11	5.53	5.691	20	
12	5.53	5.256	20	
13	5.53	5.503	20	
14	5.53	5.577	20	
15	5.53	5.478	20	
16	5.53	5.52	20	*
17	5.53	5.611	20	
18	5.53	5.569	20	
19	5.53	5.46	20	
20	5.53	5.453	20	
21	5.53	5.567	20	
22	5.53	5.591	20	
23	5.53	5.548	20	
24	5.53	5.606	20	
25	5.53	5.588	20	
26	5.53	5.701	20	
27	5.53	5.605	20	
28	5.53	5.58	20	
29	5.53	5.509	20	
30	5.53	5.583	20	
31	5.53	5.636	20	
32	5.53	5.373	20	
33	5.53	5.506	20	
34	5.53	5.405	20	
35	5.53	5.564	20	
36	5.53	5.352	20	
37	5.53	5.71	20	
38	5.53	5.357	20	
39	5.53	5.672	20	
40	5.53	5.693	20	
41	5.53	5.317	20	
42	5.53	5.483	20	
43	5.53	5.434	20	
44	5.53	5.465	20	
45	5.53	5.272	20	
46	5.53	5.394	20	
47	5.53	5.684	20	

48	5.53	5.678	20	
49	5.53	5.371	20	
50	5.53	5.302	20	
51	5.53	5.486	20	
52	5.53	5.252	20	
53	5.53	5.722	20	
54	5.53	5.468	20	
55	5.53	5.556	20	
56	5.53	5.619	20	
57	5.53	5.464	20	
58	5.53	5.413	20	
59	5.53	5.332	20	
60	5.53	5.271	20	
61	5.53	5.303	20	
62	5.53	5.551	20	
63	5.53	5.55	20	
64	5.53	5.414	20	
65	5.53	5.699	20	
66	5.53	5.626	20	
67	5.53	5.428	20	
68	5.53	5.653	20	
69	5.53	5.5	20	
70	5.53	5.708	20	
71	5.53	5.492	20	
72	5.53	5.56	20	
73	5.53	5.504	20	
74	5.53	5.285	20	
75	5.53	5.523	20	*
76	5.53	5.471	20	
77	5.53	5.312	20	
78	5.53	5.518	20	
79	5.53	5.519	20	
80	5.53	5.537	20	*
81	5.53	5.288	20	
82	5.53	5.576	20	
83	5.53	5.593	20	
84	5.53	5.257	20	
85	5.53	5.389	20	
86	5.53	5.362	20	
87	5.53	5.322	20	
88	5.53	5.698	20	
89	5.53	5.53	20	*
90	5.53	5.511	20	
91	5.53	5.491	20	
92	5.53	5.266	20	
93	5.53	5.632	20	
94	5.53	5.294	20	
95	5.53	5.426	20	
96	5.53	5.425	20	
97	5.53	5.494	20	
98	5.53	5.443	20	
99	5.53	5.572	20	
100	5.53	5.422	20	

802.11ax (HE160) - 5570MHz

RADAR TYPE 1

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	76	1	698
2	61	1	878
3	58	1	918
4	62	1	858
5	92	1	578
6	74	1	718
7	58	1	918
8	83	1	638
9	18	1	3066
10	65	1	818
11	58	1	918
12	59	1	898
13	81	1	658
14	58	1	918
15	57	1	938
16	59	1	898
17	98	1	538
18	83	1	638
19	89	1	598
20	59	1	898
21	70	1	758
22	58	1	918
23	58	1	918
24	62	1	858
25	92	1	578
26	62	1	858
27	18	1	3066
28	95	1	558
29	83	1	638
30	70	1	758

802.11ax (HE160) - 5570MHz

RADAR TYPE 2

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	23	1.5	197
2	27	1.7	191
3	27	2.3	183
4	27	1.8	195
5	23	3.8	153
6	24	2.3	208
7	27	2	153
8	24	2.4	228
9	25	2.8	217
10	24	2.9	213
11	29	4	181
12	26	2.4	175
13	26	2.9	170
14	25	3.5	221
15	25	2	169
16	25	4.6	177
17	24	1.5	152
18	24	4.5	206
19	26	3.6	194
20	26	2.7	194
21	25	1	183
22	27	1.7	163
23	26	2	164
24	28	3.4	164
25	29	2.3	165
26	25	2.6	156
27	28	2.7	226
28	25	2.9	203
29	24	1.8	159
30	26	3.5	209

802.11ax (HE160) - 5570MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	17	6.4	306
2	17	8.3	288
3	18	9.5	312
4	17	9.3	233
5	18	7.3	369
6	18	8.6	404
7	17	6.9	263
8	17	8.3	247
9	18	9.8	235
10	17	10	405
11	18	7.2	261
12	16	9.2	292
13	17	8.2	403
14	17	6.7	262
15	17	8.8	470
16	17	8.3	450
17	17	8.2	384
18	17	7.7	377
19	17	6.8	394
20	17	6.3	291
21	18	7.1	246
22	16	7.6	310
23	17	8.2	334
24	17	7.8	429
25	16	6.1	307
26	17	8.1	315
27	16	6.6	402
28	18	8.5	297
29	17	6.3	340
30	17	9.8	423

802.11ax (HE160) - 5570MHz**RADAR TYPE 4**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	15	11.6	444
2	12	13.3	336
3	16	18	262
4	13	14.2	412
5	15	14.6	336
6	14	15.1	334
7	14	12.5	362
8	16	15.2	397
9	12	11.8	356
10	13	14.1	458
11	15	18.2	356
12	15	12.9	249
13	14	16.9	392
14	15	17.7	287
15	15	11.8	247
16	13	18.7	476
17	12	18.7	432
18	14	15.3	237
19	12	17	276
20	13	11.9	455
21	15	14.5	374
22	14	14.6	354
23	15	11.5	203
24	14	12.4	470
25	15	17.1	397
26	13	12.8	431
27	13	18.2	321
28	16	11	397
29	16	17.8	315
30	13	16.5	320

802.11ax (HE160) - 5570MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	17	1	5570
2	5	1	5570
3	20	1	5570
4	9	1	5570
5	14	1	5570
6	13	1	5570
7	16	1	5570
8	20	1	5570
9	16	1	5570
10	14	1	5570
11	18	2	5499.2
12	19	2	5499.6
13	7	2	5494.8
14	5	2	5494
15	12	2	5496.8
16	10	2	5496
17	18	2	5499.2
18	20	2	5500
19	12	2	5496.8
20	18	2	5499.2
21	19	3	5640.4
22	9	3	5644.4
23	5	3	5646
24	19	3	5640.4
25	10	3	5644
26	20	3	5640
27	12	3	5643.2
28	18	3	5640.8
29	16	3	5641.6
30	16	3	5641.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	50.1	17			610.732
2	2	63.5	17	1574		498.893
3	2	89.6	17	1972		385.796
4	1	74.7	17			530.979
5	3	66.1	17	1032	1984	626.142
6	1	51.6	17			613.825
7	3	66.3	17	1203	1457	545.168
8	3	79.6	17	1933	1550	332.022
9	3	70.9	17	1536	1604	359.075
10	2	68.8	17	1983		851.238
11	1	80	17			650.381
12	2	78.1	17	1251		35.354
13	3	82.3	17	1641	1845	91.577

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	50	5	1506		217.135
2	2	51.2	5	1722		328.877
3	2	57.4	5	1319		200.017
4	2	69.2	5	1530		346.34
5	2	99.6	5	1731		76.053
6	2	51.9	5	1147		198.957
7	2	58.2	5	1709		442.04
8	3	64	5	1803	1135	238.813
9	3	98.4	5	1189	1317	508.877
10	2	66.1	5	1989		480.47
11	2	50.2	5	1529		616.773
12	2	71.8	5	1758		400.527
13	3	57.4	5	1609	1290	156.14
14	3	97.2	5	1753	1326	415.203
15	1	64	5			490.237
16	3	96.9	5	1840	1397	118.2
17	2	97	5	1855		276.333
18	2	90.8	5	1932		482.267

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	68.5	20	1727		245.058
2	2	69.8	20	1740		23.893
3	2	73.9	20	1053		403.902
4	3	64.5	20	1159	1991	478.163
5	3	92	20	1058	1634	223.634
6	3	96	20	1114	1448	198.265
7	2	77.9	20	1643		587.406
8	2	94.6	20	1134		33.887
9	3	92.4	20	1126	1725	433.588
10	1	67.5	20			216.809
11	2	83	20	1637		8.661
12	1	74.1	20			230.812
13	2	59.9	20	1845		120.863
14	1	60.5	20			234.624
15	2	77.5	20	1823		374.045
16	3	98.1	20	1512	1193	599.716
17	3	85.7	20	1482	1827	321.437
18	1	92.6	20			191.158
19	3	59.1	20	1360	1129	248.979

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	76.8	9	1410		101.837
2	1	80.8	9			354.258
3	3	87.1	9	1967	1738	601.475
4	1	65.3	9			560.203
5	2	84.9	9	1581		111.561
6	3	64.2	9	1994	1838	689.358
7	2	78.1	9	1671		189.776
8	2	62.9	9	1620		315.164
9	2	85.8	9	1278		470.151
10	3	86.2	9	1726	1188	59.199
11	2	89.8	9	1853		350.156
12	2	52.1	9	1417		631.944
13	3	71.2	9	1454	1789	261.242
14	2	65.9	9	1543		420.139
15	2	76.9	9	1770		477.447
16	3	64.9	9	1034	1498	218.365
17	2	51.4	9	1257		598.782

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	53.3	13	1900	1404	164.631
2	2	67.9	13	1143		366.321
3	1	83.3	13			152.84
4	2	90.8	13	1450		380.24
5	3	99.3	13	1942	1762	396.7
6	1	61.6	13			183.48
7	3	53.9	13	1430	1375	467.69
8	2	63	13	1401		71.06
9	1	69.4	13			500.29
10	2	64.5	13	1233		527.23
11	1	92.8	13			369.02
12	2	66.8	13	1175		499.77
13	1	97.4	13			204.26
14	2	52.9	13	1036		296.44
15	2	63.4	13	1316		321.33
16	3	89.9	13	1532	1155	39.75
17	2	78.6	13	1401		308.47
18	3	57.8	13	1257	1961	242.8
19	2	61.2	13	1629		397.3
20	2	72.7	13	1444		231.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	68.2	16			3.04
2	3	80.8	16	1205	1737	449.043
3	3	93.6	16	1826	1993	438.896
4	3	54.4	16	1140	1539	685.359
5	2	52.9	16	1445		323.602
6	1	69.7	16			855.625
7	2	50.9	16	1969		47.558
8	2	64.3	16	1732		693.842
9	3	52.8	16	1345	1749	20.205
10	2	78.8	16	1152		860.248
11	1	71	16			554.621
12	2	85.7	16	1209		147.454
13	2	90.3	16	1183		218.477

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	74.5	20			136.727
2	2	52.2	20	1552		458.153
3	2	57.3	20	1348		8.117
4	2	73.4	20	1269		351.24
5	2	64.6	20	1368		545.243
6	1	75	20			534.537
7	3	97.4	20	1467	1895	106.32
8	2	81.6	20	1504		229.373
9	2	57.3	20	1162		387.907
10	2	86	20	1545		354.91
11	1	62.8	20			492.013
12	2	87.9	20	1156		295.947
13	2	66.6	20	1436		105.81
14	2	97.2	20	1574		65.903
15	3	73.7	20	1084	1211	70.427
16	2	58.3	20	1997		55.7
17	2	94.6	20	1381		459.033
18	3	71.7	20	1974	1784	485.967

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	69	16	1361		592.773
2	1	64.4	16			398.141
3	3	71.3	16	1920	1737	218.212
4	2	63.6	16	1361		195.853
5	1	55.5	16			154.764
6	2	52.9	16	1813		449.455
7	1	91.4	16			233.736
8	2	72.3	16	1354		36.627
9	3	92.4	16	1533	1275	234.118
10	3	70	16	1971	1075	90.609
11	1	68.1	16			622.951
12	3	79.1	16	1532	1809	133.022
13	2	96.1	16	1866		562.543
14	2	80.7	16	1343		554.054
15	1	70.7	16			168.375
16	2	79.3	16	1891		109.506
17	2	81.3	16	1837		564.537
18	1	58.4	16			150.458
19	2	60.1	16	1966		317.979

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	94.2	18	1618	1387	94.772
2	3	58.7	18	1748	1994	91.678
3	2	92	18	1787		26.16
4	2	69.4	18	1832		783.29
5	2	56.4	18	1418		583.46
6	2	74.4	18	1825		722.5
7	3	90.7	18	1313	1469	323.96
8	1	98.9	18			179.05
9	1	65.7	18			534.35
10	2	88.3	18	1487		790.36
11	3	55.9	18	1759	1807	603.88
12	2	58.9	18	1195		142.09
13	2	58	18	1676		453.3
14	3	69.6	18	1452	1037	402.5
15	3	92.8	18	1381	1439	2

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	85.5	19	1034		568.795
2	1	65.6	19			606.671
3	3	93.1	19	1541	1798	268.062
4	2	50.7	19	1433		513.593
5	2	51.9	19	1855		534.934
6	2	62.2	19	1758		260.045
7	3	92.3	19	1550	1162	141.666
8	2	98.4	19	1990		280.137
9	2	57.5	19	1128		419.758
10	3	74.2	19	1550	1714	6.979
11	1	87.1	19			266.201
12	1	87.8	19			175.612
13	2	84.5	19	1580		162.733
14	3	79.5	19	1136	1313	415.154
15	1	79.6	19			574.725
16	2	56	19	1620		286.326
17	1	65.4	19			227.737
18	3	82	19	1656	1167	497.858
19	2	92.1	19	1391		351.379

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	88.7	7	1768		388.64
2	2	50.3	7	1613		53.71
3	3	68.3	7	1495	1214	238.366
4	2	55.9	7	1722		202.689
5	3	79.8	7	1996	1036	459.852
6	3	57.9	7	1539	1963	100.075
7	2	70.6	7	1813		239.628
8	2	71	7	1260		364.332
9	1	82.3	7			439.575
10	2	83.7	7	1112		627.028
11	3	85.3	7	1368	1388	570.261
12	2	72.9	7	1373		817.454
13	2	69.7	7	1403		560.277

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	53	5	1942		74.678
2	2	96.9	5	1443		203.837
3	3	59.6	5	1410	1584	560.457
4	1	57	5			106.5
5	1	79.1	5			540.193
6	1	98.6	5			291.577
7	3	96.6	5	1086	1287	233.41
8	3	74	5	1431	1963	190.183
9	2	78.2	5	1317		292.087
10	2	79.9	5	1146		187.61
11	2	77.4	5	1561		578.053
12	1	58.2	5			92.887
13	3	68.9	5	1474	1732	176.65
14	1	51.8	5			158.143
15	3	62.1	5	1606	1727	241.637
16	2	68.6	5	1352		318.8
17	2	55.1	5	1668		122.333
18	3	99.8	5	1846	1531	580.467

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	78.6	12	1828		324.539
2	1	98.2	12			373.611
3	2	80.2	12	1597		510.202
4	2	75.1	12	1588		488.593
5	2	75.9	12	1880		58.884
6	3	63.5	12	1447	1033	257.625
7	2	86.6	12	1320		606.986
8	3	50.7	12	1157	1203	621.417
9	1	89.1	12			280.738
10	2	86.7	12	1012		559.599
11	1	84.5	12			87.931
12	1	80.2	12			368.212
13	2	85.2	12	1860		485.093
14	3	51.8	12	1189	1273	45.574
15	1	69.1	12			358.855
16	3	56.6	12	1699	1812	189.996
17	2	63.8	12	1987		142.837
18	3	72	12	1760	1804	299.158
19	1	68	12			469.579

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	76.3	10	1046		530.954
2	1	65	10			528.15
3	2	76	10	1194		202.91
4	2	99.8	10	1913		529.17
5	3	98.6	10	1267	1939	423.31
6	2	70.2	10	1496		695.81
7	3	79.7	10	1647	1895	572.06
8	2	61	10	1612		692.13
9	2	66.7	10	1265		411.93
10	3	89.7	10	1692	1211	404.85
11	2	90.3	10	1088		725.88
12	2	67.3	10	1903		480.45
13	2	60.7	10	1973		69.37
14	1	62.6	10			94.5
15	2	99.3	10	1293		208.2

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	64.1	19	1837		85.726
2	2	80.3	19	1651		2.724
3	1	98.5	19			459.77
4	2	88	19	1482		779.93
5	2	51.3	19	1442		406.12
6	3	61.2	19	1606	1156	393.43
7	1	52.8	19			260.4
8	1	89.7	19			526.13
9	2	98.8	19	1607		483.49
10	1	70.2	19			117.96
11	2	73.6	19	1320		583.78
12	2	78.9	19	1204		578.01
13	1	51.6	19			770.7
14	2	64	19	1242		774.6
15	3	76.9	19	1706	1493	7.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	58.1	9	1015		292.999
2	2	52.5	9	1075		136.834
3	2	57.6	9	1868		771.7
4	2	67.5	9	1001		154.46
5	2	72.1	9	1821		391.7
6	3	97	9	1335	1824	501.6
7	3	50.9	9	1414	1003	280.55
8	1	52.9	9			523.67
9	2	55	9	1373		85.1
10	3	89.8	9	1131	1912	736.99
11	2	52.9	9	1790		266.22
12	2	64.7	9	1620		258.57
13	2	60.3	9	1487		453.4
14	1	62.4	9			662.2
15	2	89.4	9	1369		413.2

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	50.9	5	1434		482.007
2	1	60.2	5			275.01
3	2	52.3	5	1737		58.31
4	1	94.1	5			696.17
5	2	90.6	5	1981		507.64
6	3	63.6	5	1579	1347	342.43
7	2	89.7	5	1775		150.1
8	3	91.8	5	1286	1541	297.03
9	2	90.2	5	1570		718.55
10	2	93.1	5	1430		731.95
11	3	51.5	5	1006	1497	14.13
12	1	93	5			302.46
13	1	69.7	5			242.06
14	2	70.9	5	1044		109.68
15	2	91.8	5	1599		487.7
16	2	63.3	5	1987		301.4

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	70.1	19			195.492
2	1	72.8	19			358.427
3	3	64.8	19	1768	1350	88.784
4	2	74.5	19	1603		613.581
5	2	55.1	19	1988		120.229
6	2	57.8	19	1679		71.896
7	1	98.4	19			469.843
8	3	99.4	19	1552	1031	235.71
9	3	95.8	19	1406	1524	367.627
10	3	90.7	19	1966	1644	33.234
11	2	58.5	19	1040		266.101
12	1	62.8	19			295.929
13	2	62.9	19	1281		125.586
14	3	61.9	19	1428	1802	255.143

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	83.7	10	1879	1632	783.167
2	2	93.5	10	1256		94.642
3	3	80.2	10	1924	1226	754.224
4	1	96.5	10			424.461
5	3	64.1	10	1203	1449	456.569
6	3	52.8	10	1444	1082	512.356
7	3	90.5	10	1767	1688	329.953
8	2	68.2	10	1893		234.04
9	2	89.3	10	1368		486.357
10	2	90.2	10	1501		516.254
11	2	79.5	10	1651		820.231
12	3	90.2	10	1322	1317	817.729
13	2	76.9	10	1384		340.986
14	2	62.2	10	1747		111.843

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	57	18			644.466
2	2	86.9	18	1061		303.991
3	2	87.5	18	1646		455.132
4	2	52.3	18	1285		838.483
5	2	74.5	18	1145		794.684
6	2	54.6	18	1327		379.985
7	2	54.5	18	1261		741.675
8	1	59.1	18			378.526
9	1	85.1	18			365.457
10	2	57.1	18	1324		190.818
11	2	81.6	18	1126		580.709

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	59.3	16	1507		469.111
2	2	83.6	16	1289		357.083
3	1	88.8	16			220.516
4	2	84.6	16	1163		694.429
5	2	90.5	16	1415		623.812
6	1	53.6	16			242.925
7	3	96.4	16	1727	1634	467.588
8	1	68.7	16			842.582
9	1	56.9	16			218.225
10	3	66	16	1683	1651	841.558
11	2	93.6	16	1532		171.321
12	2	98.6	16	1455		315.754
13	3	55.6	16	1355	1469	869.477

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 1

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.56	20	*
2	5.57	5.593	20	
3	5.57	5.268	20	
4	5.57	5.394	20	
5	5.57	5.553	20	
6	5.57	5.558	20	
7	5.57	5.641	20	
8	5.57	5.419	20	
9	5.57	5.63	20	
10	5.57	5.486	20	
11	5.57	5.626	20	
12	5.57	5.577	20	*
13	5.57	5.611	20	
14	5.57	5.618	20	
15	5.57	5.358	20	
16	5.57	5.602	20	
17	5.57	5.285	20	
18	5.57	5.426	20	
19	5.57	5.666	20	
20	5.57	5.676	20	
21	5.57	5.376	20	
22	5.57	5.487	20	
23	5.57	5.464	20	
24	5.57	5.343	20	
25	5.57	5.271	20	
26	5.57	5.518	20	
27	5.57	5.397	20	
28	5.57	5.503	20	
29	5.57	5.674	20	
30	5.57	5.723	20	
31	5.57	5.489	20	
32	5.57	5.28	20	
33	5.57	5.466	20	
34	5.57	5.522	20	
35	5.57	5.621	20	
36	5.57	5.406	20	
37	5.57	5.633	20	
38	5.57	5.469	20	
39	5.57	5.278	20	
40	5.57	5.383	20	
41	5.57	5.711	20	
42	5.57	5.303	20	
43	5.57	5.541	20	
44	5.57	5.712	20	
45	5.57	5.322	20	
46	5.57	5.691	20	
47	5.57	5.544	20	

48	5.57	5.409	20	
49	5.57	5.302	20	
50	5.57	5.31	20	
51	5.57	5.59	20	
52	5.57	5.339	20	
53	5.57	5.328	20	
54	5.57	5.332	20	
55	5.57	5.694	20	
56	5.57	5.597	20	
57	5.57	5.55	20	
58	5.57	5.496	20	
59	5.57	5.616	20	
60	5.57	5.379	20	
61	5.57	5.437	20	
62	5.57	5.698	20	
63	5.57	5.612	20	
64	5.57	5.654	20	
65	5.57	5.399	20	
66	5.57	5.252	20	
67	5.57	5.68	20	
68	5.57	5.341	20	
69	5.57	5.324	20	
70	5.57	5.57	20	*
71	5.57	5.388	20	
72	5.57	5.69	20	
73	5.57	5.619	20	
74	5.57	5.714	20	
75	5.57	5.495	20	
76	5.57	5.273	20	
77	5.57	5.705	20	
78	5.57	5.678	20	
79	5.57	5.637	20	
80	5.57	5.658	20	
81	5.57	5.337	20	
82	5.57	5.446	20	
83	5.57	5.447	20	
84	5.57	5.363	20	
85	5.57	5.635	20	
86	5.57	5.42	20	
87	5.57	5.6	20	
88	5.57	5.283	20	
89	5.57	5.386	20	
90	5.57	5.656	20	
91	5.57	5.3	20	
92	5.57	5.568	20	*
93	5.57	5.685	20	
94	5.57	5.692	20	
95	5.57	5.483	20	
96	5.57	5.638	20	
97	5.57	5.673	20	
98	5.57	5.535	20	
99	5.57	5.313	20	
100	5.57	5.455	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 2

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.452	20	
2	5.57	5.315	20	
3	5.57	5.642	20	
4	5.57	5.691	20	
5	5.57	5.456	20	
6	5.57	5.671	20	
7	5.57	5.714	20	
8	5.57	5.514	20	
9	5.57	5.486	20	
10	5.57	5.368	20	
11	5.57	5.44	20	
12	5.57	5.704	20	
13	5.57	5.538	20	
14	5.57	5.575	20	*
15	5.57	5.385	20	
16	5.57	5.3	20	
17	5.57	5.553	20	
18	5.57	5.274	20	
19	5.57	5.409	20	
20	5.57	5.262	20	
21	5.57	5.702	20	
22	5.57	5.349	20	
23	5.57	5.502	20	
24	5.57	5.647	20	
25	5.57	5.511	20	
26	5.57	5.648	20	
27	5.57	5.522	20	
28	5.57	5.42	20	
29	5.57	5.712	20	
30	5.57	5.366	20	
31	5.57	5.595	20	
32	5.57	5.435	20	
33	5.57	5.566	20	*
34	5.57	5.474	20	
35	5.57	5.287	20	
36	5.57	5.282	20	
37	5.57	5.716	20	
38	5.57	5.574	20	*
39	5.57	5.637	20	
40	5.57	5.273	20	
41	5.57	5.331	20	
42	5.57	5.675	20	
43	5.57	5.529	20	
44	5.57	5.659	20	
45	5.57	5.53	20	
46	5.57	5.617	20	
47	5.57	5.5	20	

48	5.57	5.265	20	
49	5.57	5.555	20	
50	5.57	5.613	20	
51	5.57	5.361	20	
52	5.57	5.279	20	
53	5.57	5.29	20	
54	5.57	5.499	20	
55	5.57	5.644	20	
56	5.57	5.715	20	
57	5.57	5.688	20	
58	5.57	5.31	20	
59	5.57	5.68	20	
60	5.57	5.415	20	
61	5.57	5.724	20	
62	5.57	5.383	20	
63	5.57	5.588	20	
64	5.57	5.519	20	
65	5.57	5.47	20	
66	5.57	5.564	20	*
67	5.57	5.372	20	
68	5.57	5.448	20	
69	5.57	5.676	20	
70	5.57	5.386	20	
71	5.57	5.721	20	
72	5.57	5.482	20	
73	5.57	5.297	20	
74	5.57	5.35	20	
75	5.57	5.697	20	
76	5.57	5.531	20	
77	5.57	5.446	20	
78	5.57	5.64	20	
79	5.57	5.255	20	
80	5.57	5.576	20	*
81	5.57	5.344	20	
82	5.57	5.295	20	
83	5.57	5.417	20	
84	5.57	5.286	20	
85	5.57	5.376	20	
86	5.57	5.551	20	
87	5.57	5.312	20	
88	5.57	5.399	20	
89	5.57	5.459	20	
90	5.57	5.322	20	
91	5.57	5.556	20	
92	5.57	5.628	20	
93	5.57	5.552	20	
94	5.57	5.526	20	
95	5.57	5.437	20	
96	5.57	5.692	20	
97	5.57	5.627	20	
98	5.57	5.384	20	
99	5.57	5.367	20	
100	5.57	5.663	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 3

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.441	20	
2	5.57	5.54	20	
3	5.57	5.473	20	
4	5.57	5.692	20	
5	5.57	5.294	20	
6	5.57	5.319	20	
7	5.57	5.251	20	
8	5.57	5.351	20	
9	5.57	5.283	20	
10	5.57	5.545	20	
11	5.57	5.488	20	
12	5.57	5.307	20	
13	5.57	5.265	20	
14	5.57	5.315	20	
15	5.57	5.56	20	*
16	5.57	5.326	20	
17	5.57	5.41	20	
18	5.57	5.709	20	
19	5.57	5.661	20	
20	5.57	5.63	20	
21	5.57	5.274	20	
22	5.57	5.492	20	
23	5.57	5.375	20	
24	5.57	5.714	20	
25	5.57	5.464	20	
26	5.57	5.618	20	
27	5.57	5.611	20	
28	5.57	5.352	20	
29	5.57	5.332	20	
30	5.57	5.478	20	
31	5.57	5.603	20	
32	5.57	5.357	20	
33	5.57	5.459	20	
34	5.57	5.617	20	
35	5.57	5.468	20	
36	5.57	5.313	20	
37	5.57	5.495	20	
38	5.57	5.516	20	
39	5.57	5.566	20	*
40	5.57	5.5	20	
41	5.57	5.571	20	*
42	5.57	5.37	20	
43	5.57	5.328	20	
44	5.57	5.481	20	
45	5.57	5.667	20	
46	5.57	5.419	20	
47	5.57	5.474	20	

48	5.57	5.613	20	
49	5.57	5.619	20	
50	5.57	5.533	20	
51	5.57	5.266	20	
52	5.57	5.538	20	
53	5.57	5.314	20	
54	5.57	5.289	20	
55	5.57	5.295	20	
56	5.57	5.644	20	
57	5.57	5.567	20	*
58	5.57	5.534	20	
59	5.57	5.506	20	
60	5.57	5.707	20	
61	5.57	5.493	20	
62	5.57	5.675	20	
63	5.57	5.267	20	
64	5.57	5.577	20	*
65	5.57	5.579	20	*
66	5.57	5.687	20	
67	5.57	5.398	20	
68	5.57	5.418	20	
69	5.57	5.514	20	
70	5.57	5.614	20	
71	5.57	5.573	20	*
72	5.57	5.535	20	
73	5.57	5.282	20	
74	5.57	5.517	20	
75	5.57	5.532	20	
76	5.57	5.281	20	
77	5.57	5.507	20	
78	5.57	5.622	20	
79	5.57	5.583	20	
80	5.57	5.391	20	
81	5.57	5.471	20	
82	5.57	5.342	20	
83	5.57	5.432	20	
84	5.57	5.522	20	
85	5.57	5.422	20	
86	5.57	5.483	20	
87	5.57	5.546	20	
88	5.57	5.424	20	
89	5.57	5.443	20	
90	5.57	5.599	20	
91	5.57	5.632	20	
92	5.57	5.354	20	
93	5.57	5.322	20	
94	5.57	5.263	20	
95	5.57	5.334	20	
96	5.57	5.337	20	
97	5.57	5.431	20	
98	5.57	5.55	20	
99	5.57	5.329	20	
100	5.57	5.42	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 4

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.698	20	
2	5.57	5.279	20	
3	5.57	5.376	20	
4	5.57	5.534	20	
5	5.57	5.529	20	
6	5.57	5.636	20	
7	5.57	5.638	20	
8	5.57	5.712	20	
9	5.57	5.652	20	
10	5.57	5.511	20	
11	5.57	5.486	20	
12	5.57	5.582	20	
13	5.57	5.481	20	
14	5.57	5.64	20	
15	5.57	5.301	20	
16	5.57	5.543	20	
17	5.57	5.349	20	
18	5.57	5.334	20	
19	5.57	5.371	20	
20	5.57	5.674	20	
21	5.57	5.314	20	
22	5.57	5.639	20	
23	5.57	5.48	20	
24	5.57	5.287	20	
25	5.57	5.379	20	
26	5.57	5.352	20	
27	5.57	5.278	20	
28	5.57	5.289	20	
29	5.57	5.701	20	
30	5.57	5.266	20	
31	5.57	5.716	20	
32	5.57	5.719	20	
33	5.57	5.457	20	
34	5.57	5.706	20	
35	5.57	5.705	20	
36	5.57	5.648	20	
37	5.57	5.647	20	
38	5.57	5.584	20	
39	5.57	5.448	20	
40	5.57	5.354	20	
41	5.57	5.553	20	
42	5.57	5.47	20	
43	5.57	5.459	20	
44	5.57	5.45	20	
45	5.57	5.269	20	
46	5.57	5.282	20	
47	5.57	5.294	20	

48	5.57	5.565	20	*
49	5.57	5.703	20	
50	5.57	5.26	20	
51	5.57	5.563	20	*
52	5.57	5.608	20	
53	5.57	5.56	20	*
54	5.57	5.421	20	
55	5.57	5.339	20	
56	5.57	5.597	20	
57	5.57	5.625	20	
58	5.57	5.296	20	
59	5.57	5.452	20	
60	5.57	5.341	20	
61	5.57	5.451	20	
62	5.57	5.364	20	
63	5.57	5.69	20	
64	5.57	5.252	20	
65	5.57	5.411	20	
66	5.57	5.439	20	
67	5.57	5.428	20	
68	5.57	5.413	20	
69	5.57	5.682	20	
70	5.57	5.313	20	
71	5.57	5.57	20	*
72	5.57	5.265	20	
73	5.57	5.606	20	
74	5.57	5.332	20	
75	5.57	5.37	20	
76	5.57	5.591	20	
77	5.57	5.32	20	
78	5.57	5.356	20	
79	5.57	5.617	20	
80	5.57	5.29	20	
81	5.57	5.539	20	
82	5.57	5.592	20	
83	5.57	5.552	20	
84	5.57	5.557	20	
85	5.57	5.506	20	
86	5.57	5.424	20	
87	5.57	5.604	20	
88	5.57	5.646	20	
89	5.57	5.336	20	
90	5.57	5.478	20	
91	5.57	5.303	20	
92	5.57	5.462	20	
93	5.57	5.295	20	
94	5.57	5.574	20	*
95	5.57	5.669	20	
96	5.57	5.656	20	
97	5.57	5.39	20	
98	5.57	5.483	20	
99	5.57	5.59	20	
100	5.57	5.286	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 5

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.311	20	
2	5.57	5.396	20	
3	5.57	5.557	20	
4	5.57	5.347	20	
5	5.57	5.535	20	
6	5.57	5.625	20	
7	5.57	5.429	20	
8	5.57	5.65	20	
9	5.57	5.698	20	
10	5.57	5.497	20	
11	5.57	5.55	20	
12	5.57	5.591	20	
13	5.57	5.667	20	
14	5.57	5.452	20	
15	5.57	5.496	20	
16	5.57	5.613	20	
17	5.57	5.602	20	
18	5.57	5.274	20	
19	5.57	5.392	20	
20	5.57	5.521	20	
21	5.57	5.68	20	
22	5.57	5.292	20	
23	5.57	5.574	20	*
24	5.57	5.66	20	
25	5.57	5.619	20	
26	5.57	5.299	20	
27	5.57	5.502	20	
28	5.57	5.515	20	
29	5.57	5.481	20	
30	5.57	5.36	20	
31	5.57	5.634	20	
32	5.57	5.344	20	
33	5.57	5.489	20	
34	5.57	5.722	20	
35	5.57	5.518	20	
36	5.57	5.657	20	
37	5.57	5.422	20	
38	5.57	5.506	20	
39	5.57	5.301	20	
40	5.57	5.405	20	
41	5.57	5.351	20	
42	5.57	5.463	20	
43	5.57	5.28	20	
44	5.57	5.262	20	
45	5.57	5.276	20	
46	5.57	5.571	20	*
47	5.57	5.371	20	

48	5.57	5.614	20	
49	5.57	5.674	20	
50	5.57	5.659	20	
51	5.57	5.306	20	
52	5.57	5.266	20	
53	5.57	5.712	20	
54	5.57	5.501	20	
55	5.57	5.421	20	
56	5.57	5.604	20	
57	5.57	5.525	20	
58	5.57	5.273	20	
59	5.57	5.645	20	
60	5.57	5.577	20	*
61	5.57	5.691	20	
62	5.57	5.339	20	
63	5.57	5.624	20	
64	5.57	5.326	20	
65	5.57	5.364	20	
66	5.57	5.578	20	*
67	5.57	5.404	20	
68	5.57	5.431	20	
69	5.57	5.709	20	
70	5.57	5.715	20	
71	5.57	5.646	20	
72	5.57	5.378	20	
73	5.57	5.289	20	
74	5.57	5.564	20	*
75	5.57	5.653	20	
76	5.57	5.294	20	
77	5.57	5.3	20	
78	5.57	5.298	20	
79	5.57	5.579	20	*
80	5.57	5.507	20	
81	5.57	5.252	20	
82	5.57	5.34	20	
83	5.57	5.479	20	
84	5.57	5.549	20	
85	5.57	5.629	20	
86	5.57	5.548	20	
87	5.57	5.543	20	
88	5.57	5.478	20	
89	5.57	5.398	20	
90	5.57	5.38	20	
91	5.57	5.327	20	
92	5.57	5.511	20	
93	5.57	5.485	20	
94	5.57	5.288	20	
95	5.57	5.272	20	
96	5.57	5.546	20	
97	5.57	5.456	20	
98	5.57	5.411	20	
99	5.57	5.568	20	*
100	5.57	5.428	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 6

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.4	20	
2	5.57	5.267	20	
3	5.57	5.724	20	
4	5.57	5.281	20	
5	5.57	5.406	20	
6	5.57	5.603	20	
7	5.57	5.565	20	*
8	5.57	5.709	20	
9	5.57	5.491	20	
10	5.57	5.623	20	
11	5.57	5.558	20	
12	5.57	5.452	20	
13	5.57	5.316	20	
14	5.57	5.688	20	
15	5.57	5.327	20	
16	5.57	5.326	20	
17	5.57	5.436	20	
18	5.57	5.359	20	
19	5.57	5.533	20	
20	5.57	5.255	20	
21	5.57	5.486	20	
22	5.57	5.629	20	
23	5.57	5.594	20	
24	5.57	5.292	20	
25	5.57	5.469	20	
26	5.57	5.706	20	
27	5.57	5.598	20	
28	5.57	5.686	20	
29	5.57	5.425	20	
30	5.57	5.357	20	
31	5.57	5.608	20	
32	5.57	5.628	20	
33	5.57	5.284	20	
34	5.57	5.29	20	
35	5.57	5.254	20	
36	5.57	5.715	20	
37	5.57	5.47	20	
38	5.57	5.422	20	
39	5.57	5.428	20	
40	5.57	5.519	20	
41	5.57	5.589	20	
42	5.57	5.423	20	
43	5.57	5.658	20	
44	5.57	5.572	20	*
45	5.57	5.261	20	
46	5.57	5.347	20	
47	5.57	5.407	20	

48	5.57	5.449	20	
49	5.57	5.275	20	
50	5.57	5.592	20	
51	5.57	5.368	20	
52	5.57	5.383	20	
53	5.57	5.298	20	
54	5.57	5.475	20	
55	5.57	5.349	20	
56	5.57	5.587	20	
57	5.57	5.531	20	
58	5.57	5.593	20	
59	5.57	5.561	20	*
60	5.57	5.472	20	
61	5.57	5.687	20	
62	5.57	5.259	20	
63	5.57	5.319	20	
64	5.57	5.692	20	
65	5.57	5.311	20	
66	5.57	5.707	20	
67	5.57	5.28	20	
68	5.57	5.417	20	
69	5.57	5.274	20	
70	5.57	5.26	20	
71	5.57	5.276	20	
72	5.57	5.695	20	
73	5.57	5.673	20	
74	5.57	5.568	20	*
75	5.57	5.566	20	*
76	5.57	5.378	20	
77	5.57	5.516	20	
78	5.57	5.585	20	
79	5.57	5.337	20	
80	5.57	5.376	20	
81	5.57	5.285	20	
82	5.57	5.269	20	
83	5.57	5.721	20	
84	5.57	5.403	20	
85	5.57	5.722	20	
86	5.57	5.493	20	
87	5.57	5.637	20	
88	5.57	5.441	20	
89	5.57	5.678	20	
90	5.57	5.656	20	
91	5.57	5.381	20	
92	5.57	5.672	20	
93	5.57	5.582	20	
94	5.57	5.306	20	
95	5.57	5.335	20	
96	5.57	5.666	20	
97	5.57	5.524	20	
98	5.57	5.31	20	
99	5.57	5.52	20	
100	5.57	5.544	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 7

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.646	20	
2	5.57	5.644	20	
3	5.57	5.508	20	
4	5.57	5.485	20	
5	5.57	5.366	20	
6	5.57	5.433	20	
7	5.57	5.68	20	
8	5.57	5.338	20	
9	5.57	5.503	20	
10	5.57	5.431	20	
11	5.57	5.679	20	
12	5.57	5.653	20	
13	5.57	5.703	20	
14	5.57	5.263	20	
15	5.57	5.707	20	
16	5.57	5.565	20	*
17	5.57	5.346	20	
18	5.57	5.293	20	
19	5.57	5.342	20	
20	5.57	5.559	20	
21	5.57	5.626	20	
22	5.57	5.605	20	
23	5.57	5.25	20	
24	5.57	5.298	20	
25	5.57	5.329	20	
26	5.57	5.41	20	
27	5.57	5.612	20	
28	5.57	5.399	20	
29	5.57	5.255	20	
30	5.57	5.447	20	
31	5.57	5.72	20	
32	5.57	5.406	20	
33	5.57	5.423	20	
34	5.57	5.472	20	
35	5.57	5.481	20	
36	5.57	5.527	20	
37	5.57	5.697	20	
38	5.57	5.523	20	
39	5.57	5.288	20	
40	5.57	5.479	20	
41	5.57	5.539	20	
42	5.57	5.695	20	
43	5.57	5.459	20	
44	5.57	5.452	20	
45	5.57	5.455	20	
46	5.57	5.441	20	
47	5.57	5.53	20	

48	5.57	5.359	20	
49	5.57	5.585	20	
50	5.57	5.662	20	
51	5.57	5.312	20	
52	5.57	5.577	20	*
53	5.57	5.552	20	
54	5.57	5.278	20	
55	5.57	5.616	20	
56	5.57	5.661	20	
57	5.57	5.279	20	
58	5.57	5.581	20	
59	5.57	5.453	20	
60	5.57	5.28	20	
61	5.57	5.273	20	
62	5.57	5.303	20	
63	5.57	5.708	20	
64	5.57	5.269	20	
65	5.57	5.457	20	
66	5.57	5.645	20	
67	5.57	5.446	20	
68	5.57	5.599	20	
69	5.57	5.556	20	
70	5.57	5.315	20	
71	5.57	5.492	20	
72	5.57	5.555	20	
73	5.57	5.601	20	
74	5.57	5.305	20	
75	5.57	5.631	20	
76	5.57	5.596	20	
77	5.57	5.664	20	
78	5.57	5.551	20	
79	5.57	5.432	20	
80	5.57	5.584	20	
81	5.57	5.598	20	
82	5.57	5.352	20	
83	5.57	5.519	20	
84	5.57	5.543	20	
85	5.57	5.422	20	
86	5.57	5.48	20	
87	5.57	5.3	20	
88	5.57	5.692	20	
89	5.57	5.444	20	
90	5.57	5.608	20	
91	5.57	5.415	20	
92	5.57	5.317	20	
93	5.57	5.558	20	
94	5.57	5.665	20	
95	5.57	5.691	20	
96	5.57	5.501	20	
97	5.57	5.429	20	
98	5.57	5.511	20	
99	5.57	5.649	20	
100	5.57	5.655	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 8

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.253	20	
2	5.57	5.689	20	
3	5.57	5.456	20	
4	5.57	5.415	20	
5	5.57	5.532	20	
6	5.57	5.685	20	
7	5.57	5.358	20	
8	5.57	5.655	20	
9	5.57	5.465	20	
10	5.57	5.263	20	
11	5.57	5.691	20	
12	5.57	5.4	20	
13	5.57	5.724	20	
14	5.57	5.322	20	
15	5.57	5.333	20	
16	5.57	5.648	20	
17	5.57	5.389	20	
18	5.57	5.549	20	
19	5.57	5.517	20	
20	5.57	5.557	20	
21	5.57	5.251	20	
22	5.57	5.474	20	
23	5.57	5.49	20	
24	5.57	5.553	20	
25	5.57	5.69	20	
26	5.57	5.439	20	
27	5.57	5.523	20	
28	5.57	5.395	20	
29	5.57	5.56	20	*
30	5.57	5.285	20	
31	5.57	5.614	20	
32	5.57	5.41	20	
33	5.57	5.458	20	
34	5.57	5.411	20	
35	5.57	5.623	20	
36	5.57	5.634	20	
37	5.57	5.494	20	
38	5.57	5.431	20	
39	5.57	5.352	20	
40	5.57	5.463	20	
41	5.57	5.608	20	
42	5.57	5.403	20	
43	5.57	5.609	20	
44	5.57	5.291	20	
45	5.57	5.492	20	
46	5.57	5.467	20	
47	5.57	5.356	20	

48	5.57	5.676	20	
49	5.57	5.432	20	
50	5.57	5.345	20	
51	5.57	5.703	20	
52	5.57	5.721	20	
53	5.57	5.442	20	
54	5.57	5.445	20	
55	5.57	5.384	20	
56	5.57	5.438	20	
57	5.57	5.409	20	
58	5.57	5.512	20	
59	5.57	5.338	20	
60	5.57	5.662	20	
61	5.57	5.416	20	
62	5.57	5.636	20	
63	5.57	5.269	20	
64	5.57	5.57	20	*
65	5.57	5.328	20	
66	5.57	5.307	20	
67	5.57	5.422	20	
68	5.57	5.562	20	*
69	5.57	5.593	20	
70	5.57	5.484	20	
71	5.57	5.461	20	
72	5.57	5.605	20	
73	5.57	5.302	20	
74	5.57	5.565	20	*
75	5.57	5.301	20	
76	5.57	5.39	20	
77	5.57	5.714	20	
78	5.57	5.687	20	
79	5.57	5.476	20	
80	5.57	5.525	20	
81	5.57	5.506	20	
82	5.57	5.414	20	
83	5.57	5.462	20	
84	5.57	5.621	20	
85	5.57	5.254	20	
86	5.57	5.59	20	
87	5.57	5.716	20	
88	5.57	5.426	20	
89	5.57	5.397	20	
90	5.57	5.379	20	
91	5.57	5.671	20	
92	5.57	5.26	20	
93	5.57	5.633	20	
94	5.57	5.667	20	
95	5.57	5.479	20	
96	5.57	5.615	20	
97	5.57	5.359	20	
98	5.57	5.293	20	
99	5.57	5.32	20	
100	5.57	5.611	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 9

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.553	20	
2	5.57	5.372	20	
3	5.57	5.667	20	
4	5.57	5.255	20	
5	5.57	5.582	20	
6	5.57	5.48	20	
7	5.57	5.364	20	
8	5.57	5.376	20	
9	5.57	5.495	20	
10	5.57	5.7	20	
11	5.57	5.373	20	
12	5.57	5.277	20	
13	5.57	5.388	20	
14	5.57	5.664	20	
15	5.57	5.295	20	
16	5.57	5.617	20	
17	5.57	5.654	20	
18	5.57	5.614	20	
19	5.57	5.447	20	
20	5.57	5.409	20	
21	5.57	5.293	20	
22	5.57	5.724	20	
23	5.57	5.307	20	
24	5.57	5.253	20	
25	5.57	5.566	20	*
26	5.57	5.479	20	
27	5.57	5.635	20	
28	5.57	5.325	20	
29	5.57	5.265	20	
30	5.57	5.399	20	
31	5.57	5.391	20	
32	5.57	5.415	20	
33	5.57	5.646	20	
34	5.57	5.384	20	
35	5.57	5.517	20	
36	5.57	5.297	20	
37	5.57	5.714	20	
38	5.57	5.717	20	
39	5.57	5.481	20	
40	5.57	5.629	20	
41	5.57	5.561	20	*
42	5.57	5.653	20	
43	5.57	5.634	20	
44	5.57	5.267	20	
45	5.57	5.554	20	
46	5.57	5.713	20	
47	5.57	5.711	20	

48	5.57	5.655	20	
49	5.57	5.613	20	
50	5.57	5.658	20	
51	5.57	5.504	20	
52	5.57	5.302	20	
53	5.57	5.51	20	
54	5.57	5.631	20	
55	5.57	5.716	20	
56	5.57	5.427	20	
57	5.57	5.562	20	*
58	5.57	5.521	20	
59	5.57	5.536	20	
60	5.57	5.446	20	
61	5.57	5.522	20	
62	5.57	5.515	20	
63	5.57	5.676	20	
64	5.57	5.605	20	
65	5.57	5.356	20	
66	5.57	5.378	20	
67	5.57	5.461	20	
68	5.57	5.468	20	
69	5.57	5.604	20	
70	5.57	5.357	20	
71	5.57	5.519	20	
72	5.57	5.546	20	
73	5.57	5.666	20	
74	5.57	5.537	20	
75	5.57	5.594	20	
76	5.57	5.439	20	
77	5.57	5.611	20	
78	5.57	5.68	20	
79	5.57	5.607	20	
80	5.57	5.723	20	
81	5.57	5.622	20	
82	5.57	5.706	20	
83	5.57	5.641	20	
84	5.57	5.426	20	
85	5.57	5.63	20	
86	5.57	5.544	20	
87	5.57	5.484	20	
88	5.57	5.345	20	
89	5.57	5.259	20	
90	5.57	5.311	20	
91	5.57	5.298	20	
92	5.57	5.438	20	
93	5.57	5.531	20	
94	5.57	5.398	20	
95	5.57	5.591	20	
96	5.57	5.674	20	
97	5.57	5.642	20	
98	5.57	5.354	20	
99	5.57	5.421	20	
100	5.57	5.32	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 10

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.667	20	
2	5.57	5.515	20	
3	5.57	5.463	20	
4	5.57	5.712	20	
5	5.57	5.597	20	
6	5.57	5.47	20	
7	5.57	5.252	20	
8	5.57	5.526	20	
9	5.57	5.253	20	
10	5.57	5.266	20	
11	5.57	5.425	20	
12	5.57	5.548	20	
13	5.57	5.648	20	
14	5.57	5.289	20	
15	5.57	5.488	20	
16	5.57	5.322	20	
17	5.57	5.591	20	
18	5.57	5.65	20	
19	5.57	5.316	20	
20	5.57	5.309	20	
21	5.57	5.595	20	
22	5.57	5.384	20	
23	5.57	5.474	20	
24	5.57	5.541	20	
25	5.57	5.566	20	*
26	5.57	5.64	20	
27	5.57	5.58	20	*
28	5.57	5.454	20	
29	5.57	5.403	20	
30	5.57	5.682	20	
31	5.57	5.358	20	
32	5.57	5.363	20	
33	5.57	5.701	20	
34	5.57	5.404	20	
35	5.57	5.292	20	
36	5.57	5.279	20	
37	5.57	5.567	20	*
38	5.57	5.527	20	
39	5.57	5.518	20	
40	5.57	5.354	20	
41	5.57	5.409	20	
42	5.57	5.609	20	
43	5.57	5.5	20	
44	5.57	5.455	20	
45	5.57	5.638	20	
46	5.57	5.554	20	
47	5.57	5.491	20	

48	5.57	5.681	20	
49	5.57	5.311	20	
50	5.57	5.407	20	
51	5.57	5.671	20	
52	5.57	5.41	20	
53	5.57	5.504	20	
54	5.57	5.369	20	
55	5.57	5.392	20	
56	5.57	5.499	20	
57	5.57	5.619	20	
58	5.57	5.669	20	
59	5.57	5.29	20	
60	5.57	5.457	20	
61	5.57	5.337	20	
62	5.57	5.547	20	
63	5.57	5.601	20	
64	5.57	5.563	20	*
65	5.57	5.395	20	
66	5.57	5.469	20	
67	5.57	5.281	20	
68	5.57	5.593	20	
69	5.57	5.511	20	
70	5.57	5.658	20	
71	5.57	5.341	20	
72	5.57	5.372	20	
73	5.57	5.6	20	
74	5.57	5.323	20	
75	5.57	5.641	20	
76	5.57	5.432	20	
77	5.57	5.339	20	
78	5.57	5.634	20	
79	5.57	5.48	20	
80	5.57	5.519	20	
81	5.57	5.576	20	*
82	5.57	5.332	20	
83	5.57	5.53	20	
84	5.57	5.45	20	
85	5.57	5.318	20	
86	5.57	5.449	20	
87	5.57	5.539	20	
88	5.57	5.305	20	
89	5.57	5.424	20	
90	5.57	5.497	20	
91	5.57	5.294	20	
92	5.57	5.622	20	
93	5.57	5.379	20	
94	5.57	5.315	20	
95	5.57	5.482	20	
96	5.57	5.661	20	
97	5.57	5.477	20	
98	5.57	5.288	20	
99	5.57	5.284	20	
100	5.57	5.59	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 11

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.428	20	
2	5.57	5.304	20	
3	5.57	5.352	20	
4	5.57	5.276	20	
5	5.57	5.636	20	
6	5.57	5.496	20	
7	5.57	5.568	20	*
8	5.57	5.677	20	
9	5.57	5.654	20	
10	5.57	5.397	20	
11	5.57	5.471	20	
12	5.57	5.467	20	
13	5.57	5.488	20	
14	5.57	5.37	20	
15	5.57	5.611	20	
16	5.57	5.701	20	
17	5.57	5.499	20	
18	5.57	5.629	20	
19	5.57	5.618	20	
20	5.57	5.522	20	
21	5.57	5.707	20	
22	5.57	5.325	20	
23	5.57	5.326	20	
24	5.57	5.279	20	
25	5.57	5.353	20	
26	5.57	5.699	20	
27	5.57	5.354	20	
28	5.57	5.365	20	
29	5.57	5.422	20	
30	5.57	5.277	20	
31	5.57	5.689	20	
32	5.57	5.682	20	
33	5.57	5.343	20	
34	5.57	5.63	20	
35	5.57	5.302	20	
36	5.57	5.301	20	
37	5.57	5.566	20	*
38	5.57	5.423	20	
39	5.57	5.723	20	
40	5.57	5.47	20	
41	5.57	5.44	20	
42	5.57	5.368	20	
43	5.57	5.609	20	
44	5.57	5.256	20	
45	5.57	5.696	20	
46	5.57	5.418	20	
47	5.57	5.7	20	

48	5.57	5.631	20	
49	5.57	5.505	20	
50	5.57	5.495	20	
51	5.57	5.553	20	
52	5.57	5.68	20	
53	5.57	5.711	20	
54	5.57	5.664	20	
55	5.57	5.673	20	
56	5.57	5.338	20	
57	5.57	5.25	20	
58	5.57	5.392	20	
59	5.57	5.413	20	
60	5.57	5.261	20	
61	5.57	5.251	20	
62	5.57	5.521	20	
63	5.57	5.403	20	
64	5.57	5.668	20	
65	5.57	5.608	20	
66	5.57	5.543	20	
67	5.57	5.574	20	*
68	5.57	5.693	20	
69	5.57	5.377	20	
70	5.57	5.421	20	
71	5.57	5.461	20	
72	5.57	5.635	20	
73	5.57	5.333	20	
74	5.57	5.526	20	
75	5.57	5.72	20	
76	5.57	5.712	20	
77	5.57	5.34	20	
78	5.57	5.395	20	
79	5.57	5.412	20	
80	5.57	5.593	20	
81	5.57	5.486	20	
82	5.57	5.424	20	
83	5.57	5.564	20	*
84	5.57	5.393	20	
85	5.57	5.628	20	
86	5.57	5.48	20	
87	5.57	5.286	20	
88	5.57	5.619	20	
89	5.57	5.716	20	
90	5.57	5.312	20	
91	5.57	5.644	20	
92	5.57	5.516	20	
93	5.57	5.273	20	
94	5.57	5.52	20	
95	5.57	5.613	20	
96	5.57	5.537	20	
97	5.57	5.575	20	*
98	5.57	5.268	20	
99	5.57	5.254	20	
100	5.57	5.625	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 12

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.534	20	
2	5.57	5.556	20	
3	5.57	5.526	20	
4	5.57	5.484	20	
5	5.57	5.66	20	
6	5.57	5.518	20	
7	5.57	5.62	20	
8	5.57	5.312	20	
9	5.57	5.349	20	
10	5.57	5.388	20	
11	5.57	5.621	20	
12	5.57	5.551	20	
13	5.57	5.606	20	
14	5.57	5.285	20	
15	5.57	5.281	20	
16	5.57	5.435	20	
17	5.57	5.355	20	
18	5.57	5.35	20	
19	5.57	5.395	20	
20	5.57	5.515	20	
21	5.57	5.293	20	
22	5.57	5.69	20	
23	5.57	5.399	20	
24	5.57	5.441	20	
25	5.57	5.416	20	
26	5.57	5.605	20	
27	5.57	5.297	20	
28	5.57	5.466	20	
29	5.57	5.494	20	
30	5.57	5.652	20	
31	5.57	5.589	20	
32	5.57	5.397	20	
33	5.57	5.44	20	
34	5.57	5.288	20	
35	5.57	5.276	20	
36	5.57	5.426	20	
37	5.57	5.474	20	
38	5.57	5.457	20	
39	5.57	5.72	20	
40	5.57	5.703	20	
41	5.57	5.722	20	
42	5.57	5.42	20	
43	5.57	5.486	20	
44	5.57	5.38	20	
45	5.57	5.304	20	
46	5.57	5.623	20	
47	5.57	5.39	20	

48	5.57	5.508	20	
49	5.57	5.262	20	
50	5.57	5.596	20	
51	5.57	5.597	20	
52	5.57	5.337	20	
53	5.57	5.303	20	
54	5.57	5.318	20	
55	5.57	5.43	20	
56	5.57	5.627	20	
57	5.57	5.459	20	
58	5.57	5.724	20	
59	5.57	5.432	20	
60	5.57	5.307	20	
61	5.57	5.685	20	
62	5.57	5.356	20	
63	5.57	5.384	20	
64	5.57	5.507	20	
65	5.57	5.343	20	
66	5.57	5.539	20	
67	5.57	5.3	20	
68	5.57	5.659	20	
69	5.57	5.351	20	
70	5.57	5.439	20	
71	5.57	5.666	20	
72	5.57	5.517	20	
73	5.57	5.272	20	
74	5.57	5.446	20	
75	5.57	5.36	20	
76	5.57	5.449	20	
77	5.57	5.514	20	
78	5.57	5.567	20	*
79	5.57	5.593	20	
80	5.57	5.607	20	
81	5.57	5.27	20	
82	5.57	5.6	20	
83	5.57	5.587	20	
84	5.57	5.639	20	
85	5.57	5.538	20	
86	5.57	5.252	20	
87	5.57	5.615	20	
88	5.57	5.688	20	
89	5.57	5.326	20	
90	5.57	5.495	20	
91	5.57	5.471	20	
92	5.57	5.454	20	
93	5.57	5.509	20	
94	5.57	5.34	20	
95	5.57	5.553	20	
96	5.57	5.565	20	*
97	5.57	5.289	20	
98	5.57	5.387	20	
99	5.57	5.354	20	
100	5.57	5.719	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 13

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.442	20	
2	5.57	5.502	20	
3	5.57	5.286	20	
4	5.57	5.591	20	
5	5.57	5.311	20	
6	5.57	5.302	20	
7	5.57	5.386	20	
8	5.57	5.582	20	
9	5.57	5.566	20	*
10	5.57	5.624	20	
11	5.57	5.653	20	
12	5.57	5.645	20	
13	5.57	5.516	20	
14	5.57	5.706	20	
15	5.57	5.544	20	
16	5.57	5.37	20	
17	5.57	5.446	20	
18	5.57	5.7	20	
19	5.57	5.587	20	
20	5.57	5.694	20	
21	5.57	5.6	20	
22	5.57	5.658	20	
23	5.57	5.492	20	
24	5.57	5.522	20	
25	5.57	5.41	20	
26	5.57	5.637	20	
27	5.57	5.638	20	
28	5.57	5.368	20	
29	5.57	5.549	20	
30	5.57	5.683	20	
31	5.57	5.299	20	
32	5.57	5.372	20	
33	5.57	5.54	20	
34	5.57	5.489	20	
35	5.57	5.537	20	
36	5.57	5.444	20	
37	5.57	5.436	20	
38	5.57	5.546	20	
39	5.57	5.675	20	
40	5.57	5.681	20	
41	5.57	5.677	20	
42	5.57	5.708	20	
43	5.57	5.402	20	
44	5.57	5.258	20	
45	5.57	5.449	20	
46	5.57	5.477	20	
47	5.57	5.517	20	

48	5.57	5.387	20	
49	5.57	5.25	20	
50	5.57	5.663	20	
51	5.57	5.407	20	
52	5.57	5.533	20	
53	5.57	5.521	20	
54	5.57	5.512	20	
55	5.57	5.541	20	
56	5.57	5.451	20	
57	5.57	5.501	20	
58	5.57	5.274	20	
59	5.57	5.485	20	
60	5.57	5.435	20	
61	5.57	5.588	20	
62	5.57	5.61	20	
63	5.57	5.464	20	
64	5.57	5.309	20	
65	5.57	5.325	20	
66	5.57	5.56	20	*
67	5.57	5.468	20	
68	5.57	5.383	20	
69	5.57	5.715	20	
70	5.57	5.294	20	
71	5.57	5.254	20	
72	5.57	5.262	20	
73	5.57	5.552	20	
74	5.57	5.257	20	
75	5.57	5.403	20	
76	5.57	5.398	20	
77	5.57	5.491	20	
78	5.57	5.72	20	
79	5.57	5.362	20	
80	5.57	5.717	20	
81	5.57	5.308	20	
82	5.57	5.635	20	
83	5.57	5.484	20	
84	5.57	5.636	20	
85	5.57	5.723	20	
86	5.57	5.336	20	
87	5.57	5.573	20	*
88	5.57	5.661	20	
89	5.57	5.685	20	
90	5.57	5.374	20	
91	5.57	5.306	20	
92	5.57	5.679	20	
93	5.57	5.276	20	
94	5.57	5.693	20	
95	5.57	5.431	20	
96	5.57	5.437	20	
97	5.57	5.626	20	
98	5.57	5.297	20	
99	5.57	5.531	20	
100	5.57	5.388	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 14

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.369	20	
2	5.57	5.31	20	
3	5.57	5.491	20	
4	5.57	5.712	20	
5	5.57	5.367	20	
6	5.57	5.46	20	
7	5.57	5.321	20	
8	5.57	5.688	20	
9	5.57	5.308	20	
10	5.57	5.316	20	
11	5.57	5.344	20	
12	5.57	5.356	20	
13	5.57	5.561	20	*
14	5.57	5.499	20	
15	5.57	5.291	20	
16	5.57	5.538	20	
17	5.57	5.515	20	
18	5.57	5.388	20	
19	5.57	5.405	20	
20	5.57	5.415	20	
21	5.57	5.362	20	
22	5.57	5.717	20	
23	5.57	5.322	20	
24	5.57	5.478	20	
25	5.57	5.299	20	
26	5.57	5.41	20	
27	5.57	5.285	20	
28	5.57	5.474	20	
29	5.57	5.572	20	*
30	5.57	5.439	20	
31	5.57	5.397	20	
32	5.57	5.724	20	
33	5.57	5.518	20	
34	5.57	5.473	20	
35	5.57	5.721	20	
36	5.57	5.254	20	
37	5.57	5.392	20	
38	5.57	5.39	20	
39	5.57	5.457	20	
40	5.57	5.637	20	
41	5.57	5.417	20	
42	5.57	5.377	20	
43	5.57	5.282	20	
44	5.57	5.65	20	
45	5.57	5.385	20	
46	5.57	5.562	20	*
47	5.57	5.352	20	

48	5.57	5.275	20	
49	5.57	5.508	20	
50	5.57	5.445	20	
51	5.57	5.325	20	
52	5.57	5.642	20	
53	5.57	5.38	20	
54	5.57	5.524	20	
55	5.57	5.603	20	
56	5.57	5.452	20	
57	5.57	5.406	20	
58	5.57	5.337	20	
59	5.57	5.52	20	
60	5.57	5.431	20	
61	5.57	5.558	20	
62	5.57	5.3	20	
63	5.57	5.544	20	
64	5.57	5.418	20	
65	5.57	5.586	20	
66	5.57	5.722	20	
67	5.57	5.697	20	
68	5.57	5.546	20	
69	5.57	5.43	20	
70	5.57	5.549	20	
71	5.57	5.687	20	
72	5.57	5.536	20	
73	5.57	5.58	20	*
74	5.57	5.689	20	
75	5.57	5.675	20	
76	5.57	5.67	20	
77	5.57	5.276	20	
78	5.57	5.534	20	
79	5.57	5.408	20	
80	5.57	5.529	20	
81	5.57	5.673	20	
82	5.57	5.579	20	*
83	5.57	5.326	20	
84	5.57	5.449	20	
85	5.57	5.641	20	
86	5.57	5.443	20	
87	5.57	5.45	20	
88	5.57	5.656	20	
89	5.57	5.494	20	
90	5.57	5.56	20	*
91	5.57	5.632	20	
92	5.57	5.507	20	
93	5.57	5.639	20	
94	5.57	5.537	20	
95	5.57	5.298	20	
96	5.57	5.715	20	
97	5.57	5.361	20	
98	5.57	5.358	20	
99	5.57	5.504	20	
100	5.57	5.628	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 15

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.402	20	
2	5.57	5.664	20	
3	5.57	5.293	20	
4	5.57	5.345	20	
5	5.57	5.409	20	
6	5.57	5.329	20	
7	5.57	5.506	20	
8	5.57	5.545	20	
9	5.57	5.558	20	
10	5.57	5.498	20	
11	5.57	5.586	20	
12	5.57	5.699	20	
13	5.57	5.58	20	*
14	5.57	5.4	20	
15	5.57	5.339	20	
16	5.57	5.662	20	
17	5.57	5.561	20	*
18	5.57	5.674	20	
19	5.57	5.526	20	
20	5.57	5.268	20	
21	5.57	5.629	20	
22	5.57	5.457	20	
23	5.57	5.3	20	
24	5.57	5.481	20	
25	5.57	5.271	20	
26	5.57	5.426	20	
27	5.57	5.654	20	
28	5.57	5.336	20	
29	5.57	5.563	20	*
30	5.57	5.412	20	
31	5.57	5.273	20	
32	5.57	5.549	20	
33	5.57	5.54	20	
34	5.57	5.366	20	
35	5.57	5.324	20	
36	5.57	5.456	20	
37	5.57	5.551	20	
38	5.57	5.361	20	
39	5.57	5.465	20	
40	5.57	5.279	20	
41	5.57	5.32	20	
42	5.57	5.585	20	
43	5.57	5.609	20	
44	5.57	5.587	20	
45	5.57	5.624	20	
46	5.57	5.636	20	
47	5.57	5.451	20	

48	5.57	5.532	20	
49	5.57	5.396	20	
50	5.57	5.445	20	
51	5.57	5.286	20	
52	5.57	5.427	20	
53	5.57	5.645	20	
54	5.57	5.436	20	
55	5.57	5.43	20	
56	5.57	5.392	20	
57	5.57	5.434	20	
58	5.57	5.27	20	
59	5.57	5.514	20	
60	5.57	5.679	20	
61	5.57	5.685	20	
62	5.57	5.606	20	
63	5.57	5.577	20	*
64	5.57	5.565	20	*
65	5.57	5.425	20	
66	5.57	5.704	20	
67	5.57	5.655	20	
68	5.57	5.635	20	
69	5.57	5.71	20	
70	5.57	5.611	20	
71	5.57	5.511	20	
72	5.57	5.404	20	
73	5.57	5.437	20	
74	5.57	5.712	20	
75	5.57	5.603	20	
76	5.57	5.343	20	
77	5.57	5.381	20	
78	5.57	5.616	20	
79	5.57	5.323	20	
80	5.57	5.694	20	
81	5.57	5.462	20	
82	5.57	5.524	20	
83	5.57	5.433	20	
84	5.57	5.497	20	
85	5.57	5.528	20	
86	5.57	5.281	20	
87	5.57	5.294	20	
88	5.57	5.384	20	
89	5.57	5.543	20	
90	5.57	5.39	20	
91	5.57	5.538	20	
92	5.57	5.595	20	
93	5.57	5.31	20	
94	5.57	5.37	20	
95	5.57	5.537	20	
96	5.57	5.541	20	
97	5.57	5.401	20	
98	5.57	5.374	20	
99	5.57	5.658	20	
100	5.57	5.698	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 16

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.306	20	
2	5.57	5.553	20	
3	5.57	5.71	20	
4	5.57	5.529	20	
5	5.57	5.604	20	
6	5.57	5.326	20	
7	5.57	5.665	20	
8	5.57	5.405	20	
9	5.57	5.491	20	
10	5.57	5.485	20	
11	5.57	5.634	20	
12	5.57	5.533	20	
13	5.57	5.312	20	
14	5.57	5.517	20	
15	5.57	5.495	20	
16	5.57	5.516	20	
17	5.57	5.401	20	
18	5.57	5.493	20	
19	5.57	5.652	20	
20	5.57	5.343	20	
21	5.57	5.655	20	
22	5.57	5.616	20	
23	5.57	5.668	20	
24	5.57	5.459	20	
25	5.57	5.724	20	
26	5.57	5.341	20	
27	5.57	5.515	20	
28	5.57	5.462	20	
29	5.57	5.539	20	
30	5.57	5.428	20	
31	5.57	5.292	20	
32	5.57	5.484	20	
33	5.57	5.338	20	
34	5.57	5.657	20	
35	5.57	5.482	20	
36	5.57	5.389	20	
37	5.57	5.436	20	
38	5.57	5.541	20	
39	5.57	5.434	20	
40	5.57	5.502	20	
41	5.57	5.56	20	*
42	5.57	5.305	20	
43	5.57	5.61	20	
44	5.57	5.577	20	*
45	5.57	5.661	20	
46	5.57	5.368	20	
47	5.57	5.702	20	

48	5.57	5.424	20	
49	5.57	5.322	20	
50	5.57	5.694	20	
51	5.57	5.667	20	
52	5.57	5.66	20	
53	5.57	5.574	20	*
54	5.57	5.703	20	
55	5.57	5.357	20	
56	5.57	5.586	20	
57	5.57	5.675	20	
58	5.57	5.677	20	
59	5.57	5.346	20	
60	5.57	5.5	20	
61	5.57	5.272	20	
62	5.57	5.377	20	
63	5.57	5.355	20	
64	5.57	5.602	20	
65	5.57	5.593	20	
66	5.57	5.562	20	*
67	5.57	5.31	20	
68	5.57	5.319	20	
69	5.57	5.383	20	
70	5.57	5.415	20	
71	5.57	5.439	20	
72	5.57	5.678	20	
73	5.57	5.628	20	
74	5.57	5.339	20	
75	5.57	5.409	20	
76	5.57	5.369	20	
77	5.57	5.478	20	
78	5.57	5.454	20	
79	5.57	5.43	20	
80	5.57	5.442	20	
81	5.57	5.251	20	
82	5.57	5.283	20	
83	5.57	5.683	20	
84	5.57	5.717	20	
85	5.57	5.625	20	
86	5.57	5.723	20	
87	5.57	5.559	20	
88	5.57	5.584	20	
89	5.57	5.325	20	
90	5.57	5.402	20	
91	5.57	5.552	20	
92	5.57	5.287	20	
93	5.57	5.477	20	
94	5.57	5.549	20	
95	5.57	5.276	20	
96	5.57	5.638	20	
97	5.57	5.427	20	
98	5.57	5.701	20	
99	5.57	5.429	20	
100	5.57	5.406	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 17

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.395	20	
2	5.57	5.35	20	
3	5.57	5.617	20	
4	5.57	5.402	20	
5	5.57	5.453	20	
6	5.57	5.254	20	
7	5.57	5.658	20	
8	5.57	5.439	20	
9	5.57	5.262	20	
10	5.57	5.701	20	
11	5.57	5.627	20	
12	5.57	5.301	20	
13	5.57	5.48	20	
14	5.57	5.487	20	
15	5.57	5.598	20	
16	5.57	5.639	20	
17	5.57	5.424	20	
18	5.57	5.615	20	
19	5.57	5.266	20	
20	5.57	5.381	20	
21	5.57	5.631	20	
22	5.57	5.609	20	
23	5.57	5.373	20	
24	5.57	5.263	20	
25	5.57	5.648	20	
26	5.57	5.282	20	
27	5.57	5.618	20	
28	5.57	5.553	20	
29	5.57	5.389	20	
30	5.57	5.633	20	
31	5.57	5.25	20	
32	5.57	5.503	20	
33	5.57	5.696	20	
34	5.57	5.51	20	
35	5.57	5.558	20	
36	5.57	5.546	20	
37	5.57	5.455	20	
38	5.57	5.574	20	*
39	5.57	5.687	20	
40	5.57	5.428	20	
41	5.57	5.339	20	
42	5.57	5.377	20	
43	5.57	5.258	20	
44	5.57	5.619	20	
45	5.57	5.688	20	
46	5.57	5.691	20	
47	5.57	5.635	20	

48	5.57	5.305	20	
49	5.57	5.406	20	
50	5.57	5.313	20	
51	5.57	5.46	20	
52	5.57	5.41	20	
53	5.57	5.29	20	
54	5.57	5.517	20	
55	5.57	5.584	20	
56	5.57	5.317	20	
57	5.57	5.423	20	
58	5.57	5.506	20	
59	5.57	5.718	20	
60	5.57	5.331	20	
61	5.57	5.26	20	
62	5.57	5.512	20	
63	5.57	5.307	20	
64	5.57	5.323	20	
65	5.57	5.708	20	
66	5.57	5.425	20	
67	5.57	5.492	20	
68	5.57	5.693	20	
69	5.57	5.302	20	
70	5.57	5.355	20	
71	5.57	5.315	20	
72	5.57	5.65	20	
73	5.57	5.418	20	
74	5.57	5.252	20	
75	5.57	5.446	20	
76	5.57	5.499	20	
77	5.57	5.638	20	
78	5.57	5.325	20	
79	5.57	5.716	20	
80	5.57	5.413	20	
81	5.57	5.626	20	
82	5.57	5.586	20	
83	5.57	5.629	20	
84	5.57	5.385	20	
85	5.57	5.465	20	
86	5.57	5.379	20	
87	5.57	5.564	20	*
88	5.57	5.666	20	
89	5.57	5.318	20	
90	5.57	5.472	20	
91	5.57	5.271	20	
92	5.57	5.353	20	
93	5.57	5.347	20	
94	5.57	5.482	20	
95	5.57	5.473	20	
96	5.57	5.702	20	
97	5.57	5.422	20	
98	5.57	5.336	20	
99	5.57	5.314	20	
100	5.57	5.466	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 18

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.434	20	
2	5.57	5.439	20	
3	5.57	5.653	20	
4	5.57	5.564	20	*
5	5.57	5.251	20	
6	5.57	5.47	20	
7	5.57	5.279	20	
8	5.57	5.523	20	
9	5.57	5.586	20	
10	5.57	5.652	20	
11	5.57	5.377	20	
12	5.57	5.427	20	
13	5.57	5.401	20	
14	5.57	5.335	20	
15	5.57	5.326	20	
16	5.57	5.289	20	
17	5.57	5.641	20	
18	5.57	5.281	20	
19	5.57	5.282	20	
20	5.57	5.517	20	
21	5.57	5.544	20	
22	5.57	5.319	20	
23	5.57	5.578	20	*
24	5.57	5.549	20	
25	5.57	5.566	20	*
26	5.57	5.654	20	
27	5.57	5.288	20	
28	5.57	5.265	20	
29	5.57	5.702	20	
30	5.57	5.679	20	
31	5.57	5.631	20	
32	5.57	5.567	20	*
33	5.57	5.333	20	
34	5.57	5.431	20	
35	5.57	5.474	20	
36	5.57	5.273	20	
37	5.57	5.638	20	
38	5.57	5.489	20	
39	5.57	5.534	20	
40	5.57	5.263	20	
41	5.57	5.473	20	
42	5.57	5.324	20	
43	5.57	5.483	20	
44	5.57	5.444	20	
45	5.57	5.663	20	
46	5.57	5.331	20	
47	5.57	5.593	20	

48	5.57	5.695	20	
49	5.57	5.719	20	
50	5.57	5.508	20	
51	5.57	5.306	20	
52	5.57	5.607	20	
53	5.57	5.297	20	
54	5.57	5.559	20	
55	5.57	5.476	20	
56	5.57	5.407	20	
57	5.57	5.442	20	
58	5.57	5.441	20	
59	5.57	5.61	20	
60	5.57	5.68	20	
61	5.57	5.589	20	
62	5.57	5.577	20	*
63	5.57	5.617	20	
64	5.57	5.33	20	
65	5.57	5.39	20	
66	5.57	5.269	20	
67	5.57	5.349	20	
68	5.57	5.632	20	
69	5.57	5.575	20	*
70	5.57	5.44	20	
71	5.57	5.471	20	
72	5.57	5.573	20	*
73	5.57	5.55	20	
74	5.57	5.365	20	
75	5.57	5.254	20	
76	5.57	5.294	20	
77	5.57	5.581	20	
78	5.57	5.313	20	
79	5.57	5.286	20	
80	5.57	5.357	20	
81	5.57	5.627	20	
82	5.57	5.58	20	*
83	5.57	5.553	20	
84	5.57	5.464	20	
85	5.57	5.615	20	
86	5.57	5.27	20	
87	5.57	5.3	20	
88	5.57	5.452	20	
89	5.57	5.433	20	
90	5.57	5.386	20	
91	5.57	5.484	20	
92	5.57	5.618	20	
93	5.57	5.538	20	
94	5.57	5.354	20	
95	5.57	5.604	20	
96	5.57	5.63	20	
97	5.57	5.421	20	
98	5.57	5.509	20	
99	5.57	5.477	20	
100	5.57	5.514	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 19

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.518	20	
2	5.57	5.347	20	
3	5.57	5.635	20	
4	5.57	5.401	20	
5	5.57	5.637	20	
6	5.57	5.645	20	
7	5.57	5.695	20	
8	5.57	5.699	20	
9	5.57	5.694	20	
10	5.57	5.503	20	
11	5.57	5.422	20	
12	5.57	5.506	20	
13	5.57	5.646	20	
14	5.57	5.682	20	
15	5.57	5.631	20	
16	5.57	5.714	20	
17	5.57	5.42	20	
18	5.57	5.452	20	
19	5.57	5.27	20	
20	5.57	5.544	20	
21	5.57	5.429	20	
22	5.57	5.521	20	
23	5.57	5.466	20	
24	5.57	5.534	20	
25	5.57	5.311	20	
26	5.57	5.627	20	
27	5.57	5.296	20	
28	5.57	5.256	20	
29	5.57	5.688	20	
30	5.57	5.672	20	
31	5.57	5.461	20	
32	5.57	5.418	20	
33	5.57	5.359	20	
34	5.57	5.541	20	
35	5.57	5.424	20	
36	5.57	5.398	20	
37	5.57	5.642	20	
38	5.57	5.456	20	
39	5.57	5.393	20	
40	5.57	5.679	20	
41	5.57	5.614	20	
42	5.57	5.623	20	
43	5.57	5.391	20	
44	5.57	5.345	20	
45	5.57	5.516	20	
46	5.57	5.513	20	
47	5.57	5.721	20	

48	5.57	5.413	20	
49	5.57	5.624	20	
50	5.57	5.557	20	
51	5.57	5.517	20	
52	5.57	5.499	20	
53	5.57	5.417	20	
54	5.57	5.612	20	
55	5.57	5.38	20	
56	5.57	5.569	20	*
57	5.57	5.582	20	
58	5.57	5.591	20	
59	5.57	5.648	20	
60	5.57	5.622	20	
61	5.57	5.54	20	
62	5.57	5.594	20	
63	5.57	5.657	20	
64	5.57	5.66	20	
65	5.57	5.317	20	
66	5.57	5.383	20	
67	5.57	5.515	20	
68	5.57	5.369	20	
69	5.57	5.286	20	
70	5.57	5.633	20	
71	5.57	5.51	20	
72	5.57	5.377	20	
73	5.57	5.31	20	
74	5.57	5.72	20	
75	5.57	5.353	20	
76	5.57	5.497	20	
77	5.57	5.407	20	
78	5.57	5.617	20	
79	5.57	5.711	20	
80	5.57	5.704	20	
81	5.57	5.539	20	
82	5.57	5.535	20	
83	5.57	5.708	20	
84	5.57	5.636	20	
85	5.57	5.358	20	
86	5.57	5.304	20	
87	5.57	5.604	20	
88	5.57	5.34	20	
89	5.57	5.537	20	
90	5.57	5.561	20	*
91	5.57	5.35	20	
92	5.57	5.574	20	*
93	5.57	5.602	20	
94	5.57	5.525	20	
95	5.57	5.696	20	
96	5.57	5.71	20	
97	5.57	5.656	20	
98	5.57	5.257	20	
99	5.57	5.545	20	
100	5.57	5.668	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 20

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.633	20	
2	5.57	5.63	20	
3	5.57	5.696	20	
4	5.57	5.452	20	
5	5.57	5.553	20	
6	5.57	5.643	20	
7	5.57	5.511	20	
8	5.57	5.506	20	
9	5.57	5.267	20	
10	5.57	5.635	20	
11	5.57	5.419	20	
12	5.57	5.361	20	
13	5.57	5.534	20	
14	5.57	5.326	20	
15	5.57	5.476	20	
16	5.57	5.64	20	
17	5.57	5.573	20	*
18	5.57	5.615	20	
19	5.57	5.354	20	
20	5.57	5.315	20	
21	5.57	5.313	20	
22	5.57	5.694	20	
23	5.57	5.482	20	
24	5.57	5.444	20	
25	5.57	5.348	20	
26	5.57	5.544	20	
27	5.57	5.407	20	
28	5.57	5.675	20	
29	5.57	5.25	20	
30	5.57	5.628	20	
31	5.57	5.624	20	
32	5.57	5.264	20	
33	5.57	5.541	20	
34	5.57	5.586	20	
35	5.57	5.684	20	
36	5.57	5.317	20	
37	5.57	5.665	20	
38	5.57	5.369	20	
39	5.57	5.406	20	
40	5.57	5.488	20	
41	5.57	5.31	20	
42	5.57	5.403	20	
43	5.57	5.296	20	
44	5.57	5.518	20	
45	5.57	5.477	20	
46	5.57	5.612	20	
47	5.57	5.428	20	

48	5.57	5.442	20	
49	5.57	5.402	20	
50	5.57	5.6	20	
51	5.57	5.486	20	
52	5.57	5.429	20	
53	5.57	5.568	20	*
54	5.57	5.39	20	
55	5.57	5.714	20	
56	5.57	5.448	20	
57	5.57	5.269	20	
58	5.57	5.578	20	*
59	5.57	5.459	20	
60	5.57	5.461	20	
61	5.57	5.669	20	
62	5.57	5.28	20	
63	5.57	5.46	20	
64	5.57	5.329	20	
65	5.57	5.425	20	
66	5.57	5.413	20	
67	5.57	5.61	20	
68	5.57	5.405	20	
69	5.57	5.513	20	
70	5.57	5.567	20	*
71	5.57	5.504	20	
72	5.57	5.668	20	
73	5.57	5.521	20	
74	5.57	5.51	20	
75	5.57	5.597	20	
76	5.57	5.583	20	
77	5.57	5.386	20	
78	5.57	5.581	20	
79	5.57	5.334	20	
80	5.57	5.356	20	
81	5.57	5.365	20	
82	5.57	5.579	20	*
83	5.57	5.415	20	
84	5.57	5.608	20	
85	5.57	5.353	20	
86	5.57	5.481	20	
87	5.57	5.483	20	
88	5.57	5.297	20	
89	5.57	5.307	20	
90	5.57	5.564	20	*
91	5.57	5.645	20	
92	5.57	5.272	20	
93	5.57	5.252	20	
94	5.57	5.664	20	
95	5.57	5.33	20	
96	5.57	5.397	20	
97	5.57	5.398	20	
98	5.57	5.71	20	
99	5.57	5.306	20	
100	5.57	5.304	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 21

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.466	20	
2	5.57	5.615	20	
3	5.57	5.43	20	
4	5.57	5.379	20	
5	5.57	5.279	20	
6	5.57	5.312	20	
7	5.57	5.491	20	
8	5.57	5.359	20	
9	5.57	5.486	20	
10	5.57	5.541	20	
11	5.57	5.489	20	
12	5.57	5.629	20	
13	5.57	5.351	20	
14	5.57	5.473	20	
15	5.57	5.711	20	
16	5.57	5.349	20	
17	5.57	5.41	20	
18	5.57	5.668	20	
19	5.57	5.652	20	
20	5.57	5.657	20	
21	5.57	5.566	20	*
22	5.57	5.396	20	
23	5.57	5.302	20	
24	5.57	5.313	20	
25	5.57	5.446	20	
26	5.57	5.5	20	
27	5.57	5.255	20	
28	5.57	5.567	20	*
29	5.57	5.609	20	
30	5.57	5.692	20	
31	5.57	5.264	20	
32	5.57	5.506	20	
33	5.57	5.463	20	
34	5.57	5.324	20	
35	5.57	5.554	20	
36	5.57	5.608	20	
37	5.57	5.678	20	
38	5.57	5.616	20	
39	5.57	5.403	20	
40	5.57	5.335	20	
41	5.57	5.592	20	
42	5.57	5.28	20	
43	5.57	5.453	20	
44	5.57	5.496	20	
45	5.57	5.326	20	
46	5.57	5.6	20	
47	5.57	5.265	20	

48	5.57	5.435	20	
49	5.57	5.277	20	
50	5.57	5.556	20	
51	5.57	5.25	20	
52	5.57	5.707	20	
53	5.57	5.543	20	
54	5.57	5.631	20	
55	5.57	5.549	20	
56	5.57	5.607	20	
57	5.57	5.366	20	
58	5.57	5.321	20	
59	5.57	5.355	20	
60	5.57	5.653	20	
61	5.57	5.498	20	
62	5.57	5.679	20	
63	5.57	5.715	20	
64	5.57	5.617	20	
65	5.57	5.375	20	
66	5.57	5.371	20	
67	5.57	5.513	20	
68	5.57	5.61	20	
69	5.57	5.434	20	
70	5.57	5.626	20	
71	5.57	5.706	20	
72	5.57	5.66	20	
73	5.57	5.284	20	
74	5.57	5.354	20	
75	5.57	5.418	20	
76	5.57	5.57	20	*
77	5.57	5.72	20	
78	5.57	5.492	20	
79	5.57	5.535	20	
80	5.57	5.704	20	
81	5.57	5.447	20	
82	5.57	5.317	20	
83	5.57	5.352	20	
84	5.57	5.291	20	
85	5.57	5.636	20	
86	5.57	5.681	20	
87	5.57	5.693	20	
88	5.57	5.428	20	
89	5.57	5.456	20	
90	5.57	5.514	20	
91	5.57	5.667	20	
92	5.57	5.362	20	
93	5.57	5.611	20	
94	5.57	5.575	20	*
95	5.57	5.459	20	
96	5.57	5.519	20	
97	5.57	5.511	20	
98	5.57	5.602	20	
99	5.57	5.414	20	
100	5.57	5.35	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 22

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.607	20	
2	5.57	5.686	20	
3	5.57	5.431	20	
4	5.57	5.504	20	
5	5.57	5.535	20	
6	5.57	5.359	20	
7	5.57	5.279	20	
8	5.57	5.293	20	
9	5.57	5.349	20	
10	5.57	5.507	20	
11	5.57	5.274	20	
12	5.57	5.37	20	
13	5.57	5.38	20	
14	5.57	5.372	20	
15	5.57	5.395	20	
16	5.57	5.684	20	
17	5.57	5.653	20	
18	5.57	5.35	20	
19	5.57	5.589	20	
20	5.57	5.52	20	
21	5.57	5.363	20	
22	5.57	5.526	20	
23	5.57	5.547	20	
24	5.57	5.522	20	
25	5.57	5.322	20	
26	5.57	5.341	20	
27	5.57	5.513	20	
28	5.57	5.651	20	
29	5.57	5.648	20	
30	5.57	5.605	20	
31	5.57	5.631	20	
32	5.57	5.343	20	
33	5.57	5.299	20	
34	5.57	5.354	20	
35	5.57	5.298	20	
36	5.57	5.474	20	
37	5.57	5.421	20	
38	5.57	5.442	20	
39	5.57	5.426	20	
40	5.57	5.723	20	
41	5.57	5.312	20	
42	5.57	5.657	20	
43	5.57	5.619	20	
44	5.57	5.446	20	
45	5.57	5.384	20	
46	5.57	5.712	20	
47	5.57	5.573	20	*

48	5.57	5.527	20	
49	5.57	5.261	20	
50	5.57	5.347	20	
51	5.57	5.694	20	
52	5.57	5.603	20	
53	5.57	5.724	20	
54	5.57	5.358	20	
55	5.57	5.627	20	
56	5.57	5.494	20	
57	5.57	5.656	20	
58	5.57	5.414	20	
59	5.57	5.51	20	
60	5.57	5.27	20	
61	5.57	5.46	20	
62	5.57	5.597	20	
63	5.57	5.533	20	
64	5.57	5.452	20	
65	5.57	5.288	20	
66	5.57	5.491	20	
67	5.57	5.561	20	*
68	5.57	5.323	20	
69	5.57	5.433	20	
70	5.57	5.596	20	
71	5.57	5.259	20	
72	5.57	5.475	20	
73	5.57	5.465	20	
74	5.57	5.632	20	
75	5.57	5.41	20	
76	5.57	5.411	20	
77	5.57	5.516	20	
78	5.57	5.325	20	
79	5.57	5.478	20	
80	5.57	5.357	20	
81	5.57	5.427	20	
82	5.57	5.352	20	
83	5.57	5.581	20	
84	5.57	5.417	20	
85	5.57	5.587	20	
86	5.57	5.499	20	
87	5.57	5.448	20	
88	5.57	5.432	20	
89	5.57	5.659	20	
90	5.57	5.617	20	
91	5.57	5.714	20	
92	5.57	5.29	20	
93	5.57	5.634	20	
94	5.57	5.366	20	
95	5.57	5.685	20	
96	5.57	5.282	20	
97	5.57	5.268	20	
98	5.57	5.655	20	
99	5.57	5.266	20	
100	5.57	5.673	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 23

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.629	20	
2	5.57	5.706	20	
3	5.57	5.389	20	
4	5.57	5.428	20	
5	5.57	5.329	20	
6	5.57	5.636	20	
7	5.57	5.464	20	
8	5.57	5.537	20	
9	5.57	5.361	20	
10	5.57	5.42	20	
11	5.57	5.38	20	
12	5.57	5.403	20	
13	5.57	5.552	20	
14	5.57	5.332	20	
15	5.57	5.408	20	
16	5.57	5.686	20	
17	5.57	5.398	20	
18	5.57	5.67	20	
19	5.57	5.429	20	
20	5.57	5.396	20	
21	5.57	5.458	20	
22	5.57	5.724	20	
23	5.57	5.279	20	
24	5.57	5.594	20	
25	5.57	5.697	20	
26	5.57	5.376	20	
27	5.57	5.324	20	
28	5.57	5.663	20	
29	5.57	5.49	20	
30	5.57	5.364	20	
31	5.57	5.411	20	
32	5.57	5.515	20	
33	5.57	5.662	20	
34	5.57	5.409	20	
35	5.57	5.598	20	
36	5.57	5.304	20	
37	5.57	5.717	20	
38	5.57	5.253	20	
39	5.57	5.475	20	
40	5.57	5.372	20	
41	5.57	5.521	20	
42	5.57	5.659	20	
43	5.57	5.525	20	
44	5.57	5.306	20	
45	5.57	5.69	20	
46	5.57	5.489	20	
47	5.57	5.716	20	

48	5.57	5.294	20	
49	5.57	5.291	20	
50	5.57	5.696	20	
51	5.57	5.646	20	
52	5.57	5.648	20	
53	5.57	5.682	20	
54	5.57	5.616	20	
55	5.57	5.7	20	
56	5.57	5.31	20	
57	5.57	5.467	20	
58	5.57	5.51	20	
59	5.57	5.404	20	
60	5.57	5.606	20	
61	5.57	5.261	20	
62	5.57	5.608	20	
63	5.57	5.588	20	
64	5.57	5.331	20	
65	5.57	5.586	20	
66	5.57	5.631	20	
67	5.57	5.681	20	
68	5.57	5.319	20	
69	5.57	5.26	20	
70	5.57	5.251	20	
71	5.57	5.442	20	
72	5.57	5.459	20	
73	5.57	5.406	20	
74	5.57	5.47	20	
75	5.57	5.381	20	
76	5.57	5.54	20	
77	5.57	5.454	20	
78	5.57	5.342	20	
79	5.57	5.337	20	
80	5.57	5.374	20	
81	5.57	5.359	20	
82	5.57	5.303	20	
83	5.57	5.269	20	
84	5.57	5.511	20	
85	5.57	5.466	20	
86	5.57	5.368	20	
87	5.57	5.392	20	
88	5.57	5.273	20	
89	5.57	5.592	20	
90	5.57	5.711	20	
91	5.57	5.575	20	*
92	5.57	5.595	20	
93	5.57	5.626	20	
94	5.57	5.652	20	
95	5.57	5.553	20	
96	5.57	5.674	20	
97	5.57	5.581	20	
98	5.57	5.365	20	
99	5.57	5.339	20	
100	5.57	5.542	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 24

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.348	20	
2	5.57	5.568	20	*
3	5.57	5.494	20	
4	5.57	5.608	20	
5	5.57	5.291	20	
6	5.57	5.45	20	
7	5.57	5.444	20	
8	5.57	5.308	20	
9	5.57	5.655	20	
10	5.57	5.449	20	
11	5.57	5.681	20	
12	5.57	5.367	20	
13	5.57	5.432	20	
14	5.57	5.252	20	
15	5.57	5.64	20	
16	5.57	5.437	20	
17	5.57	5.452	20	
18	5.57	5.268	20	
19	5.57	5.255	20	
20	5.57	5.53	20	
21	5.57	5.282	20	
22	5.57	5.589	20	
23	5.57	5.671	20	
24	5.57	5.26	20	
25	5.57	5.496	20	
26	5.57	5.439	20	
27	5.57	5.386	20	
28	5.57	5.581	20	
29	5.57	5.25	20	
30	5.57	5.509	20	
31	5.57	5.424	20	
32	5.57	5.267	20	
33	5.57	5.594	20	
34	5.57	5.516	20	
35	5.57	5.329	20	
36	5.57	5.686	20	
37	5.57	5.559	20	
38	5.57	5.529	20	
39	5.57	5.573	20	*
40	5.57	5.513	20	
41	5.57	5.547	20	
42	5.57	5.446	20	
43	5.57	5.61	20	
44	5.57	5.263	20	
45	5.57	5.618	20	
46	5.57	5.711	20	
47	5.57	5.597	20	

48	5.57	5.431	20	
49	5.57	5.29	20	
50	5.57	5.663	20	
51	5.57	5.41	20	
52	5.57	5.628	20	
53	5.57	5.521	20	
54	5.57	5.433	20	
55	5.57	5.624	20	
56	5.57	5.706	20	
57	5.57	5.68	20	
58	5.57	5.641	20	
59	5.57	5.415	20	
60	5.57	5.564	20	*
61	5.57	5.428	20	
62	5.57	5.62	20	
63	5.57	5.394	20	
64	5.57	5.714	20	
65	5.57	5.556	20	
66	5.57	5.302	20	
67	5.57	5.604	20	
68	5.57	5.274	20	
69	5.57	5.42	20	
70	5.57	5.455	20	
71	5.57	5.632	20	
72	5.57	5.612	20	
73	5.57	5.277	20	
74	5.57	5.332	20	
75	5.57	5.261	20	
76	5.57	5.545	20	
77	5.57	5.457	20	
78	5.57	5.622	20	
79	5.57	5.47	20	
80	5.57	5.251	20	
81	5.57	5.366	20	
82	5.57	5.522	20	
83	5.57	5.486	20	
84	5.57	5.684	20	
85	5.57	5.389	20	
86	5.57	5.443	20	
87	5.57	5.626	20	
88	5.57	5.718	20	
89	5.57	5.72	20	
90	5.57	5.703	20	
91	5.57	5.411	20	
92	5.57	5.369	20	
93	5.57	5.319	20	
94	5.57	5.254	20	
95	5.57	5.441	20	
96	5.57	5.673	20	
97	5.57	5.611	20	
98	5.57	5.648	20	
99	5.57	5.33	20	
100	5.57	5.461	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 25

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.332	20	
2	5.57	5.609	20	
3	5.57	5.381	20	
4	5.57	5.503	20	
5	5.57	5.331	20	
6	5.57	5.334	20	
7	5.57	5.636	20	
8	5.57	5.358	20	
9	5.57	5.439	20	
10	5.57	5.442	20	
11	5.57	5.398	20	
12	5.57	5.387	20	
13	5.57	5.295	20	
14	5.57	5.335	20	
15	5.57	5.441	20	
16	5.57	5.681	20	
17	5.57	5.597	20	
18	5.57	5.408	20	
19	5.57	5.42	20	
20	5.57	5.479	20	
21	5.57	5.625	20	
22	5.57	5.533	20	
23	5.57	5.677	20	
24	5.57	5.622	20	
25	5.57	5.397	20	
26	5.57	5.499	20	
27	5.57	5.388	20	
28	5.57	5.462	20	
29	5.57	5.4	20	
30	5.57	5.532	20	
31	5.57	5.703	20	
32	5.57	5.367	20	
33	5.57	5.305	20	
34	5.57	5.333	20	
35	5.57	5.701	20	
36	5.57	5.359	20	
37	5.57	5.343	20	
38	5.57	5.288	20	
39	5.57	5.376	20	
40	5.57	5.723	20	
41	5.57	5.582	20	
42	5.57	5.617	20	
43	5.57	5.593	20	
44	5.57	5.341	20	
45	5.57	5.293	20	
46	5.57	5.302	20	
47	5.57	5.528	20	

48	5.57	5.487	20	
49	5.57	5.328	20	
50	5.57	5.258	20	
51	5.57	5.445	20	
52	5.57	5.516	20	
53	5.57	5.629	20	
54	5.57	5.688	20	
55	5.57	5.473	20	
56	5.57	5.502	20	
57	5.57	5.554	20	
58	5.57	5.64	20	
59	5.57	5.712	20	
60	5.57	5.651	20	
61	5.57	5.402	20	
62	5.57	5.716	20	
63	5.57	5.549	20	
64	5.57	5.585	20	
65	5.57	5.257	20	
66	5.57	5.61	20	
67	5.57	5.722	20	
68	5.57	5.336	20	
69	5.57	5.375	20	
70	5.57	5.671	20	
71	5.57	5.693	20	
72	5.57	5.471	20	
73	5.57	5.571	20	*
74	5.57	5.281	20	
75	5.57	5.578	20	*
76	5.57	5.326	20	
77	5.57	5.459	20	
78	5.57	5.344	20	
79	5.57	5.338	20	
80	5.57	5.428	20	
81	5.57	5.537	20	
82	5.57	5.475	20	
83	5.57	5.378	20	
84	5.57	5.563	20	*
85	5.57	5.478	20	
86	5.57	5.494	20	
87	5.57	5.498	20	
88	5.57	5.511	20	
89	5.57	5.36	20	
90	5.57	5.466	20	
91	5.57	5.352	20	
92	5.57	5.591	20	
93	5.57	5.505	20	
94	5.57	5.41	20	
95	5.57	5.292	20	
96	5.57	5.52	20	
97	5.57	5.345	20	
98	5.57	5.711	20	
99	5.57	5.318	20	
100	5.57	5.391	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 26

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.458	20	
2	5.57	5.265	20	
3	5.57	5.467	20	
4	5.57	5.481	20	
5	5.57	5.359	20	
6	5.57	5.715	20	
7	5.57	5.636	20	
8	5.57	5.511	20	
9	5.57	5.673	20	
10	5.57	5.486	20	
11	5.57	5.595	20	
12	5.57	5.568	20	*
13	5.57	5.497	20	
14	5.57	5.689	20	
15	5.57	5.296	20	
16	5.57	5.548	20	
17	5.57	5.335	20	
18	5.57	5.717	20	
19	5.57	5.367	20	
20	5.57	5.3	20	
21	5.57	5.628	20	
22	5.57	5.445	20	
23	5.57	5.325	20	
24	5.57	5.702	20	
25	5.57	5.383	20	
26	5.57	5.254	20	
27	5.57	5.615	20	
28	5.57	5.456	20	
29	5.57	5.346	20	
30	5.57	5.326	20	
31	5.57	5.48	20	
32	5.57	5.522	20	
33	5.57	5.299	20	
34	5.57	5.535	20	
35	5.57	5.578	20	*
36	5.57	5.649	20	
37	5.57	5.378	20	
38	5.57	5.477	20	
39	5.57	5.542	20	
40	5.57	5.291	20	
41	5.57	5.319	20	
42	5.57	5.275	20	
43	5.57	5.393	20	
44	5.57	5.662	20	
45	5.57	5.707	20	
46	5.57	5.609	20	
47	5.57	5.602	20	

48	5.57	5.699	20	
49	5.57	5.387	20	
50	5.57	5.439	20	
51	5.57	5.361	20	
52	5.57	5.644	20	
53	5.57	5.391	20	
54	5.57	5.404	20	
55	5.57	5.298	20	
56	5.57	5.704	20	
57	5.57	5.685	20	
58	5.57	5.352	20	
59	5.57	5.454	20	
60	5.57	5.443	20	
61	5.57	5.402	20	
62	5.57	5.334	20	
63	5.57	5.697	20	
64	5.57	5.314	20	
65	5.57	5.561	20	*
66	5.57	5.528	20	
67	5.57	5.261	20	
68	5.57	5.504	20	
69	5.57	5.503	20	
70	5.57	5.539	20	
71	5.57	5.629	20	
72	5.57	5.55	20	
73	5.57	5.32	20	
74	5.57	5.547	20	
75	5.57	5.415	20	
76	5.57	5.529	20	
77	5.57	5.719	20	
78	5.57	5.711	20	
79	5.57	5.43	20	
80	5.57	5.25	20	
81	5.57	5.336	20	
82	5.57	5.412	20	
83	5.57	5.7	20	
84	5.57	5.471	20	
85	5.57	5.517	20	
86	5.57	5.353	20	
87	5.57	5.695	20	
88	5.57	5.551	20	
89	5.57	5.419	20	
90	5.57	5.614	20	
91	5.57	5.541	20	
92	5.57	5.659	20	
93	5.57	5.317	20	
94	5.57	5.536	20	
95	5.57	5.521	20	
96	5.57	5.329	20	
97	5.57	5.594	20	
98	5.57	5.478	20	
99	5.57	5.274	20	
100	5.57	5.667	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 27

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.404	20	
2	5.57	5.396	20	
3	5.57	5.602	20	
4	5.57	5.543	20	
5	5.57	5.509	20	
6	5.57	5.623	20	
7	5.57	5.394	20	
8	5.57	5.275	20	
9	5.57	5.325	20	
10	5.57	5.684	20	
11	5.57	5.384	20	
12	5.57	5.51	20	
13	5.57	5.508	20	
14	5.57	5.455	20	
15	5.57	5.59	20	
16	5.57	5.622	20	
17	5.57	5.573	20	*
18	5.57	5.52	20	
19	5.57	5.546	20	
20	5.57	5.635	20	
21	5.57	5.614	20	
22	5.57	5.307	20	
23	5.57	5.717	20	
24	5.57	5.69	20	
25	5.57	5.679	20	
26	5.57	5.512	20	
27	5.57	5.579	20	*
28	5.57	5.266	20	
29	5.57	5.328	20	
30	5.57	5.544	20	
31	5.57	5.654	20	
32	5.57	5.357	20	
33	5.57	5.606	20	
34	5.57	5.705	20	
35	5.57	5.333	20	
36	5.57	5.641	20	
37	5.57	5.634	20	
38	5.57	5.327	20	
39	5.57	5.466	20	
40	5.57	5.646	20	
41	5.57	5.671	20	
42	5.57	5.465	20	
43	5.57	5.574	20	*
44	5.57	5.408	20	
45	5.57	5.457	20	
46	5.57	5.354	20	
47	5.57	5.376	20	

48	5.57	5.631	20	
49	5.57	5.461	20	
50	5.57	5.673	20	
51	5.57	5.427	20	
52	5.57	5.291	20	
53	5.57	5.576	20	*
54	5.57	5.525	20	
55	5.57	5.662	20	
56	5.57	5.695	20	
57	5.57	5.532	20	
58	5.57	5.413	20	
59	5.57	5.415	20	
60	5.57	5.365	20	
61	5.57	5.302	20	
62	5.57	5.253	20	
63	5.57	5.289	20	
64	5.57	5.486	20	
65	5.57	5.322	20	
66	5.57	5.649	20	
67	5.57	5.571	20	*
68	5.57	5.385	20	
69	5.57	5.655	20	
70	5.57	5.598	20	
71	5.57	5.344	20	
72	5.57	5.706	20	
73	5.57	5.694	20	
74	5.57	5.462	20	
75	5.57	5.366	20	
76	5.57	5.324	20	
77	5.57	5.281	20	
78	5.57	5.469	20	
79	5.57	5.259	20	
80	5.57	5.264	20	
81	5.57	5.282	20	
82	5.57	5.435	20	
83	5.57	5.524	20	
84	5.57	5.615	20	
85	5.57	5.312	20	
86	5.57	5.494	20	
87	5.57	5.595	20	
88	5.57	5.274	20	
89	5.57	5.701	20	
90	5.57	5.418	20	
91	5.57	5.572	20	*
92	5.57	5.367	20	
93	5.57	5.411	20	
94	5.57	5.628	20	
95	5.57	5.715	20	
96	5.57	5.594	20	
97	5.57	5.356	20	
98	5.57	5.311	20	
99	5.57	5.554	20	
100	5.57	5.332	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 28

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.621	20	
2	5.57	5.425	20	
3	5.57	5.419	20	
4	5.57	5.39	20	
5	5.57	5.636	20	
6	5.57	5.597	20	
7	5.57	5.532	20	
8	5.57	5.414	20	
9	5.57	5.411	20	
10	5.57	5.38	20	
11	5.57	5.587	20	
12	5.57	5.502	20	
13	5.57	5.401	20	
14	5.57	5.521	20	
15	5.57	5.323	20	
16	5.57	5.413	20	
17	5.57	5.72	20	
18	5.57	5.367	20	
19	5.57	5.479	20	
20	5.57	5.712	20	
21	5.57	5.462	20	
22	5.57	5.632	20	
23	5.57	5.646	20	
24	5.57	5.473	20	
25	5.57	5.539	20	
26	5.57	5.369	20	
27	5.57	5.423	20	
28	5.57	5.381	20	
29	5.57	5.293	20	
30	5.57	5.453	20	
31	5.57	5.536	20	
32	5.57	5.566	20	*
33	5.57	5.518	20	
34	5.57	5.719	20	
35	5.57	5.406	20	
36	5.57	5.46	20	
37	5.57	5.351	20	
38	5.57	5.478	20	
39	5.57	5.556	20	
40	5.57	5.305	20	
41	5.57	5.326	20	
42	5.57	5.418	20	
43	5.57	5.316	20	
44	5.57	5.665	20	
45	5.57	5.339	20	
46	5.57	5.376	20	
47	5.57	5.553	20	

48	5.57	5.537	20	
49	5.57	5.429	20	
50	5.57	5.697	20	
51	5.57	5.616	20	
52	5.57	5.675	20	
53	5.57	5.59	20	
54	5.57	5.722	20	
55	5.57	5.559	20	
56	5.57	5.437	20	
57	5.57	5.614	20	
58	5.57	5.53	20	
59	5.57	5.26	20	
60	5.57	5.495	20	
61	5.57	5.535	20	
62	5.57	5.506	20	
63	5.57	5.707	20	
64	5.57	5.309	20	
65	5.57	5.454	20	
66	5.57	5.268	20	
67	5.57	5.501	20	
68	5.57	5.385	20	
69	5.57	5.428	20	
70	5.57	5.493	20	
71	5.57	5.618	20	
72	5.57	5.568	20	*
73	5.57	5.443	20	
74	5.57	5.668	20	
75	5.57	5.451	20	
76	5.57	5.409	20	
77	5.57	5.489	20	
78	5.57	5.347	20	
79	5.57	5.382	20	
80	5.57	5.464	20	
81	5.57	5.344	20	
82	5.57	5.271	20	
83	5.57	5.589	20	
84	5.57	5.442	20	
85	5.57	5.335	20	
86	5.57	5.308	20	
87	5.57	5.395	20	
88	5.57	5.514	20	
89	5.57	5.626	20	
90	5.57	5.667	20	
91	5.57	5.446	20	
92	5.57	5.391	20	
93	5.57	5.558	20	
94	5.57	5.262	20	
95	5.57	5.708	20	
96	5.57	5.397	20	
97	5.57	5.652	20	
98	5.57	5.47	20	
99	5.57	5.67	20	
100	5.57	5.477	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 29

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.479	20	
2	5.57	5.647	20	
3	5.57	5.45	20	
4	5.57	5.535	20	
5	5.57	5.545	20	
6	5.57	5.365	20	
7	5.57	5.27	20	
8	5.57	5.556	20	
9	5.57	5.592	20	
10	5.57	5.347	20	
11	5.57	5.601	20	
12	5.57	5.31	20	
13	5.57	5.483	20	
14	5.57	5.501	20	
15	5.57	5.518	20	
16	5.57	5.663	20	
17	5.57	5.251	20	
18	5.57	5.628	20	
19	5.57	5.568	20	*
20	5.57	5.451	20	
21	5.57	5.503	20	
22	5.57	5.271	20	
23	5.57	5.611	20	
24	5.57	5.548	20	
25	5.57	5.563	20	*
26	5.57	5.721	20	
27	5.57	5.496	20	
28	5.57	5.561	20	*
29	5.57	5.32	20	
30	5.57	5.399	20	
31	5.57	5.29	20	
32	5.57	5.278	20	
33	5.57	5.571	20	*
34	5.57	5.534	20	
35	5.57	5.353	20	
36	5.57	5.531	20	
37	5.57	5.645	20	
38	5.57	5.284	20	
39	5.57	5.567	20	*
40	5.57	5.58	20	*
41	5.57	5.65	20	
42	5.57	5.458	20	
43	5.57	5.285	20	
44	5.57	5.538	20	
45	5.57	5.704	20	
46	5.57	5.324	20	
47	5.57	5.355	20	

48	5.57	5.345	20	
49	5.57	5.696	20	
50	5.57	5.43	20	
51	5.57	5.304	20	
52	5.57	5.651	20	
53	5.57	5.488	20	
54	5.57	5.441	20	
55	5.57	5.272	20	
56	5.57	5.42	20	
57	5.57	5.34	20	
58	5.57	5.299	20	
59	5.57	5.508	20	
60	5.57	5.597	20	
61	5.57	5.636	20	
62	5.57	5.619	20	
63	5.57	5.384	20	
64	5.57	5.394	20	
65	5.57	5.348	20	
66	5.57	5.661	20	
67	5.57	5.464	20	
68	5.57	5.691	20	
69	5.57	5.557	20	
70	5.57	5.275	20	
71	5.57	5.69	20	
72	5.57	5.427	20	
73	5.57	5.615	20	
74	5.57	5.448	20	
75	5.57	5.521	20	
76	5.57	5.621	20	
77	5.57	5.411	20	
78	5.57	5.257	20	
79	5.57	5.289	20	
80	5.57	5.588	20	
81	5.57	5.314	20	
82	5.57	5.288	20	
83	5.57	5.533	20	
84	5.57	5.665	20	
85	5.57	5.37	20	
86	5.57	5.701	20	
87	5.57	5.507	20	
88	5.57	5.572	20	*
89	5.57	5.372	20	
90	5.57	5.332	20	
91	5.57	5.367	20	
92	5.57	5.3	20	
93	5.57	5.581	20	
94	5.57	5.306	20	
95	5.57	5.259	20	
96	5.57	5.723	20	
97	5.57	5.351	20	
98	5.57	5.629	20	
99	5.57	5.55	20	
100	5.57	5.623	20	

802.11ax (HE160) - 5570MHz

TYPE 6 PARAMETER SHEET

Trial Number : 30

Bursts in Trial: 100

Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.643	20	
2	5.57	5.299	20	
3	5.57	5.305	20	
4	5.57	5.631	20	
5	5.57	5.252	20	
6	5.57	5.385	20	
7	5.57	5.679	20	
8	5.57	5.444	20	
9	5.57	5.337	20	
10	5.57	5.509	20	
11	5.57	5.659	20	
12	5.57	5.608	20	
13	5.57	5.537	20	
14	5.57	5.492	20	
15	5.57	5.498	20	
16	5.57	5.415	20	
17	5.57	5.579	20	*
18	5.57	5.495	20	
19	5.57	5.666	20	
20	5.57	5.557	20	
21	5.57	5.632	20	
22	5.57	5.576	20	*
23	5.57	5.416	20	
24	5.57	5.637	20	
25	5.57	5.546	20	
26	5.57	5.363	20	
27	5.57	5.441	20	
28	5.57	5.703	20	
29	5.57	5.715	20	
30	5.57	5.558	20	
31	5.57	5.457	20	
32	5.57	5.265	20	
33	5.57	5.478	20	
34	5.57	5.595	20	
35	5.57	5.626	20	
36	5.57	5.258	20	
37	5.57	5.487	20	
38	5.57	5.647	20	
39	5.57	5.598	20	
40	5.57	5.453	20	
41	5.57	5.268	20	
42	5.57	5.403	20	
43	5.57	5.288	20	
44	5.57	5.697	20	
45	5.57	5.424	20	
46	5.57	5.54	20	
47	5.57	5.656	20	

48	5.57	5.448	20	
49	5.57	5.318	20	
50	5.57	5.404	20	
51	5.57	5.602	20	
52	5.57	5.628	20	
53	5.57	5.503	20	
54	5.57	5.286	20	
55	5.57	5.389	20	
56	5.57	5.274	20	
57	5.57	5.648	20	
58	5.57	5.29	20	
59	5.57	5.447	20	
60	5.57	5.422	20	
61	5.57	5.554	20	
62	5.57	5.285	20	
63	5.57	5.319	20	
64	5.57	5.604	20	
65	5.57	5.716	20	
66	5.57	5.295	20	
67	5.57	5.336	20	
68	5.57	5.456	20	
69	5.57	5.583	20	
70	5.57	5.331	20	
71	5.57	5.649	20	
72	5.57	5.316	20	
73	5.57	5.665	20	
74	5.57	5.425	20	
75	5.57	5.556	20	
76	5.57	5.62	20	
77	5.57	5.392	20	
78	5.57	5.271	20	
79	5.57	5.472	20	
80	5.57	5.615	20	
81	5.57	5.277	20	
82	5.57	5.368	20	
83	5.57	5.545	20	
84	5.57	5.512	20	
85	5.57	5.493	20	
86	5.57	5.267	20	
87	5.57	5.466	20	
88	5.57	5.332	20	
89	5.57	5.55	20	
90	5.57	5.334	20	
91	5.57	5.25	20	
92	5.57	5.573	20	*
93	5.57	5.272	20	
94	5.57	5.721	20	
95	5.57	5.276	20	
96	5.57	5.534	20	
97	5.57	5.693	20	
98	5.57	5.41	20	
99	5.57	5.362	20	
100	5.57	5.312	20	
