


5.2G

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	100	0	0
NVNT	a	5200	Ant1	100	0	0
NVNT	a	5240	Ant1	100	0	0
NVNT	n20	5180	Ant1	100	0	0
NVNT	n20	5200	Ant1	100	0	0
NVNT	n20	5240	Ant1	100	0	0
NVNT	n40	5190	Ant1	100	0	0
NVNT	n40	5230	Ant1	100	0	0
NVNT	ac20	5180	Ant1	100	0	0
NVNT	ac20	5200	Ant1	100	0	0
NVNT	ac20	5240	Ant1	100	0	0
NVNT	ac40	5190	Ant1	100	0	0
NVNT	ac40	5230	Ant1	100	0	0
NVNT	ac80	5210	Ant1	100	0	0

Test Graphs


Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1







Duty Cycle NVNT n40 5190MHz Ant1




Duty Cycle NVNT n40 5230MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1



Duty Cycle NVNT ac40 5190MHz Ant1





Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	12.47	0	12.47	24	Pass
NVNT	a	5200	Ant1	12.63	0	12.63	24	Pass
NVNT	a	5240	Ant1	13.26	0	13.26	24	Pass
NVNT	n20	5180	Ant1	12.5	0	12.5	24	Pass
NVNT	n20	5200	Ant1	12.66	0	12.66	24	Pass
NVNT	n20	5240	Ant1	13.41	0	13.41	24	Pass
NVNT	n40	5190	Ant1	10.42	0	10.42	24	Pass
NVNT	n40	5230	Ant1	11.34	0	11.34	24	Pass
NVNT	ac20	5180	Ant1	10.31	0	10.31	24	Pass
NVNT	ac20	5200	Ant1	10.62	0	10.62	24	Pass
NVNT	ac20	5240	Ant1	11.25	0	11.25	24	Pass
NVNT	ac40	5190	Ant1	10.2	0	10.2	24	Pass
NVNT	ac40	5230	Ant1	11.11	0	11.11	24	Pass
NVNT	ac80	5210	Ant1	10.51	0	10.51	24	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	19.461	0.5	Pass
NVNT	a	5200	Ant1	19.731	0.5	Pass
NVNT	a	5240	Ant1	19.944	0.5	Pass
NVNT	n20	5180	Ant1	20.055	0.5	Pass
NVNT	n20	5200	Ant1	19.68	0.5	Pass
NVNT	n20	5240	Ant1	19.92	0.5	Pass
NVNT	n40	5190	Ant1	40.218	0.5	Pass
NVNT	n40	5230	Ant1	40.638	0.5	Pass
NVNT	ac20	5180	Ant1	20.115	0.5	Pass
NVNT	ac20	5200	Ant1	20.205	0.5	Pass
NVNT	ac20	5240	Ant1	20.172	0.5	Pass
NVNT	ac40	5190	Ant1	40.896	0.5	Pass
NVNT	ac40	5230	Ant1	41.28	0.5	Pass
NVNT	ac80	5210	Ant1	81.672	0.5	Pass

Test Graphs


-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1







-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1



-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1




Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.564
NVNT	a	5200	Ant1	16.537
NVNT	a	5240	Ant1	16.69
NVNT	n20	5180	Ant1	17.686
NVNT	n20	5200	Ant1	17.728
NVNT	n20	5240	Ant1	17.776
NVNT	n40	5190	Ant1	36.188
NVNT	n40	5230	Ant1	36.254
NVNT	ac20	5180	Ant1	17.647
NVNT	ac20	5200	Ant1	17.629
NVNT	ac20	5240	Ant1	17.68
NVNT	ac40	5190	Ant1	36.152
NVNT	ac40	5230	Ant1	36.23
NVNT	ac80	5210	Ant1	75.772

Test Graphs


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1





OBW NVNT a 5240MHz Ant1




OBW NVNT n20 5180MHz Ant1









OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1



OBW NVNT ac40 5230MHz Ant1



OBW NVNT ac80 5210MHz Ant1




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-0.55	0	-0.55	11	Pass
NVNT	a	5200	Ant1	-0.25	0	-0.25	11	Pass
NVNT	a	5240	Ant1	-1.47	0	-1.47	11	Pass
NVNT	n20	5180	Ant1	-0.73	0	-0.73	11	Pass
NVNT	n20	5200	Ant1	-0.48	0	-0.48	11	Pass
NVNT	n20	5240	Ant1	-1.68	0	-1.68	11	Pass
NVNT	n40	5190	Ant1	-6	0	-6	11	Pass
NVNT	n40	5230	Ant1	-5.75	0	-5.75	11	Pass
NVNT	ac20	5180	Ant1	-2.51	0	-2.51	11	Pass
NVNT	ac20	5200	Ant1	-2.17	0	-2.17	11	Pass
NVNT	ac20	5240	Ant1	-3.11	0	-3.11	11	Pass
NVNT	ac40	5190	Ant1	-6.05	0	-6.05	11	Pass
NVNT	ac40	5230	Ant1	-6.09	0	-6.09	11	Pass
NVNT	ac80	5210	Ant1	-9.33	0	-9.33	11	Pass

Test Graphs


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1




PSD NVNT a 5240MHz Ant1





PSD NVNT n20 5180MHz Ant1














Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-32.3	-27	Pass
NVNT	a	5240	Ant1	-42.87	-27	Pass
NVNT	n20	5180	Ant1	-31.79	-27	Pass
NVNT	n20	5240	Ant1	-42.38	-27	Pass
NVNT	n40	5190	Ant1	-31.57	-27	Pass
NVNT	n40	5230	Ant1	-42.23	-27	Pass
NVNT	ac20	5180	Ant1	-32.63	-27	Pass
NVNT	ac20	5240	Ant1	-43.36	-27	Pass
NVNT	ac40	5190	Ant1	-35.3	-27	Pass
NVNT	ac40	5230	Ant1	-43.29	-27	Pass
NVNT	ac80	5210	Ant1	-40	-27	Pass


Note: Max Value=Antenna gain+Read value

Test Graphs

Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1




Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1



Band Edge NVNT n40 5190MHz Low Ant1




Band Edge NVNT n40 5230MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1




Band Edge NVNT ac40 5190MHz Low Ant1



Band Edge NVNT ac40 5230MHz High Ant1






Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-34.44	-27	Pass
NVNT	a	5200	Ant1	-34.53	-27	Pass
NVNT	a	5240	Ant1	-35.05	-27	Pass
NVNT	n20	5180	Ant1	-34.94	-27	Pass
NVNT	n20	5200	Ant1	-34.07	-27	Pass
NVNT	n20	5240	Ant1	-35.02	-27	Pass
NVNT	n40	5190	Ant1	-35	-27	Pass
NVNT	n40	5230	Ant1	-34.71	-27	Pass
NVNT	ac20	5180	Ant1	-34.84	-27	Pass
NVNT	ac20	5200	Ant1	-34.91	-27	Pass
NVNT	ac20	5240	Ant1	-34.91	-27	Pass
NVNT	ac40	5190	Ant1	-35.74	-27	Pass
NVNT	ac40	5230	Ant1	-34.91	-27	Pass
NVNT	ac80	5210	Ant1	-34.38	-27	Pass


Note: Max Value = Antenna gain + Read value

Test Graphs


Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission




Tx. Spurious NVNT n40 5190MHz Ant1 Emission




Tx. Spurious NVNT n40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission



Tx. Spurious NVNT ac40 5230MHz Ant1 Emission



Tx. Spurious NVNT ac80 5210MHz Ant1 Emission




5.3G

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant1	100	0	0
NVNT	a	5280	Ant1	100	0	0
NVNT	a	5320	Ant1	100	0	0
NVNT	n20	5260	Ant1	100	0	0
NVNT	n20	5280	Ant1	100	0	0
NVNT	n20	5320	Ant1	100	0	0
NVNT	n40	5270	Ant1	83.63	0.78	20
NVNT	n40	5310	Ant1	100	0	0
NVNT	ac20	5260	Ant1	100	0	0
NVNT	ac20	5280	Ant1	100	0	0
NVNT	ac20	5320	Ant1	100	0	0
NVNT	ac40	5270	Ant1	100	0	0
NVNT	ac40	5310	Ant1	100	0	0
NVNT	ac80	5290	Ant1	100	0	0


Test Graphs


Duty Cycle NVNT a 5260MHz Ant1




Duty Cycle NVNT a 5280MHz Ant1












Duty Cycle NVNT ac20 5260MHz Ant1




Duty Cycle NVNT ac20 5280MHz Ant1




Duty Cycle NVNT ac20 5320MHz Ant1



Duty Cycle NVNT ac40 5270MHz Ant1





Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	11.52	0	11.52	24	Pass
NVNT	a	5280	Ant1	11.62	0	11.62	24	Pass
NVNT	a	5320	Ant1	11.35	0	11.35	24	Pass
NVNT	n20	5260	Ant1	11.54	0	11.54	24	Pass
NVNT	n20	5280	Ant1	11.67	0	11.67	24	Pass
NVNT	n20	5320	Ant1	10.93	0	10.93	24	Pass
NVNT	n40	5270	Ant1	11.05	0	11.05	24	Pass
NVNT	n40	5310	Ant1	10.08	0	10.08	24	Pass
NVNT	ac20	5260	Ant1	11.4	0	11.4	24	Pass
NVNT	ac20	5280	Ant1	11.43	0	11.43	24	Pass
NVNT	ac20	5320	Ant1	10.72	0	10.72	24	Pass
NVNT	ac40	5270	Ant1	11.32	0	11.32	24	Pass
NVNT	ac40	5310	Ant1	10.18	0	10.18	24	Pass
NVNT	ac80	5290	Ant1	11.31	0	11.31	24	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant1	19.032	0.5	Pass
NVNT	a	5280	Ant1	19.422	0.5	Pass
NVNT	a	5320	Ant1	20.262	0.5	Pass
NVNT	n20	5260	Ant1	19.83	0.5	Pass
NVNT	n20	5280	Ant1	19.974	0.5	Pass
NVNT	n20	5320	Ant1	20.619	0.5	Pass
NVNT	n40	5270	Ant1	41.604	0.5	Pass
NVNT	n40	5310	Ant1	42.174	0.5	Pass
NVNT	ac20	5260	Ant1	20.217	0.5	Pass
NVNT	ac20	5280	Ant1	20.472	0.5	Pass
NVNT	ac20	5320	Ant1	21.096	0.5	Pass
NVNT	ac40	5270	Ant1	40.698	0.5	Pass
NVNT	ac40	5310	Ant1	42.156	0.5	Pass
NVNT	ac80	5290	Ant1	82.224	0.5	Pass

Test Graphs


-26dB Bandwidth NVNT a 5260MHz Ant1




-26dB Bandwidth NVNT a 5280MHz Ant1




-26dB Bandwidth NVNT a 5320MHz Ant1




-26dB Bandwidth NVNT n20 5260MHz Ant1




-26dB Bandwidth NVNT n20 5280MHz Ant1




-26dB Bandwidth NVNT n20 5320MHz Ant1




-26dB Bandwidth NVNT n40 5270MHz Ant1




-26dB Bandwidth NVNT n40 5310MHz Ant1




-26dB Bandwidth NVNT ac20 5260MHz Ant1




-26dB Bandwidth NVNT ac20 5280MHz Ant1




-26dB Bandwidth NVNT ac20 5320MHz Ant1




-26dB Bandwidth NVNT ac40 5270MHz Ant1



-26dB Bandwidth NVNT ac40 5310MHz Ant1



-26dB Bandwidth NVNT ac80 5290MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5260	Ant1	16.54
NVNT	a	5280	Ant1	16.537
NVNT	a	5320	Ant1	16.495
NVNT	n20	5260	Ant1	17.68
NVNT	n20	5280	Ant1	17.671
NVNT	n20	5320	Ant1	17.572
NVNT	n40	5270	Ant1	36.266
NVNT	n40	5310	Ant1	36.164
NVNT	ac20	5260	Ant1	17.617
NVNT	ac20	5280	Ant1	17.728
NVNT	ac20	5320	Ant1	17.596
NVNT	ac40	5270	Ant1	36.248
NVNT	ac40	5310	Ant1	36.17
NVNT	ac80	5290	Ant1	75.904

Test Graphs


OBW NVNT a 5260MHz Ant1




OBW NVNT a 5280MHz Ant1





OBW NVNT a 5320MHz Ant1





OBW NVNT n20 5260MHz Ant1













OBW NVNT ac40 5310MHz Ant1



OBW NVNT ac80 5290MHz Ant1




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	-2.43	0	-2.43	11	Pass
NVNT	a	5280	Ant1	-2.61	0	-2.61	11	Pass
NVNT	a	5320	Ant1	-2.49	0	-2.49	11	Pass
NVNT	n20	5260	Ant1	-2.54	0	-2.54	11	Pass
NVNT	n20	5280	Ant1	-2.58	0	-2.58	11	Pass
NVNT	n20	5320	Ant1	-2.74	0	-2.74	11	Pass
NVNT	n40	5270	Ant1	-6.75	0	-6.75	11	Pass
NVNT	n40	5310	Ant1	-6.61	0	-6.61	11	Pass
NVNT	ac20	5260	Ant1	-2.87	0	-2.87	11	Pass
NVNT	ac20	5280	Ant1	-2.92	0	-2.92	11	Pass
NVNT	ac20	5320	Ant1	-3.21	0	-3.21	11	Pass
NVNT	ac40	5270	Ant1	-5.84	0	-5.84	11	Pass
NVNT	ac40	5310	Ant1	-6.64	0	-6.64	11	Pass
NVNT	ac80	5290	Ant1	-8.95	0	-8.95	11	Pass

Test Graphs


PSD NVNT a 5260MHz Ant1




PSD NVNT a 5280MHz Ant1






PSD NVNT a 5320MHz Ant1





PSD NVNT n20 5260MHz Ant1















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-42.73	-27	Pass
NVNT	a	5320	Ant1	-41.3	-27	Pass
NVNT	n20	5260	Ant1	-42.79	-27	Pass
NVNT	n20	5320	Ant1	-41.89	-27	Pass
NVNT	n40	5270	Ant1	-43.61	-27	Pass
NVNT	n40	5310	Ant1	-40.67	-27	Pass
NVNT	ac20	5260	Ant1	-42.48	-27	Pass
NVNT	ac20	5320	Ant1	-42.27	-27	Pass
NVNT	ac40	5270	Ant1	-43.08	-27	Pass
NVNT	ac40	5310	Ant1	-41.99	-27	Pass
NVNT	ac80	5290	Ant1	-40.61	-27	Pass

Note: Max Value=Antenna gain+Read value

Test Graphs


Band Edge NVNT a 5260MHz Low Ant1




Band Edge NVNT a 5320MHz High Ant1




Band Edge NVNT n20 5260MHz Low Ant1



Band Edge NVNT n20 5320MHz High Ant1



Band Edge NVNT n40 5270MHz Low Ant1



Band Edge NVNT n40 5310MHz High Ant1




Band Edge NVNT ac20 5260MHz Low Ant1



Band Edge NVNT ac20 5320MHz High Ant1




Band Edge NVNT ac40 5270MHz Low Ant1



Band Edge NVNT ac40 5310MHz High Ant1






Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-33.92	-27	Pass
NVNT	a	5280	Ant1	-35.05	-27	Pass
NVNT	a	5320	Ant1	-35.07	-27	Pass
NVNT	n20	5260	Ant1	-34.62	-27	Pass
NVNT	n20	5280	Ant1	-34.64	-27	Pass
NVNT	n20	5320	Ant1	-34.13	-27	Pass
NVNT	n40	5270	Ant1	-34.42	-27	Pass
NVNT	n40	5310	Ant1	-34.52	-27	Pass
NVNT	ac20	5260	Ant1	-34.66	-27	Pass
NVNT	ac20	5280	Ant1	-34.58	-27	Pass
NVNT	ac20	5320	Ant1	-34.42	-27	Pass
NVNT	ac40	5270	Ant1	-34.67	-27	Pass
NVNT	ac40	5310	Ant1	-34.23	-27	Pass
NVNT	ac80	5290	Ant1	-35.27	-27	Pass


Note: Max Value=Antenna gain+Read value

Test Graphs


Tx. Spurious NVNT a 5260MHz Ant1 Emission




Tx. Spurious NVNT a 5280MHz Ant1 Emission




Tx. Spurious NVNT a 5320MHz Ant1 Emission




Tx. Spurious NVNT n20 5260MHz Ant1 Emission




Tx. Spurious NVNT n20 5280MHz Ant1 Emission




Tx. Spurious NVNT n20 5320MHz Ant1 Emission




Tx. Spurious NVNT n40 5270MHz Ant1 Emission




Tx. Spurious NVNT n40 5310MHz Ant1 Emission




Tx. Spurious NVNT ac20 5260MHz Ant1 Emission




Tx. Spurious NVNT ac20 5280MHz Ant1 Emission




Tx. Spurious NVNT ac20 5320MHz Ant1 Emission




Tx. Spurious NVNT ac40 5270MHz Ant1 Emission



Tx. Spurious NVNT ac40 5310MHz Ant1 Emission



Tx. Spurious NVNT ac80 5290MHz Ant1 Emission




5.6G

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant1	100	0	0
NVNT	a	5600	Ant1	100	0	0
NVNT	a	5700	Ant1	100	0	0
NVNT	n20	5500	Ant1	100	0	0
NVNT	n20	5600	Ant1	100	0	0
NVNT	n20	5700	Ant1	100	0	0
NVNT	n40	5510	Ant1	100	0	0
NVNT	n40	5590	Ant1	100	0	0
NVNT	n40	5670	Ant1	100	0	0
NVNT	ac20	5500	Ant1	100	0	0
NVNT	ac20	5600	Ant1	100	0	0
NVNT	ac20	5700	Ant1	100	0	0
NVNT	ac40	5510	Ant1	100	0	0
NVNT	ac40	5590	Ant1	100	0	0
NVNT	ac40	5670	Ant1	100	0	0
NVNT	ac80	5530	Ant1	100	0	0
NVNT	ac80	5610	Ant1	100	0	0

Test Graphs


Duty Cycle NVNT a 5500MHz Ant1




Duty Cycle NVNT a 5600MHz Ant1




Duty Cycle NVNT a 5700MHz Ant1




Duty Cycle NVNT n20 5500MHz Ant1




Duty Cycle NVNT n20 5600MHz Ant1



Duty Cycle NVNT n20 5700MHz Ant1



Duty Cycle NVNT n40 5510MHz Ant1



Duty Cycle NVNT n40 5590MHz Ant1

