



Exhibit: Test Setup Photos

FCC ID: 2AAXW900MRM2
IC: 11295A-900MRM2

Client	Aarcomm Systems Inc.	
Product	RM2-900 MRTR Wireless Radio Module	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	




Figure 1 – Radiated Emissions Setup
(X-Axis – Worst Case)

Client	Aarcomm Systems Inc.	
Product	RM2-900 MRTR Wireless Radio Module	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	



Figure 2 – Radiated Emissions Setup
9kHz – 30MHz

Client	Aarcomm Systems Inc.	
Product	RM2-900 MRTR Wireless Radio Module	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	



Figure 3 – Radiated Emissions Setup
30MHz – 1GHz

Note: As per ANSI C63.10-2013 Clause 6.3.1, below 1GHz, the height of the EUT was set to 80cm. Above 1GHz, the height was raised to 1.5m.

Client	Aarcomm Systems Inc.	
Product	RM2-900 MRTR Wireless Radio Module	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	



Figure 4 – Radiated Emissions Setup
1GHz – 6GHz

Note: As per ANSI C63.10-2013 Clause 6.3.1, above 1GHz, the height of the EUT was set to 1.5m.

Client	Aarcomm Systems Inc.	
Product	RM2-900 MRTR Wireless Radio Module	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	



Figure 5 – Radiated Emissions Setup
6GHz – 10GHz

Client	Aarcomm Systems Inc.	
Product	RM2-900 MRTR Wireless Radio Module	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247	




Figure 6 – Antenna Port Conducted Emissions Setup