

CENTRE OF TESTING SERVICE INTERNATIONAL

OPERATE ACCORDING TO ISO/IEC 17025

FCC ID /IC TEST REPORT

TEST REPORT NUMBER: CGZ3130819-00755-EFI



CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China





	TEST REPORT For FCC ID/IC
Report Reference No	CGZ3130819-00755-EFI
Date of issue	05 September 2013
Testing Laboratory Name	CENTRE OF TESTING SERVICE CO., LTD.
Address	A101,No.65,Zhuji Highway,Tianhe District,Guangzhou, China
Testing location/ procedure	Full application of Harmonised standards ■
	Partial application of Harmonised standards \square
	Other standard testing method \square
Applicant's name	XIKAR Inc.
Address	PO Box 025757 Kansas City, MO64102 United States
Test specification	
Standard	47 CFR PART 15 OCT, 2012 , ANSI C63.4-2009,
	RSS-210 Issue 8,RSS-Gen Issue 3
Test Report Form No	CTSEMC-1.0
TRF Originator	CENTRE OF TESTING SERVICE CO., LTD.
Master TRF	Dated 2009-01
CENTRE OF TESTING SERVICE	E CO., LTD. All rights reserved.
CENTRE OF TESTING SERVICE material. CENTRE OF TESTING	ced in whole or in part for non-commercial purposes as long as the EECO., LTD is acknowledged as copyright owner and source of the ESERVICE CO., LTD takes no responsibility for and will not assume liability eader's interpretation of the reproduced material due to its placement and
Test item description	: WIRELESS TRANSMITTER FOR TEMPERATURE AND HUMIDITY STATION
Trade Mark	/
Manufacturer	FUZHOU SWELL ELECTRONIC CO.,LTD.
Model/Type reference	837XI-2
Ratings	Battery 1.5V*2
Operating Frequency	434 MHz
Result	PASSED

Kate zhang / Fileadministrators

Compiled by:

Supervised by:

Approved by:

Duke yang / Technique principal Vincent yao / Manager

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn





FCCID-TEST REPORT

Test Report No. : CGZ3130819-00755-EFI

05 September 2013
Date of issue

Type / Model	837XI-2
EUT	WIRELESS TRANSMITTER FOR TEMPERATURE AND HUMIDITY STATION
Applicant	XIKAR Inc.
Address	PO Box 025757 Kansas City, MO64102 United States
Telephone	+888-266-1193
Fax	+816-421-3530
Contact	Rob Lembke
Manufacturer	FUZHOU SWELL ELECTRONIC CO.,LTD.
Address	FLOOR 3th ,BLDG. A1, NO. 56,JINYAN ROAD, JINSHAN INDUSTRIAL ZONE, CANGSHAN DISTRICT FUZHOU, FUJIAN, CHINA
Telephone	+86-591-28053309
Fax	+86-591-28053192
Contact	Vickey
Factory	FUZHOU SWELL ELECTRONIC CO.,LTD.
Address	FLOOR 3th ,BLDG. A1, NO. 56,JINYAN ROAD, JINSHAN INDUSTRIAL ZONE, CANGSHAN DISTRICT FUZHOU, FUJIAN, CHINA
Telephone	+86-591-28053309
Fax	+86-591-28053192
Contact	Vickey

Test Result according to the standards on page 3: PASSED

The test report merely corresponds to the test sample.

It is not permitted to copy extracts of these test result without the written permission of the test laboratory.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3130819-00755-EFI Page 2 of 31



TABLE OF CONTENTS

<u>Description</u>	<u>Page</u>
1. TEST STANDARDS	5
2. SUMMARY	5
2.1 GENERAL REMARKS	
2.2 FINAL ASSESSMENT	
3. EQUIPMENT UNDER TEST	6
3.1 Power supply system utilised	6
3.2 Short description of the Equipment under Test (EUT)	6
3.3 EUT OPERATION MODE	
3.4 EUT CONFIGURATION	7
4. TEST ENVIRONMENT	8
4.1 Address of the test laboratory	8
4.2 TEST FACILITY	
4.3 ENVIRONMENTAL CONDITIONS	
4.4 DEFINITIONS OF SYMBOLS USED IN THIS TEST REPORT	
4.5 STATEMENT OF THE MEASUREMENT UNCERTAINTY	
5. Summary of standards and results	9
5.1.Description of Standards and Results	9
6. Power Line Conducted Emission Test	10
6.1.1 DESCRIPTION OF THE TEST LOCATION	10
6.1.2Test Equipment	
6.2.1 BLOCK DIAGRAM OF TEST SETUP	
6.2.2 DESCRIPTION OF THE TEST SET-UP	
6.2.3 LIMITS OF DISTURBANCE (CLASS B)	
6.2.4 Power Line Conducted Emission Test Results	11
7. Radiated disturbance (electric field)	12
7.1.Test Equipment	
7.2.BLOCK DIAGRAM OF TEST SETUP	
7.3.RADIATED EMISSION LIMIT STANDARD: FCC 15.231,209	
7.4.TEST PROCEDURE	
7.5.RADIATED EMISSION TEST RESULTS	14
8. 20 dB Bandwidth test	22
8.1. Test Equipment	22

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn





8.2. Test Information	22
8.3. TEST RESULTS	23
9. 99% bandwidth	24
9.1 TEST PROCEDURE	24
9.2. TEST EQUIPMENT	
9.3. TEST INFORMATION	24
9.4. TEST RESULTS	24
10. Stop Transmitting Time Test	26
10.1. TEST EQUIPMENT	26
10.2. Test Information	
10.3. TEST RESULTS	
11. Pulse Desensitization Correction Factor	28
11.1. TEST EQUIPMENT	28
11.2. Test Information	
11.3. TEST RESULTS	
12. Manufacturer/ Approval holder Declaration	31

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn





1. TEST STANDARDS

The tests were performed according to following standards:

- ■47 CFR PART 15 OCT, 2012
- ANSI C63.4-2009
- RSS-210 Issue 8
- RSS-Gen Issue 3

2. SUMMARY

2.1 GENERAL REMARKS

Date of receipt of test sample	19 August 2013
Testing commenced on	19~24 August 2013
Testing concluded on	05 September 2013

2.2 FINAL ASSESSMENT

The FCC requirements pertaining to the technical standards and tested operation modes are

-	fι	ار	fi	Ш	ec	ł.	

□ - n	ıot f	ulfill	led.
-------	-------	--------	------

The equipment under test

- fulfils the FCC requirements cited on page 1.
- does not fulfil the FCC requirements cited on page 1.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn





3. EQUIPMENT UNDER TEST

3.1 Power supply system utilised

Power supply voltage : ■ Battery 1.5V*2

□ Other

3.2 Short description of the Equipment under Test (EUT)

Number of tested samples: 1

Serial number: Prototype

3.3 EUT operation mode

The equipment under test was operated during the measurement under the following conditions: For Radiation emission:

■ -TX +X position

□ –TX +Y position

 \Box –TX +Z position

Operation mode 1: TX +X position

Note: X position of EUT is the worst case, so only these test results be recorded in the test report.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406 Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3130819-00755-EFI Page 6 of 31





3.4 EUT configuration

3.4.1. Description of configuration (EUT)

Description		WIRELESS TRANSMITTER FOR TEMPERATURE AND HUMIDITY STATION
Model Number	:	837XI-2
Operation frequency	:	434 MHz
Radio Technology	:	ASK
Modulation Technology	:	ASK modulation
Antenna	:	Internal Antenna

3.4.2. Tested Supporting System Details

N/A

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn





4. TEST ENVIRONMENT

4.1 Address of the test laboratory

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

4.2 Test facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS-Lab Code: L3394

CENTRE OF TESTING SERVICE CO., LTD has been assessed and proved to be in compliance with CNAS-CL01: 2006 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC 17025: 2005 General Requirements) for the Competence of Testing and Calibration Laboratories.

IC-Registration No.: 8374A

The 3m Alternate Test Site of CENTRE OF TESTING SERVICE CO., LTD has been registered by Certification and Engineering Bureau of Industry Canada for the performance of radiated measurements with Registration No. 8374A on June 6, 2011 .

FCC-Registration No.: 971995

CENTRE OF TESTING SERVICE CO., LTD, EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files. Registration No.791995, July 13,2012.

4.3 Environmental conditions

During the measurement the environmental conditions were within the listed ranges:

Temperature:	15~35 ° C
Humidity:	25~75 %
Atmospheric pressure:	86~106 kPa

4.4 Definitions of symbols used in this test report

- The black square indicates that the listed condition, standard or equipment is applicable for this report.
- □ The empty square indicates that the listed condition, standard or equipment is **not** applicable for this report.

4.5 Statement of the measurement uncertainty

The data and results referenced in this document are true and accurate. The reader is cautioned that there may be errors within the calibration limits of the equipment and facilities. The measurement uncertainty was calculated for all measurements listed in this test report acc. to CISPR 16 - 4 "Specification for radio disturbance and immunity measuring apparatus and methods – Part 4: Uncertainty in EMC Measurements" and is documented in the CTS quality system acc. to DIN EN ISO/IEC 17025. Furthermore, component and process variability of devices similar to that tested may result in additional deviation. The manufacturer has the sole responsibility of continued compliance of the device.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471

Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3130819-00755-EFI Page 8 of 31





4.6 Measurement Uncertainty

Test Item	Frequency Range	Uncertainty	Note
Conduction disturbance	150kHz~30MHz	±1.22dB	(1)
Power disturbance	30MHz~300MHz	±1.38dB	(1)
	30MHz~300MHz	±3.14dB	(1)
Radiation emission (3m)	300MHz~1000MHz	±3.18dB	(1)
	1GHz~18GHz	±3.54dB	(1)

^{(1).} This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

5. Summary of standards and results

5.1. Description of Standards and Results

The EUT have been tested according to the applicable standards as referenced below.

EMISSION				
Description of Test Item	Standard	Results		
Conducted Emission Test	ANSI C63.4-2009 FCC Part 15 C: 15.207 RSS-Gen:7.2.4	N/A		
Radiated Emission Test	ANSI C63.4-2009 FCC Part 15 C: 15.231 RSS-Gen:7.2 RSS-210 A5	PASSED		
20 dB Bandwidth Test	ANSI C63.4-2009 FCC Part 15 C: 15.231 RSS-Gen:4.6.3	PASSED		
Stop Transmitting Time Test	ANSI C63.4-2009 FCC Part 15 C: 15.231	PASSED		
99% Bandwidth	RSS-210 Annex 8 RSS-Gen 4.6.1	PASSED		
N/A is an abbreviation for Not Applicable.	'	,		

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn





6. Power Line Conducted Emission Test

6.1.1 Description of the test location

Test location : Shielding Room

6.1.2Test Equipment

Conduc	ted Disturbance				
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.
1	EMI Test Receiver	ROHDE & SCHWARZ	ESHS10	842884/012	2012/11
2	Artificial Mains	ROHDE & SCHWARZ	ESH3-Z5	832479/025	2012/11
3	Artificial Mains	ROHDE & SCHWARZ	ESH3-Z5	832479/026	2012/11
4	Pulse Limiter	ROHDE & SCHWARZ	ESHSZ2	100301	2012/11
5	EMI Test Software	ROHDE & SCHWARZ	ESK1	N/A	2012/11

6.2.1 Block Diagram of Test Setup


TX EUT

(EUT: WIRELESS TRANSMITTER FOR TEMPERATURE AND HUMIDITY STATION)

6.2.2 Description of the test set-up

6.1.2.1 Operating Condition

The EUT is engraving during the test, and the results of the maximum emanation are recorded 6.1.2.2 Block Diagram of Test Setup



Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406 Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3130819-00755-EFI





6.2.3 Limits of disturbance (Class B)

		Maximum RF I	ine Voltage
Frequ	uency	Quasi-Peak Level	Average Level
rioquorioy		dB(μV)	dB(μV)
150kHz	~ 500kHz	66 ~ 56*	56 ~ 46*
500kHz	~ 5MHz	56	46
5MHz	~ 30MHz	60	50

Note: (1) The tighter limit shall apply at the edge between two frequency bands.

6.2.4 Power Line Conducted Emission Test Results

Power supply by battery, Not applicable.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn






7. Radiated disturbance (electric field)

7.1.Test Equipment

Radia	Radiated disturbance (electric field)					
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	
1	EMI Test Receiver	ROHDE & SCHWARZ	ESCI	100868	2012/11	
2	Biconical Antenna	ROHDE & SCHWARZ	HK116	100221	2013/03	
3	Log per Antenna	ROHDE & SCHWARZ	HL223	100226	2013/03	
4	Log per Antenna	ROHDE & SCHWARZ	HL050	100186	2013/03	
5	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2013/03	
6	Loop Antenna	A.R.A	PLA-1030/B	1030	2012/11	

7.2.Block Diagram of Test Setup

7.2.1 Block Diagram of connection between EUT and simulators



(EUT:WIRELESS TRANSMITTER FOR TEMPERATURE AND HUMIDITY STATION)

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.


A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn





7.2.2 Anechoic Chamber Setup Diagram



7.3. Radiated Emission Limit Standard: FCC 15.231,209

FRE	FREQUENCY		DISTANCE	DISTANCE FIELD STRENGTHS LI	
	MHz		Meters	μV/m	dB(μV)/m
0.009	~	0.490	300	2400/F(KHz)	
0.490		1.705	30	24000/F(KHz)	
1.705		30	3	30	
30	~	88	3	100	40.0
88	~	216	3	150	43.5
216	~	960	3	200	46.0
960	~	1000	3	500	54.0
٨١	Above 1000		3	Other:74.0 dB(μV)/m (Peak)	
A			3	54.0 dB(μV)/m (Average)	

Remark:

- (1) Emission level $dB\mu V = 20 \log Emission level \mu V/m$
- (2) The smaller limit shall apply at the cross point between two frequency bands.
- (3) Distance is the distance in meters between the measuring instrument, antenna and the closest point of any part of the device or system.

7.4.Test Procedure

The EUT and its simulators are placed on a turn table, which is 0.8 meter high above ground. The turn table can rotate 360 degrees to determine the position of the maximum emission level. The EUT is set 3 meters away from the receiving antenna, which is mounted on a antenna tower. The antenna can be moved up and down between 1 meter and 4 meters to find out the maximum emission level. Broadband antenna (calibrated bilog antenna) is used as receiving antenna. Both horizontal and vertical polarization of the antenna is set on Test. In order to find the maximum emission levels, all of the interface cables must be manipulated according to ANSI C63.4-2009on radiated emission Test.

The frequency range from 30MHz to 1000MHz and above 1GHz. is investigated. Please see the following pages.

All measurements for radiated emissions within the restricted bands were performed using a Quasi-Peak detector with 120kHz RBW below 1GHz and a Peak and Average detector with 1MHz RBW above 1GHz,

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fa Complaint line: +86-20-85533471 E

Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3130819-00755-EFI Page 13 of 31





All measurements for radiated emissions within the restricted bands were performed using a Quasi-Peak detector with 300kHz VBW below 1GHz and a Peak detector with 1MHz VBW above 1GHz, A average detector be caluclated from peak value using duty cycle factor Both 30MHz to 1000MHz and above 1GHz

Pretest x, y, z position of EUT, final, select the worst case x position test and record the test results in the report.

The test modes (TX and RX Mode) is tested in Anechoic Chamber and all the scanning waveforms are reported on section 7.5

7.5. Radiated Emission Test Results

PASSED.

The frequency range from 9KHz to 30MHz,30MHz to 230MHz, 230MHz to 1000MHz and above 1GHz. is investigated. Please see the following pages.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471

Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3130819-00755-EFI Page 14 of 31





Test Mode: TX –X Position Mode Result: ■ - passed □ - not passed

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
	ark:Other freq icable Limit)	uency no sp	ecific emissi	ion form the	EUT (Margin :	> 10dB for	m the

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn





Channel:	434 MHz (TX)	Result:	■ - passed
Test point:	Horizontal		☐ - not passed
Frequency range:	30MHz ~18GHz		

EUT	WIRELESS TRANSMITTER FOR TEMPERATURE AND HUMIDITY STATION
Operating Condition	BATTERY 1.5V*2
Test Condition	Ambient Temperature: 25°C Humidity: 56%
Test Date:	19~23 August 2013
Operator	Duke
MODEL NO	837XI-2

Fundamental and Harmonics Average Result							
Frequency (MHz)	Factor (dB/m)	Reading (dBµV)	Duty Cycle Correction Factor(dB)		Limit (dBµV/m)	Margin (dB)	Det.
434.00	-15.64	88.33		72.69	92.87	-20.18	Peak
434.00	-15.64	88.33	-15.17	57.52	72.87	-13.35	AVG

Note:Level=Reading+Factor. Margin= Limit-Level. Average Level=Peak level + Duty Factor

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3130819-00755-EFI







No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
	(IVITZ)	(ub/III)	(ασμν/ιιι)	(ασμν/ιιι)		(ub)	
1	32.1643	-20.42	37.99	17.57	40.00	-22.43	QP
2	90.6012	-22.69	30.71	8.02	43.50	-35.48	QP
3	130.1002	-17.05	31.03	13.98	43.50	-29.52	QP
4	195.5711	-12.37	32.38	20.01	43.50	-23.49	QP
5	207.4750	-12.21	31.82	19.61	43.50	-23.89	QP
6	219.3788	-12.41	32.21	19.80	46.00	-26.20	QP

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.


CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn







No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
1	371.5431	-14.45	46.26	31.81	46.00	-14.19	QP
2	420.6413	-14.81	57.85	43.04	46.00	-2.96	QP
3	447.2946	-15.08	53.31	38.23	46.00	-7.77	QP
4	621.2425	-7.10	33.05	25.95	46.00	-20.05	QP
5	765.7315	-5.62	33.15	27.53	46.00	-18.47	QP
6	868.1363	-7.54	47.75	40.21	52.87	-12.66	Peak

Above 1GHz

No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
1	1507.014	-1.38	40.75	39.37	74.00	-34.63	peak
2	1507.014	-1.38	25.96	24.58	54.00	-29.42	AVG
3	2278.557	1.59	40.68	42.27	74.00	-31.73	peak
4	2278.557	1.59	25.37	26.96	54.00	-27.04	AVG
5	3050.100	6.76	41.15	47.91	74.00	-26.09	peak
6	3050.100	6.76	25.81	32.57	54.00	-21.43	AVG
7	4152.305	10.17	38.84	49.01	74.00	-24.99	peak
8	4152.305	10.17	24.68	34.85	54.00	-19.15	AVG
9	5210.421	12.84	36.61	49.45	74.00	-24.55	peak
10	5210.421	12.84	21.78	34.62	54.00	-19.38	AVG
11	7503.006	18.50	37.02	55.52	74.00	-18.48	peak
12	7503.006	18.50	21.69	40.19	54.00	-13.81	AVG

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn





Channel:	434 MHz (TX)	Result:	■ - passed
Test point:	Vertical		☐ - not passed
Frequency range:	30MHz ~18GHz		

EUT	WIRELESS TRANSMITTER FOR TEMPERATURE AND HUMIDITY STATION
Operating Condition	BATTERY 1.5V*2
Test Condition	Ambient Temperature: 25°C Humidity: 56%
Test Date:	19 ~23 August 2013
Operator	Duke
MODEL NO	837XI-2

Fundamental and Harmonics Average Result							
Frequency (MHz)	Factor (dB/m)	Reading (dBµV)	Duty Cycle Correction Factor(dB)		Limit (dBµV/m)	Margin (dB)	Det.
434.0	-15.64	95.92		80.28	92.87	-12.59	Peak
434.0	-15.64	95.92	-15.17	65.11	72.87	-7.76	AVG

Note:Level=Reading+Factor. Margin= Limit - Level. Average Level=Peak level + Duty Factor

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3130819-00755-EFIPage 19 of 31







No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
1	31.0822	-19.43	40.99	21.56	40.00	-18.44	QP
2	75.4509	-21.45	31.52	10.07	40.00	-29.93	QP
3	127.3948	-17.34	33.36	16.02	43.50	-27.48	QP
4	139.2986	-16.43	32.98	16.55	43.50	-26.95	QP
5	189.6192	-12.14	31.74	19.60	43.50	-23.90	QP
6	216.1323	-12.29	32.08	19.79	46.00	-26.21	QP

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.


CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn







No.	Frequency (MHz)	Factor (dB/m)	Reading (dBµV/m)	Level (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Det.
1	420.6413	-14.81	47.85	33.04	46.00	-12.96	QP
2	447.2946	-15.08	43.83	28.75	46.00	-17.25	QP
3	622.6453	-7.14	33.86	26.72	46.00	-19.28	QP
4	868.1363	-7.54	48.52	40.98	52.87	-11.89	Peak
5	897.5952	-4.04	35.65	31.61	46.00	-14.39	QP
6	913.0261	-4.31	33.17	28.86	46.00	-17.14	QP

Above 1GHz

No.	Frequency	Factor	Reading	Level	Limit	Margin	Det.
	(MHz)	(dB/m)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	
1	1484.970	-1.51	41.77	40.26	74.00	-33.74	peak
2	1484.970	-1.51	26.87	25.36	54.00	-28.64	AVG
3	2366.733	2.46	42.53	44.99	74.00	-29.01	peak
4	2366.733	2.46	27.32	29.78	54.00	-24.22	AVG
5	3050.100	6.76	42.39	49.15	74.00	-24.85	peak
6	3050.100	6.76	27.83	34.59	54.00	-19.41	AVG
7	4328.657	10.58	38.61	49.19	74.00	-24.81	peak
8	4328.657	10.58	24.20	34.78	54.00	-19.22	AVG
9	5122.244	12.55	38.13	50.68	74.00	-23.32	peak
10	5122.244	12.55	23.07	35.62	54.00	-18.38	AVG
11	8098.196	19.47	38.34	57.81	74.00	-16.19	peak
12	8098.196	19.47	23.14	42.61	54.00	-11.39	AVG

Remark: Others frequency Radiated Emission level margin all >10dB of Limit.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3130819-00755-EFI





8.20 dB Bandwidth test

8.1. Test Equipment

20 dB I	20 dB Bandwidth test					
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	
1	EMI Test Receiver	ROHDE & SCHWARZ	ESCI	10868	2012/11	
2	Log per Antenna	ROHDE & SCHWARZ	HL223	100226	2013/03	
3	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2013/03	

8.2. Test Information

Test By:	Duke
Test Date:	19~23 August 2013
Test Frequency:	434 MHz
Test mode:	Transmitting
Test standard:	FCC PART 15C: 15.231
Test Condition:	Ambient Temperature: 25°C Humidity: 56%
Power supply:	BATTERY 1.5V*2
M/N:	837XI-2
EUT: WIRELESS TRANSMITTER FOR TEMPERATURE AND HUMIDITY STATION	

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3130819-00755-EFI Page 22 of 31






8.3. Test Results

PASSED.

The testing data was attached in the next pages.

Frequency (MHz)	20 dB Bandwidth (kHz)	Limit(kHz): No wider than 0.25% of the center frequency	Conclusion
434.00	60	434*0.25%=1.085MHz	PASSED



Date: 23.AUG.2013 19:39:14

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn





9. 99% bandwidth

9.1 Test procedure

According to RSS-210 Annex 8 and RSS-Gen 4.6.1 The transmitter output is connected to the spectrum analyzer. The resolution bandwidth shall be set to as close to 1% of the selected span as is possible without being below 1%. The video bandwidth shall be set to 3 times the resolution bandwidth. Video averaging is not permitted. Where practical, a sampling detector shall be used given that a peak or peak hold may produce a wider bandwidth than actual. The sweep time is coupled.

9.2. Test Equipment

Band I	Band Edge Compliance test					
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	
1	EMI Test Receiver	ROHDE & SCHWARZ	ESCI	10868	2012/11	
2	Log per Antenna	ROHDE & SCHWARZ	HL050	100186	2013/03	
3	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2013/03	

9.3. Test Information

EUT:	WIRELESS TRANSMITTER FOR TEMPERATURE AND HUMIDITY STATION	
M/N:	837XI-2	
Power supply:	BATTERY 1.5V*2	
Test Condition:	Ambient Temperature: 25°C Humidity: 56%	
Test standard:	FCC PART 15C: 15.231	
Test mode:	Transmitting	
Test Frequency:	434 MHz	
Test Date:	19~23 August 2013	
Test By:	Duke	

9.4. Test Results

PASSED.

Frequency	Bandwidth	
(MHz)	(MHz)	
434.00	664KHz	

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406 Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3130819-00755-EFI Page 24 of 31



99% Bandwidth



Date: 23.AUG.2013 21:10:32

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn





10. Stop Transmitting Time Test

10.1. Test Equipment

Band E	Band Edge Compliance test					
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	
1	EMI Test Receiver	ROHDE & SCHWARZ	ESCI	10868	2012/11	
2	Log per Antenna	ROHDE & SCHWARZ	HL223	100226	2013/03	
3	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2013/03	

10.2. Test Information

EUT: WIRELESS TRANSMITTER FOR TEMPERATURE AND HUMIDITY STATION	
M/N:	837XI-2
Power supply:	BATTERY 1.5V*2
Test Condition:	Ambient Temperature: 25°C Humidity: 56%
Test standard:	FCC PART 15C: 15.231
Test mode:	Transmitting
Test Frequency:	434 MHz
Test Date:	24 August 2013
Test By:	Duke

10.3. Test Results

PASSED.

The testing data was attached in the next pages.

Set the spectrum to zero span, activated the EUT automatically, And then, we could see the transmitting wave in the spectrum, when the time marker went to "1R", released the EUT, After 720ms, we could see the EUT stop transmitting.

Frequency (MHz)	Duration of each transmission	Limit: not more than 1 seconds duration of each transmission	Conclusion
434.00	720ms	<1s	PASSED

Frequency (MHz)	Silent period between transmission	Limit: At least 30 times the duration of transmission but in no case less the 10s	Conclusion
434.00	56.16s	>21.6s	PASSED

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.c

See Reverse For Terms And Conditions of Service


Page 26 of 31

Report No.: CGZ3130819-00755-EFI





Date: 24.AUG.2013 18:01:30



Date: 24.AUG.2013 18:02:12

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn





11. Pulse Desensitization Correction Factor

11.1. Test Equipment

Band E	Band Edge Compliance test						
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.		
1	EMI Test Receiver	ROHDE & SCHWARZ	ESCI	10868	2012/11		
2	Log per Antenna	ROHDE & SCHWARZ	HL223	100226	2013/03		
3	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2013/03		

11.2. Test Information

EUT:	WIRELESS TRANSMITTER FOR TEMPERATURE AND HUMIDITY STATION
M/N:	837XI-2
Power supply:	BATTERY 1.5V*2
Test Condition:	Ambient Temperature: 25°C Humidity: 56%
Test standard:	FCC PART 15C: 15.231
Test mode:	Transmitting
Test Frequency:	434 MHz
Test Date:	19~23 August 2013
Test By:	Duke

11.3. Test Results

PASSED.

The testing data was attached in the next pages.


Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.


A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.ci





Date: 23.AUG.2013 20:02:43



Date: 23.AUG.2013 20:06:30


Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn





Date: 23.AUG.2013 20:04:40

Test Data

Ton+off=720 ms(which exceeds 0.1 seconds,and use the formula Ton/100ms to calculate the duty-cycle correction factor)

Ton=0.47*33+0.48*4=17.43ms

Duty cycle Correction Factor=20*log(Ton/Ton+off)= 20*log 17.43ms /100ms= -15.17dB

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn





12. Manufacturer/ Approval holder Declaration

The following identical model(s):

S014, S039, S525, S079

Belong to the tested device:

Product description: WIRELESS TRANSMITTER FOR TEMPERATURE AND HUMIDITY STATION

Model name: 837XI-2

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3130819-00755-EFI