
## **EXHIBIT C - EUT INTERNAL PHOTOGRAPHS**

**EUT – Cover off View 1** 




**EUT – Cover off View 2** 




**EUT – Cover off View 3** 




**EUT – Main Board 1 Top View 1** 




**EUT – Main Board 1 Top View 2** 




**EUT – Main Board 1 Top Shielding off View** 




**EUT - Main Board Bottom View** 




**EUT - Main Board Bottom Shielding off View** 



**EUT - LCD Board Top View** 




**EUT -LCD Board Bottom View** 



**EUT – IC Mains View** 



**EUT – Battery Front View** 



## **EUT – Battery Label View**

 $\oplus$   $\Theta$ 



# Voltaje: 3.7 V

Capacidad de batería:

1550mAh

Voltaje de carga límite:

Batería Li-on: 5.73Wh Modelo: FUN VALUE 4G

### **PRECAUCIÓN**

En caso de usar una batería distinta a la indicada por el fabricante existe riesgo de explosión. Para deshacerse de la batería debe hacerlo según los pasos indicados en el manual

#### - ADVERTENCIA -

Se sugiere utilizar el cargador indicado por el fabricante. Se debe evitar desmontar la batería, mojarla o dejarla en un ambiente corrosivo. Se debe evitar exponer al calor (sobre 60°C) o ponerla en contacto directo con el fuego.







Hecho en China