

**Annex acc. to FCC Title 47 CFR Part 15
relating to
Teleconformity BV
NC2400P**

Annex no. 11 Test Results


**Title 47 - Telecommunication
Part 15 - Radio Frequency Devices
Subpart C – Intentional Radiators
ANSI C63.4-2014
ANSI C63.10-2013**




Deutsche
Akkreditierungsstelle
D-PL-12053-01-03

Test Results: Peak Power


@2401 MHz



@2442 MHz




@2482 MHz




Test Results: Out of Band spurious Emission (Conducted) @ 2401 MHz

9 kHz – 2.5 GHz




2.0 GHz – 25 GHz




Test Results: Out of Band spurious Emission (Conducted) @ 2442 MHz

9 kHz – 2.5 GHz




2.0 GHz – 25 GHz




Test Results: Out of Band spurious Emission (Conducted) @ 2482 MHz

9 kHz – 2.5 GHz




2 GHz – 25 GHz




Test Results: Radiated emissions @ 2401 MHz


9 kHz – 30 MHz




30 MHz – 1 GHz



1 GHz – 18 GHz




18 GHz – 25 GHz




Test Results: Radiated emissions @ 2442 MHz


9 kHz – 30 MHz




30 MHz – 1 GHz



1 GHz – 18 GHz




18 GHz – 25 GHz




Test Results: Radiated emissions @ 2482 MHz


9 kHz – 30 MHz



30 MHz – 1 GHz



1 GHz – 18 GHz



18 GHz – 25 GHz

