







n48 30M CP-OFDM QPSK Outer_Full Mid




n48 30M CP-OFDM 256QAM Outer_Full Mid




n48 30M DFT-s-OFDM BPSK Outer_Full High




n48 30M DFT-s-OFDM 256QAM Outer_Full High




n48 30M CP-OFDM QPSK Outer_Full High




n48 30M CP-OFDM 256QAM Outer_Full High




n48 40M DFT-s-OFDM BPSK Outer_Full Low




n48 40M DFT-s-OFDM 256QAM Outer_Full Low




n48 40M CP-OFDM QPSK Outer_Full Low




n48 40M CP-OFDM 256QAM Outer_Full Low




n48 40M DFT-s-OFDM BPSK Outer_Full Mid




n48 40M DFT-s-OFDM 256QAM Outer_Full Mid




n48 40M CP-OFDM QPSK Outer_Full Mid




n48 40M CP-OFDM 256QAM Outer_Full Mid




n48 40M DFT-s-OFDM BPSK Outer_Full High



n48 40M DFT-s-OFDM 256QAM Outer_Full High



n48 40M CP-OFDM QPSK Outer_Full High



n48 40M CP-OFDM 256QAM Outer_Full High



Band	SCS (kHz)	BW (MHz)	ARFCN	Modulation	RB	Result (dB)	Limit (dB)	Verdict
n66	15	5	342500	DFT-s-OFDM PI/2 BPSK	25/0	4.11	13	PASS
n66	15	5	342500	DFT-s-OFDM 256QAM	25/0	6.77	13	PASS
n66	15	5	342500	CP-OFDM QPSK	25/0	7.16	13	PASS
n66	15	5	342500	CP-OFDM 256QAM	25/0	8.74	13	PASS
n66	15	5	349000	DFT-s-OFDM PI/2 BPSK	25/0	4.15	13	PASS
n66	15	5	349000	DFT-s-OFDM 256QAM	25/0	6.68	13	PASS
n66	15	5	349000	CP-OFDM QPSK	25/0	7.06	13	PASS
n66	15	5	349000	CP-OFDM 256QAM	25/0	8.73	13	PASS
n66	15	5	355500	DFT-s-OFDM PI/2 BPSK	25/0	4.13	13	PASS
n66	15	5	355500	DFT-s-OFDM 256QAM	25/0	6.41	13	PASS
n66	15	5	355500	CP-OFDM QPSK	25/0	7.11	13	PASS
n66	15	5	355500	CP-OFDM 256QAM	25/0	8.59	13	PASS
n66	15	10	343000	DFT-s-OFDM PI/2 BPSK	50/0	3.95	13	PASS
n66	15	10	343000	DFT-s-OFDM 256QAM	50/0	6.8	13	PASS
n66	15	10	343000	CP-OFDM QPSK	52/0	7.08	13	PASS
n66	15	10	343000	CP-OFDM 256QAM	52/0	8.83	13	PASS
n66	15	10	349000	DFT-s-OFDM PI/2 BPSK	50/0	4.17	13	PASS
n66	15	10	349000	DFT-s-OFDM 256QAM	50/0	6.58	13	PASS
n66	15	10	349000	CP-OFDM	52/0	6.89	13	PASS



				QPSK				
n66	15	10	349000	CP-OFDM 256QAM	52/0	8.74	13	PASS
n66	15	10	355000	DFT-s-OFDM PI/2 BPSK	50/0	4.12	13	PASS
n66	15	10	355000	DFT-s-OFDM 256QAM	50/0	6.48	13	PASS
n66	15	10	355000	CP-OFDM QPSK	52/0	7.01	13	PASS
n66	15	10	355000	CP-OFDM 256QAM	52/0	8.66	13	PASS
n66	15	15	343500	DFT-s-OFDM PI/2 BPSK	75/0	3.89	13	PASS
n66	15	15	343500	DFT-s-OFDM 256QAM	75/0	6.62	13	PASS
n66	15	15	343500	CP-OFDM QPSK	79/0	6.83	13	PASS
n66	15	15	343500	CP-OFDM 256QAM	79/0	8.41	13	PASS
n66	15	15	349000	DFT-s-OFDM PI/2 BPSK	75/0	3.81	13	PASS
n66	15	15	349000	DFT-s-OFDM 256QAM	75/0	6.56	13	PASS
n66	15	15	349000	CP-OFDM QPSK	79/0	6.74	13	PASS
n66	15	15	349000	CP-OFDM 256QAM	79/0	8.34	13	PASS
n66	15	15	354500	DFT-s-OFDM PI/2 BPSK	75/0	3.88	13	PASS
n66	15	15	354500	DFT-s-OFDM 256QAM	75/0	6.59	13	PASS
n66	15	15	354500	CP-OFDM QPSK	79/0	6.76	13	PASS
n66	15	15	354500	CP-OFDM 256QAM	79/0	8.29	13	PASS
n66	15	20	344000	DFT-s-OFDM PI/2 BPSK	100/0	3.91	13	PASS
n66	15	20	344000	DFT-s-OFDM 256QAM	100/0	6.63	13	PASS



n66	15	20	344000	CP-OFDM QPSK	106/0	6.68	13	PASS
n66	15	20	344000	CP-OFDM 256QAM	106/0	8.39	13	PASS
n66	15	20	349000	DFT-s-OFDM PI/2 BPSK	100/0	3.9	13	PASS
n66	15	20	349000	DFT-s-OFDM 256QAM	100/0	6.62	13	PASS
n66	15	20	349000	CP-OFDM QPSK	106/0	6.65	13	PASS
n66	15	20	349000	CP-OFDM 256QAM	106/0	8.44	13	PASS
n66	15	20	354000	DFT-s-OFDM PI/2 BPSK	100/0	3.88	13	PASS
n66	15	20	354000	DFT-s-OFDM 256QAM	100/0	6.71	13	PASS
n66	15	20	354000	CP-OFDM QPSK	106/0	6.69	13	PASS
n66	15	20	354000	CP-OFDM 256QAM	106/0	8.24	13	PASS
n66	15	25	344500	DFT-s-OFDM PI/2 BPSK	128/0	4.24	13	PASS
n66	15	25	344500	DFT-s-OFDM 256QAM	128/0	6.53	13	PASS
n66	15	25	344500	CP-OFDM QPSK	133/0	6.66	13	PASS
n66	15	25	344500	CP-OFDM 256QAM	133/0	8.65	13	PASS
n66	15	25	349000	DFT-s-OFDM PI/2 BPSK	128/0	4.26	13	PASS
n66	15	25	349000	DFT-s-OFDM 256QAM	128/0	6.56	13	PASS
n66	15	25	349000	CP-OFDM QPSK	133/0	6.72	13	PASS
n66	15	25	349000	CP-OFDM 256QAM	133/0	8.56	13	PASS
n66	15	25	353500	DFT-s-OFDM PI/2 BPSK	128/0	4.19	13	PASS
n66	15	25	353500	DFT-s-OFDM 256QAM	128/0	6.56	13	PASS




n66	15	25	353500	CP-OFDM QPSK	133/0	6.73	13	PASS
n66	15	25	353500	CP-OFDM 256QAM	133/0	8.62	13	PASS
n66	15	30	345000	DFT-s-OFDM PI/2 BPSK	160/0	4.02	13	PASS
n66	15	30	345000	DFT-s-OFDM 256QAM	160/0	6.38	13	PASS
n66	15	30	345000	CP-OFDM QPSK	160/0	7.04	13	PASS
n66	15	30	345000	CP-OFDM 256QAM	160/0	8.31	13	PASS
n66	15	30	349000	DFT-s-OFDM PI/2 BPSK	160/0	4.13	13	PASS
n66	15	30	349000	DFT-s-OFDM 256QAM	160/0	6.58	13	PASS
n66	15	30	349000	CP-OFDM QPSK	160/0	7.06	13	PASS
n66	15	30	349000	CP-OFDM 256QAM	160/0	8.25	13	PASS
n66	15	30	353000	DFT-s-OFDM PI/2 BPSK	160/0	3.82	13	PASS
n66	15	30	353000	DFT-s-OFDM 256QAM	160/0	6.45	13	PASS
n66	15	30	353000	CP-OFDM QPSK	160/0	7.21	13	PASS
n66	15	30	353000	CP-OFDM 256QAM	160/0	8.32	13	PASS
n66	15	40	346000	DFT-s-OFDM PI/2 BPSK	216/0	4.2	13	PASS
n66	15	40	346000	DFT-s-OFDM 256QAM	216/0	6.45	13	PASS
n66	15	40	346000	CP-OFDM QPSK	216/0	6.96	13	PASS
n66	15	40	346000	CP-OFDM 256QAM	216/0	8.27	13	PASS
n66	15	40	349000	DFT-s-OFDM PI/2 BPSK	216/0	4.43	13	PASS
n66	15	40	349000	DFT-s-OFDM 256QAM	216/0	6.6	13	PASS




REPORT No.: SZ24060193W02

n66	15	40	349000	CP-OFDM QPSK	216/0	7.02	13	PASS
n66	15	40	349000	CP-OFDM 256QAM	216/0	8.41	13	PASS
n66	15	40	352000	DFT-s-OFDM PI/2 BPSK	216/0	4.37	13	PASS
n66	15	40	352000	DFT-s-OFDM 256QAM	216/0	6.53	13	PASS
n66	15	40	352000	CP-OFDM QPSK	216/0	7.13	13	PASS
n66	15	40	352000	CP-OFDM 256QAM	216/0	8.28	13	PASS







n66 5M DFT-s-OFDM BPSK Outer_Full Low




n66 5M DFT-s-OFDM 256QAM Outer_Full Low




n66 5M CP-OFDM QPSK Outer_Full Low




n66 5M CP-OFDM 256QAM Outer_Full Low




n66 5M DFT-s-OFDM BPSK Outer_Full Mid




n66 5M DFT-s-OFDM 256QAM Outer_Full Mid




n66 5M CP-OFDM QPSK Outer_Full Mid




n66 5M CP-OFDM 256QAM Outer_Full Mid




n66 5M DFT-s-OFDM BPSK Outer_Full High




n66 5M DFT-s-OFDM 256QAM Outer_Full High




n66 5M CP-OFDM QPSK Outer_Full High




n66 5M CP-OFDM 256QAM Outer_Full High




n66 10M DFT-s-OFDM BPSK Outer_Full Low




n66 10M DFT-s-OFDM 256QAM Outer_Full Low




n66 10M CP-OFDM QPSK Outer_Full Low




n66 10M CP-OFDM 256QAM Outer_Full Low




n66 10M DFT-s-OFDM BPSK Outer_Full Mid




n66 10M DFT-s-OFDM 256QAM Outer_Full Mid




n66 10M CP-OFDM QPSK Outer_Full Mid




n66 10M CP-OFDM 256QAM Outer_Full Mid




n66 10M DFT-s-OFDM BPSK Outer_Full High




n66 10M DFT-s-OFDM 256QAM Outer_Full High




n66 10M CP-OFDM QPSK Outer_Full High




n66 10M CP-OFDM 256QAM Outer_Full High




n66 15M DFT-s-OFDM BPSK Outer_Full Low




n66 15M DFT-s-OFDM 256QAM Outer_Full Low




n66 15M CP-OFDM QPSK Outer_Full Low




n66 15M CP-OFDM 256QAM Outer_Full Low




n66 15M DFT-s-OFDM BPSK Outer_Full Mid




n66 15M DFT-s-OFDM 256QAM Outer_Full Mid




n66 15M CP-OFDM QPSK Outer_Full Mid




n66 15M CP-OFDM 256QAM Outer_Full Mid




n66 15M DFT-s-OFDM BPSK Outer_Full High




n66 15M DFT-s-OFDM 256QAM Outer_Full High




n66 15M CP-OFDM QPSK Outer_Full High




n66 15M CP-OFDM 256QAM Outer_Full High




n66 20M DFT-s-OFDM BPSK Outer_Full Low




n66 20M DFT-s-OFDM 256QAM Outer_Full Low




n66 20M CP-OFDM QPSK Outer_Full Low




n66 20M CP-OFDM 256QAM Outer_Full Low




n66 20M DFT-s-OFDM BPSK Outer_Full Mid




n66 20M DFT-s-OFDM 256QAM Outer_Full Mid




n66 20M CP-OFDM QPSK Outer_Full Mid




n66 20M CP-OFDM 256QAM Outer_Full Mid




n66 20M DFT-s-OFDM BPSK Outer_Full High




n66 20M DFT-s-OFDM 256QAM Outer_Full High




n66 20M CP-OFDM QPSK Outer_Full High




n66 20M CP-OFDM 256QAM Outer_Full High




n66 25M DFT-s-OFDM BPSK Outer_Full Low




n66 25M DFT-s-OFDM 256QAM Outer_Full Low




n66 25M CP-OFDM QPSK Outer_Full Low




n66 25M CP-OFDM 256QAM Outer_Full Low




n66 25M DFT-s-OFDM BPSK Outer_Full Mid




n66 25M DFT-s-OFDM 256QAM Outer_Full Mid




n66 25M CP-OFDM QPSK Outer_Full Mid




n66 25M CP-OFDM 256QAM Outer_Full Mid




n66 25M DFT-s-OFDM BPSK Outer_Full High




n66 25M DFT-s-OFDM 256QAM Outer_Full High




n66 25M CP-OFDM QPSK Outer_Full High




n66 25M CP-OFDM 256QAM Outer_Full High




n66 30M DFT-s-OFDM BPSK Outer_Full Low




n66 30M DFT-s-OFDM 256QAM Outer_Full Low




n66 30M CP-OFDM QPSK Outer_Full Low




n66 30M CP-OFDM 256QAM Outer_Full Low




n66 30M DFT-s-OFDM BPSK Outer_Full Mid




n66 30M DFT-s-OFDM 256QAM Outer_Full Mid




n66 30M CP-OFDM QPSK Outer_Full Mid




n66 30M CP-OFDM 256QAM Outer_Full Mid




n66 30M DFT-s-OFDM BPSK Outer_Full High




n66 30M DFT-s-OFDM 256QAM Outer_Full High




n66 30M CP-OFDM QPSK Outer_Full High




n66 30M CP-OFDM 256QAM Outer_Full High




n66 40M DFT-s-OFDM BPSK Outer_Full Low




n66 40M DFT-s-OFDM 256QAM Outer_Full Low




n66 40M CP-OFDM QPSK Outer_Full Low




n66 40M CP-OFDM 256QAM Outer_Full Low




n66 40M DFT-s-OFDM BPSK Outer_Full Mid




n66 40M DFT-s-OFDM 256QAM Outer_Full Mid




n66 40M CP-OFDM QPSK Outer_Full Mid




n66 40M CP-OFDM 256QAM Outer_Full Mid




n66 40M DFT-s-OFDM BPSK Outer_Full High



n66 40M DFT-s-OFDM 256QAM Outer_Full High



n66 40M CP-OFDM QPSK Outer_Full High



n66 40M CP-OFDM 256QAM Outer_Full High



Band	SCS (kHz)	BW (MHz)	ARFCN	Modulation	RB	Result (dB)	Limit (dB)	Verdict
n77(3450-3550MHz)	30	10	630334	DFT-s-OFDM PI/2 BPSK	24/0	3.16	13	PASS
n77(3450-3550MHz)	30	10	630334	DFT-s-OFDM 256QAM	24/0	6.14	13	PASS
n77(3450-3550MHz)	30	10	630334	CP-OFDM QPSK	24/0	5.98	13	PASS
n77(3450-3550MHz)	30	10	630334	CP-OFDM 256QAM	24/0	7.89	13	PASS
n77(3450-3550MHz)	30	10	633334	DFT-s-OFDM PI/2 BPSK	24/0	3.41	13	PASS
n77(3450-3550MHz)	30	10	633334	DFT-s-OFDM 256QAM	24/0	6.45	13	PASS
n77(3450-3550MHz)	30	10	633334	CP-OFDM QPSK	24/0	6.28	13	PASS
n77(3450-3550MHz)	30	10	633334	CP-OFDM 256QAM	24/0	8.2	13	PASS
n77(3450-3550MHz)	30	10	636332	DFT-s-OFDM PI/2 BPSK	24/0	3.45	13	PASS
n77(3450-3550MHz)	30	10	636332	DFT-s-OFDM 256QAM	24/0	6.51	13	PASS
n77(3450-3550MHz)	30	10	636332	CP-OFDM QPSK	24/0	6.31	13	PASS
n77(3450-3550MHz)	30	10	636332	CP-OFDM 256QAM	24/0	8.26	13	PASS
n77(3450-3550MHz)	30	15	630500	DFT-s-OFDM PI/2 BPSK	36/0	2.99	13	PASS
n77(3450-3550MHz)	30	15	630500	DFT-s-OFDM 256QAM	36/0	5.9	13	PASS
n77(3450-3550MHz)	30	15	630500	CP-OFDM QPSK	36/0	5.77	13	PASS
n77(3450-3550MHz)	30	15	630500	CP-OFDM 256QAM	36/0	7.89	13	PASS
n77(3450-3550MHz)	30	15	633334	DFT-s-OFDM PI/2 BPSK	36/0	3.28	13	PASS
n77(3450-3550MHz)	30	15	633334	DFT-s-OFDM 256QAM	36/0	6.17	13	PASS
n77(3450-	30	15	633334	CP-OFDM	36/0	6.19	13	PASS



3550MHz)				QPSK				
n77(3450-3550MHz)	30	15	633334	CP-OFDM 256QAM	36/0	8.25	13	PASS
n77(3450-3550MHz)	30	15	636166	DFT-s-OFDM PI/2 BPSK	36/0	3.31	13	PASS
n77(3450-3550MHz)	30	15	636166	DFT-s-OFDM 256QAM	36/0	6.28	13	PASS
n77(3450-3550MHz)	30	15	636166	CP-OFDM QPSK	36/0	6.19	13	PASS
n77(3450-3550MHz)	30	15	636166	CP-OFDM 256QAM	36/0	8.18	13	PASS
n77(3450-3550MHz)	30	20	630668	DFT-s-OFDM PI/2 BPSK	50/0	3.06	13	PASS
n77(3450-3550MHz)	30	20	630668	DFT-s-OFDM 256QAM	50/0	6.16	13	PASS
n77(3450-3550MHz)	30	20	630668	CP-OFDM QPSK	51/0	5.99	13	PASS
n77(3450-3550MHz)	30	20	630668	CP-OFDM 256QAM	51/0	7.83	13	PASS
n77(3450-3550MHz)	30	20	633334	DFT-s-OFDM PI/2 BPSK	50/0	3.31	13	PASS
n77(3450-3550MHz)	30	20	633334	DFT-s-OFDM 256QAM	50/0	6.41	13	PASS
n77(3450-3550MHz)	30	20	633334	CP-OFDM QPSK	51/0	6.22	13	PASS
n77(3450-3550MHz)	30	20	633334	CP-OFDM 256QAM	51/0	8.08	13	PASS
n77(3450-3550MHz)	30	20	636000	DFT-s-OFDM PI/2 BPSK	50/0	3.32	13	PASS
n77(3450-3550MHz)	30	20	636000	DFT-s-OFDM 256QAM	50/0	6.4	13	PASS
n77(3450-3550MHz)	30	20	636000	CP-OFDM QPSK	51/0	6.29	13	PASS
n77(3450-3550MHz)	30	20	636000	CP-OFDM 256QAM	51/0	8.05	13	PASS
n77(3450-3550MHz)	30	25	630833	DFT-s-OFDM PI/2 BPSK	64/0	3.13	13	PASS
n77(3450-3550MHz)	30	25	630833	DFT-s-OFDM 256QAM	64/0	6.09	13	PASS



n77(3450-3550MHz)	30	25	630833	CP-OFDM QPSK	65/0	5.82	13	PASS
n77(3450-3550MHz)	30	25	630833	CP-OFDM 256QAM	65/0	7.97	13	PASS
n77(3450-3550MHz)	30	25	633334	DFT-s-OFDM PI/2 BPSK	64/0	3.32	13	PASS
n77(3450-3550MHz)	30	25	633334	DFT-s-OFDM 256QAM	64/0	6.35	13	PASS
n77(3450-3550MHz)	30	25	633334	CP-OFDM QPSK	65/0	6.06	13	PASS
n77(3450-3550MHz)	30	25	633334	CP-OFDM 256QAM	65/0	8.17	13	PASS
n77(3450-3550MHz)	30	25	635832	DFT-s-OFDM PI/2 BPSK	64/0	3.4	13	PASS
n77(3450-3550MHz)	30	25	635832	DFT-s-OFDM 256QAM	64/0	6.35	13	PASS
n77(3450-3550MHz)	30	25	635832	CP-OFDM QPSK	65/0	5.57	13	PASS
n77(3450-3550MHz)	30	25	635832	CP-OFDM 256QAM	65/0	7.53	13	PASS
n77(3450-3550MHz)	30	30	631000	DFT-s-OFDM PI/2 BPSK	75/0	3.6	13	PASS
n77(3450-3550MHz)	30	30	631000	DFT-s-OFDM 256QAM	75/0	6.32	13	PASS
n77(3450-3550MHz)	30	30	631000	CP-OFDM QPSK	78/0	6.72	13	PASS
n77(3450-3550MHz)	30	30	631000	CP-OFDM 256QAM	78/0	7.82	13	PASS
n77(3450-3550MHz)	30	30	633334	DFT-s-OFDM PI/2 BPSK	75/0	3.67	13	PASS
n77(3450-3550MHz)	30	30	633334	DFT-s-OFDM 256QAM	75/0	6.47	13	PASS
n77(3450-3550MHz)	30	30	633334	CP-OFDM QPSK	78/0	6.72	13	PASS
n77(3450-3550MHz)	30	30	633334	CP-OFDM 256QAM	78/0	7.9	13	PASS
n77(3450-3550MHz)	30	30	635666	DFT-s-OFDM PI/2 BPSK	75/0	3.63	13	PASS
n77(3450-3550MHz)	30	30	635666	DFT-s-OFDM 256QAM	75/0	6.42	13	PASS



n77(3450-3550MHz)	30	30	635666	CP-OFDM QPSK	78/0	6.74	13	PASS
n77(3450-3550MHz)	30	30	635666	CP-OFDM 256QAM	78/0	7.89	13	PASS
n77(3450-3550MHz)	30	40	631334	DFT-s-OFDM PI/2 BPSK	100/0	3.72	13	PASS
n77(3450-3550MHz)	30	40	631334	DFT-s-OFDM 256QAM	100/0	6.58	13	PASS
n77(3450-3550MHz)	30	40	631334	CP-OFDM QPSK	106/0	6.76	13	PASS
n77(3450-3550MHz)	30	40	631334	CP-OFDM 256QAM	106/0	8.3	13	PASS
n77(3450-3550MHz)	30	40	633334	DFT-s-OFDM PI/2 BPSK	100/0	3.79	13	PASS
n77(3450-3550MHz)	30	40	633334	DFT-s-OFDM 256QAM	100/0	6.74	13	PASS
n77(3450-3550MHz)	30	40	633334	CP-OFDM QPSK	106/0	6.78	13	PASS
n77(3450-3550MHz)	30	40	633334	CP-OFDM 256QAM	106/0	8.44	13	PASS
n77(3450-3550MHz)	30	40	635332	DFT-s-OFDM PI/2 BPSK	100/0	3.64	13	PASS
n77(3450-3550MHz)	30	40	635332	DFT-s-OFDM 256QAM	100/0	6.64	13	PASS
n77(3450-3550MHz)	30	40	635332	CP-OFDM QPSK	106/0	6.74	13	PASS
n77(3450-3550MHz)	30	40	635332	CP-OFDM 256QAM	106/0	8.3	13	PASS
n77(3450-3550MHz)	30	50	631668	DFT-s-OFDM PI/2 BPSK	128/0	3.59	13	PASS
n77(3450-3550MHz)	30	50	631668	DFT-s-OFDM 256QAM	128/0	6.28	13	PASS
n77(3450-3550MHz)	30	50	631668	CP-OFDM QPSK	133/0	6.66	13	PASS
n77(3450-3550MHz)	30	50	631668	CP-OFDM 256QAM	133/0	8.01	13	PASS
n77(3450-3550MHz)	30	50	633334	DFT-s-OFDM PI/2 BPSK	128/0	3.7	13	PASS
n77(3450-3550MHz)	30	50	633334	DFT-s-OFDM 256QAM	128/0	6.34	13	PASS



n77(3450-3550MHz)	30	50	633334	CP-OFDM QPSK	133/0	6.75	13	PASS
n77(3450-3550MHz)	30	50	633334	CP-OFDM 256QAM	133/0	8.04	13	PASS
n77(3450-3550MHz)	30	50	635000	DFT-s-OFDM PI/2 BPSK	128/0	3.55	13	PASS
n77(3450-3550MHz)	30	50	635000	DFT-s-OFDM 256QAM	128/0	6.28	13	PASS
n77(3450-3550MHz)	30	50	635000	CP-OFDM QPSK	133/0	6.64	13	PASS
n77(3450-3550MHz)	30	50	635000	CP-OFDM 256QAM	133/0	8.02	13	PASS
n77(3450-3550MHz)	30	60	632000	DFT-s-OFDM PI/2 BPSK	162/0	3.7	13	PASS
n77(3450-3550MHz)	30	60	632000	DFT-s-OFDM 256QAM	162/0	6.47	13	PASS
n77(3450-3550MHz)	30	60	632000	CP-OFDM QPSK	162/0	6.77	13	PASS
n77(3450-3550MHz)	30	60	632000	CP-OFDM 256QAM	162/0	8.03	13	PASS
n77(3450-3550MHz)	30	60	633334	DFT-s-OFDM PI/2 BPSK	162/0	3.71	13	PASS
n77(3450-3550MHz)	30	60	633334	DFT-s-OFDM 256QAM	162/0	6.5	13	PASS
n77(3450-3550MHz)	30	60	633334	CP-OFDM QPSK	162/0	6.82	13	PASS
n77(3450-3550MHz)	30	60	633334	CP-OFDM 256QAM	162/0	8.05	13	PASS
n77(3450-3550MHz)	30	60	634666	DFT-s-OFDM PI/2 BPSK	162/0	3.62	13	PASS
n77(3450-3550MHz)	30	60	634666	DFT-s-OFDM 256QAM	162/0	6.47	13	PASS
n77(3450-3550MHz)	30	60	634666	CP-OFDM QPSK	162/0	6.86	13	PASS
n77(3450-3550MHz)	30	60	634666	CP-OFDM 256QAM	162/0	8.04	13	PASS
n77(3450-3550MHz)	30	70	632334	DFT-s-OFDM PI/2 BPSK	180/0	3.69	13	PASS
n77(3450-3550MHz)	30	70	632334	DFT-s-OFDM 256QAM	180/0	6.24	13	PASS



n77(3450-3550MHz)	30	70	632334	CP-OFDM QPSK	189/0	6.71	13	PASS
n77(3450-3550MHz)	30	70	632334	CP-OFDM 256QAM	189/0	7.9	13	PASS
n77(3450-3550MHz)	30	70	633334	DFT-s-OFDM PI/2 BPSK	180/0	3.7	13	PASS
n77(3450-3550MHz)	30	70	633334	DFT-s-OFDM 256QAM	180/0	6.28	13	PASS
n77(3450-3550MHz)	30	70	633334	CP-OFDM QPSK	189/0	6.72	13	PASS
n77(3450-3550MHz)	30	70	633334	CP-OFDM 256QAM	189/0	7.85	13	PASS
n77(3450-3550MHz)	30	70	634332	DFT-s-OFDM PI/2 BPSK	180/0	3.63	13	PASS
n77(3450-3550MHz)	30	70	634332	DFT-s-OFDM 256QAM	180/0	6.23	13	PASS
n77(3450-3550MHz)	30	70	634332	CP-OFDM QPSK	189/0	6.76	13	PASS
n77(3450-3550MHz)	30	70	634332	CP-OFDM 256QAM	189/0	7.88	13	PASS
n77(3450-3550MHz)	30	80	632668	DFT-s-OFDM PI/2 BPSK	216/0	3.76	13	PASS
n77(3450-3550MHz)	30	80	632668	DFT-s-OFDM 256QAM	216/0	6.26	13	PASS
n77(3450-3550MHz)	30	80	632668	CP-OFDM QPSK	217/0	6.79	13	PASS
n77(3450-3550MHz)	30	80	632668	CP-OFDM 256QAM	217/0	8.04	13	PASS
n77(3450-3550MHz)	30	80	633334	DFT-s-OFDM PI/2 BPSK	216/0	3.8	13	PASS
n77(3450-3550MHz)	30	80	633334	DFT-s-OFDM 256QAM	216/0	6.29	13	PASS
n77(3450-3550MHz)	30	80	633334	CP-OFDM QPSK	217/0	6.84	13	PASS
n77(3450-3550MHz)	30	80	633334	CP-OFDM 256QAM	217/0	8.02	13	PASS
n77(3450-3550MHz)	30	80	634000	DFT-s-OFDM PI/2 BPSK	216/0	3.75	13	PASS
n77(3450-3550MHz)	30	80	634000	DFT-s-OFDM 256QAM	216/0	6.31	13	PASS



n77(3450-3550MHz)	30	80	634000	CP-OFDM QPSK	217/0	6.85	13	PASS
n77(3450-3550MHz)	30	80	634000	CP-OFDM 256QAM	217/0	8.02	13	PASS
n77(3450-3550MHz)	30	90	633000	DFT-s-OFDM PI/2 BPSK	243/0	3.66	13	PASS
n77(3450-3550MHz)	30	90	633000	DFT-s-OFDM 256QAM	243/0	6.4	13	PASS
n77(3450-3550MHz)	30	90	633000	CP-OFDM QPSK	245/0	6.62	13	PASS
n77(3450-3550MHz)	30	90	633000	CP-OFDM 256QAM	245/0	7.79	13	PASS
n77(3450-3550MHz)	30	90	633334	DFT-s-OFDM PI/2 BPSK	243/0	3.67	13	PASS
n77(3450-3550MHz)	30	90	633334	DFT-s-OFDM 256QAM	243/0	6.42	13	PASS
n77(3450-3550MHz)	30	90	633334	CP-OFDM QPSK	245/0	6.65	13	PASS
n77(3450-3550MHz)	30	90	633334	CP-OFDM 256QAM	245/0	7.82	13	PASS
n77(3450-3550MHz)	30	90	633666	DFT-s-OFDM PI/2 BPSK	243/0	3.68	13	PASS
n77(3450-3550MHz)	30	90	633666	DFT-s-OFDM 256QAM	243/0	6.44	13	PASS
n77(3450-3550MHz)	30	90	633666	CP-OFDM QPSK	245/0	6.68	13	PASS
n77(3450-3550MHz)	30	90	633666	CP-OFDM 256QAM	245/0	7.8	13	PASS
n77(3450-3550MHz)	30	100	633334	DFT-s-OFDM PI/2 BPSK	270/0	3.64	13	PASS
n77(3450-3550MHz)	30	100	633334	DFT-s-OFDM 256QAM	270/0	6.23	13	PASS
n77(3450-3550MHz)	30	100	633334	CP-OFDM QPSK	273/0	6.64	13	PASS
n77(3450-3550MHz)	30	100	633334	CP-OFDM 256QAM	273/0	8.09	13	PASS
n77(3700-3980MHz)	30	10	647000	DFT-s-OFDM PI/2 BPSK	24/0	3.82	13	PASS
n77(3700-3980MHz)	30	10	647000	DFT-s-OFDM 256QAM	24/0	6.85	13	PASS



n77(3700-3980MHz)	30	10	647000	CP-OFDM QPSK	24/0	6.49	13	PASS
n77(3700-3980MHz)	30	10	647000	CP-OFDM 256QAM	24/0	8.38	13	PASS
n77(3700-3980MHz)	30	10	656000	DFT-s-OFDM PI/2 BPSK	24/0	3.7	13	PASS
n77(3700-3980MHz)	30	10	656000	DFT-s-OFDM 256QAM	24/0	6.78	13	PASS
n77(3700-3980MHz)	30	10	656000	CP-OFDM QPSK	24/0	6.36	13	PASS
n77(3700-3980MHz)	30	10	656000	CP-OFDM 256QAM	24/0	8.48	13	PASS
n77(3700-3980MHz)	30	10	665000	DFT-s-OFDM PI/2 BPSK	24/0	3.43	13	PASS
n77(3700-3980MHz)	30	10	665000	DFT-s-OFDM 256QAM	24/0	6.46	13	PASS
n77(3700-3980MHz)	30	10	665000	CP-OFDM QPSK	24/0	6.21	13	PASS
n77(3700-3980MHz)	30	10	665000	CP-OFDM 256QAM	24/0	8.16	13	PASS
n77(3700-3980MHz)	30	15	647168	DFT-s-OFDM PI/2 BPSK	36/0	3.65	13	PASS
n77(3700-3980MHz)	30	15	647168	DFT-s-OFDM 256QAM	36/0	6.47	13	PASS
n77(3700-3980MHz)	30	15	647168	CP-OFDM QPSK	36/0	6.45	13	PASS
n77(3700-3980MHz)	30	15	647168	CP-OFDM 256QAM	36/0	8.42	13	PASS
n77(3700-3980MHz)	30	15	656000	DFT-s-OFDM PI/2 BPSK	36/0	3.6	13	PASS
n77(3700-3980MHz)	30	15	656000	DFT-s-OFDM 256QAM	36/0	6.33	13	PASS
n77(3700-3980MHz)	30	15	656000	CP-OFDM QPSK	36/0	6.37	13	PASS
n77(3700-3980MHz)	30	15	656000	CP-OFDM 256QAM	36/0	8.3	13	PASS
n77(3700-3980MHz)	30	15	664832	DFT-s-OFDM PI/2 BPSK	36/0	3.36	13	PASS
n77(3700-3980MHz)	30	15	664832	DFT-s-OFDM 256QAM	36/0	6.24	13	PASS



n77(3700-3980MHz)	30	15	664832	CP-OFDM QPSK	36/0	6.13	13	PASS
n77(3700-3980MHz)	30	15	664832	CP-OFDM 256QAM	36/0	8.22	13	PASS
n77(3700-3980MHz)	30	20	647334	DFT-s-OFDM PI/2 BPSK	50/0	3.67	13	PASS
n77(3700-3980MHz)	30	20	647334	DFT-s-OFDM 256QAM	50/0	6.6	13	PASS
n77(3700-3980MHz)	30	20	647334	CP-OFDM QPSK	51/0	6.52	13	PASS
n77(3700-3980MHz)	30	20	647334	CP-OFDM 256QAM	51/0	8.15	13	PASS
n77(3700-3980MHz)	30	20	656000	DFT-s-OFDM PI/2 BPSK	50/0	3.59	13	PASS
n77(3700-3980MHz)	30	20	656000	DFT-s-OFDM 256QAM	50/0	6.57	13	PASS
n77(3700-3980MHz)	30	20	656000	CP-OFDM QPSK	51/0	6.36	13	PASS
n77(3700-3980MHz)	30	20	656000	CP-OFDM 256QAM	51/0	8.12	13	PASS
n77(3700-3980MHz)	30	20	664666	DFT-s-OFDM PI/2 BPSK	50/0	3.36	13	PASS
n77(3700-3980MHz)	30	20	664666	DFT-s-OFDM 256QAM	50/0	6.42	13	PASS
n77(3700-3980MHz)	30	20	664666	CP-OFDM QPSK	51/0	6.25	13	PASS
n77(3700-3980MHz)	30	20	664666	CP-OFDM 256QAM	51/0	8.09	13	PASS
n77(3700-3980MHz)	30	25	647500	DFT-s-OFDM PI/2 BPSK	64/0	3.7	13	PASS
n77(3700-3980MHz)	30	25	647500	DFT-s-OFDM 256QAM	64/0	6.62	13	PASS
n77(3700-3980MHz)	30	25	647500	CP-OFDM QPSK	65/0	6.41	13	PASS
n77(3700-3980MHz)	30	25	647500	CP-OFDM 256QAM	65/0	8.6	13	PASS
n77(3700-3980MHz)	30	25	656000	DFT-s-OFDM PI/2 BPSK	64/0	3.63	13	PASS
n77(3700-3980MHz)	30	25	656000	DFT-s-OFDM 256QAM	64/0	6.53	13	PASS



n77(3700-3980MHz)	30	25	656000	CP-OFDM QPSK	65/0	6.32	13	PASS
n77(3700-3980MHz)	30	25	656000	CP-OFDM 256QAM	65/0	8.52	13	PASS
n77(3700-3980MHz)	30	25	664500	DFT-s-OFDM PI/2 BPSK	64/0	3.42	13	PASS
n77(3700-3980MHz)	30	25	664500	DFT-s-OFDM 256QAM	64/0	6.43	13	PASS
n77(3700-3980MHz)	30	25	664500	CP-OFDM QPSK	65/0	6.12	13	PASS
n77(3700-3980MHz)	30	25	664500	CP-OFDM 256QAM	65/0	8.36	13	PASS
n77(3700-3980MHz)	30	30	647668	DFT-s-OFDM PI/2 BPSK	75/0	3.96	13	PASS
n77(3700-3980MHz)	30	30	647668	DFT-s-OFDM 256QAM	75/0	6.44	13	PASS
n77(3700-3980MHz)	30	30	647668	CP-OFDM QPSK	78/0	6.89	13	PASS
n77(3700-3980MHz)	30	30	647668	CP-OFDM 256QAM	78/0	7.92	13	PASS
n77(3700-3980MHz)	30	30	656000	DFT-s-OFDM PI/2 BPSK	75/0	3.73	13	PASS
n77(3700-3980MHz)	30	30	656000	DFT-s-OFDM 256QAM	75/0	6.38	13	PASS
n77(3700-3980MHz)	30	30	656000	CP-OFDM QPSK	78/0	6.65	13	PASS
n77(3700-3980MHz)	30	30	656000	CP-OFDM 256QAM	78/0	7.9	13	PASS
n77(3700-3980MHz)	30	30	664332	DFT-s-OFDM PI/2 BPSK	75/0	3.63	13	PASS
n77(3700-3980MHz)	30	30	664332	DFT-s-OFDM 256QAM	75/0	6.27	13	PASS
n77(3700-3980MHz)	30	30	664332	CP-OFDM QPSK	78/0	6.63	13	PASS
n77(3700-3980MHz)	30	30	664332	CP-OFDM 256QAM	78/0	7.83	13	PASS
n77(3700-3980MHz)	30	40	648000	DFT-s-OFDM PI/2 BPSK	100/0	3.88	13	PASS
n77(3700-3980MHz)	30	40	648000	DFT-s-OFDM 256QAM	100/0	6.69	13	PASS



n77(3700-3980MHz)	30	40	648000	CP-OFDM QPSK	106/0	6.88	13	PASS
n77(3700-3980MHz)	30	40	648000	CP-OFDM 256QAM	106/0	8.44	13	PASS
n77(3700-3980MHz)	30	40	656000	DFT-s-OFDM PI/2 BPSK	100/0	3.66	13	PASS
n77(3700-3980MHz)	30	40	656000	DFT-s-OFDM 256QAM	100/0	6.65	13	PASS
n77(3700-3980MHz)	30	40	656000	CP-OFDM QPSK	106/0	6.63	13	PASS
n77(3700-3980MHz)	30	40	656000	CP-OFDM 256QAM	106/0	8.48	13	PASS
n77(3700-3980MHz)	30	40	664000	DFT-s-OFDM PI/2 BPSK	100/0	3.59	13	PASS
n77(3700-3980MHz)	30	40	664000	DFT-s-OFDM 256QAM	100/0	6.57	13	PASS
n77(3700-3980MHz)	30	40	664000	CP-OFDM QPSK	106/0	6.64	13	PASS
n77(3700-3980MHz)	30	40	664000	CP-OFDM 256QAM	106/0	8.4	13	PASS
n77(3700-3980MHz)	30	50	648334	DFT-s-OFDM PI/2 BPSK	128/0	3.58	13	PASS
n77(3700-3980MHz)	30	50	648334	DFT-s-OFDM 256QAM	128/0	6.44	13	PASS
n77(3700-3980MHz)	30	50	648334	CP-OFDM QPSK	133/0	6.75	13	PASS
n77(3700-3980MHz)	30	50	648334	CP-OFDM 256QAM	133/0	8.28	13	PASS
n77(3700-3980MHz)	30	50	656000	DFT-s-OFDM PI/2 BPSK	128/0	3.38	13	PASS
n77(3700-3980MHz)	30	50	656000	DFT-s-OFDM 256QAM	128/0	6.39	13	PASS
n77(3700-3980MHz)	30	50	656000	CP-OFDM QPSK	133/0	6.83	13	PASS
n77(3700-3980MHz)	30	50	656000	CP-OFDM 256QAM	133/0	8.22	13	PASS
n77(3700-3980MHz)	30	50	663666	DFT-s-OFDM PI/2 BPSK	128/0	3.25	13	PASS
n77(3700-3980MHz)	30	50	663666	DFT-s-OFDM 256QAM	128/0	6.34	13	PASS



n77(3700-3980MHz)	30	50	663666	CP-OFDM QPSK	133/0	6.75	13	PASS
n77(3700-3980MHz)	30	50	663666	CP-OFDM 256QAM	133/0	8.25	13	PASS
n77(3700-3980MHz)	30	60	648668	DFT-s-OFDM PI/2 BPSK	162/0	3.1	13	PASS
n77(3700-3980MHz)	30	60	648668	DFT-s-OFDM 256QAM	162/0	6.45	13	PASS
n77(3700-3980MHz)	30	60	648668	CP-OFDM QPSK	162/0	7.07	13	PASS
n77(3700-3980MHz)	30	60	648668	CP-OFDM 256QAM	162/0	8.48	13	PASS
n77(3700-3980MHz)	30	60	656000	DFT-s-OFDM PI/2 BPSK	162/0	2.74	13	PASS
n77(3700-3980MHz)	30	60	656000	DFT-s-OFDM 256QAM	162/0	6.44	13	PASS
n77(3700-3980MHz)	30	60	656000	CP-OFDM QPSK	162/0	7.05	13	PASS
n77(3700-3980MHz)	30	60	656000	CP-OFDM 256QAM	162/0	8.39	13	PASS
n77(3700-3980MHz)	30	60	663332	DFT-s-OFDM PI/2 BPSK	162/0	3.11	13	PASS
n77(3700-3980MHz)	30	60	663332	DFT-s-OFDM 256QAM	162/0	6.46	13	PASS
n77(3700-3980MHz)	30	60	663332	CP-OFDM QPSK	162/0	7.19	13	PASS
n77(3700-3980MHz)	30	60	663332	CP-OFDM 256QAM	162/0	8.45	13	PASS
n77(3700-3980MHz)	30	70	649000	DFT-s-OFDM PI/2 BPSK	180/0	2.99	13	PASS
n77(3700-3980MHz)	30	70	649000	DFT-s-OFDM 256QAM	180/0	6.48	13	PASS
n77(3700-3980MHz)	30	70	649000	CP-OFDM QPSK	189/0	7.03	13	PASS
n77(3700-3980MHz)	30	70	649000	CP-OFDM 256QAM	189/0	8.6	13	PASS
n77(3700-3980MHz)	30	70	656000	DFT-s-OFDM PI/2 BPSK	180/0	3.01	13	PASS
n77(3700-3980MHz)	30	70	656000	DFT-s-OFDM 256QAM	180/0	6.49	13	PASS



n77(3700-3980MHz)	30	70	656000	CP-OFDM QPSK	189/0	7.02	13	PASS
n77(3700-3980MHz)	30	70	656000	CP-OFDM 256QAM	189/0	8.72	13	PASS
n77(3700-3980MHz)	30	70	663000	DFT-s-OFDM PI/2 BPSK	180/0	3.09	13	PASS
n77(3700-3980MHz)	30	70	663000	DFT-s-OFDM 256QAM	180/0	6.44	13	PASS
n77(3700-3980MHz)	30	70	663000	CP-OFDM QPSK	189/0	7.25	13	PASS
n77(3700-3980MHz)	30	70	663000	CP-OFDM 256QAM	189/0	8.7	13	PASS
n77(3700-3980MHz)	30	80	649334	DFT-s-OFDM PI/2 BPSK	216/0	3.14	13	PASS
n77(3700-3980MHz)	30	80	649334	DFT-s-OFDM 256QAM	216/0	6.39	13	PASS
n77(3700-3980MHz)	30	80	649334	CP-OFDM QPSK	217/0	7.4	13	PASS
n77(3700-3980MHz)	30	80	649334	CP-OFDM 256QAM	217/0	8.42	13	PASS
n77(3700-3980MHz)	30	80	656000	DFT-s-OFDM PI/2 BPSK	216/0	2.91	13	PASS
n77(3700-3980MHz)	30	80	656000	DFT-s-OFDM 256QAM	216/0	6.34	13	PASS
n77(3700-3980MHz)	30	80	656000	CP-OFDM QPSK	217/0	7.52	13	PASS
n77(3700-3980MHz)	30	80	656000	CP-OFDM 256QAM	217/0	8.45	13	PASS
n77(3700-3980MHz)	30	80	662666	DFT-s-OFDM PI/2 BPSK	216/0	3.17	13	PASS
n77(3700-3980MHz)	30	80	662666	DFT-s-OFDM 256QAM	216/0	6.42	13	PASS
n77(3700-3980MHz)	30	80	662666	CP-OFDM QPSK	217/0	7.45	13	PASS
n77(3700-3980MHz)	30	80	662666	CP-OFDM 256QAM	217/0	8.59	13	PASS
n77(3700-3980MHz)	30	90	649666	DFT-s-OFDM PI/2 BPSK	243/0	3.22	13	PASS
n77(3700-3980MHz)	30	90	649666	DFT-s-OFDM 256QAM	243/0	6.73	13	PASS




n77(3700-3980MHz)	30	90	649666	CP-OFDM QPSK	245/0	7.58	13	PASS
n77(3700-3980MHz)	30	90	649666	CP-OFDM 256QAM	245/0	8.58	13	PASS
n77(3700-3980MHz)	30	90	656000	DFT-s-OFDM PI/2 BPSK	243/0	2.95	13	PASS
n77(3700-3980MHz)	30	90	656000	DFT-s-OFDM 256QAM	243/0	6.76	13	PASS
n77(3700-3980MHz)	30	90	656000	CP-OFDM QPSK	245/0	7.89	13	PASS
n77(3700-3980MHz)	30	90	656000	CP-OFDM 256QAM	245/0	8.57	13	PASS
n77(3700-3980MHz)	30	90	662332	DFT-s-OFDM PI/2 BPSK	243/0	3.31	13	PASS
n77(3700-3980MHz)	30	90	662332	DFT-s-OFDM 256QAM	243/0	6.75	13	PASS
n77(3700-3980MHz)	30	90	662332	CP-OFDM QPSK	245/0	7.84	13	PASS
n77(3700-3980MHz)	30	90	662332	CP-OFDM 256QAM	245/0	8.55	13	PASS
n77(3700-3980MHz)	30	100	650000	DFT-s-OFDM PI/2 BPSK	270/0	3.34	13	PASS
n77(3700-3980MHz)	30	100	650000	DFT-s-OFDM 256QAM	270/0	6.77	13	PASS
n77(3700-3980MHz)	30	100	650000	CP-OFDM QPSK	273/0	7.84	13	PASS
n77(3700-3980MHz)	30	100	650000	CP-OFDM 256QAM	273/0	8.55	13	PASS
n77(3700-3980MHz)	30	100	656000	DFT-s-OFDM PI/2 BPSK	270/0	3.02	13	PASS
n77(3700-3980MHz)	30	100	656000	DFT-s-OFDM 256QAM	270/0	6.89	13	PASS
n77(3700-3980MHz)	30	100	656000	CP-OFDM QPSK	273/0	8.08	13	PASS
n77(3700-3980MHz)	30	100	656000	CP-OFDM 256QAM	273/0	8.5	13	PASS
n77(3700-3980MHz)	30	100	662000	DFT-s-OFDM PI/2 BPSK	270/0	3.42	13	PASS
n77(3700-3980MHz)	30	100	662000	DFT-s-OFDM 256QAM	270/0	6.83	13	PASS




REPORT No.: SZ24060193W02

n77(3700-3980MHz)	30	100	662000	CP-OFDM QPSK	273/0	8.07	13	PASS
n77(3700-3980MHz)	30	100	662000	CP-OFDM 256QAM	273/0	8.52	13	PASS







n77(3450-3550MHz) 10M DFT-s-OFDM BPSK
Outer_Full Low




n77(3450-3550MHz) 10M DFT-s-OFDM
256QAM Outer_Full Low




n77(3450-3550MHz) 10M CP-OFDM QPSK
Outer_Full Low




n77(3450-3550MHz) 10M CP-OFDM 256QAM
Outer_Full Low




n77(3450-3550MHz) 10M DFT-s-OFDM BPSK
Outer_Full Mid




n77(3450-3550MHz) 10M DFT-s-OFDM
256QAM Outer_Full Mid




n77(3450-3550MHz) 10M CP-OFDM QPSK
Outer_Full Mid




n77(3450-3550MHz) 10M CP-OFDM 256QAM
Outer_Full Mid




n77(3450-3550MHz) 10M DFT-s-OFDM BPSK
Outer_Full High



n77(3450-3550MHz) 10M DFT-s-OFDM
256QAM Outer_Full High



n77(3450-3550MHz) 10M CP-OFDM QPSK
Outer_Full High



n77(3450-3550MHz) 10M CP-OFDM 256QAM
Outer_Full High