

n77(3700-3980MHz) 100M DFT-s-OFDM BPSK Outer_Full High



n77(3700-3980MHz) 100M DFT-s-OFDM 256QAM Outer_Full High



n77(3700-3980MHz) 100M CP-OFDM QPSK Outer_Full High



n77(3700-3980MHz) 100M CP-OFDM 256QAM Outer_Full High

2.5. Conducted Spurious Emissions

2.5.1.Requirement

According to FCC section 2.1051, section 22.917(a), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43+10*log(P)dB. This calculated to be -13dBm.

According to FCC section 24.238(a) for n2, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

Additional to FCC section 22.917(a) for n5, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB. This calculated to be -13dBm.

According to FCC section 27.53(h) for n66, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least 43 + 10 $\log_{10}$ (P) dB.

According to FCC section 27.53(l)(2) for n77, for mobile operations in the 3700-3980 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed −13 dBm/MHz.

According to FCC section 27.53(n)(2) for n77, for mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed −13 dBm/MHz.

According to FCC section 96.41(e), the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed −40dBm/MHz.

2.5.2.Test Description



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.

2.5.3.Test procedure

KDB 971168 D01v03 Section 6.0 and ANSI/TIA-603-E-2016.

2.5.4.Test Result



n2 (30MHz-20GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Left Low



n2 (30MHz-20GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Right Low



n2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Left Low



n2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Right Low



n2 (30MHz-20GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Left Mid



n2 (30MHz-20GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Right Mid



n2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Left Mid



n2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Right Mid



n2 (30MHz-20GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Left High



n2 (30MHz-20GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Right High



n2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Left High



n2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Right High



n2 (30MHz-20GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Left Low



n2 (30MHz-20GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Right Low



n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Left Low



n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Right Low



n2 (30MHz-20GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Left Mid



n2 (30MHz-20GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Right Mid



n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Left Mid



n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Right Mid



n2 (30MHz-20GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Left High



n2 (30MHz-20GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Right High



n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Left High



n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Right High



n2 (30MHz-20GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Left Low



n2 (30MHz-20GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Right Low



n2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Left Low



n2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Right Low



n2 (30MHz-20GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Left Mid



n2 (30MHz-20GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Right Mid



n2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Left Mid



n2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Right Mid



n2 (30MHz-20GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Left High



n2 (30MHz-20GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Right High



n2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Left High



n2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Right High



n2 (30MHz-20GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Left Low



n2 (30MHz-20GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Right Low



n2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Left Low

n2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Right Low



n2 (30MHz-20GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Left Mid



n2 (30MHz-20GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Right Mid



n2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Left Mid



n2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Right Mid



n2 (30MHz-20GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Left High



n2 (30MHz-20GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Right High



n2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Left High



n2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Right High



n2 (30MHz-20GHz) 25M DFT-s-OFDM BPSK Inner_1RB_Left Low



n2 (30MHz-20GHz) 25M DFT-s-OFDM BPSK Inner_1RB_Right Low



n2 (30MHz-20GHz) 25M DFT-s-OFDM QPSK Inner_1RB_Left Low



n2 (30MHz-20GHz) 25M DFT-s-OFDM QPSK Inner_1RB_Right Low



n2 (30MHz-20GHz) 25M DFT-s-OFDM BPSK Inner_1RB_Left Mid



n2 (30MHz-20GHz) 25M DFT-s-OFDM BPSK Inner_1RB_Right Mid



n2 (30MHz-20GHz) 25M DFT-s-OFDM QPSK Inner_1RB_Left Mid



n2 (30MHz-20GHz) 25M DFT-s-OFDM QPSK Inner_1RB_Right Mid



n2 (30MHz-20GHz) 25M DFT-s-OFDM BPSK Inner_1RB_Left High



n2 (30MHz-20GHz) 25M DFT-s-OFDM BPSK Inner_1RB_Right High



n2 (30MHz-20GHz) 25M DFT-s-OFDM QPSK Inner_1RB_Left High



n2 (30MHz-20GHz) 25M DFT-s-OFDM QPSK Inner_1RB_Right High



n2 (30MHz-20GHz) 30M DFT-s-OFDM BPSK Inner_1RB_Left Low



n2 (30MHz-20GHz) 30M DFT-s-OFDM BPSK Inner_1RB_Right Low



n2 (30MHz-20GHz) 30M DFT-s-OFDM QPSK Inner_1RB_Left Low



n2 (30MHz-20GHz) 30M DFT-s-OFDM QPSK Inner_1RB_Right Low



n2 (30MHz-20GHz) 30M DFT-s-OFDM BPSK Inner_1RB_Left Mid



n2 (30MHz-20GHz) 30M DFT-s-OFDM BPSK Inner_1RB_Right Mid



n2 (30MHz-20GHz) 30M DFT-s-OFDM QPSK Inner_1RB_Left Mid



n2 (30MHz-20GHz) 30M DFT-s-OFDM QPSK Inner_1RB_Right Mid



n2 (30MHz-20GHz) 30M DFT-s-OFDM BPSK Inner_1RB_Left High



n2 (30MHz-20GHz) 30M DFT-s-OFDM BPSK Inner_1RB_Right High



n2 (30MHz-20GHz) 30M DFT-s-OFDM QPSK Inner_1RB_Left High



n2 (30MHz-20GHz) 30M DFT-s-OFDM QPSK Inner_1RB_Right High

n5 (30MHz-9GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Left Low

n5 (30MHz-9GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Right Low

n5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Left Low

n5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Right Low

n5 (30MHz-9GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Left Mid

n5 (30MHz-9GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Right Mid

n5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Left Mid

n5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Right Mid

n5 (30MHz-9GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Left High



n5 (30MHz-9GHz) 5M DFT-s-OFDM BPSK Inner_1RB_Right High

n5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Left High

n5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK Inner_1RB_Right High



n5 (30MHz-9GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Left Low



n5 (30MHz-9GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Right Low



n5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Left Low



n5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Right Low

n5 (30MHz-9GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Left Mid

n5 (30MHz-9GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Right Mid

n5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Left Mid

n5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Right Mid



n5 (30MHz-9GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Left High

n5 (30MHz-9GHz) 10M DFT-s-OFDM BPSK Inner_1RB_Right High

n5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Left High

n5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK Inner_1RB_Right High

n5 (30MHz-9GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Left Low

n5 (30MHz-9GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Right Low

n5 (30MHz-9GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Left Low

n5 (30MHz-9GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Right Low

n5 (30MHz-9GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Left Mid

n5 (30MHz-9GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Right Mid

n5 (30MHz-9GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Left Mid

n5 (30MHz-9GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Right Mid

n5 (30MHz-9GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Left High

n5 (30MHz-9GHz) 15M DFT-s-OFDM BPSK Inner_1RB_Right High

n5 (30MHz-9GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Left High

n5 (30MHz-9GHz) 15M DFT-s-OFDM QPSK Inner_1RB_Right High

n5 (30MHz-9GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Left Low



n5 (30MHz-9GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Right Low



n5 (30MHz-9GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Left Low



n5 (30MHz-9GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Right Low



n5 (30MHz-9GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Left Mid



n5 (30MHz-9GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Right Mid

n5 (30MHz-9GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Left Mid



n5 (30MHz-9GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Right Mid

n5 (30MHz-9GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Left High



n5 (30MHz-9GHz) 20M DFT-s-OFDM BPSK Inner_1RB_Right High

n5 (30MHz-9GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Left High

n5 (30MHz-9GHz) 20M DFT-s-OFDM QPSK Inner_1RB_Right High