


Test Graph




CA_2A-13A High 2A_20M 13A_10M 1RB 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1560.5610	-62.09	-13.00	49.09	-9.29	-45.71	36.42			Horizontal
2	1888.8890	-32.89	-13.00	19.89	-6.38	-46.72	40.34			NA
3	1976.9770	-30.47	-13.00	17.47	-4.62	-46.34	41.72			NA
4	2337.3370	-59.98	-13.00	46.98	-7.95	-46.49	38.54			Horizontal
5	3122.1220	-59.13	-13.00	46.13	-8.38	-47.42	39.04			Horizontal
6	3810.8110	-55.82	-13.00	42.82	-6.68	-46.20	39.52			Horizontal
7	3906.9070	-55.98	-13.00	42.98	-7.00	-46.81	39.81			Horizontal
8	4667.6680	-55.36	-13.00	42.36	-4.18	-44.92	40.74			Horizontal
9	5484.4840	-55.86	-13.00	42.86	-2.10	-42.83	40.73			Horizontal
10	5756.7570	-54.79	-13.00	41.79	-1.62	-42.78	41.16			Horizontal
11	6213.2130	-52.14	-13.00	39.14	-0.51	-42.18	41.67			Horizontal
12	7030.0300	-50.75	-13.00	37.75	4.52	-39.88	44.40			Horizontal
13	7614.6150	-50.73	-13.00	37.73	7.17	-37.87	45.04			Horizontal
14	7806.8070	-52.5	-13.00	39.50	6.47	-38.17	44.64			Horizontal
15	9549.5500	-55.53	-13.00	42.53	11.75	-36.61	48.36			Horizontal
16	11378.3780	-51.12	-13.00	38.12	15.99	-33.35	49.34			Horizontal
17	13279.2790	-52.01	-13.00	39.01	20.20	-29.37	49.57			Horizontal
18	15180.1800	-49.94	-13.00	36.94	21.75	-28.53	50.28			Horizontal
19	17126.1260	-47.3	-13.00	34.30	23.71	-27.76	51.47			Horizontal

Test Graph




○ Final Test

CA_2A-13A High 2A_20M 13A_10M 1RB 1-18G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1560.5610	-63.76	-13.00	50.76	-10.04	-45.71	35.67			Vertical
2	1896.8970	-39.87	-13.00	26.87	-11.23	-46.74	35.51			NA
3	1984.9850	-47.23	-13.00	34.23	-10.16	-46.32	36.16			NA
4	2345.3450	-60.3	-13.00	47.30	-8.37	-46.53	38.16			Vertical
5	3178.1780	-57.59	-13.00	44.59	-9.11	-47.74	38.63			Vertical
6	3810.8110	-56.93	-13.00	43.93	-7.11	-46.20	39.09			Vertical
7	3890.8910	-56.29	-13.00	43.29	-7.46	-46.79	39.33			Vertical
8	4691.6920	-55.75	-13.00	42.75	-4.15	-44.78	40.63			Vertical
9	5444.4440	-54.34	-13.00	41.34	-2.51	-42.98	40.47			Vertical
10	5700.7010	-53.65	-13.00	40.65	-2.07	-42.74	40.67			Vertical
11	6253.2530	-53.84	-13.00	40.84	-0.11	-41.86	41.75			Vertical
12	7070.0700	-50.81	-13.00	37.81	4.75	-39.86	44.61			Vertical
13	7606.6070	-49.63	-13.00	36.63	7.35	-37.81	45.16			Vertical
14	7830.8310	-52.23	-13.00	39.23	6.86	-37.83	44.69			Vertical
15	9504.5050	-55.61	-13.00	42.61	11.05	-37.36	48.41			Vertical
16	11387.3870	-51.53	-13.00	38.53	15.93	-33.34	49.27			Vertical
17	13396.3960	-50.75	-13.00	37.75	21.28	-28.43	49.71			Vertical
18	15189.1890	-51.36	-13.00	38.36	20.29	-28.84	49.13			Vertical
19	17099.0990	-48.42	-13.00	35.42	23.21	-27.37	50.58			Vertical

Test Graph




CA_2A-13A High 2A_20M 13A_10M 1RB 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	34.8550	-58.74	-13.00	45.74	-9.37	-39.58	30.21			Horizontal
2	43.5940	-59.16	-13.00	46.16	-7.04	-39.51	32.47			Horizontal
3	104.7650	-67.99	-13.00	54.99	-17.53	-38.70	21.17			Horizontal
4	210.6010	-70.7	-13.00	57.70	-13.93	-37.57	23.64			Horizontal
5	279.5400	-71.36	-13.00	58.36	-12.04	-37.04	25.00			Horizontal
6	754.3440	-37.67	-13.00	24.67	-2.78	-34.20	31.42			NA

Test Graph




CA_2A-13A High 2A_20M 13A_10M 1RB 30M-1G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	33.8840	-58.77	-13.00	45.77	-16.76	-39.59	22.83			Vertical
2	37.7680	-58.68	-13.00	45.68	-16.48	-39.56	23.08			Vertical
3	47.4770	-65.47	-13.00	52.47	-15.49	-39.48	23.99			Vertical
4	90.2000	-64.51	-13.00	51.51	-16.50	-38.71	22.21			Vertical
5	280.5110	-72.95	-13.00	59.95	-12.48	-37.03	24.55			Vertical
6	755.3150	-45.69	-13.00	32.69	-2.44	-34.20	31.76			NA

2A_66A

Test Graph




CA_2A-66A Low 20M 1RB 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3434.4340	-60.3	-13.00	47.30	-8.96	-47.52	38.56			Horizontal
2	3730.7310	-57.87	-13.00	44.87	-8.01	-47.25	39.24			Horizontal
3	5156.1560	-54.46	-13.00	41.46	-2.41	-43.74	41.33			Horizontal
4	5548.5490	-54.19	-13.00	41.19	-2.02	-42.77	40.75			Horizontal
5	6829.8300	-52.36	-13.00	39.36	1.86	-41.17	43.03			Horizontal
6	7422.4220	-49.93	-13.00	36.93	6.74	-38.89	45.63			Horizontal
7	8607.6080	-49	-13.00	36.00	7.62	-38.58	46.20			Horizontal
8	9333.3330	-55.38	-13.00	42.38	11.74	-37.08	48.82			Horizontal
9	10396.3960	-53.09	-13.00	40.09	15.09	-34.43	49.52			Horizontal
10	11144.1440	-52.93	-13.00	39.93	13.96	-34.74	48.70			Horizontal
11	12072.0720	-51.91	-13.00	38.91	17.84	-31.62	49.46			Horizontal
12	13009.0090	-51.22	-13.00	38.22	20.38	-29.80	50.18			Horizontal
13	13801.8020	-50.42	-13.00	37.42	22.10	-27.45	49.55			Horizontal
14	14846.8470	-50.62	-13.00	37.62	20.64	-29.19	49.83			Horizontal
15	15495.4950	-49.16	-13.00	36.16	21.98	-28.90	50.88			Horizontal
16	16810.8110	-45.91	-13.00	32.91	25.29	-26.38	51.67			Horizontal
17	17252.2520	-45.69	-13.00	32.69	24.86	-26.80	51.66			Horizontal

Test Graph




CA_2A-66A Low 20M 1RB 1-18G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3434.4340	-60.33	-13.00	47.33	-9.59	-47.52	37.93			Vertical
2	3714.7150	-57.49	-13.00	44.49	-7.84	-46.91	39.07			Vertical
3	5124.1240	-53.46	-13.00	40.46	-2.31	-43.83	41.52			Vertical
4	5588.5890	-55.55	-13.00	42.55	-2.69	-43.06	40.37			Vertical
5	6869.8700	-52.53	-13.00	39.53	2.71	-40.74	43.45			Vertical
6	7430.4300	-50.29	-13.00	37.29	6.52	-38.87	45.39			Vertical
7	8631.6320	-50.03	-13.00	37.03	7.43	-38.77	46.20			Vertical
8	9306.3060	-56.04	-13.00	43.04	11.37	-37.26	48.63			Vertical
9	10387.3870	-53.22	-13.00	40.22	14.81	-34.69	49.50			Vertical
10	11153.1530	-52.5	-13.00	39.50	14.12	-34.77	48.89			Vertical
11	12081.0810	-52.32	-13.00	39.32	16.99	-31.78	48.77			Vertical
12	13018.0180	-52.02	-13.00	39.02	19.55	-29.83	49.38			Vertical
13	13774.7750	-51.59	-13.00	38.59	21.20	-28.34	49.54			Vertical
14	14891.8920	-50.7	-13.00	37.70	20.11	-29.79	49.90			Vertical
15	15477.4770	-51.06	-13.00	38.06	19.90	-28.86	48.76			Vertical
16	16747.7480	-49.43	-13.00	36.43	22.14	-28.73	50.87			Vertical
17	17198.1980	-47.75	-13.00	34.75	23.64	-27.23	50.87			Vertical



Test Graph




CA_2A-66A Low 20M 1RB 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	36.7970	-58.07	-13.00	45.07	-8.51	-39.57	31.06			Horizontal
2	44.5650	-59.25	-13.00	46.25	-7.03	-39.50	32.47			Horizontal
3	52.3320	-59.86	-13.00	46.86	-7.93	-39.47	31.54			Horizontal
4	104.7650	-71.95	-13.00	58.95	-17.53	-38.70	21.17			Horizontal
5	207.6880	-71.74	-13.00	58.74	-14.25	-37.63	23.38			Horizontal
6	619.3790	-72.87	-13.00	59.87	-5.75	-34.73	28.98			Horizontal

Test Graph




CA_2A-66A Low 20M 1RB 30M-1G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	38.7390	-59.6	-13.00	46.60	-16.41	-39.55	23.14			Vertical
2	47.4770	-66.48	-13.00	53.48	-15.49	-39.48	23.99			Vertical
3	63.0130	-69.81	-13.00	56.81	-18.28	-39.49	21.21			Vertical
4	90.2000	-64.84	-13.00	51.84	-16.50	-38.71	22.21			Vertical
5	156.2260	-72.82	-13.00	59.82	-16.87	-38.49	21.62			Vertical
6	280.5110	-73.52	-13.00	60.52	-12.48	-37.03	24.55			Vertical

Test Graph




CA_2A-66A Mid 20M 1RB 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3490.4900	-59.4	-13.00	46.40	-8.44	-47.40	38.96			Horizontal
2	3786.7870	-56.83	-13.00	43.83	-6.97	-46.40	39.43			Horizontal
3	5236.2360	-55.94	-13.00	42.94	-2.54	-43.40	40.86			Horizontal
4	5636.6370	-55	-13.00	42.00	-2.08	-42.90	40.82			Horizontal
5	6997.9980	-51.4	-13.00	38.40	4.36	-39.85	44.21			Horizontal
6	7526.5270	-49.36	-13.00	36.36	7.59	-38.31	45.90			Horizontal
7	8735.7360	-50.18	-13.00	37.18	7.61	-39.10	46.71			Horizontal
8	9423.4230	-55.58	-13.00	42.58	11.95	-36.89	48.84			Horizontal
9	10477.4770	-54.81	-13.00	41.81	12.63	-36.32	48.95			Horizontal
10	11261.2610	-52.95	-13.00	39.95	14.32	-34.46	48.78			Horizontal
11	12216.2160	-52.06	-13.00	39.06	18.02	-31.25	49.27			Horizontal
12	13144.1440	-52	-13.00	39.00	20.09	-29.68	49.77			Horizontal
13	13990.9910	-51.02	-13.00	38.02	21.06	-28.36	49.42			Horizontal
14	15045.0450	-50.15	-13.00	37.15	20.66	-29.19	49.85			Horizontal
15	15756.7570	-49.9	-13.00	36.90	21.42	-29.35	50.77			Horizontal
16	16918.9190	-47.48	-13.00	34.48	24.36	-27.94	52.30			Horizontal
17	17468.4680	-47.5	-13.00	34.50	23.81	-27.21	51.02			Horizontal

Test Graph




○ Final Test

CA_2A-66A Mid 20M 1RB 1-18G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3482.4820	-59.05	-13.00	46.05	-9.03	-47.43	38.40			Vertical
2	3762.7630	-58.06	-13.00	45.06	-8.16	-47.22	39.06			Vertical
3	5220.2200	-55.29	-13.00	42.29	-2.62	-43.29	40.67			Vertical
4	5652.6530	-55.42	-13.00	42.42	-2.29	-42.81	40.52			Vertical
5	6997.9980	-52.01	-13.00	39.01	4.13	-39.85	43.98			Vertical
6	7502.5030	-49.03	-13.00	36.03	7.67	-38.10	45.77			Vertical
7	8719.7200	-49.56	-13.00	36.56	7.62	-38.91	46.53			Vertical
8	9360.3600	-55.57	-13.00	42.57	12.05	-36.84	48.89			Vertical
9	10441.4410	-54.61	-13.00	41.61	13.24	-35.99	49.23			Vertical
10	11306.3060	-51.82	-13.00	38.82	15.20	-33.74	48.94			Vertical
11	12054.0540	-52.62	-13.00	39.62	17.53	-31.31	48.84			Vertical
12	13135.1350	-52.77	-13.00	39.77	19.40	-29.75	49.15			Vertical
13	13774.7750	-51.66	-13.00	38.66	21.20	-28.34	49.54			Vertical
14	15045.0450	-50.69	-13.00	37.69	20.38	-29.19	49.57			Vertical
15	15405.4050	-50.84	-13.00	37.84	19.73	-29.04	48.77			Vertical
16	16936.9370	-48.77	-13.00	35.77	22.97	-28.68	51.65			Vertical
17	17441.4410	-48.49	-13.00	35.49	22.96	-27.21	50.17			Vertical

Test Graph




CA_2A-66A Mid 20M 1RB 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-58.75	-13.00	45.75	-8.93	-39.57	30.64			Horizontal
2	43.5940	-59.21	-13.00	46.21	-7.04	-39.51	32.47			Horizontal
3	53.3030	-62.14	-13.00	49.14	-8.31	-39.47	31.16			Horizontal
4	104.7650	-72.62	-13.00	59.62	-17.53	-38.70	21.17			Horizontal
5	204.7750	-72.12	-13.00	59.12	-14.51	-37.71	23.20			Horizontal
6	753.3730	-71.75	-13.00	58.75	-2.83	-34.20	31.37			Horizontal

Test Graph




CA_2A-66A Mid 20M 1RB 30M-1G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	38.7390	-58.66	-13.00	45.66	-16.41	-39.55	23.14			Vertical
2	53.3030	-69.15	-13.00	56.15	-16.24	-39.47	23.23			Vertical
3	90.2000	-64.74	-13.00	51.74	-16.50	-38.71	22.21			Vertical
4	156.2260	-71.98	-13.00	58.98	-16.87	-38.49	21.62			Vertical
5	321.2910	-74.7	-13.00	61.70	-11.48	-37.01	25.53			Vertical
6	764.0540	-71.41	-13.00	58.41	-2.46	-34.21	31.75			Vertical



Test Graph



○ Final Test


CA_2A-66A High 20M 1RB 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3538.5390	-58.78	-13.00	45.78	-8.72	-47.85	39.13			Horizontal
2	3810.8110	-56.11	-13.00	43.11	-6.68	-46.20	39.52			Horizontal
3	5324.3240	-55.9	-13.00	42.90	-2.74	-43.22	40.48			Horizontal
4	5692.6930	-55.27	-13.00	42.27	-1.92	-42.75	40.83			Horizontal
5	7078.0780	-50.86	-13.00	37.86	4.82	-39.84	44.66			Horizontal
6	7614.6150	-50.18	-13.00	37.18	7.17	-37.87	45.04			Horizontal
7	8839.8400	-49.34	-13.00	36.34	7.79	-38.97	46.76			Horizontal
8	9531.5320	-55.62	-13.00	42.62	11.38	-36.91	48.29			Horizontal
9	10693.6940	-52.85	-13.00	39.85	14.12	-34.43	48.55			Horizontal
10	11414.4140	-52.62	-13.00	39.62	15.67	-33.84	49.51			Horizontal
11	12378.3780	-52.87	-13.00	39.87	17.61	-31.21	48.82			Horizontal
12	13342.3420	-51.25	-13.00	38.25	21.70	-28.09	49.79			Horizontal
13	14189.1890	-50.56	-13.00	37.56	20.96	-29.00	49.96			Horizontal
14	15198.1980	-50.1	-13.00	37.10	21.21	-29.15	50.36			Horizontal
15	15909.9100	-47.35	-13.00	34.35	23.25	-27.43	50.68			Horizontal
16	17099.0990	-47.3	-13.00	34.30	24.02	-27.37	51.39			Horizontal
17	17693.6940	-46.5	-13.00	33.50	25.72	-26.26	51.98			Horizontal



Test Graph




CA_2A-66A Hiigh 20M 1RB 1-18G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3546.5470	-59.66	-13.00	46.66	-9.32	-47.95	38.63			Vertical
2	3810.8110	-56.47	-13.00	43.47	-7.11	-46.20	39.09			Vertical
3	5324.3240	-56.66	-13.00	43.66	-3.13	-43.22	40.09			Vertical
4	5724.7250	-55.32	-13.00	42.32	-2.02	-42.74	40.72			Vertical
5	7078.0780	-51.12	-13.00	38.12	4.84	-39.84	44.68			Vertical
6	7590.5910	-49.19	-13.00	36.19	7.33	-37.90	45.23			Vertical
7	8831.8320	-49.72	-13.00	36.72	7.47	-39.03	46.50			Vertical
8	9513.5140	-55.42	-13.00	42.42	11.23	-37.21	48.44			Vertical
9	10630.6310	-53.12	-13.00	40.12	13.60	-35.23	48.83			Vertical
10	11423.4230	-53.38	-13.00	40.38	15.27	-34.16	49.43			Vertical
11	12378.3780	-53.47	-13.00	40.47	16.88	-31.21	48.09			Vertical
12	13207.2070	-51.8	-13.00	38.80	19.98	-29.14	49.12			Vertical
13	14126.1260	-49.86	-13.00	36.86	22.00	-28.42	50.42			Vertical
14	15045.0450	-50.65	-13.00	37.65	20.38	-29.19	49.57			Vertical
15	16018.0180	-51.13	-13.00	38.13	20.02	-28.72	48.74			Vertical
16	16918.9190	-47.95	-13.00	34.95	23.77	-27.94	51.71			Vertical
17	17684.6850	-47.36	-13.00	34.36	24.78	-26.24	51.02			Vertical

Test Graph




CA_2A-66A High 20M 1RB 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-58.41	-13.00	45.41	-8.93	-39.57	30.64			Horizontal
2	44.5650	-58.66	-13.00	45.66	-7.03	-39.50	32.47			Horizontal
3	90.2000	-71.45	-13.00	58.45	-18.92	-38.71	19.79			Horizontal
4	208.6590	-69.91	-13.00	56.91	-14.16	-37.61	23.45			Horizontal
5	279.5400	-70.7	-13.00	57.70	-12.04	-37.04	25.00			Horizontal
6	672.7830	-72.72	-13.00	59.72	-4.23	-34.39	30.16			Horizontal

Test Graph




CA_2A-66A High 20M 1RB 30M-1G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	37.7680	-59.33	-13.00	46.33	-16.48	-39.56	23.08			Vertical
2	90.2000	-63.4	-13.00	50.40	-16.50	-38.71	22.21			Vertical
3	151.3710	-71.76	-13.00	58.76	-16.75	-38.62	21.87			Vertical
4	320.3200	-73.9	-13.00	60.90	-11.51	-37.00	25.49			Vertical
5	530.0500	-73.67	-13.00	60.67	-6.87	-34.99	28.12			Vertical
6	885.4250	-71	-13.00	58.00	-1.36	-34.00	32.64			Vertical

4A_5A


Test Graph



CA_4A-5A Low 4A_20M 5A_10M 1RB 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1658.6590	-62.33	-13.00	49.33	-8.87	-46.26	37.39			Horizontal
2	1710.7110	-23.95	-13.00	10.95	-8.41	-46.34	37.93			NA
3	1758.7590	-54.84	-13.00	41.84	-8.27	-46.27	38.00			NA
4	2543.5440	-54.55	-13.00	41.55	-10.73	-47.52	36.79			Horizontal
5	3318.3180	-62	-13.00	49.00	-10.01	-48.05	38.04			Horizontal
6	3444.4440	-59.36	-13.00	46.36	-8.90	-47.53	38.63			Horizontal
7	4153.1530	-58.59	-13.00	45.59	-7.28	-47.08	39.80			Horizontal
8	4993.9940	-55.42	-13.00	42.42	-2.60	-43.94	41.34			Horizontal
9	5168.1680	-56.53	-13.00	43.53	-2.30	-43.58	41.28			Horizontal
10	5834.8350	-55.02	-13.00	42.02	-1.07	-42.44	41.37			Horizontal
11	6651.6520	-52.24	-13.00	39.24	1.29	-41.88	43.17			Horizontal
12	6885.8860	-52.42	-13.00	39.42	2.81	-40.50	43.31			Horizontal
13	7492.4920	-50.16	-13.00	37.16	7.96	-38.19	46.15			Horizontal
14	8333.3330	-51.39	-13.00	38.39	6.70	-38.24	44.94			Horizontal
15	8597.5980	-49.96	-13.00	36.96	7.62	-38.53	46.15			Horizontal
16	10333.3330	-55.31	-13.00	42.31	12.95	-36.03	48.98			Horizontal
17	12036.0360	-52.19	-13.00	39.19	18.12	-31.27	49.39			Horizontal
18	13765.7660	-52.09	-13.00	39.09	21.00	-28.67	49.67			Horizontal
19	15477.4770	-49.61	-13.00	36.61	22.00	-28.86	50.86			Horizontal
20	17207.2070	-47.01	-13.00	34.01	24.56	-27.14	51.70			Horizontal




CA_4A-5A Low 4A_20M 5A_10M 1RB 1-18G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1658.6590	-63.19	-13.00	50.19	-9.76	-46.26	36.50			Vertical
2	1710.7110	-24.47	-13.00	11.47	-9.39	-46.34	36.95			NA
3	1760.7610	-58.8	-13.00	45.80	-9.26	-46.28	37.02			NA
4	2547.5480	-58.7	-13.00	45.70	-10.90	-47.56	36.66			Vertical
5	3336.3360	-61.32	-13.00	48.32	-10.54	-48.05	37.51			Vertical
6	3432.4320	-60.81	-13.00	47.81	-9.61	-47.52	37.91			Vertical
7	4183.1830	-56.9	-13.00	43.90	-7.10	-46.59	39.49			Vertical
8	5018.0180	-55.92	-13.00	42.92	-2.90	-43.83	40.93			Vertical
9	5162.1620	-55.29	-13.00	42.29	-2.48	-43.66	41.18			Vertical
10	5852.8530	-55.47	-13.00	42.47	-1.12	-42.25	41.13			Vertical
11	6699.7000	-52.61	-13.00	39.61	1.22	-41.65	42.87			Vertical
12	6879.8800	-53.22	-13.00	40.22	2.90	-40.59	43.49			Vertical
13	7528.5290	-50.35	-13.00	37.35	7.28	-38.33	45.61			Vertical
14	8357.3570	-52.45	-13.00	39.45	6.38	-38.35	44.73			Vertical
15	8609.6100	-50.93	-13.00	37.93	7.47	-38.60	46.07			Vertical
16	10333.3330	-55.44	-13.00	42.44	12.89	-36.03	48.92			Vertical
17	12036.0360	-52.92	-13.00	39.92	17.61	-31.27	48.88			Vertical
18	13765.7660	-52.56	-13.00	39.56	20.88	-28.67	49.55			Vertical
19	15486.4860	-51.31	-13.00	38.31	19.88	-28.88	48.76			Vertical
20	17207.2070	-47.53	-13.00	34.53	23.72	-27.14	50.86			Vertical

Test Graph




CA_4A-5A Low 4A_20M 5A_10M 1RB 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	33.8840	-55.3	-13.00	42.30	-9.81	-39.59	29.78			Horizontal
2	47.4770	-59.64	-13.00	46.64	-7.02	-39.48	32.46			Horizontal
3	104.7650	-71.6	-13.00	58.60	-17.53	-38.70	21.17			Horizontal
4	206.7170	-67.99	-13.00	54.99	-14.34	-37.66	23.32			Horizontal
5	834.9350	-56.46	-13.00	43.46	-2.65	-34.14	31.49			NA
6	877.6580	-38.51	-13.00	25.51	-2.16	-34.02	31.86			NA

Test Graph




CA_4A-5A Low 4A_20M 5A_10M 1RB 30M-1G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	37.7680	-57.97	-13.00	44.97	-16.48	-39.56	23.08			Vertical
2	90.2000	-67.84	-13.00	54.84	-16.50	-38.71	22.21			Vertical
3	142.6330	-71.87	-13.00	58.87	-15.53	-38.60	23.07			Vertical
4	296.0460	-70.75	-13.00	57.75	-12.04	-36.97	24.93			Vertical
5	837.8480	-66.91	-13.00	53.91	-2.73	-34.13	31.40			NA
6	874.7450	-39.91	-13.00	26.91	-1.94	-34.03	32.09			NA



Test Graph




CA_4A-5A Mid 4A_20M 5A_10M 1RB 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1672.6730	-61.43	-13.00	48.43	-8.72	-46.29	37.57			Horizontal
2	1722.7230	-23.56	-13.00	10.56	-8.36	-46.31	37.95			NA
3	1754.7550	-47.33	-13.00	34.33	-8.27	-46.27	38.00			NA
4	2509.5100	-62.5	-13.00	49.50	-10.49	-47.19	36.70			Horizontal
5	3342.3420	-60.73	-13.00	47.73	-9.94	-48.06	38.12			Horizontal
6	3462.4620	-60.59	-13.00	47.59	-8.73	-47.49	38.76			Horizontal
7	4183.1830	-56.79	-13.00	43.79	-6.88	-46.59	39.71			Horizontal
8	5012.0120	-53.92	-13.00	40.92	-2.44	-43.82	41.38			Horizontal
9	5192.1920	-55.7	-13.00	42.70	-2.07	-43.25	41.18			Horizontal
10	5858.8590	-55.55	-13.00	42.55	-0.95	-42.30	41.35			Horizontal
11	6693.6940	-52.98	-13.00	39.98	1.21	-41.68	42.89			Horizontal
12	6927.9280	-50.33	-13.00	37.33	3.18	-40.44	43.62			Horizontal
13	7522.5230	-50.02	-13.00	37.02	7.68	-38.27	45.95			Horizontal
14	8369.3690	-52.13	-13.00	39.13	6.47	-38.38	44.85			Horizontal
15	8663.6640	-52.3	-13.00	39.30	7.60	-38.86	46.46			Horizontal
16	10396.3960	-53.81	-13.00	40.81	15.09	-34.43	49.52			Horizontal
17	12126.1260	-52.68	-13.00	39.68	17.93	-31.52	49.45			Horizontal
18	13864.8650	-51.11	-13.00	38.11	21.30	-28.38	49.68			Horizontal
19	15594.5950	-49.89	-13.00	36.89	21.21	-29.10	50.31			Horizontal
20	17333.3330	-46.06	-13.00	33.06	24.10	-27.30	51.40			Horizontal

Test Graph




○ Final Test

CA_4A-5A Mid 4A_20M 5A_10M 1RB 1-18G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1674.6750	-63.41	-13.00	50.41	-9.63	-46.30	36.67			Vertical
2	1722.7230	-29.29	-13.00	16.29	-9.34	-46.31	36.97			NA
3	1756.7570	-55.85	-13.00	42.85	-9.26	-46.27	37.01			NA
4	2509.5100	-62.33	-13.00	49.33	-10.63	-47.19	36.56			Vertical
5	3348.3480	-60.89	-13.00	47.89	-10.53	-48.06	37.53			Vertical
6	3468.4680	-59.49	-13.00	46.49	-9.21	-47.47	38.26			Vertical
7	4183.1830	-57.29	-13.00	44.29	-7.10	-46.59	39.49			Vertical
8	5024.0240	-55.85	-13.00	42.85	-2.84	-43.83	40.99			Vertical
9	5204.2040	-55.89	-13.00	42.89	-2.37	-43.18	40.81			Vertical
10	5858.8590	-55.66	-13.00	42.66	-1.14	-42.30	41.16			Vertical
11	6699.7000	-53.17	-13.00	40.17	1.22	-41.65	42.87			Vertical
12	6927.9280	-52.04	-13.00	39.04	3.25	-40.44	43.69			Vertical
13	7528.5290	-51.45	-13.00	38.45	7.28	-38.33	45.61			Vertical
14	8363.3630	-52.15	-13.00	39.15	6.37	-38.36	44.73			Vertical
15	8657.6580	-51.32	-13.00	38.32	7.48	-38.88	46.36			Vertical
16	10396.3960	-53.59	-13.00	40.59	15.17	-34.43	49.60			Vertical
17	12126.1260	-53.21	-13.00	40.21	17.25	-31.52	48.77			Vertical
18	13855.8560	-51.21	-13.00	38.21	21.25	-28.43	49.68			Vertical
19	15603.6040	-53.47	-13.00	40.47	18.49	-29.12	47.61			Vertical
20	17324.3240	-47.19	-13.00	34.19	23.06	-27.47	50.53			Vertical

Test Graph




CA_4A-5A Mid 4A_20M 5A_10M 1RB 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	33.8840	-56.65	-13.00	43.65	-9.81	-39.59	29.78			Horizontal
2	104.7650	-69.77	-13.00	56.77	-17.53	-38.70	21.17			Horizontal
3	204.7750	-68.81	-13.00	55.81	-14.51	-37.71	23.20			Horizontal
4	319.3490	-72.2	-13.00	59.20	-12.59	-37.00	24.41			Horizontal
5	825.2250	-60.69	-13.00	47.69	-2.96	-34.16	31.20			NA
6	884.4540	-38.18	-13.00	25.18	-2.10	-34.01	31.91			NA

Test Graph




○ Final Test

CA_4A-5A Mid 4A_20M 5A_10M 1RB 30M-1G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	34.8550	-57.59	-13.00	44.59	-16.68	-39.58	22.90			Vertical
2	57.1870	-70.42	-13.00	57.42	-17.44	-39.48	22.04			Vertical
3	202.8330	-73	-13.00	60.00	-16.29	-37.76	21.47			Vertical
4	314.4940	-73.3	-13.00	60.30	-11.69	-36.98	25.29			Vertical
5	832.9930	-67.92	-13.00	54.92	-2.60	-34.14	31.54			NA
6	880.5710	-41.18	-13.00	28.18	-1.56	-34.02	32.46			NA

Test Graph




CA_4A-5A High 4A_20M 5A_10M 1RB 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1688.6890	-61.96	-13.00	48.96	-8.55	-46.33	37.78			Horizontal
2	1702.7030	-37.6	-13.00	24.60	-8.43	-46.35	37.92			NA
3	1752.7530	-24.23	-13.00	11.23	-8.27	-46.26	37.99			NA
4	2537.5380	-45.85	-13.00	32.85	-10.69	-47.46	36.77			Horizontal
5	3372.3720	-60.86	-13.00	47.86	-9.58	-47.80	38.22			Horizontal
6	3492.4920	-59.29	-13.00	46.29	-8.41	-47.39	38.98			Horizontal
7	4219.2190	-57	-13.00	44.00	-6.84	-46.54	39.70			Horizontal
8	5066.0660	-54.72	-13.00	41.72	-2.36	-43.85	41.49			Horizontal
9	5234.2340	-56.01	-13.00	43.01	-2.52	-43.39	40.87			Horizontal
10	5906.9070	-54.9	-13.00	41.90	-1.32	-42.63	41.31			Horizontal
11	6753.7540	-52.86	-13.00	39.86	1.90	-40.97	42.87			Horizontal
12	6987.9880	-51.33	-13.00	38.33	4.13	-40.00	44.13			Horizontal
13	7594.5950	-51.21	-13.00	38.21	7.27	-37.84	45.11			Horizontal
14	8447.4470	-51.75	-13.00	38.75	6.97	-38.08	45.05			Horizontal
15	8729.7300	-50.8	-13.00	37.80	7.67	-39.03	46.70			Horizontal
16	10468.4680	-54.78	-13.00	41.78	12.69	-36.33	49.02			Horizontal
17	12225.2250	-52.46	-13.00	39.46	18.20	-31.05	49.25			Horizontal
18	13954.9550	-51.53	-13.00	38.53	20.92	-28.63	49.55			Horizontal
19	15711.7120	-51.03	-13.00	38.03	21.16	-29.76	50.92			Horizontal
20	17450.4500	-47.93	-13.00	34.93	23.91	-27.10	51.01			Horizontal

Test Graph




CA_4A-5A High 4A_20M 5A_10M 1RB 1-18G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1688.6890	-63.04	-13.00	50.04	-9.51	-46.33	36.82			Vertical
2	1702.7030	-39.92	-13.00	26.92	-9.41	-46.35	36.94			NA
3	1744.7450	-27.44	-13.00	14.44	-9.27	-46.27	37.00			NA
4	2531.5320	-62.11	-13.00	49.11	-10.78	-47.40	36.62			Vertical
5	3372.3720	-61.8	-13.00	48.80	-10.24	-47.80	37.56			Vertical
6	3486.4860	-59.89	-13.00	46.89	-8.97	-47.41	38.44			Vertical
7	4219.2190	-57.77	-13.00	44.77	-7.04	-46.54	39.50			Vertical
8	5066.0660	-53.17	-13.00	40.17	-2.45	-43.85	41.40			Vertical
9	5240.2400	-56.57	-13.00	43.57	-2.93	-43.43	40.50			Vertical
10	5912.9130	-54.78	-13.00	41.78	-1.25	-42.59	41.34			Vertical
11	6753.7540	-52.34	-13.00	39.34	2.05	-40.97	43.02			Vertical
12	6975.9760	-52.35	-13.00	39.35	3.71	-40.18	43.89			Vertical
13	7600.6010	-50.36	-13.00	37.36	7.41	-37.76	45.17			Vertical
14	8447.4470	-52.06	-13.00	39.06	6.83	-38.08	44.91			Vertical
15	8729.7300	-51.4	-13.00	38.40	7.46	-39.03	46.49			Vertical
16	10468.4680	-54.84	-13.00	41.84	12.63	-36.33	48.96			Vertical
17	12207.2070	-53.2	-13.00	40.20	17.43	-31.44	48.87			Vertical
18	13954.9550	-51.57	-13.00	38.57	21.06	-28.63	49.69			Vertical
19	15702.7030	-53.78	-13.00	40.78	18.54	-29.81	48.35			Vertical
20	17450.4500	-49.01	-13.00	36.01	23.06	-27.10	50.16			Vertical

Test Graph



CA_4A-5A High 4A_20M 5A_10M 1RB 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	34.8550	-56.37	-13.00	43.37	-9.37	-39.58	30.21			Horizontal
2	48.4480	-59.41	-13.00	46.41	-7.02	-39.47	32.45			Horizontal
3	203.8040	-68.29	-13.00	55.29	-14.59	-37.73	23.14			Horizontal
4	739.7800	-63.5	-13.00	50.50	-3.25	-34.24	30.99			Horizontal
5	820.3700	-62.21	-13.00	49.21	-3.15	-34.18	31.03			NA
6	889.3090	-38.13	-13.00	25.13	-2.03	-34.00	31.97			NA