


CH392000 20MBW DFT-s-OFDM 16 QAM 1RB_Left SCS15KHz 1-18G V


Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3490.4900	-60.25	-13.00	47.25	-8.92	-47.40	38.48			Vertical
2	3762.7630	-58.5	-13.00	45.50	-8.16	-47.22	39.06			Vertical
3	5236.2360	-56.43	-13.00	43.43	-2.87	-43.40	40.53			Vertical
4	5636.6370	-55.67	-13.00	42.67	-2.43	-42.90	40.47			Vertical
5	6981.9820	-51.82	-13.00	38.82	3.83	-40.09	43.92			Vertical
6	7518.5190	-50.56	-13.00	37.56	7.44	-38.24	45.68			Vertical
7	8727.7280	-52.29	-13.00	39.29	7.49	-39.01	46.50			Vertical
8	9405.4050	-55.94	-13.00	42.94	12.56	-36.48	49.04			Vertical
9	10477.4770	-55.43	-13.00	42.43	12.55	-36.32	48.87			Vertical
10	11279.2790	-53.38	-13.00	40.38	14.71	-34.15	48.86			Vertical
11	12216.2160	-53.56	-13.00	40.56	17.60	-31.25	48.85			Vertical
12	13162.1620	-53.72	-13.00	40.72	19.65	-29.49	49.14			Vertical
13	13954.9550	-52.05	-13.00	39.05	21.06	-28.63	49.69			Vertical
14	15045.0450	-51.91	-13.00	38.91	20.38	-29.19	49.57			Vertical
15	15702.7030	-54.52	-13.00	41.52	18.54	-29.81	48.35			Vertical
16	16918.9190	-49.71	-13.00	36.71	23.77	-27.94	51.71			Vertical
17	17450.4500	-49.77	-13.00	36.77	23.06	-27.10	50.16			Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-50.49	-13.00	37.49	-8.93	-39.57	30.64			Horizontal
2	45.5360	-59.27	-13.00	46.27	-7.04	-39.50	32.46			Horizontal
3	122.2420	-61.57	-13.00	48.57	-18.60	-38.57	19.97			Horizontal
4	130.9810	-63.24	-13.00	50.24	-20.37	-38.51	18.14			Horizontal
5	240.7010	-73.05	-13.00	60.05	-11.17	-37.62	26.45			Horizontal
6	490.2400	-74.58	-13.00	61.58	-7.68	-35.14	27.46			Horizontal



Suspected List


NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-56.3	-13.00	43.30	-16.61	-39.57	22.96			Vertical
2	90.2000	-66.8	-13.00	53.80	-16.50	-38.71	22.21			Vertical
3	103.7940	-67.7	-13.00	54.70	-13.84	-38.70	24.86			Vertical
4	204.7750	-71.68	-13.00	58.68	-16.40	-37.71	21.31			Vertical
5	481.5020	-74.53	-13.00	61.53	-8.06	-35.22	27.16			Vertical
6	732.0120	-71.1	-13.00	58.10	-3.41	-34.26	30.85			Vertical




CH396000 20MBW CP-OFDM QPSK 1RB_Left SCS15KHz 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3538.5390	-60.54	-13.00	47.54	-8.72	-47.85	39.13			Horizontal
2	3802.8030	-57.2	-13.00	44.20	-6.52	-46.01	39.49			Horizontal
3	5308.3080	-58.15	-13.00	45.15	-2.95	-43.34	40.39			Horizontal
4	5700.7010	-55.96	-13.00	42.96	-1.91	-42.74	40.83			Horizontal
5	7078.0780	-51.81	-13.00	38.81	4.82	-39.84	44.66			Horizontal
6	7558.5590	-46.11	-13.00	33.11	7.15	-38.38	45.53			Horizontal
7	8847.8480	-49.71	-13.00	36.71	7.83	-38.91	46.74			Horizontal
8	9504.5050	-56.55	-13.00	43.55	10.83	-37.36	48.19			Horizontal
9	10621.6220	-54.53	-13.00	41.53	13.32	-35.36	48.68			Horizontal
10	11396.3960	-52.06	-13.00	39.06	16.10	-33.33	49.43			Horizontal
11	12396.3960	-54.01	-13.00	41.01	17.55	-31.20	48.75			Horizontal
12	13297.2970	-53.4	-13.00	40.40	20.36	-29.20	49.56			Horizontal
13	14162.1620	-52.68	-13.00	39.68	20.72	-29.28	50.00			Horizontal
14	15207.2070	-51.74	-13.00	38.74	21.05	-29.35	50.40			Horizontal
15	15927.9280	-50.15	-13.00	37.15	22.51	-28.25	50.76			Horizontal
16	17099.0990	-48.96	-13.00	35.96	24.02	-27.37	51.39			Horizontal
17	17702.7030	-47.81	-13.00	34.81	25.81	-26.28	52.09			Horizontal




Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3538.5390	-60.12	-13.00	47.12	-9.23	-47.85	38.62			Vertical
2	3802.8030	-57.45	-13.00	44.45	-6.94	-46.01	39.07			Vertical
3	5308.3080	-58.35	-13.00	45.35	-3.33	-43.34	40.01			Vertical
4	5708.7090	-55.72	-13.00	42.72	-2.05	-42.74	40.69			Vertical
5	7086.0860	-51.45	-13.00	38.45	4.94	-39.82	44.76			Vertical
6	7598.5990	-51.29	-13.00	38.29	7.40	-37.78	45.18			Vertical
7	8847.8480	-51.3	-13.00	38.30	7.73	-38.91	46.64			Vertical
8	9504.5050	-56.42	-13.00	43.42	11.05	-37.36	48.41			Vertical
9	10621.6220	-53.92	-13.00	40.92	13.51	-35.36	48.87			Vertical
10	11387.3870	-52.19	-13.00	39.19	15.93	-33.34	49.27			Vertical
11	12396.3960	-54.87	-13.00	41.87	16.77	-31.20	47.97			Vertical
12	13306.3060	-53.6	-13.00	40.60	20.19	-29.02	49.21			Vertical
13	14162.1620	-52.32	-13.00	39.32	21.19	-29.28	50.47			Vertical
14	15198.1980	-53.24	-13.00	40.24	19.95	-29.15	49.10			Vertical
15	15936.9370	-53.13	-13.00	40.13	19.67	-28.66	48.33			Vertical
16	17099.0990	-49.89	-13.00	36.89	23.21	-27.37	50.58			Vertical
17	17702.7030	-48.75	-13.00	35.75	24.87	-26.28	51.15			Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-53.09	-13.00	40.09	-8.93	-39.57	30.64			Horizontal
2	44.5650	-59.6	-13.00	46.60	-7.03	-39.50	32.47			Horizontal
3	54.2740	-62.87	-13.00	49.87	-8.69	-39.47	30.78			Horizontal
4	142.6330	-64.39	-13.00	51.39	-20.95	-38.60	17.65			Horizontal
5	154.2840	-63	-13.00	50.00	-20.43	-38.54	18.11			Horizontal
6	280.5110	-71.78	-13.00	58.78	-12.02	-37.03	25.01			Horizontal



CH396000 20MBW CP-OFDM QPSK 1RB_Left SCS15KHz 30M-1G V


Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-56.78	-13.00	43.78	-16.61	-39.57	22.96			Vertical
2	38.7390	-58.15	-13.00	45.15	-16.41	-39.55	23.14			Vertical
3	90.2000	-68.28	-13.00	55.28	-16.50	-38.71	22.21			Vertical
4	104.7650	-69.79	-13.00	56.79	-14.20	-38.70	24.50			Vertical
5	200.8910	-72.44	-13.00	59.44	-16.19	-37.81	21.62			Vertical
6	280.5110	-70.04	-13.00	57.04	-12.48	-37.03	24.55			Vertical



CH396000 20MBW DFT-s-OFDM 16 QAM 1RB_Left SCS15KHz 1-18G H

Suspected List


NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3538.5390	-59.24	-13.00	46.24	-8.72	-47.85	39.13			Horizontal
2	3802.8030	-55.96	-13.00	42.96	-6.52	-46.01	39.49			Horizontal
3	5308.3080	-57.76	-13.00	44.76	-2.95	-43.34	40.39			Horizontal
4	5700.7010	-55.74	-13.00	42.74	-1.91	-42.74	40.83			Horizontal
5	7078.0780	-50.61	-13.00	37.61	4.82	-39.84	44.66			Horizontal
6	7558.5590	-42.59	-13.00	29.59	7.15	-38.38	45.53			Horizontal
7	8847.8480	-50.77	-13.00	37.77	7.83	-38.91	46.74			Horizontal
8	9504.5050	-56.53	-13.00	43.53	10.83	-37.36	48.19			Horizontal
9	10621.6220	-54.48	-13.00	41.48	13.32	-35.36	48.68			Horizontal
10	11405.4050	-52.75	-13.00	39.75	15.96	-33.51	49.47			Horizontal
11	12387.3870	-54.16	-13.00	41.16	17.57	-31.21	48.78			Horizontal
12	13297.2970	-53.27	-13.00	40.27	20.36	-29.20	49.56			Horizontal
13	14153.1530	-52.22	-13.00	39.22	20.63	-29.38	50.01			Horizontal
14	15198.1980	-51.93	-13.00	38.93	21.21	-29.15	50.36			Horizontal
15	15927.9280	-50.19	-13.00	37.19	22.51	-28.25	50.76			Horizontal
16	17099.0990	-48.91	-13.00	35.91	24.02	-27.37	51.39			Horizontal
17	17702.7030	-47.79	-13.00	34.79	25.81	-26.28	52.09			Horizontal



CH396000 20MBW DFT-s-OFDM 16 QAM 1RB_Left SCS15KHz 1-18G V

Suspected List


NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3538.5390	-60.07	-13.00	47.07	-9.23	-47.85	38.62			Vertical
2	3810.8110	-57.29	-13.00	44.29	-7.11	-46.20	39.09			Vertical
3	5308.3080	-58.39	-13.00	45.39	-3.33	-43.34	40.01			Vertical
4	5700.7010	-56.73	-13.00	43.73	-2.07	-42.74	40.67			Vertical
5	7078.0780	-51.76	-13.00	38.76	4.84	-39.84	44.68			Vertical
6	7566.5670	-44.85	-13.00	31.85	7.12	-38.26	45.38			Vertical
7	8847.8480	-50.74	-13.00	37.74	7.73	-38.91	46.64			Vertical
8	9504.5050	-56.45	-13.00	43.45	11.05	-37.36	48.41			Vertical
9	10621.6220	-54.29	-13.00	41.29	13.51	-35.36	48.87			Vertical
10	11405.4050	-52.91	-13.00	39.91	15.83	-33.51	49.34			Vertical
11	12387.3870	-54.54	-13.00	41.54	16.82	-31.21	48.03			Vertical
12	13306.3060	-53.66	-13.00	40.66	20.19	-29.02	49.21			Vertical
13	14162.1620	-52.22	-13.00	39.22	21.19	-29.28	50.47			Vertical
14	15198.1980	-53.24	-13.00	40.24	19.95	-29.15	49.10			Vertical
15	15927.9280	-52.68	-13.00	39.68	20.02	-28.25	48.27			Vertical
16	17099.0990	-49.87	-13.00	36.87	23.21	-27.37	50.58			Vertical
17	17693.6940	-48.78	-13.00	35.78	24.81	-26.26	51.07			Vertical



CH396000 20MBW DFT-s-OFDM 16 QAM 1RB_Left SCS15KHz 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-52.86	-13.00	39.86	-8.93	-39.57	30.64			Horizontal
2	45.5360	-59.64	-13.00	46.64	-7.04	-39.50	32.46			Horizontal
3	75.6360	-69.17	-13.00	56.17	-17.33	-39.28	21.95			Horizontal
4	137.7780	-63.94	-13.00	50.94	-20.78	-38.56	17.78			Horizontal
5	154.2840	-64.12	-13.00	51.12	-20.43	-38.54	18.11			Horizontal
6	279.5400	-72.29	-13.00	59.29	-12.04	-37.04	25.00			Horizontal




CH396000 20MBW DFT-s-OFDM 16 QAM 1RB_Left SCS15KHz 30M-1G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	36.7970	-57.38	-13.00	44.38	-16.55	-39.57	23.02			Vertical
2	52.3320	-69.52	-13.00	56.52	-15.94	-39.47	23.53			Vertical
3	90.2000	-68.84	-13.00	55.84	-16.50	-38.71	22.21			Vertical
4	141.6620	-72.12	-13.00	59.12	-15.37	-38.59	23.22			Vertical
5	202.8330	-73.05	-13.00	60.05	-16.29	-37.76	21.47			Vertical
6	279.5400	-70.24	-13.00	57.24	-12.54	-37.04	24.50			Vertical



66A_N5


Test Graph



CH175800 20MBW CP-OFDM 64 QAM 1RB_Left SCS15KHz 1-18G H


Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1760.7610	-62.54	-13.00	49.54	-8.27	-46.28	38.01			Horizontal
2	2641.6420	-62.03	-13.00	49.03	-10.17	-47.25	37.08			Horizontal
3	3442.4420	-59.89	-13.00	46.89	-8.90	-47.52	38.62			Horizontal
4	3514.5150	-59.91	-13.00	46.91	-8.48	-47.55	39.07			Horizontal
5	4395.3950	-56.55	-13.00	43.55	-5.79	-45.90	40.11			Horizontal
6	5164.1640	-56.11	-13.00	43.11	-2.34	-43.63	41.29			Horizontal
7	5276.2760	-57.5	-13.00	44.50	-2.92	-43.45	40.53			Horizontal
8	6157.1570	-54.94	-13.00	41.94	-0.94	-42.47	41.53			Horizontal
9	6877.8780	-53.09	-13.00	40.09	2.65	-40.62	43.27			Horizontal
10	7030.0300	-50.95	-13.00	37.95	4.52	-39.88	44.40			Horizontal
11	7902.9030	-50.09	-13.00	37.09	8.29	-37.23	45.52			Horizontal
12	8607.6080	-51.54	-13.00	38.54	7.62	-38.58	46.20			Horizontal
13	8791.7920	-49.92	-13.00	36.92	7.59	-39.27	46.86			Horizontal
14	10324.3240	-56.43	-13.00	43.43	12.74	-36.16	48.90			Horizontal
15	12045.0450	-52.55	-13.00	39.55	18.16	-31.25	49.41			Horizontal
16	13765.7660	-52.29	-13.00	39.29	21.00	-28.67	49.67			Horizontal
17	15477.4770	-49.86	-13.00	36.86	22.00	-28.86	50.86			Horizontal
18	17198.1980	-47.07	-13.00	34.07	24.47	-27.23	51.70			Horizontal




CH175800 20MBW CP-OFDM 64 QAM 1RB_Left SCS15KHz 1-18G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1760.7610	-64.28	-13.00	51.28	-9.26	-46.28	37.02			Vertical
2	2633.6340	-62.33	-13.00	49.33	-10.33	-47.21	36.88			Vertical
3	3442.4420	-60.32	-13.00	47.32	-9.51	-47.52	38.01			Vertical
4	3514.5150	-60.54	-13.00	47.54	-8.96	-47.55	38.59			Vertical
5	4395.3950	-57.09	-13.00	44.09	-5.82	-45.90	40.08			Vertical
6	5164.1640	-55.94	-13.00	42.94	-2.46	-43.63	41.17			Vertical
7	5276.2760	-57.06	-13.00	44.06	-3.27	-43.45	40.18			Vertical
8	6149.1490	-55.67	-13.00	42.67	-1.13	-42.50	41.37			Vertical
9	6885.8860	-52.65	-13.00	39.65	3.02	-40.50	43.52			Vertical
10	7038.0380	-51.55	-13.00	38.55	4.43	-39.90	44.33			Vertical
11	7910.9110	-51.58	-13.00	38.58	7.92	-37.35	45.27			Vertical
12	8599.6000	-51.21	-13.00	38.21	7.49	-38.52	46.01			Vertical
13	8783.7840	-52.03	-13.00	39.03	7.01	-39.27	46.28			Vertical
14	10315.3150	-56.54	-13.00	43.54	12.44	-36.29	48.73			Vertical
15	12045.0450	-53.29	-13.00	40.29	17.61	-31.25	48.86			Vertical
16	13765.7660	-52.74	-13.00	39.74	20.88	-28.67	49.55			Vertical
17	15486.4860	-52.17	-13.00	39.17	19.88	-28.88	48.76			Vertical
18	17198.1980	-48.2	-13.00	35.20	23.64	-27.23	50.87			Vertical




CH175800 20MBW CP-OFDM 64 QAM 1RB_Left SCS15KHz 30M-1G H

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	34.8550	-51.61	-13.00	38.61	-9.37	-39.58	30.21			Horizontal
2	43.5940	-59.41	-13.00	46.41	-7.04	-39.51	32.47			Horizontal
3	164.9650	-71.9	-13.00	58.90	-19.05	-38.26	19.21			Horizontal
4	201.8620	-66.5	-13.00	53.50	-14.77	-37.79	23.02			Horizontal
5	834.9350	-66.94	-13.00	53.94	-2.65	-34.14	31.49			NA
6	884.4540	-38.82	-13.00	25.82	-2.10	-34.01	31.91			NA




CH175800 20MBW CP-OFDM 64 QAM 1RB_Left SCS15KHz 30M-1G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	38.7390	-58.8	-13.00	45.80	-16.41	-39.55	23.14			Vertical
2	101.8520	-69.43	-13.00	56.43	-13.11	-38.70	25.59			Vertical
3	163.9940	-69.49	-13.00	56.49	-17.03	-38.28	21.25			Vertical
4	330.0300	-69.01	-13.00	56.01	-11.07	-37.04	25.97			Vertical
5	834.9350	-69.86	-13.00	56.86	-2.66	-34.14	31.48			NA
6	885.4250	-42.43	-13.00	29.43	-1.36	-34.00	32.64			NA




Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1760.7610	-62.79	-13.00	49.79	-8.27	-46.28	38.01			Horizontal
2	2633.6340	-61.63	-13.00	48.63	-10.16	-47.21	37.05			Horizontal
3	3442.4420	-60.07	-13.00	47.07	-8.90	-47.52	38.62			Horizontal
4	3514.5150	-60.1	-13.00	47.10	-8.48	-47.55	39.07			Horizontal
5	4395.3950	-57.28	-13.00	44.28	-5.79	-45.90	40.11			Horizontal
6	5156.1560	-55.62	-13.00	42.62	-2.41	-43.74	41.33			Horizontal
7	5276.2760	-56.9	-13.00	43.90	-2.92	-43.45	40.53			Horizontal
8	6157.1570	-54.73	-13.00	41.73	-0.94	-42.47	41.53			Horizontal
9	6885.8860	-52.86	-13.00	39.86	2.81	-40.50	43.31			Horizontal
10	7038.0380	-51.14	-13.00	38.14	4.54	-39.90	44.44			Horizontal
11	7910.9110	-50.51	-13.00	37.51	8.21	-37.35	45.56			Horizontal
12	8599.6000	-51.52	-13.00	38.52	7.65	-38.52	46.17			Horizontal
13	8783.7840	-51.12	-13.00	38.12	7.57	-39.27	46.84			Horizontal
14	10315.3150	-55.87	-13.00	42.87	12.53	-36.29	48.82			Horizontal
15	12045.0450	-52.35	-13.00	39.35	18.16	-31.25	49.41			Horizontal
16	13756.7570	-52.47	-13.00	39.47	20.71	-29.00	49.71			Horizontal
17	15486.4860	-49.95	-13.00	36.95	21.99	-28.88	50.87			Horizontal
18	17198.1980	-47.21	-13.00	34.21	24.47	-27.23	51.70			Horizontal




CH175800 20MBW DFT-s-OFDM 64 QAM 1RB_Right SCS15KHz 1-18G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1760.7610	-63.86	-13.00	50.86	-9.26	-46.28	37.02			Vertical
2	2641.6420	-62.69	-13.00	49.69	-10.35	-47.25	36.90			Vertical
3	3442.4420	-60.83	-13.00	47.83	-9.51	-47.52	38.01			Vertical
4	3514.5150	-59.14	-13.00	46.14	-8.96	-47.55	38.59			Vertical
5	4395.3950	-56.26	-13.00	43.26	-5.82	-45.90	40.08			Vertical
6	5164.1640	-55.59	-13.00	42.59	-2.46	-43.63	41.17			Vertical
7	5276.2760	-57.83	-13.00	44.83	-3.27	-43.45	40.18			Vertical
8	6149.1490	-55.49	-13.00	42.49	-1.13	-42.50	41.37			Vertical
9	6877.8780	-51.72	-13.00	38.72	2.86	-40.62	43.48			Vertical
10	7038.0380	-51.28	-13.00	38.28	4.43	-39.90	44.33			Vertical
11	7918.9190	-51.89	-13.00	38.89	7.86	-37.47	45.33			Vertical
12	8607.6080	-51.54	-13.00	38.54	7.48	-38.58	46.06			Vertical
13	8799.8000	-51.37	-13.00	38.37	6.95	-39.27	46.22			Vertical
14	10315.3150	-56.43	-13.00	43.43	12.44	-36.29	48.73			Vertical
15	12036.0360	-52.85	-13.00	39.85	17.61	-31.27	48.88			Vertical
16	13756.7570	-52.79	-13.00	39.79	20.56	-29.00	49.56			Vertical
17	15486.4860	-51.89	-13.00	38.89	19.88	-28.88	48.76			Vertical
18	17207.2070	-47.46	-13.00	34.46	23.72	-27.14	50.86			Vertical




CH175800 20MBW DFT-s-OFDM 64 QAM 1RB_Right SCS15KHz 30M-1G H

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-48.57	-13.00	35.57	-8.93	-39.57	30.64			Horizontal
2	52.3320	-61.29	-13.00	48.29	-7.93	-39.47	31.54			Horizontal
3	201.8620	-66.92	-13.00	53.92	-14.77	-37.79	23.02			Horizontal
4	279.5400	-71.09	-13.00	58.09	-12.04	-37.04	25.00			Horizontal
5	842.7030	-66.59	-13.00	53.59	-2.48	-34.11	31.63			NA
6	873.7740	-39.06	-13.00	26.06	-2.18	-34.03	31.85			NA



CH175800 20MBW DFT-s-OFDM 64 QAM 1RB_Right SCS15KHz 30M-1G V


Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	33.8840	-56.82	-13.00	43.82	-16.76	-39.59	22.83			Vertical
2	103.7940	-69.57	-13.00	56.57	-13.84	-38.70	24.86			Vertical
3	166.9070	-69.45	-13.00	56.45	-17.08	-38.20	21.12			Vertical
4	325.1750	-69.09	-13.00	56.09	-11.29	-37.02	25.73			Vertical
5	833.9640	-70.86	-13.00	57.86	-2.63	-34.14	31.51			NA
6	870.8610	-41.83	-13.00	28.83	-2.20	-34.04	31.84			NA



CH176300 20MBW CP-OFDM 64 QAM 1RB_Left SCS15KHz 1-18G H


Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1764.7650	-61.83	-13.00	48.83	-8.27	-46.28	38.01			Horizontal
2	2645.6460	-62.03	-13.00	49.03	-10.18	-47.27	37.09			Horizontal
3	3492.4920	-58.64	-13.00	45.64	-8.41	-47.39	38.98			Horizontal
4	3528.5290	-59.95	-13.00	46.95	-8.62	-47.72	39.10			Horizontal
5	4405.4050	-56.47	-13.00	43.47	-5.67	-45.81	40.14			Horizontal
6	5240.2400	-56.4	-13.00	43.40	-2.61	-43.43	40.82			Horizontal
7	5288.2880	-57.94	-13.00	44.94	-2.99	-43.42	40.43			Horizontal
8	6171.1710	-55.95	-13.00	42.95	-0.87	-42.42	41.55			Horizontal
9	6981.9820	-51.34	-13.00	38.34	3.99	-40.09	44.08			Horizontal
10	7054.0540	-51.99	-13.00	38.99	4.62	-39.91	44.53			Horizontal
11	7930.9310	-51.02	-13.00	38.02	8.00	-37.65	45.65			Horizontal
12	8729.7300	-50.76	-13.00	37.76	7.67	-39.03	46.70			Horizontal
13	8819.8200	-50.39	-13.00	37.39	7.70	-39.12	46.82			Horizontal
14	10468.4680	-55.43	-13.00	42.43	12.69	-36.33	49.02			Horizontal
15	12207.2070	-52.68	-13.00	39.68	17.84	-31.44	49.28			Horizontal
16	13954.9550	-51.93	-13.00	38.93	20.92	-28.63	49.55			Horizontal
17	15702.7030	-51.71	-13.00	38.71	21.14	-29.81	50.95			Horizontal
18	17450.4500	-48.59	-13.00	35.59	23.91	-27.10	51.01			Horizontal




CH176300 20MBW CP-OFDM 64 QAM 1RB_Left SCS15KHz 1-18G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1760.7610	-63.59	-13.00	50.59	-9.26	-46.28	37.02			Vertical
2	2643.6440	-61.07	-13.00	48.07	-10.36	-47.26	36.90			Vertical
3	3486.4860	-59.4	-13.00	46.40	-8.97	-47.41	38.44			Vertical
4	3522.5230	-60.05	-13.00	47.05	-9.05	-47.65	38.60			Vertical
5	4405.4050	-55.95	-13.00	42.95	-5.71	-45.81	40.10			Vertical
6	5240.2400	-56.1	-13.00	43.10	-2.93	-43.43	40.50			Vertical
7	5282.2820	-58.15	-13.00	45.15	-3.31	-43.44	40.13			Vertical
8	6171.1710	-54.86	-13.00	41.86	-1.09	-42.42	41.33			Vertical
9	6981.9820	-50.6	-13.00	37.60	3.83	-40.09	43.92			Vertical
10	7054.0540	-50.93	-13.00	37.93	4.56	-39.91	44.47			Vertical
11	7930.9310	-51.3	-13.00	38.30	7.77	-37.65	45.42			Vertical
12	8723.7240	-52	-13.00	39.00	7.56	-38.96	46.52			Vertical
13	8813.8140	-51.53	-13.00	38.53	7.17	-39.17	46.34			Vertical
14	10468.4680	-55.29	-13.00	42.29	12.63	-36.33	48.96			Vertical
15	12216.2160	-53.23	-13.00	40.23	17.60	-31.25	48.85			Vertical
16	13954.9550	-51.97	-13.00	38.97	21.06	-28.63	49.69			Vertical
17	15702.7030	-54.29	-13.00	41.29	18.54	-29.81	48.35			Vertical
18	17450.4500	-49.42	-13.00	36.42	23.06	-27.10	50.16			Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-49.7	-13.00	36.70	-8.93	-39.57	30.64			Horizontal
2	90.2000	-69.63	-13.00	56.63	-18.92	-38.71	19.79			Horizontal
3	166.9070	-67.79	-13.00	54.79	-18.82	-38.20	19.38			Horizontal
4	328.0880	-70.76	-13.00	57.76	-12.42	-37.03	24.61			Horizontal
5	817.4570	-46.28	-13.00	33.28	-3.23	-34.19	30.96			NA
6	876.6870	-38.33	-13.00	25.33	-2.17	-34.03	31.86			NA



CH176300 20MBW CP-OFDM 64 QAM 1RB_Left SCS15KHz 30M-1G V


Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-57.32	-13.00	44.32	-16.61	-39.57	22.96			Vertical
2	90.2000	-65.68	-13.00	52.68	-16.50	-38.71	22.21			Vertical
3	165.9360	-68.38	-13.00	55.38	-17.07	-38.23	21.16			Vertical
4	323.2330	-70.76	-13.00	57.76	-11.38	-37.01	25.63			Vertical
5	817.4570	-50.07	-13.00	37.07	-3.08	-34.19	31.11			NA
6	887.3670	-41.2	-13.00	28.20	-1.29	-34.00	32.71			NA



CH176300 20MBW DFT-s-OFDM 64 QAM 1RB_Right SCS15KHz 1-18G H

Suspected List


NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1760.7610	-62.41	-13.00	49.41	-8.27	-46.28	38.01			Horizontal
2	2641.6420	-62.08	-13.00	49.08	-10.17	-47.25	37.08			Horizontal
3	3490.4900	-58.94	-13.00	45.94	-8.44	-47.40	38.96			Horizontal
4	3522.5230	-60.11	-13.00	47.11	-8.56	-47.65	39.09			Horizontal
5	4403.4030	-56.22	-13.00	43.22	-5.69	-45.82	40.13			Horizontal
6	5228.2280	-56.13	-13.00	43.13	-2.43	-43.35	40.92			Horizontal
7	5284.2840	-58.05	-13.00	45.05	-2.96	-43.43	40.47			Horizontal
8	6173.1730	-55.05	-13.00	42.05	-0.86	-42.41	41.55			Horizontal
9	6973.9740	-52.73	-13.00	39.73	3.80	-40.21	44.01			Horizontal
10	7046.0460	-51.33	-13.00	38.33	4.57	-39.91	44.48			Horizontal
11	7926.9270	-51.39	-13.00	38.39	8.04	-37.59	45.63			Horizontal
12	8727.7280	-51.72	-13.00	38.72	7.68	-39.01	46.69			Horizontal
13	8807.8080	-51.52	-13.00	38.52	7.65	-39.21	46.86			Horizontal
14	10468.4680	-55.49	-13.00	42.49	12.69	-36.33	49.02			Horizontal
15	12225.2250	-52.95	-13.00	39.95	18.20	-31.05	49.25			Horizontal
16	13963.9640	-52.27	-13.00	39.27	20.96	-28.56	49.52			Horizontal
17	15702.7030	-51.92	-13.00	38.92	21.14	-29.81	50.95			Horizontal
18	17450.4500	-48.85	-13.00	35.85	23.91	-27.10	51.01			Horizontal



CH176300 20MBW DFT-s-OFDM 64 QAM 1RB_Right SCS15KHz 1-18G V


Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1760.7610	-61.5	-13.00	48.50	-9.26	-46.28	37.02			Vertical
2	2649.6500	-62.04	-13.00	49.04	-10.38	-47.29	36.91			Vertical
3	3490.4900	-58.93	-13.00	45.93	-8.92	-47.40	38.48			Vertical
4	3522.5230	-58.75	-13.00	45.75	-9.05	-47.65	38.60			Vertical
5	4403.4030	-56.06	-13.00	43.06	-5.72	-45.82	40.10			Vertical
6	5236.2360	-56.4	-13.00	43.40	-2.87	-43.40	40.53			Vertical
7	5292.2920	-58.38	-13.00	45.38	-3.38	-43.42	40.04			Vertical
8	6173.1730	-55.11	-13.00	42.11	-1.08	-42.41	41.33			Vertical
9	6981.9820	-50.87	-13.00	37.87	3.83	-40.09	43.92			Vertical
10	7054.0540	-50.6	-13.00	37.60	4.56	-39.91	44.47			Vertical
11	7926.9270	-51.2	-13.00	38.20	7.80	-37.59	45.39			Vertical
12	8727.7280	-50.53	-13.00	37.53	7.49	-39.01	46.50			Vertical
13	8815.8160	-51.36	-13.00	38.36	7.21	-39.15	46.36			Vertical
14	10477.4770	-55.39	-13.00	42.39	12.55	-36.32	48.87			Vertical
15	12216.2160	-53.36	-13.00	40.36	17.60	-31.25	48.85			Vertical
16	13963.9640	-51.99	-13.00	38.99	21.10	-28.56	49.66			Vertical
17	15702.7030	-54.45	-13.00	41.45	18.54	-29.81	48.35			Vertical
18	17450.4500	-49.79	-13.00	36.79	23.06	-27.10	50.16			Vertical



CH176300 20MBW DFT-s-OFDM 64 QAM 1RB_Right SCS15KHz 30M-1G H

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-49.74	-13.00	36.74	-8.93	-39.57	30.64			Horizontal
2	51.3610	-61.56	-13.00	48.56	-7.54	-39.46	31.92			Horizontal
3	166.9070	-68.68	-13.00	55.68	-18.82	-38.20	19.38			Horizontal
4	328.0880	-72.49	-13.00	59.49	-12.42	-37.03	24.61			Horizontal
5	827.1670	-60.52	-13.00	47.52	-2.90	-34.16	31.26			NA
6	875.7160	-37.73	-13.00	24.73	-2.17	-34.03	31.86			NA



CH176300 20MBW DFT-s-OFDM 64 QAM 1RB_Right SCS15KHz 30M-1G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	37.7680	-57.59	-13.00	44.59	-16.48	-39.56	23.08			Vertical
2	90.2000	-65.75	-13.00	52.75	-16.50	-38.71	22.21			Vertical
3	165.9360	-71.28	-13.00	58.28	-17.07	-38.23	21.16			Vertical
4	325.1750	-72.04	-13.00	59.04	-11.29	-37.02	25.73			Vertical
5	827.1670	-63.5	-13.00	50.50	-2.67	-34.16	31.49			NA
6	887.3670	-41.94	-13.00	28.94	-1.29	-34.00	32.71			NA