


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 22.5
06-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.322G	62.90	68.20	-5.30	55.82	3	Horizontal	358	1.80	-	31.50	7.03	31.45			
PK	5.402G	64.20	74.00	-9.80	57.00	3	Horizontal	358	1.80	-	31.61	7.09	31.50			
PK	5.4652G	63.46	68.20	-4.74	56.03	3	Horizontal	358	1.80	-	31.83	7.13	31.53			
AV	5.4588G	50.33	54.00	-3.67	42.91	3	Horizontal	358	1.80	-	31.82	7.13	31.53			
PK	5.6732G	121.04	Inf	-Inf	113.54	3	Horizontal	358	1.80	-	31.79	7.28	31.57			
AV	5.694G	108.70	Inf	-Inf	101.09	3	Horizontal	358	1.80	-	31.88	7.30	31.57			
PK	5.8532G	66.92	68.20	-1.28	58.79	3	Horizontal	358	1.80	-	32.31	7.41	31.59			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 22.5
06-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38003G	57.63	74.00	-16.37	50.40	3	Vertical	26	2.20	-	39.96	10.52	43.25			
AV	11.37997G	47.60	54.00	-6.40	40.37	3	Vertical	26	2.20	-	39.96	10.52	43.25			
PK	17.06652G	58.96	68.20	-9.24	47.55	3	Vertical	52	1.80	-	40.33	13.15	42.07			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 22.5
06-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38552G	57.18	74.00	-16.82	49.94	3	Horizontal	18	2.38	-	39.97	10.52	43.25			
AV	11.37997G	45.39	54.00	-8.61	38.16	3	Horizontal	18	2.38	-	39.96	10.52	43.25			
PK	17.05548G	59.70	68.20	-8.50	48.26	3	Horizontal	296	1.80	-	40.38	13.14	42.08			

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 31.5
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1145G	61.50	74.00	-12.50	53.84	3	Vertical	266	1.55	-	32.10	6.90	31.34			
AV	5.1409G	48.27	54.00	-5.73	40.62	3	Vertical	266	1.55	-	32.10	6.91	31.36			
PK	5.2633G	126.74	Inf	-Inf	119.60	3	Vertical	266	1.55	-	31.57	6.99	31.42			
AV	5.2624G	114.38	Inf	-Inf	107.23	3	Vertical	266	1.55	-	31.58	6.99	31.42			
PK	5.3593G	61.24	74.00	-12.76	54.13	3	Vertical	266	1.55	-	31.52	7.06	31.47			
AV	5.3584G	48.48	54.00	-5.52	41.37	3	Vertical	266	1.55	-	31.52	7.06	31.47			

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 31.5
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1163G	62.68	74.00	-11.32	55.02	3	Horizontal	358	1.40	-	32.10	6.90	31.34			
AV	5.1475G	49.90	54.00	-4.10	42.25	3	Horizontal	358	1.40	-	32.10	6.91	31.36			
PK	5.2621G	132.33	Inf	-Inf	125.18	3	Horizontal	358	1.40	-	31.58	6.99	31.42			
AV	5.2621G	120.31	Inf	-Inf	113.16	3	Horizontal	358	1.40	-	31.58	6.99	31.42			
PK	5.3617G	65.36	74.00	-8.64	58.26	3	Horizontal	358	1.40	-	31.52	7.06	31.48			
AV	5.3581G	52.63	54.00	-1.37	45.52	3	Horizontal	358	1.40	-	31.52	7.06	31.47			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 31.5
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51637G	60.64	68.20	-7.56	53.47	3	Vertical	358	1.80	-	40.10	10.11	43.04			
PK	15.7738G	63.13	74.00	-10.87	54.56	3	Vertical	337	1.80	-	38.30	12.56	42.29			
AV	15.7741G	45.54	54.00	-8.46	36.97	3	Vertical	337	1.80	-	38.30	12.56	42.29			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
Setting 31.5
06-P-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.52001G	57.49	68.20	-10.71	50.32	3	Horizontal	360	1.91	-	40.10	10.11	43.04				
PK	15.77874G	62.97	74.00	-11.03	54.40	3	Horizontal	305	1.85	-	38.30	12.56	42.29				
AV	15.77823G	46.78	54.00	-7.22	38.21	3	Horizontal	305	1.85	-	38.30	12.56	42.29				

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX

EUT_Y_4TX
Setting 30
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3038G	126.73	Inf	-Inf	119.65	3	Vertical	343	1.80	-	31.50	7.02	31.44			
AV	5.3004G	108.96	Inf	-Inf	101.88	3	Vertical	343	1.80	-	31.50	7.02	31.44			
PK	5.352G	68.05	74.00	-5.95	60.97	3	Vertical	343	1.80	-	31.50	7.05	31.47			
AV	5.3504G	52.43	54.00	-1.57	45.35	3	Vertical	343	1.80	-	31.50	7.05	31.47			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX

EUT_Y_4TX
Setting 30
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3012G	130.05	Inf	-Inf	122.97	3	Horizontal	352	1.80	-	31.50	7.02	31.44			
AV	5.2932G	117.02	Inf	-Inf	109.94	3	Horizontal	352	1.80	-	31.51	7.01	31.44			
PK	5.3516G	67.96	74.00	-6.04	60.88	3	Horizontal	352	1.80	-	31.50	7.05	31.47			
AV	5.35G	53.14	54.00	-0.86	46.06	3	Horizontal	352	1.80	-	31.50	7.05	31.47			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 30
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59985G	57.92	68.20	-10.28	50.63	3	Vertical	45	1.80	-	40.20	10.14	43.05			
PK	15.89436G	57.98	74.00	-16.02	49.50	3	Vertical	1	1.80	-	38.01	12.62	42.15			
AV	15.89883G	43.50	54.00	-10.50	35.03	3	Vertical	1	1.80	-	38.00	12.62	42.15			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 30
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59992G	57.94	68.20	-10.26	50.65	3	Horizontal	0	2.69	-	40.20	10.14	43.05			
PK	15.9003G	58.75	74.00	-15.25	50.28	3	Horizontal	326	1.78	-	38.00	12.62	42.15			
AV	15.89909G	43.63	54.00	-10.37	35.16	3	Horizontal	326	1.78	-	38.00	12.62	42.15			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 27
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3131G	122.23	Inf	-Inf	113.72	3	Vertical	357	1.35	-	33.93	5.39	30.81			
AV	5.3125G	110.40	Inf	-Inf	101.90	3	Vertical	357	1.35	-	33.92	5.39	30.81			
PK	5.3509G	66.95	74.00	-7.05	58.39	3	Vertical	357	1.35	-	34.00	5.40	30.84			
AV	5.3506G	53.60	54.00	-0.40	45.04	3	Vertical	357	1.35	-	34.00	5.40	30.84			
PK	5.4637G	60.77	68.20	-7.43	52.14	3	Vertical	357	1.35	-	34.10	5.46	30.93			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 27
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3161G	126.89	Inf	-Inf	118.38	3	Horizontal	357	1.35	-	33.93	5.39	30.81			
AV	5.3191G	114.11	Inf	-Inf	105.60	3	Horizontal	357	1.35	-	33.94	5.39	30.82			
PK	5.3506G	65.14	74.00	-8.86	56.58	3	Horizontal	357	1.35	-	34.00	5.40	30.84			
AV	5.3506G	51.42	54.00	-2.58	42.86	3	Horizontal	357	1.35	-	34.00	5.40	30.84			
PK	5.4619G	61.83	68.20	-6.37	53.20	3	Horizontal	357	1.35	-	34.10	5.46	30.93			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 27
06-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63979G	57.34	74.00	-16.66	50.04	3	Vertical	42	1.80	-	40.20	10.16	43.06			
AV	10.64G	47.11	54.00	-6.89	39.81	3	Vertical	42	1.80	-	40.20	10.16	43.06			
PK	15.96163G	56.22	74.00	-17.78	47.74	3	Vertical	196	2.92	-	37.90	12.65	42.07			
AV	15.96322G	42.46	54.00	-11.54	33.98	3	Vertical	196	2.92	-	37.90	12.65	42.07			

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 27
06-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62977G	55.95	74.00	-18.05	48.65	3	Horizontal	11	1.69	-	40.20	10.16	43.06			
AV	10.64G	44.75	54.00	-9.25	37.45	3	Horizontal	11	1.69	-	40.20	10.16	43.06			
PK	15.95091G	56.69	74.00	-17.31	48.23	3	Horizontal	136	1.80	-	37.90	12.65	42.09			
AV	15.96957G	42.52	54.00	-11.48	34.03	3	Horizontal	136	1.80	-	37.90	12.66	42.07			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 27
02-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4561G	61.20	74.00	-12.80	52.57	3	Vertical	0	1.59	-	34.10	5.45	30.92			
AV	5.4596G	48.98	54.00	-5.02	40.35	3	Vertical	0	1.59	-	34.10	5.46	30.93			
PK	5.4679G	63.71	68.20	-4.49	55.08	3	Vertical	0	1.59	-	34.10	5.46	30.93			
PK	5.4988G	121.72	Inf	-Inf	113.09	3	Vertical	0	1.59	-	34.10	5.49	30.96			
AV	5.4979G	109.80	Inf	-Inf	101.17	3	Vertical	0	1.59	-	34.10	5.49	30.96			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 27
02-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	63.08	74.00	-10.92	54.45	3	Horizontal	354	1.83	-	34.10	5.46	30.93			
AV	5.46G	50.88	54.00	-3.12	42.25	3	Horizontal	354	1.83	-	34.10	5.46	30.93			
PK	5.468G	68.09	68.20	-0.11	59.46	3	Horizontal	354	1.83	-	34.10	5.46	30.93			
PK	5.5012G	126.47	Inf	-Inf	117.84	3	Horizontal	354	1.83	-	34.10	5.49	30.96			
AV	5.5017G	113.45	Inf	-Inf	104.82	3	Horizontal	354	1.83	-	34.10	5.49	30.96			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 27
06-P-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.00021G	58.47	74.00	-15.53	50.73	3	Vertical	41	2.13	-	40.50	10.34	43.10			
AV	11G	47.75	54.00	-6.25	40.01	3	Vertical	41	2.13	-	40.50	10.34	43.10			
PK	16.50357G	58.51	68.20	-9.69	47.52	3	Vertical	123	1.80	-	39.69	12.90	41.60			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Y_4TX
Setting 27
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00003G	59.02	74.00	-14.98	51.28	3	Horizontal	348	1.80	-	40.50	10.34	43.10			
AV	11G	48.47	54.00	-5.53	40.73	3	Horizontal	348	1.80	-	40.50	10.34	43.10			
PK	16.50927G	58.29	68.20	-9.91	47.34	3	Horizontal	227	1.80	-	39.66	12.90	41.61			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX
Setting 31.5
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3876G	63.88	74.00	-10.12	56.71	3	Vertical	353	1.80	-	31.58	7.08	31.49			
PK	5.4612G	62.74	68.20	-5.46	55.32	3	Vertical	353	1.80	-	31.82	7.13	31.53			
AV	5.4552G	50.40	54.00	-3.60	42.99	3	Vertical	353	1.80	-	31.81	7.13	31.53			
PK	5.584G	127.50	Inf	-Inf	120.02	3	Vertical	353	1.80	-	31.83	7.21	31.56			
AV	5.586G	109.38	Inf	-Inf	101.90	3	Vertical	353	1.80	-	31.83	7.21	31.56			
PK	5.7588G	65.27	68.20	-2.93	57.28	3	Vertical	353	1.80	-	32.22	7.35	31.58			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 31.5
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3864G	65.53	74.00	-8.47	58.37	3	Horizontal	356	1.80	-	31.57	7.08	31.49			
AV	5.3836G	52.53	54.00	-1.47	45.37	3	Horizontal	356	1.80	-	31.57	7.08	31.49			
PK	5.47G	63.53	68.20	-4.67	56.08	3	Horizontal	356	1.80	-	31.84	7.14	31.53			
PK	5.5836G	132.00	Inf	-Inf	124.52	3	Horizontal	356	1.80	-	31.83	7.21	31.56			
AV	5.5816G	119.94	Inf	-Inf	112.45	3	Horizontal	356	1.80	-	31.84	7.21	31.56			
PK	5.7672G	66.07	68.20	-2.13	58.06	3	Horizontal	356	1.80	-	32.23	7.36	31.58			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 31.5
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16231G	61.91	74.00	-12.09	54.78	3	Vertical	13	1.97	-	39.88	10.41	43.16			
AV	11.16009G	48.70	54.00	-5.30	41.57	3	Vertical	13	1.97	-	39.88	10.41	43.16			
PK	16.74303G	61.56	68.20	-6.64	50.24	3	Vertical	355	2.60	-	40.16	13.00	41.84			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 31.5
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15874G	57.91	74.00	-16.09	50.78	3	Horizontal	48	1.80	-	39.88	10.41	43.16			
AV	11.15988G	44.57	54.00	-9.43	37.44	3	Horizontal	48	1.80	-	39.88	10.41	43.16			
PK	16.74696G	63.40	68.20	-4.80	52.05	3	Horizontal	323	1.80	-	40.18	13.01	41.84			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 24
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6972G	125.57	Inf	-Inf	117.03	3	Vertical	0	1.49	-	33.99	5.60	31.05			
AV	5.698G	113.43	Inf	-Inf	104.88	3	Vertical	0	1.49	-	34.00	5.60	31.05			
PK	5.726G	66.11	68.20	-2.09	57.56	3	Vertical	0	1.49	-	34.00	5.61	31.06			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 24
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6944G	125.54	Inf	-Inf	117.00	3	Horizontal	360	1.80	-	33.99	5.60	31.05			
AV	5.694G	114.17	Inf	-Inf	105.63	3	Horizontal	360	1.80	-	33.99	5.60	31.05			
PK	5.8864G	62.92	68.20	-5.28	54.18	3	Horizontal	360	1.80	-	34.15	5.73	31.14			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 24
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39997G	57.62	74.00	-16.38	50.36	3	Vertical	28	1.80	-	40.00	10.52	43.26			
AV	11.4G	47.46	54.00	-6.54	40.19	3	Vertical	28	1.80	-	40.00	10.53	43.26			
PK	17.08821G	58.05	68.20	-10.15	46.71	3	Vertical	186	1.80	-	40.25	13.16	42.07			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 24
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40009G	56.66	74.00	-17.34	49.39	3	Horizontal	312	1.73	-	40.00	10.53	43.26			
AV	11.4G	43.98	54.00	-10.02	36.71	3	Horizontal	312	1.73	-	40.00	10.53	43.26			
PK	17.10726G	58.18	68.20	-10.02	46.86	3	Horizontal	163	2.71	-	40.21	13.17	42.06			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 30
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7128G	123.78	Inf	-Inf	116.06	3	Vertical	14	1.80	-	31.98	7.32	31.58			
AV	5.7128G	105.59	Inf	-Inf	97.87	3	Vertical	14	1.80	-	31.98	7.32	31.58			
PK	5.8748G	64.90	68.20	-3.30	56.67	3	Vertical	14	1.80	-	32.40	7.42	31.59			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 30
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7176G	130.79	Inf	-Inf	123.04	3	Horizontal	349	1.80	-	32.01	7.32	31.58			
AV	5.7132G	118.40	Inf	-Inf	110.68	3	Horizontal	349	1.80	-	31.98	7.32	31.58			
PK	5.9144G	67.91	68.20	-0.29	59.54	3	Horizontal	349	1.80	-	32.53	7.44	31.60			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 30
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44765G	58.79	74.00	-15.21	51.52	3	Vertical	330	1.80	-	40.00	10.55	43.28			
AV	11.43997G	46.93	54.00	-7.07	39.67	3	Vertical	330	1.80	-	40.00	10.54	43.28			
PK	17.16675G	58.36	68.20	-9.84	46.81	3	Vertical	1	1.80	-	40.40	13.20	42.05			

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 30
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43976G	56.66	74.00	-17.34	49.40	3	Horizontal	355	1.80	-	40.00	10.54	43.28			
AV	11.43997G	44.16	54.00	-9.84	36.90	3	Horizontal	355	1.80	-	40.00	10.54	43.28			
PK	17.15667G	58.50	68.20	-9.70	47.02	3	Horizontal	348	1.80	-	40.34	13.19	42.05			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 30
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.12	74.00	-8.88	57.46	3	Vertical	7	1.80	-	32.10	6.92	31.36			
AV	5.1371G	50.06	54.00	-3.94	42.40	3	Vertical	7	1.80	-	32.10	6.91	31.35			
PK	5.2655G	127.75	Inf	-Inf	120.61	3	Vertical	7	1.80	-	31.57	6.99	31.42			
AV	5.2661G	114.03	Inf	-Inf	106.89	3	Vertical	7	1.80	-	31.57	6.99	31.42			
PK	5.351G	70.19	74.00	-3.81	63.11	3	Vertical	7	1.80	-	31.50	7.05	31.47			
AV	5.35G	53.51	54.00	-0.49	46.43	3	Vertical	7	1.80	-	31.50	7.05	31.47			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 30
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	64.53	74.00	-9.47	56.87	3	Horizontal	40	1.80	-	32.10	6.92	31.36			
AV	5.15G	50.02	54.00	-3.98	42.36	3	Horizontal	40	1.80	-	32.10	6.92	31.36			
PK	5.2682G	126.03	Inf	-Inf	118.90	3	Horizontal	40	1.80	-	31.56	6.99	31.42			
AV	5.2682G	113.22	Inf	-Inf	106.09	3	Horizontal	40	1.80	-	31.56	6.99	31.42			
PK	5.3537G	67.92	74.00	-6.08	60.82	3	Horizontal	40	1.80	-	31.51	7.06	31.47			
AV	5.3504G	53.78	54.00	-0.22	46.70	3	Horizontal	40	1.80	-	31.50	7.05	31.47			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 30
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53982G	56.60	68.20	-11.60	49.42	3	Vertical	38	1.80	-	40.10	10.12	43.04			
PK	15.81123G	55.78	74.00	-18.22	47.19	3	Vertical	1	1.80	-	38.26	12.58	42.25			
AV	15.82458G	42.40	54.00	-11.60	33.84	3	Vertical	1	1.80	-	38.20	12.59	42.23			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX

EUT_Y_4TX
Setting 30
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53984G	56.79	68.20	-11.41	49.61	3	Horizontal	347	1.86	-	40.10	10.12	43.04			
PK	15.80061G	56.17	74.00	-17.83	47.55	3	Horizontal	0	1.80	-	38.30	12.58	42.26			
AV	15.82473G	42.25	54.00	-11.75	33.69	3	Horizontal	0	1.80	-	38.20	12.59	42.23			

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 25.5
02-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3024G	124.24	Inf	-Inf	115.75	3	Vertical	16	1.90	-	33.90	5.39	30.80			
AV	5.3052G	111.45	Inf	-Inf	102.95	3	Vertical	16	1.90	-	33.91	5.39	30.80			
PK	5.3576G	66.68	74.00	-7.32	58.13	3	Vertical	16	1.90	-	34.00	5.40	30.85			
AV	5.35G	52.97	54.00	-1.03	44.41	3	Vertical	16	1.90	-	34.00	5.40	30.84			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 25.5
02-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3094G	122.86	Inf	-Inf	114.36	3	Horizontal	360	1.52	-	33.92	5.39	30.81			
AV	5.3112G	110.40	Inf	-Inf	101.90	3	Horizontal	360	1.52	-	33.92	5.39	30.81			
PK	5.3512G	66.31	74.00	-7.69	57.75	3	Horizontal	360	1.52	-	34.00	5.40	30.84			
AV	5.3504G	53.94	54.00	-0.06	45.38	3	Horizontal	360	1.52	-	34.00	5.40	30.84			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 25.5
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61982G	56.99	74.00	-17.01	49.69	3	Vertical	43	1.80	-	40.20	10.15	43.05			
AV	10.61994G	46.03	54.00	-7.97	38.73	3	Vertical	43	1.80	-	40.20	10.15	43.05			
PK	15.91656G	56.07	74.00	-17.93	47.60	3	Vertical	126	2.61	-	37.97	12.63	42.13			
AV	15.91851G	42.70	54.00	-11.30	34.23	3	Vertical	126	2.61	-	37.96	12.63	42.12			

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 25.5
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60746G	56.88	74.00	-17.12	49.58	3	Horizontal	12	1.67	-	40.20	10.15	43.05			
AV	10.61994G	44.77	54.00	-9.23	37.47	3	Horizontal	12	1.67	-	40.20	10.15	43.05			
PK	15.92589G	56.27	74.00	-17.73	47.81	3	Horizontal	236	2.23	-	37.95	12.63	42.12			
AV	15.91929G	42.57	54.00	-11.43	34.10	3	Horizontal	236	2.23	-	37.96	12.63	42.12			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 26.5
02-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4586G	63.58	74.00	-10.42	54.95	3	Vertical	16	1.60	-	34.10	5.46	30.93			
AV	5.4598G	51.54	54.00	-2.46	42.91	3	Vertical	16	1.60	-	34.10	5.46	30.93			
PK	5.4694G	66.43	68.20	-1.77	57.80	3	Vertical	16	1.60	-	34.10	5.47	30.94			
PK	5.5208G	121.76	Inf	-Inf	113.12	3	Vertical	16	1.60	-	34.10	5.51	30.97			
AV	5.5264G	109.50	Inf	-Inf	100.86	3	Vertical	16	1.60	-	34.10	5.51	30.97			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 26.5
02-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4592G	64.27	74.00	-9.73	55.64	3	Horizontal	0	1.80	-	34.10	5.46	30.93			
AV	5.4596G	52.80	54.00	-1.20	44.17	3	Horizontal	0	1.80	-	34.10	5.46	30.93			
PK	5.4696G	68.06	68.20	-0.14	59.43	3	Horizontal	0	1.80	-	34.10	5.47	30.94			
PK	5.5084G	122.21	Inf	-Inf	113.57	3	Horizontal	0	1.80	-	34.10	5.50	30.96			
AV	5.5068G	109.88	Inf	-Inf	101.24	3	Horizontal	0	1.80	-	34.10	5.50	30.96			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 26.5
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01975G	57.46	74.00	-16.54	49.81	3	Vertical	330	1.78	-	40.42	10.34	43.11			
AV	11.01995G	44.77	54.00	-9.23	37.12	3	Vertical	330	1.78	-	40.42	10.34	43.11			
PK	16.52259G	58.45	68.20	-9.75	47.55	3	Vertical	132	2.16	-	39.61	12.91	41.62			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 26.5
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01988G	58.22	74.00	-15.78	50.57	3	Horizontal	349	1.91	-	40.42	10.34	43.11			
AV	11.01997G	48.10	54.00	-5.90	40.45	3	Horizontal	349	1.91	-	40.42	10.34	43.11			
PK	16.53249G	58.13	68.20	-10.07	47.28	3	Horizontal	107	2.81	-	39.57	12.91	41.63			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 29
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4291G	68.77	74.00	-5.23	61.45	3	Vertical	3	1.80	-	31.72	7.11	31.51			
PK	5.4603G	64.49	68.20	-3.71	57.07	3	Vertical	3	1.80	-	31.82	7.13	31.53			
AV	5.4468G	50.96	54.00	-3.04	43.57	3	Vertical	3	1.80	-	31.79	7.12	31.52			
PK	5.5533G	120.47	Inf	-Inf	112.95	3	Vertical	3	1.80	-	31.89	7.19	31.56			
AV	5.5542G	100.82	Inf	-Inf	93.30	3	Vertical	3	1.80	-	31.89	7.19	31.56			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX
Setting 29
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4285G	66.04	74.00	-7.96	58.73	3	Horizontal	1	1.80	-	31.71	7.11	31.51			
PK	5.4684G	66.62	68.20	-1.58	59.18	3	Horizontal	1	1.80	-	31.84	7.13	31.53			
AV	5.4588G	52.12	54.00	-1.88	44.70	3	Horizontal	1	1.80	-	31.82	7.13	31.53			
PK	5.5353G	126.96	Inf	-Inf	119.43	3	Horizontal	1	1.80	-	31.90	7.18	31.55			
AV	5.5521G	113.47	Inf	-Inf	105.94	3	Horizontal	1	1.80	-	31.90	7.19	31.56			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 29
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09934G	57.14	74.00	-16.86	49.80	3	Vertical	13	2.31	-	40.10	10.38	43.14			
AV	11.09994G	46.40	54.00	-7.60	39.06	3	Vertical	13	2.31	-	40.10	10.38	43.14			
PK	16.63587G	58.42	68.20	-9.78	47.57	3	Vertical	81	1.80	-	39.62	12.96	41.73			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 29
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.08767G	57.69	74.00	-16.31	50.30	3	Horizontal	348	1.84	-	40.15	10.38	43.14			
AV	11.1G	45.45	54.00	-8.55	38.11	3	Horizontal	348	1.84	-	40.10	10.38	43.14			
PK	16.65363G	59.10	68.20	-9.10	48.18	3	Horizontal	336	2.60	-	39.71	12.96	41.75			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 27.5
02-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6542G	125.46	Inf	-Inf	116.99	3	Vertical	357	1.62	-	33.91	5.59	31.03			
AV	5.6658G	112.29	Inf	-Inf	103.81	3	Vertical	357	1.62	-	33.93	5.59	31.04			
PK	5.73G	64.15	68.20	-4.05	55.61	3	Vertical	357	1.62	-	34.00	5.61	31.07			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 27.5
02-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6798G	124.61	Inf	-Inf	116.10	3	Horizontal	0	1.74	-	33.96	5.59	31.04			
AV	5.6826G	112.50	Inf	-Inf	103.98	3	Horizontal	0	1.74	-	33.97	5.59	31.04			
PK	5.7342G	67.56	68.20	-0.64	59.02	3	Horizontal	0	1.74	-	34.00	5.61	31.07			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 27.5
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33073G	55.66	74.00	-18.34	48.54	3	Vertical	97	2.22	-	39.86	10.49	43.23			
AV	11.34996G	42.16	54.00	-11.84	35.00	3	Vertical	97	2.22	-	39.90	10.50	43.24			
PK	17.0145G	58.42	68.20	-9.78	47.12	3	Vertical	137	1.80	-	40.26	13.13	42.09			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 27.5
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3439G	55.38	74.00	-18.62	48.23	3	Horizontal	157	3.00	-	39.89	10.50	43.24			
AV	11.3436G	42.19	54.00	-11.81	35.04	3	Horizontal	157	3.00	-	39.89	10.50	43.24			
PK	17.00613G	58.77	68.20	-9.43	47.52	3	Horizontal	360	1.80	-	40.22	13.12	42.09			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 31
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.712G	120.74	Inf	-Inf	113.03	3	Vertical	256	1.78	-	31.97	7.32	31.58			
AV	5.7124G	107.59	Inf	-Inf	99.88	3	Vertical	256	1.78	-	31.97	7.32	31.58			
PK	5.876G	63.98	68.20	-4.22	55.76	3	Vertical	256	1.78	-	32.40	7.42	31.60			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 31
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.708G	129.72	Inf	-Inf	122.03	3	Horizontal	353	1.77	-	31.95	7.31	31.57			
AV	5.7076G	116.58	Inf	-Inf	108.89	3	Horizontal	353	1.77	-	31.95	7.31	31.57			
PK	5.8844G	67.78	68.20	-0.42	59.52	3	Horizontal	353	1.77	-	32.44	7.42	31.60			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 31
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41586G	59.36	74.00	-14.64	52.10	3	Vertical	28	1.80	-	40.00	10.53	43.27			
AV	11.41997G	48.70	54.00	-5.30	41.44	3	Vertical	28	1.80	-	40.00	10.53	43.27			
PK	17.13804G	57.85	68.20	-10.35	46.45	3	Vertical	287	1.80	-	40.28	13.18	42.06			

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 31
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41232G	56.76	74.00	-17.24	49.49	3	Horizontal	49	2.28	-	40.00	10.53	43.26			
AV	11.41994G	45.01	54.00	-8.99	37.75	3	Horizontal	49	2.28	-	40.00	10.53	43.27			
PK	17.12817G	58.15	68.20	-10.05	46.77	3	Horizontal	19	1.80	-	40.26	13.18	42.06			

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 23.5
02-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.046G	61.19	74.00	-12.81	53.10	3	Vertical	24	1.80	-	33.49	5.20	30.60			
AV	5.0905G	48.09	54.00	-5.91	39.97	3	Vertical	24	1.80	-	33.50	5.25	30.63			
PK	5.2545G	117.94	Inf	-Inf	109.51	3	Vertical	24	1.80	-	33.81	5.38	30.76			
PK	5.354G	65.38	74.00	-8.62	56.82	3	Vertical	24	1.80	-	34.00	5.40	30.84			
AV	5.3055G	104.71	Inf	-Inf	96.21	3	Vertical	24	1.80	-	33.91	5.39	30.80			
AV	5.352G	52.82	54.00	-1.18	44.26	3	Vertical	24	1.80	-	34.00	5.40	30.84			
PK	5.4645G	60.19	68.20	-8.01	51.56	3	Vertical	24	1.80	-	34.10	5.46	30.93			

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 23.5
02-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0865G	61.01	74.00	-12.99	52.89	3	Horizontal	28	1.98	-	33.50	5.25	30.63			
AV	5.1465G	48.34	54.00	-5.66	40.12	3	Horizontal	28	1.98	-	33.59	5.31	30.68			
PK	5.263G	119.82	Inf	-Inf	111.38	3	Horizontal	28	1.98	-	33.83	5.38	30.77			
AV	5.261G	108.47	Inf	-Inf	100.04	3	Horizontal	28	1.98	-	33.82	5.38	30.77			
PK	5.353G	62.89	74.00	-11.11	54.33	3	Horizontal	28	1.98	-	34.00	5.40	30.84			
AV	5.35G	50.43	54.00	-3.57	41.87	3	Horizontal	28	1.98	-	34.00	5.40	30.84			
PK	5.4625G	61.56	68.20	-6.64	52.93	3	Horizontal	28	1.98	-	34.10	5.46	30.93			

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 23.5
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58024G	56.26	68.20	-11.94	49.01	3	Vertical	43	1.75	-	40.16	10.14	43.05			
PK	15.86997G	56.65	74.00	-17.35	48.16	3	Vertical	332	1.60	-	38.06	12.61	42.18			
AV	15.86652G	43.06	54.00	-10.94	34.56	3	Vertical	332	1.60	-	38.07	12.61	42.18			

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 23.5
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57982G	56.19	68.20	-12.01	48.94	3	Horizontal	334	2.56	-	40.16	10.14	43.05			
PK	15.86148G	56.63	74.00	-17.37	48.14	3	Horizontal	104	1.07	-	38.08	12.60	42.19			
AV	15.87675G	43.21	54.00	-10.79	34.72	3	Horizontal	104	1.07	-	38.05	12.61	42.17			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 24.5
02-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.284G	60.56	68.20	-7.64	52.09	3	Vertical	337	1.70	-	33.87	5.39	30.79			
PK	5.455G	64.98	74.00	-9.02	56.35	3	Vertical	337	1.70	-	34.10	5.45	30.92			
AV	5.46G	52.33	54.00	-1.67	43.70	3	Vertical	337	1.70	-	34.10	5.46	30.93			
PK	5.467G	65.11	68.20	-3.09	56.48	3	Vertical	337	1.70	-	34.10	5.46	30.93			
PK	5.5635G	115.13	Inf	-Inf	106.51	3	Vertical	337	1.70	-	34.07	5.54	30.99			
AV	5.5655G	103.66	Inf	-Inf	95.04	3	Vertical	337	1.70	-	34.07	5.54	30.99			
PK	5.767G	61.73	68.20	-6.47	53.19	3	Vertical	337	1.70	-	34.00	5.62	31.08			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 24.5
02-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.307G	60.23	68.20	-7.97	51.74	3	Horizontal	28	1.98	-	33.91	5.39	30.81			
PK	5.4355G	62.17	74.00	-11.83	53.57	3	Horizontal	28	1.98	-	34.07	5.44	30.91			
PK	5.47G	62.87	68.20	-5.33	54.24	3	Horizontal	28	1.98	-	34.10	5.47	30.94			
AV	5.4595G	50.76	54.00	-3.24	42.13	3	Horizontal	28	1.98	-	34.10	5.46	30.93			
PK	5.525G	116.12	Inf	-Inf	107.48	3	Horizontal	28	1.98	-	34.10	5.51	30.97			
AV	5.527G	104.13	Inf	-Inf	95.49	3	Horizontal	28	1.98	-	34.10	5.51	30.97			
PK	5.741G	59.60	68.20	-8.60	51.06	3	Horizontal	28	1.98	-	34.00	5.61	31.07			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 24.5
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05994G	57.94	74.00	-16.06	50.44	3	Vertical	14	2.27	-	40.26	10.36	43.12			
AV	11.05997G	47.37	54.00	-6.63	39.87	3	Vertical	14	2.27	-	40.26	10.36	43.12			
PK	16.60194G	58.35	68.20	-9.85	47.70	3	Vertical	33	1.80	-	39.41	12.94	41.70			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 24.5
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05997G	58.19	74.00	-15.81	50.69	3	Horizontal	349	1.80	-	40.26	10.36	43.12			
AV	11.05997G	47.65	54.00	-6.35	40.15	3	Horizontal	349	1.80	-	40.26	10.36	43.12			
PK	16.57824G	58.41	68.20	-9.79	47.72	3	Horizontal	163	1.80	-	39.44	12.93	41.68			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
Setting 26
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3364G	61.77	68.20	-6.43	54.69	3	Vertical	359	1.75	-	31.50	7.04	31.46			
AV	5.3754G	50.72	54.00	-3.28	43.58	3	Vertical	359	1.75	-	31.55	7.07	31.48			
PK	5.4522G	63.25	74.00	-10.75	55.85	3	Vertical	359	1.75	-	31.80	7.12	31.52			
PK	5.463G	63.07	68.20	-5.13	55.64	3	Vertical	359	1.75	-	31.83	7.13	31.53			
PK	5.5728G	119.45	Inf	-Inf	111.96	3	Vertical	359	1.75	-	31.85	7.20	31.56			
AV	5.5806G	112.98	Inf	-Inf	105.49	3	Vertical	359	1.75	-	31.84	7.21	31.56			
PK	5.7294G	67.34	68.20	-0.86	59.51	3	Vertical	359	1.75	-	32.08	7.33	31.58			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
Setting 26
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3376G	62.52	68.20	-5.68	55.44	3	Horizontal	356	1.80	-	31.50	7.04	31.46			
PK	5.4588G	63.49	74.00	-10.51	56.07	3	Horizontal	356	1.80	-	31.82	7.13	31.53			
AV	5.4498G	50.52	54.00	-3.48	43.12	3	Horizontal	356	1.80	-	31.80	7.12	31.52			
PK	5.4678G	64.44	68.20	-3.76	57.00	3	Horizontal	356	1.80	-	31.84	7.13	31.53			
PK	5.5932G	122.46	Inf	-Inf	114.99	3	Horizontal	356	1.80	-	31.81	7.22	31.56			
AV	5.5836G	110.64	Inf	-Inf	103.16	3	Horizontal	356	1.80	-	31.83	7.21	31.56			
PK	5.7282G	67.13	68.20	-1.07	59.31	3	Horizontal	356	1.80	-	32.07	7.33	31.58			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 26
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21988G	56.83	74.00	-17.17	49.78	3	Vertical	345	1.41	-	39.80	10.44	43.19			
AV	11.22G	46.84	54.00	-7.16	39.79	3	Vertical	345	1.41	-	39.80	10.44	43.19			
PK	16.83294G	60.05	68.20	-8.15	48.47	3	Vertical	163	2.69	-	40.47	13.04	41.93			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 26
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22273G	56.54	74.00	-17.46	49.49	3	Horizontal	352	1.85	-	39.80	10.44	43.19			
AV	11.22006G	44.21	54.00	-9.79	37.16	3	Horizontal	352	1.85	-	39.80	10.44	43.19			
PK	16.82571G	59.03	68.20	-9.17	47.46	3	Horizontal	0	1.80	-	40.45	13.04	41.92			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 28
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4296G	63.84	74.00	-10.16	56.52	3	Vertical	2	1.80	-	31.72	7.11	31.51			
PK	5.4614G	64.38	68.20	-3.82	56.96	3	Vertical	2	1.80	-	31.82	7.13	31.53			
AV	5.4512G	50.53	54.00	-3.47	43.13	3	Vertical	2	1.80	-	31.80	7.12	31.52			
PK	5.66G	123.29	Inf	-Inf	115.85	3	Vertical	2	1.80	-	31.74	7.27	31.57			
AV	5.6594G	114.02	Inf	-Inf	106.58	3	Vertical	2	1.80	-	31.74	7.27	31.57			
PK	5.8616G	67.08	68.20	-1.12	58.91	3	Vertical	2	1.80	-	32.35	7.41	31.59			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 28
06-P-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4188G	63.67	74.00	-10.33	56.40	3	Horizontal	0	1.78	-	31.68	7.10	31.51			
PK	5.4668G	64.27	68.20	-3.93	56.84	3	Horizontal	0	1.78	-	31.83	7.13	31.53			
AV	5.4506G	51.35	54.00	-2.65	43.95	3	Horizontal	0	1.78	-	31.80	7.12	31.52			
PK	5.6882G	123.95	Inf	-Inf	116.38	3	Horizontal	0	1.78	-	31.85	7.29	31.57			
AV	5.663G	111.60	Inf	-Inf	104.15	3	Horizontal	0	1.78	-	31.75	7.27	31.57			
PK	5.8514G	67.32	68.20	-0.88	59.19	3	Horizontal	0	1.78	-	32.31	7.41	31.59			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 28
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38009G	56.11	74.00	-17.89	48.88	3	Vertical	349	1.80	-	39.96	10.52	43.25			
AV	11.37994G	45.51	54.00	-8.49	38.28	3	Vertical	349	1.80	-	39.96	10.52	43.25			
PK	17.05608G	58.62	68.20	-9.58	47.17	3	Vertical	250	1.22	-	40.38	13.15	42.08			

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Y_4TX
Setting 28
06-P-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39311G	56.61	74.00	-17.39	49.36	3	Horizontal	17	2.42	-	39.99	10.52	43.26			
AV	11.37994G	45.56	54.00	-8.44	38.33	3	Horizontal	17	2.42	-	39.96	10.52	43.25			
PK	17.06319G	58.69	68.20	-9.51	47.26	3	Horizontal	242	1.80	-	40.35	13.15	42.07			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80+80_Nss1,(MCS0)_4TX	Pass	AV	5.45G	53.83	54.00	-0.17	3	Horizontal	357	1.78	-

5.15-5.25GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

#5210MHz,5290MHz_TX




EUT Y_4TX
Setting 14
02-C-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.13G	59.75	74.00	-14.25	51.56	3	Vertical	353	1.33	-	33.56	5.29	30.66				
AV	5.13G	52.46	54.00	-1.54	44.27	3	Vertical	353	1.33	-	33.56	5.29	30.66				
PK	5.204G	108.43	Inf	-Inf	99.98	3	Vertical	353	1.33	-	33.80	5.37	30.72				
AV	5.2045G	96.80	Inf	-Inf	88.35	3	Vertical	353	1.33	-	33.80	5.37	30.72				
PK	5.3515G	60.68	74.00	-13.32	52.12	3	Vertical	353	1.33	-	34.00	5.40	30.84				
AV	5.37G	49.68	54.00	-4.32	41.14	3	Vertical	353	1.33	-	34.00	5.40	30.86				

5.15-5.25GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

#5210MHz,5290MHz_TX




EUT_Y_4TX
Setting 14
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.05G	61.62	74.00	-12.38	53.51	3	Horizontal	35	1.77	-	33.50	5.21	30.60			
AV	5.05G	53.80	54.00	-0.20	45.69	3	Horizontal	35	1.77	-	33.50	5.21	30.60			
PK	5.196G	108.79	Inf	-Inf	100.36	3	Horizontal	35	1.77	-	33.78	5.37	30.72			
AV	5.213G	96.54	Inf	-Inf	88.10	3	Horizontal	35	1.77	-	33.80	5.37	30.73			
PK	5.37G	60.05	74.00	-13.95	51.51	3	Horizontal	35	1.77	-	34.00	5.40	30.86			
AV	5.3705G	50.66	54.00	-3.34	42.12	3	Horizontal	35	1.77	-	34.00	5.40	30.86			

5.15-5.25GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

#5210MHz,5290MHz_TX




EUT_Y_4TX
Setting 14
06-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41298G	55.03	68.20	-13.17	47.87	3	Vertical	44	1.80	-	40.13	10.06	43.03			
PK	15.61974G	56.57	74.00	-17.43	48.15	3	Vertical	287	1.28	-	38.40	12.49	42.47			
AV	15.6162G	43.12	54.00	-10.88	34.67	3	Vertical	287	1.28	-	38.44	12.49	42.48			

5.15-5.25GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

#5210MHz,5290MHz_TX




EUT_Y_4TX
Setting 14
06-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42027G	55.26	68.20	-12.94	48.09	3	Horizontal	2	2.67	-	40.14	10.06	43.03			
PK	15.64392G	56.53	74.00	-17.47	48.31	3	Horizontal	185	1.33	-	38.16	12.50	42.44			
AV	15.61545G	43.06	54.00	-10.94	34.60	3	Horizontal	185	1.33	-	38.45	12.49	42.48			

5.25-5.35GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

5210MHz,#5290MHz_TX




EUT_Y_4TX
Setting 10.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	58.55	74.00	-15.45	50.31	3	Vertical	348	1.84	-	33.60	5.32	30.68			
AV	5.1295G	47.17	54.00	-6.83	38.98	3	Vertical	348	1.84	-	33.56	5.29	30.66			
PK	5.265G	104.63	Inf	-Inf	96.19	3	Vertical	348	1.84	-	33.83	5.38	30.77			
AV	5.2845G	92.26	Inf	-Inf	83.79	3	Vertical	348	1.84	-	33.87	5.39	30.79			
PK	5.37G	60.25	74.00	-13.75	51.71	3	Vertical	348	1.84	-	34.00	5.40	30.86			
AV	5.37G	51.61	54.00	-2.39	43.07	3	Vertical	348	1.84	-	34.00	5.40	30.86			
PK	5.3315G	58.66	68.20	-9.54	50.01	3	Vertical	348	1.84	-	34.10	5.52	30.97			

5.25-5.35GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

5210MHz,#5290MHz_TX




EUT_Y_4TX
Setting 10.5
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.145G	59.60	74.00	-14.40	51.38	3	Horizontal	32	1.89	-	33.59	5.31	30.68			
AV	5.13G	47.31	54.00	-6.69	39.12	3	Horizontal	32	1.89	-	33.56	5.29	30.66			
AV	5.2G	91.87	Inf	-Inf	83.42	3	Horizontal	32	1.89	-	33.80	5.37	30.72			
PK	5.2965G	104.24	Inf	-Inf	95.76	3	Horizontal	32	1.89	-	33.89	5.39	30.80			
PK	5.413G	59.48	74.00	-14.52	50.92	3	Horizontal	32	1.89	-	34.03	5.42	30.89			
AV	5.45G	49.66	54.00	-4.34	41.03	3	Horizontal	32	1.89	-	34.10	5.45	30.92			
PK	5.539G	58.74	68.20	-9.46	50.10	3	Horizontal	32	1.89	-	34.10	5.52	30.98			

5.25-5.35GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

5210MHz,#5290MHz_TX




EUT_Y_4TX
Setting 10.5
06-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57973G	55.68	68.20	-12.52	48.43	3	Vertical	41	1.80	-	40.16	10.14	43.05			
PK	15.8781G	56.46	74.00	-17.54	47.98	3	Vertical	68	2.95	-	38.04	12.61	42.17			
AV	15.86631G	42.63	54.00	-11.37	34.14	3	Vertical	68	2.95	-	38.07	12.61	42.19			

5.25-5.35GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

5210MHz,#5290MHz_TX




EUT_Y_4TX
Setting 10.5
06-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58423G	55.58	68.20	-12.62	48.32	3	Horizontal	353	2.54	-	40.17	10.14	43.05			
PK	15.86067G	56.90	74.00	-17.10	48.41	3	Horizontal	29	2.31	-	38.08	12.60	42.19			
AV	15.8832G	42.54	54.00	-11.46	34.07	3	Horizontal	29	2.31	-	38.03	12.61	42.17			

5.47-5.725GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

#5530MHz,5610MHz_TX




EUT_Y_4TX
Setting 18
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.306G	59.14	68.20	-9.06	50.64	3	Vertical	339	1.34	-	33.91	5.39	30.80			
AV	5.35G	46.91	54.00	-7.09	38.35	3	Vertical	339	1.34	-	34.00	5.40	30.84			
PK	5.46G	62.82	74.00	-11.18	54.19	3	Vertical	339	1.34	-	34.10	5.46	30.93			
AV	5.45G	51.11	54.00	-2.89	42.48	3	Vertical	339	1.34	-	34.10	5.45	30.92			
PK	5.463G	64.18	68.20	-4.02	55.55	3	Vertical	339	1.34	-	34.10	5.46	30.93			
PK	5.5415G	112.40	Inf	-Inf	103.76	3	Vertical	339	1.34	-	34.10	5.52	30.98			
AV	5.5235G	99.42	Inf	-Inf	90.78	3	Vertical	339	1.34	-	34.10	5.51	30.97			
PK	5.7605G	60.06	68.20	-8.14	51.52	3	Vertical	339	1.34	-	34.00	5.62	31.08			

5.47-5.725GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

#5530MHz,5610MHz_TX




EUT_Y_4TX
Setting 18
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.346G	59.08	68.20	-9.12	50.53	3	Horizontal	360	1.80	-	33.99	5.40	30.84			
AV	5.35G	46.63	54.00	-7.37	38.07	3	Horizontal	360	1.80	-	34.00	5.40	30.84			
PK	5.45G	64.18	74.00	-9.82	55.55	3	Horizontal	360	1.80	-	34.10	5.45	30.92			
AV	5.45G	53.33	54.00	-0.67	44.70	3	Horizontal	360	1.80	-	34.10	5.45	30.92			
PK	5.4695G	64.04	68.20	-4.16	55.41	3	Horizontal	360	1.80	-	34.10	5.47	30.94			
PK	5.531G	111.84	Inf	-Inf	103.20	3	Horizontal	360	1.80	-	34.10	5.51	30.97			
AV	5.5335G	100.02	Inf	-Inf	91.38	3	Horizontal	360	1.80	-	34.10	5.52	30.98			
PK	5.7665G	60.74	68.20	-7.46	52.20	3	Horizontal	360	1.80	-	34.00	5.62	31.08			

5.47-5.725GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

#5530MHz,5610MHz_TX




EUT_Y_4TX
Setting 18
06-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05982G	57.61	74.00	-16.39	50.11	3	Vertical	26	2.21	-	40.26	10.36	43.12			
AV	11.05997G	46.28	54.00	-7.72	38.78	3	Vertical	26	2.21	-	40.26	10.36	43.12			
PK	16.5885G	59.08	68.20	-9.12	48.42	3	Vertical	131	1.48	-	39.42	12.93	41.69			

5.47-5.725GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

#5530MHz,5610MHz_TX




EUT_Y_4TX
Setting 18
06-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07107G	56.66	74.00	-17.34	49.20	3	Horizontal	350	1.80	-	40.22	10.37	43.13			
AV	11.06G	44.04	54.00	-9.96	36.54	3	Horizontal	350	1.80	-	40.26	10.36	43.12			
PK	16.58469G	57.83	68.20	-10.37	47.15	3	Horizontal	125	2.68	-	39.43	12.93	41.68			

5.47-5.725GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

5530MHz,#5610MHz_TX




EUT Y_4TX
Setting 12
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45G	61.20	74.00	-12.80	52.57	3	Vertical	342	1.57	-	34.10	5.45	30.92			
AV	5.45G	52.69	54.00	-1.31	44.06	3	Vertical	342	1.57	-	34.10	5.45	30.92			
PK	5.466G	58.75	68.20	-9.45	50.12	3	Vertical	342	1.57	-	34.10	5.46	30.93			
PK	5.6025G	105.81	Inf	-Inf	97.26	3	Vertical	342	1.57	-	33.99	5.57	31.01			
AV	5.6025G	94.84	Inf	-Inf	86.29	3	Vertical	342	1.57	-	33.99	5.57	31.01			
PK	5.77G	60.45	68.20	-7.75	51.91	3	Vertical	342	1.57	-	34.00	5.62	31.08			

5.47-5.725GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

5530MHz,#5610MHz_TX




EUT_Y_4TX
Setting 12
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45G	62.46	74.00	-11.54	53.83	3	Horizontal	357	1.78	-	34.10	5.45	30.92			
AV	5.45G	53.83	54.00	-0.17	45.20	3	Horizontal	357	1.78	-	34.10	5.45	30.92			
PK	5.461G	59.56	68.20	-8.64	50.93	3	Horizontal	357	1.78	-	34.10	5.46	30.93			
PK	5.613G	107.29	Inf	-Inf	98.76	3	Horizontal	357	1.78	-	33.97	5.57	31.01			
AV	5.613G	94.93	Inf	-Inf	86.40	3	Horizontal	357	1.78	-	33.97	5.57	31.01			
PK	5.73G	63.21	68.20	-4.99	54.67	3	Horizontal	357	1.78	-	34.00	5.61	31.07			

5.47-5.725GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

5530MHz,#5610MHz_TX




EUT_Y_4TX
Setting 12
06-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21991G	56.65	74.00	-17.35	49.60	3	Vertical	345	1.80	-	39.80	10.44	43.19			
AV	11.21997G	46.47	54.00	-7.53	39.42	3	Vertical	345	1.80	-	39.80	10.44	43.19			
PK	16.83747G	59.02	68.20	-9.18	47.43	3	Vertical	120	2.20	-	40.47	13.05	41.93			

5.47-5.725GHz_802.11ax HEW80+80_Nss1,(MCS0)_4TX

5530MHz,#5610MHz_TX

EUT_Y_4TX
Setting 12
06-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22006G	57.68	74.00	-16.32	50.63	3	Horizontal	353	1.56	-	39.80	10.44	43.19			
AV	11.21997G	44.10	54.00	-9.90	37.05	3	Horizontal	353	1.56	-	39.80	10.44	43.19			
PK	16.82448G	59.27	68.20	-8.93	47.70	3	Horizontal	1.2	1.80	-	40.45	13.04	41.92			