



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.415325G	-6.53	6.4034G	-37.83	-26.54	-11.29	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.20395G	-0.07	6.22715G	-29.47	-20.17	-9.30	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	5.987G	3.23	6.028G	-24.17	-16.79	-7.38	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.3494G	1.58	6.4318G	-26.75	-18.42	-8.33	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.0998G	-1.74	6.2734G	-33.58	-21.75	-11.83	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.515325G	-4.32	6.50315G	-36.39	-24.40	-11.99	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.48315G	-2.97	6.4632G	-30.47	-23.00	-7.47	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.4666G	-1.45	6.5084G	-29.81	-21.50	-8.31	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.5092G	0.84	6.5926G	-29.74	-19.21	-10.53	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.591G	6.03	6.4202G	-25.89	-13.98	-11.91	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.695425G	-8.42	6.7068G	-40.51	-28.51	-12.00	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.5639G	-1.62	6.54295G	-31.55	-21.66	-9.89	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.6285G	-0.39	6.5811G	-30.41	-20.43	-9.98	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.8298G	2.71	6.912G	-24.99	-17.31	-7.68	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.9002G	-3.74	6.4674G	-48.38	-38.74	-9.64	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	7.114225G	-18.02	7.074825G	-68.45	-58.02	-10.43	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	7.08585G	-4.53	7.063G	-33.29	-24.55	-8.74	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.9436G	-0.63	6.9007G	-30.21	-20.71	-9.50	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.9882G	2.13	6.5852G	-48.18	-37.87	-10.31	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9553G	-6.03	5.967325G	-39.94	-26.11	-13.83	1
5955MHz	Pass	5.955375G	-4.49	5.967375G	-38.90	-23.79	-15.11	2
6195MHz	Pass	6.195575G	-4.14	6.207075G	-37.33	-24.18	-13.15	1
6195MHz	Pass	6.19545G	-3.94	6.20725G	-38.57	-23.94	-14.63	2
6415MHz	Pass	6.414225G	-5.81	6.4028G	-40.41	-25.88	-14.53	1
6415MHz	Pass	6.415325G	-6.53	6.4034G	-37.83	-26.54	-11.29	2
6435MHz	Pass	6.4347G	-6.48	6.42285G	-39.67	-25.08	-14.59	1
6435MHz	Pass	6.435725G	-7.86	6.423075G	-40.86	-27.86	-13.00	2
6475MHz	Pass	6.47455G	-5.60	6.463125G	-37.92	-25.30	-12.62	1
6475MHz	Pass	6.4756G	-4.57	6.463125G	-37.24	-24.58	-12.66	2
6515MHz	Pass	6.51415G	-6.49	6.527275G	-40.32	-26.58	-13.74	1
6515MHz	Pass	6.515325G	-4.32	6.50315G	-36.39	-24.40	-11.99	2
6535MHz	Pass	6.53445G	-5.69	6.5471G	-39.74	-25.49	-14.25	1
6535MHz	Pass	6.5346G	-6.50	6.5476G	-43.23	-26.60	-16.63	2
6695MHz	Pass	6.695425G	-8.42	6.7068G	-40.51	-28.51	-12.00	1
6695MHz	Pass	6.6944G	-6.89	6.68295G	-40.80	-26.79	-14.01	2
6875MHz	Pass	6.87425G	-8.84	6.887025G	-41.81	-28.97	-12.84	1
6875MHz	Pass	6.8754G	-7.53	6.8869G	-40.59	-27.61	-12.98	2
6895MHz	Pass	6.8947G	-9.13	6.882775G	-43.29	-29.15	-14.14	1
6895MHz	Pass	6.894325G	-8.25	6.88275G	-42.46	-27.75	-14.71	2
6995MHz	Pass	6.995575G	-6.87	6.98295G	-40.93	-26.77	-14.16	1
6995MHz	Pass	6.995975G	-7.60	7.007475G	-43.71	-27.69	-16.02	2
7095MHz	Pass	7.094375G	-8.72	7.106925G	-41.60	-28.32	-13.28	1
7095MHz	Pass	7.0954G	-8.87	7.08285G	-43.99	-28.57	-15.42	2
7115MHz	Pass	7.1155G	-16.59	7.0675G	-68.74	-56.59	-12.15	1
7115MHz	Pass	7.114225G	-18.02	7.074825G	-68.45	-58.02	-10.43	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.9642G	-4.93	5.98775G	-36.49	-24.33	-12.16	1
5965MHz	Pass	5.966G	-3.41	5.98735G	-33.39	-23.41	-9.98	2
6205MHz	Pass	6.20395G	-0.07	6.22715G	-29.47	-20.17	-9.30	1
6205MHz	Pass	6.20615G	-0.03	6.22795G	-32.62	-20.03	-12.59	2
6405MHz	Pass	6.40395G	-3.68	6.4272G	-33.24	-23.71	-9.53	1
6405MHz	Pass	6.40345G	-4.93	6.38215G	-37.21	-25.02	-12.19	2
6445MHz	Pass	6.4438G	-1.55	6.4225G	-33.53	-21.45	-12.08	1
6445MHz	Pass	6.4457G	-3.99	6.4673G	-34.02	-24.00	-10.02	2
6485MHz	Pass	6.48315G	-2.97	6.4632G	-30.47	-23.00	-7.47	1
6485MHz	Pass	6.4857G	-4.62	6.46215G	-38.51	-24.65	-13.86	2
6525MHz	Pass	6.5262G	-3.45	6.54775G	-35.56	-23.52	-12.04	1
6525MHz	Pass	6.52575G	-5.10	6.5029G	-35.30	-25.14	-10.16	2
6565MHz	Pass	6.5639G	-1.62	6.54295G	-31.55	-21.66	-9.89	1
6565MHz	Pass	6.56575G	-2.86	6.5871G	-32.90	-22.87	-10.03	2
6685MHz	Pass	6.68405G	-1.85	6.66235G	-33.49	-21.93	-11.56	1
6685MHz	Pass	6.686G	-1.65	6.7073G	-32.16	-21.66	-10.50	2
6885MHz	Pass	6.88385G	-3.32	6.86155G	-37.97	-23.41	-14.56	1
6885MHz	Pass	6.8845G	-2.22	6.9074G	-32.92	-22.22	-10.70	2
6925MHz	Pass	6.9258G	-5.07	6.94765G	-35.88	-24.67	-11.21	1
6925MHz	Pass	6.92585G	-4.75	6.9023G	-35.64	-24.80	-10.84	2
7005MHz	Pass	7.00345G	-3.63	6.9822G	-34.75	-22.93	-11.82	1
7005MHz	Pass	7.00565G	-3.84	6.98205G	-37.15	-23.88	-13.27	2
7085MHz	Pass	7.08425G	-2.70	7.0618G	-35.38	-22.80	-12.58	1
7085MHz	Pass	7.08585G	-4.53	7.063G	-33.29	-24.55	-8.74	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9817G	1.84	6.0286G	-27.42	-18.25	-9.17	1
5985MHz	Pass	5.987G	3.23	6.028G	-24.17	-16.79	-7.38	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6225MHz	Pass	6.2269G	-1.22	6.2697G	-33.07	-21.23	-11.84	1
6225MHz	Pass	6.2233G	-1.02	6.1817G	-30.23	-21.03	-9.20	2
6385MHz	Pass	6.3817G	-0.08	6.4288G	-29.43	-20.08	-9.35	1
6385MHz	Pass	6.3864G	-1.24	6.4293G	-32.15	-21.27	-10.88	2
6465MHz	Pass	6.4641G	1.18	6.5101G	-31.44	-18.88	-12.56	1
6465MHz	Pass	6.4666G	-1.45	6.5084G	-29.81	-21.50	-8.31	2
6545MHz	Pass	6.5458G	0.85	6.5002G	-31.31	-19.15	-12.16	1
6545MHz	Pass	6.5461G	-0.57	6.5017G	-28.97	-20.65	-8.32	2
6625MHz	Pass	6.6285G	-0.39	6.5811G	-30.41	-20.43	-9.98	1
6625MHz	Pass	6.6214G	0.54	6.5811G	-29.80	-19.48	-10.32	2
6705MHz	Pass	6.708G	-1.68	6.6605G	-32.27	-21.69	-10.58	1
6705MHz	Pass	6.7037G	1.09	6.6609G	-29.69	-18.93	-10.76	2
6785MHz	Pass	6.7824G	-5.14	6.8299G	-36.02	-25.16	-10.86	1
6785MHz	Pass	6.787G	-1.47	6.8301G	-34.00	-21.49	-12.51	2
6865MHz	Pass	6.8617G	-2.81	6.9099G	-34.19	-22.87	-11.32	1
6865MHz	Pass	6.8636G	-1.03	6.9097G	-32.93	-21.10	-11.83	2
6945MHz	Pass	6.948G	-0.58	6.9902G	-32.12	-20.62	-11.50	1
6945MHz	Pass	6.9436G	-0.63	6.9007G	-30.21	-20.71	-9.50	2
7025MHz	Pass	7.0241G	-1.34	6.9796G	-33.22	-21.39	-11.83	1
7025MHz	Pass	7.023G	-1.47	6.9798G	-33.40	-21.61	-11.79	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0362G	3.02	6.1112G	-25.48	-16.99	-8.49	1
6025MHz	Pass	6.0296G	4.64	6.112G	-24.78	-14.96	-9.82	2
6185MHz	Pass	6.1816G	3.64	6.272G	-26.59	-16.38	-10.21	1
6185MHz	Pass	6.1888G	4.38	6.2718G	-26.02	-15.62	-10.40	2
6345MHz	Pass	6.35G	3.03	6.4318G	-26.76	-16.97	-9.79	1
6345MHz	Pass	6.3494G	1.58	6.4318G	-26.75	-18.42	-8.33	2
6505MHz	Pass	6.5092G	0.84	6.5926G	-29.74	-19.21	-10.53	1
6505MHz	Pass	6.5012G	0.53	6.5924G	-30.80	-19.51	-11.29	2
6665MHz	Pass	6.6624G	1.18	6.5774G	-30.13	-18.85	-11.28	1
6665MHz	Pass	6.6688G	0.91	6.5776G	-30.06	-19.13	-10.93	2
6825MHz	Pass	6.8298G	2.71	6.912G	-24.99	-17.31	-7.68	1
6825MHz	Pass	6.8276G	4.80	6.9132G	-27.58	-15.21	-12.37	2
6985MHz	Pass	6.9882G	2.33	6.8966G	-31.20	-17.70	-13.50	1
6985MHz	Pass	6.9882G	2.13	6.5852G	-48.18	-37.87	-10.31	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0998G	-1.74	6.2734G	-33.58	-21.75	-11.83	1
6105MHz	Pass	6.117G	2.61	5.9414G	-31.40	-17.40	-14.00	2
6265MHz	Pass	6.2466G	1.01	6.0946G	-33.93	-18.99	-14.94	1
6265MHz	Pass	6.2722G	4.98	6.0998G	-29.45	-15.02	-14.43	2
6425MHz	Pass	6.4202G	-1.49	6.9394G	-54.23	-41.49	-12.74	1
6425MHz	Pass	6.4334G	1.62	6.2566G	-33.61	-18.45	-15.16	2
6585MHz	Pass	6.5802G	3.30	6.0682G	-50.83	-36.70	-14.13	1
6585MHz	Pass	6.591G	6.03	6.4202G	-25.89	-13.98	-11.91	2
6745MHz	Pass	6.7394G	0.18	6.2338G	-51.22	-39.82	-11.40	1
6745MHz	Pass	6.7486G	4.92	6.5798G	-26.67	-15.11	-11.56	2
6905MHz	Pass	6.9002G	-3.74	6.4674G	-48.38	-38.74	-9.64	1
6905MHz	Pass	6.911G	1.73	6.7382G	-30.25	-18.35	-11.90	2


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

08/08/2025

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.414225G	-5.81	6.4028G	-40.41	-25.88	-14.53	1
6.415325G	-6.53	6.4034G	-37.83	-26.54	-11.29	2


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

08/08/2025

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20395G	-0.07	6.22715G	-29.47	-20.17	-9.30	1
6.20615G	-0.03	6.22795G	-32.62	-20.03	-12.59	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

08/08/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

08/08/2025



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

08/08/2025

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

08/08/2025

CF (Hz)
6.515G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 


Port 2 

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

08/08/2025




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

08/08/2025



6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

08/08/2025

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5092G	0.84	6.5926G	-29.74	-19.21	-10.53	1
6.5012G	0.53	6.5924G	-30.80	-19.51	-11.29	2

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

08/08/2025

CF (Hz)
6.585G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5802G	3.30	6.0682G	-50.83	-36.70	-14.13	1
6.591G	6.03	6.4202G	-25.89	-13.98	-11.91	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

08/08/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

08/08/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

08/08/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

08/08/2025




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

08/08/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

08/08/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

08/08/2025




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

08/08/2025




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

08/08/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9882G	2.33	6.8966G	-31.20	-17.70	-13.50	1
6.9882G	2.13	6.5852G	-48.18	-37.87	-10.31	2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.91778G	42.87	54.00	-11.13	3	Horizontal	13	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	11.92624G	42.88	54.00	-11.12	3	Horizontal	69	2.79
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	12.00624G	42.95	54.00	-11.05	3	Vertical	202	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	12.11384G	43.30	54.00	-10.70	3	Vertical	49	1.53
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	12.06888G	43.32	54.00	-10.68	3	Horizontal	24	1.91
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.95712G	44.65	68.20	-23.55	3	Horizontal	71	2.88
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.06308G	44.58	68.20	-23.62	3	Horizontal	151	2.53
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.08544G	44.58	68.20	-23.62	3	Vertical	8	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.0276G	44.56	68.20	-23.64	3	Vertical	271	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	13.02152G	44.64	68.20	-23.56	3	Horizontal	31	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38614G	44.76	54.00	-9.24	3	Horizontal	190	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38992G	44.62	54.00	-9.38	3	Vertical	130	2.26
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.57608G	44.91	68.20	-23.29	3	Horizontal	323	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.32728G	44.63	54.00	-9.37	3	Horizontal	302	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	7.272G	51.52	54.00	-2.48	3	Horizontal	89	2.34
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	67.86	68.20	-0.34	3	Horizontal	90	2.16
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	7.2248G	54.52	68.20	-13.68	3	Vertical	335	2.05
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1738G	54.11	68.20	-14.09	3	Horizontal	90	2.34
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	7.127G	54.56	68.20	-13.64	3	Horizontal	94	2.13

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.898G	50.39	68.20	-17.81	3	Vertical	25	1.50
5955MHz	Pass	AV	5.9538G	96.91	Inf	-Inf	3	Vertical	25	1.50
5955MHz	Pass	PK	5.9199G	62.20	88.20	-26.00	3	Vertical	25	1.50
5955MHz	Pass	PK	5.9526G	107.13	Inf	-Inf	3	Vertical	25	1.50
5955MHz	Pass	AV	5.919G	50.52	68.20	-17.68	3	Horizontal	281	2.23
5955MHz	Pass	AV	5.9556G	98.43	Inf	-Inf	3	Horizontal	281	2.23
5955MHz	Pass	PK	5.9064G	62.71	88.20	-25.49	3	Horizontal	281	2.23
5955MHz	Pass	PK	5.9559G	109.46	Inf	-Inf	3	Horizontal	281	2.23
5955MHz	Pass	AV	11.91398G	42.85	54.00	-11.15	3	Vertical	41	1.50
5955MHz	Pass	PK	11.91156G	55.32	74.00	-18.68	3	Vertical	41	1.50
5955MHz	Pass	AV	11.91778G	42.87	54.00	-11.13	3	Horizontal	13	1.50
5955MHz	Pass	PK	11.90104G	55.75	74.00	-18.25	3	Horizontal	13	1.50
6195MHz	Pass	AV	12.38656G	42.84	54.00	-11.16	3	Vertical	278	1.50
6195MHz	Pass	PK	12.38254G	55.56	74.00	-18.44	3	Vertical	278	1.50
6195MHz	Pass	AV	12.38318G	42.82	54.00	-11.18	3	Horizontal	177	1.50
6195MHz	Pass	PK	12.39198G	55.33	74.00	-18.67	3	Horizontal	177	1.50
6415MHz	Pass	AV	12.83974G	44.09	68.20	-24.11	3	Vertical	188	1.50
6415MHz	Pass	PK	12.82832G	56.23	88.20	-31.97	3	Vertical	188	1.50
6415MHz	Pass	AV	12.839G	44.09	68.20	-24.11	3	Horizontal	17	1.50
6415MHz	Pass	PK	12.82246G	56.07	88.20	-32.13	3	Horizontal	17	1.50
6435MHz	Pass	AV	12.87814G	44.36	68.20	-23.84	3	Vertical	198	1.50
6435MHz	Pass	PK	12.8709G	56.08	88.20	-32.12	3	Vertical	198	1.50
6435MHz	Pass	AV	12.868G	44.23	68.20	-23.97	3	Horizontal	42	1.50
6435MHz	Pass	PK	12.86088G	56.19	88.20	-32.01	3	Horizontal	42	1.50
6475MHz	Pass	AV	12.95854G	44.61	68.20	-23.59	3	Vertical	8	2.01
6475MHz	Pass	PK	12.95342G	56.57	88.20	-31.63	3	Vertical	8	2.01
6475MHz	Pass	AV	12.95712G	44.65	68.20	-23.55	3	Horizontal	71	2.88
6475MHz	Pass	PK	12.95604G	56.53	88.20	-31.67	3	Horizontal	71	2.88
6515MHz	Pass	AV	13.03742G	44.63	68.20	-23.57	3	Vertical	360	1.50
6515MHz	Pass	PK	13.03572G	56.57	88.20	-31.63	3	Vertical	360	1.50
6515MHz	Pass	AV	13.03046G	44.59	68.20	-23.61	3	Horizontal	60	1.50
6515MHz	Pass	PK	13.03766G	56.88	88.20	-31.32	3	Horizontal	60	1.50
6535MHz	Pass	AV	13.0707G	44.62	68.20	-23.58	3	Vertical	26	1.50
6535MHz	Pass	PK	13.0614G	56.74	88.20	-31.46	3	Vertical	26	1.50
6535MHz	Pass	AV	13.06784G	44.68	68.20	-23.52	3	Horizontal	259	2.38
6535MHz	Pass	PK	13.07868G	56.84	88.20	-31.36	3	Horizontal	259	2.38
6695MHz	Pass	AV	13.39936G	44.71	54.00	-9.29	3	Vertical	150	2.14
6695MHz	Pass	PK	13.3907G	56.89	74.00	-17.11	3	Vertical	150	2.14
6695MHz	Pass	AV	13.38614G	44.76	54.00	-9.24	3	Horizontal	190	1.50
6695MHz	Pass	PK	13.38662G	56.88	74.00	-17.12	3	Horizontal	190	1.50
6875MHz	Pass	AV	13.74344G	44.95	68.20	-23.25	3	Vertical	69	1.50
6875MHz	Pass	PK	13.75092G	57.23	88.20	-30.97	3	Vertical	69	1.50
6875MHz	Pass	AV	13.7544G	44.92	68.20	-23.28	3	Horizontal	149	2.26
6875MHz	Pass	PK	13.75478G	56.95	88.20	-31.25	3	Horizontal	149	2.26
6895MHz	Pass	AV	13.7848G	44.79	68.20	-23.41	3	Vertical	49	1.74
6895MHz	Pass	PK	13.78602G	56.70	88.20	-31.50	3	Vertical	49	1.74
6895MHz	Pass	AV	13.78006G	44.84	68.20	-23.36	3	Horizontal	294	1.09
6895MHz	Pass	PK	13.795G	57.03	88.20	-31.17	3	Horizontal	294	1.09
6995MHz	Pass	AV	13.99146G	44.43	68.20	-23.77	3	Vertical	37	1.50
6995MHz	Pass	PK	13.99258G	56.99	88.20	-31.21	3	Vertical	37	1.50
6995MHz	Pass	AV	13.98842G	44.46	68.20	-23.74	3	Horizontal	153	1.50
6995MHz	Pass	PK	13.99064G	56.33	88.20	-31.87	3	Horizontal	153	1.50
7095MHz	Pass	AV	7.086G	96.12	Inf	-Inf	3	Vertical	252	1.53
7095MHz	Pass	AV	7.2402G	54.59	68.20	-13.61	3	Vertical	252	1.53
7095MHz	Pass	PK	7.0863G	106.23	Inf	-Inf	3	Vertical	252	1.53
7095MHz	Pass	PK	7.1997G	66.33	88.20	-21.87	3	Vertical	252	1.53
7095MHz	Pass	AV	7.0956G	99.24	Inf	-Inf	3	Horizontal	86	2.24
7095MHz	Pass	AV	7.2294G	54.64	68.20	-13.56	3	Horizontal	86	2.24
7095MHz	Pass	PK	7.0872G	108.80	Inf	-Inf	3	Horizontal	86	2.24
7095MHz	Pass	PK	7.2288G	66.85	88.20	-21.35	3	Horizontal	86	2.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.18474G	45.13	68.20	-23.07	3	Vertical	267	1.50
7095MHz	Pass	PK	14.18772G	57.97	88.20	-30.23	3	Vertical	267	1.50
7095MHz	Pass	AV	14.19284G	45.13	68.20	-23.07	3	Horizontal	251	1.50
7095MHz	Pass	PK	14.19096G	56.70	88.20	-31.50	3	Horizontal	251	1.50
7115MHz	Pass	AV	7.1235G	89.72	Inf	-Inf	3	Vertical	266	1.54
7115MHz	Pass	AV	7.1255G	66.19	68.20	-2.01	3	Vertical	266	1.54
7115MHz	Pass	PK	7.1235G	95.93	Inf	-Inf	3	Vertical	266	1.54
7115MHz	Pass	PK	7.1255G	75.83	88.20	-12.37	3	Vertical	266	1.54
7115MHz	Pass	AV	7.1165G	91.54	Inf	-Inf	3	Horizontal	90	2.16
7115MHz	Pass	AV	7.1255G	67.86	68.20	-0.34	3	Horizontal	90	2.16
7115MHz	Pass	PK	7.1225G	98.29	Inf	-Inf	3	Horizontal	90	2.16
7115MHz	Pass	PK	7.1255G	76.92	88.20	-11.28	3	Horizontal	90	2.16
7115MHz	Pass	AV	14.2286G	45.15	68.20	-23.05	3	Vertical	183	1.06
7115MHz	Pass	PK	14.2307G	56.63	88.20	-31.57	3	Vertical	183	1.06
7115MHz	Pass	AV	14.22332G	45.15	68.20	-23.05	3	Horizontal	59	2.09
7115MHz	Pass	PK	14.23444G	56.96	88.20	-31.24	3	Horizontal	59	2.09
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9209G	50.75	68.20	-17.45	3	Vertical	63	2.48
5965MHz	Pass	AV	5.9833G	99.02	Inf	-Inf	3	Vertical	63	2.48
5965MHz	Pass	PK	5.9191G	62.69	88.20	-25.51	3	Vertical	63	2.48
5965MHz	Pass	PK	5.9833G	109.44	Inf	-Inf	3	Vertical	63	2.48
5965MHz	Pass	AV	5.9236G	50.69	68.20	-17.51	3	Horizontal	275	2.33
5965MHz	Pass	AV	5.9659G	95.87	Inf	-Inf	3	Horizontal	275	2.33
5965MHz	Pass	PK	5.8924G	62.14	88.20	-26.06	3	Horizontal	275	2.33
5965MHz	Pass	PK	5.9668G	106.29	Inf	-Inf	3	Horizontal	275	2.33
5965MHz	Pass	AV	11.92924G	42.85	54.00	-11.15	3	Vertical	201	1.23
5965MHz	Pass	PK	11.9142G	54.18	74.00	-19.82	3	Vertical	201	1.23
5965MHz	Pass	AV	11.92624G	42.88	54.00	-11.12	3	Horizontal	69	2.79
5965MHz	Pass	PK	11.94996G	54.30	74.00	-19.70	3	Horizontal	69	2.79
6205MHz	Pass	AV	12.42244G	42.84	54.00	-11.16	3	Vertical	306	1.38
6205MHz	Pass	PK	12.40544G	54.20	74.00	-19.80	3	Vertical	306	1.38
6205MHz	Pass	AV	12.42264G	42.79	54.00	-11.21	3	Horizontal	269	1.50
6205MHz	Pass	PK	12.42028G	54.11	74.00	-19.89	3	Horizontal	269	1.50
6405MHz	Pass	AV	12.81848G	43.75	68.20	-24.45	3	Vertical	30	1.50
6405MHz	Pass	PK	12.82524G	55.01	88.20	-33.19	3	Vertical	30	1.50
6405MHz	Pass	AV	12.8196G	43.82	68.20	-24.38	3	Horizontal	64	1.50
6405MHz	Pass	PK	12.80884G	55.87	88.20	-32.33	3	Horizontal	64	1.50
6445MHz	Pass	AV	12.88564G	44.19	68.20	-24.01	3	Vertical	133	1.50
6445MHz	Pass	PK	12.87324G	55.83	88.20	-32.37	3	Vertical	133	1.50
6445MHz	Pass	AV	12.88596G	44.15	68.20	-24.05	3	Horizontal	255	1.27
6445MHz	Pass	PK	12.88544G	54.75	88.20	-33.45	3	Horizontal	255	1.27
6485MHz	Pass	AV	12.97176G	44.53	68.20	-23.67	3	Vertical	100	1.37
6485MHz	Pass	PK	12.96928G	55.58	88.20	-32.62	3	Vertical	100	1.37
6485MHz	Pass	AV	12.9816G	44.54	68.20	-23.66	3	Horizontal	145	1.70
6485MHz	Pass	PK	12.97992G	55.60	88.20	-32.60	3	Horizontal	145	1.70
6525MHz	Pass	AV	13.0316G	44.51	68.20	-23.69	3	Vertical	158	1.50
6525MHz	Pass	PK	13.05724G	56.07	88.20	-32.13	3	Vertical	158	1.50
6525MHz	Pass	AV	13.06308G	44.58	68.20	-23.62	3	Horizontal	151	2.53
6525MHz	Pass	PK	13.0454G	55.60	88.20	-32.60	3	Horizontal	151	2.53
6565MHz	Pass	AV	13.11172G	44.50	68.20	-23.70	3	Vertical	86	2.32
6565MHz	Pass	PK	13.13204G	56.18	88.20	-32.02	3	Vertical	86	2.32
6565MHz	Pass	AV	13.11008G	44.46	68.20	-23.74	3	Horizontal	270	1.26
6565MHz	Pass	PK	13.11768G	56.32	88.20	-31.88	3	Horizontal	270	1.26
6685MHz	Pass	AV	13.38992G	44.62	54.00	-9.38	3	Vertical	130	2.26
6685MHz	Pass	PK	13.388G	56.08	74.00	-17.92	3	Vertical	130	2.26
6685MHz	Pass	AV	13.3742G	44.62	54.00	-9.38	3	Horizontal	321	1.50
6685MHz	Pass	PK	13.36604G	56.69	74.00	-17.31	3	Horizontal	321	1.50
6885MHz	Pass	AV	13.75952G	44.83	68.20	-23.37	3	Vertical	205	2.83
6885MHz	Pass	PK	13.787G	56.06	88.20	-32.14	3	Vertical	205	2.83
6885MHz	Pass	AV	13.75264G	44.79	68.20	-23.41	3	Horizontal	173	1.50
6885MHz	Pass	PK	13.76684G	55.99	88.20	-32.21	3	Horizontal	173	1.50
6925MHz	Pass	AV	13.86756G	44.51	68.20	-23.69	3	Vertical	0	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.856G	55.83	88.20	-32.37	3	Vertical	0	1.50
6925MHz	Pass	AV	13.86988G	44.57	68.20	-23.63	3	Horizontal	59	1.75
6925MHz	Pass	PK	13.83744G	56.16	88.20	-32.04	3	Horizontal	59	1.75
7005MHz	Pass	AV	14.00712G	44.68	68.20	-23.52	3	Vertical	314	2.59
7005MHz	Pass	PK	14.01716G	55.72	88.20	-32.48	3	Vertical	314	2.59
7005MHz	Pass	AV	14.0154G	44.58	68.20	-23.62	3	Horizontal	187	1.50
7005MHz	Pass	PK	13.99452G	56.02	88.20	-32.18	3	Horizontal	187	1.50
7085MHz	Pass	AV	7.0664G	99.15	Inf	-Inf	3	Vertical	335	2.05
7085MHz	Pass	AV	7.2248G	54.52	68.20	-13.68	3	Vertical	335	2.05
7085MHz	Pass	PK	7.0673G	108.24	Inf	-Inf	3	Vertical	335	2.05
7085MHz	Pass	PK	7.1903G	66.95	88.20	-21.25	3	Vertical	335	2.05
7085MHz	Pass	AV	7.0859G	98.69	Inf	-Inf	3	Horizontal	92	2.49
7085MHz	Pass	AV	7.2254G	54.40	68.20	-13.80	3	Horizontal	92	2.49
7085MHz	Pass	PK	7.0838G	109.58	Inf	-Inf	3	Horizontal	92	2.49
7085MHz	Pass	PK	7.1564G	67.39	88.20	-20.81	3	Horizontal	92	2.49
7085MHz	Pass	AV	14.18432G	44.92	68.20	-23.28	3	Vertical	313	2.71
7085MHz	Pass	PK	14.18528G	56.68	88.20	-31.52	3	Vertical	313	2.71
7085MHz	Pass	AV	14.18672G	44.98	68.20	-23.22	3	Horizontal	29	2.48
7085MHz	Pass	PK	14.18244G	57.04	88.20	-31.16	3	Horizontal	29	2.48
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9235G	50.75	68.20	-17.45	3	Vertical	8	1.70
5985MHz	Pass	AV	6.0165G	99.17	Inf	-Inf	3	Vertical	8	1.70
5985MHz	Pass	PK	5.7895G	62.58	88.20	-25.62	3	Vertical	8	1.70
5985MHz	Pass	PK	6.0165G	109.77	Inf	-Inf	3	Vertical	8	1.70
5985MHz	Pass	AV	5.925G	52.07	68.20	-16.13	3	Horizontal	248	2.76
5985MHz	Pass	AV	5.9865G	98.49	Inf	-Inf	3	Horizontal	248	2.76
5985MHz	Pass	PK	5.9075G	63.97	88.20	-24.23	3	Horizontal	248	2.76
5985MHz	Pass	PK	5.984G	110.19	Inf	-Inf	3	Horizontal	248	2.76
5985MHz	Pass	AV	12.00624G	42.95	54.00	-11.05	3	Vertical	202	1.50
5985MHz	Pass	PK	11.97176G	55.14	74.00	-18.86	3	Vertical	202	1.50
5985MHz	Pass	AV	11.97512G	42.89	54.00	-11.11	3	Horizontal	212	1.22
5985MHz	Pass	PK	11.93968G	55.34	74.00	-18.66	3	Horizontal	212	1.22
6225MHz	Pass	AV	12.44984G	42.79	54.00	-11.21	3	Vertical	147	2.57
6225MHz	Pass	PK	12.47024G	55.54	74.00	-18.46	3	Vertical	147	2.57
6225MHz	Pass	AV	12.44672G	42.80	54.00	-11.20	3	Horizontal	266	1.18
6225MHz	Pass	PK	12.44336G	55.36	74.00	-18.64	3	Horizontal	266	1.18
6385MHz	Pass	AV	12.8088G	43.57	68.20	-24.63	3	Vertical	150	1.50
6385MHz	Pass	PK	12.80072G	56.18	88.20	-32.02	3	Vertical	150	1.50
6385MHz	Pass	AV	12.8088G	43.65	68.20	-24.55	3	Horizontal	83	2.61
6385MHz	Pass	PK	12.73376G	56.13	88.20	-32.07	3	Horizontal	83	2.61
6465MHz	Pass	AV	12.96976G	44.42	68.20	-23.78	3	Vertical	159	1.50
6465MHz	Pass	PK	12.9168G	56.98	88.20	-31.22	3	Vertical	159	1.50
6465MHz	Pass	AV	12.96976G	44.40	68.20	-23.80	3	Horizontal	252	1.50
6465MHz	Pass	PK	12.96648G	58.13	88.20	-30.07	3	Horizontal	252	1.50
6545MHz	Pass	AV	13.08544G	44.58	68.20	-23.62	3	Vertical	8	1.50
6545MHz	Pass	PK	13.12584G	56.91	88.20	-31.29	3	Vertical	8	1.50
6545MHz	Pass	AV	13.10824G	44.58	68.20	-23.62	3	Horizontal	347	1.50
6545MHz	Pass	PK	13.06608G	57.30	88.20	-30.90	3	Horizontal	347	1.50
6625MHz	Pass	AV	13.22328G	44.54	68.20	-23.66	3	Vertical	244	2.40
6625MHz	Pass	PK	13.23496G	57.54	88.20	-30.66	3	Vertical	244	2.40
6625MHz	Pass	AV	13.23696G	44.58	68.20	-23.62	3	Horizontal	193	2.79
6625MHz	Pass	PK	13.23936G	56.70	88.20	-31.50	3	Horizontal	193	2.79
6705MHz	Pass	AV	13.41152G	44.65	68.20	-23.55	3	Vertical	102	1.50
6705MHz	Pass	PK	13.44616G	57.20	88.20	-31.00	3	Vertical	102	1.50
6705MHz	Pass	AV	13.4012G	44.61	68.20	-23.59	3	Horizontal	227	2.79
6705MHz	Pass	PK	13.40424G	56.89	88.20	-31.31	3	Horizontal	227	2.79
6785MHz	Pass	AV	13.53528G	44.90	68.20	-23.30	3	Vertical	87	1.50
6785MHz	Pass	PK	13.5308G	57.37	88.20	-30.83	3	Vertical	87	1.50
6785MHz	Pass	AV	13.57608G	44.91	68.20	-23.29	3	Horizontal	323	1.50
6785MHz	Pass	PK	13.58728G	57.20	88.20	-31.00	3	Horizontal	323	1.50
6865MHz	Pass	AV	13.71528G	44.75	68.20	-23.45	3	Vertical	210	1.50
6865MHz	Pass	PK	13.7096G	57.76	88.20	-30.44	3	Vertical	210	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.69456G	44.88	68.20	-23.32	3	Horizontal	132	1.50
6865MHz	Pass	PK	13.7624G	56.98	88.20	-31.22	3	Horizontal	132	1.50
6945MHz	Pass	AV	13.91528G	44.62	68.20	-23.58	3	Vertical	202	1.50
6945MHz	Pass	PK	13.8908G	57.95	88.20	-30.25	3	Vertical	202	1.50
6945MHz	Pass	AV	13.90016G	44.60	68.20	-23.60	3	Horizontal	100	1.44
6945MHz	Pass	PK	13.88168G	57.24	88.20	-30.96	3	Horizontal	100	1.44
7025MHz	Pass	AV	7.0238G	95.93	Inf	-Inf	3	Vertical	38	1.50
7025MHz	Pass	AV	7.169G	53.99	68.20	-14.21	3	Vertical	38	1.50
7025MHz	Pass	PK	7.0235G	107.61	Inf	-Inf	3	Vertical	38	1.50
7025MHz	Pass	PK	7.1732G	66.99	88.20	-21.21	3	Vertical	38	1.50
7025MHz	Pass	AV	7.0262G	98.40	Inf	-Inf	3	Horizontal	90	2.34
7025MHz	Pass	AV	7.1738G	54.11	68.20	-14.09	3	Horizontal	90	2.34
7025MHz	Pass	PK	7.0262G	110.22	Inf	-Inf	3	Horizontal	90	2.34
7025MHz	Pass	PK	7.1651G	66.20	88.20	-22.00	3	Horizontal	90	2.34
7025MHz	Pass	AV	14.0624G	44.55	68.20	-23.65	3	Vertical	331	1.50
7025MHz	Pass	PK	14.0144G	57.56	88.20	-30.64	3	Vertical	331	1.50
7025MHz	Pass	AV	14.05144G	44.49	68.20	-23.71	3	Horizontal	274	1.50
7025MHz	Pass	PK	14.02192G	56.97	88.20	-31.23	3	Horizontal	274	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9125G	50.68	68.20	-17.52	3	Vertical	321	1.68
6025MHz	Pass	AV	6.028G	99.18	Inf	-Inf	3	Vertical	321	1.68
6025MHz	Pass	PK	5.9245G	62.27	88.20	-25.93	3	Vertical	321	1.68
6025MHz	Pass	PK	6.0295G	110.59	Inf	-Inf	3	Vertical	321	1.68
6025MHz	Pass	AV	5.9155G	51.58	68.20	-16.62	3	Horizontal	49	2.14
6025MHz	Pass	AV	6.0265G	97.61	Inf	-Inf	3	Horizontal	49	2.14
6025MHz	Pass	PK	5.9205G	63.46	88.20	-24.74	3	Horizontal	49	2.14
6025MHz	Pass	PK	6.0265G	109.87	Inf	-Inf	3	Horizontal	49	2.14
6025MHz	Pass	AV	12.11384G	43.30	54.00	-10.70	3	Vertical	49	1.53
6025MHz	Pass	PK	12.07448G	55.72	74.00	-18.28	3	Vertical	49	1.53
6025MHz	Pass	AV	12.11528G	43.27	54.00	-10.73	3	Horizontal	184	2.87
6025MHz	Pass	PK	12.0796G	55.90	74.00	-18.10	3	Horizontal	184	2.87
6185MHz	Pass	AV	12.42632G	42.85	54.00	-11.15	3	Vertical	256	1.50
6185MHz	Pass	PK	12.43496G	55.16	74.00	-18.84	3	Vertical	256	1.50
6185MHz	Pass	AV	12.30392G	42.80	54.00	-11.20	3	Horizontal	149	1.50
6185MHz	Pass	PK	12.39416G	55.41	74.00	-18.59	3	Horizontal	149	1.50
6345MHz	Pass	AV	12.76472G	43.40	68.20	-24.80	3	Vertical	159	1.50
6345MHz	Pass	PK	12.70552G	55.34	88.20	-32.86	3	Vertical	159	1.50
6345MHz	Pass	AV	12.73736G	43.48	68.20	-24.72	3	Horizontal	58	1.36
6345MHz	Pass	PK	12.76488G	56.47	88.20	-31.73	3	Horizontal	58	1.36
6505MHz	Pass	AV	13.0276G	44.56	68.20	-23.64	3	Vertical	271	1.50
6505MHz	Pass	PK	13.0748G	57.29	88.20	-30.91	3	Vertical	271	1.50
6505MHz	Pass	AV	13.00968G	44.55	68.20	-23.65	3	Horizontal	130	1.50
6505MHz	Pass	PK	13.02984G	57.28	88.20	-30.92	3	Horizontal	130	1.50
6665MHz	Pass	AV	13.37208G	44.60	54.00	-9.40	3	Vertical	182	2.88
6665MHz	Pass	PK	13.34024G	57.58	74.00	-16.42	3	Vertical	182	2.88
6665MHz	Pass	AV	13.32728G	44.63	54.00	-9.37	3	Horizontal	302	1.50
6665MHz	Pass	PK	13.26952G	57.10	74.00	-16.90	3	Horizontal	302	1.50
6825MHz	Pass	AV	13.57496G	44.92	68.20	-23.28	3	Vertical	65	1.50
6825MHz	Pass	PK	13.6228G	57.19	88.20	-31.01	3	Vertical	65	1.50
6825MHz	Pass	AV	13.61736G	44.92	68.20	-23.28	3	Horizontal	210	1.50
6825MHz	Pass	PK	13.61352G	57.40	88.20	-30.80	3	Horizontal	210	1.50
6985MHz	Pass	AV	6.9735G	95.37	Inf	-Inf	3	Vertical	259	1.49
6985MHz	Pass	AV	7.2305G	54.51	68.20	-13.69	3	Vertical	259	1.49
6985MHz	Pass	PK	6.97G	107.50	Inf	-Inf	3	Vertical	259	1.49
6985MHz	Pass	PK	7.217G	66.63	88.20	-21.57	3	Vertical	259	1.49
6985MHz	Pass	AV	6.98G	98.62	Inf	-Inf	3	Horizontal	94	2.13
6985MHz	Pass	AV	7.127G	54.56	68.20	-13.64	3	Horizontal	94	2.13
6985MHz	Pass	PK	6.9775G	110.49	Inf	-Inf	3	Horizontal	94	2.13
6985MHz	Pass	PK	7.1305G	67.91	88.20	-20.29	3	Horizontal	94	2.13
6985MHz	Pass	AV	13.90168G	44.65	68.20	-23.55	3	Vertical	152	2.25
6985MHz	Pass	PK	13.94856G	56.85	88.20	-31.35	3	Vertical	152	2.25
6985MHz	Pass	AV	13.94088G	44.64	68.20	-23.56	3	Horizontal	232	2.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	13.99496G	56.89	88.20	-31.31	3	Horizontal	232	2.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	50.78	68.20	-17.42	3	Vertical	254	1.84
6105MHz	Pass	AV	6.125G	99.00	Inf	-Inf	3	Vertical	254	1.84
6105MHz	Pass	PK	5.867G	61.81	88.20	-26.39	3	Vertical	254	1.84
6105MHz	Pass	PK	6.125G	109.57	Inf	-Inf	3	Vertical	254	1.84
6105MHz	Pass	AV	5.924G	50.70	68.20	-17.50	3	Horizontal	160	1.52
6105MHz	Pass	AV	6.131G	90.74	Inf	-Inf	3	Horizontal	160	1.52
6105MHz	Pass	PK	5.829G	62.75	88.20	-25.45	3	Horizontal	160	1.52
6105MHz	Pass	PK	6.132G	102.47	Inf	-Inf	3	Horizontal	160	1.52
6105MHz	Pass	AV	12.11528G	43.22	54.00	-10.78	3	Vertical	297	2.69
6105MHz	Pass	PK	12.13768G	55.98	74.00	-18.02	3	Vertical	297	2.69
6105MHz	Pass	AV	12.06888G	43.32	54.00	-10.68	3	Horizontal	24	1.91
6105MHz	Pass	PK	12.35784G	55.46	74.00	-18.54	3	Horizontal	24	1.91
6265MHz	Pass	AV	12.68968G	43.00	54.00	-11.00	3	Vertical	84	1.50
6265MHz	Pass	PK	12.42728G	55.67	74.00	-18.33	3	Vertical	84	1.50
6265MHz	Pass	AV	12.65736G	43.04	54.00	-10.96	3	Horizontal	165	1.78
6265MHz	Pass	PK	12.58536G	55.49	74.00	-18.51	3	Horizontal	165	1.78
6425MHz	Pass	AV	13.00904G	44.54	68.20	-23.66	3	Vertical	108	1.32
6425MHz	Pass	PK	12.8868G	57.00	88.20	-31.20	3	Vertical	108	1.32
6425MHz	Pass	AV	13.00712G	44.63	68.20	-23.57	3	Horizontal	284	1.50
6425MHz	Pass	PK	12.94728G	57.00	88.20	-31.20	3	Horizontal	284	1.50
6585MHz	Pass	AV	13.10472G	44.55	68.20	-23.65	3	Vertical	105	1.50
6585MHz	Pass	PK	13.01256G	57.23	88.20	-30.97	3	Vertical	105	1.50
6585MHz	Pass	AV	13.02152G	44.64	68.20	-23.56	3	Horizontal	31	1.50
6585MHz	Pass	PK	13.09768G	56.52	88.20	-31.68	3	Horizontal	31	1.50
6745MHz	Pass	AV	13.57192G	44.89	68.20	-23.31	3	Vertical	178	1.50
6745MHz	Pass	PK	13.466G	57.23	88.20	-30.97	3	Vertical	178	1.50
6745MHz	Pass	AV	13.57576G	44.93	68.20	-23.27	3	Horizontal	311	2.68
6745MHz	Pass	PK	13.5524G	56.99	88.20	-31.21	3	Horizontal	311	2.68
6905MHz	Pass	AV	6.907G	98.82	Inf	-Inf	3	Vertical	166	2.56
6905MHz	Pass	AV	7.308G	51.34	54.00	-2.66	3	Vertical	166	2.56
6905MHz	Pass	PK	6.907G	109.69	Inf	-Inf	3	Vertical	166	2.56
6905MHz	Pass	PK	7.258G	63.42	74.00	-10.58	3	Vertical	166	2.56
6905MHz	Pass	AV	6.94G	93.60	Inf	-Inf	3	Horizontal	89	2.34
6905MHz	Pass	AV	7.272G	51.52	54.00	-2.48	3	Horizontal	89	2.34
6905MHz	Pass	PK	6.94G	103.78	Inf	-Inf	3	Horizontal	89	2.34
6905MHz	Pass	PK	7.25G	63.72	74.00	-10.28	3	Horizontal	89	2.34
6905MHz	Pass	AV	13.6516G	44.88	68.20	-23.32	3	Vertical	0	1.50
6905MHz	Pass	PK	13.65736G	57.34	88.20	-30.86	3	Vertical	0	1.50
6905MHz	Pass	AV	13.6628G	44.92	68.20	-23.28	3	Horizontal	339	1.50
6905MHz	Pass	PK	13.96488G	57.08	88.20	-31.12	3	Horizontal	339	1.50


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



Antenna Gain (dBi)			
UNII5	UNII6	UNII7	UNII8
2.75	2.74	2.81	3.93

Contention Based protocol 802.11be EHT20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-71.75	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-72.74	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-71.81	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-71.93	OFF	10	100	90	Pass

Contention Based protocol 802.11be EHT320											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-74.75	OFF	10	100	90	Pass
				Center	6105	-74.75	OFF	10	100	90	Pass
				High edge	6260	-72.75	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-73.74	OFF	10	100	90	Pass
				Center	6425	-65.74	OFF	10	100	90	Pass
				High edge	6580	-67.74	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-69.81	OFF	10	100	90	Pass
				Center	6585	-68.81	OFF	10	100	90	Pass
				High edge	6740	-66.81	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-76.93	OFF	10	100	90	Pass
				Center	6905	-71.93	OFF	10	100	90	Pass
				High edge	7060	-73.93	OFF	10	100	90	Pass


Contention Based protocol 802.11be EHT20										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-69.00	2.75	-71.75	≤ -62
						Minimal	-72.00	2.75	-74.75	≤ -62
						ON	-73.00	2.75	-75.75	≤ -62
6	101	20	6455	Center	6455	OFF	-70.00	2.74	-72.74	≤ -62
						Minimal	-72.00	2.74	-74.74	≤ -62
						ON	-73.00	2.74	-75.74	≤ -62
7	149	20	6695	Center	6695	OFF	-69.00	2.81	-71.81	≤ -62
						Minimal	-72.00	2.81	-74.81	≤ -62
						ON	-73.00	2.81	-75.81	≤ -62
8	213	20	7015	Center	7015	OFF	-68.00	3.93	-71.93	≤ -62
						Minimal	-72.00	3.93	-75.93	≤ -62
						ON	-73.00	3.93	-76.93	≤ -62

Contention Based protocol 802.11be EHT320										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-72.00	2.75	-74.75	≤ -62
						Minimal	-73.00	2.75	-75.75	≤ -62
						ON	-73.00	2.75	-75.75	≤ -62
				Center	6105	OFF	-72.00	2.75	-74.75	≤ -62
						Minimal	-73.00	2.75	-75.75	≤ -62
						ON	-74.00	2.75	-76.75	≤ -62
				High edge	6260	OFF	-70.00	2.75	-72.75	≤ -62
						Minimal	-71.00	2.75	-73.75	≤ -62
						ON	-71.00	2.75	-73.75	≤ -62
5,6,7	95	320	6425	Low edge	6270	OFF	-71.00	2.74	-73.74	≤ -62
						Minimal	-72.00	2.74	-74.74	≤ -62
						ON	-72.00	2.74	-74.74	≤ -62
				Center	6425	OFF	-63.00	2.74	-65.74	≤ -62
						Minimal	-72.00	2.74	-74.74	≤ -62
						ON	-73.00	2.74	-75.74	≤ -62
				High edge	6580	OFF	-65.00	2.74	-67.74	≤ -62
						Minimal	-66.00	2.74	-68.74	≤ -62
						ON	-67.00	2.74	-69.74	≤ -62
6,7	127	320	6585	Low edge	6430	OFF	-67.00	2.81	-69.81	≤ -62
						Minimal	-68.00	2.81	-70.81	≤ -62
						ON	-69.00	2.81	-71.81	≤ -62
				Center	6585	OFF	-66.00	2.81	-68.81	≤ -62
						Minimal	-67.00	2.81	-69.81	≤ -62
						ON	-68.00	2.81	-70.81	≤ -62
				High edge	6740	OFF	-64.00	2.81	-66.81	≤ -62
						Minimal	-65.00	2.81	-67.81	≤ -62
						ON	-66.00	2.81	-68.81	≤ -62
7,8	191	320	6905	Low edge	6750	OFF	-73.00	3.93	-76.93	≤ -62
						Minimal	-74.00	3.93	-77.93	≤ -62
						ON	-75.00	3.93	-78.93	≤ -62
				Center	6905	OFF	-68.00	3.93	-71.93	≤ -62
						Minimal	-69.00	3.93	-72.93	≤ -62
						ON	-70.00	3.93	-73.93	≤ -62
				High edge	7060	OFF	-70.00	3.93	-73.93	≤ -62
						Minimal	-71.00	3.93	-74.93	≤ -62
						ON	-72.00	3.93	-75.93	≤ -62

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



07/08/2025

Sample Time

12.5us

All TX Time

95.1875ms

All TX Sample

7615

Duty Cycle

0.951756

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



07/08/2025

Sample Time

12.5us

All TX Time

94.275ms

All TX Sample

7542

Duty Cycle

0.942632

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



07/08/2025

Sample Time

12.5us

All TX Time

95.35ms

All TX Sample

7628

Duty Cycle

0.953381

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



07/08/2025

Sample Time

12.5us

All TX Time

96.4ms

All TX Sample

7712

Duty Cycle

0.96388

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6105MHz

Time Analysis

Main



07/08/2025

Sample Time

12.5us

All TX Time

80.1375ms

All TX Sample

6411

Duty Cycle

0.801275

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6425MHz

Time Analysis

Main



07/08/2025

Sample Time

12.5us

All TX Time

90.0375ms

All TX Sample

7203

Duty Cycle

0.900262

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6585MHz

Time Analysis

Main




07/08/2025	
Sample Time	
12.5us	
All TX Time	
90.4625ms	
All TX Sample	
7237	
Duty Cycle	
0.904512	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6905MHz


Time Analysis

Main




07/08/2025	
Sample Time	
12.5us	
All TX Time	
88.725ms	
All TX Sample	
7098	
Duty Cycle	
0.887139	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz



Date: 7.AUG.2025 22:44:54


Frequency (MHz): 7015 MHz



Date: 7.AUG.2025 22:45:29


802.11be EHT320

Frequency (MHz): 5950 MHz




Date: 7.AUG.2025 22:45:59

Frequency (MHz): 6105 MHz




Date: 7.AUG.2025 22:46:30

Frequency (MHz): 6260 MHz




Date: 7.AUG.2025 22:47:20

Frequency (MHz): 6270 MHz




Date: 7.AUG.2025 22:47:50

Frequency (MHz): 6425 MHz




Date: 7.AUG.2025 22:48:29

Frequency (MHz): 6430 MHz




Date: 7.AUG.2025 22:49:39

Frequency (MHz): 6580 MHz




Date: 7.AUG.2025 22:48:58

Frequency (MHz): 6585 MHz




Date: 7.AUG.2025 22:50:08

Frequency (MHz): 6740 MHz




Date: 7.AUG.2025 22:50:45

Frequency (MHz): 6750 MHz




Date: 7.AUG.2025 22:51:15

Frequency (MHz): 6905 MHz




Date: 7.AUG.2025 22:51:48

Frequency (MHz): 7060 MHz




Date: 7.AUG.2025 22:52:17

2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 5950 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 6105 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20


Frequency (MHz): 6215 MHz (Threshold Level: -69 dBm)

Time Analysis



Frequency (MHz): 6215 MHz (Threshold Level: -72 dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20

Frequency (MHz): 6215 MHz (Threshold Level: -73 dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -72dBm)

Time Analysis



Frequency (MHz): 5950 MHz (Threshold Level: -73dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 6105 MHz (Threshold Level: -72dBm)

Time Analysis



Frequency (MHz): 6105 MHz (Threshold Level: -73dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320

Frequency (MHz): 6105 MHz (Threshold Level: -74dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 6260 MHz (Threshold Level: -70dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -71dBm)

Time Analysis






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	23.00672G	52.31	54.00	-1.69	Vertical

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.87396G	46.11	54.00	-7.89	3	Vertical	190	1.35
Mode 1	Pass	AV	7.31264G	44.25	54.00	-9.75	3	Vertical	217	1.05
Mode 1	Pass	AV	11.5148G	43.35	54.00	-10.65	3	Vertical	25	1.50
Mode 1	Pass	AV	13.33996G	44.95	54.00	-9.05	3	Vertical	322	3.00
Mode 1	Pass	AV	23.00672G	52.31	54.00	-1.69	3	Vertical	343	1.50
Mode 1	Pass	PK	4.87388G	50.16	74.00	-23.84	3	Vertical	190	1.35
Mode 1	Pass	PK	7.31264G	52.49	74.00	-21.51	3	Vertical	217	1.05
Mode 1	Pass	PK	11.52504G	55.98	74.00	-18.02	3	Vertical	25	1.50
Mode 1	Pass	PK	13.338G	56.64	74.00	-17.36	3	Vertical	322	3.00
Mode 1	Pass	PK	23.0184G	63.85	74.00	-10.15	3	Vertical	343	1.50
Mode 1	Pass	AV	4.87396G	50.34	54.00	-3.66	3	Horizontal	187	1.92
Mode 1	Pass	AV	7.31264G	47.53	54.00	-6.47	3	Horizontal	217	2.76
Mode 1	Pass	AV	11.51972G	43.38	54.00	-10.62	3	Horizontal	168	1.34
Mode 1	Pass	AV	13.33776G	44.99	54.00	-9.01	3	Horizontal	1	2.66
Mode 1	Pass	AV	23.02032G	47.11	54.00	-6.89	3	Horizontal	18	1.80
Mode 1	Pass	PK	4.87388G	52.94	74.00	-21.06	3	Horizontal	187	1.92
Mode 1	Pass	PK	7.3122G	54.28	74.00	-19.72	3	Horizontal	217	2.76
Mode 1	Pass	PK	11.52244G	55.13	74.00	-18.87	3	Horizontal	168	1.34
Mode 1	Pass	PK	13.32344G	56.85	74.00	-17.15	3	Horizontal	1	2.66
Mode 1	Pass	PK	23.01888G	59.03	74.00	-14.97	3	Horizontal	18	1.80

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87396G	46.11	54.00	-7.89	-5.31	3	Vertical	190	1.35	51.42	32.69	7.77	45.77
AV	7.31264G	44.25	54.00	-9.75	1.28	3	Vertical	217	1.05	42.97	37.10	9.46	45.28
AV	11.5148G	43.35	54.00	-10.65	8.55	3	Vertical	25	1.50	34.80	39.04	12.07	42.56
AV	13.33996G	44.95	54.00	-9.05	10.46	3	Vertical	322	3.00	34.49	40.16	12.88	42.58
AV	23.00672G	52.31	54.00	-1.69	-14.38	3	Vertical	343	1.50	66.69	39.01	17.05	60.90
PK	4.87388G	50.16	74.00	-23.84	-5.31	3	Vertical	190	1.35	55.47	32.69	7.77	45.77
PK	7.31264G	52.49	74.00	-21.51	1.28	3	Vertical	217	1.05	51.21	37.10	9.46	45.28
PK	11.52504G	55.98	74.00	-18.02	8.51	3	Vertical	25	1.50	47.47	39.00	12.07	42.56
PK	13.338G	56.64	74.00	-17.36	10.45	3	Vertical	322	3.00	46.19	40.15	12.88	42.58
PK	23.0184G	63.85	74.00	-10.15	-14.35	3	Vertical	343	1.50	78.20	39.04	17.05	60.90

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87396G	50.34	54.00	-3.66	-5.31	3	Horizontal	187	1.92	55.65	32.69	7.77	45.77
AV	7.31264G	47.53	54.00	-6.47	1.28	3	Horizontal	217	2.76	46.25	37.10	9.46	45.28
AV	11.51972G	43.38	54.00	-10.62	8.59	3	Horizontal	168	1.34	34.79	39.10	12.05	42.56
AV	13.33776G	44.99	54.00	-9.01	10.45	3	Horizontal	1	2.66	34.54	40.15	12.88	42.58
AV	23.02032G	47.11	54.00	-6.89	-14.35	3	Horizontal	18	1.80	61.46	39.04	17.05	60.90
PK	4.87388G	52.94	74.00	-21.06	-5.31	3	Horizontal	187	1.92	58.25	32.69	7.77	45.77
PK	7.3122G	54.28	74.00	-19.72	1.28	3	Horizontal	217	2.76	53.00	37.10	9.46	45.28
PK	11.52244G	55.13	74.00	-18.87	8.49	3	Horizontal	168	1.34	46.64	38.98	12.07	42.56
PK	13.32344G	56.85	74.00	-17.15	10.39	3	Horizontal	1	2.66	46.46	40.09	12.88	42.58
PK	23.01888G	59.03	74.00	-14.97	-14.35	3	Horizontal	18	1.80	73.38	39.04	17.05	60.90