





2. Conducted Peak Output Power

Test Mode	Test Channel	Power[dBm]	Limit[dBm]	Verdict
DH5	2402	-6.125	21	PASS
DH5	2441	-4.714	21	PASS
DH5	2480	-4.129	21	PASS
2DH5	2402	-5.038	21	PASS
2DH5	2441	-3.779	21	PASS
2DH5	2480	-2.902	21	PASS











3. Carrier Frequency Separation


Test Mode	Test Channel	Result[MHz]	Limit[MHz]	Verdict
DH5	2402	0.883	0.6455	PASS
DH5	2441	0.936	0.6444	PASS
DH5	2480	1.148	0.6456	PASS








4.Dwell Time


Test Mode	Test Channel	Burst Width[ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit[s]	Verdict
DH1	2402	0.41	320	0.13	0.4	PASS
DH1	2441	0.41	320	0.13	0.4	PASS
DH1	2480	0.41	320	0.13	0.4	PASS
DH3	2402	1.66	180	0.30	0.4	PASS
DH3	2441	1.66	160	0.27	0.4	PASS
DH3	2480	1.66	180	0.30	0.4	PASS
DH5	2402	2.91	130	0.38	0.4	PASS
DH5	2441	2.91	100	0.29	0.4	PASS
DH5	2480	2.91	120	0.35	0.4	PASS
2DH1	2402	0.17	320	0.05	0.4	PASS
2DH1	2441	0.17	340	0.06	0.4	PASS
2DH1	2480	0.17	320	0.05	0.4	PASS
2DH3	2402	1.67	170	0.28	0.4	PASS
2DH3	2441	1.67	180	0.30	0.4	PASS
2DH3	2480	1.67	140	0.23	0.4	PASS
2DH5	2402	2.92	100	0.29	0.4	PASS
2DH5	2441	2.92	120	0.35	0.4	PASS
2DH5	2480	2.92	100	0.29	0.4	PASS

















MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	t	3.863 ms	-7.66 dBm			
2	A1	1	t (Δ)	2.910 ms	(Δ) -0.12 dB			
3								
4								
5								
6								
7								
8								
9								
10								
11								

Frequency
Auto Tune

Center Freq
2.40200000 GHz

Start Freq
2.40200000 GHz


Stop Freq
2.40200000 GHz


CF Step
1.000000 MHz


Auto
Man


Freq Offset
0 Hz


Scale Type
Log Lin































5.Hopping Channel Number


Test Mode	Test Channel	Number of Hopping Channel[N]	Limit[N]	Verdict
DH5	2402	79	>=15	PASS
2DH5	2402	79	>=15	PASS








6.Band-edge for RF Conducted Emissions


Test Mode	Test Channel	Hopping	Carrier Power[dBm]	Max. Spurious Level [dBm]	Limit[dBm]	Verdict
DH5	2402	On	-5.904	-47.860	-25.9	PASS
DH5	2402	Off	-6.482	-48.049	-26.48	PASS
DH5	2480	On	-4.714	-47.285	-24.71	PASS
DH5	2480	Off	-4.463	-47.999	-24.46	PASS
2DH5	2402	On	-6.381	-47.958	-26.38	PASS
2DH5	2402	Off	-6.509	-48.176	-26.51	PASS
2DH5	2480	On	-4.474	-48.155	-24.47	PASS
2DH5	2480	Off	-4.309	-48.557	-24.31	PASS















7.RF Conducted Spurious Emissions


Test Mode	Test Channel	StartFre [MHz]	StopFre [MHz]	RBW [kHz]	VBW [kHz]	Pref[dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
DH5	2402	30	10000	100	300	-6.459	-54.097	<-26.459	PASS
DH5	2402	10000	26000	100	300	-6.459	-52.010	<-26.459	PASS
DH5	2441	30	10000	100	300	-5.017	-50.370	<-25.017	PASS
DH5	2441	10000	26000	100	300	-5.017	-51.569	<-25.017	PASS
DH5	2480	30	10000	100	300	-4.462	-50.230	<-24.462	PASS
DH5	2480	10000	26000	100	300	-4.462	-51.876	<-24.462	PASS
2DH5	2402	30	10000	100	300	-6.45	-52.673	<-26.45	PASS
2DH5	2402	10000	26000	100	300	-6.45	-51.209	<-26.45	PASS
2DH5	2441	30	10000	100	300	-5.199	-52.690	<-25.199	PASS
2DH5	2441	10000	26000	100	300	-5.199	-51.656	<-25.199	PASS
2DH5	2480	30	10000	100	300	-4.318	-53.355	<-24.318	PASS
2DH5	2480	10000	26000	100	300	-4.318	-52.232	<-24.318	PASS






















--End of Report--