











Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_CH43_6165MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL Mode : 15	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL Mode : 14 Setting : 24 Plane :
	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 15	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 15




Mode	16																																														
	Band Edge																																														
	U-NII-5_5.925-6.425_CH91_6405MHz																																														
ANT	MIMO																																														
Pol.	Horizontal					Fundamental																																									
Peak	Blank					 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6405.00</td><td>125.48</td><td>-----</td><td>-----</td><td>107.22</td><td>34.71</td><td>13.12</td><td>29.57</td><td>0.00</td><td>174</td><td>175</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6405.00	125.48	-----	-----	107.22	34.71	13.12	29.57	0.00	174	175	PEAK
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1 6405.00	125.48	-----	-----	107.22	34.71	13.12	29.57	0.00	174	175	PEAK																																				
Avg	Blank					 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6404.00</td><td>116.78</td><td>-----</td><td>-----</td><td>98.52</td><td>34.71</td><td>13.12</td><td>29.57</td><td>0.00</td><td>174</td><td>175</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6404.00	116.78	-----	-----	98.52	34.71	13.12	29.57	0.00	174	175	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1 6404.00	116.78	-----	-----	98.52	34.71	13.12	29.57	0.00	174	175	Average																																				







Mode	16																																					
	Band Edge																																					
	U-NII-5_5.925-6.425_CH91_6405MHz																																					
ANT	MIMO																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Loss Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>122.08</td><td>-----</td><td>103.72</td><td>34.81</td><td>13.12</td><td>29.57</td><td>0.00</td><td>174</td><td>201</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Loss Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6405.00	122.08	-----	103.72	34.81	13.12	29.57	0.00	174	201	PEAK
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Loss Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1	6405.00	122.08	-----	103.72	34.81	13.12	29.57	0.00	174	201	PEAK																											
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Loss Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6404.00</td><td>112.01</td><td>-----</td><td>93.65</td><td>34.81</td><td>13.12</td><td>29.57</td><td>0.00</td><td>174</td><td>201</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Loss Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6404.00	112.01	-----	93.65	34.81	13.12	29.57	0.00	174	201	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Level Factor	Cable Loss Factor	Preamp Loss Factor	Aux Factor	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1	6404.00	112.01	-----	93.65	34.81	13.12	29.57	0.00	174	201	Average																											







		16																																																																
Mode		Harmonic																																																																
		U-NII-5_5.925-6.425_CH91_6405MHZ																																																																
ANT		MIMO																																																																
Pol.		Horizontal					Vertical																																																											
Peak Avg																																																																		
	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 16 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12810.00</td><td>49.00</td><td>88.20</td><td>-39.20</td><td>58.55</td><td>39.61</td><td>18.54</td><td>67.80</td><td>0.10</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19215.00</td><td>40.45</td><td>74.00</td><td>-33.55</td><td>42.94</td><td>37.91</td><td>22.81</td><td>53.67</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	49.00	88.20	-39.20	58.55	39.61	18.54	67.80	0.10	--	PEAK	2	19215.00	40.45	74.00	-33.55	42.94	37.91	22.81	53.67	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	12810.00	49.00	88.20	-39.20	58.55	39.61	18.54	67.80	0.10	--	PEAK																																																							
2	19215.00	40.45	74.00	-33.55	42.94	37.91	22.81	53.67	-9.54	--	PEAK																																																							
	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 16 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12810.00</td><td>49.01</td><td>88.20</td><td>-39.19</td><td>58.63</td><td>39.54</td><td>18.54</td><td>67.80</td><td>0.10</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19215.00</td><td>39.79</td><td>74.00</td><td>-34.21</td><td>42.28</td><td>37.91</td><td>22.81</td><td>53.67</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	49.01	88.20	-39.19	58.63	39.54	18.54	67.80	0.10	--	PEAK	2	19215.00	39.79	74.00	-34.21	42.28	37.91	22.81	53.67	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	12810.00	49.01	88.20	-39.19	58.63	39.54	18.54	67.80	0.10	--	PEAK																																																							
2	19215.00	39.79	74.00	-34.21	42.28	37.91	22.81	53.67	-9.54	--	PEAK																																																							







Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_CH91_6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL Mode : 16	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL Mode : 16
	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 16	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 16





Mode	17																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-5_5.925-6.425_CH3+11_5965+6005MHz																																																																																																		
ANT	MIMO																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.96</td><td>71.37</td><td>88.20 -16.83</td><td>53.77</td><td>34.25</td><td>12.59</td><td>29.24</td><td>0.00</td><td>171</td><td>178 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.96	71.37	88.20 -16.83	53.77	34.25	12.59	29.24	0.00	171	178 PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>113.70</td><td>-----</td><td>96.12</td><td>34.24</td><td>12.60</td><td>29.26</td><td>0.00</td><td>171</td><td>178 Peak</td></tr><tr><td>2 6005.00</td><td>113.47</td><td>-----</td><td>95.92</td><td>34.21</td><td>12.62</td><td>29.28</td><td>0.00</td><td>171</td><td>178 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	113.70	-----	96.12	34.24	12.60	29.26	0.00	171	178 Peak	2 6005.00	113.47	-----	95.92	34.21	12.62	29.28	0.00	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5924.96	71.37	88.20 -16.83	53.77	34.25	12.59	29.24	0.00	171	178 PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5965.00	113.70	-----	96.12	34.24	12.60	29.26	0.00	171	178 Peak																																																																																										
2 6005.00	113.47	-----	95.92	34.21	12.62	29.28	0.00	171	178 Peak																																																																																										
Avg																																																																																																			
	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.96</td><td>67.10</td><td>68.20 -1.10</td><td>49.50</td><td>34.25</td><td>12.59</td><td>29.24</td><td>0.00</td><td>171</td><td>178 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.96	67.10	68.20 -1.10	49.50	34.25	12.59	29.24	0.00	171	178 AVERAGE	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>104.71</td><td>-----</td><td>87.13</td><td>34.24</td><td>12.60</td><td>29.26</td><td>0.00</td><td>171</td><td>178 Average</td></tr><tr><td>2 6005.00</td><td>105.07</td><td>-----</td><td>87.52</td><td>34.21</td><td>12.62</td><td>29.28</td><td>0.00</td><td>171</td><td>178 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	104.71	-----	87.13	34.24	12.60	29.26	0.00	171	178 Average	2 6005.00	105.07	-----	87.52	34.21	12.62	29.28	0.00	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5924.96	67.10	68.20 -1.10	49.50	34.25	12.59	29.24	0.00	171	178 AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5965.00	104.71	-----	87.13	34.24	12.60	29.26	0.00	171	178 Average																																																																																										
2 6005.00	105.07	-----	87.52	34.21	12.62	29.28	0.00	171	178 Average																																																																																										







		17																																																																																																		
Mode	Band Edge - L																																																																																																			
	U-NII-5_5.925-6.425_CH3+11_5965+6005MHz																																																																																																			
ANT	MIMO																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.68</td><td>67.21</td><td>88.20 -20.99</td><td>49.55</td><td>34.31</td><td>12.59</td><td>29.24</td><td>0.00</td><td>175</td><td>185 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.68	67.21	88.20 -20.99	49.55	34.31	12.59	29.24	0.00	175	185 PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>109.62</td><td>-----</td><td>91.97</td><td>34.31</td><td>12.60</td><td>29.26</td><td>0.00</td><td>175</td><td>185 Peak</td></tr><tr><td>2 6005.00</td><td>111.34</td><td>-----</td><td>93.71</td><td>34.29</td><td>12.62</td><td>29.28</td><td>0.00</td><td>175</td><td>185 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	109.62	-----	91.97	34.31	12.60	29.26	0.00	175	185 Peak	2 6005.00	111.34	-----	93.71	34.29	12.62	29.28	0.00	175
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5924.68	67.21	88.20 -20.99	49.55	34.31	12.59	29.24	0.00	175	185 PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5965.00	109.62	-----	91.97	34.31	12.60	29.26	0.00	175	185 Peak																																																																																											
2 6005.00	111.34	-----	93.71	34.29	12.62	29.28	0.00	175	185 Peak																																																																																											
Avg																																																																																																				
	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.96</td><td>57.76</td><td>68.20 -10.44</td><td>40.10</td><td>34.31</td><td>12.59</td><td>29.24</td><td>0.00</td><td>175</td><td>185 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.96	57.76	68.20 -10.44	40.10	34.31	12.59	29.24	0.00	175	185 AVERAGE	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>102.16</td><td>-----</td><td>84.51</td><td>34.31</td><td>12.60</td><td>29.26</td><td>0.00</td><td>175</td><td>185 Average</td></tr><tr><td>2 6005.00</td><td>103.82</td><td>-----</td><td>86.19</td><td>34.29</td><td>12.62</td><td>29.28</td><td>0.00</td><td>175</td><td>185 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	102.16	-----	84.51	34.31	12.60	29.26	0.00	175	185 Average	2 6005.00	103.82	-----	86.19	34.29	12.62	29.28	0.00	175
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5924.96	57.76	68.20 -10.44	40.10	34.31	12.59	29.24	0.00	175	185 AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5965.00	102.16	-----	84.51	34.31	12.60	29.26	0.00	175	185 Average																																																																																											
2 6005.00	103.82	-----	86.19	34.29	12.62	29.28	0.00	175	185 Average																																																																																											





Mode	17																																																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																																																			
	U-NII-5_5.925-6.425_CH3+11_5965+6005MHz																																																																																																																																																																																																																			
ANT	MIMO																																																																																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																																																																																		
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORI_041_240807 HORIZONTAL Mode : 17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11930.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>58.56</td><td>38.85</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- -- PEAK</td></tr><tr><td>2 12010.00</td><td>48.11</td><td>74.00</td><td>-25.89</td><td>58.42</td><td>38.97</td><td>17.90</td><td>67.28</td><td>0.10</td><td>-- -- Peak</td></tr><tr><td>3 12010.00</td><td>39.03</td><td>54.00</td><td>-14.97</td><td>49.34</td><td>38.97</td><td>17.90</td><td>67.28</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>4 17895.00</td><td>52.69</td><td>74.00</td><td>-21.31</td><td>59.57</td><td>41.24</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- -- PEAK</td></tr><tr><td>5 17895.00</td><td>43.65</td><td>54.00</td><td>-10.35</td><td>50.53</td><td>41.24</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- -- Average</td></tr><tr><td>6 18015.00</td><td>36.41</td><td>54.00</td><td>-17.59</td><td>39.23</td><td>37.81</td><td>21.96</td><td>53.05</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>7 18015.00</td><td>36.41</td><td>74.00</td><td>-37.59</td><td>39.21</td><td>37.82</td><td>21.95</td><td>53.03</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11930.00	47.92	74.00	-26.08	58.56	38.85	17.84	67.44	0.11	-- -- PEAK	2 12010.00	48.11	74.00	-25.89	58.42	38.97	17.90	67.28	0.10	-- -- Peak	3 12010.00	39.03	54.00	-14.97	49.34	38.97	17.90	67.28	0.10	-- -- Average	4 17895.00	52.69	74.00	-21.31	59.57	41.24	21.87	70.19	0.20	-- -- PEAK	5 17895.00	43.65	54.00	-10.35	50.53	41.24	21.87	70.19	0.20	-- -- Average	6 18015.00	36.41	54.00	-17.59	39.23	37.81	21.96	53.05	-9.54	-- -- Peak	7 18015.00	36.41	74.00	-37.59	39.21	37.82	21.95	53.03	-9.54	-- -- Peak	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_VORI_041_240807 VERTICAL Mode : 17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11930.00</td><td>48.51</td><td>74.00</td><td>-25.49</td><td>59.19</td><td>38.81</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- -- PEAK</td></tr><tr><td>2 11930.00</td><td>39.44</td><td>54.00</td><td>-14.56</td><td>50.12</td><td>38.81</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- -- Average</td></tr><tr><td>3 12010.00</td><td>48.02</td><td>74.00</td><td>-25.98</td><td>58.37</td><td>38.93</td><td>17.90</td><td>67.28</td><td>0.10</td><td>-- -- Peak</td></tr><tr><td>4 12010.00</td><td>39.00</td><td>54.00</td><td>-15.00</td><td>49.35</td><td>38.93</td><td>17.90</td><td>67.28</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>5 17895.00</td><td>52.26</td><td>74.00</td><td>-21.74</td><td>58.90</td><td>41.48</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- -- PEAK</td></tr><tr><td>6 17895.00</td><td>43.22</td><td>54.00</td><td>-10.78</td><td>49.86</td><td>41.48</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- -- Average</td></tr><tr><td>7 18015.00</td><td>36.63</td><td>74.00</td><td>-37.37</td><td>39.24</td><td>38.01</td><td>21.95</td><td>53.03</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>8 18015.00</td><td>36.63</td><td>54.00</td><td>-17.37</td><td>39.27</td><td>37.99</td><td>21.96</td><td>53.05</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11930.00	48.51	74.00	-25.49	59.19	38.81	17.84	67.44	0.11	-- -- PEAK	2 11930.00	39.44	54.00	-14.56	50.12	38.81	17.84	67.44	0.11	-- -- Average	3 12010.00	48.02	74.00	-25.98	58.37	38.93	17.90	67.28	0.10	-- -- Peak	4 12010.00	39.00	54.00	-15.00	49.35	38.93	17.90	67.28	0.10	-- -- Average	5 17895.00	52.26	74.00	-21.74	58.90	41.48	21.87	70.19	0.20	-- -- PEAK	6 17895.00	43.22	54.00	-10.78	49.86	41.48	21.87	70.19	0.20	-- -- Average	7 18015.00	36.63	74.00	-37.37	39.24	38.01	21.95	53.03	-9.54	-- -- Peak	8 18015.00	36.63	54.00	-17.37	39.27	37.99	21.96	53.05	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																											
1 11930.00	47.92	74.00	-26.08	58.56	38.85	17.84	67.44	0.11	-- -- PEAK																																																																																																																																																																																																											
2 12010.00	48.11	74.00	-25.89	58.42	38.97	17.90	67.28	0.10	-- -- Peak																																																																																																																																																																																																											
3 12010.00	39.03	54.00	-14.97	49.34	38.97	17.90	67.28	0.10	-- -- Average																																																																																																																																																																																																											
4 17895.00	52.69	74.00	-21.31	59.57	41.24	21.87	70.19	0.20	-- -- PEAK																																																																																																																																																																																																											
5 17895.00	43.65	54.00	-10.35	50.53	41.24	21.87	70.19	0.20	-- -- Average																																																																																																																																																																																																											
6 18015.00	36.41	54.00	-17.59	39.23	37.81	21.96	53.05	-9.54	-- -- Peak																																																																																																																																																																																																											
7 18015.00	36.41	74.00	-37.59	39.21	37.82	21.95	53.03	-9.54	-- -- Peak																																																																																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																											
1 11930.00	48.51	74.00	-25.49	59.19	38.81	17.84	67.44	0.11	-- -- PEAK																																																																																																																																																																																																											
2 11930.00	39.44	54.00	-14.56	50.12	38.81	17.84	67.44	0.11	-- -- Average																																																																																																																																																																																																											
3 12010.00	48.02	74.00	-25.98	58.37	38.93	17.90	67.28	0.10	-- -- Peak																																																																																																																																																																																																											
4 12010.00	39.00	54.00	-15.00	49.35	38.93	17.90	67.28	0.10	-- -- Average																																																																																																																																																																																																											
5 17895.00	52.26	74.00	-21.74	58.90	41.48	21.87	70.19	0.20	-- -- PEAK																																																																																																																																																																																																											
6 17895.00	43.22	54.00	-10.78	49.86	41.48	21.87	70.19	0.20	-- -- Average																																																																																																																																																																																																											
7 18015.00	36.63	74.00	-37.37	39.24	38.01	21.95	53.03	-9.54	-- -- Peak																																																																																																																																																																																																											
8 18015.00	36.63	54.00	-17.37	39.27	37.99	21.96	53.05	-9.54	-- -- Peak																																																																																																																																																																																																											





Mode	17	
	Harmonic	
	U-NII-5_5.925-6.425_CH3+11_5965+6005MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL Mode : 17	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL Mode : 17
	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 17	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 17





Mode	18																																																																
	Band Edge																																																																
	U-NII-5_5.925-6.425_ CH43+51_ 6165+6205MHz																																																																
ANT	MIMO																																																																
Pol.	Horizontal					Fundamental																																																											
Peak	Blank					 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6165.00</td><td>117.98</td><td>-----</td><td>100.39</td><td>34.17</td><td>12.80</td><td>29.38</td><td>0.00</td><td>174</td><td>157</td><td>Peak</td></tr><tr><td>2</td><td>6205.00</td><td>125.66</td><td>-----</td><td>107.98</td><td>34.22</td><td>12.85</td><td>29.39</td><td>0.00</td><td>174</td><td>157</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6165.00	117.98	-----	100.39	34.17	12.80	29.38	0.00	174	157	Peak	2	6205.00	125.66	-----	107.98	34.22	12.85	29.39	0.00	174	157	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	6165.00	117.98	-----	100.39	34.17	12.80	29.38	0.00	174	157	Peak																																																						
2	6205.00	125.66	-----	107.98	34.22	12.85	29.39	0.00	174	157	Peak																																																						
Avg	Blank					 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6165.00</td><td>109.26</td><td>-----</td><td>91.67</td><td>34.17</td><td>12.80</td><td>29.38</td><td>0.00</td><td>174</td><td>157</td><td>Average</td></tr><tr><td>2</td><td>6205.00</td><td>117.42</td><td>-----</td><td>99.74</td><td>34.22</td><td>12.85</td><td>29.39</td><td>0.00</td><td>174</td><td>157</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6165.00	109.26	-----	91.67	34.17	12.80	29.38	0.00	174	157	Average	2	6205.00	117.42	-----	99.74	34.22	12.85	29.39	0.00	174	157	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	6165.00	109.26	-----	91.67	34.17	12.80	29.38	0.00	174	157	Average																																																						
2	6205.00	117.42	-----	99.74	34.22	12.85	29.39	0.00	174	157	Average																																																						







Mode	18																																																										
	Band Edge																																																										
	U-NII-5_5.925-6.425_ CH43+51_ 6165+6205MHz																																																										
ANT	MIMO																																																										
Pol.	Vertical	Fundamental																																																									
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6165.00</td><td>123.92</td><td>-----</td><td>-----</td><td>106.31</td><td>34.19</td><td>12.80</td><td>29.38</td><td>0.00</td><td>174</td><td>162</td><td>Peak</td></tr><tr><td>2</td><td>6205.00</td><td>113.62</td><td>-----</td><td>-----</td><td>95.91</td><td>34.25</td><td>12.85</td><td>29.39</td><td>0.00</td><td>174</td><td>162</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6165.00	123.92	-----	-----	106.31	34.19	12.80	29.38	0.00	174	162	Peak	2	6205.00	113.62	-----	-----	95.91	34.25	12.85	29.39	0.00	174	162	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	6165.00	123.92	-----	-----	106.31	34.19	12.80	29.38	0.00	174	162	Peak																																															
2	6205.00	113.62	-----	-----	95.91	34.25	12.85	29.39	0.00	174	162	Peak																																															
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6165.00</td><td>113.78</td><td>-----</td><td>-----</td><td>96.17</td><td>34.19</td><td>12.80</td><td>29.38</td><td>0.00</td><td>174</td><td>162</td><td>Average</td></tr><tr><td>2</td><td>6205.00</td><td>111.55</td><td>-----</td><td>-----</td><td>93.84</td><td>34.25</td><td>12.85</td><td>29.39</td><td>0.00</td><td>174</td><td>162</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6165.00	113.78	-----	-----	96.17	34.19	12.80	29.38	0.00	174	162	Average	2	6205.00	111.55	-----	-----	93.84	34.25	12.85	29.39	0.00	174	162	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	6165.00	113.78	-----	-----	96.17	34.19	12.80	29.38	0.00	174	162	Average																																															
2	6205.00	111.55	-----	-----	93.84	34.25	12.85	29.39	0.00	174	162	Average																																															





Mode	18										
	Harmonic										
	U-NII-5_5.925-6.425_ CH43+51_ 6165+6205MHz										
ANT	MIMO										
Pol.	Horizontal					Vertical					
Peak Avg											
	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 18					Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 18					
	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	12330.00	48.64	74.00	-25.36	59.02	38.97	18.15	67.60	0.10	--	-- PEAK
2	12330.00	39.63	54.00	-14.37	50.01	38.97	18.15	67.60	0.10	--	-- Average
3	12410.00	47.89	74.00	-26.11	58.23	38.92	18.22	67.58	0.10	--	-- Peak
4	18495.00	38.33	74.00	-35.67	40.88	38.15	22.31	53.47	-9.54	--	-- PEAK
5	18615.00	37.63	74.00	-36.37	40.24	38.11	22.40	53.58	-9.54	--	-- Peak
6	18615.00	37.63	54.00	-16.37	40.24	38.11	22.40	53.58	-9.54	--	-- Peak

	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	12330.00	49.18	74.00	-24.82	59.60	38.93	18.15	67.60	0.10	--	-- PEAK
2	12330.00	40.09	54.00	-13.91	50.51	38.93	18.15	67.60	0.10	--	-- Average
3	12410.00	47.83	74.00	-26.17	58.24	38.85	18.22	67.58	0.10	--	-- Peak
4	18495.00	39.41	74.00	-34.59	41.77	38.34	22.31	53.47	-9.54	--	-- PEAK
5	18615.00	37.94	74.00	-36.06	40.48	38.18	22.40	53.58	-9.54	--	-- Peak
6	18615.00	37.94	54.00	-16.06	40.48	38.18	22.40	53.58	-9.54	--	-- Peak





Mode	18	
	Harmonic	
	U-NII-5_5.925-6.425_ CH43+51_ 6165+6205MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL Mode : 18	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL Mode : 18
38.6G ~40G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 18	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 18





Mode	19																																																								
	Band Edge																																																								
	U-NII-5_5.925-6.425_ CH83+91_ 6365+6405MHz																																																								
ANT	MIMO																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6365.00</td><td>118.25</td><td>-----</td><td>100.10</td><td>34.61</td><td>13.07</td><td>29.53</td><td>0.00</td><td>174</td><td>165</td><td>Peak</td></tr><tr><td>2</td><td>6405.00</td><td>125.02</td><td>-----</td><td>106.75</td><td>34.72</td><td>13.12</td><td>29.57</td><td>0.00</td><td>174</td><td>165</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6365.00	118.25	-----	100.10	34.61	13.07	29.53	0.00	174	165	Peak	2	6405.00	125.02	-----	106.75	34.72	13.12	29.57	0.00	174	165	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	6365.00	118.25	-----	100.10	34.61	13.07	29.53	0.00	174	165	Peak																																														
2	6405.00	125.02	-----	106.75	34.72	13.12	29.57	0.00	174	165	PEAK																																														
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6365.00</td><td>112.07</td><td>-----</td><td>93.92</td><td>34.61</td><td>13.07</td><td>29.53</td><td>0.00</td><td>174</td><td>165</td><td>Average</td></tr><tr><td>2</td><td>6405.00</td><td>117.69</td><td>-----</td><td>99.42</td><td>34.72</td><td>13.12</td><td>29.57</td><td>0.00</td><td>174</td><td>165</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6365.00	112.07	-----	93.92	34.61	13.07	29.53	0.00	174	165	Average	2	6405.00	117.69	-----	99.42	34.72	13.12	29.57	0.00	174	165	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	6365.00	112.07	-----	93.92	34.61	13.07	29.53	0.00	174	165	Average																																														
2	6405.00	117.69	-----	99.42	34.72	13.12	29.57	0.00	174	165	Average																																														







Mode	19																																																																			
	Band Edge																																																																			
	U-NII-5_5.925-6.425_CH83+91_6365+6405MHz																																																																			
ANT	MIMO																																																																			
Pol.	Vertical					Fundamental																																																														
Peak	Blank					 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240006 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6365.00</td><td>120.89</td><td>-----</td><td>-----</td><td>102.68</td><td>34.67</td><td>13.07</td><td>29.53</td><td>0.00</td><td>174</td><td>180</td><td>Peak</td></tr><tr><td>2</td><td>6405.00</td><td>114.49</td><td>-----</td><td>-----</td><td>96.13</td><td>34.81</td><td>13.12</td><td>29.57</td><td>0.00</td><td>174</td><td>180</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6365.00	120.89	-----	-----	102.68	34.67	13.07	29.53	0.00	174	180	Peak	2	6405.00	114.49	-----	-----	96.13	34.81	13.12	29.57	0.00	174	180	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	6365.00	120.89	-----	-----	102.68	34.67	13.07	29.53	0.00	174	180	Peak																																																								
2	6405.00	114.49	-----	-----	96.13	34.81	13.12	29.57	0.00	174	180	Peak																																																								
Avg	Blank					 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240006 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6365.00</td><td>112.94</td><td>-----</td><td>-----</td><td>94.73</td><td>34.67</td><td>13.07</td><td>29.53</td><td>0.00</td><td>174</td><td>180</td><td>Average</td></tr><tr><td>2</td><td>6405.00</td><td>105.21</td><td>-----</td><td>-----</td><td>86.85</td><td>34.81</td><td>13.12</td><td>29.57</td><td>0.00</td><td>174</td><td>180</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6365.00	112.94	-----	-----	94.73	34.67	13.07	29.53	0.00	174	180	Average	2	6405.00	105.21	-----	-----	86.85	34.81	13.12	29.57	0.00	174	180	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	6365.00	112.94	-----	-----	94.73	34.67	13.07	29.53	0.00	174	180	Average																																																								
2	6405.00	105.21	-----	-----	86.85	34.81	13.12	29.57	0.00	174	180	Average																																																								







Mode	19																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925-6.425_ CH83+91_ 6365+6405MHz																																																																																																																																													
ANT	MIMO																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12730.00</td><td>48.18</td><td>88.20</td><td>-40.02</td><td>57.77</td><td>39.44</td><td>18.47</td><td>67.60</td><td>0.10</td><td>-- -- Peak</td></tr><tr><td>2 12810.00</td><td>48.68</td><td>88.20</td><td>-39.52</td><td>58.23</td><td>39.61</td><td>18.54</td><td>67.80</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>3 19095.00</td><td>38.69</td><td>74.00</td><td>-35.31</td><td>41.13</td><td>38.07</td><td>22.74</td><td>53.71</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>4 19215.00</td><td>37.94</td><td>74.00</td><td>-36.06</td><td>40.43</td><td>37.91</td><td>22.81</td><td>53.67</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12730.00	48.18	88.20	-40.02	57.77	39.44	18.47	67.60	0.10	-- -- Peak	2 12810.00	48.68	88.20	-39.52	58.23	39.61	18.54	67.80	0.10	-- -- PEAK	3 19095.00	38.69	74.00	-35.31	41.13	38.07	22.74	53.71	-9.54	-- -- Peak	4 19215.00	37.94	74.00	-36.06	40.43	37.91	22.81	53.67	-9.54	-- -- PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12730.00</td><td>49.07</td><td>88.20</td><td>-39.13</td><td>58.73</td><td>39.37</td><td>18.47</td><td>67.60</td><td>0.10</td><td>-- -- Peak</td></tr><tr><td>2 12810.00</td><td>48.86</td><td>88.20</td><td>-39.34</td><td>58.48</td><td>39.54</td><td>18.54</td><td>67.80</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>3 19095.00</td><td>39.70</td><td>74.00</td><td>-34.30</td><td>42.11</td><td>38.10</td><td>22.74</td><td>53.71</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>4 19215.00</td><td>38.64</td><td>74.00</td><td>-35.36</td><td>41.13</td><td>37.91</td><td>22.81</td><td>53.67</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12730.00	49.07	88.20	-39.13	58.73	39.37	18.47	67.60	0.10	-- -- Peak	2 12810.00	48.86	88.20	-39.34	58.48	39.54	18.54	67.80	0.10	-- -- PEAK	3 19095.00	39.70	74.00	-34.30	42.11	38.10	22.74	53.71	-9.54	-- -- Peak	4 19215.00	38.64	74.00	-35.36	41.13	37.91	22.81	53.67	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 12730.00	48.18	88.20	-40.02	57.77	39.44	18.47	67.60	0.10	-- -- Peak																																																																																																																																					
2 12810.00	48.68	88.20	-39.52	58.23	39.61	18.54	67.80	0.10	-- -- PEAK																																																																																																																																					
3 19095.00	38.69	74.00	-35.31	41.13	38.07	22.74	53.71	-9.54	-- -- Peak																																																																																																																																					
4 19215.00	37.94	74.00	-36.06	40.43	37.91	22.81	53.67	-9.54	-- -- PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 12730.00	49.07	88.20	-39.13	58.73	39.37	18.47	67.60	0.10	-- -- Peak																																																																																																																																					
2 12810.00	48.86	88.20	-39.34	58.48	39.54	18.54	67.80	0.10	-- -- PEAK																																																																																																																																					
3 19095.00	39.70	74.00	-34.30	42.11	38.10	22.74	53.71	-9.54	-- -- Peak																																																																																																																																					
4 19215.00	38.64	74.00	-35.36	41.13	37.91	22.81	53.67	-9.54	-- -- PEAK																																																																																																																																					







Mode	19	
	Harmonic	
	U-NII-5_5.925-6.425_CH83+91_6365+6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL Mode : 19	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL Mode : 19
	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 19	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 19





Mode	20																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-5_5.925-6.425_CH3+91_5965+6405MHz																																																																																																																																													
ANT	MIMO																																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.60</td><td>66.31</td><td>88.20</td><td>-21.89</td><td>48.71</td><td>34.25</td><td>12.59</td><td>29.24</td><td>0.00</td><td>181</td><td>182</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.60	66.31	88.20	-21.89	48.71	34.25	12.59	29.24	0.00	181	182	PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>70.26</td><td>88.20</td><td>-17.94</td><td>54.15</td><td>33.10</td><td>12.15</td><td>29.14</td><td>0.00</td><td>168</td><td>190</td><td>Peak</td></tr><tr><td>2</td><td>5965.00</td><td>114.73</td><td>-----</td><td>-----</td><td>97.15</td><td>34.24</td><td>12.60</td><td>29.26</td><td>0.00</td><td>181</td><td>182</td><td>Peak</td></tr><tr><td>3</td><td>6405.00</td><td>114.73</td><td>-----</td><td>-----</td><td>97.15</td><td>34.24</td><td>12.60</td><td>29.26</td><td>0.00</td><td>181</td><td>182</td><td>PEAK</td></tr><tr><td>4</td><td>6852.00</td><td>71.43</td><td>88.20</td><td>-16.77</td><td>52.00</td><td>35.94</td><td>13.50</td><td>30.01</td><td>0.00</td><td>179</td><td>174</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	70.26	88.20	-17.94	54.15	33.10	12.15	29.14	0.00	168	190	Peak	2	5965.00	114.73	-----	-----	97.15	34.24	12.60	29.26	0.00	181	182	Peak	3	6405.00	114.73	-----	-----	97.15	34.24	12.60	29.26	0.00	181	182	PEAK	4	6852.00	71.43	88.20	-16.77	52.00	35.94	13.50	30.01	0.00	179	174
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5923.60	66.31	88.20	-21.89	48.71	34.25	12.59	29.24	0.00	181	182	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5550.00	70.26	88.20	-17.94	54.15	33.10	12.15	29.14	0.00	168	190	Peak																																																																																																																																		
2	5965.00	114.73	-----	-----	97.15	34.24	12.60	29.26	0.00	181	182	Peak																																																																																																																																		
3	6405.00	114.73	-----	-----	97.15	34.24	12.60	29.26	0.00	181	182	PEAK																																																																																																																																		
4	6852.00	71.43	88.20	-16.77	52.00	35.94	13.50	30.01	0.00	179	174	Peak																																																																																																																																		
Avg																																																																																																																																														
	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.76</td><td>58.09</td><td>68.20</td><td>-10.11</td><td>40.49</td><td>34.25</td><td>12.59</td><td>29.24</td><td>0.00</td><td>181</td><td>182</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.76	58.09	68.20	-10.11	40.49	34.25	12.59	29.24	0.00	181	182	AVERAGE	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>61.12</td><td>68.20</td><td>-7.08</td><td>45.01</td><td>33.10</td><td>12.15</td><td>29.14</td><td>0.00</td><td>168</td><td>190</td><td>Average</td></tr><tr><td>2</td><td>5965.00</td><td>106.32</td><td>-----</td><td>-----</td><td>88.74</td><td>34.24</td><td>12.60</td><td>29.26</td><td>0.00</td><td>181</td><td>182</td><td>Average</td></tr><tr><td>3</td><td>6405.00</td><td>106.53</td><td>-----</td><td>-----</td><td>88.15</td><td>34.83</td><td>13.12</td><td>29.57</td><td>0.00</td><td>181</td><td>182</td><td>AVERAGE</td></tr><tr><td>4</td><td>6852.00</td><td>63.44</td><td>68.20</td><td>-4.76</td><td>44.01</td><td>35.94</td><td>13.50</td><td>30.01</td><td>0.00</td><td>179</td><td>174</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	61.12	68.20	-7.08	45.01	33.10	12.15	29.14	0.00	168	190	Average	2	5965.00	106.32	-----	-----	88.74	34.24	12.60	29.26	0.00	181	182	Average	3	6405.00	106.53	-----	-----	88.15	34.83	13.12	29.57	0.00	181	182	AVERAGE	4	6852.00	63.44	68.20	-4.76	44.01	35.94	13.50	30.01	0.00	179	174
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5924.76	58.09	68.20	-10.11	40.49	34.25	12.59	29.24	0.00	181	182	AVERAGE																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5550.00	61.12	68.20	-7.08	45.01	33.10	12.15	29.14	0.00	168	190	Average																																																																																																																																		
2	5965.00	106.32	-----	-----	88.74	34.24	12.60	29.26	0.00	181	182	Average																																																																																																																																		
3	6405.00	106.53	-----	-----	88.15	34.83	13.12	29.57	0.00	181	182	AVERAGE																																																																																																																																		
4	6852.00	63.44	68.20	-4.76	44.01	35.94	13.50	30.01	0.00	179	174	Average																																																																																																																																		



		20																																																																																																																						
Mode	Band Edge																																																																																																																							
	U-NII-5_5.925-6.425_CH3+91_5965+6405MHz																																																																																																																							
ANT	MIMO																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																	
Peak																																																																																																																								
	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5922.44</td><td>64.39</td><td>88.20</td><td>-23.81</td><td>46.73</td><td>34.31</td><td>12.59</td><td>29.24</td><td>0.00 175 183 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5922.44	64.39	88.20	-23.81	46.73	34.31	12.59	29.24	0.00 175 183 PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>66.05</td><td>88.20</td><td>-21.35</td><td>50.66</td><td>33.18</td><td>12.15</td><td>29.14</td><td>0.00 175 179 Peak</td></tr><tr><td>2</td><td>5965.00</td><td>110.29</td><td>-----</td><td>-----</td><td>92.64</td><td>34.31</td><td>12.60</td><td>29.26</td><td>0.00 175 183 Peak</td></tr><tr><td>3</td><td>6405.00</td><td>111.17</td><td>-----</td><td>-----</td><td>92.69</td><td>34.93</td><td>13.12</td><td>29.57</td><td>0.00 175 183 PEAK</td></tr><tr><td>4</td><td>6845.00</td><td>66.29</td><td>88.20</td><td>-21.91</td><td>46.76</td><td>36.05</td><td>13.49</td><td>30.01</td><td>0.00 180 183 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5550.00	66.05	88.20	-21.35	50.66	33.18	12.15	29.14	0.00 175 179 Peak	2	5965.00	110.29	-----	-----	92.64	34.31	12.60	29.26	0.00 175 183 Peak	3	6405.00	111.17	-----	-----	92.69	34.93	13.12	29.57	0.00 175 183 PEAK	4	6845.00	66.29	88.20	-21.91	46.76	36.05	13.49	30.01
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																															
1	5922.44	64.39	88.20	-23.81	46.73	34.31	12.59	29.24	0.00 175 183 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																															
1	5550.00	66.05	88.20	-21.35	50.66	33.18	12.15	29.14	0.00 175 179 Peak																																																																																																															
2	5965.00	110.29	-----	-----	92.64	34.31	12.60	29.26	0.00 175 183 Peak																																																																																																															
3	6405.00	111.17	-----	-----	92.69	34.93	13.12	29.57	0.00 175 183 PEAK																																																																																																															
4	6845.00	66.29	88.20	-21.91	46.76	36.05	13.49	30.01	0.00 180 183 Peak																																																																																																															
Avg																																																																																																																								
	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5924.76</td><td>55.06</td><td>68.20</td><td>-13.14</td><td>37.40</td><td>34.31</td><td>12.59</td><td>29.24</td><td>0.00 175 183 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5924.76	55.06	68.20	-13.14	37.40	34.31	12.59	29.24	0.00 175 183 AVERAGE	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>55.56</td><td>68.20</td><td>-12.64</td><td>39.37</td><td>33.18</td><td>12.15</td><td>29.14</td><td>0.00 175 179 Average</td></tr><tr><td>2</td><td>5965.00</td><td>102.03</td><td>-----</td><td>-----</td><td>84.38</td><td>34.31</td><td>12.60</td><td>29.26</td><td>0.00 175 183 Average</td></tr><tr><td>3</td><td>6405.00</td><td>102.09</td><td>-----</td><td>-----</td><td>83.61</td><td>34.93</td><td>13.12</td><td>29.57</td><td>0.00 175 183 AVERAGE</td></tr><tr><td>4</td><td>6845.00</td><td>58.07</td><td>68.20</td><td>-9.33</td><td>39.34</td><td>36.05</td><td>13.49</td><td>30.01</td><td>0.00 180 183 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5550.00	55.56	68.20	-12.64	39.37	33.18	12.15	29.14	0.00 175 179 Average	2	5965.00	102.03	-----	-----	84.38	34.31	12.60	29.26	0.00 175 183 Average	3	6405.00	102.09	-----	-----	83.61	34.93	13.12	29.57	0.00 175 183 AVERAGE	4	6845.00	58.07	68.20	-9.33	39.34	36.05	13.49	30.01
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																															
1	5924.76	55.06	68.20	-13.14	37.40	34.31	12.59	29.24	0.00 175 183 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																															
1	5550.00	55.56	68.20	-12.64	39.37	33.18	12.15	29.14	0.00 175 179 Average																																																																																																															
2	5965.00	102.03	-----	-----	84.38	34.31	12.60	29.26	0.00 175 183 Average																																																																																																															
3	6405.00	102.09	-----	-----	83.61	34.93	13.12	29.57	0.00 175 183 AVERAGE																																																																																																															
4	6845.00	58.07	68.20	-9.33	39.34	36.05	13.49	30.01	0.00 180 183 Average																																																																																																															







Mode	20																																																																																																																																																																																		
	Harmonic																																																																																																																																																																																		
	U-NII-5_5.925-6.425_CH3+91_5965+6405MHz																																																																																																																																																																																		
ANT	MIMO																																																																																																																																																																																		
Pol.	Horizontal					Vertical																																																																																																																																																																													
Peak Avg																																																																																																																																																																																			
	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 20 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11930.00</td><td>48.01</td><td>74.00</td><td>-25.99</td><td>58.65</td><td>38.85</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- Peak</td></tr><tr><td>2 11930.00</td><td>38.98</td><td>54.00</td><td>-15.02</td><td>49.62</td><td>38.85</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- Average</td></tr><tr><td>3 12810.00</td><td>50.17</td><td>88.20</td><td>-38.03</td><td>59.72</td><td>39.61</td><td>18.54</td><td>67.80</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>4 17895.00</td><td>51.67</td><td>74.00</td><td>-22.33</td><td>58.55</td><td>41.24</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- Peak</td></tr><tr><td>5 17895.00</td><td>42.58</td><td>54.00</td><td>-11.42</td><td>49.46</td><td>41.24</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- Average</td></tr><tr><td>6 19215.00</td><td>38.12</td><td>74.00</td><td>-35.88</td><td>40.61</td><td>37.91</td><td>22.81</td><td>53.67</td><td>-9.54</td><td>-- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	48.01	74.00	-25.99	58.65	38.85	17.84	67.44	0.11	-- Peak	2 11930.00	38.98	54.00	-15.02	49.62	38.85	17.84	67.44	0.11	-- Average	3 12810.00	50.17	88.20	-38.03	59.72	39.61	18.54	67.80	0.10	-- PEAK	4 17895.00	51.67	74.00	-22.33	58.55	41.24	21.87	70.19	0.20	-- Peak	5 17895.00	42.58	54.00	-11.42	49.46	41.24	21.87	70.19	0.20	-- Average	6 19215.00	38.12	74.00	-35.88	40.61	37.91	22.81	53.67	-9.54	-- PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 20 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11930.00</td><td>47.50</td><td>74.00</td><td>-26.42</td><td>58.26</td><td>38.81</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- Peak</td></tr><tr><td>2 12810.00</td><td>48.35</td><td>88.20</td><td>-39.85</td><td>57.97</td><td>39.54</td><td>18.54</td><td>67.80</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>3 17895.00</td><td>51.71</td><td>74.00</td><td>-22.29</td><td>58.35</td><td>41.48</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- Peak</td></tr><tr><td>4 17895.00</td><td>42.66</td><td>54.00</td><td>-11.34</td><td>49.30</td><td>41.48</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- Average</td></tr><tr><td>5 19215.00</td><td>39.98</td><td>74.00</td><td>-34.02</td><td>42.47</td><td>37.91</td><td>22.81</td><td>53.67</td><td>-9.54</td><td>-- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	47.50	74.00	-26.42	58.26	38.81	17.84	67.44	0.11	-- Peak	2 12810.00	48.35	88.20	-39.85	57.97	39.54	18.54	67.80	0.10	-- PEAK	3 17895.00	51.71	74.00	-22.29	58.35	41.48	21.87	70.19	0.20	-- Peak	4 17895.00	42.66	54.00	-11.34	49.30	41.48	21.87	70.19	0.20	-- Average	5 19215.00	39.98	74.00	-34.02	42.47	37.91	22.81	53.67	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																										
1 11930.00	48.01	74.00	-25.99	58.65	38.85	17.84	67.44	0.11	-- Peak																																																																																																																																																																										
2 11930.00	38.98	54.00	-15.02	49.62	38.85	17.84	67.44	0.11	-- Average																																																																																																																																																																										
3 12810.00	50.17	88.20	-38.03	59.72	39.61	18.54	67.80	0.10	-- PEAK																																																																																																																																																																										
4 17895.00	51.67	74.00	-22.33	58.55	41.24	21.87	70.19	0.20	-- Peak																																																																																																																																																																										
5 17895.00	42.58	54.00	-11.42	49.46	41.24	21.87	70.19	0.20	-- Average																																																																																																																																																																										
6 19215.00	38.12	74.00	-35.88	40.61	37.91	22.81	53.67	-9.54	-- PEAK																																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																										
1 11930.00	47.50	74.00	-26.42	58.26	38.81	17.84	67.44	0.11	-- Peak																																																																																																																																																																										
2 12810.00	48.35	88.20	-39.85	57.97	39.54	18.54	67.80	0.10	-- PEAK																																																																																																																																																																										
3 17895.00	51.71	74.00	-22.29	58.35	41.48	21.87	70.19	0.20	-- Peak																																																																																																																																																																										
4 17895.00	42.66	54.00	-11.34	49.30	41.48	21.87	70.19	0.20	-- Average																																																																																																																																																																										
5 19215.00	39.98	74.00	-34.02	42.47	37.91	22.81	53.67	-9.54	-- PEAK																																																																																																																																																																										







Mode	20	
	Harmonic	
	U-NII-5_5.925-6.425_CH3+91_5965+6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL Mode : 20	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL Mode : 20
38.6G ~40G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_041_240807 HORIZONTAL Mode : 20	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_041_240807 VERTICAL Mode : 20





	21																																																																																																					
Mode	Band Edge - L																																																																																																					
	U-NII-5_5.925-6.425_CH3+11+19_5965+6005+6045MHz																																																																																																					
ANT	MIMO																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5924.96</td><td>73.38</td><td>88.20</td><td>-14.82</td><td>55.78</td><td>34.25</td><td>12.59</td><td>29.24</td><td>0.00</td><td>179 179 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5924.96	73.38	88.20	-14.82	55.78	34.25	12.59	29.24	0.00	179 179 PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>115.72</td><td>-----</td><td>-----</td><td>98.14</td><td>34.24</td><td>12.60</td><td>29.26</td><td>0.00</td><td>179 179 Peak</td></tr><tr><td>2 6005.00</td><td>113.78</td><td>-----</td><td>-----</td><td>96.23</td><td>34.21</td><td>12.62</td><td>29.28</td><td>0.00</td><td>179 179 Peak</td></tr><tr><td>3 6045.00</td><td>113.39</td><td>-----</td><td>-----</td><td>95.87</td><td>34.17</td><td>12.66</td><td>29.31</td><td>0.00</td><td>179 179 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5965.00	115.72	-----	-----	98.14	34.24	12.60	29.26	0.00	179 179 Peak	2 6005.00	113.78	-----	-----	96.23	34.21	12.62	29.28	0.00	179 179 Peak	3 6045.00	113.39	-----	-----	95.87	34.17	12.66	29.31	0.00	179 179 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 5924.96	73.38	88.20	-14.82	55.78	34.25	12.59	29.24	0.00	179 179 PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 5965.00	115.72	-----	-----	98.14	34.24	12.60	29.26	0.00	179 179 Peak																																																																																													
2 6005.00	113.78	-----	-----	96.23	34.21	12.62	29.28	0.00	179 179 Peak																																																																																													
3 6045.00	113.39	-----	-----	95.87	34.17	12.66	29.31	0.00	179 179 Peak																																																																																													
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5924.96</td><td>67.00</td><td>68.20</td><td>-1.20</td><td>49.40</td><td>34.25</td><td>12.59</td><td>29.24</td><td>0.00</td><td>179 179 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5924.96	67.00	68.20	-1.20	49.40	34.25	12.59	29.24	0.00	179 179 AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>106.71</td><td>-----</td><td>-----</td><td>89.13</td><td>34.24</td><td>12.60</td><td>29.26</td><td>0.00</td><td>179 179 Average</td></tr><tr><td>2 6005.00</td><td>106.73</td><td>-----</td><td>-----</td><td>89.18</td><td>34.21</td><td>12.62</td><td>29.28</td><td>0.00</td><td>179 179 Average</td></tr><tr><td>3 6045.00</td><td>106.43</td><td>-----</td><td>-----</td><td>88.91</td><td>34.17</td><td>12.66</td><td>29.31</td><td>0.00</td><td>179 179 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5965.00	106.71	-----	-----	89.13	34.24	12.60	29.26	0.00	179 179 Average	2 6005.00	106.73	-----	-----	89.18	34.21	12.62	29.28	0.00	179 179 Average	3 6045.00	106.43	-----	-----	88.91	34.17	12.66	29.31	0.00	179 179 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 5924.96	67.00	68.20	-1.20	49.40	34.25	12.59	29.24	0.00	179 179 AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 5965.00	106.71	-----	-----	89.13	34.24	12.60	29.26	0.00	179 179 Average																																																																																													
2 6005.00	106.73	-----	-----	89.18	34.21	12.62	29.28	0.00	179 179 Average																																																																																													
3 6045.00	106.43	-----	-----	88.91	34.17	12.66	29.31	0.00	179 179 Average																																																																																													







		21																																																																																																																										
Mode	Band Edge - L																																																																																																																											
	U-NII-5_5.925-6.425_CH3+11+19_5965+6005+6045MHz																																																																																																																											
ANT	MIMO																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.00</td><td>67.99</td><td>88.20</td><td>-20.21</td><td>50.33</td><td>34.31</td><td>12.59</td><td>29.24</td><td>0.00</td><td>179</td><td>185</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.00	67.99	88.20	-20.21	50.33	34.31	12.59	29.24	0.00	179	185	PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>112.57</td><td>-----</td><td>-----</td><td>94.92</td><td>34.31</td><td>12.60</td><td>29.26</td><td>0.00</td><td>179</td><td>185</td><td>Peak</td></tr><tr><td>2</td><td>6005.00</td><td>113.25</td><td>-----</td><td>-----</td><td>95.62</td><td>34.29</td><td>12.62</td><td>29.28</td><td>0.00</td><td>179</td><td>185</td><td>Peak</td></tr><tr><td>3</td><td>6045.00</td><td>110.86</td><td>-----</td><td>-----</td><td>93.24</td><td>34.27</td><td>12.66</td><td>29.31</td><td>0.00</td><td>179</td><td>185</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	112.57	-----	-----	94.92	34.31	12.60	29.26	0.00	179	185	Peak	2	6005.00	113.25	-----	-----	95.62	34.29	12.62	29.28	0.00	179	185	Peak	3	6045.00	110.86	-----	-----	93.24	34.27	12.66	29.31	0.00	179	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5923.00	67.99	88.20	-20.21	50.33	34.31	12.59	29.24	0.00	179	185	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5965.00	112.57	-----	-----	94.92	34.31	12.60	29.26	0.00	179	185	Peak																																																																																																																
2	6005.00	113.25	-----	-----	95.62	34.29	12.62	29.28	0.00	179	185	Peak																																																																																																																
3	6045.00	110.86	-----	-----	93.24	34.27	12.66	29.31	0.00	179	185	Peak																																																																																																																
Avg																																																																																																																												
	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>59.79</td><td>68.20</td><td>-8.41</td><td>42.13</td><td>34.31</td><td>12.59</td><td>29.24</td><td>0.00</td><td>179</td><td>185</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.96	59.79	68.20	-8.41	42.13	34.31	12.59	29.24	0.00	179	185	AVERAGE	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>103.70</td><td>-----</td><td>-----</td><td>86.05</td><td>34.31</td><td>12.60</td><td>29.26</td><td>0.00</td><td>179</td><td>185</td><td>Average</td></tr><tr><td>2</td><td>6005.00</td><td>105.39</td><td>-----</td><td>-----</td><td>87.76</td><td>34.29</td><td>12.62</td><td>29.28</td><td>0.00</td><td>179</td><td>185</td><td>Average</td></tr><tr><td>3</td><td>6045.00</td><td>103.78</td><td>-----</td><td>-----</td><td>86.16</td><td>34.27</td><td>12.66</td><td>29.31</td><td>0.00</td><td>179</td><td>185</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	103.70	-----	-----	86.05	34.31	12.60	29.26	0.00	179	185	Average	2	6005.00	105.39	-----	-----	87.76	34.29	12.62	29.28	0.00	179	185	Average	3	6045.00	103.78	-----	-----	86.16	34.27	12.66	29.31	0.00	179	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5924.96	59.79	68.20	-8.41	42.13	34.31	12.59	29.24	0.00	179	185	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5965.00	103.70	-----	-----	86.05	34.31	12.60	29.26	0.00	179	185	Average																																																																																																																
2	6005.00	105.39	-----	-----	87.76	34.29	12.62	29.28	0.00	179	185	Average																																																																																																																
3	6045.00	103.78	-----	-----	86.16	34.27	12.66	29.31	0.00	179	185	Average																																																																																																																





		21																																																																																																																																																																																												
Mode	Harmonic																																																																																																																																																																																													
	U-NII-5_5.925-6.425_CH3+11+19_5965+6005+6045MHz																																																																																																																																																																																													
ANT	MIMO																																																																																																																																																																																													
Pol.	Horizontal										Vertical																																																																																																																																																																																			
Peak Avg																																																																																																																																																																																														
	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 21 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11930.00</td><td>48.36</td><td>74.00</td><td>-25.64</td><td>59.00</td><td>38.85</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- Peak</td></tr><tr><td>2 12010.00</td><td>48.39</td><td>74.00</td><td>-25.61</td><td>58.70</td><td>38.97</td><td>17.90</td><td>67.28</td><td>0.10</td><td>-- Peak</td></tr><tr><td>3 12090.00</td><td>48.90</td><td>74.00</td><td>-25.10</td><td>59.02</td><td>39.04</td><td>17.96</td><td>67.22</td><td>0.10</td><td>-- Peak</td></tr><tr><td>4 17895.00</td><td>53.07</td><td>74.00</td><td>-20.93</td><td>59.95</td><td>41.24</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- Peak</td></tr><tr><td>5 18015.00</td><td>37.68</td><td>74.00</td><td>-36.32</td><td>40.48</td><td>37.82</td><td>21.95</td><td>53.03</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>6 18135.00</td><td>36.89</td><td>74.00</td><td>-37.11</td><td>39.81</td><td>37.88</td><td>22.04</td><td>53.30</td><td>-9.54</td><td>-- Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11930.00	48.36	74.00	-25.64	59.00	38.85	17.84	67.44	0.11	-- Peak	2 12010.00	48.39	74.00	-25.61	58.70	38.97	17.90	67.28	0.10	-- Peak	3 12090.00	48.90	74.00	-25.10	59.02	39.04	17.96	67.22	0.10	-- Peak	4 17895.00	53.07	74.00	-20.93	59.95	41.24	21.87	70.19	0.20	-- Peak	5 18015.00	37.68	74.00	-36.32	40.48	37.82	21.95	53.03	-9.54	-- Peak	6 18135.00	36.89	74.00	-37.11	39.81	37.88	22.04	53.30	-9.54	-- Peak	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 21 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11930.00</td><td>48.91</td><td>74.00</td><td>-25.09</td><td>59.59</td><td>38.81</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- Peak</td></tr><tr><td>2 12010.00</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>58.34</td><td>38.93</td><td>17.90</td><td>67.28</td><td>0.10</td><td>-- Peak</td></tr><tr><td>3 12090.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>57.59</td><td>39.02</td><td>17.96</td><td>67.22</td><td>0.10</td><td>-- Peak</td></tr><tr><td>4 17895.00</td><td>52.33</td><td>74.00</td><td>-21.67</td><td>58.97</td><td>41.48</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- Peak</td></tr><tr><td>5 18015.00</td><td>37.48</td><td>74.00</td><td>-36.52</td><td>40.09</td><td>38.01</td><td>21.95</td><td>53.03</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>6 18135.00</td><td>37.26</td><td>74.00</td><td>-36.74</td><td>40.08</td><td>37.98</td><td>22.04</td><td>53.30</td><td>-9.54</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11930.00	48.91	74.00	-25.09	59.59	38.81	17.84	67.44	0.11	-- Peak	2 12010.00	47.99	74.00	-26.01	58.34	38.93	17.90	67.28	0.10	-- Peak	3 12090.00	47.45	74.00	-26.55	57.59	39.02	17.96	67.22	0.10	-- Peak	4 17895.00	52.33	74.00	-21.67	58.97	41.48	21.87	70.19	0.20	-- Peak	5 18015.00	37.48	74.00	-36.52	40.09	38.01	21.95	53.03	-9.54	-- Peak	6 18135.00	37.26	74.00	-36.74	40.08	37.98	22.04	53.30	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																					
1 11930.00	48.36	74.00	-25.64	59.00	38.85	17.84	67.44	0.11	-- Peak																																																																																																																																																																																					
2 12010.00	48.39	74.00	-25.61	58.70	38.97	17.90	67.28	0.10	-- Peak																																																																																																																																																																																					
3 12090.00	48.90	74.00	-25.10	59.02	39.04	17.96	67.22	0.10	-- Peak																																																																																																																																																																																					
4 17895.00	53.07	74.00	-20.93	59.95	41.24	21.87	70.19	0.20	-- Peak																																																																																																																																																																																					
5 18015.00	37.68	74.00	-36.32	40.48	37.82	21.95	53.03	-9.54	-- Peak																																																																																																																																																																																					
6 18135.00	36.89	74.00	-37.11	39.81	37.88	22.04	53.30	-9.54	-- Peak																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																					
1 11930.00	48.91	74.00	-25.09	59.59	38.81	17.84	67.44	0.11	-- Peak																																																																																																																																																																																					
2 12010.00	47.99	74.00	-26.01	58.34	38.93	17.90	67.28	0.10	-- Peak																																																																																																																																																																																					
3 12090.00	47.45	74.00	-26.55	57.59	39.02	17.96	67.22	0.10	-- Peak																																																																																																																																																																																					
4 17895.00	52.33	74.00	-21.67	58.97	41.48	21.87	70.19	0.20	-- Peak																																																																																																																																																																																					
5 18015.00	37.48	74.00	-36.52	40.09	38.01	21.95	53.03	-9.54	-- Peak																																																																																																																																																																																					
6 18135.00	37.26	74.00	-36.74	40.08	37.98	22.04	53.30	-9.54	-- Peak																																																																																																																																																																																					





Mode	21	
	Harmonic	
	U-NII-5_5.925-6.425_CH3+11+19_5965+6005+6045MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL Mode : 21	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL Mode : 21
	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 21	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 21





Mode	22																																																																
	Band Edge																																																																
	U-NII-5_5.925-6.425_ CH43+51+59_ 6165+6205+6245MHz																																																																
ANT	MIMO																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6165.00</td><td>126.29</td><td>-----</td><td>108.70</td><td>34.17</td><td>12.80</td><td>29.38</td><td>0.00</td><td>174</td><td>179 Peak</td></tr><tr><td>2</td><td>6205.00</td><td>116.27</td><td>-----</td><td>98.59</td><td>34.22</td><td>12.85</td><td>29.39</td><td>0.00</td><td>174</td><td>179 Peak</td></tr><tr><td>3</td><td>6245.00</td><td>119.83</td><td>-----</td><td>102.05</td><td>34.31</td><td>12.90</td><td>29.43</td><td>0.00</td><td>174</td><td>179 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6165.00	126.29	-----	108.70	34.17	12.80	29.38	0.00	174	179 Peak	2	6205.00	116.27	-----	98.59	34.22	12.85	29.39	0.00	174	179 Peak	3	6245.00	119.83	-----	102.05	34.31	12.90	29.43	0.00	174	179 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	6165.00	126.29	-----	108.70	34.17	12.80	29.38	0.00	174	179 Peak																																																							
2	6205.00	116.27	-----	98.59	34.22	12.85	29.39	0.00	174	179 Peak																																																							
3	6245.00	119.83	-----	102.05	34.31	12.90	29.43	0.00	174	179 Peak																																																							
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6165.00</td><td>116.85</td><td>-----</td><td>99.26</td><td>34.17</td><td>12.80</td><td>29.38</td><td>0.00</td><td>174</td><td>179 Average</td></tr><tr><td>2</td><td>6205.00</td><td>112.39</td><td>-----</td><td>94.71</td><td>34.22</td><td>12.85</td><td>29.39</td><td>0.00</td><td>174</td><td>179 Average</td></tr><tr><td>3</td><td>6245.00</td><td>109.74</td><td>-----</td><td>91.96</td><td>34.31</td><td>12.90</td><td>29.43</td><td>0.00</td><td>174</td><td>179 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6165.00	116.85	-----	99.26	34.17	12.80	29.38	0.00	174	179 Average	2	6205.00	112.39	-----	94.71	34.22	12.85	29.39	0.00	174	179 Average	3	6245.00	109.74	-----	91.96	34.31	12.90	29.43	0.00	174	179 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	6165.00	116.85	-----	99.26	34.17	12.80	29.38	0.00	174	179 Average																																																							
2	6205.00	112.39	-----	94.71	34.22	12.85	29.39	0.00	174	179 Average																																																							
3	6245.00	109.74	-----	91.96	34.31	12.90	29.43	0.00	174	179 Average																																																							







Mode	22																																																																	
	Band Edge																																																																	
	U-NII-5_5.925-6.425_ CH43+51+59_ 6165+6205+6245MHz																																																																	
ANT	MIMO																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6165.00</td><td>120.74</td><td>-----</td><td>103.13</td><td>34.19</td><td>12.80</td><td>29.38</td><td>0.00</td><td>174</td><td>179 Peak</td></tr><tr><td>2</td><td>6205.00</td><td>123.29</td><td>-----</td><td>105.58</td><td>34.26</td><td>12.85</td><td>29.40</td><td>0.00</td><td>174</td><td>179 Peak</td></tr><tr><td>3</td><td>6245.00</td><td>116.52</td><td>-----</td><td>98.71</td><td>34.33</td><td>12.90</td><td>29.42</td><td>0.00</td><td>174</td><td>179 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6165.00	120.74	-----	103.13	34.19	12.80	29.38	0.00	174	179 Peak	2	6205.00	123.29	-----	105.58	34.26	12.85	29.40	0.00	174	179 Peak	3	6245.00	116.52	-----	98.71	34.33	12.90	29.42	0.00	174	179 Peak
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	6165.00	120.74	-----	103.13	34.19	12.80	29.38	0.00	174	179 Peak																																																								
2	6205.00	123.29	-----	105.58	34.26	12.85	29.40	0.00	174	179 Peak																																																								
3	6245.00	116.52	-----	98.71	34.33	12.90	29.42	0.00	174	179 Peak																																																								
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6165.00</td><td>112.91</td><td>-----</td><td>95.30</td><td>34.19</td><td>12.80</td><td>29.38</td><td>0.00</td><td>174</td><td>179 Average</td></tr><tr><td>2</td><td>6205.00</td><td>116.64</td><td>-----</td><td>98.93</td><td>34.25</td><td>12.85</td><td>29.39</td><td>0.00</td><td>174</td><td>179 Average</td></tr><tr><td>3</td><td>6245.00</td><td>107.27</td><td>-----</td><td>89.46</td><td>34.33</td><td>12.90</td><td>29.42</td><td>0.00</td><td>174</td><td>179 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6165.00	112.91	-----	95.30	34.19	12.80	29.38	0.00	174	179 Average	2	6205.00	116.64	-----	98.93	34.25	12.85	29.39	0.00	174	179 Average	3	6245.00	107.27	-----	89.46	34.33	12.90	29.42	0.00	174	179 Average
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	6165.00	112.91	-----	95.30	34.19	12.80	29.38	0.00	174	179 Average																																																								
2	6205.00	116.64	-----	98.93	34.25	12.85	29.39	0.00	174	179 Average																																																								
3	6245.00	107.27	-----	89.46	34.33	12.90	29.42	0.00	174	179 Average																																																								





Mode	22																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																													
	U-NII-5_5.925-6.425_ CH43+51+59_ 6165+6205+6245MHz																																																																																																																																																																																																																													
ANT	MIMO																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																												
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_041_240807 HORIZONTAL Mode : 22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12330.00</td><td>48.99</td><td>74.00</td><td>-25.01</td><td>59.37</td><td>38.97</td><td>18.15</td><td>67.60</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>2 12330.00</td><td>39.97</td><td>54.00</td><td>-14.03</td><td>50.35</td><td>38.97</td><td>18.15</td><td>67.60</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>3 12410.00</td><td>39.62</td><td>74.00</td><td>-34.38</td><td>49.96</td><td>38.92</td><td>18.22</td><td>67.58</td><td>0.10</td><td>-- -- Peak</td></tr><tr><td>4 12410.00</td><td>48.73</td><td>54.00</td><td>-5.27</td><td>59.07</td><td>38.92</td><td>18.22</td><td>67.58</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>5 12490.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>57.04</td><td>38.93</td><td>18.28</td><td>67.46</td><td>0.10</td><td>-- -- Peak</td></tr><tr><td>6 18495.00</td><td>37.97</td><td>74.00</td><td>-36.03</td><td>40.52</td><td>38.15</td><td>22.31</td><td>53.47</td><td>-9.54</td><td>-- -- PEAK</td></tr><tr><td>7 18615.00</td><td>37.68</td><td>74.00</td><td>-36.32</td><td>40.29</td><td>38.11</td><td>22.40</td><td>53.58</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>8 18735.00</td><td>37.11</td><td>74.00</td><td>-36.89</td><td>39.48</td><td>38.13</td><td>22.48</td><td>53.44</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12330.00	48.99	74.00	-25.01	59.37	38.97	18.15	67.60	0.10	-- -- PEAK	2 12330.00	39.97	54.00	-14.03	50.35	38.97	18.15	67.60	0.10	-- -- Average	3 12410.00	39.62	74.00	-34.38	49.96	38.92	18.22	67.58	0.10	-- -- Peak	4 12410.00	48.73	54.00	-5.27	59.07	38.92	18.22	67.58	0.10	-- -- Average	5 12490.00	47.69	74.00	-26.31	57.04	38.93	18.28	67.46	0.10	-- -- Peak	6 18495.00	37.97	74.00	-36.03	40.52	38.15	22.31	53.47	-9.54	-- -- PEAK	7 18615.00	37.68	74.00	-36.32	40.29	38.11	22.40	53.58	-9.54	-- -- Peak	8 18735.00	37.11	74.00	-36.89	39.48	38.13	22.48	53.44	-9.54	-- -- Peak	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_041_240807 VERTICAL Mode : 22 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12330.00</td><td>48.82</td><td>74.00</td><td>-25.18</td><td>59.24</td><td>38.93</td><td>18.15</td><td>67.60</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>2 12330.00</td><td>39.78</td><td>54.00</td><td>-14.22</td><td>50.20</td><td>38.93</td><td>18.15</td><td>67.60</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>3 12410.00</td><td>47.52</td><td>74.00</td><td>-26.48</td><td>57.93</td><td>38.85</td><td>18.22</td><td>67.58</td><td>0.10</td><td>-- -- Peak</td></tr><tr><td>4 12490.00</td><td>48.22</td><td>74.00</td><td>-25.78</td><td>58.44</td><td>38.86</td><td>18.28</td><td>67.46</td><td>0.10</td><td>-- -- Peak</td></tr><tr><td>5 12490.00</td><td>39.19</td><td>54.00</td><td>-14.81</td><td>49.41</td><td>38.86</td><td>18.28</td><td>67.46</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>6 18495.00</td><td>39.17</td><td>74.00</td><td>-34.83</td><td>41.53</td><td>38.34</td><td>22.31</td><td>53.47</td><td>-9.54</td><td>-- -- PEAK</td></tr><tr><td>7 18615.00</td><td>37.91</td><td>74.00</td><td>-36.09</td><td>40.45</td><td>38.18</td><td>22.40</td><td>53.58</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>8 18735.00</td><td>37.67</td><td>74.00</td><td>-36.33</td><td>39.91</td><td>38.26</td><td>22.48</td><td>53.44</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12330.00	48.82	74.00	-25.18	59.24	38.93	18.15	67.60	0.10	-- -- PEAK	2 12330.00	39.78	54.00	-14.22	50.20	38.93	18.15	67.60	0.10	-- -- Average	3 12410.00	47.52	74.00	-26.48	57.93	38.85	18.22	67.58	0.10	-- -- Peak	4 12490.00	48.22	74.00	-25.78	58.44	38.86	18.28	67.46	0.10	-- -- Peak	5 12490.00	39.19	54.00	-14.81	49.41	38.86	18.28	67.46	0.10	-- -- Average	6 18495.00	39.17	74.00	-34.83	41.53	38.34	22.31	53.47	-9.54	-- -- PEAK	7 18615.00	37.91	74.00	-36.09	40.45	38.18	22.40	53.58	-9.54	-- -- Peak	8 18735.00	37.67	74.00	-36.33	39.91	38.26	22.48	53.44	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																					
1 12330.00	48.99	74.00	-25.01	59.37	38.97	18.15	67.60	0.10	-- -- PEAK																																																																																																																																																																																																																					
2 12330.00	39.97	54.00	-14.03	50.35	38.97	18.15	67.60	0.10	-- -- Average																																																																																																																																																																																																																					
3 12410.00	39.62	74.00	-34.38	49.96	38.92	18.22	67.58	0.10	-- -- Peak																																																																																																																																																																																																																					
4 12410.00	48.73	54.00	-5.27	59.07	38.92	18.22	67.58	0.10	-- -- Average																																																																																																																																																																																																																					
5 12490.00	47.69	74.00	-26.31	57.04	38.93	18.28	67.46	0.10	-- -- Peak																																																																																																																																																																																																																					
6 18495.00	37.97	74.00	-36.03	40.52	38.15	22.31	53.47	-9.54	-- -- PEAK																																																																																																																																																																																																																					
7 18615.00	37.68	74.00	-36.32	40.29	38.11	22.40	53.58	-9.54	-- -- Peak																																																																																																																																																																																																																					
8 18735.00	37.11	74.00	-36.89	39.48	38.13	22.48	53.44	-9.54	-- -- Peak																																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																					
1 12330.00	48.82	74.00	-25.18	59.24	38.93	18.15	67.60	0.10	-- -- PEAK																																																																																																																																																																																																																					
2 12330.00	39.78	54.00	-14.22	50.20	38.93	18.15	67.60	0.10	-- -- Average																																																																																																																																																																																																																					
3 12410.00	47.52	74.00	-26.48	57.93	38.85	18.22	67.58	0.10	-- -- Peak																																																																																																																																																																																																																					
4 12490.00	48.22	74.00	-25.78	58.44	38.86	18.28	67.46	0.10	-- -- Peak																																																																																																																																																																																																																					
5 12490.00	39.19	54.00	-14.81	49.41	38.86	18.28	67.46	0.10	-- -- Average																																																																																																																																																																																																																					
6 18495.00	39.17	74.00	-34.83	41.53	38.34	22.31	53.47	-9.54	-- -- PEAK																																																																																																																																																																																																																					
7 18615.00	37.91	74.00	-36.09	40.45	38.18	22.40	53.58	-9.54	-- -- Peak																																																																																																																																																																																																																					
8 18735.00	37.67	74.00	-36.33	39.91	38.26	22.48	53.44	-9.54	-- -- Peak																																																																																																																																																																																																																					





Mode	22	
	Harmonic	
	U-NII-5_5.925-6.425_ CH43+51+59_ 6165+6205+6245MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL Mode : 22	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL Mode : 22
	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 22	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 22





Mode	23																																																																				
	Band Edge																																																																				
	U-NII-5_5.925-6.425_ CH75+83+91_ 6325+6365+6405MHz																																																																				
ANT	MIMO																																																																				
Pol.	Horizontal	Fundamental																																																																			
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6325.00</td><td>126.93</td><td>-----</td><td>108.90</td><td>34.51</td><td>13.02</td><td>29.50</td><td>0.00</td><td>174</td><td>185</td><td>Peak</td></tr><tr><td>2</td><td>6365.00</td><td>123.41</td><td>-----</td><td>105.26</td><td>34.61</td><td>13.07</td><td>29.53</td><td>0.00</td><td>174</td><td>185</td><td>Peak</td></tr><tr><td>3</td><td>6405.00</td><td>119.59</td><td>-----</td><td>101.32</td><td>34.72</td><td>13.12</td><td>29.57</td><td>0.00</td><td>174</td><td>185</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6325.00	126.93	-----	108.90	34.51	13.02	29.50	0.00	174	185	Peak	2	6365.00	123.41	-----	105.26	34.61	13.07	29.53	0.00	174	185	Peak	3	6405.00	119.59	-----	101.32	34.72	13.12	29.57	0.00	174	185	Peak
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	6325.00	126.93	-----	108.90	34.51	13.02	29.50	0.00	174	185	Peak																																																										
2	6365.00	123.41	-----	105.26	34.61	13.07	29.53	0.00	174	185	Peak																																																										
3	6405.00	119.59	-----	101.32	34.72	13.12	29.57	0.00	174	185	Peak																																																										
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6325.00</td><td>116.61</td><td>-----</td><td>98.58</td><td>34.51</td><td>13.02</td><td>29.50</td><td>0.00</td><td>174</td><td>185</td><td>Average</td></tr><tr><td>2</td><td>6365.00</td><td>115.12</td><td>-----</td><td>96.97</td><td>34.61</td><td>13.07</td><td>29.53</td><td>0.00</td><td>174</td><td>185</td><td>Average</td></tr><tr><td>3</td><td>6405.00</td><td>103.47</td><td>-----</td><td>85.20</td><td>34.72</td><td>13.12</td><td>29.57</td><td>0.00</td><td>174</td><td>185</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6325.00	116.61	-----	98.58	34.51	13.02	29.50	0.00	174	185	Average	2	6365.00	115.12	-----	96.97	34.61	13.07	29.53	0.00	174	185	Average	3	6405.00	103.47	-----	85.20	34.72	13.12	29.57	0.00	174	185	Average
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	6325.00	116.61	-----	98.58	34.51	13.02	29.50	0.00	174	185	Average																																																										
2	6365.00	115.12	-----	96.97	34.61	13.07	29.53	0.00	174	185	Average																																																										
3	6405.00	103.47	-----	85.20	34.72	13.12	29.57	0.00	174	185	Average																																																										



Mode	23																																																																				
	Band Edge																																																																				
	U-NII-5_5.925-6.425_CH75+83+91_6325+6365+6405MHz																																																																				
ANT	MIMO																																																																				
Pol.	Vertical	Fundamental																																																																			
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6325.00</td><td>114.50</td><td>-----</td><td>96.43</td><td>34.55</td><td>13.02</td><td>29.50</td><td>0.00</td><td>174</td><td>166</td><td>Peak</td></tr><tr><td>2</td><td>6365.00</td><td>115.58</td><td>-----</td><td>97.37</td><td>34.67</td><td>13.07</td><td>29.53</td><td>0.00</td><td>174</td><td>166</td><td>Peak</td></tr><tr><td>3</td><td>6405.00</td><td>123.69</td><td>-----</td><td>105.33</td><td>34.81</td><td>13.12</td><td>29.57</td><td>0.00</td><td>174</td><td>166</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6325.00	114.50	-----	96.43	34.55	13.02	29.50	0.00	174	166	Peak	2	6365.00	115.58	-----	97.37	34.67	13.07	29.53	0.00	174	166	Peak	3	6405.00	123.69	-----	105.33	34.81	13.12	29.57	0.00	174	166	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	6325.00	114.50	-----	96.43	34.55	13.02	29.50	0.00	174	166	Peak																																																										
2	6365.00	115.58	-----	97.37	34.67	13.07	29.53	0.00	174	166	Peak																																																										
3	6405.00	123.69	-----	105.33	34.81	13.12	29.57	0.00	174	166	Peak																																																										
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6325.00</td><td>105.75</td><td>-----</td><td>87.68</td><td>34.55</td><td>13.02</td><td>29.50</td><td>0.00</td><td>174</td><td>166</td><td>Average</td></tr><tr><td>2</td><td>6365.00</td><td>106.45</td><td>-----</td><td>88.24</td><td>34.67</td><td>13.07</td><td>29.53</td><td>0.00</td><td>174</td><td>166</td><td>Average</td></tr><tr><td>3</td><td>6405.00</td><td>113.43</td><td>-----</td><td>95.07</td><td>34.81</td><td>13.12</td><td>29.57</td><td>0.00</td><td>174</td><td>166</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6325.00	105.75	-----	87.68	34.55	13.02	29.50	0.00	174	166	Average	2	6365.00	106.45	-----	88.24	34.67	13.07	29.53	0.00	174	166	Average	3	6405.00	113.43	-----	95.07	34.81	13.12	29.57	0.00	174	166	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	6325.00	105.75	-----	87.68	34.55	13.02	29.50	0.00	174	166	Average																																																										
2	6365.00	106.45	-----	88.24	34.67	13.07	29.53	0.00	174	166	Average																																																										
3	6405.00	113.43	-----	95.07	34.81	13.12	29.57	0.00	174	166	Average																																																										







Mode	23																																																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																																																													
	U-NII-5_5.925-6.425_ CH75+83+91_ 6325+6365+6405MHz																																																																																																																																																																																																																																																													
ANT	MIMO																																																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																												
Peak																																																																																																																																																																																																																																																														
Avg	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_041_240807 HORIZONTAL Mode : 23 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>12650.00</td><td>49.10</td><td>74.00</td><td>-24.90</td><td>58.84</td><td>39.22</td><td>18.41</td><td>67.47</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12650.00</td><td>40.05</td><td>54.00</td><td>-13.95</td><td>49.79</td><td>39.22</td><td>18.41</td><td>67.47</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>12730.00</td><td>48.57</td><td>88.20</td><td>-39.63</td><td>58.16</td><td>39.44</td><td>18.47</td><td>67.60</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>12810.00</td><td>49.83</td><td>88.20</td><td>-38.37</td><td>59.38</td><td>39.61</td><td>18.54</td><td>67.80</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>18975.00</td><td>37.34</td><td>74.00</td><td>-36.66</td><td>39.76</td><td>38.04</td><td>22.66</td><td>53.58</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>19095.00</td><td>38.33</td><td>74.00</td><td>-35.67</td><td>40.77</td><td>38.07</td><td>22.74</td><td>53.71</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19215.00</td><td>38.80</td><td>74.00</td><td>-35.20</td><td>41.29</td><td>37.91</td><td>22.81</td><td>53.67</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		1	12650.00	49.10	74.00	-24.90	58.84	39.22	18.41	67.47	0.10	--	--	--	Peak	2	12650.00	40.05	54.00	-13.95	49.79	39.22	18.41	67.47	0.10	--	--	--	Average	3	12730.00	48.57	88.20	-39.63	58.16	39.44	18.47	67.60	0.10	--	--	--	Peak	4	12810.00	49.83	88.20	-38.37	59.38	39.61	18.54	67.80	0.10	--	--	--	PEAK	5	18975.00	37.34	74.00	-36.66	39.76	38.04	22.66	53.58	-9.54	--	--	--	Peak	6	19095.00	38.33	74.00	-35.67	40.77	38.07	22.74	53.71	-9.54	--	--	--	Peak	7	19215.00	38.80	74.00	-35.20	41.29	37.91	22.81	53.67	-9.54	--	--	--	PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_041_240807 VERTICAL Mode : 23 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>12650.00</td><td>49.32</td><td>74.00</td><td>-24.68</td><td>59.12</td><td>39.16</td><td>18.41</td><td>67.47</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12650.00</td><td>40.30</td><td>54.00</td><td>-13.70</td><td>50.10</td><td>39.16</td><td>18.41</td><td>67.47</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>12730.00</td><td>48.96</td><td>88.20</td><td>-39.24</td><td>58.62</td><td>39.37</td><td>18.47</td><td>67.60</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>12810.00</td><td>49.59</td><td>88.20</td><td>-38.61</td><td>59.21</td><td>39.54</td><td>18.54</td><td>67.80</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>18975.00</td><td>38.32</td><td>74.00</td><td>-35.68</td><td>40.72</td><td>38.06</td><td>22.66</td><td>53.58</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>19095.00</td><td>38.35</td><td>74.00</td><td>-35.65</td><td>40.76</td><td>38.10</td><td>22.74</td><td>53.71</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19215.00</td><td>38.75</td><td>74.00</td><td>-35.25</td><td>41.24</td><td>37.91</td><td>22.81</td><td>53.67</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		1	12650.00	49.32	74.00	-24.68	59.12	39.16	18.41	67.47	0.10	--	--	--	Peak	2	12650.00	40.30	54.00	-13.70	50.10	39.16	18.41	67.47	0.10	--	--	--	Average	3	12730.00	48.96	88.20	-39.24	58.62	39.37	18.47	67.60	0.10	--	--	--	Peak	4	12810.00	49.59	88.20	-38.61	59.21	39.54	18.54	67.80	0.10	--	--	--	PEAK	5	18975.00	38.32	74.00	-35.68	40.72	38.06	22.66	53.58	-9.54	--	--	--	Peak	6	19095.00	38.35	74.00	-35.65	40.76	38.10	22.74	53.71	-9.54	--	--	--	Peak	7	19215.00	38.75	74.00	-35.25	41.24	37.91	22.81	53.67	-9.54	--	--	--	PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																		
1	12650.00	49.10	74.00	-24.90	58.84	39.22	18.41	67.47	0.10	--	--	--	Peak																																																																																																																																																																																																																																																	
2	12650.00	40.05	54.00	-13.95	49.79	39.22	18.41	67.47	0.10	--	--	--	Average																																																																																																																																																																																																																																																	
3	12730.00	48.57	88.20	-39.63	58.16	39.44	18.47	67.60	0.10	--	--	--	Peak																																																																																																																																																																																																																																																	
4	12810.00	49.83	88.20	-38.37	59.38	39.61	18.54	67.80	0.10	--	--	--	PEAK																																																																																																																																																																																																																																																	
5	18975.00	37.34	74.00	-36.66	39.76	38.04	22.66	53.58	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																	
6	19095.00	38.33	74.00	-35.67	40.77	38.07	22.74	53.71	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																	
7	19215.00	38.80	74.00	-35.20	41.29	37.91	22.81	53.67	-9.54	--	--	--	PEAK																																																																																																																																																																																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																		
1	12650.00	49.32	74.00	-24.68	59.12	39.16	18.41	67.47	0.10	--	--	--	Peak																																																																																																																																																																																																																																																	
2	12650.00	40.30	54.00	-13.70	50.10	39.16	18.41	67.47	0.10	--	--	--	Average																																																																																																																																																																																																																																																	
3	12730.00	48.96	88.20	-39.24	58.62	39.37	18.47	67.60	0.10	--	--	--	Peak																																																																																																																																																																																																																																																	
4	12810.00	49.59	88.20	-38.61	59.21	39.54	18.54	67.80	0.10	--	--	--	PEAK																																																																																																																																																																																																																																																	
5	18975.00	38.32	74.00	-35.68	40.72	38.06	22.66	53.58	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																	
6	19095.00	38.35	74.00	-35.65	40.76	38.10	22.74	53.71	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																	
7	19215.00	38.75	74.00	-35.25	41.24	37.91	22.81	53.67	-9.54	--	--	--	PEAK																																																																																																																																																																																																																																																	







Mode	23	
	Harmonic	
	U-NII-5_5.925-6.425_ CH75+83+91_ 6325+6365+6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL Mode : 23	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL Mode : 23
38.6G ~40G Avg	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 23	Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 23





		24																																																																																																																																																														
Mode	Band Edge																																																																																																																																																															
	U-NII-5_5.925-6.425_CH3+43+91_5965+6165+6405MHz																																																																																																																																																															
ANT	MIMO																																																																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																																																																									
Peak																																																																																																																																																																
	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.02</td><td>71.34</td><td>88.20 -16.86</td><td>53.74</td><td>34.25</td><td>12.59</td><td>29.24</td><td>0.00</td><td>177</td><td>175</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5923.02	71.34	88.20 -16.86	53.74	34.25	12.59	29.24	0.00	177	175	PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5536.00</td><td>72.82</td><td>88.20 -15.38</td><td>56.74</td><td>33.09</td><td>12.13</td><td>29.14</td><td>0.00</td><td>177</td><td>179</td><td>Peak</td></tr><tr><td>2 5725.00</td><td>74.84</td><td>88.20 -13.36</td><td>57.89</td><td>33.68</td><td>12.43</td><td>29.16</td><td>0.00</td><td>177</td><td>179</td><td>Peak</td></tr><tr><td>3 5965.00</td><td>115.01</td><td>-----</td><td>97.43</td><td>34.24</td><td>12.60</td><td>29.26</td><td>0.00</td><td>177</td><td>175</td><td>Peak</td></tr><tr><td>4 6165.00</td><td>113.56</td><td>-----</td><td>95.88</td><td>34.26</td><td>12.80</td><td>29.38</td><td>0.00</td><td>177</td><td>175</td><td>Peak</td></tr><tr><td>5 6405.00</td><td>115.01</td><td>-----</td><td>96.63</td><td>34.83</td><td>13.12</td><td>29.57</td><td>0.00</td><td>177</td><td>175</td><td>Peak</td></tr><tr><td>6 6607.00</td><td>73.45</td><td>88.20 -14.75</td><td>54.22</td><td>35.76</td><td>13.24</td><td>29.77</td><td>0.00</td><td>177</td><td>179</td><td>Peak</td></tr><tr><td>7 6852.00</td><td>68.17</td><td>88.20 -20.03</td><td>48.74</td><td>35.94</td><td>13.50</td><td>30.01</td><td>0.00</td><td>150</td><td>175</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5536.00	72.82	88.20 -15.38	56.74	33.09	12.13	29.14	0.00	177	179	Peak	2 5725.00	74.84	88.20 -13.36	57.89	33.68	12.43	29.16	0.00	177	179	Peak	3 5965.00	115.01	-----	97.43	34.24	12.60	29.26	0.00	177	175	Peak	4 6165.00	113.56	-----	95.88	34.26	12.80	29.38	0.00	177	175	Peak	5 6405.00	115.01	-----	96.63	34.83	13.12	29.57	0.00	177	175	Peak	6 6607.00	73.45	88.20 -14.75	54.22	35.76	13.24	29.77	0.00	177	179	Peak	7 6852.00	68.17	88.20 -20.03	48.74	35.94	13.50	30.01	0.00	150	175
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1 5923.02	71.34	88.20 -16.86	53.74	34.25	12.59	29.24	0.00	177	175	PEAK																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1 5536.00	72.82	88.20 -15.38	56.74	33.09	12.13	29.14	0.00	177	179	Peak																																																																																																																																																						
2 5725.00	74.84	88.20 -13.36	57.89	33.68	12.43	29.16	0.00	177	179	Peak																																																																																																																																																						
3 5965.00	115.01	-----	97.43	34.24	12.60	29.26	0.00	177	175	Peak																																																																																																																																																						
4 6165.00	113.56	-----	95.88	34.26	12.80	29.38	0.00	177	175	Peak																																																																																																																																																						
5 6405.00	115.01	-----	96.63	34.83	13.12	29.57	0.00	177	175	Peak																																																																																																																																																						
6 6607.00	73.45	88.20 -14.75	54.22	35.76	13.24	29.77	0.00	177	179	Peak																																																																																																																																																						
7 6852.00	68.17	88.20 -20.03	48.74	35.94	13.50	30.01	0.00	150	175	Peak																																																																																																																																																						
Avg																																																																																																																																																																
	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.02</td><td>61.82</td><td>68.20 -6.38</td><td>44.22</td><td>34.25</td><td>12.59</td><td>29.24</td><td>0.00</td><td>177</td><td>175</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5923.02	61.82	68.20 -6.38	44.22	34.25	12.59	29.24	0.00	177	175	AVERAGE	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5536.00</td><td>63.59</td><td>68.20 -4.61</td><td>47.51</td><td>33.09</td><td>12.13</td><td>29.14</td><td>0.00</td><td>177</td><td>179</td><td>Average</td></tr><tr><td>2 5725.00</td><td>66.68</td><td>68.20 -1.52</td><td>49.73</td><td>33.68</td><td>12.43</td><td>29.16</td><td>0.00</td><td>177</td><td>179</td><td>Average</td></tr><tr><td>3 5965.00</td><td>106.37</td><td>-----</td><td>88.79</td><td>34.24</td><td>12.60</td><td>29.26</td><td>0.00</td><td>177</td><td>175</td><td>Average</td></tr><tr><td>4 6165.00</td><td>104.73</td><td>-----</td><td>87.05</td><td>34.26</td><td>12.80</td><td>29.38</td><td>0.00</td><td>177</td><td>175</td><td>Average</td></tr><tr><td>5 6405.00</td><td>106.37</td><td>-----</td><td>87.99</td><td>34.83</td><td>13.12</td><td>29.57</td><td>0.00</td><td>177</td><td>175</td><td>AVERAGE</td></tr><tr><td>6 6607.00</td><td>65.18</td><td>68.20 -3.02</td><td>45.95</td><td>35.76</td><td>13.24</td><td>29.77</td><td>0.00</td><td>177</td><td>179</td><td>Average</td></tr><tr><td>7 6852.00</td><td>59.16</td><td>68.20 -9.04</td><td>39.73</td><td>35.94</td><td>13.50</td><td>30.01</td><td>0.00</td><td>150</td><td>175</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5536.00	63.59	68.20 -4.61	47.51	33.09	12.13	29.14	0.00	177	179	Average	2 5725.00	66.68	68.20 -1.52	49.73	33.68	12.43	29.16	0.00	177	179	Average	3 5965.00	106.37	-----	88.79	34.24	12.60	29.26	0.00	177	175	Average	4 6165.00	104.73	-----	87.05	34.26	12.80	29.38	0.00	177	175	Average	5 6405.00	106.37	-----	87.99	34.83	13.12	29.57	0.00	177	175	AVERAGE	6 6607.00	65.18	68.20 -3.02	45.95	35.76	13.24	29.77	0.00	177	179	Average	7 6852.00	59.16	68.20 -9.04	39.73	35.94	13.50	30.01	0.00	150	175
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1 5923.02	61.82	68.20 -6.38	44.22	34.25	12.59	29.24	0.00	177	175	AVERAGE																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1 5536.00	63.59	68.20 -4.61	47.51	33.09	12.13	29.14	0.00	177	179	Average																																																																																																																																																						
2 5725.00	66.68	68.20 -1.52	49.73	33.68	12.43	29.16	0.00	177	179	Average																																																																																																																																																						
3 5965.00	106.37	-----	88.79	34.24	12.60	29.26	0.00	177	175	Average																																																																																																																																																						
4 6165.00	104.73	-----	87.05	34.26	12.80	29.38	0.00	177	175	Average																																																																																																																																																						
5 6405.00	106.37	-----	87.99	34.83	13.12	29.57	0.00	177	175	AVERAGE																																																																																																																																																						
6 6607.00	65.18	68.20 -3.02	45.95	35.76	13.24	29.77	0.00	177	179	Average																																																																																																																																																						
7 6852.00	59.16	68.20 -9.04	39.73	35.94	13.50	30.01	0.00	150	175	Average																																																																																																																																																						







		24																																																																																																																							
Mode	Band Edge																																																																																																																								
	U-NII-5_5.925-6.425_CH3+43+91_5965+6165+6405MHz																																																																																																																								
ANT	MIMO																																																																																																																								
Pol.	Vertical																																																																																																																								
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.76</td><td>71.22</td><td>88.20</td><td>-16.98</td><td>53.56</td><td>34.31</td><td>12.59</td><td>29.24</td><td>0.00</td><td>179</td><td>179 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.76	71.22	88.20	-16.98	53.56	34.31	12.59	29.24	0.00	179	179 PEAK																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5924.76	71.22	88.20	-16.98	53.56	34.31	12.59	29.24	0.00	179	179 PEAK																																																																																																															
Fundamental	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5543.00</td><td>71.77</td><td>88.20</td><td>-16.43</td><td>55.59</td><td>33.18</td><td>12.14</td><td>29.14</td><td>0.00</td><td>179</td><td>180 Peak</td></tr><tr><td>2 5739.00</td><td>74.94</td><td>88.20</td><td>-13.26</td><td>57.87</td><td>33.79</td><td>12.45</td><td>29.17</td><td>0.00</td><td>179</td><td>180 Peak</td></tr><tr><td>3 5965.00</td><td>114.11</td><td>-----</td><td>-----</td><td>96.46</td><td>34.31</td><td>12.60</td><td>29.26</td><td>0.00</td><td>179</td><td>179 Peak</td></tr><tr><td>4 6165.00</td><td>113.47</td><td>-----</td><td>-----</td><td>95.70</td><td>34.35</td><td>12.80</td><td>29.38</td><td>0.00</td><td>179</td><td>179 Peak</td></tr><tr><td>5 6405.00</td><td>114.11</td><td>-----</td><td>-----</td><td>95.63</td><td>34.93</td><td>13.12</td><td>29.57</td><td>0.00</td><td>179</td><td>179 Peak</td></tr><tr><td>6 6607.00</td><td>73.66</td><td>88.20</td><td>-14.54</td><td>54.35</td><td>35.84</td><td>13.24</td><td>29.77</td><td>0.00</td><td>179</td><td>180 Peak</td></tr><tr><td>7 6845.00</td><td>68.56</td><td>88.20</td><td>-19.64</td><td>49.03</td><td>36.05</td><td>13.49</td><td>30.01</td><td>0.00</td><td>179</td><td>179 Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5543.00	71.77	88.20	-16.43	55.59	33.18	12.14	29.14	0.00	179	180 Peak	2 5739.00	74.94	88.20	-13.26	57.87	33.79	12.45	29.17	0.00	179	180 Peak	3 5965.00	114.11	-----	-----	96.46	34.31	12.60	29.26	0.00	179	179 Peak	4 6165.00	113.47	-----	-----	95.70	34.35	12.80	29.38	0.00	179	179 Peak	5 6405.00	114.11	-----	-----	95.63	34.93	13.12	29.57	0.00	179	179 Peak	6 6607.00	73.66	88.20	-14.54	54.35	35.84	13.24	29.77	0.00	179	180 Peak	7 6845.00	68.56	88.20	-19.64	49.03	36.05	13.49	30.01	0.00	179	179 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5543.00	71.77	88.20	-16.43	55.59	33.18	12.14	29.14	0.00	179	180 Peak																																																																																																															
2 5739.00	74.94	88.20	-13.26	57.87	33.79	12.45	29.17	0.00	179	180 Peak																																																																																																															
3 5965.00	114.11	-----	-----	96.46	34.31	12.60	29.26	0.00	179	179 Peak																																																																																																															
4 6165.00	113.47	-----	-----	95.70	34.35	12.80	29.38	0.00	179	179 Peak																																																																																																															
5 6405.00	114.11	-----	-----	95.63	34.93	13.12	29.57	0.00	179	179 Peak																																																																																																															
6 6607.00	73.66	88.20	-14.54	54.35	35.84	13.24	29.77	0.00	179	180 Peak																																																																																																															
7 6845.00	68.56	88.20	-19.64	49.03	36.05	13.49	30.01	0.00	179	179 Peak																																																																																																															
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.76</td><td>61.93</td><td>68.20</td><td>-6.27</td><td>44.27</td><td>34.31</td><td>12.59</td><td>29.24</td><td>0.00</td><td>179</td><td>179 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.76	61.93	68.20	-6.27	44.27	34.31	12.59	29.24	0.00	179	179 AVERAGE																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5924.76	61.93	68.20	-6.27	44.27	34.31	12.59	29.24	0.00	179	179 AVERAGE																																																																																																															
Fundamental	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5543.00</td><td>61.77</td><td>68.20</td><td>-6.43</td><td>45.59</td><td>33.18</td><td>12.14</td><td>29.14</td><td>0.00</td><td>179</td><td>180 Average</td></tr><tr><td>2 5739.00</td><td>66.66</td><td>68.20</td><td>-1.54</td><td>49.59</td><td>33.79</td><td>12.45</td><td>29.17</td><td>0.00</td><td>179</td><td>180 Average</td></tr><tr><td>3 5965.00</td><td>105.81</td><td>-----</td><td>-----</td><td>88.16</td><td>34.31</td><td>12.60</td><td>29.26</td><td>0.00</td><td>179</td><td>179 Average</td></tr><tr><td>4 6165.00</td><td>105.00</td><td>-----</td><td>-----</td><td>87.23</td><td>34.35</td><td>12.80</td><td>29.38</td><td>0.00</td><td>179</td><td>179 Average</td></tr><tr><td>5 6405.00</td><td>105.81</td><td>-----</td><td>-----</td><td>87.33</td><td>34.93</td><td>13.12</td><td>29.57</td><td>0.00</td><td>179</td><td>179 AVERAGE</td></tr><tr><td>6 6607.00</td><td>63.99</td><td>68.20</td><td>-4.21</td><td>44.68</td><td>35.84</td><td>13.24</td><td>29.77</td><td>0.00</td><td>179</td><td>180 Average</td></tr><tr><td>7 6845.00</td><td>59.76</td><td>68.20</td><td>-8.44</td><td>40.23</td><td>36.05</td><td>13.49</td><td>30.01</td><td>0.00</td><td>179</td><td>179 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5543.00	61.77	68.20	-6.43	45.59	33.18	12.14	29.14	0.00	179	180 Average	2 5739.00	66.66	68.20	-1.54	49.59	33.79	12.45	29.17	0.00	179	180 Average	3 5965.00	105.81	-----	-----	88.16	34.31	12.60	29.26	0.00	179	179 Average	4 6165.00	105.00	-----	-----	87.23	34.35	12.80	29.38	0.00	179	179 Average	5 6405.00	105.81	-----	-----	87.33	34.93	13.12	29.57	0.00	179	179 AVERAGE	6 6607.00	63.99	68.20	-4.21	44.68	35.84	13.24	29.77	0.00	179	180 Average	7 6845.00	59.76	68.20	-8.44	40.23	36.05	13.49	30.01	0.00	179	179 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5543.00	61.77	68.20	-6.43	45.59	33.18	12.14	29.14	0.00	179	180 Average																																																																																																															
2 5739.00	66.66	68.20	-1.54	49.59	33.79	12.45	29.17	0.00	179	180 Average																																																																																																															
3 5965.00	105.81	-----	-----	88.16	34.31	12.60	29.26	0.00	179	179 Average																																																																																																															
4 6165.00	105.00	-----	-----	87.23	34.35	12.80	29.38	0.00	179	179 Average																																																																																																															
5 6405.00	105.81	-----	-----	87.33	34.93	13.12	29.57	0.00	179	179 AVERAGE																																																																																																															
6 6607.00	63.99	68.20	-4.21	44.68	35.84	13.24	29.77	0.00	179	180 Average																																																																																																															
7 6845.00	59.76	68.20	-8.44	40.23	36.05	13.49	30.01	0.00	179	179 Average																																																																																																															







Mode	24																																																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																																																			
	U-NII-5_5.925-6.425_CH3+43+91_5965+6165+6405MHz																																																																																																																																																																																																																			
ANT	MIMO																																																																																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																																																																																		
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORNI_041_240807 HORIZONTAL Mode : 24 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11930.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>58.22</td><td>38.85</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- -- Peak</td></tr><tr><td>2 12330.00</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>58.01</td><td>38.97</td><td>18.15</td><td>67.60</td><td>0.10</td><td>-- -- Peak</td></tr><tr><td>3 12810.00</td><td>49.59</td><td>88.20</td><td>-38.61</td><td>59.14</td><td>39.61</td><td>18.54</td><td>67.80</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>4 17895.00</td><td>51.94</td><td>74.00</td><td>-22.06</td><td>58.82</td><td>41.24</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- -- Peak</td></tr><tr><td>5 17895.00</td><td>42.91</td><td>54.00</td><td>-11.09</td><td>49.79</td><td>41.24</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- -- Average</td></tr><tr><td>6 18495.00</td><td>37.13</td><td>74.00</td><td>-36.87</td><td>39.68</td><td>38.15</td><td>22.31</td><td>53.47</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>7 19215.00</td><td>38.00</td><td>74.00</td><td>-36.00</td><td>40.49</td><td>37.91</td><td>22.81</td><td>53.67</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11930.00	47.58	74.00	-26.42	58.22	38.85	17.84	67.44	0.11	-- -- Peak	2 12330.00	47.63	74.00	-26.37	58.01	38.97	18.15	67.60	0.10	-- -- Peak	3 12810.00	49.59	88.20	-38.61	59.14	39.61	18.54	67.80	0.10	-- -- PEAK	4 17895.00	51.94	74.00	-22.06	58.82	41.24	21.87	70.19	0.20	-- -- Peak	5 17895.00	42.91	54.00	-11.09	49.79	41.24	21.87	70.19	0.20	-- -- Average	6 18495.00	37.13	74.00	-36.87	39.68	38.15	22.31	53.47	-9.54	-- -- Peak	7 19215.00	38.00	74.00	-36.00	40.49	37.91	22.81	53.67	-9.54	-- -- PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORNI_041_240807 VERTICAL Mode : 24 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11930.00</td><td>48.09</td><td>74.00</td><td>-25.91</td><td>58.77</td><td>38.81</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- -- Peak</td></tr><tr><td>2 11930.00</td><td>39.07</td><td>54.00</td><td>-14.93</td><td>49.75</td><td>38.81</td><td>17.84</td><td>67.44</td><td>0.11</td><td>-- -- Average</td></tr><tr><td>3 12330.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>57.91</td><td>38.93</td><td>18.15</td><td>67.60</td><td>0.10</td><td>-- -- Peak</td></tr><tr><td>4 12810.00</td><td>49.73</td><td>88.20</td><td>-38.47</td><td>59.35</td><td>39.54</td><td>18.54</td><td>67.80</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>5 17895.00</td><td>51.89</td><td>74.00</td><td>-22.11</td><td>58.53</td><td>41.48</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- -- Peak</td></tr><tr><td>6 17895.00</td><td>42.82</td><td>54.00</td><td>-11.18</td><td>49.46</td><td>41.48</td><td>21.87</td><td>70.19</td><td>0.20</td><td>-- -- Average</td></tr><tr><td>7 18495.00</td><td>37.75</td><td>74.00</td><td>-36.25</td><td>40.11</td><td>38.34</td><td>22.31</td><td>53.47</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>8 19215.00</td><td>39.11</td><td>74.00</td><td>-34.89</td><td>41.60</td><td>37.91</td><td>22.81</td><td>53.67</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11930.00	48.09	74.00	-25.91	58.77	38.81	17.84	67.44	0.11	-- -- Peak	2 11930.00	39.07	54.00	-14.93	49.75	38.81	17.84	67.44	0.11	-- -- Average	3 12330.00	47.49	74.00	-26.51	57.91	38.93	18.15	67.60	0.10	-- -- Peak	4 12810.00	49.73	88.20	-38.47	59.35	39.54	18.54	67.80	0.10	-- -- PEAK	5 17895.00	51.89	74.00	-22.11	58.53	41.48	21.87	70.19	0.20	-- -- Peak	6 17895.00	42.82	54.00	-11.18	49.46	41.48	21.87	70.19	0.20	-- -- Average	7 18495.00	37.75	74.00	-36.25	40.11	38.34	22.31	53.47	-9.54	-- -- Peak	8 19215.00	39.11	74.00	-34.89	41.60	37.91	22.81	53.67	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																											
1 11930.00	47.58	74.00	-26.42	58.22	38.85	17.84	67.44	0.11	-- -- Peak																																																																																																																																																																																																											
2 12330.00	47.63	74.00	-26.37	58.01	38.97	18.15	67.60	0.10	-- -- Peak																																																																																																																																																																																																											
3 12810.00	49.59	88.20	-38.61	59.14	39.61	18.54	67.80	0.10	-- -- PEAK																																																																																																																																																																																																											
4 17895.00	51.94	74.00	-22.06	58.82	41.24	21.87	70.19	0.20	-- -- Peak																																																																																																																																																																																																											
5 17895.00	42.91	54.00	-11.09	49.79	41.24	21.87	70.19	0.20	-- -- Average																																																																																																																																																																																																											
6 18495.00	37.13	74.00	-36.87	39.68	38.15	22.31	53.47	-9.54	-- -- Peak																																																																																																																																																																																																											
7 19215.00	38.00	74.00	-36.00	40.49	37.91	22.81	53.67	-9.54	-- -- PEAK																																																																																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																											
1 11930.00	48.09	74.00	-25.91	58.77	38.81	17.84	67.44	0.11	-- -- Peak																																																																																																																																																																																																											
2 11930.00	39.07	54.00	-14.93	49.75	38.81	17.84	67.44	0.11	-- -- Average																																																																																																																																																																																																											
3 12330.00	47.49	74.00	-26.51	57.91	38.93	18.15	67.60	0.10	-- -- Peak																																																																																																																																																																																																											
4 12810.00	49.73	88.20	-38.47	59.35	39.54	18.54	67.80	0.10	-- -- PEAK																																																																																																																																																																																																											
5 17895.00	51.89	74.00	-22.11	58.53	41.48	21.87	70.19	0.20	-- -- Peak																																																																																																																																																																																																											
6 17895.00	42.82	54.00	-11.18	49.46	41.48	21.87	70.19	0.20	-- -- Average																																																																																																																																																																																																											
7 18495.00	37.75	74.00	-36.25	40.11	38.34	22.31	53.47	-9.54	-- -- Peak																																																																																																																																																																																																											
8 19215.00	39.11	74.00	-34.89	41.60	37.91	22.81	53.67	-9.54	-- -- PEAK																																																																																																																																																																																																											







Mode	24	
	Harmonic	
	U-NII-5_5.925-6.425_ CH3+43+91_ 5965+6165+6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL Mode : 24	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL Mode : 24
	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 24	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 24





		25																																																																																																																						
Mode	Band Edge - L																																																																																																																							
	U-NII-5_5.925-6.425_CH3+11+19+27_5965+6005+6045+6085MHz																																																																																																																							
ANT	MIMO																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																								
	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.96</td><td>71.09</td><td>88.20 -17.11</td><td>53.49</td><td>34.25</td><td>12.59</td><td>29.24</td><td>0.00</td><td>200</td><td>179 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.96	71.09	88.20 -17.11	53.49	34.25	12.59	29.24	0.00	200	179 PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>111.41</td><td>-----</td><td>93.83</td><td>34.24</td><td>12.60</td><td>29.26</td><td>0.00</td><td>200</td><td>179 Peak</td></tr><tr><td>2 6005.00</td><td>112.76</td><td>-----</td><td>95.21</td><td>34.21</td><td>12.62</td><td>29.28</td><td>0.00</td><td>200</td><td>179 Peak</td></tr><tr><td>3 6045.00</td><td>109.15</td><td>-----</td><td>91.63</td><td>34.17</td><td>12.66</td><td>29.31</td><td>0.00</td><td>200</td><td>179 Peak</td></tr><tr><td>4 6085.00</td><td>109.41</td><td>-----</td><td>91.85</td><td>34.18</td><td>12.71</td><td>29.33</td><td>0.00</td><td>200</td><td>179 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5965.00	111.41	-----	93.83	34.24	12.60	29.26	0.00	200	179 Peak	2 6005.00	112.76	-----	95.21	34.21	12.62	29.28	0.00	200	179 Peak	3 6045.00	109.15	-----	91.63	34.17	12.66	29.31	0.00	200	179 Peak	4 6085.00	109.41	-----	91.85	34.18	12.71	29.33	0.00	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																															
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5924.96	71.09	88.20 -17.11	53.49	34.25	12.59	29.24	0.00	200	179 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																															
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5965.00	111.41	-----	93.83	34.24	12.60	29.26	0.00	200	179 Peak																																																																																																															
2 6005.00	112.76	-----	95.21	34.21	12.62	29.28	0.00	200	179 Peak																																																																																																															
3 6045.00	109.15	-----	91.63	34.17	12.66	29.31	0.00	200	179 Peak																																																																																																															
4 6085.00	109.41	-----	91.85	34.18	12.71	29.33	0.00	200	179 Peak																																																																																																															
Avg																																																																																																																								
	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.68</td><td>65.72</td><td>68.20 -2.48</td><td>48.12</td><td>34.25</td><td>12.59</td><td>29.24</td><td>0.00</td><td>200</td><td>179 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.68	65.72	68.20 -2.48	48.12	34.25	12.59	29.24	0.00	200	179 AVERAGE	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5965.00</td><td>102.50</td><td>-----</td><td>84.92</td><td>34.24</td><td>12.60</td><td>29.26</td><td>0.00</td><td>200</td><td>179 Average</td></tr><tr><td>2 6005.00</td><td>104.45</td><td>-----</td><td>86.90</td><td>34.21</td><td>12.62</td><td>29.28</td><td>0.00</td><td>200</td><td>179 Average</td></tr><tr><td>3 6045.00</td><td>101.71</td><td>-----</td><td>84.19</td><td>34.17</td><td>12.66</td><td>29.31</td><td>0.00</td><td>200</td><td>179 Average</td></tr><tr><td>4 6085.00</td><td>101.22</td><td>-----</td><td>83.67</td><td>34.18</td><td>12.70</td><td>29.33</td><td>0.00</td><td>200</td><td>179 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5965.00	102.50	-----	84.92	34.24	12.60	29.26	0.00	200	179 Average	2 6005.00	104.45	-----	86.90	34.21	12.62	29.28	0.00	200	179 Average	3 6045.00	101.71	-----	84.19	34.17	12.66	29.31	0.00	200	179 Average	4 6085.00	101.22	-----	83.67	34.18	12.70	29.33	0.00	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																															
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5924.68	65.72	68.20 -2.48	48.12	34.25	12.59	29.24	0.00	200	179 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																															
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5965.00	102.50	-----	84.92	34.24	12.60	29.26	0.00	200	179 Average																																																																																																															
2 6005.00	104.45	-----	86.90	34.21	12.62	29.28	0.00	200	179 Average																																																																																																															
3 6045.00	101.71	-----	84.19	34.17	12.66	29.31	0.00	200	179 Average																																																																																																															
4 6085.00	101.22	-----	83.67	34.18	12.70	29.33	0.00	200	179 Average																																																																																																															







		25																																																																																																																																	
Mode	Band Edge - L																																																																																																																																		
	U-NII-5_5.925-6.425_CH3+11+19+27_5965+6005+6045+6085MHz																																																																																																																																		
ANT	MIMO																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5912.64</td><td>70.37</td><td>88.20</td><td>-17.83</td><td>52.71</td><td>34.31</td><td>12.59</td><td>29.24</td><td>0.00</td><td>186</td><td>183</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5912.64	70.37	88.20	-17.83	52.71	34.31	12.59	29.24	0.00	186	183	PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>112.11</td><td>-----</td><td>94.46</td><td>34.31</td><td>12.60</td><td>29.26</td><td>0.00</td><td>186</td><td>183</td><td>Peak</td></tr><tr><td>2</td><td>6005.00</td><td>114.58</td><td>-----</td><td>96.95</td><td>34.29</td><td>12.62</td><td>29.28</td><td>0.00</td><td>186</td><td>183</td><td>Peak</td></tr><tr><td>3</td><td>6045.00</td><td>111.67</td><td>-----</td><td>94.05</td><td>34.27</td><td>12.66</td><td>29.31</td><td>0.00</td><td>186</td><td>183</td><td>Peak</td></tr><tr><td>4</td><td>6085.00</td><td>112.86</td><td>-----</td><td>95.20</td><td>34.28</td><td>12.71</td><td>29.33</td><td>0.00</td><td>186</td><td>183</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	112.11	-----	94.46	34.31	12.60	29.26	0.00	186	183	Peak	2	6005.00	114.58	-----	96.95	34.29	12.62	29.28	0.00	186	183	Peak	3	6045.00	111.67	-----	94.05	34.27	12.66	29.31	0.00	186	183	Peak	4	6085.00	112.86	-----	95.20	34.28	12.71	29.33	0.00	186	183
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5912.64	70.37	88.20	-17.83	52.71	34.31	12.59	29.24	0.00	186	183	PEAK																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5965.00	112.11	-----	94.46	34.31	12.60	29.26	0.00	186	183	Peak																																																																																																																								
2	6005.00	114.58	-----	96.95	34.29	12.62	29.28	0.00	186	183	Peak																																																																																																																								
3	6045.00	111.67	-----	94.05	34.27	12.66	29.31	0.00	186	183	Peak																																																																																																																								
4	6085.00	112.86	-----	95.20	34.28	12.71	29.33	0.00	186	183	Peak																																																																																																																								
Avg																																																																																																																																			
	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>61.58</td><td>68.20</td><td>-6.62</td><td>43.92</td><td>34.31</td><td>12.59</td><td>29.24</td><td>0.00</td><td>186</td><td>183</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	61.58	68.20	-6.62	43.92	34.31	12.59	29.24	0.00	186	183	AVERAGE	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>104.24</td><td>-----</td><td>86.59</td><td>34.31</td><td>12.60</td><td>29.26</td><td>0.00</td><td>186</td><td>183</td><td>Average</td></tr><tr><td>2</td><td>6005.00</td><td>106.78</td><td>-----</td><td>89.15</td><td>34.29</td><td>12.62</td><td>29.28</td><td>0.00</td><td>186</td><td>183</td><td>Average</td></tr><tr><td>3</td><td>6045.00</td><td>103.49</td><td>-----</td><td>85.87</td><td>34.27</td><td>12.66</td><td>29.31</td><td>0.00</td><td>186</td><td>183</td><td>Average</td></tr><tr><td>4</td><td>6085.00</td><td>104.35</td><td>-----</td><td>86.70</td><td>34.28</td><td>12.70</td><td>29.33</td><td>0.00</td><td>186</td><td>183</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.24	-----	86.59	34.31	12.60	29.26	0.00	186	183	Average	2	6005.00	106.78	-----	89.15	34.29	12.62	29.28	0.00	186	183	Average	3	6045.00	103.49	-----	85.87	34.27	12.66	29.31	0.00	186	183	Average	4	6085.00	104.35	-----	86.70	34.28	12.70	29.33	0.00	186	183
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5924.96	61.58	68.20	-6.62	43.92	34.31	12.59	29.24	0.00	186	183	AVERAGE																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5965.00	104.24	-----	86.59	34.31	12.60	29.26	0.00	186	183	Average																																																																																																																								
2	6005.00	106.78	-----	89.15	34.29	12.62	29.28	0.00	186	183	Average																																																																																																																								
3	6045.00	103.49	-----	85.87	34.27	12.66	29.31	0.00	186	183	Average																																																																																																																								
4	6085.00	104.35	-----	86.70	34.28	12.70	29.33	0.00	186	183	Average																																																																																																																								





	25																																																																																																																																																																																																																																																																																																																																																																																											
Mode	Harmonic																																																																																																																																																																																																																																																																																																																																																																																											
	U-NII-5_5.925-6.425_ CH3+11+19+27_ 5965+6005+6045+6085MHz																																																																																																																																																																																																																																																																																																																																																																																											
ANT	MIMO																																																																																																																																																																																																																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																																																										
Peak																																																																																																																																																																																																																																																																																																																																																																																												
Avg	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 25 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>48.83</td><td>74.00</td><td>-25.17</td><td></td><td>59.47</td><td>38.85</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11930.00</td><td>39.78</td><td>54.00</td><td>-14.22</td><td></td><td>50.42</td><td>38.85</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>12010.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td></td><td>57.32</td><td>38.97</td><td>17.90</td><td>67.28</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>12090.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td></td><td>57.57</td><td>39.04</td><td>17.96</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>12170.00</td><td>48.05</td><td>74.00</td><td>-25.95</td><td></td><td>58.05</td><td>39.09</td><td>18.03</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>12170.00</td><td>38.94</td><td>54.00</td><td>-15.06</td><td></td><td>48.94</td><td>39.09</td><td>18.03</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>7</td><td>17895.00</td><td>52.11</td><td>74.00</td><td>-21.89</td><td></td><td>58.99</td><td>41.24</td><td>21.87</td><td>70.19</td><td>0.20</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>8</td><td>17895.00</td><td>43.08</td><td>54.00</td><td>-10.92</td><td></td><td>49.96</td><td>41.24</td><td>21.87</td><td>70.19</td><td>0.20</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>9</td><td>18015.00</td><td>36.43</td><td>74.00</td><td>-37.57</td><td></td><td>39.23</td><td>37.82</td><td>21.95</td><td>53.03</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>18135.00</td><td>36.76</td><td>74.00</td><td>-37.24</td><td></td><td>39.68</td><td>37.08</td><td>22.04</td><td>53.30</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>11</td><td>18255.00</td><td>36.71</td><td>74.00</td><td>-37.29</td><td></td><td>39.50</td><td>37.96</td><td>22.13</td><td>53.34</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	deg		1	11930.00	48.83	74.00	-25.17		59.47	38.85	17.84	67.44	0.11	--	--	PEAK	2	11930.00	39.78	54.00	-14.22		50.42	38.85	17.84	67.44	0.11	--	--	Average	3	12010.00	47.01	74.00	-26.99		57.32	38.97	17.90	67.28	0.10	--	--	Peak	4	12090.00	47.45	74.00	-26.55		57.57	39.04	17.96	67.22	0.10	--	--	Peak	5	12170.00	48.05	74.00	-25.95		58.05	39.09	18.03	67.22	0.10	--	--	Peak	6	12170.00	38.94	54.00	-15.06		48.94	39.09	18.03	67.22	0.10	--	--	Average	7	17895.00	52.11	74.00	-21.89		58.99	41.24	21.87	70.19	0.20	--	--	PEAK	8	17895.00	43.08	54.00	-10.92		49.96	41.24	21.87	70.19	0.20	--	--	Average	9	18015.00	36.43	74.00	-37.57		39.23	37.82	21.95	53.03	-9.54	--	--	Peak	10	18135.00	36.76	74.00	-37.24		39.68	37.08	22.04	53.30	-9.54	--	--	Peak	11	18255.00	36.71	74.00	-37.29		39.50	37.96	22.13	53.34	-9.54	--	--	Peak	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 25 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>48.40</td><td>74.00</td><td>-25.60</td><td></td><td>59.08</td><td>38.81</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11930.00</td><td>39.40</td><td>54.00</td><td>-14.60</td><td></td><td>50.08</td><td>38.81</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>12010.00</td><td>48.57</td><td>74.00</td><td>-25.43</td><td></td><td>58.92</td><td>38.93</td><td>17.90</td><td>67.28</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>12010.00</td><td>39.45</td><td>54.00</td><td>-14.55</td><td></td><td>49.80</td><td>38.93</td><td>17.90</td><td>67.28</td><td>0.10</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>5</td><td>12090.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td></td><td>57.51</td><td>39.02</td><td>17.96</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>12170.00</td><td>48.07</td><td>74.00</td><td>-25.93</td><td></td><td>58.09</td><td>39.07</td><td>18.03</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12170.00</td><td>38.99</td><td>54.00</td><td>-15.01</td><td></td><td>49.01</td><td>39.07</td><td>18.03</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>17895.00</td><td>52.45</td><td>74.00</td><td>-21.55</td><td></td><td>59.09</td><td>41.48</td><td>21.87</td><td>70.19</td><td>0.20</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>9</td><td>17895.00</td><td>43.41</td><td>54.00</td><td>-10.59</td><td></td><td>50.05</td><td>41.48</td><td>21.87</td><td>70.19</td><td>0.20</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>10</td><td>18015.00</td><td>37.47</td><td>74.00</td><td>-36.53</td><td></td><td>40.08</td><td>38.01</td><td>21.95</td><td>53.03</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>11</td><td>18135.00</td><td>36.78</td><td>74.00</td><td>-37.22</td><td></td><td>39.68</td><td>37.98</td><td>22.04</td><td>53.30</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>12</td><td>18255.00</td><td>37.40</td><td>74.00</td><td>-36.60</td><td></td><td>40.03</td><td>38.12</td><td>22.13</td><td>53.34</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	deg		1	11930.00	48.40	74.00	-25.60		59.08	38.81	17.84	67.44	0.11	--	--	PEAK	2	11930.00	39.40	54.00	-14.60		50.08	38.81	17.84	67.44	0.11	--	--	Average	3	12010.00	48.57	74.00	-25.43		58.92	38.93	17.90	67.28	0.10	--	--	Peak	4	12010.00	39.45	54.00	-14.55		49.80	38.93	17.90	67.28	0.10	--	--	Average	5	12090.00	47.37	74.00	-26.63		57.51	39.02	17.96	67.22	0.10	--	--	Peak	6	12170.00	48.07	74.00	-25.93		58.09	39.07	18.03	67.22	0.10	--	--	Peak	7	12170.00	38.99	54.00	-15.01		49.01	39.07	18.03	67.22	0.10	--	--	Average	8	17895.00	52.45	74.00	-21.55		59.09	41.48	21.87	70.19	0.20	--	--	PEAK	9	17895.00	43.41	54.00	-10.59		50.05	41.48	21.87	70.19	0.20	--	--	Average	10	18015.00	37.47	74.00	-36.53		40.08	38.01	21.95	53.03	-9.54	--	--	Peak	11	18135.00	36.78	74.00	-37.22		39.68	37.98	22.04	53.30	-9.54	--	--	Peak	12	18255.00	37.40	74.00	-36.60		40.03	38.12	22.13	53.34	-9.54	--	--	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	deg																																																																																																																																																																																																																																																																																																																																																																																
1	11930.00	48.83	74.00	-25.17		59.47	38.85	17.84	67.44	0.11	--	--	PEAK																																																																																																																																																																																																																																																																																																																																																																															
2	11930.00	39.78	54.00	-14.22		50.42	38.85	17.84	67.44	0.11	--	--	Average																																																																																																																																																																																																																																																																																																																																																																															
3	12010.00	47.01	74.00	-26.99		57.32	38.97	17.90	67.28	0.10	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																															
4	12090.00	47.45	74.00	-26.55		57.57	39.04	17.96	67.22	0.10	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																															
5	12170.00	48.05	74.00	-25.95		58.05	39.09	18.03	67.22	0.10	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																															
6	12170.00	38.94	54.00	-15.06		48.94	39.09	18.03	67.22	0.10	--	--	Average																																																																																																																																																																																																																																																																																																																																																																															
7	17895.00	52.11	74.00	-21.89		58.99	41.24	21.87	70.19	0.20	--	--	PEAK																																																																																																																																																																																																																																																																																																																																																																															
8	17895.00	43.08	54.00	-10.92		49.96	41.24	21.87	70.19	0.20	--	--	Average																																																																																																																																																																																																																																																																																																																																																																															
9	18015.00	36.43	74.00	-37.57		39.23	37.82	21.95	53.03	-9.54	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																															
10	18135.00	36.76	74.00	-37.24		39.68	37.08	22.04	53.30	-9.54	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																															
11	18255.00	36.71	74.00	-37.29		39.50	37.96	22.13	53.34	-9.54	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	deg																																																																																																																																																																																																																																																																																																																																																																																
1	11930.00	48.40	74.00	-25.60		59.08	38.81	17.84	67.44	0.11	--	--	PEAK																																																																																																																																																																																																																																																																																																																																																																															
2	11930.00	39.40	54.00	-14.60		50.08	38.81	17.84	67.44	0.11	--	--	Average																																																																																																																																																																																																																																																																																																																																																																															
3	12010.00	48.57	74.00	-25.43		58.92	38.93	17.90	67.28	0.10	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																															
4	12010.00	39.45	54.00	-14.55		49.80	38.93	17.90	67.28	0.10	--	--	Average																																																																																																																																																																																																																																																																																																																																																																															
5	12090.00	47.37	74.00	-26.63		57.51	39.02	17.96	67.22	0.10	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																															
6	12170.00	48.07	74.00	-25.93		58.09	39.07	18.03	67.22	0.10	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																															
7	12170.00	38.99	54.00	-15.01		49.01	39.07	18.03	67.22	0.10	--	--	Average																																																																																																																																																																																																																																																																																																																																																																															
8	17895.00	52.45	74.00	-21.55		59.09	41.48	21.87	70.19	0.20	--	--	PEAK																																																																																																																																																																																																																																																																																																																																																																															
9	17895.00	43.41	54.00	-10.59		50.05	41.48	21.87	70.19	0.20	--	--	Average																																																																																																																																																																																																																																																																																																																																																																															
10	18015.00	37.47	74.00	-36.53		40.08	38.01	21.95	53.03	-9.54	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																															
11	18135.00	36.78	74.00	-37.22		39.68	37.98	22.04	53.30	-9.54	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																															
12	18255.00	37.40	74.00	-36.60		40.03	38.12	22.13	53.34	-9.54	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																															





Mode	25	
	Harmonic	
	U-NII-5_5.925-6.425_CH3+11+19+27_5965+6005+6045+6085MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL Mode : 25	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL Mode : 25
	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 25	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 25





Mode	26																																																																																					
	Band Edge																																																																																					
	U-NII-5_5.925-6.425_CH35+43+51+59_6125+6165+6205+6245MHz																																																																																					
ANT	MIMO																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6125.00</td><td>125.73</td><td>-----</td><td>-----</td><td>-----</td><td>108.18</td><td>34.15</td><td>12.75</td><td>29.35</td><td>0.00</td><td>174</td><td>181</td><td>Peak</td></tr><tr><td>2</td><td>6165.00</td><td>108.80</td><td>-----</td><td>-----</td><td>-----</td><td>91.21</td><td>34.17</td><td>12.80</td><td>29.38</td><td>0.00</td><td>174</td><td>181</td><td>Peak</td></tr><tr><td>3</td><td>6205.00</td><td>121.93</td><td>-----</td><td>-----</td><td>-----</td><td>104.25</td><td>34.22</td><td>12.85</td><td>29.39</td><td>0.00</td><td>174</td><td>181</td><td>Peak</td></tr><tr><td>4</td><td>6245.00</td><td>121.05</td><td>-----</td><td>-----</td><td>-----</td><td>103.27</td><td>34.31</td><td>12.90</td><td>29.43</td><td>0.00</td><td>174</td><td>181</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6125.00	125.73	-----	-----	-----	108.18	34.15	12.75	29.35	0.00	174	181	Peak	2	6165.00	108.80	-----	-----	-----	91.21	34.17	12.80	29.38	0.00	174	181	Peak	3	6205.00	121.93	-----	-----	-----	104.25	34.22	12.85	29.39	0.00	174	181	Peak	4	6245.00	121.05	-----	-----	-----	103.27	34.31	12.90	29.43	0.00	174	181	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																									
1	6125.00	125.73	-----	-----	-----	108.18	34.15	12.75	29.35	0.00	174	181	Peak																																																																									
2	6165.00	108.80	-----	-----	-----	91.21	34.17	12.80	29.38	0.00	174	181	Peak																																																																									
3	6205.00	121.93	-----	-----	-----	104.25	34.22	12.85	29.39	0.00	174	181	Peak																																																																									
4	6245.00	121.05	-----	-----	-----	103.27	34.31	12.90	29.43	0.00	174	181	Peak																																																																									
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6125.00</td><td>115.53</td><td>-----</td><td>-----</td><td>-----</td><td>97.98</td><td>34.15</td><td>12.75</td><td>29.35</td><td>0.00</td><td>174</td><td>181</td><td>Average</td></tr><tr><td>2</td><td>6165.00</td><td>102.34</td><td>-----</td><td>-----</td><td>-----</td><td>84.75</td><td>34.17</td><td>12.80</td><td>29.38</td><td>0.00</td><td>174</td><td>181</td><td>Average</td></tr><tr><td>3</td><td>6205.00</td><td>110.81</td><td>-----</td><td>-----</td><td>-----</td><td>93.13</td><td>34.22</td><td>12.85</td><td>29.39</td><td>0.00</td><td>174</td><td>181</td><td>Average</td></tr><tr><td>4</td><td>6245.00</td><td>111.67</td><td>-----</td><td>-----</td><td>-----</td><td>93.89</td><td>34.31</td><td>12.90</td><td>29.43</td><td>0.00</td><td>174</td><td>181</td><td>Average</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6125.00	115.53	-----	-----	-----	97.98	34.15	12.75	29.35	0.00	174	181	Average	2	6165.00	102.34	-----	-----	-----	84.75	34.17	12.80	29.38	0.00	174	181	Average	3	6205.00	110.81	-----	-----	-----	93.13	34.22	12.85	29.39	0.00	174	181	Average	4	6245.00	111.67	-----	-----	-----	93.89	34.31	12.90	29.43	0.00	174	181	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																									
1	6125.00	115.53	-----	-----	-----	97.98	34.15	12.75	29.35	0.00	174	181	Average																																																																									
2	6165.00	102.34	-----	-----	-----	84.75	34.17	12.80	29.38	0.00	174	181	Average																																																																									
3	6205.00	110.81	-----	-----	-----	93.13	34.22	12.85	29.39	0.00	174	181	Average																																																																									
4	6245.00	111.67	-----	-----	-----	93.89	34.31	12.90	29.43	0.00	174	181	Average																																																																									







Mode	26																																																																							
	Band Edge																																																																							
	U-NII-5_5.925-6.425_CH35+43+51+59_6125+6165+6205+6245MHz																																																																							
ANT	MIMO																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6125.00</td><td>118.12</td><td>-----</td><td>100.57</td><td>34.15</td><td>12.75</td><td>29.35</td><td>0.00</td><td>174 191 Peak</td></tr><tr><td>2</td><td>6165.00</td><td>124.28</td><td>-----</td><td>106.67</td><td>34.19</td><td>12.80</td><td>29.38</td><td>0.00</td><td>174 191 Peak</td></tr><tr><td>3</td><td>6205.00</td><td>119.73</td><td>-----</td><td>102.02</td><td>34.25</td><td>12.85</td><td>29.39</td><td>0.00</td><td>174 191 Peak</td></tr><tr><td>4</td><td>6245.00</td><td>118.69</td><td>-----</td><td>100.89</td><td>34.33</td><td>12.90</td><td>29.43</td><td>0.00</td><td>174 191 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6125.00	118.12	-----	100.57	34.15	12.75	29.35	0.00	174 191 Peak	2	6165.00	124.28	-----	106.67	34.19	12.80	29.38	0.00	174 191 Peak	3	6205.00	119.73	-----	102.02	34.25	12.85	29.39	0.00	174 191 Peak	4	6245.00	118.69	-----	100.89	34.33	12.90	29.43	0.00	174 191 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1	6125.00	118.12	-----	100.57	34.15	12.75	29.35	0.00	174 191 Peak																																																															
2	6165.00	124.28	-----	106.67	34.19	12.80	29.38	0.00	174 191 Peak																																																															
3	6205.00	119.73	-----	102.02	34.25	12.85	29.39	0.00	174 191 Peak																																																															
4	6245.00	118.69	-----	100.89	34.33	12.90	29.43	0.00	174 191 Peak																																																															
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6125.00</td><td>110.18</td><td>-----</td><td>92.63</td><td>34.15</td><td>12.75</td><td>29.35</td><td>0.00</td><td>174 191 Average</td></tr><tr><td>2</td><td>6165.00</td><td>117.10</td><td>-----</td><td>99.49</td><td>34.19</td><td>12.80</td><td>29.38</td><td>0.00</td><td>174 191 Average</td></tr><tr><td>3</td><td>6205.00</td><td>115.83</td><td>-----</td><td>98.12</td><td>34.25</td><td>12.85</td><td>29.39</td><td>0.00</td><td>174 191 Average</td></tr><tr><td>4</td><td>6245.00</td><td>110.48</td><td>-----</td><td>92.68</td><td>34.33</td><td>12.90</td><td>29.43</td><td>0.00</td><td>174 191 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6125.00	110.18	-----	92.63	34.15	12.75	29.35	0.00	174 191 Average	2	6165.00	117.10	-----	99.49	34.19	12.80	29.38	0.00	174 191 Average	3	6205.00	115.83	-----	98.12	34.25	12.85	29.39	0.00	174 191 Average	4	6245.00	110.48	-----	92.68	34.33	12.90	29.43	0.00	174 191 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1	6125.00	110.18	-----	92.63	34.15	12.75	29.35	0.00	174 191 Average																																																															
2	6165.00	117.10	-----	99.49	34.19	12.80	29.38	0.00	174 191 Average																																																															
3	6205.00	115.83	-----	98.12	34.25	12.85	29.39	0.00	174 191 Average																																																															
4	6245.00	110.48	-----	92.68	34.33	12.90	29.43	0.00	174 191 Average																																																															





Mode	26																																																																																																																																																																																																																																																																																																																																															
	Harmonic																																																																																																																																																																																																																																																																																																																																															
	U-NII-5_5.925-6.425_ CH35+43+51+59_ 6125+6165+6205+6245MHz																																																																																																																																																																																																																																																																																																																																															
ANT	MIMO																																																																																																																																																																																																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																														
Peak																																																																																																																																																																																																																																																																																																																																																
Avg	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 26 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12250.00</td><td>49.33</td><td>74.00</td><td>-24.67</td><td>59.46</td><td>39.05</td><td>18.09</td><td>67.37</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 12250.00</td><td>40.25</td><td>54.00</td><td>-13.75</td><td>50.38</td><td>39.05</td><td>18.09</td><td>67.37</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3 12330.00</td><td>48.45</td><td>74.00</td><td>-25.55</td><td>58.83</td><td>38.97</td><td>18.15</td><td>67.60</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4 12330.00</td><td>39.43</td><td>54.00</td><td>-14.57</td><td>49.01</td><td>38.97</td><td>18.15</td><td>67.60</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>5 12410.00</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>58.30</td><td>38.92</td><td>18.22</td><td>67.50</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6 12430.00</td><td>47.97</td><td>74.00</td><td>-26.04</td><td>58.28</td><td>38.91</td><td>18.23</td><td>67.55</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7 18375.00</td><td>37.07</td><td>74.00</td><td>-36.93</td><td>39.74</td><td>37.95</td><td>22.22</td><td>53.30</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>8 18495.00</td><td>38.36</td><td>74.00</td><td>-35.64</td><td>40.91</td><td>38.15</td><td>22.31</td><td>53.47</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9 18615.00</td><td>38.32</td><td>74.00</td><td>-35.68</td><td>40.93</td><td>38.11</td><td>22.40</td><td>53.58</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10 18735.00</td><td>37.53</td><td>74.00</td><td>-36.47</td><td>39.90</td><td>38.13</td><td>22.48</td><td>53.44</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12250.00	49.33	74.00	-24.67	59.46	39.05	18.09	67.37	0.10	--	--	--	Peak	2 12250.00	40.25	54.00	-13.75	50.38	39.05	18.09	67.37	0.10	--	--	--	Average	3 12330.00	48.45	74.00	-25.55	58.83	38.97	18.15	67.60	0.10	--	--	--	Peak	4 12330.00	39.43	54.00	-14.57	49.01	38.97	18.15	67.60	0.10	--	--	--	Average	5 12410.00	47.96	74.00	-26.04	58.30	38.92	18.22	67.50	0.10	--	--	--	Peak	6 12430.00	47.97	74.00	-26.04	58.28	38.91	18.23	67.55	0.10	--	--	--	Peak	7 18375.00	37.07	74.00	-36.93	39.74	37.95	22.22	53.30	-9.54	--	--	--	Peak	8 18495.00	38.36	74.00	-35.64	40.91	38.15	22.31	53.47	-9.54	--	--	--	Peak	9 18615.00	38.32	74.00	-35.68	40.93	38.11	22.40	53.58	-9.54	--	--	--	Peak	10 18735.00	37.53	74.00	-36.47	39.90	38.13	22.48	53.44	-9.54	--	--	--	Peak	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 26 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12250.00</td><td>48.43</td><td>74.00</td><td>-25.57</td><td>58.59</td><td>39.02</td><td>18.09</td><td>67.37</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 12250.00</td><td>39.41</td><td>54.00</td><td>-14.59</td><td>49.57</td><td>39.02</td><td>18.09</td><td>67.37</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3 12330.00</td><td>48.11</td><td>74.00</td><td>-25.89</td><td>58.53</td><td>38.93</td><td>18.15</td><td>67.60</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4 12330.00</td><td>39.00</td><td>54.00</td><td>-15.00</td><td>49.42</td><td>38.93</td><td>18.15</td><td>67.60</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>5 12410.00</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>58.25</td><td>38.85</td><td>18.22</td><td>67.50</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6 12430.00</td><td>47.94</td><td>74.00</td><td>-26.06</td><td>58.32</td><td>38.84</td><td>18.23</td><td>67.55</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7 18375.00</td><td>37.39</td><td>74.00</td><td>-36.61</td><td>39.84</td><td>38.17</td><td>22.22</td><td>53.30</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>8 18495.00</td><td>38.17</td><td>74.00</td><td>-35.83</td><td>40.53</td><td>38.34</td><td>22.31</td><td>53.47</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9 18615.00</td><td>38.22</td><td>74.00</td><td>-35.78</td><td>40.76</td><td>38.18</td><td>22.40</td><td>53.58</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10 18735.00</td><td>37.33</td><td>74.00</td><td>-36.67</td><td>39.57</td><td>38.26</td><td>22.48</td><td>53.44</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12250.00	48.43	74.00	-25.57	58.59	39.02	18.09	67.37	0.10	--	--	--	Peak	2 12250.00	39.41	54.00	-14.59	49.57	39.02	18.09	67.37	0.10	--	--	--	Average	3 12330.00	48.11	74.00	-25.89	58.53	38.93	18.15	67.60	0.10	--	--	--	Peak	4 12330.00	39.00	54.00	-15.00	49.42	38.93	18.15	67.60	0.10	--	--	--	Average	5 12410.00	47.84	74.00	-26.16	58.25	38.85	18.22	67.50	0.10	--	--	--	Peak	6 12430.00	47.94	74.00	-26.06	58.32	38.84	18.23	67.55	0.10	--	--	--	Peak	7 18375.00	37.39	74.00	-36.61	39.84	38.17	22.22	53.30	-9.54	--	--	--	Peak	8 18495.00	38.17	74.00	-35.83	40.53	38.34	22.31	53.47	-9.54	--	--	--	Peak	9 18615.00	38.22	74.00	-35.78	40.76	38.18	22.40	53.58	-9.54	--	--	--	Peak	10 18735.00	37.33	74.00	-36.67	39.57	38.26	22.48	53.44	-9.54	--	--	--	Peak
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																						
1 12250.00	49.33	74.00	-24.67	59.46	39.05	18.09	67.37	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																				
2 12250.00	40.25	54.00	-13.75	50.38	39.05	18.09	67.37	0.10	--	--	--	Average																																																																																																																																																																																																																																																																																																																																				
3 12330.00	48.45	74.00	-25.55	58.83	38.97	18.15	67.60	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																				
4 12330.00	39.43	54.00	-14.57	49.01	38.97	18.15	67.60	0.10	--	--	--	Average																																																																																																																																																																																																																																																																																																																																				
5 12410.00	47.96	74.00	-26.04	58.30	38.92	18.22	67.50	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																				
6 12430.00	47.97	74.00	-26.04	58.28	38.91	18.23	67.55	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																				
7 18375.00	37.07	74.00	-36.93	39.74	37.95	22.22	53.30	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																				
8 18495.00	38.36	74.00	-35.64	40.91	38.15	22.31	53.47	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																				
9 18615.00	38.32	74.00	-35.68	40.93	38.11	22.40	53.58	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																				
10 18735.00	37.53	74.00	-36.47	39.90	38.13	22.48	53.44	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																				
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																						
1 12250.00	48.43	74.00	-25.57	58.59	39.02	18.09	67.37	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																				
2 12250.00	39.41	54.00	-14.59	49.57	39.02	18.09	67.37	0.10	--	--	--	Average																																																																																																																																																																																																																																																																																																																																				
3 12330.00	48.11	74.00	-25.89	58.53	38.93	18.15	67.60	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																				
4 12330.00	39.00	54.00	-15.00	49.42	38.93	18.15	67.60	0.10	--	--	--	Average																																																																																																																																																																																																																																																																																																																																				
5 12410.00	47.84	74.00	-26.16	58.25	38.85	18.22	67.50	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																				
6 12430.00	47.94	74.00	-26.06	58.32	38.84	18.23	67.55	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																				
7 18375.00	37.39	74.00	-36.61	39.84	38.17	22.22	53.30	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																				
8 18495.00	38.17	74.00	-35.83	40.53	38.34	22.31	53.47	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																				
9 18615.00	38.22	74.00	-35.78	40.76	38.18	22.40	53.58	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																				
10 18735.00	37.33	74.00	-36.67	39.57	38.26	22.48	53.44	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																				





Mode	26	
	Harmonic	
	U-NII-5_5.925-6.425_CH35+43+51+59_6125+6165+6205+6245MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL Mode : 26	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL Mode : 26
	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 26	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 26





Mode	27																																																																																					
	Band Edge																																																																																					
	U-NII-5_5.925-6.425_CH67+75+83+91_6285+6325+6365+6405MHz																																																																																					
ANT	MIMO																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6285.00</td><td>123.29</td><td>-----</td><td>-----</td><td>-----</td><td>105.40</td><td>34.40</td><td>12.96</td><td>29.47</td><td>0.00</td><td>174</td><td>181</td><td>Peak</td></tr><tr><td>2</td><td>6325.00</td><td>121.77</td><td>-----</td><td>-----</td><td>-----</td><td>103.74</td><td>34.51</td><td>13.02</td><td>29.50</td><td>0.00</td><td>174</td><td>181</td><td>Peak</td></tr><tr><td>3</td><td>6365.00</td><td>121.30</td><td>-----</td><td>-----</td><td>-----</td><td>103.15</td><td>34.61</td><td>13.07</td><td>29.53</td><td>0.00</td><td>174</td><td>181</td><td>Peak</td></tr><tr><td>4</td><td>6405.00</td><td>116.21</td><td>-----</td><td>-----</td><td>-----</td><td>97.94</td><td>34.72</td><td>13.12</td><td>29.57</td><td>0.00</td><td>174</td><td>181</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6285.00	123.29	-----	-----	-----	105.40	34.40	12.96	29.47	0.00	174	181	Peak	2	6325.00	121.77	-----	-----	-----	103.74	34.51	13.02	29.50	0.00	174	181	Peak	3	6365.00	121.30	-----	-----	-----	103.15	34.61	13.07	29.53	0.00	174	181	Peak	4	6405.00	116.21	-----	-----	-----	97.94	34.72	13.12	29.57	0.00	174	181	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																									
1	6285.00	123.29	-----	-----	-----	105.40	34.40	12.96	29.47	0.00	174	181	Peak																																																																									
2	6325.00	121.77	-----	-----	-----	103.74	34.51	13.02	29.50	0.00	174	181	Peak																																																																									
3	6365.00	121.30	-----	-----	-----	103.15	34.61	13.07	29.53	0.00	174	181	Peak																																																																									
4	6405.00	116.21	-----	-----	-----	97.94	34.72	13.12	29.57	0.00	174	181	Peak																																																																									
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6285.00</td><td>115.32</td><td>-----</td><td>-----</td><td>-----</td><td>97.43</td><td>34.40</td><td>12.96</td><td>29.47</td><td>0.00</td><td>174</td><td>181</td><td>Average</td></tr><tr><td>2</td><td>6325.00</td><td>109.95</td><td>-----</td><td>-----</td><td>-----</td><td>91.92</td><td>34.51</td><td>13.02</td><td>29.50</td><td>0.00</td><td>174</td><td>181</td><td>Average</td></tr><tr><td>3</td><td>6365.00</td><td>112.46</td><td>-----</td><td>-----</td><td>-----</td><td>94.31</td><td>34.61</td><td>13.07</td><td>29.53</td><td>0.00</td><td>174</td><td>181</td><td>Average</td></tr><tr><td>4</td><td>6405.00</td><td>106.19</td><td>-----</td><td>-----</td><td>-----</td><td>87.92</td><td>34.72</td><td>13.12</td><td>29.57</td><td>0.00</td><td>174</td><td>181</td><td>Average</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6285.00	115.32	-----	-----	-----	97.43	34.40	12.96	29.47	0.00	174	181	Average	2	6325.00	109.95	-----	-----	-----	91.92	34.51	13.02	29.50	0.00	174	181	Average	3	6365.00	112.46	-----	-----	-----	94.31	34.61	13.07	29.53	0.00	174	181	Average	4	6405.00	106.19	-----	-----	-----	87.92	34.72	13.12	29.57	0.00	174	181	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																									
1	6285.00	115.32	-----	-----	-----	97.43	34.40	12.96	29.47	0.00	174	181	Average																																																																									
2	6325.00	109.95	-----	-----	-----	91.92	34.51	13.02	29.50	0.00	174	181	Average																																																																									
3	6365.00	112.46	-----	-----	-----	94.31	34.61	13.07	29.53	0.00	174	181	Average																																																																									
4	6405.00	106.19	-----	-----	-----	87.92	34.72	13.12	29.57	0.00	174	181	Average																																																																									







Mode	27																																																																																					
	Band Edge																																																																																					
	U-NII-5_5.925-6.425_CH67+75+83+91_6285+6325+6365+6405MHz																																																																																					
ANT	MIMO																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6285.00</td><td>115.51</td><td>-----</td><td>-----</td><td>-----</td><td>97.58</td><td>34.44</td><td>12.96</td><td>29.47</td><td>0.00</td><td>174</td><td>167</td><td>Peak</td></tr><tr><td>2</td><td>6325.00</td><td>113.89</td><td>-----</td><td>-----</td><td>-----</td><td>95.82</td><td>34.55</td><td>13.02</td><td>29.50</td><td>0.00</td><td>174</td><td>167</td><td>Peak</td></tr><tr><td>3</td><td>6365.00</td><td>123.76</td><td>-----</td><td>-----</td><td>-----</td><td>105.55</td><td>34.67</td><td>13.07</td><td>29.53</td><td>0.00</td><td>174</td><td>167</td><td>Peak</td></tr><tr><td>4</td><td>6405.00</td><td>120.55</td><td>-----</td><td>-----</td><td>-----</td><td>102.19</td><td>34.81</td><td>13.12</td><td>29.57</td><td>0.00</td><td>174</td><td>167</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6285.00	115.51	-----	-----	-----	97.58	34.44	12.96	29.47	0.00	174	167	Peak	2	6325.00	113.89	-----	-----	-----	95.82	34.55	13.02	29.50	0.00	174	167	Peak	3	6365.00	123.76	-----	-----	-----	105.55	34.67	13.07	29.53	0.00	174	167	Peak	4	6405.00	120.55	-----	-----	-----	102.19	34.81	13.12	29.57	0.00	174	167	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																									
1	6285.00	115.51	-----	-----	-----	97.58	34.44	12.96	29.47	0.00	174	167	Peak																																																																									
2	6325.00	113.89	-----	-----	-----	95.82	34.55	13.02	29.50	0.00	174	167	Peak																																																																									
3	6365.00	123.76	-----	-----	-----	105.55	34.67	13.07	29.53	0.00	174	167	Peak																																																																									
4	6405.00	120.55	-----	-----	-----	102.19	34.81	13.12	29.57	0.00	174	167	Peak																																																																									
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6285.00</td><td>109.14</td><td>-----</td><td>-----</td><td>-----</td><td>91.21</td><td>34.44</td><td>12.96</td><td>29.47</td><td>0.00</td><td>174</td><td>167</td><td>Average</td></tr><tr><td>2</td><td>6325.00</td><td>105.25</td><td>-----</td><td>-----</td><td>-----</td><td>87.18</td><td>34.55</td><td>13.02</td><td>29.50</td><td>0.00</td><td>174</td><td>167</td><td>Average</td></tr><tr><td>3</td><td>6365.00</td><td>116.83</td><td>-----</td><td>-----</td><td>-----</td><td>98.62</td><td>34.67</td><td>13.07</td><td>29.53</td><td>0.00</td><td>174</td><td>167</td><td>Average</td></tr><tr><td>4</td><td>6405.00</td><td>114.01</td><td>-----</td><td>-----</td><td>-----</td><td>95.65</td><td>34.81</td><td>13.12</td><td>29.57</td><td>0.00</td><td>174</td><td>167</td><td>Average</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6285.00	109.14	-----	-----	-----	91.21	34.44	12.96	29.47	0.00	174	167	Average	2	6325.00	105.25	-----	-----	-----	87.18	34.55	13.02	29.50	0.00	174	167	Average	3	6365.00	116.83	-----	-----	-----	98.62	34.67	13.07	29.53	0.00	174	167	Average	4	6405.00	114.01	-----	-----	-----	95.65	34.81	13.12	29.57	0.00	174	167	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																									
1	6285.00	109.14	-----	-----	-----	91.21	34.44	12.96	29.47	0.00	174	167	Average																																																																									
2	6325.00	105.25	-----	-----	-----	87.18	34.55	13.02	29.50	0.00	174	167	Average																																																																									
3	6365.00	116.83	-----	-----	-----	98.62	34.67	13.07	29.53	0.00	174	167	Average																																																																									
4	6405.00	114.01	-----	-----	-----	95.65	34.81	13.12	29.57	0.00	174	167	Average																																																																									







Mode	27																																																																																																																																																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																																																																																																																																																					
	U-NII-5_5.925-6.425_CH67+75+83+91_6285+6325+6365+6405MHz																																																																																																																																																																																																																																																																																																																					
ANT	MIMO																																																																																																																																																																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																																																																																															
Peak Avg																																																																																																																																																																																																																																																																																																																						
	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 27 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12570.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>57.85</td><td>39.05</td><td>18.35</td><td>67.44</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 12650.00</td><td>48.11</td><td>74.00</td><td>-25.89</td><td>57.85</td><td>39.22</td><td>18.41</td><td>67.47</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3 12650.00</td><td>39.08</td><td>54.00</td><td>-14.92</td><td>48.82</td><td>39.22</td><td>18.41</td><td>67.47</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>4 12730.00</td><td>47.68</td><td>88.20</td><td>-40.52</td><td>57.27</td><td>39.44</td><td>18.47</td><td>67.60</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5 12810.00</td><td>49.58</td><td>88.20</td><td>-38.62</td><td>59.13</td><td>39.61</td><td>18.54</td><td>67.80</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6 18855.00</td><td>39.85</td><td>74.00</td><td>-34.15</td><td>42.12</td><td>38.10</td><td>22.57</td><td>53.40</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7 18975.00</td><td>37.23</td><td>74.00</td><td>-36.77</td><td>39.65</td><td>38.04</td><td>22.66</td><td>53.58</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>8 19095.00</td><td>38.15</td><td>74.00</td><td>-35.85</td><td>40.59</td><td>38.07</td><td>22.74</td><td>53.71</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9 19215.00</td><td>38.53</td><td>74.00</td><td>-35.47</td><td>41.02</td><td>37.91</td><td>22.81</td><td>53.67</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		1 12570.00	47.91	74.00	-26.09	57.85	39.05	18.35	67.44	0.10	--	--	--	Peak	2 12650.00	48.11	74.00	-25.89	57.85	39.22	18.41	67.47	0.10	--	--	--	Peak	3 12650.00	39.08	54.00	-14.92	48.82	39.22	18.41	67.47	0.10	--	--	--	Average	4 12730.00	47.68	88.20	-40.52	57.27	39.44	18.47	67.60	0.10	--	--	--	Peak	5 12810.00	49.58	88.20	-38.62	59.13	39.61	18.54	67.80	0.10	--	--	--	Peak	6 18855.00	39.85	74.00	-34.15	42.12	38.10	22.57	53.40	-9.54	--	--	--	Peak	7 18975.00	37.23	74.00	-36.77	39.65	38.04	22.66	53.58	-9.54	--	--	--	Peak	8 19095.00	38.15	74.00	-35.85	40.59	38.07	22.74	53.71	-9.54	--	--	--	Peak	9 19215.00	38.53	74.00	-35.47	41.02	37.91	22.81	53.67	-9.54	--	--	--	PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 27 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12570.00</td><td>48.77</td><td>74.00</td><td>-25.23</td><td>58.78</td><td>38.98</td><td>18.35</td><td>67.44</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 12570.00</td><td>39.75</td><td>54.00</td><td>-14.25</td><td>49.76</td><td>38.98</td><td>18.35</td><td>67.44</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3 12650.00</td><td>48.61</td><td>74.00</td><td>-25.39</td><td>58.61</td><td>39.16</td><td>18.41</td><td>67.47</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4 12650.00</td><td>39.73</td><td>54.00</td><td>-14.27</td><td>49.53</td><td>39.16</td><td>18.41</td><td>67.47</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>5 12730.00</td><td>48.00</td><td>88.20</td><td>-40.20</td><td>57.66</td><td>39.37</td><td>18.47</td><td>67.60</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6 12810.00</td><td>49.13</td><td>88.20</td><td>-39.07</td><td>58.75</td><td>39.54</td><td>18.54</td><td>67.80</td><td>0.10</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>7 18855.00</td><td>38.00</td><td>74.00</td><td>-36.00</td><td>40.93</td><td>38.24</td><td>22.57</td><td>53.40</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>8 18975.00</td><td>38.44</td><td>74.00</td><td>-35.56</td><td>40.84</td><td>38.06</td><td>22.66</td><td>53.58</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9 19095.00</td><td>39.03</td><td>74.00</td><td>-34.97</td><td>41.44</td><td>38.10</td><td>22.74</td><td>53.71</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10 19215.00</td><td>39.08</td><td>74.00</td><td>-34.92</td><td>41.57</td><td>37.91</td><td>22.81</td><td>53.67</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg		1 12570.00	48.77	74.00	-25.23	58.78	38.98	18.35	67.44	0.10	--	--	--	Peak	2 12570.00	39.75	54.00	-14.25	49.76	38.98	18.35	67.44	0.10	--	--	--	Average	3 12650.00	48.61	74.00	-25.39	58.61	39.16	18.41	67.47	0.10	--	--	--	Peak	4 12650.00	39.73	54.00	-14.27	49.53	39.16	18.41	67.47	0.10	--	--	--	Average	5 12730.00	48.00	88.20	-40.20	57.66	39.37	18.47	67.60	0.10	--	--	--	Peak	6 12810.00	49.13	88.20	-39.07	58.75	39.54	18.54	67.80	0.10	--	--	--	PEAK	7 18855.00	38.00	74.00	-36.00	40.93	38.24	22.57	53.40	-9.54	--	--	--	Peak	8 18975.00	38.44	74.00	-35.56	40.84	38.06	22.66	53.58	-9.54	--	--	--	Peak	9 19095.00	39.03	74.00	-34.97	41.44	38.10	22.74	53.71	-9.54	--	--	--	Peak	10 19215.00	39.08	74.00	-34.92	41.57	37.91	22.81	53.67	-9.54	--	--	--
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																											
1 12570.00	47.91	74.00	-26.09	57.85	39.05	18.35	67.44	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																										
2 12650.00	48.11	74.00	-25.89	57.85	39.22	18.41	67.47	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																										
3 12650.00	39.08	54.00	-14.92	48.82	39.22	18.41	67.47	0.10	--	--	--	Average																																																																																																																																																																																																																																																																																																										
4 12730.00	47.68	88.20	-40.52	57.27	39.44	18.47	67.60	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																										
5 12810.00	49.58	88.20	-38.62	59.13	39.61	18.54	67.80	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																										
6 18855.00	39.85	74.00	-34.15	42.12	38.10	22.57	53.40	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																										
7 18975.00	37.23	74.00	-36.77	39.65	38.04	22.66	53.58	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																										
8 19095.00	38.15	74.00	-35.85	40.59	38.07	22.74	53.71	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																										
9 19215.00	38.53	74.00	-35.47	41.02	37.91	22.81	53.67	-9.54	--	--	--	PEAK																																																																																																																																																																																																																																																																																																										
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																											
1 12570.00	48.77	74.00	-25.23	58.78	38.98	18.35	67.44	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																										
2 12570.00	39.75	54.00	-14.25	49.76	38.98	18.35	67.44	0.10	--	--	--	Average																																																																																																																																																																																																																																																																																																										
3 12650.00	48.61	74.00	-25.39	58.61	39.16	18.41	67.47	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																										
4 12650.00	39.73	54.00	-14.27	49.53	39.16	18.41	67.47	0.10	--	--	--	Average																																																																																																																																																																																																																																																																																																										
5 12730.00	48.00	88.20	-40.20	57.66	39.37	18.47	67.60	0.10	--	--	--	Peak																																																																																																																																																																																																																																																																																																										
6 12810.00	49.13	88.20	-39.07	58.75	39.54	18.54	67.80	0.10	--	--	--	PEAK																																																																																																																																																																																																																																																																																																										
7 18855.00	38.00	74.00	-36.00	40.93	38.24	22.57	53.40	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																										
8 18975.00	38.44	74.00	-35.56	40.84	38.06	22.66	53.58	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																										
9 19095.00	39.03	74.00	-34.97	41.44	38.10	22.74	53.71	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																										
10 19215.00	39.08	74.00	-34.92	41.57	37.91	22.81	53.67	-9.54	--	--	--	PEAK																																																																																																																																																																																																																																																																																																										







Mode	27	
	Harmonic	
	U-NII-5_5.925-6.425_CH67+75+83+91_6285+6325+6365+6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL Mode : 27	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL Mode : 27
	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 27	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 27





		28																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_CH3+27+51+91_5965+6085+6205+6405MHz																																																																																																	
ANT	MIMO																																																																																																	
Pol.	Horizontal																																																																																																	
Peak																																																																																																		
	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5844.72</td><td>70.54</td><td>88.20 -17.66</td><td>53.04</td><td>34.16</td><td>12.57</td><td>29.23</td><td>0.00</td><td>150</td><td>171</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5844.72	70.54	88.20 -17.66	53.04	34.16	12.57	29.23	0.00	150	171	PEAK																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5844.72	70.54	88.20 -17.66	53.04	34.16	12.57	29.23	0.00	150	171	PEAK																																																																																								
Fundamental																																																																																																		
	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5844.00</td><td>72.10</td><td>88.20 -16.10</td><td>54.86</td><td>33.91</td><td>12.51</td><td>29.18</td><td>0.00</td><td>147</td><td>165</td><td>Peak</td></tr><tr><td>2 5965.00</td><td>112.93</td><td>-----</td><td>95.35</td><td>34.24</td><td>12.60</td><td>29.26</td><td>0.00</td><td>150</td><td>171</td><td>Peak</td></tr><tr><td>3 6085.00</td><td>114.38</td><td>-----</td><td>96.82</td><td>34.18</td><td>12.71</td><td>29.33</td><td>0.00</td><td>150</td><td>171</td><td>Peak</td></tr><tr><td>4 6205.00</td><td>112.43</td><td>-----</td><td>94.64</td><td>34.33</td><td>12.85</td><td>29.39</td><td>0.00</td><td>150</td><td>171</td><td>Peak</td></tr><tr><td>5 6405.00</td><td>114.38</td><td>-----</td><td>96.00</td><td>34.83</td><td>13.12</td><td>29.57</td><td>0.00</td><td>150</td><td>171</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5844.00	72.10	88.20 -16.10	54.86	33.91	12.51	29.18	0.00	147	165	Peak	2 5965.00	112.93	-----	95.35	34.24	12.60	29.26	0.00	150	171	Peak	3 6085.00	114.38	-----	96.82	34.18	12.71	29.33	0.00	150	171	Peak	4 6205.00	112.43	-----	94.64	34.33	12.85	29.39	0.00	150	171	Peak	5 6405.00	114.38	-----	96.00	34.83	13.12	29.57	0.00	150	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5844.00	72.10	88.20 -16.10	54.86	33.91	12.51	29.18	0.00	147	165	Peak																																																																																								
2 5965.00	112.93	-----	95.35	34.24	12.60	29.26	0.00	150	171	Peak																																																																																								
3 6085.00	114.38	-----	96.82	34.18	12.71	29.33	0.00	150	171	Peak																																																																																								
4 6205.00	112.43	-----	94.64	34.33	12.85	29.39	0.00	150	171	Peak																																																																																								
5 6405.00	114.38	-----	96.00	34.83	13.12	29.57	0.00	150	171	PEAK																																																																																								
Avg																																																																																																		
	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5844.72</td><td>64.89</td><td>68.20 -3.31</td><td>47.39</td><td>34.16</td><td>12.57</td><td>29.23</td><td>0.00</td><td>150</td><td>171</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5844.72	64.89	68.20 -3.31	47.39	34.16	12.57	29.23	0.00	150	171	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5844.72	64.89	68.20 -3.31	47.39	34.16	12.57	29.23	0.00	150	171	AVERAGE																																																																																								
Fundamental																																																																																																		
	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5844.00</td><td>65.44</td><td>68.20 -2.76</td><td>47.95</td><td>34.15</td><td>12.57</td><td>29.23</td><td>0.00</td><td>147</td><td>165</td><td>Average</td></tr><tr><td>2 5965.00</td><td>103.92</td><td>-----</td><td>86.34</td><td>34.24</td><td>12.60</td><td>29.26</td><td>0.00</td><td>150</td><td>171</td><td>AVERAGE</td></tr><tr><td>3 6085.00</td><td>105.52</td><td>-----</td><td>87.96</td><td>34.18</td><td>12.71</td><td>29.33</td><td>0.00</td><td>150</td><td>171</td><td>AVERAGE</td></tr><tr><td>4 6205.00</td><td>102.90</td><td>-----</td><td>85.11</td><td>34.33</td><td>12.85</td><td>29.39</td><td>0.00</td><td>150</td><td>171</td><td>AVERAGE</td></tr><tr><td>5 6405.00</td><td>105.52</td><td>-----</td><td>87.14</td><td>34.83</td><td>13.12</td><td>29.57</td><td>0.00</td><td>150</td><td>171</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5844.00	65.44	68.20 -2.76	47.95	34.15	12.57	29.23	0.00	147	165	Average	2 5965.00	103.92	-----	86.34	34.24	12.60	29.26	0.00	150	171	AVERAGE	3 6085.00	105.52	-----	87.96	34.18	12.71	29.33	0.00	150	171	AVERAGE	4 6205.00	102.90	-----	85.11	34.33	12.85	29.39	0.00	150	171	AVERAGE	5 6405.00	105.52	-----	87.14	34.83	13.12	29.57	0.00	150	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 5844.00	65.44	68.20 -2.76	47.95	34.15	12.57	29.23	0.00	147	165	Average																																																																																								
2 5965.00	103.92	-----	86.34	34.24	12.60	29.26	0.00	150	171	AVERAGE																																																																																								
3 6085.00	105.52	-----	87.96	34.18	12.71	29.33	0.00	150	171	AVERAGE																																																																																								
4 6205.00	102.90	-----	85.11	34.33	12.85	29.39	0.00	150	171	AVERAGE																																																																																								
5 6405.00	105.52	-----	87.14	34.83	13.12	29.57	0.00	150	171	AVERAGE																																																																																								







		28																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_CH3+27+51+91_5965+6085+6205+6405MHz																																																																																																	
ANT	MIMO																																																																																																	
Pol.	Vertical																																																																																																	
Peak																																																																																																		
	Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5892.28</td><td>68.96</td><td>88.20 -19.24</td><td>51.32</td><td>34.29</td><td>12.58</td><td>29.23</td><td>0.00</td><td>177</td><td>171</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5892.28	68.96	88.20 -19.24	51.32	34.29	12.58	29.23	0.00	177	171	PEAK																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5892.28	68.96	88.20 -19.24	51.32	34.29	12.58	29.23	0.00	177	171	PEAK																																																																																								
Fundamental																																																																																																		
	Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5767.00</td><td>73.07</td><td>88.20 -15.13</td><td>55.83</td><td>33.92</td><td>12.50</td><td>29.18</td><td>0.00</td><td>166</td><td>175</td><td>Peak</td></tr><tr><td>2 5965.00</td><td>112.61</td><td>-----</td><td>94.96</td><td>34.31</td><td>12.60</td><td>29.26</td><td>0.00</td><td>177</td><td>171</td><td>Peak</td></tr><tr><td>3 6085.00</td><td>113.85</td><td>-----</td><td>96.20</td><td>34.28</td><td>12.70</td><td>29.33</td><td>0.00</td><td>177</td><td>171</td><td>Peak</td></tr><tr><td>4 6205.00</td><td>112.31</td><td>-----</td><td>94.46</td><td>34.40</td><td>12.84</td><td>29.39</td><td>0.00</td><td>177</td><td>171</td><td>Peak</td></tr><tr><td>5 6405.00</td><td>113.85</td><td>-----</td><td>95.37</td><td>34.93</td><td>13.12</td><td>29.57</td><td>0.00</td><td>177</td><td>171</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5767.00	73.07	88.20 -15.13	55.83	33.92	12.50	29.18	0.00	166	175	Peak	2 5965.00	112.61	-----	94.96	34.31	12.60	29.26	0.00	177	171	Peak	3 6085.00	113.85	-----	96.20	34.28	12.70	29.33	0.00	177	171	Peak	4 6205.00	112.31	-----	94.46	34.40	12.84	29.39	0.00	177	171	Peak	5 6405.00	113.85	-----	95.37	34.93	13.12	29.57	0.00	177	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5767.00	73.07	88.20 -15.13	55.83	33.92	12.50	29.18	0.00	166	175	Peak																																																																																								
2 5965.00	112.61	-----	94.96	34.31	12.60	29.26	0.00	177	171	Peak																																																																																								
3 6085.00	113.85	-----	96.20	34.28	12.70	29.33	0.00	177	171	Peak																																																																																								
4 6205.00	112.31	-----	94.46	34.40	12.84	29.39	0.00	177	171	Peak																																																																																								
5 6405.00	113.85	-----	95.37	34.93	13.12	29.57	0.00	177	171	Peak																																																																																								
Avg																																																																																																		
	Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5844.72</td><td>58.93</td><td>68.20 -9.27</td><td>41.39</td><td>34.28</td><td>12.57</td><td>29.23</td><td>0.00</td><td>177</td><td>171</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5844.72	58.93	68.20 -9.27	41.39	34.28	12.57	29.23	0.00	177	171	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5844.72	58.93	68.20 -9.27	41.39	34.28	12.57	29.23	0.00	177	171	AVERAGE																																																																																								
Fundamental																																																																																																		
	Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5767.00</td><td>63.73</td><td>68.20 -4.47</td><td>46.49</td><td>33.92</td><td>12.50</td><td>29.18</td><td>0.00</td><td>166</td><td>175</td><td>Average</td></tr><tr><td>2 5965.00</td><td>103.76</td><td>-----</td><td>86.11</td><td>34.31</td><td>12.60</td><td>29.26</td><td>0.00</td><td>177</td><td>171</td><td>Average</td></tr><tr><td>3 6085.00</td><td>106.12</td><td>-----</td><td>88.47</td><td>34.28</td><td>12.70</td><td>29.33</td><td>0.00</td><td>177</td><td>171</td><td>Average</td></tr><tr><td>4 6205.00</td><td>105.43</td><td>-----</td><td>87.56</td><td>34.42</td><td>12.85</td><td>29.40</td><td>0.00</td><td>177</td><td>171</td><td>Average</td></tr><tr><td>5 6405.00</td><td>106.12</td><td>-----</td><td>88.47</td><td>34.28</td><td>12.70</td><td>29.33</td><td>0.00</td><td>177</td><td>171</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5767.00	63.73	68.20 -4.47	46.49	33.92	12.50	29.18	0.00	166	175	Average	2 5965.00	103.76	-----	86.11	34.31	12.60	29.26	0.00	177	171	Average	3 6085.00	106.12	-----	88.47	34.28	12.70	29.33	0.00	177	171	Average	4 6205.00	105.43	-----	87.56	34.42	12.85	29.40	0.00	177	171	Average	5 6405.00	106.12	-----	88.47	34.28	12.70	29.33	0.00	177	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5767.00	63.73	68.20 -4.47	46.49	33.92	12.50	29.18	0.00	166	175	Average																																																																																								
2 5965.00	103.76	-----	86.11	34.31	12.60	29.26	0.00	177	171	Average																																																																																								
3 6085.00	106.12	-----	88.47	34.28	12.70	29.33	0.00	177	171	Average																																																																																								
4 6205.00	105.43	-----	87.56	34.42	12.85	29.40	0.00	177	171	Average																																																																																								
5 6405.00	106.12	-----	88.47	34.28	12.70	29.33	0.00	177	171	AVERAGE																																																																																								





Mode	28																																																																																																																																																																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																																																																																																																																																																	
	U-NII-5_5.925-6.425_ CH3+27+51+91_ 5965+6085+6205+6405MHz																																																																																																																																																																																																																																																																																																																																																	
ANT	MIMO																																																																																																																																																																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																
Peak																																																																																																																																																																																																																																																																																																																																																		
Avg	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 28 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>49.44</td><td>74.00</td><td>-24.56</td><td></td><td>60.08</td><td>38.05</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>40.42</td><td>54.00</td><td>-13.58</td><td></td><td>51.06</td><td>38.05</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>12170.00</td><td>49.11</td><td>74.00</td><td>-24.89</td><td></td><td>59.11</td><td>39.09</td><td>18.03</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>12170.00</td><td>40.06</td><td>54.00</td><td>-13.94</td><td></td><td>50.06</td><td>39.09</td><td>18.03</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>5</td><td>12410.00</td><td>49.13</td><td>74.00</td><td>-24.87</td><td></td><td>59.47</td><td>38.92</td><td>18.22</td><td>67.50</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>12410.00</td><td>40.13</td><td>54.00</td><td>-13.87</td><td></td><td>50.47</td><td>38.92</td><td>18.22</td><td>67.50</td><td>0.10</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>7</td><td>12810.00</td><td>50.28</td><td>68.20</td><td>-17.92</td><td></td><td>59.83</td><td>39.61</td><td>18.54</td><td>67.00</td><td>0.10</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>8</td><td>18255.00</td><td>37.00</td><td>74.00</td><td>-37.00</td><td></td><td>39.79</td><td>37.96</td><td>22.13</td><td>53.34</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9</td><td>18615.00</td><td>38.09</td><td>74.00</td><td>-35.91</td><td></td><td>40.70</td><td>38.11</td><td>22.40</td><td>53.58</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>19215.00</td><td>37.59</td><td>74.00</td><td>-36.41</td><td></td><td>40.08</td><td>37.91</td><td>22.81</td><td>53.67</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	11930.00	49.44	74.00	-24.56		60.08	38.05	17.84	67.44	0.11	--	--	Peak	2	11930.00	40.42	54.00	-13.58		51.06	38.05	17.84	67.44	0.11	--	--	Average	3	12170.00	49.11	74.00	-24.89		59.11	39.09	18.03	67.22	0.10	--	--	Peak	4	12170.00	40.06	54.00	-13.94		50.06	39.09	18.03	67.22	0.10	--	--	Average	5	12410.00	49.13	74.00	-24.87		59.47	38.92	18.22	67.50	0.10	--	--	Peak	6	12410.00	40.13	54.00	-13.87		50.47	38.92	18.22	67.50	0.10	--	--	Average	7	12810.00	50.28	68.20	-17.92		59.83	39.61	18.54	67.00	0.10	--	--	PEAK	8	18255.00	37.00	74.00	-37.00		39.79	37.96	22.13	53.34	-9.54	--	--	Peak	9	18615.00	38.09	74.00	-35.91		40.70	38.11	22.40	53.58	-9.54	--	--	Peak	10	19215.00	37.59	74.00	-36.41		40.08	37.91	22.81	53.67	-9.54	--	--	PEAK	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 28 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>48.58</td><td>74.00</td><td>-25.42</td><td></td><td>59.26</td><td>38.81</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>39.49</td><td>54.00</td><td>-14.51</td><td></td><td>50.17</td><td>38.81</td><td>17.84</td><td>67.44</td><td>0.11</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>12170.00</td><td>48.78</td><td>74.00</td><td>-25.22</td><td></td><td>58.00</td><td>39.07</td><td>18.03</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>12170.00</td><td>39.69</td><td>54.00</td><td>-14.31</td><td></td><td>49.71</td><td>39.07</td><td>18.03</td><td>67.22</td><td>0.10</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>5</td><td>12410.00</td><td>48.39</td><td>74.00</td><td>-25.61</td><td></td><td>58.00</td><td>38.85</td><td>18.22</td><td>67.50</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>12410.00</td><td>39.33</td><td>54.00</td><td>-14.67</td><td></td><td>49.74</td><td>38.85</td><td>18.22</td><td>67.50</td><td>0.10</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>7</td><td>12810.00</td><td>49.08</td><td>68.20</td><td>-19.12</td><td></td><td>59.50</td><td>39.54</td><td>18.54</td><td>67.00</td><td>0.10</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>8</td><td>18255.00</td><td>37.99</td><td>74.00</td><td>-36.01</td><td></td><td>40.62</td><td>38.12</td><td>22.13</td><td>53.34</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9</td><td>18615.00</td><td>37.65</td><td>74.00</td><td>-36.35</td><td></td><td>40.19</td><td>38.18</td><td>22.40</td><td>53.58</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>10</td><td>19215.00</td><td>38.67</td><td>74.00</td><td>-35.33</td><td></td><td>41.16</td><td>37.91</td><td>22.81</td><td>53.67</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	11930.00	48.58	74.00	-25.42		59.26	38.81	17.84	67.44	0.11	--	--	Peak	2	11930.00	39.49	54.00	-14.51		50.17	38.81	17.84	67.44	0.11	--	--	Average	3	12170.00	48.78	74.00	-25.22		58.00	39.07	18.03	67.22	0.10	--	--	Peak	4	12170.00	39.69	54.00	-14.31		49.71	39.07	18.03	67.22	0.10	--	--	Average	5	12410.00	48.39	74.00	-25.61		58.00	38.85	18.22	67.50	0.10	--	--	Peak	6	12410.00	39.33	54.00	-14.67		49.74	38.85	18.22	67.50	0.10	--	--	Average	7	12810.00	49.08	68.20	-19.12		59.50	39.54	18.54	67.00	0.10	--	--	PEAK	8	18255.00	37.99	74.00	-36.01		40.62	38.12	22.13	53.34	-9.54	--	--	Peak	9	18615.00	37.65	74.00	-36.35		40.19	38.18	22.40	53.58	-9.54	--	--	Peak	10	19215.00	38.67	74.00	-35.33		41.16	37.91	22.81	53.67	-9.54	--	--	PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																					
1	11930.00	49.44	74.00	-24.56		60.08	38.05	17.84	67.44	0.11	--	--	Peak																																																																																																																																																																																																																																																																																																																																					
2	11930.00	40.42	54.00	-13.58		51.06	38.05	17.84	67.44	0.11	--	--	Average																																																																																																																																																																																																																																																																																																																																					
3	12170.00	49.11	74.00	-24.89		59.11	39.09	18.03	67.22	0.10	--	--	Peak																																																																																																																																																																																																																																																																																																																																					
4	12170.00	40.06	54.00	-13.94		50.06	39.09	18.03	67.22	0.10	--	--	Average																																																																																																																																																																																																																																																																																																																																					
5	12410.00	49.13	74.00	-24.87		59.47	38.92	18.22	67.50	0.10	--	--	Peak																																																																																																																																																																																																																																																																																																																																					
6	12410.00	40.13	54.00	-13.87		50.47	38.92	18.22	67.50	0.10	--	--	Average																																																																																																																																																																																																																																																																																																																																					
7	12810.00	50.28	68.20	-17.92		59.83	39.61	18.54	67.00	0.10	--	--	PEAK																																																																																																																																																																																																																																																																																																																																					
8	18255.00	37.00	74.00	-37.00		39.79	37.96	22.13	53.34	-9.54	--	--	Peak																																																																																																																																																																																																																																																																																																																																					
9	18615.00	38.09	74.00	-35.91		40.70	38.11	22.40	53.58	-9.54	--	--	Peak																																																																																																																																																																																																																																																																																																																																					
10	19215.00	37.59	74.00	-36.41		40.08	37.91	22.81	53.67	-9.54	--	--	PEAK																																																																																																																																																																																																																																																																																																																																					
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m		dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																					
1	11930.00	48.58	74.00	-25.42		59.26	38.81	17.84	67.44	0.11	--	--	Peak																																																																																																																																																																																																																																																																																																																																					
2	11930.00	39.49	54.00	-14.51		50.17	38.81	17.84	67.44	0.11	--	--	Average																																																																																																																																																																																																																																																																																																																																					
3	12170.00	48.78	74.00	-25.22		58.00	39.07	18.03	67.22	0.10	--	--	Peak																																																																																																																																																																																																																																																																																																																																					
4	12170.00	39.69	54.00	-14.31		49.71	39.07	18.03	67.22	0.10	--	--	Average																																																																																																																																																																																																																																																																																																																																					
5	12410.00	48.39	74.00	-25.61		58.00	38.85	18.22	67.50	0.10	--	--	Peak																																																																																																																																																																																																																																																																																																																																					
6	12410.00	39.33	54.00	-14.67		49.74	38.85	18.22	67.50	0.10	--	--	Average																																																																																																																																																																																																																																																																																																																																					
7	12810.00	49.08	68.20	-19.12		59.50	39.54	18.54	67.00	0.10	--	--	PEAK																																																																																																																																																																																																																																																																																																																																					
8	18255.00	37.99	74.00	-36.01		40.62	38.12	22.13	53.34	-9.54	--	--	Peak																																																																																																																																																																																																																																																																																																																																					
9	18615.00	37.65	74.00	-36.35		40.19	38.18	22.40	53.58	-9.54	--	--	Peak																																																																																																																																																																																																																																																																																																																																					
10	19215.00	38.67	74.00	-35.33		41.16	37.91	22.81	53.67	-9.54	--	--	PEAK																																																																																																																																																																																																																																																																																																																																					





Mode	28	
	Harmonic	
	U-NII-5_5.925-6.425_CH3+27+51+91_5965+6085+6205+6405MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL Mode : 28	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL Mode : 28
	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 28	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 28





Mode	37																																														
	Band Edge																																														
	U-NII-7_6.525-6.875_CH119_6545MHz																																														
ANT	MIMO																																														
Pol.	Horizontal					Fundamental																																									
Peak	Blank					 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6545.00</td><td>123.58</td><td>-----</td><td>-----</td><td>104.75</td><td>35.32</td><td>13.20</td><td>29.69</td><td>0.00</td><td>174</td><td>174</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6545.00	123.58	-----	-----	104.75	35.32	13.20	29.69	0.00	174	174	PEAK
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1 6545.00	123.58	-----	-----	104.75	35.32	13.20	29.69	0.00	174	174	PEAK																																				
Avg	Blank					 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6545.00</td><td>115.75</td><td>-----</td><td>-----</td><td>96.91</td><td>35.33</td><td>13.20</td><td>29.69</td><td>0.00</td><td>174</td><td>174</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6545.00	115.75	-----	-----	96.91	35.33	13.20	29.69	0.00	174	174	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1 6545.00	115.75	-----	-----	96.91	35.33	13.20	29.69	0.00	174	174	Average																																				







Mode	37																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_CH119_6545MHz																																					
ANT	MIMO																																					
Pol.	Vertical	Fundamental																																				
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6545.00</td><td>122.56</td><td>-----</td><td>-----</td><td>103.66</td><td>35.39</td><td>13.20</td><td>29.69</td><td>0.00</td><td>174</td><td>198</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6545.00	122.56	-----	-----	103.66	35.39	13.20	29.69	0.00	174	198	PEAK
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6545.00	122.56	-----	-----	103.66	35.39	13.20	29.69	0.00	174	198	PEAK																											
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6545.00</td><td>114.75</td><td>-----</td><td>-----</td><td>95.84</td><td>35.40</td><td>13.20</td><td>29.69</td><td>0.00</td><td>174</td><td>198</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6545.00	114.75	-----	-----	95.84	35.40	13.20	29.69	0.00	174	198	Average
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6545.00	114.75	-----	-----	95.84	35.40	13.20	29.69	0.00	174	198	Average																											





Mode	37																																																																	
	Harmonic																																																																	
	U-NII-7_6.525-6.875_CH119_6545MHz																																																																	
ANT	MIMO																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 37																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>49.81</td><td>88.20</td><td>-38.39</td><td>59.10</td><td>39.80</td><td>18.74</td><td>67.93</td><td>0.10</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19635.00</td><td>38.22</td><td>74.00</td><td>-35.78</td><td>40.81</td><td>37.09</td><td>23.07</td><td>54.01</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13090.00	49.81	88.20	-38.39	59.10	39.80	18.74	67.93	0.10	--	PEAK	2	19635.00	38.22	74.00	-35.78	40.81	37.09	23.07	54.01	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	13090.00	49.81	88.20	-38.39	59.10	39.80	18.74	67.93	0.10	--	PEAK																																																							
2	19635.00	38.22	74.00	-35.78	40.81	37.09	23.07	54.01	-9.54	--	PEAK																																																							
	Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 37																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>49.59</td><td>88.20</td><td>-38.61</td><td>59.01</td><td>39.67</td><td>18.74</td><td>67.93</td><td>0.10</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19635.00</td><td>37.85</td><td>74.00</td><td>-36.15</td><td>40.55</td><td>37.78</td><td>23.07</td><td>54.01</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13090.00	49.59	88.20	-38.61	59.01	39.67	18.74	67.93	0.10	--	PEAK	2	19635.00	37.85	74.00	-36.15	40.55	37.78	23.07	54.01	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	13090.00	49.59	88.20	-38.61	59.01	39.67	18.74	67.93	0.10	--	PEAK																																																							
2	19635.00	37.85	74.00	-36.15	40.55	37.78	23.07	54.01	-9.54	--	PEAK																																																							





Mode	37	
	Harmonic	
	U-NII-7_6.525-6.875_CH119_6545MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL Mode : 37	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL Mode : 37
	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 37	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 37





Mode	38																																					
	Band Edge																																					
	U-NII-7_6.525-6.875_CH147_6685MHz																																					
ANT	MIMO																																					
Pol.	Horizontal	Fundamental																																				
Peak	Blank	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6685.00</td><td>121.92</td><td>-----</td><td>-----</td><td>102.65</td><td>35.78</td><td>13.32</td><td>29.83</td><td>0.00</td><td>174</td><td>171</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6685.00	121.92	-----	-----	102.65	35.78	13.32	29.83	0.00	174	171	PEAK
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6685.00	121.92	-----	-----	102.65	35.78	13.32	29.83	0.00	174	171	PEAK																											
Avg	Blank	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6685.00</td><td>114.87</td><td>-----</td><td>-----</td><td>95.59</td><td>35.79</td><td>13.32</td><td>29.83</td><td>0.00</td><td>174</td><td>171</td><td>Average</td></tr></table>	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6685.00	114.87	-----	-----	95.59	35.79	13.32	29.83	0.00	174	171	Average
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																											
1 6685.00	114.87	-----	-----	95.59	35.79	13.32	29.83	0.00	174	171	Average																											







Mode	38																																														
	Band Edge																																														
	U-NII-7_6.525-6.875_CH147_6685MHz																																														
ANT	MIMO																																														
Pol.	Vertical					Fundamental																																									
Peak	Blank					 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6685.00</td><td>121.56</td><td>-----</td><td>-----</td><td>102.21</td><td>35.86</td><td>13.32</td><td>29.83</td><td>0.00</td><td>174</td><td>192</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6685.00	121.56	-----	-----	102.21	35.86	13.32	29.83	0.00	174	192	PEAK
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1 6685.00	121.56	-----	-----	102.21	35.86	13.32	29.83	0.00	174	192	PEAK																																				
Avg	Blank					 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6685.00</td><td>113.84</td><td>-----</td><td>-----</td><td>94.48</td><td>35.87</td><td>13.32</td><td>29.83</td><td>0.00</td><td>174</td><td>192</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6685.00	113.84	-----	-----	94.48	35.87	13.32	29.83	0.00	174	192	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																				
1 6685.00	113.84	-----	-----	94.48	35.87	13.32	29.83	0.00	174	192	Average																																				







Mode	38																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_CH147_6685MHz																																																																																																																									
ANT	MIMO																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 38 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13370.00</td><td>50.56</td><td>74.00</td><td>-23.44</td><td>59.03</td><td>40.20</td><td>18.89</td><td>67.66</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>2 13370.00</td><td>41.55</td><td>54.00</td><td>-12.45</td><td>50.02</td><td>40.20</td><td>18.89</td><td>67.66</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>3 20055.00</td><td>39.26</td><td>74.00</td><td>-34.74</td><td>41.36</td><td>37.98</td><td>23.34</td><td>53.88</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13370.00	50.56	74.00	-23.44	59.03	40.20	18.89	67.66	0.10	-- -- PEAK	2 13370.00	41.55	54.00	-12.45	50.02	40.20	18.89	67.66	0.10	-- -- Average	3 20055.00	39.26	74.00	-34.74	41.36	37.98	23.34	53.88	-9.54	-- -- PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 38 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13370.00</td><td>50.27</td><td>74.00</td><td>-23.73</td><td>58.85</td><td>40.09</td><td>18.89</td><td>67.66</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>2 13370.00</td><td>41.23</td><td>54.00</td><td>-12.77</td><td>49.81</td><td>40.09</td><td>18.89</td><td>67.66</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>3 20055.00</td><td>38.17</td><td>74.00</td><td>-35.83</td><td>40.57</td><td>37.68</td><td>23.34</td><td>53.88</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13370.00	50.27	74.00	-23.73	58.85	40.09	18.89	67.66	0.10	-- -- PEAK	2 13370.00	41.23	54.00	-12.77	49.81	40.09	18.89	67.66	0.10	-- -- Average	3 20055.00	38.17	74.00	-35.83	40.57	37.68	23.34	53.88	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13370.00	50.56	74.00	-23.44	59.03	40.20	18.89	67.66	0.10	-- -- PEAK																																																																																																																	
2 13370.00	41.55	54.00	-12.45	50.02	40.20	18.89	67.66	0.10	-- -- Average																																																																																																																	
3 20055.00	39.26	74.00	-34.74	41.36	37.98	23.34	53.88	-9.54	-- -- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13370.00	50.27	74.00	-23.73	58.85	40.09	18.89	67.66	0.10	-- -- PEAK																																																																																																																	
2 13370.00	41.23	54.00	-12.77	49.81	40.09	18.89	67.66	0.10	-- -- Average																																																																																																																	
3 20055.00	38.17	74.00	-35.83	40.57	37.68	23.34	53.88	-9.54	-- -- PEAK																																																																																																																	



Mode	38	
	Harmonic	
	U-NII-7_6.525-6.875_CH147_6685MHz	
ANT	MIMO	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 HORIZONTAL Mode : 38	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02113_240426 VERTICAL Mode : 38
	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 HORIZONTAL Mode : 38	 Site : 03CH01-CA Condition: AVG(UNII)_6E 1m SHF_HORN_841_240807 VERTICAL Mode : 38



		39																																																																																																					
Mode	Band Edge - R																																																																																																						
	U-NII-7_6.525-6.875_CH181_6855MHz																																																																																																						
ANT	MIMO																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	 Site : 03CH01-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7214.46</td><td>62.14</td><td>88.20</td><td>-26.06</td><td>41.77</td><td>36.78</td><td>13.93</td><td>30.34</td><td>0.00</td><td>172</td><td>199 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7214.46	62.14	88.20	-26.06	41.77	36.78	13.93	30.34	0.00	172	199 PEAK	 Site : 03CH01-CA Condition: PEAK(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6855.00</td><td>126.69</td><td>-----</td><td>-----</td><td>107.37</td><td>35.83</td><td>13.50</td><td>30.01</td><td>0.00</td><td>172</td><td>199 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6855.00	126.69	-----	-----	107.37	35.83	13.50	30.01	0.00	172	199 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	7214.46	62.14	88.20	-26.06	41.77	36.78	13.93	30.34	0.00	172	199 PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	6855.00	126.69	-----	-----	107.37	35.83	13.50	30.01	0.00	172	199 PEAK																																																																																												
Avg	 Site : 03CH01-CA Condition: AVG_BE(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.06</td><td>52.63</td><td>68.20</td><td>-15.57</td><td>32.58</td><td>36.48</td><td>13.82</td><td>30.25</td><td>0.00</td><td>172</td><td>199 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.06	52.63	68.20	-15.57	32.58	36.48	13.82	30.25	0.00	172	199 AVERAGE	 Site : 03CH01-CA Condition: AVG(UNII)_6E 3m HORN_02115_240806 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6855.00</td><td>120.11</td><td>-----</td><td>-----</td><td>100.79</td><td>35.83</td><td>13.50</td><td>30.01</td><td>0.00</td><td>172</td><td>199 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6855.00	120.11	-----	-----	100.79	35.83	13.50	30.01	0.00	172	199 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	7125.06	52.63	68.20	-15.57	32.58	36.48	13.82	30.25	0.00	172	199 AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	6855.00	120.11	-----	-----	100.79	35.83	13.50	30.01	0.00	172	199 AVERAGE																																																																																												