





Restrict Band NVNT g 2462MHz Ant1 Peak



Restrict Band NVNT g 2462MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 2412MHz Ant1 Peak



Restrict Band NVNT n20 2412MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 2462MHz Ant1 Peak



Restrict Band NVNT n20 2462MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ax20 2412MHz Ant1 Peak



Restrict Band NVNT ax20 2412MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ax20 2462MHz Ant1 Peak



Restrict Band NVNT ax20 2462MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

**802.11ax OFDMA-(26 Tone)**

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	ax20	2412	Ant1	2310	-51.93	2.7	-	46.03	Peak	74	Pass
NVNT	ax20	2412	Ant1	2310	-59.45	2.7	3.1	41.61	Average	54	Pass
NVNT	ax20	2412	Ant1	2388.507	-29.99	2.7	-	67.97	Peak	74	Pass
NVNT	ax20	2412	Ant1	2389.911	-49.40	2.7	3.1	51.66	Average	54	Pass
NVNT	ax20	2412	Ant1	2390	-37.89	2.7	-	60.07	Peak	74	Pass
NVNT	ax20	2412	Ant1	2390	-48.83	2.7	3.1	52.23	Average	54	Pass
NVNT	ax20	2462	Ant1	2483.5	-38.94	2.7	-	59.02	Peak	74	Pass
NVNT	ax20	2462	Ant1	2483.5	-51.02	2.7	3.1	50.04	Average	54	Pass
NVNT	ax20	2462	Ant1	2484.047	-35.73	2.7	-	62.23	Peak	74	Pass
NVNT	ax20	2462	Ant1	2483.782	-51.03	2.7	3.1	50.03	Average	54	Pass
NVNT	ax20	2462	Ant1	2500	-47.54	2.7	-	50.42	Peak	74	Pass
NVNT	ax20	2462	Ant1	2500	-56.29	2.7	3.1	44.77	Average	54	Pass

802.11ax OFDMA-(52 Tone)

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	ax20	2412	Ant1	2310	-51.97	2.7	-	45.99	Peak	74	Pass
NVNT	ax20	2412	Ant1	2310	-59.40	2.7	3.1	41.66	Average	54	Pass
NVNT	ax20	2412	Ant1	2388.507	-29.86	2.7	-	68.1	Peak	74	Pass
NVNT	ax20	2412	Ant1	2389.911	-49.40	2.7	3.1	51.66	Average	54	Pass
NVNT	ax20	2412	Ant1	2390	-37.79	2.7	-	60.17	Peak	74	Pass
NVNT	ax20	2412	Ant1	2390	-48.74	2.7	3.1	52.32	Average	54	Pass
NVNT	ax20	2462	Ant1	2483.5	-39.02	2.7	-	58.94	Peak	74	Pass
NVNT	ax20	2462	Ant1	2483.5	-51.06	2.7	3.1	50	Average	54	Pass
NVNT	ax20	2462	Ant1	2484.047	-35.77	2.7	-	62.19	Peak	74	Pass
NVNT	ax20	2462	Ant1	2483.782	-51.02	2.7	3.1	50.04	Average	54	Pass
NVNT	ax20	2462	Ant1	2500	-47.58	2.7	-	50.38	Peak	74	Pass
NVNT	ax20	2462	Ant1	2500	-56.22	2.7	3.1	44.84	Average	54	Pass



**802.11ax OFDMA-(106 Tone)**

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	ax20	2412	Ant1	2310	-51.91	2.7	-	46.05	Peak	74	Pass
NVNT	ax20	2412	Ant1	2310	-59.37	2.7	3.1	41.69	Average	54	Pass
NVNT	ax20	2412	Ant1	2388.507	-29.93	2.7	-	68.03	Peak	74	Pass
NVNT	ax20	2412	Ant1	2389.911	-49.33	2.7	3.1	51.73	Average	54	Pass
NVNT	ax20	2412	Ant1	2390	-37.85	2.7	-	60.11	Peak	74	Pass
NVNT	ax20	2412	Ant1	2390	-48.72	2.7	3.1	52.34	Average	54	Pass
NVNT	ax20	2462	Ant1	2483.5	-38.98	2.7	-	58.98	Peak	74	Pass
NVNT	ax20	2462	Ant1	2483.5	-51.01	2.7	3.1	50.05	Average	54	Pass
NVNT	ax20	2462	Ant1	2484.047	-35.73	2.7	-	62.23	Peak	74	Pass
NVNT	ax20	2462	Ant1	2483.782	-51.07	2.7	3.1	49.99	Average	54	Pass
NVNT	ax20	2462	Ant1	2500	-47.53	2.7	-	50.43	Peak	74	Pass
NVNT	ax20	2462	Ant1	2500	-56.25	2.7	3.1	44.81	Average	54	Pass

802.11ax OFDMA-(242 Tone)

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	ax20	2412	Ant1	2310	-51.86	2.7	-	46.1	Peak	74	Pass
NVNT	ax20	2412	Ant1	2310	-59.44	2.7	3.1	41.62	Average	54	Pass
NVNT	ax20	2412	Ant1	2388.507	-29.85	2.7	-	68.11	Peak	74	Pass
NVNT	ax20	2412	Ant1	2389.911	-49.43	2.7	3.1	51.63	Average	54	Pass
NVNT	ax20	2412	Ant1	2390	-37.81	2.7	-	60.15	Peak	74	Pass
NVNT	ax20	2412	Ant1	2390	-48.75	2.7	3.1	52.31	Average	54	Pass
NVNT	ax20	2462	Ant1	2483.5	-38.97	2.7	-	58.99	Peak	74	Pass
NVNT	ax20	2462	Ant1	2483.5	-51.02	2.7	3.1	50.04	Average	54	Pass
NVNT	ax20	2462	Ant1	2484.047	-35.69	2.7	-	62.27	Peak	74	Pass
NVNT	ax20	2462	Ant1	2483.782	-51.12	2.7	3.1	49.94	Average	54	Pass
NVNT	ax20	2462	Ant1	2500	-47.57	2.7	-	50.39	Peak	74	Pass
NVNT	ax20	2462	Ant1	2500	-56.30	2.7	3.1	44.76	Average	54	Pass

