

Model Number	Orderable Part Number	Chipset	Flash (KB)	SRAM (KB)	Antenna on Sub-1G	Antenna on 2.4G	On-Board SPI Nor Flash Support	Operating Temperature
BDE-MB13P2	BDE-MB1354P102UA32	CC1354P10	1024	288	U.FL Connector	PCB Trace Antenna	32Mbit	-40℃ ~ +85℃
	BDE-MB1354P102NA32				ANT Pin	PCB Trace Antenna		
	BDE-MB1354P102UU32				U.FL Connector	U.FL Connector		
	BDE-MB1354P102NU32				ANT Pin	U.FL Connector		
	BDE-MB1354P102UN32				U.FL Connector	ANT Pin		
	BDE-MB1354P102NN32				ANT Pin	ANT Pin		
	BDE-MB1354P102UA0				U.FL Connector	PCB Trace Antenna	Not Included	
	BDE-MB1354P102NA0				ANT Pin	PCB Trace Antenna		
	BDE-MB1354P102UU0				U.FL Connector	U.FL Connector		
	BDE-MB1354P102NU0				ANT Pin	U.FL Connector		
	BDE-MB1354P102UN0				U.FL Connector	ANT Pin		
	BDE-MB1354P102NN0				ANT Pin	ANT Pin		
	BDE-MB1354P102UA32-IN				U.FL Connector	PCB Trace Antenna	32Mbit	-40℃ ~ +105℃
	BDE-MB1354P102NA32-IN				ANT Pin	PCB Trace Antenna		
	BDE-MB1354P102UU32-IN				U.FL Connector	U.FL Connector		
	BDE-MB1354P102NU32-IN				ANT Pin	U.FL Connector		
	BDE-MB1354P102UN32-IN				U.FL Connector	ANT Pin		
	BDE-MB1354P102NN32-IN				ANT Pin	ANT Pin		
	BDE-MB1354P102UA0-IN				U.FL Connector	PCB Trace Antenna	Not Included	
	BDE-MB1354P102NA0-IN				ANT Pin	PCB Trace Antenna		
	BDE-MB1354P102UU0-IN				U.FL Connector	U.FL Connector		
	BDE-MB1354P102NU0-IN				ANT Pin	U.FL Connector		
	BDE-MB1354P102UN0-IN				U.FL Connector	ANT Pin		
	BDE-MB1354P102NN0-IN				ANT Pin	ANT Pin		

Model Number	Orderable Part Number	Chipset	Flash (KB)	SRAM (KB)	Antenna on Sub-1G	Antenna on 2.4G	On-Board SPI Nor Flash Support	Operating Temperature
BDE-MB13P2	BDE-MB1352P72UA32	CC1352P7	704	144	U.FL Connector	PCB Trace Antenna	32Mbit	-40°C ~ +85°C
	ANT Pin				PCB Trace Antenna			
	U.FL Connector				U.FL Connector			
	ANT Pin				U.FL Connector			
	U.FL Connector				ANT Pin			
	ANT Pin				ANT Pin			
	U.FL Connector				PCB Trace Antenna	Not Included		
	ANT Pin				PCB Trace Antenna			
	U.FL Connector				U.FL Connector			
	ANT Pin				U.FL Connector			
	U.FL Connector				ANT Pin			
	ANT Pin				ANT Pin			
	U.FL Connector				PCB Trace Antenna	32Mbit	-40°C ~ +105°C	
	ANT Pin				PCB Trace Antenna			
	U.FL Connector				U.FL Connector			
	ANT Pin				U.FL Connector			
	U.FL Connector				ANT Pin			
	ANT Pin				ANT Pin			
	U.FL Connector				PCB Trace Antenna	Not Included		
	ANT Pin				PCB Trace Antenna			
	U.FL Connector				U.FL Connector			
	ANT Pin				U.FL Connector			
	U.FL Connector				ANT Pin			
	ANT Pin				ANT Pin			

Model Number	Orderable Part Number	Chipset	Flash (KB)	SRAM (KB)	Antenna on Sub-1G	Antenna on 2.4G	On-Board SPI Nor Flash Support	Operating Temperature
BDE-MB13P2	BDE-MB1352P2UA32	CC1352P	352	80	U.FL Connector	PCB Trace Antenna	32Mbit	-40℃ ~ +85℃
	BDE-MB1352P2NA32				ANT Pin	PCB Trace Antenna		
	BDE-MB1352P2UU32				U.FL Connector	U.FL Connector		
	BDE-MB1352P2NU32				ANT Pin	U.FL Connector		
	BDE-MB1352P2UN32				U.FL Connector	ANT Pin		
	BDE-MB1352P2NN32				ANT Pin	ANT Pin		
	BDE-MB1352P2UA0				U.FL Connector	PCB Trace Antenna	Not Included	
	BDE-MB1352P2NA0				ANT Pin	PCB Trace Antenna		
	BDE-MB1352P2UU0				U.FL Connector	U.FL Connector		
	BDE-MB1352P2NU0				ANT Pin	U.FL Connector		
	BDE-MB1352P2UN0				U.FL Connector	ANT Pin		
	BDE-MB1352P2NN0				ANT Pin	ANT Pin		
	BDE-MB1352P2UA32-IN				U.FL Connector	PCB Trace Antenna	32Mbit	-40℃ ~ +105℃
	BDE-MB1352P2NA32-IN				ANT Pin	PCB Trace Antenna		
	BDE-MB1352P2UU32-IN				U.FL Connector	U.FL Connector		
	BDE-MB1352P2NU32-IN				ANT Pin	U.FL Connector		
	BDE-MB1352P2UN32-IN				U.FL Connector	ANT Pin		
	BDE-MB1352P2NN32-IN				ANT Pin	ANT Pin		
	BDE-MB1352P2UA0-IN				U.FL Connector	PCB Trace Antenna	Not Included	
	BDE-MB1352P2NA0-IN				ANT Pin	PCB Trace Antenna		
	BDE-MB1352P2UU0-IN				U.FL Connector	U.FL Connector		
	BDE-MB1352P2NU0-IN				ANT Pin	U.FL Connector		
	BDE-MB1352P2UN0-IN				U.FL Connector	ANT Pin		
	BDE-MB1352P2NN0-IN				ANT Pin	ANT Pin		