

OWNER'S CARD
CARTE CLIENT

SEE DETAILS ON REVERSE / VOIR DÉTAILS AU VERSO

smartcontrol



888.644.8882 TOLL-FREE / SANS FRAIS
CONNECTEDREMOTESTART.COM

Scan for operating instructions
Numériser pour instructions d'opération

Plug it in

Connect the antenna to the remote start system



Branchez-le

Branchez l'antenne dans le démarreur à distance

Get the app

Download the SmartControl app from the AppStore or Google Play and follow the on-screen steps to finish set up



Télécharger l'app

Téléchargez l'application SmartControl depuis l'AppStore ou Google Play et suivez les étapes à l'écran pour terminer la configuration



Scan to download the app

Numérisez pour télécharger l'app

iOS app: <https://goo.gl/bgk4AX>

Android app: <https://goo.gl/Yx8R1U>

INSTALLER'S CARD

CARTE DE L'INSTALLATEUR

SEE DETAILS ON REVERSE / VOIR DÉTAILS AU VERSO

smartcontrol



888.644.8882 TOLL-FREE / SANS FRAIS
CONNECTEDREMOTESTART.COM

Scan for installation instructions
Numérisez pour instructions d'opération

Plug it in

Connect the antenna to the remote start system



Branchez-le

Branchez l'antenne dans le démarreur à distance

Get the app

Download the SmartControl app from the AppStore or Google Play and follow the on-screen steps to finish set up



Télécharger l'app

Téléchargez l'application SmartControl depuis l'AppStore ou Google Play et suivez les étapes à l'écran pour terminer la configuration



Scan to download the app

Numérisez pour télécharger l'app

iOS app: <https://goo.gl/bgk4AX>

Android app: <https://goo.gl/Yx8R1U>

OWNER'S CARD
TARJETA DEL PROPIETARIO
SEE DETAILS ON REVERSE / VER DETALLES AL REVERSO

CAR:LINK™

BT Long Range



800.225.6074 TOLL-FREE/
CARLINKUSA.COM

Scan for operating instructions
*Escanee para obtener instrucciones
de funcionamiento*



Plug it in

Connect the antenna to the remote start system



Conéctalo

Conecte la antena al sistema de arranque remoto

Get the app

Download the SmartControl app from the AppStore or Google Play and follow the on-screen steps to finish set up



Obtenga la aplicación

Descargue la aplicación CarLink de AppStore o Google Play y siga los pasos en pantalla



Scan to download the app

Escanee para descargar la aplicación

iOS app: <https://goo.gl/eWtrHS>

Android app: <https://goo.gl/SpHYUV>

INSTALLER'S CARD
TARJETA DEL INSTALADOR
SEE DETAILS ON REVERSE / VER DETALLES AL REVERSO

CAR:LINK™

BT Long Range



Scan for installation instructions
*Escanee para obtener instrucciones
de funcionamiento*



800.225.6074 TOLL-FREE/
CARLINKUSA.COM

Plug it in

Connect the antenna to the remote start system



Conéctalo

Conecte la antena al sistema de arranque remoto

Get the app

Download the SmartControl app from the AppStore or Google Play and follow the on-screen steps to finish set up



Obtenga la aplicación

Descargue la aplicación CarLink de AppStore o Google Play y siga los pasos en pantalla



Scan to download the app

Escanee para descargar la aplicación

iOS app: <https://goo.gl/eWtrHS>

Android app: <https://goo.gl/SpHYUV>

FCC Statement

1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference.

(2) This device must accept any interference received, including interference that may cause undesired operation.

2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

SAR Information Statement

Your Connected, CarLink is a radio transmitter and receiver. It is designed and manufactured not to exceed the emission limits for exposure to radiofrequency (RF) energy set by the Federal Communications Commission of the U.S. Government. These limits are part of comprehensive guidelines and establish permitted levels of RF energy for the general population. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons, regardless of age and health. The exposure standard for wireless mobile phones employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the FCC is 1.6 W/kg. * Tests for SAR are conducted with the Connected, CarLink transmitting at its highest certified power level in all tested frequency bands. Although the SAR is determined at the highest certified power level, the actual SAR level of the Connected, CarLink while operating can be well below the maximum value. This is because the Connected, CarLink is designed to operate at multiple power levels so as to use only the power required to reach the network. In general, the closer you are to a wireless base station antenna, the lower the power output. Before a phone model is available for sale to the public, it must be tested and certified to the FCC that it does not exceed the limit established by the government adopted requirement for safe exposure. The tests are performed in positions and locations (e.g., at the ear and worn on the body) as required by the FCC for each model. The maximum scaled SAR in Extremity mode is 0.093W/Kg. While there may be differences between the SAR levels of various phones and at various positions, they all meet the government requirement for safe exposure. The FCC has granted an Equipment Authorization for this model Connected, CarLink with all reported SAR levels evaluated as in compliance with the FCC RFexposure guidelines. SAR information on this model Connected, CarLink is on file with the FCC and can be found under the Display Grant section of <http://www.fcc.gov/oet/fccid> after searching on

FCC ID: [2ABSL3200](http://www.fcc.gov/oet/fccid) Additional information on Specific Absorption Rates (SAR) can be found on the Cellular Telecommunications Industry Association (CTIA) web-site at <http://www.wow-com.com>. * In the United States and Canada, the SAR limit for mobile phones used by the public is 1.6 watts/kg (W/kg) averaged over one gram of tissue. The standard incorporates a substantial margin of safety to give additional protection for the public and to account for any variations in measurements.

Body-worn Operation

This device was tested for typical body-worn operations. To comply with RF exposure requirements, a minimum separation distance of 10mm must be maintained between the user's body and the handset, including the antenna. Third-party belt-clips, holsters, and similar accessories used by this device should not contain any metallic components. Body-worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided. Use only the supplied or an approved antenna.

IC STATEMENT

This device complies with Industry Canada licence-exempt RSS standard(s)

Operation is subject to the following two conditions:

- (1) This device may not cause interference, and
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue.

The maximum scaled SAR in Extremity mode is **0.093 W/Kg**. This device was tested for typical body-worn operations. To comply with RF exposure requirements, a minimum separation distance of **15mm** must be maintained between the user's body and the handset, including the antenna. Third-party belt-clips, holsters, and similar accessories used by this device should not contain any metallic components. Body-worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided. Use only the supplied or an approved antenna.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence.

Ce dispositif est conforme aux normes autoriser-exemptes du Canada RSS d'industrie

L'exploitation est autorisée aux deux conditions suivantes :

- (1) l'appareil ne doit pas produire de brouillage, et
 - (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.
- Cet équipement est conforme avec l'exposition aux radiations IC définies pour un environnement non contrôlé. L'utilisateur final doit respecter les instructions de fonctionnement spécifiques pour satisfaire la conformité aux expositions RF. Cet émetteur ne doit pas être co-localisées ou opérant en conjonction avec une autre antenne ou transmetteur. Ces exigences définissent la valeur SAR limite à 1.6 W / kg en moyenne par gramme de tissu.

L'échelle maximale sar en mode Extremity est de **0.093 W kg**

Cet appareil a été testé pour des opérations portés sur le corps typiques. Pour se conformer aux exigences d'exposition aux radiofréquences, une distance minimale de 15 mm doit être maintenue entre le corps de l'utilisateur et le combiné, y compris l'antenne. Les pinces de ceinture, les étuis et autres accessoires similaires utilisés par cet appareil ne doivent pas contenir de composants métalliques. Les accessoires portatifs qui ne répondent pas à ces exigences peuvent ne pas se conformer aux exigences d'exposition RF et doit être évitée.

Utilisez uniquement l'antenne fournie ou une antenne approuvée