


# Radiant in color, bright in outcomes

## LCD Electronic Shelf Labels


### SPECIFICATION





## HIGHLIGHT

	Full-Color Display		Single Screen
	Real-time updates		Video Playing
	Wi-Fi Connection		Rail Power Supply
	TFT LCD Technology		Multiple Mounting Options



## BRIEF INTRODUCTION

LCD electronic shelf labels are smart display devices designed to replace traditional paper price tags. Utilizing TFT LCD technology, they offer high-definition, full-color, and high-contrast displays. These labels can present a wide range of content, including videos, images, prices, QR codes, and text. With Wi-Fi connectivity, they enable real-time updating of product information. Available in both single screen and dual screen versions, these labels provide a flexible solution for modern retail environments.

## SPECIFICATION

Screen size	10.1-inch
Dimension	242*155*12.6 mm
Weight	416 g±5g
Angle of view	IPS
Visible window	135*216 mm
Resolution ratio	800*1280
Viewing angle	178°
Storage	128 M
Picture format	jpg 480P 720P
Video	MP4、AVI、480P、720P
Operating temperature	0-50°C
Brightness	200-220 cd/m <sup>2</sup>
Storage temperature	-10-60°C
Operating humidity	40%--75%RH
Storage humidity	30%--85%RH
Power supply	DC9-28V
Power	4 W
Communication mode	Bluetooth /Wi-Fi 2.4G、5G
Online firmware upgrade	Support
Shell color	Black

## COMPLIANCE

Certification

FCC/CE/RoHS

## Installation methods



## Packaging

Material of cardboard box	230g high-quality Niuka+180g high-strength core
Length, Width, Height	Specifications 15:48 * 35 * 43 cm Specifications 30:48 * 35 * 23 cm
Weight	15 single screens: 7391 g 15 double screens: 8771 g 30 single screens: 14289 g 30 Dual Screens: 17049 g
Number of Packages	Can pack 15 or 30 products
Packaging Method	An inner box of 15 products or 30 products Foreign container

## FCC Requirement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

### FCC warning:

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.



Address: Building I, Gangzhilong Science Park, Qinglong Road, Longhua District, Shenzhen, 518109, China

Phone: +86(755)2103 8160

Email: [info@minewtag.com](mailto:info@minewtag.com)

Website: <https://www.minewtag.com>

