



## 802.11ax HE80 CH119



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1247.625000	40.77	---	68.20	27.43	500.0	200.0	V	33.0	-8.3
1411.250000	---	29.79	54.00	24.21	500.0	200.0	V	20.0	-7.4
1683.375000	---	30.95	54.00	23.05	500.0	100.0	H	135.0	-6.0
1926.625000	44.02	---	68.20	24.18	500.0	100.0	H	55.0	-4.8
2507.625000	46.56	---	68.20	21.64	500.0	200.0	V	59.0	-2.4
2813.000000	---	35.21	54.00	18.79	500.0	200.0	V	8.0	-1.3
3542.750000	50.08	---	68.20	18.12	500.0	100.0	V	282.0	1.4
3865.625000	---	39.15	54.00	14.85	500.0	200.0	V	1.0	2.4
4417.750000	50.61	---	68.20	17.59	500.0	100.0	H	74.0	3.8
5450.250000	---	39.65	54.00	14.36	500.0	100.0	V	117.0	5.9
7525.750000	---	41.12	54.00	12.88	500.0	100.0	V	232.0	7.3
7935.250000	52.31	---	68.20	15.89	500.0	100.0	V	213.0	8.2



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8472.500000	---	32.16	54.00	21.84	500.0	100.0	H	2.0	-1.7
8510.000000	44.22	---	68.20	23.98	500.0	100.0	H	110.0	-1.6
9451.250000	---	33.22	54.00	20.78	500.0	200.0	H	0.0	-0.4
10227.500000	45.16	---	68.20	23.04	500.0	200.0	H	344.0	-0.9
10575.000000	43.31	---	68.20	24.89	500.0	200.0	V	152.0	-0.8
11897.500000	---	33.11	54.00	20.89	500.0	100.0	V	267.0	0.3
13303.750000	---	35.07	54.00	18.93	500.0	200.0	V	215.0	3.3
13496.250000	46.48	---	68.20	21.72	500.0	100.0	H	15.0	3.5
15186.250000	48.90	---	68.20	19.30	500.0	100.0	V	140.0	5.6
15572.500000	---	37.36	54.00	16.64	500.0	100.0	H	260.0	6.6
17317.500000	51.81	---	68.20	16.39	500.0	100.0	H	15.0	9.4
17751.250000	---	39.92	54.00	14.08	500.0	200.0	H	277.0	10.3

## 802.11ax HE80 CH135



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1283.500000	41.42	---	68.20	26.78	500.0	200.0	V	140.0	-8.1
1413.000000	---	29.78	54.00	24.22	500.0	200.0	V	0.0	-7.3
1690.375000	---	31.08	54.00	22.92	500.0	200.0	V	66.0	-5.9
1998.375000	44.03	---	68.20	24.17	500.0	200.0	H	320.0	-4.5
2550.500000	46.19	---	68.20	22.01	500.0	200.0	V	97.0	-2.2
2819.125000	---	35.37	54.00	18.63	500.0	100.0	V	232.0	-1.3
3576.000000	50.30	---	68.20	17.90	500.0	200.0	V	17.0	1.5
3989.875000	---	38.89	54.00	15.11	500.0	200.0	V	97.0	2.9
4452.750000	50.34	---	68.20	17.86	500.0	200.0	H	252.0	4.0
4939.250000	---	39.93	54.00	14.07	500.0	100.0	V	76.0	5.1
7531.875000	---	41.19	54.00	12.82	500.0	200.0	H	263.0	7.4
7878.375000	52.82	---	68.20	15.38	500.0	100.0	V	107.0	8.1



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8466.250000	---	32.34	54.00	21.66	500.0	100.0	V	330.0	-1.7
8967.500000	44.32	---	68.20	23.88	500.0	200.0	V	0.0	-1.4
9455.000000	---	33.27	54.00	20.73	500.0	200.0	H	173.0	-0.4
10136.250000	44.52	---	68.20	23.68	500.0	200.0	H	323.0	-0.8
10517.500000	42.82	---	68.20	25.38	500.0	200.0	V	195.0	-0.9
11936.250000	---	33.25	54.00	20.75	500.0	200.0	H	359.0	0.3
13305.000000	---	34.73	54.00	19.27	500.0	100.0	V	266.0	3.3
13478.750000	46.22	---	68.20	21.98	500.0	200.0	V	0.0	3.5
15205.000000	49.14	---	68.20	19.06	500.0	100.0	V	116.0	5.7
15571.250000	---	37.04	54.00	16.96	500.0	200.0	V	164.0	6.6
17692.500000	51.40	---	68.20	16.80	500.0	100.0	V	6.0	10.2
17708.750000	---	40.02	54.00	13.98	500.0	200.0	V	269.0	10.3

## 802.11ax HE80 CH151



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1286.125000	40.57	---	68.20	27.63	500.0	200.0	V	105.0	-8.1
1411.250000	---	29.71	54.00	24.29	500.0	200.0	V	111.0	-7.4
1721.000000	---	31.31	54.00	22.69	500.0	200.0	V	4.0	-5.8
1965.125000	43.62	---	68.20	24.58	500.0	200.0	H	299.0	-4.6
2501.500000	45.96	---	68.20	22.24	500.0	200.0	H	117.0	-2.4
2804.250000	---	35.43	54.00	18.57	500.0	200.0	V	46.0	-1.4
3513.875000	49.80	---	68.20	18.40	500.0	200.0	V	158.0	1.3
3985.500000	---	39.00	54.00	15.00	500.0	100.0	V	297.0	2.9
4481.625000	51.06	---	68.20	17.14	500.0	100.0	H	74.0	4.2
5393.375000	---	39.77	54.00	14.23	500.0	200.0	H	312.0	5.7
7646.500000	---	40.94	54.00	13.06	500.0	100.0	V	309.0	7.6
7965.000000	52.82	---	68.20	15.38	500.0	100.0	H	123.0	8.3



### Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8040.000000	---	32.45	54.00	21.55	500.0	200.0	V	344.0	-1.5
8505.000000	43.83	---	68.20	24.37	500.0	200.0	V	86.0	-1.6
9460.000000	---	33.26	54.00	20.74	500.0	200.0	V	5.0	-0.3
9608.750000	44.70	---	68.20	23.50	500.0	100.0	V	295.0	-0.8
10571.250000	43.93	---	68.20	24.27	500.0	100.0	H	42.0	-0.8
11945.000000	---	33.15	54.00	20.85	500.0	100.0	V	138.0	0.3
13317.500000	---	34.81	54.00	19.19	500.0	100.0	V	193.0	3.3
13500.000000	46.00	---	68.20	22.20	500.0	200.0	H	308.0	3.5
15345.000000	48.24	---	68.20	19.96	500.0	100.0	V	0.0	5.9
15553.750000	---	36.91	54.00	17.09	500.0	200.0	H	23.0	6.5
17685.000000	51.76	---	68.20	16.44	500.0	200.0	H	302.0	10.2
17717.500000	---	39.99	54.00	14.01	500.0	200.0	V	12.0	10.3

## 802.11ax HE80 CH167



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1298.375000	41.99	---	68.20	26.21	500.0	100.0	H	310.0	-8.0
1401.625000	---	31.40	54.00	22.60	500.0	200.0	H	316.0	-7.5
1673.750000	---	32.75	54.00	21.25	500.0	100.0	H	0.0	-6.0
1949.375000	44.72	---	68.20	23.48	500.0	200.0	V	176.0	-4.7
2535.625000	47.08	---	68.20	21.12	500.0	100.0	H	225.0	-2.3
2808.625000	---	35.93	54.00	18.07	500.0	200.0	H	196.0	-1.3
3485.000000	49.77	---	68.20	18.43	500.0	100.0	H	213.0	1.2
3988.125000	---	39.17	54.00	14.83	500.0	100.0	H	274.0	2.9
4489.500000	51.23	---	68.20	16.97	500.0	200.0	H	26.0	4.3
5085.375000	---	40.14	54.00	13.86	500.0	200.0	H	221.0	5.2
7524.000000	---	41.05	54.00	12.95	500.0	200.0	H	0.0	7.3
7970.250000	53.44	---	68.20	14.76	500.0	200.0	V	118.0	8.4



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8600.000000	43.98	---	68.20	24.22	500.0	100.0	V	72.0	-1.7
9046.250000	---	36.08	54.00	17.92	500.0	100.0	V	90.0	-1.4
9468.750000	---	33.12	54.00	20.88	500.0	200.0	V	199.0	-0.3
9637.500000	44.85	---	68.20	23.35	500.0	100.0	H	169.0	-0.8
10595.000000	43.20	---	68.20	25.00	500.0	200.0	V	101.0	-0.8
11946.250000	---	33.17	54.00	20.83	500.0	200.0	V	0.0	0.3
13303.750000	---	34.72	54.00	19.28	500.0	100.0	V	0.0	3.3
13677.500000	45.92	---	68.20	22.28	500.0	200.0	H	0.0	3.7
15146.250000	47.89	---	68.20	20.31	500.0	100.0	H	0.0	5.5
15605.000000	---	37.08	54.00	16.92	500.0	200.0	V	168.0	6.7
17680.000000	51.25	---	68.20	16.95	500.0	200.0	H	235.0	10.2
17712.500000	---	40.23	54.00	13.77	500.0	200.0	V	88.0	10.3

## 802.11ax HE80 CH183



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1282.625000	42.03	---	68.20	26.17	500.0	200.0	H	22.0	-8.1
1399.000000	---	31.35	54.00	22.65	500.0	100.0	H	234.0	-7.5
1563.500000	---	32.43	54.00	21.57	500.0	100.0	H	300.0	-6.5
1980.000000	45.17	---	68.20	23.03	500.0	200.0	H	128.0	-4.6
2562.750000	47.03	---	68.20	21.17	500.0	100.0	H	18.0	-2.2
2785.875000	---	36.01	54.00	17.99	500.0	100.0	H	321.0	-1.5
3511.250000	50.48	---	68.20	17.72	500.0	100.0	V	70.0	1.3
3940.875000	---	39.07	54.00	14.93	500.0	100.0	V	230.0	2.6
4486.875000	51.63	---	68.20	16.57	500.0	100.0	V	123.0	4.3
4940.125000	---	40.35	54.00	13.66	500.0	200.0	H	73.0	5.1
7544.125000	---	41.04	54.00	12.96	500.0	200.0	V	251.0	7.4
7975.500000	53.33	---	68.20	14.87	500.0	100.0	H	287.0	8.4



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8520.000000	43.69	---	68.20	24.51	500.0	200.0	V	61.0	-1.6
9152.500000	---	36.35	54.00	17.65	500.0	100.0	V	91.0	-1.1
9468.750000	---	33.33	54.00	20.67	500.0	100.0	V	358.0	-0.3
9612.500000	44.70	---	68.20	23.50	500.0	100.0	V	250.0	-0.8
10562.500000	42.68	---	68.20	25.52	500.0	200.0	V	328.0	-0.8
11907.500000	---	33.07	54.00	20.93	500.0	100.0	V	212.0	0.4
13317.500000	---	34.63	54.00	19.37	500.0	200.0	V	22.0	3.3
13725.000000	46.35	---	68.20	21.85	500.0	100.0	V	295.0	3.8
15270.000000	48.25	---	68.20	19.95	500.0	100.0	V	269.0	5.9
15556.250000	---	37.22	54.00	16.78	500.0	100.0	H	140.0	6.6
17348.750000	51.86	---	68.20	16.34	500.0	200.0	V	54.0	9.4
17718.750000	---	40.30	54.00	13.70	500.0	200.0	V	190.0	10.3

## 802.11ax HE80 CH199



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1290.500000	41.97	---	68.20	26.23	500.0	100.0	H	49.0	-8.1
1366.625000	---	31.23	54.00	22.77	500.0	100.0	H	222.0	-7.6
1690.375000	---	32.29	54.00	21.71	500.0	100.0	H	350.0	-5.9
1930.125000	45.54	---	68.20	22.66	500.0	100.0	V	32.0	-4.8
2143.625000	49.09	---	68.20	19.11	500.0	100.0	H	92.0	-3.8
2781.500000	---	35.94	54.00	18.06	500.0	100.0	H	332.0	-1.5
3444.750000	49.52	---	68.20	18.68	500.0	100.0	V	203.0	1.1
3989.000000	---	39.13	54.00	14.87	500.0	100.0	H	253.0	2.9
4491.250000	51.82	---	68.20	16.38	500.0	200.0	H	140.0	4.3
5083.625000	---	39.73	54.00	14.27	500.0	100.0	H	104.0	5.2
7689.375000	---	40.95	54.00	13.05	500.0	100.0	H	216.0	7.9
7874.000000	52.77	---	68.20	15.43	500.0	100.0	H	265.0	8.1



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8031.250000	---	32.52	54.00	21.48	500.0	200.0	H	305.0	-1.5
8842.500000	44.10	---	68.20	24.10	500.0	200.0	V	15.0	-1.4
9461.250000	---	33.15	54.00	20.85	500.0	200.0	V	298.0	-0.3
10146.250000	44.47	---	68.20	23.73	500.0	200.0	V	343.0	-0.8
10576.250000	43.78	---	68.20	24.42	500.0	100.0	V	135.0	-0.8
11722.500000	---	33.41	54.00	20.59	500.0	200.0	V	107.0	0.0
13313.750000	---	34.65	54.00	19.35	500.0	100.0	H	359.0	3.3
13523.750000	45.97	---	68.20	22.23	500.0	200.0	V	65.0	3.6
15271.250000	48.54	---	68.20	19.66	500.0	200.0	V	305.0	5.9
15592.500000	---	37.03	54.00	16.97	500.0	200.0	H	274.0	6.7
17685.000000	51.23	---	68.20	16.97	500.0	200.0	H	136.0	10.2
17716.250000	---	40.09	54.00	13.91	500.0	200.0	H	345.0	10.3

## 802.11ax HE80 CH215



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1277.375000	41.78	---	68.20	26.42	500.0	200.0	V	39.0	-8.2
1408.625000	---	31.35	54.00	22.65	500.0	100.0	H	200.0	-7.4
1703.500000	---	32.42	54.00	21.58	500.0	100.0	H	75.0	-5.9
1990.500000	45.09	---	68.20	23.11	500.0	200.0	V	230.0	-4.5
2605.625000	47.16	---	68.20	21.04	500.0	100.0	H	233.0	-2.1
2767.500000	---	36.25	54.00	17.75	500.0	100.0	H	257.0	-1.5
3448.250000	49.58	---	68.20	18.62	500.0	200.0	V	188.0	1.1
3988.125000	---	39.43	54.00	14.57	500.0	200.0	V	169.0	2.9
4423.000000	50.93	---	68.20	17.27	500.0	200.0	H	199.0	3.9
5020.625000	---	39.57	54.00	14.43	500.0	200.0	H	29.0	4.8
7534.500000	---	40.90	54.00	13.10	500.0	100.0	H	358.0	7.4
7881.875000	52.91	---	68.20	15.29	500.0	100.0	H	353.0	8.1



### Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8033.750000	---	32.29	54.00	21.71	500.0	100.0	H	32.0	-1.5
8515.000000	44.17	---	68.20	24.03	500.0	100.0	H	222.0	-1.6
9366.250000	---	36.78	54.00	17.22	500.0	100.0	V	84.0	-0.9
9631.250000	44.61	---	68.20	23.59	500.0	100.0	H	98.0	-0.8
10568.750000	43.12	---	68.20	25.08	500.0	100.0	H	38.0	-0.8
11933.750000	---	33.46	54.00	20.54	500.0	200.0	V	118.0	0.3
13318.750000	---	34.80	54.00	19.20	500.0	100.0	V	332.0	3.3
13473.750000	45.96	---	68.20	22.24	500.0	100.0	V	278.0	3.4
15143.750000	48.15	---	68.20	20.05	500.0	200.0	H	239.0	5.5
15605.000000	---	37.09	54.00	16.91	500.0	200.0	V	87.0	6.7
17377.500000	51.22	---	68.20	16.98	500.0	100.0	V	266.0	9.5
17713.750000	---	40.04	54.00	13.96	500.0	200.0	V	0.0	10.3

## 802.11ax HE160 CH15



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1280.000000	41.54	---	68.20	26.66	500.0	200.0	H	281.0	-8.1
1395.500000	---	31.24	54.00	22.76	500.0	200.0	H	345.0	-7.5
1708.750000	---	32.30	54.00	21.70	500.0	100.0	H	201.0	-5.9
1993.125000	44.63	---	68.20	23.57	500.0	100.0	H	347.0	-4.5
2557.500000	47.19	---	68.20	21.01	500.0	100.0	H	53.0	-2.2
2770.125000	---	36.03	54.00	17.97	500.0	100.0	H	325.0	-1.5
3416.750000	49.73	---	68.20	18.47	500.0	100.0	H	354.0	1.0
3947.875000	---	39.14	54.00	14.86	500.0	100.0	H	232.0	2.6
4493.000000	50.98	---	68.20	17.22	500.0	200.0	H	164.0	4.3
5119.500000	---	39.59	54.00	14.41	500.0	200.0	H	18.0	5.1
7584.375000	---	40.98	54.00	13.02	500.0	200.0	H	5.0	7.4
7877.500000	52.95	---	68.20	15.25	500.0	200.0	H	351.0	8.1



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8477.500000	---	32.57	54.00	21.43	500.0	200.0	H	168.0	-1.6
8848.750000	44.28	---	68.20	23.92	500.0	100.0	V	223.0	-1.4
9205.000000	44.85	---	68.20	23.35	500.0	100.0	V	255.0	-0.9
9450.000000	---	33.40	54.00	20.60	500.0	200.0	V	136.0	-0.4
10503.750000	43.11	---	68.20	25.09	500.0	200.0	H	349.0	-0.9
11932.500000	---	33.19	54.00	20.81	500.0	100.0	V	216.0	0.3
13300.000000	---	34.64	54.00	19.36	500.0	200.0	H	306.0	3.3
13727.500000	45.93	---	68.20	22.27	500.0	100.0	H	161.0	3.8
15240.000000	49.56	---	68.20	18.64	500.0	200.0	V	64.0	5.8
15550.000000	---	36.97	54.00	17.03	500.0	200.0	V	71.0	6.5
17367.500000	52.05	---	68.20	16.15	500.0	100.0	V	172.0	9.5
17716.250000	---	40.31	54.00	13.69	500.0	200.0	V	344.0	10.3

## 802.11ax HE160 CH47



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1268.625000	41.89	---	68.20	26.31	500.0	200.0	V	181.0	-8.2
1392.875000	---	31.21	54.00	22.79	500.0	200.0	H	6.0	-7.5
1687.750000	---	32.49	54.00	21.51	500.0	200.0	H	54.0	-5.9
1889.875000	44.76	---	68.20	23.44	500.0	100.0	H	2.0	-5.0
2659.875000	46.76	---	68.20	21.44	500.0	200.0	H	160.0	-1.9
2826.125000	---	35.86	54.00	18.14	500.0	100.0	H	351.0	-1.2
3466.625000	50.43	---	68.20	17.77	500.0	200.0	H	18.0	1.2
3946.125000	---	39.09	54.00	14.91	500.0	200.0	V	344.0	2.6
4429.125000	50.74	---	68.20	17.46	500.0	100.0	H	139.0	3.9
5053.875000	---	39.90	54.00	14.10	500.0	200.0	H	0.0	5.1
7539.750000	---	40.78	54.00	13.22	500.0	200.0	H	36.0	7.4
7867.875000	53.42	---	68.20	14.78	500.0	200.0	V	64.0	8.1



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8026.250000	---	32.59	54.00	21.41	500.0	100.0	V	39.0	-1.5
8530.000000	44.44	---	68.20	23.76	500.0	200.0	H	330.0	-1.6
9463.750000	---	33.32	54.00	20.68	500.0	200.0	H	13.0	-0.3
9883.750000	44.44	---	68.20	23.76	500.0	100.0	V	14.0	-0.8
10520.000000	43.36	---	68.20	24.84	500.0	100.0	H	300.0	-0.9
11935.000000	---	33.25	54.00	20.75	500.0	200.0	V	96.0	0.3
13308.750000	---	34.94	54.00	19.06	500.0	100.0	V	107.0	3.3
13722.500000	46.48	---	68.20	21.72	500.0	200.0	H	126.0	3.8
15163.750000	48.37	---	68.20	19.83	500.0	200.0	V	197.0	5.6
15597.500000	---	37.25	54.00	16.75	500.0	200.0	V	350.0	6.7
17691.250000	52.05	---	68.20	16.15	500.0	100.0	V	278.0	10.2
17718.750000	---	40.02	54.00	13.98	500.0	200.0	H	126.0	10.3