



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-10.22	0.01	-4.00	-1.00	Pass
6725	-11.00	0.01	-4.78	-1.00	Pass
6845	-10.59	0.01	-4.37	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-10.38	0.01	-4.16	-1.00	Pass
7005	-11.08	0.01	-4.86	-1.00	Pass
7085	-10.70	0.01	-4.48	-1.00	Pass




Test Mode	IEEE 802.11ax(HE40)_Ant.2
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-10.75	0.01	-4.53	-1.00	Pass
6165	-10.59	0.01	-4.37	-1.00	Pass
6405	-10.31	0.01	-4.09	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-10.27	0.01	-4.05	-1.00	Pass
6485	-10.79	0.01	-4.57	-1.00	Pass
6525	-10.55	0.01	-4.33	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-11.02	0.01	-4.80	-1.00	Pass
6725	-10.19	0.01	-3.97	-1.00	Pass
6845	-10.03	0.01	-3.81	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-10.53	0.01	-4.31	-1.00	Pass
7005	-10.20	0.01	-3.98	-1.00	Pass
7085	-10.49	0.01	-4.27	-1.00	Pass




Test Mode	IEEE 802.11ax(HE40)_Total
-----------	---------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-1.26	-1.00	Pass
6165	-1.46	-1.00	Pass
6405	-1.44	-1.00	Pass
6445	-1.46	-1.00	Pass
6485	-1.05	-1.00	Pass
6525	-1.56	-1.00	Pass
6565	-1.37	-1.00	Pass
6725	-1.35	-1.00	Pass
6845	-1.07	-1.00	Pass
6885	-1.22	-1.00	Pass
7005	-1.39	-1.00	Pass
7085	-1.36	-1.00	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.1
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-10.48	0.01	-4.26	-1.00	Pass
6145	-10.53	0.01	-4.31	-1.00	Pass
6385	-10.03	0.01	-3.81	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-10.19	0.01	-3.97	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-10.55	0.01	-4.33	-1.00	Pass
6705	-10.09	0.01	-3.87	-1.00	Pass
6865	-10.17	0.01	-3.95	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-10.10	0.01	-3.88	-1.00	Pass
7025	-10.21	0.01	-3.99	-1.00	Pass




Test Mode	IEEE 802.11ax(HE80)_Ant.2
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-11.20	0.01	-4.98	-1.00	Pass
6145	-10.77	0.01	-4.55	-1.00	Pass
6385	-10.71	0.01	-4.49	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-10.58	0.01	-4.36	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-9.96	0.01	-3.74	-1.00	Pass
6705	-11.18	0.01	-4.96	-1.00	Pass
6865	-10.68	0.01	-4.46	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-10.85	0.01	-4.63	-1.00	Pass
7025	-10.31	0.01	-4.09	-1.00	Pass




Test Mode	IEEE 802.11ax(HE80)_Total
-----------	---------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-1.59	-1.00	Pass
6145	-1.42	-1.00	Pass
6385	-1.13	-1.00	Pass
6465	-1.15	-1.00	Pass
6545	-1.01	-1.00	Pass
6705	-1.37	-1.00	Pass
6865	-1.19	-1.00	Pass
6945	-1.23	-1.00	Pass
7025	-1.03	-1.00	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-10.63	0.01	-4.41	-1.00	Pass
6185	-10.51	0.01	-4.29	-1.00	Pass
6345	-10.58	0.01	-4.36	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	-10.96	0.01	-4.74	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6665	-11.11	0.01	-4.89	-1.00	Pass
6825	-10.29	0.01	-4.07	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6985	-10.32	0.01	-4.10	-1.00	Pass




Test Mode	IEEE 802.11ax(HE160)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-10.67	0.01	-4.45	-1.00	Pass
6185	-10.74	0.01	-4.52	-1.00	Pass
6345	-10.32	0.01	-4.10	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	-10.58	0.01	-4.36	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6665	-10.49	0.01	-4.27	-1.00	Pass
6825	-10.67	0.01	-4.45	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6985	-10.66	0.01	-4.44	-1.00	Pass



Test Mode	IEEE 802.11ax(HE160)_Total
-----------	----------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-1.42	-1.00	Pass
6185	-1.39	-1.00	Pass
6345	-1.22	-1.00	Pass
6505	-1.54	-1.00	Pass
6665	-1.56	-1.00	Pass
6825	-1.25	-1.00	Pass
6985	-1.26	-1.00	Pass

APPENDIX H - IN-BAND EMISSION (MASK)