


Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.12	0.00	1.12	10.99	Pass


CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.35	0.00	1.35	10.99	Pass

CH42




Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.25	10.99	Pass


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.60	0.00	7.60	10.99	Pass
60	5300	7.40	0.00	7.40	10.99	Pass
64	5320	7.45	0.00	7.45	10.99	Pass


CH52



CH60




CH64




Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.56	0.00	7.56	10.99	Pass
60	5300	7.42	0.00	7.42	10.99	Pass
64	5320	7.66	0.00	7.66	10.99	Pass


CH52



CH60



CH64




Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	10.59	10.99	Pass
60	5300	10.42	10.99	Pass
64	5320	10.57	10.99	Pass


Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.32	0.00	6.32	10.99	Pass
60	5300	6.72	0.00	6.72	10.99	Pass
64	5320	6.95	0.00	6.95	10.99	Pass



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.74	0.00	6.74	10.99	Pass
60	5300	6.87	0.00	6.87	10.99	Pass
64	5320	7.20	0.00	7.20	10.99	Pass




Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.54	10.99	Pass
60	5300	9.81	10.99	Pass
64	5320	10.09	10.99	Pass


Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.30	0.00	4.30	10.99	Pass
62	5310	4.19	0.00	4.19	10.99	Pass

CH54




CH62




Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.15	0.00	4.15	10.99	Pass
62	5310	4.46	0.00	4.46	10.99	Pass

CH54



CH62




Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.23	10.99	Pass
62	5310	7.34	10.99	Pass

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.13	0.00	1.13	10.99	Pass


CH58



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.46	0.00	1.46	10.99	Pass

CH58




Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	4.31	10.99	Pass

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.28	0.00	-1.28	10.99	Pass


CH50



Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.39	0.00	-1.39	10.99	Pass

CH50




Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	1.67	10.99	Pass


Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.13	0.00	7.13	10.99	Pass
116	5580	7.06	0.00	7.06	10.99	Pass
140	5700	6.79	0.00	6.79	10.99	Pass
144	5720	6.35	0.00	6.35	10.99	Pass


CH100




CH116



CH140




CH144




Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.83	0.00	7.83	10.99	Pass
116	5580	7.85	0.00	7.85	10.99	Pass
140	5700	7.91	0.00	7.91	10.99	Pass
144	5720	7.51	0.00	7.51	10.99	Pass


CH100




CH116



CH140



CH144




Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.50	10.99	Pass
116	5580	10.49	10.99	Pass
140	5700	10.40	10.99	Pass
144	5720	9.98	10.99	Pass


Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.42	0.00	6.42	10.99	Pass
116	5580	6.41	0.00	6.41	10.99	Pass
140	5700	6.30	0.00	6.30	10.99	Pass
144	5720	6.96	0.00	6.96	10.99	Pass


CH100




CH116



CH140




CH144




Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.24	0.00	7.24	10.99	Pass
116	5580	7.20	0.00	7.20	10.99	Pass
140	5700	7.05	0.00	7.05	10.99	Pass
144	5720	7.85	0.00	7.85	10.99	Pass


CH100




CH116



CH140



CH144




Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.86	10.99	Pass
116	5580	9.84	10.99	Pass
140	5700	9.70	10.99	Pass
144	5720	10.44	10.99	Pass


Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.79	0.00	3.79	10.99	Pass
110	5550	3.80	0.00	3.80	10.99	Pass
134	5670	3.24	0.00	3.24	10.99	Pass
142	5710	4.32	0.00	4.32	10.99	Pass


CH102




CH110



CH134




CH142



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.72	0.00	4.72	10.99	Pass
110	5550	4.80	0.00	4.80	10.99	Pass
134	5670	4.67	0.00	4.67	10.99	Pass
142	5710	5.28	0.00	5.28	10.99	Pass




Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.29	10.99	Pass
110	5550	7.34	10.99	Pass
134	5670	7.02	10.99	Pass
142	5710	7.84	10.99	Pass


Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.51	0.00	0.51	10.99	Pass
122	5610	0.30	0.00	0.30	10.99	Pass
138	5690	1.08	0.00	1.08	10.99	Pass


CH106



CH122




CH138




Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.04	0.00	2.04	10.99	Pass
122	5610	1.74	0.00	1.74	10.99	Pass
138	5690	2.14	0.00	2.14	10.99	Pass


CH106



CH122



CH138




Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	4.35	10.99	Pass
122	5610	4.09	10.99	Pass
138	5690	4.64	10.99	Pass

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.16	0.00	-2.16	10.99	Pass


CH114



Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-1.10	0.00	-1.10	10.99	Pass

CH114



Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	1.42	10.99	Pass

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-1.88	5.11	0.00	5.11	29.99	Pass
157	5785	-1.58	5.41	0.00	5.41	29.99	Pass
165	5825	-1.27	5.72	0.00	5.72	29.99	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-1.34	5.65	0.00	5.65	29.99	Pass
157	5785	-1.23	5.76	0.00	5.76	29.99	Pass
165	5825	-0.94	6.05	0.00	6.05	29.99	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.39	29.99	Pass
157	5785	8.60	29.99	Pass
165	5825	8.90	29.99	Pass

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-3.58	3.40	0.00	3.40	29.99	Pass
157	5785	-2.81	4.18	0.00	4.18	29.99	Pass
165	5825	-2.69	4.30	0.00	4.30	29.99	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.37	4.62	0.00	4.62	29.99	Pass
157	5785	-2.83	4.16	0.00	4.16	29.99	Pass
165	5825	-2.54	4.45	0.00	4.45	29.99	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.07	29.99	Pass
157	5785	7.18	29.99	Pass
165	5825	7.38	29.99	Pass

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-6.11	0.88	0.00	0.88	29.99	Pass
159	5795	-5.48	1.51	0.00	1.51	29.99	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-5.30	1.69	0.00	1.69	29.99	Pass
159	5795	-5.59	1.40	0.00	1.40	29.99	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$




Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.32	29.99	Pass
159	5795	4.46	29.99	Pass

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-9.24	-2.25	0.00	-2.25	29.99	Pass
NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$							


CH155



Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-8.70	-1.71	0.00	-1.71	29.99	Pass
NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$							

CH155



Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.04	29.99	Pass

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138.00	5179.9726
120.00	5179.9728
102.00	5179.9726
Maximum Deviation (MHz)	-0.0274
Maximum Deviation (ppm)	-5.2896

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
-10.00	5179.9726
0.00	5179.9726
10.00	5179.9730
20.00	5179.9728
30.00	5179.9732
40.00	5179.9738
50.00	5179.9830
Maximum Deviation (MHz)	-0.0274
Maximum Deviation (ppm)	-5.2838

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
138.00	5259.9722
120.00	5259.9724
102.00	5259.9724
Maximum Deviation (MHz)	-0.0278
Maximum Deviation (ppm)	-5.2852

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
-10.00	5259.9722
0.00	5259.9722
10.00	5259.9722
20.00	5259.9724
30.00	5259.9724
40.00	5259.9724
50.00	5259.9740
Maximum Deviation (MHz)	-0.0278
Maximum Deviation (ppm)	-5.2795

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
138.00	5499.9698
120.00	5499.9700
102.00	5499.9700
Maximum Deviation (MHz)	-0.0302
Maximum Deviation (ppm)	-5.4909

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
-10.00	5499.9698
0.00	5499.9698
10.00	5499.9700
20.00	5499.9700
30.00	5499.9704
40.00	5499.9706
50.00	5499.9710
Maximum Deviation (MHz)	-0.0302
Maximum Deviation (ppm)	-5.4855

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138.00	5744.9680
120.00	5744.9682
102.00	5744.9682
Maximum Deviation (MHz)	-0.0320
Maximum Deviation (ppm)	-5.5701

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
-10.00	5744.9680
0.00	5744.9682
10.00	5744.9684
20.00	5744.9682
30.00	5744.9688
40.00	5744.9688
50.00	5744.9696
Maximum Deviation (MHz)	-0.0320
Maximum Deviation (ppm)	-5.5648

End of Test Report