
GRAVITY 2 10W Wireless Charging Power Bank

GRAVITY 2

Manual

1. Product function

1.1 Instruction of wireless charging function

The product could achieve short-range radio transmission by magnetic induction, applicable to charging for digital products of 5V or 9V. Communications, furniture, fire protection, water proof and other digital products, this product meets Qi wireless charging standard. It could be wireless charging with all the Qi standard receiver.

1.2 It can make sure 100% charging precision

Put the phone with wireless charging function on the GRAVITY 2 transmitter correctly, the phone will be wireless charging.

Wireless Output voltage: DC5V 1A or DC9V 1.1A

1.3 USB input function

GRAVITY 2 can wireless charging by connect to safety adapter or Micro USB wire connect to computer:

Micro-B Input voltage: DC5V 2.1A or DC9V 2A

USB-C Input voltage: DC5V 2.5A or DC9V 2A

USB-A Output voltage: DC 5V 2.4A or DC9V 2A or 12V 1.5A

USB-c Output voltage: DC 5V 3A or DC9V 2A or 12V 1.5A

1.3 Transmitter pad indicator light working description

Power on: After 2 seconds of green and blue indicator light flash alternately, indicator light will be turn green for a long time then enter into standby mode.

Standby: Indicator light will be turn green for a long time

Charging: Indicator light will be turn blue for a long time, remove the receiver, the indicator light will turn green, enter into standby mode.

2. Automatic protection function

When the transmitter detected its connector's load current is too large (current exceeds the rated output), the transmitter will shut off with the mobile receiver connection automatically, safety protection automatically. Put the mobile phone in correct position again after move the mobile 5 seconds later. It will re-enter charging status when the connection is successful.

FCC Warning Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- - Reorient or relocate the receiving antenna.
- - Increase the separation between the equipment and receiver.
- - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- - Consult the dealer or an experienced radio/TV technician for help.

RF Exposure: A distance of 15 cm shall be maintained between the antenna and users, and the transmitter may not be co-located with any other transmitter or antenna.