





GSM1900 (GSM)

Lowest Channel




GSM1900 (EDGE class 8)

Lowest Channel




Middle Channel




Middle Channel



Highest Channel




Highest Channel






WCDMA Band V (RMC 12.2Kbps)

Lowest Channel




WCDMA Band II (RMC 12.2Kbps)


Lowest Channel




Middle Channel




Middle Channel



Highest Channel




Highest Channel






WCDMA Band IV (RMC 12.2Kbps)


Lowest Channel



Middle Channel




Highest Channel






CDMA BC0 (1xRTT)

Lowest Channel




CDMA BC1 (1xRTT)


Lowest Channel




Middle Channel




Middle Channel







Highest Channel



Highest Channel




**Conducted Band Edge****GSM850 (GSM)****Lowest Band Edge****Highest Band Edge****GSM850 (EDGE class 8)****Lowest Band Edge****Highest Band Edge**




GSM1900 (GSM)

Lowest Band Edge




Highest Band Edge




GSM1900 (EDGE class 8)

Lowest Band Edge




Highest Band Edge






WCDMA Band V (RMC 12.2Kbps)

Lowest Band Edge




Highest Band Edge




WCDMA Band II (RMC 12.2Kbps)

Lowest Band Edge



Highest Band Edge




Date: 25.JUL.2018 17:23:46

Date: 25.JUL.2018 17:26:38




WCDMA Band IV (RMC 12.2Kbps)

Lowest Band Edge




Highest Band Edge




CDMA BC0 (1xRTT)

Lowest Band Edge



Highest Band Edge







CDMA BC1 (1xRTT)

Lowest Band Edge

Highest Band Edge



Date: 25.JUL.2018 16:41:07




Date: 25.JUL.2018 16:43:56



Conducted Spurious Emission

GSM850 (GSM)


Lowest Channel



Date: 26.JUL.2018 13:48:39


GSM850 (EDGE class 8)

Lowest Channel




Date: 26.JUL.2018 15:22:13

Middle Channel




Date: 26.JUL.2018 13:53:02

Middle Channel




Date: 26.JUL.2018 15:36:30

Highest Channel



Date: 26.JUL.2018 13:54:36

Highest Channel




Date: 26.JUL.2018 15:41:37



GSM1900 (GSM)


Lowest Channel



Date: 26.JUL.2018 14:52:07


GSM1900 (EDGE class 8)

Lowest Channel




Date: 26.JUL.2018 16:05:23

Middle Channel




Date: 26.JUL.2018 14:54:55

Middle Channel




Date: 26.JUL.2018 16:06:54

Highest Channel



Date: 26.JUL.2018 14:56:25

Highest Channel




Date: 26.JUL.2018 16:08:19



WCDMA Band V (RMC 12.2Kbps)


Lowest Channel



Date: 26.JUL.2018 10:43:22


WCDMA Band II (RMC 12.2Kbps)

Lowest Channel




Date: 25.JUL.2018 17:28:39

Middle Channel




Date: 26.JUL.2018 10:44:50

Middle Channel




Date: 25.JUL.2018 17:30:26

Highest Channel



Date: 26.JUL.2018 10:46:48


Highest Channel



Date: 25.JUL.2018 17:32:19


WCDMA Band IV (RMC 12.2Kbps)

Lowest Channel




Date: 26.JUL.2018 11:13:46

Middle Channel



Date: 26.JUL.2018 11:15:17

Highest Channel




Date: 26.JUL.2018 11:16:53




CDMA BC0 (1xRTT)

Lowest Channel




CDMA BC1 (1xRTT)


Lowest Channel




Middle Channel




Middle Channel



Highest Channel



Highest Channel



**Frequency Stability**

Test Conditions	Middle Channel	GSM850 (GSM)	GSM850 (EDGE class 8)	Limit 2.5ppm
Temperature (°C)	Voltage (Volt)	Deviation (ppm)		Result
50	Normal Voltage	0.0011	0.0036	PASS
40	Normal Voltage	0.0011	0.0050	
30	Normal Voltage	0.0005	0.0055	
20(Ref.)	Normal Voltage	0.0000	0.0000	
10	Normal Voltage	0.0011	0.0068	
0	Normal Voltage	0.0018	0.0072	
-10	Normal Voltage	0.0022	0.0037	
-20	Normal Voltage	0.0004	0.0081	
-30	Normal Voltage	0.0030	0.0044	
20	Maximum Voltage	0.0016	0.0035	
20	Normal Voltage	0.0000	0.0000	
20	Battery End Point	0.0019	0.0067	

Note: Normal Voltage = 3.9V. ; Battery End Point (BEP) = 3.8 V. ; Maximum Voltage =4.2 V

Test Conditions	Middle Channel	GSM1900 (GSM)	GSM1900 (EDGE class 8)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)		Result
50	Normal Voltage	0.0035	0.0016	PASS
40	Normal Voltage	0.0023	0.0011	
30	Normal Voltage	0.0032	0.0036	
20(Ref.)	Normal Voltage	0.0000	0.0000	
10	Normal Voltage	0.0004	0.0032	
0	Normal Voltage	0.0039	0.0013	
-10	Normal Voltage	0.0033	0.0041	
-20	Normal Voltage	0.0038	0.0001	
-30	Normal Voltage	0.0020	0.0014	
20	Maximum Voltage	0.0027	0.0021	
20	Normal Voltage	0.0000	0.0000	
20	Battery End Point	0.0011	0.0010	

Note:

1. Normal Voltage = 3.9V. ; Battery End Point (BEP) = 3.8 V. ; Maximum Voltage =4.2 V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Test Conditions	Middle Channel	WCDMA Band V (RMC 12.2Kbps)	Limit 2.5ppm
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0019	PASS
40	Normal Voltage	0.0023	
30	Normal Voltage	0.0011	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0020	
0	Normal Voltage	0.0016	
-10	Normal Voltage	0.0038	
-20	Normal Voltage	0.0004	
-30	Normal Voltage	0.0004	
20	Maximum Voltage	0.0007	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0007	

Note: Normal Voltage = 3.9V. ; Battery End Point (BEP) = 3.8 V. ; Maximum Voltage =4.2 V

Test Conditions	Middle Channel	WCDMA Band II (RMC 12.2Kbps)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0007	PASS
40	Normal Voltage	0.0003	
30	Normal Voltage	0.0003	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0001	
0	Normal Voltage	0.0003	
-10	Normal Voltage	0.0005	
-20	Normal Voltage	0.0002	
-30	Normal Voltage	0.0002	
20	Maximum Voltage	0.0004	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0003	

Note:

1. Normal Voltage = 3.9V. ; Battery End Point (BEP) = 3.8 V. ; Maximum Voltage =4.2 V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Test Conditions	Middle Channel	WCDMA Band IV (RMC 12.2Kbps)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0006	PASS
40	Normal Voltage	0.0009	
30	Normal Voltage	0.0008	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0001	
0	Normal Voltage	0.0008	
-10	Normal Voltage	0.0006	
-20	Normal Voltage	0.0003	
-30	Normal Voltage	0.0010	
20	Maximum Voltage	0.0003	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0008	

Note:

1. Normal Voltage = 3.9V. ; Battery End Point (BEP) = 3.8 V. ; Maximum Voltage =4.2 V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

Test Conditions	Middle Channel	CDMA BC0 (1xRTT)	Limit 2.5ppm
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0014	PASS
40	Normal Voltage	0.0021	
30	Normal Voltage	0.0078	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0071	
0	Normal Voltage	0.0049	
-10	Normal Voltage	0.0042	
-20	Normal Voltage	0.0018	
-30	Normal Voltage	0.0028	
20	Maximum Voltage	0.0035	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0004	

Note: Normal Voltage = 3.9V. ; Battery End Point (BEP) = 3.8 V. ; Maximum Voltage =4.2 V



Test Conditions	Middle Channel	CDMA BC1 (1xRTT)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0027	PASS
40	Normal Voltage	0.0043	
30	Normal Voltage	0.0003	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0003	
0	Normal Voltage	0.0028	
-10	Normal Voltage	0.0027	
-20	Normal Voltage	0.0008	
-30	Normal Voltage	0.0010	
20	Maximum Voltage	0.0012	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0005	

Note:

1. Normal Voltage = 3.9V. ; Battery End Point (BEP) = 3.8 V. ; Maximum Voltage =4.2 V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Appendix B. Test Results of Conducted Test

Radiated Spurious Emission

Top Antenna:

GSM850 (GSM)									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.4	-50.64	-13	-37.64	-64.48	-53.87	3.98	9.36	H
	2472.6	-52.45	-13	-39.45	-69.59	-56.00	4.85	10.55	H
	3296.8	-58.00	-13	-45.00	-77.31	-62.93	5.50	12.58	H
	1648.4	-54.85	-13	-41.85	-68.17	-58.08	3.98	9.36	V
	2472.6	-57.64	-13	-44.64	-74.58	-61.19	4.85	10.55	V
	3296.8	-58.24	-13	-45.24	-77.16	-63.17	5.50	12.58	V
Middle	1672.8	-48.98	-13	-35.98	-63.18	-52.23	4.00	9.40	H
	2509.2	-52.83	-13	-39.83	-69.93	-56.40	4.88	10.60	H
	3345.6	-58.01	-13	-45.01	-77.22	-62.94	5.52	12.60	H
	1672.8	-50.51	-13	-37.51	43.30	-53.76	4.00	9.40	V
	2509.2	-53.37	-13	-40.37	46.53	-56.94	4.88	10.60	V
	3345.6	-58.80	-13	-45.80	47.96	-63.73	5.52	12.60	V
Highest	1697.6	-50.84	-13	-37.84	-65.21	-54.01	4.10	9.42	H
	2546.4	-47.91	-13	-34.91	-65.03	-51.49	4.90	10.63	H
	3395.2	-58.64	-13	-45.64	-77.03	-63.56	5.55	12.62	H
	1697.6	-57.39	-13	-44.39	-71.26	-60.56	4.10	9.42	V
	2546.4	-56.52	-13	-43.52	-73.38	-60.10	4.90	10.63	V
	3395.2	-59.20	-13	-46.20	-77.08	-64.12	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



GSM850 (EDGE class 8)									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.4	-61.72	-13	-48.72	-75.56	-64.95	3.98	9.36	H
	2472.6	-58.70	-13	-45.70	-75.84	-62.25	4.85	10.55	H
	3296.8	-58.01	-13	-45.01	-77.32	-62.94	5.50	12.58	H
	1648.4	-62.01	-13	-49.01	-75.33	-65.24	3.98	9.36	V
	2472.6	-59.24	-13	-46.24	-76.18	-62.79	4.85	10.55	V
	3296.8	-58.22	-13	-45.22	-77.14	-63.15	5.50	12.58	V
Middle	1672.8	-60.91	-13	-47.91	-75.11	-64.16	4.00	9.40	H
	2509.2	-59.39	-13	-46.39	-76.49	-62.96	4.88	10.60	H
	3345.6	-58.38	-13	-45.38	-77.59	-63.31	5.52	12.60	H
	1672.8	-61.46	-13	-48.46	-75.15	-64.71	4.00	9.40	V
	2509.2	-59.46	-13	-46.46	-76.39	-63.03	4.88	10.60	V
	3345.6	-58.58	-13	-45.58	-77.35	-63.51	5.52	12.60	V
Highest	1697.6	-60.49	-13	-47.49	-74.86	-63.66	4.10	9.42	H
	2546.4	-59.71	-13	-46.71	-76.83	-63.29	4.90	10.63	H
	3395.2	-58.69	-13	-45.69	-77.08	-63.61	5.55	12.62	H
	1697.6	-61.37	-13	-48.37	-75.24	-64.54	4.10	9.42	V
	2546.4	-59.80	-13	-46.80	-76.66	-63.38	4.90	10.63	V
	3395.2	-59.16	-13	-46.16	-77.04	-64.08	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



GSM1900 (GSM)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.4	-56.27	-13	-43.27	-77.82	-63.03	5.82	12.58	H
	5550.6	-52.88	-13	-39.88	-78.51	-58.60	7.28	13.00	H
	7400.8	-48.63	-13	-35.63	-79.63	-51.79	8.32	11.48	H
	3700.4	-56.79	-13	-43.79	-77.67	-63.55	5.82	12.58	V
	5550.6	-54.29	-13	-41.29	-79.16	-60.01	7.28	13.00	V
	7400.8	-49.33	-13	-36.33	-79.62	-52.49	8.32	11.48	V
Middle	3760	-55.89	-13	-42.89	-77.64	-62.64	5.85	12.60	H
	5640	-52.84	-13	-39.84	-78.37	-58.64	7.30	13.10	H
	7520	-49.19	-13	-36.19	-79.38	-52.34	8.35	11.50	H
	3760	-56.99	-13	-43.99	-77.97	-63.74	5.85	12.60	V
	5640	-54.55	-13	-41.55	-79.02	-60.35	7.30	13.10	V
	7520	-49.85	-13	-36.85	-79.46	-53.00	8.35	11.50	V
Highest	3819.6	-55.74	-13	-42.74	-77.80	-62.48	5.88	12.62	H
	5729.4	-53.48	-13	-40.48	-79.40	-59.29	7.32	13.13	H
	7639.2	-49.50	-13	-36.50	-79.34	-52.66	8.38	11.54	H
	3819.6	-56.72	-13	-43.72	-77.93	-63.46	5.88	12.62	V
	5729.4	-54.48	-13	-41.48	-79.47	-60.29	7.32	13.13	V
	7639.2	-50.16	-13	-37.16	-79.48	-53.32	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



GSM1900 (EDGE class 8)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.4	-56.39	-13	-43.39	-77.94	-63.15	5.82	12.58	H
	5550.6	-53.47	-13	-40.47	-79.10	-59.19	7.28	13.00	H
	7400.8	-48.27	-13	-35.27	-79.27	-51.43	8.32	11.48	H
	3700.4	-56.86	-13	-43.86	-77.74	-63.62	5.82	12.58	V
	5550.6	-54.65	-13	-41.65	-79.52	-60.37	7.28	13.00	V
	7400.8	-49.06	-13	-36.06	-79.35	-52.22	8.32	11.48	V
Middle	3760	-55.93	-13	-42.93	-77.68	-62.68	5.85	12.60	H
	5640	-53.35	-13	-40.35	-78.88	-59.15	7.30	13.10	H
	7520	-48.70	-13	-35.70	-78.89	-51.85	8.35	11.50	H
	3760	-56.54	-13	-43.54	-77.52	-63.29	5.85	12.60	V
	5640	-54.65	-13	-41.65	-79.12	-60.45	7.30	13.10	V
	7520	-49.25	-13	-36.25	-78.86	-52.40	8.35	11.50	V
Highest	3819.6	-55.97	-13	-42.97	-78.03	-62.71	5.88	12.62	H
	5729.4	-53.65	-13	-40.65	-79.57	-59.46	7.32	13.13	H
	7639.2	-49.34	-13	-36.34	-79.18	-52.50	8.38	11.54	H
	3819.6	-56.18	-13	-43.18	-77.39	-62.92	5.88	12.62	V
	5729.4	-54.15	-13	-41.15	-79.14	-59.96	7.32	13.13	V
	7639.2	-49.55	-13	-36.55	-78.87	-52.71	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



WCDMA Band V(RMC 12.2Kbps)									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1652.8	-61.14	-13	-48.14	-74.99	-64.37	3.98	9.36	H
	2479.2	-59.00	-13	-46.00	-76.14	-62.55	4.85	10.55	H
	3305.6	-57.85	-13	-44.85	-77.12	-62.78	5.50	12.58	H
	1652.8	-61.67	-13	-48.67	-75.00	-64.90	3.98	9.36	V
	2479.2	-59.13	-13	-46.13	-76.07	-62.68	4.85	10.55	V
	3305.6	-58.33	-13	-45.33	-77.19	-63.26	5.50	12.58	V
Middle	1672.8	-60.23	-13	-47.23	-74.43	-63.48	4.00	9.40	H
	2509.2	-59.27	-13	-46.27	-76.37	-62.84	4.88	10.60	H
	3345.6	-58.28	-13	-45.28	-77.49	-63.21	5.52	12.60	H
	1672.8	-61.43	-13	-48.43	-75.12	-64.68	4.00	9.40	V
	2509.2	-59.30	-13	-46.30	-76.23	-62.87	4.88	10.60	V
	3345.6	-58.72	-13	-45.72	-77.49	-63.65	5.52	12.60	V
Highest	1693.2	-60.88	-13	-47.88	-75.25	-64.05	4.10	9.42	H
	2539.8	-59.58	-13	-46.58	-76.69	-63.16	4.90	10.63	H
	3386.4	-58.49	-13	-45.49	-77.16	-63.41	5.55	12.62	H
	1693.2	-61.35	-13	-48.35	-75.22	-64.52	4.10	9.42	V
	2539.8	-60.07	-13	-47.07	-76.92	-63.65	4.90	10.63	V
	3386.4	-59.19	-13	-46.19	-77.38	-64.11	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



WCDMA Band II(RMC 12.2Kbps)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3704.8	-48.22	-13	-35.22	-69.77	-54.98	5.82	12.58	H
	5557.2	-53.14	-13	-40.14	-78.77	-58.86	7.28	13.00	H
	7409.6	-48.66	-13	-35.66	-79.66	-51.82	8.32	11.48	H
	3704.8	-56.48	-13	-43.48	-77.36	-63.24	5.82	12.58	V
	5557.2	-54.11	-13	-41.11	-78.98	-59.83	7.28	13.00	V
	7409.6	-49.52	-13	-36.52	-79.81	-52.68	8.32	11.48	V
Middle	3760	-49.59	-13	-36.59	-71.34	-56.34	5.85	12.60	H
	5640	-53.55	-13	-40.55	-79.08	-59.35	7.30	13.10	H
	7520	-49.28	-13	-36.28	-79.47	-52.43	8.35	11.50	H
	3760	-56.30	-13	-43.30	-77.28	-63.05	5.85	12.60	V
	5640	-54.43	-13	-41.43	-78.9	-60.23	7.30	13.10	V
	7520	-49.80	-13	-36.80	-79.41	-52.95	8.35	11.50	V
Highest	3815.2	-48.82	-13	-35.82	-70.86	-55.56	5.88	12.62	H
	5722.8	-53.48	-13	-40.48	-79.40	-59.29	7.32	13.13	H
	7630.4	-49.05	-13	-36.05	-78.85	-52.21	8.38	11.54	H
	3815.2	-55.20	-13	-42.20	-76.39	-61.94	5.88	12.62	V
	5722.8	-54.79	-13	-41.79	-79.78	-60.60	7.32	13.13	V
	7630.4	-49.58	-13	-36.58	-78.87	-52.74	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



WCDMA Band IV(RMC 12.2Kbps)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3424.8	-58.66	-13	-45.66	-77.50	-65.54	5.60	12.48	H
	5137.2	-53.52	-13	-40.52	-79.18	-59.20	7.10	12.78	H
	6849.6	-51.05	-13	-38.05	-79.34	-54.44	8.38	11.77	H
	3424.8	-58.87	-13	-45.87	-77.21	-65.75	5.60	12.48	V
	5137.2	-54.38	-13	-41.38	-79.26	-60.06	7.10	12.78	V
	6849.6	-52.04	-13	-39.04	-79.45	-55.43	8.38	11.77	V
Middle	3465.2	-58.18	-13	-45.18	-77.50	-65.03	5.65	12.50	H
	5197.8	-53.33	-13	-40.33	-79.13	-59.00	7.13	12.80	H
	6930.4	-51.20	-13	-38.20	-79.40	-54.60	8.40	11.80	H
	3465.2	-58.23	-13	-45.23	-77.06	-65.08	5.65	12.50	V
	5197.8	-54.07	-13	-41.07	-78.8	-59.74	7.13	12.80	V
	6930.4	-51.77	-13	-38.77	-79.59	-55.17	8.40	11.80	V
Highest	3505.2	-57.37	-13	-44.37	-77.14	-64.21	5.68	12.52	H
	5257.8	-54.63	-13	-41.63	-79.14	-60.30	7.15	12.82	H
	7010.4	-50.71	-13	-37.71	-79.05	-54.14	8.42	11.85	H
	3505.2	-57.81	-13	-44.81	-77.1	-64.65	5.68	12.52	V
	5257.8	-55.91	-13	-42.91	-79.36	-61.58	7.15	12.82	V
	7010.4	-51.36	-13	-38.36	-79.66	-54.79	8.42	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



CDMA BC0(1xRTT)									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649.4	-61.50	-13	-48.50	-75.34	-64.73	3.98	9.36	H
	2474.1	-59.14	-13	-46.14	-76.28	-62.69	4.85	10.55	H
	3298.8	-58.00	-13	-45.00	-77.31	-62.93	5.50	12.58	H
	1649.4	-61.53	-13	-48.53	-74.85	-64.76	3.98	9.36	V
	2474.1	-58.75	-13	-45.75	-75.69	-62.30	4.85	10.55	V
	3298.8	-57.83	-13	-44.83	-76.75	-62.76	5.50	12.58	V
Middle	1673.04	-60.69	-13	-47.69	-74.89	-63.94	4.00	9.40	H
	2509.56	-59.37	-13	-46.37	-76.47	-62.94	4.88	10.60	H
	3346.08	-58.24	-13	-45.24	-77.45	-63.17	5.52	12.60	H
	1673.04	-61.25	-13	-48.25	-74.94	-64.50	4.00	9.40	V
	2509.56	-59.37	-13	-46.37	-76.30	-62.94	4.88	10.60	V
	3346.08	-58.58	-13	-45.58	-77.35	-63.51	5.52	12.60	V
Highest	1696.62	-60.15	-13	-47.15	-74.52	-63.32	4.10	9.42	H
	2544.93	-59.11	-13	-46.11	-76.23	-62.69	4.90	10.63	H
	3393.24	-58.56	-13	-45.56	-76.95	-63.48	5.55	12.62	H
	1696.62	-61.34	-13	-48.34	-75.21	-64.51	4.10	9.42	V
	2544.93	-59.89	-13	-46.89	-76.75	-63.47	4.90	10.63	V
	3393.24	-58.66	-13	-45.66	-76.54	-63.58	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



CDMA BC1(1xRTT)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702.5	-56.31	-13	-43.31	-77.86	-63.07	5.82	12.58	H
	5553.75	-53.66	-13	-40.66	-79.29	-59.38	7.28	13.00	H
	7405	-48.34	-13	-35.34	-79.34	-51.50	8.32	11.48	H
	3702.5	-56.97	-13	-43.97	-77.85	-63.73	5.82	12.58	V
	5553.75	-54.48	-13	-41.48	-79.35	-60.20	7.28	13.00	V
	7405	-49.47	-13	-36.47	-79.76	-52.63	8.32	11.48	V
Middle	3760	-56.28	-13	-43.28	-78.03	-63.03	5.85	12.60	H
	5640	-53.95	-13	-40.95	-79.48	-59.75	7.30	13.10	H
	7520	-49.41	-13	-36.41	-79.60	-52.56	8.35	11.50	H
	3760	-56.91	-13	-43.91	-77.89	-63.66	5.85	12.60	V
	5640	-54.79	-13	-41.79	-79.26	-60.59	7.30	13.10	V
	7520	-50.05	-13	-37.05	-79.66	-53.20	8.35	11.50	V
Highest	3817.5	-52.90	-13	-39.90	-74.94	-59.64	5.88	12.62	H
	5726.25	-53.59	-13	-40.59	-79.51	-59.40	7.32	13.13	H
	7635	-49.42	-13	-36.42	-79.22	-52.58	8.38	11.54	H
	3817.5	-56.17	-13	-43.17	-77.36	-62.91	5.88	12.62	V
	5726.25	-54.69	-13	-41.69	-79.68	-60.50	7.32	13.13	V
	7635	-49.82	-13	-36.82	-79.11	-52.98	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



Bottom Antenna:

GSM850 (GSM)									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.4	-57.40	-13	-44.40	-71.24	-60.63	3.98	9.36	H
	2472.6	-40.20	-13	-27.20	-57.34	-43.75	4.85	10.55	H
	3296.8	-57.70	-13	-44.70	-77.01	-62.63	5.50	12.58	H
	1648.4	-57.38	-13	-44.38	-70.70	-60.61	3.98	9.36	V
	2472.6	-52.08	-13	-39.08	-69.02	-55.63	4.85	10.55	V
	3296.8	-58.30	-13	-45.30	-77.22	-63.23	5.50	12.58	V
Middle	1672.8	-56.14	-13	-43.14	-70.34	-59.39	4.00	9.40	H
	2509.2	-40.84	-13	-27.84	-57.94	-44.41	4.88	10.60	H
	3345.6	-58.25	-13	-45.25	-77.46	-63.18	5.52	12.60	H
	1672.8	-55.23	-13	-42.23	-68.92	-58.48	4.00	9.40	V
	2509.2	-49.23	-13	-36.23	-66.16	-52.80	4.88	10.60	V
	3345.6	-58.32	-13	-45.32	-77.09	-63.25	5.52	12.60	V
Highest	1697.6	-56.84	-13	-43.84	-71.21	-60.01	4.10	9.42	H
	2546.4	-43.53	-13	-30.53	-60.65	-47.11	4.90	10.63	H
	3395.2	-58.33	-13	-45.33	-76.72	-63.25	5.55	12.62	H
	1697.6	-56.08	-13	-43.08	-69.95	-59.25	4.10	9.42	V
	2546.4	-51.40	-13	-38.40	-68.26	-54.98	4.90	10.63	V
	3395.2	-59.01	-13	-46.01	-76.89	-63.93	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



GSM850 (EDGE class 8)									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.4	-60.81	-13	-47.81	-74.65	-64.04	3.98	9.36	H
	2472.6	-56.90	-13	-43.90	-74.04	-60.45	4.85	10.55	H
	3296.8	-57.32	-13	-44.32	-76.63	-62.25	5.50	12.58	H
	1648.4	-61.67	-13	-48.67	-74.99	-64.90	3.98	9.36	V
	2472.6	-58.57	-13	-45.57	-75.51	-62.12	4.85	10.55	V
	3296.8	-58.06	-13	-45.06	-76.98	-62.99	5.50	12.58	V
Middle	1672.8	-60.80	-13	-47.80	-75.00	-64.05	4.00	9.40	H
	2509.2	-58.64	-13	-45.64	-75.74	-62.21	4.88	10.60	H
	3345.6	-58.27	-13	-45.27	-77.48	-63.20	5.52	12.60	H
	1672.8	-61.20	-13	-48.20	-74.89	-64.45	4.00	9.40	V
	2509.2	-59.20	-13	-46.20	-76.13	-62.77	4.88	10.60	V
	3345.6	-58.69	-13	-45.69	-77.46	-63.62	5.52	12.60	V
Highest	1697.6	-60.92	-13	-47.92	-75.29	-64.09	4.10	9.42	H
	2546.4	-57.72	-13	-44.72	-74.84	-61.30	4.90	10.63	H
	3395.2	-58.46	-13	-45.46	-76.85	-63.38	5.55	12.62	H
	1697.6	-61.42	-13	-48.42	-75.29	-64.59	4.10	9.42	V
	2546.4	-57.27	-13	-44.27	-74.13	-60.85	4.90	10.63	V
	3395.2	-58.58	-13	-45.58	-76.46	-63.50	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



GSM1900 (GSM)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.4	-56.17	-13	-43.17	-77.72	-62.93	5.82	12.58	H
	5550.6	-53.41	-13	-40.41	-79.04	-59.13	7.28	13.00	H
	7400.8	-48.22	-13	-35.22	-79.22	-51.38	8.32	11.48	H
	3700.4	-56.94	-13	-43.94	-77.82	-63.70	5.82	12.58	V
	5550.6	-54.29	-13	-41.29	-79.16	-60.01	7.28	13.00	V
	7400.8	-49.18	-13	-36.18	-79.47	-52.34	8.32	11.48	V
Middle	3760	-55.64	-13	-42.64	-77.39	-62.39	5.85	12.60	H
	5640	-53.35	-13	-40.35	-78.88	-59.15	7.30	13.10	H
	7520	-49.01	-13	-36.01	-79.20	-52.16	8.35	11.50	H
	3760	-56.81	-13	-43.81	-77.79	-63.56	5.85	12.60	V
	5640	-54.53	-13	-41.53	-79	-60.33	7.30	13.10	V
	7520	-49.69	-13	-36.69	-79.3	-52.84	8.35	11.50	V
Highest	3819.6	-55.61	-13	-42.61	-77.67	-62.35	5.88	12.62	H
	5729.4	-53.10	-13	-40.10	-79.02	-58.91	7.32	13.13	H
	7639.2	-49.26	-13	-36.26	-79.10	-52.42	8.38	11.54	H
	3819.6	-56.39	-13	-43.39	-77.6	-63.13	5.88	12.62	V
	5729.4	-54.37	-13	-41.37	-79.36	-60.18	7.32	13.13	V
	7639.2	-49.58	-13	-36.58	-78.9	-52.74	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



GSM1900 (EDGE class 8)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.4	-56.20	-13	-43.20	-77.75	-62.96	5.82	12.58	H
	5550.6	-53.59	-13	-40.59	-79.22	-59.31	7.28	13.00	H
	7400.8	-48.17	-13	-35.17	-79.17	-51.33	8.32	11.48	H
	3700.4	-56.66	-13	-43.66	-77.54	-63.42	5.82	12.58	V
	5550.6	-54.17	-13	-41.17	-79.04	-59.89	7.28	13.00	V
	7400.8	-49.12	-13	-36.12	-79.41	-52.28	8.32	11.48	V
Middle	3760	-55.87	-13	-42.87	-77.62	-62.62	5.85	12.60	H
	5640	-53.51	-13	-40.51	-79.04	-59.31	7.30	13.10	H
	7520	-49.15	-13	-36.15	-79.34	-52.30	8.35	11.50	H
	3760	-56.67	-13	-43.67	-77.65	-63.42	5.85	12.60	V
	5640	-54.20	-13	-41.20	-78.67	-60.00	7.30	13.10	V
	7520	-49.53	-13	-36.53	-79.14	-52.68	8.35	11.50	V
Highest	3819.6	-55.40	-13	-42.40	-77.46	-62.14	5.88	12.62	H
	5729.4	-52.99	-13	-39.99	-78.91	-58.80	7.32	13.13	H
	7639.2	-48.92	-13	-35.92	-78.76	-52.08	8.38	11.54	H
	3819.6	-56.34	-13	-43.34	-77.55	-63.08	5.88	12.62	V
	5729.4	-53.78	-13	-40.78	-78.77	-59.59	7.32	13.13	V
	7639.2	-49.29	-13	-36.29	-78.61	-52.45	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



WCDMA Band V(RMC 12.2Kbps)									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1652.8	-61.20	-13	-48.20	-75.05	-64.43	3.98	9.36	H
	2479.2	-58.93	-13	-45.93	-76.07	-62.48	4.85	10.55	H
	3305.6	-57.78	-13	-44.78	-77.05	-62.71	5.50	12.58	H
	1652.8	-61.50	-13	-48.50	-74.83	-64.73	3.98	9.36	V
	2479.2	-59.07	-13	-46.07	-76.01	-62.62	4.85	10.55	V
	3305.6	-58.15	-13	-45.15	-77.01	-63.08	5.50	12.58	V
Middle	1672.8	-60.80	-13	-47.80	-75.00	-64.05	4.00	9.40	H
	2509.2	-58.83	-13	-45.83	-75.93	-62.40	4.88	10.60	H
	3345.6	-58.16	-13	-45.16	-77.37	-63.09	5.52	12.60	H
	1672.8	-61.45	-13	-48.45	-75.14	-64.70	4.00	9.40	V
	2509.2	-58.87	-13	-45.87	-75.80	-62.44	4.88	10.60	V
	3345.6	-58.16	-13	-45.16	-76.93	-63.09	5.52	12.60	V
Highest	1693.2	-60.92	-13	-47.92	-75.29	-64.09	4.10	9.42	H
	2539.8	-59.41	-13	-46.41	-76.52	-62.99	4.90	10.63	H
	3386.4	-58.50	-13	-45.50	-77.17	-63.42	5.55	12.62	H
	1693.2	-61.07	-13	-48.07	-74.94	-64.24	4.10	9.42	V
	2539.8	-59.55	-13	-46.55	-76.40	-63.13	4.90	10.63	V
	3386.4	-58.83	-13	-45.83	-77.02	-63.75	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



WCDMA Band II(RMC 12.2Kbps)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3704.8	-48.54	-13	-35.54	-70.09	-55.30	5.82	12.58	H
	5557.2	-53.29	-13	-40.29	-78.92	-59.01	7.28	13.00	H
	7409.6	-48.13	-13	-35.13	-79.13	-51.29	8.32	11.48	H
	3704.8	-54.21	-13	-41.21	-75.09	-60.97	5.82	12.58	V
	5557.2	-54.11	-13	-41.11	-78.98	-59.83	7.28	13.00	V
	7409.6	-48.86	-13	-35.86	-79.15	-52.02	8.32	11.48	V
Middle	3760	-49.42	-13	-36.42	-71.17	-56.17	5.85	12.60	H
	5640	-53.02	-13	-40.02	-78.55	-58.82	7.30	13.10	H
	7520	-48.51	-13	-35.51	-78.70	-51.66	8.35	11.50	H
	3760	-54.43	-13	-41.43	-75.41	-61.18	5.85	12.60	V
	5640	-54.12	-13	-41.12	-78.59	-59.92	7.30	13.10	V
	7520	-49.17	-13	-36.17	-78.78	-52.32	8.35	11.50	V
Highest	3815.2	-48.27	-13	-35.27	-70.31	-55.01	5.88	12.62	H
	5722.8	-53.33	-13	-40.33	-79.25	-59.14	7.32	13.13	H
	7630.4	-48.91	-13	-35.91	-78.71	-52.07	8.38	11.54	H
	3815.2	-55.27	-13	-42.27	-76.46	-62.01	5.88	12.62	V
	5722.8	-54.46	-13	-41.46	-79.45	-60.27	7.32	13.13	V
	7630.4	-49.58	-13	-36.58	-78.87	-52.74	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



WCDMA Band IV(RMC 12.2Kbps)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3424.8	-58.45	-13	-45.45	-77.29	-65.33	5.60	12.48	H
	5137.2	-53.11	-13	-40.11	-78.77	-58.79	7.10	12.78	H
	6849.6	-51.18	-13	-38.18	-79.47	-54.57	8.38	11.77	H
	3424.8	-59.10	-13	-46.10	-77.44	-65.98	5.60	12.48	V
	5137.2	-54.26	-13	-41.26	-79.14	-59.94	7.10	12.78	V
	6849.6	-51.90	-13	-38.90	-79.31	-55.29	8.38	11.77	V
Middle	3465.2	-58.02	-13	-45.02	-77.34	-64.87	5.65	12.50	H
	5197.8	-53.35	-13	-40.35	-79.15	-59.02	7.13	12.80	H
	6930.4	-51.25	-13	-38.25	-79.45	-54.65	8.40	11.80	H
	3465.2	-58.43	-13	-45.43	-77.26	-65.28	5.65	12.50	V
	5197.8	-54.42	-13	-41.42	-79.15	-60.09	7.13	12.80	V
	6930.4	-51.68	-13	-38.68	-79.5	-55.08	8.40	11.80	V
Highest	3505.2	-57.16	-13	-44.16	-76.93	-64.00	5.68	12.52	H
	5257.8	-54.77	-13	-41.77	-79.28	-60.44	7.15	12.82	H
	7010.4	-51.06	-13	-38.06	-79.40	-54.49	8.42	11.85	H
	3505.2	-57.62	-13	-44.62	-76.91	-64.46	5.68	12.52	V
	5257.8	-56.19	-13	-43.19	-79.64	-61.86	7.15	12.82	V
	7010.4	-51.64	-13	-38.64	-79.94	-55.07	8.42	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



CDMA BC0(1xRTT)									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649.4	-61.33	-13	-48.33	-75.17	-64.56	3.98	9.36	H
	2474.1	-59.02	-13	-46.02	-76.16	-62.57	4.85	10.55	H
	3298.8	-57.98	-13	-44.98	-77.29	-62.91	5.50	12.58	H
	1649.4	-61.76	-13	-48.76	-75.08	-64.99	3.98	9.36	V
	2474.1	-59.21	-13	-46.21	-76.15	-62.76	4.85	10.55	V
	3298.8	-58.28	-13	-45.28	-77.20	-63.21	5.50	12.58	V
Middle	1673.04	-60.57	-13	-47.57	-74.77	-63.82	4.00	9.40	H
	2509.56	-58.95	-13	-45.95	-76.05	-62.52	4.88	10.60	H
	3346.08	-58.03	-13	-45.03	-77.24	-62.96	5.52	12.60	H
	1673.04	-61.19	-13	-48.19	-74.88	-64.44	4.00	9.40	V
	2509.56	-58.92	-13	-45.92	-75.85	-62.49	4.88	10.60	V
	3346.08	-58.50	-13	-45.50	-77.27	-63.43	5.52	12.60	V
Highest	1696.62	-60.75	-13	-47.75	-75.12	-63.92	4.10	9.42	H
	2544.93	-59.56	-13	-46.56	-76.68	-63.14	4.90	10.63	H
	3393.24	-58.65	-13	-45.65	-77.04	-63.57	5.55	12.62	H
	1696.62	-60.82	-13	-47.82	-74.69	-63.99	4.10	9.42	V
	2544.93	-59.63	-13	-46.63	-76.49	-63.21	4.90	10.63	V
	3393.24	-58.43	-13	-45.43	-76.31	-63.35	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



CDMA BC1(1xRTT)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702.5	-56.08	-13	-43.08	-77.63	-62.84	5.82	12.58	H
	5553.75	-53.65	-13	-40.65	-79.28	-59.37	7.28	13.00	H
	7405	-48.41	-13	-35.41	-79.41	-51.57	8.32	11.48	H
	3702.5	-57.05	-13	-44.05	-77.93	-63.81	5.82	12.58	V
	5553.75	-54.45	-13	-41.45	-79.32	-60.17	7.28	13.00	V
	7405	-49.26	-13	-36.26	-79.55	-52.42	8.32	11.48	V
Middle	3760	-56.15	-13	-43.15	-77.90	-62.90	5.85	12.60	H
	5640	-53.41	-13	-40.41	-78.94	-59.21	7.30	13.10	H
	7520	-49.07	-13	-36.07	-79.26	-52.22	8.35	11.50	H
	3760	-56.85	-13	-43.85	-77.83	-63.60	5.85	12.60	V
	5640	-54.72	-13	-41.72	-79.19	-60.52	7.30	13.10	V
	7520	-49.50	-13	-36.50	-79.11	-52.65	8.35	11.50	V
Highest	3817.5	-55.89	-13	-42.89	-77.93	-62.63	5.88	12.62	H
	5726.25	-53.53	-13	-40.53	-79.45	-59.34	7.32	13.13	H
	7635	-49.55	-13	-36.55	-79.35	-52.71	8.38	11.54	H
	3817.5	-56.74	-13	-43.74	-77.93	-63.48	5.88	12.62	V
	5726.25	-54.74	-13	-41.74	-79.73	-60.55	7.32	13.13	V
	7635	-49.86	-13	-36.86	-79.15	-53.02	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.