

Fig.82 99% Occupied bandwidth (802.11n-HT20, 5180MHz)




Fig.83 99% Occupied bandwidth (802.11n-HT20, 5200MHz)




Fig.84 99% Occupied bandwidth (802.11n-HT20, 5240MHz)




Fig.85 99% Occupied bandwidth (802.11ac-HT20, 5180MHz)




Fig.86 99% Occupied bandwidth (802.11ac-HT20, 5200MHz)




Fig.87 99% Occupied bandwidth (802.11ac-HT20, 5240MHz)




Fig.88 99% Occupied bandwidth (802.11n-HT40, 5190MHz)



Fig.89 99% Occupied bandwidth (802.11n-HT40, 5230MHz)



Fig.90 99% Occupied bandwidth (802.11ac-HT40, 5190MHz)




Fig.91 99% Occupied bandwidth (802.11ac-HT40, 5230MHz)




Fig.92 99% Occupied bandwidth (802.11ac-HT80, 5210MHz)

B.9. Power control

A Transmission Power Control mechanism is not required for systems with an e.i.r.p. of less than 27dBm (500 mW).

ANNEX C: Accreditation Certificate

United States Department of Commerce
National Institute of Standards and Technology



Certificate of Accreditation to ISO/IEC 17025:2017

NVLAP LAB CODE: 600118-0

Telecommunication Technology Labs, CAICT

Beijing
China

*is accredited by the National Voluntary Laboratory Accreditation Program for specific services,
listed on the Scope of Accreditation, for:*

Electromagnetic Compatibility & Telecommunications


*This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality
management system (refer to joint ISO-ILAC-IAF Communiqué dated January 2009).*

2020-09-29 through 2021-09-30

Effective Dates



For the National Voluntary Laboratory Accreditation Program



***** END OF REPORT BODY *****