





### Suspected Data List


| NO. | Freq.<br>[MHz] | Reading<br>[dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Factor<br>[dB] | Polarity   |
|-----|----------------|------------------|----------------|----------------|----------------|----------------|------------|
| 1   | 2209.62        | -48.76           | -57.80         | -13.00         | 44.80          | -9.04          | Horizontal |
| 2   | 3069.20        | -48.19           | -55.08         | -13.00         | 42.08          | -6.89          | Horizontal |
| 3   | 5190.91        | -50.14           | -50.32         | -13.00         | 37.32          | -0.18          | Horizontal |
| 4   | 7650.16        | -53.06           | -44.89         | -13.00         | 31.89          | 8.17           | Horizontal |
| 5   | 10625.2        | -53.30           | -38.75         | -13.00         | 25.75          | 14.55          | Horizontal |
| 6   | 14631.2        | -54.73           | -34.45         | -13.00         | 21.45          | 20.28          | Horizontal |

66C Mid 1G-18G H

**Suspected Data List**

| NO. | Freq.<br>[MHz] | Reading<br>[dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Factor<br>[dB] | Polarity |
|-----|----------------|------------------|----------------|----------------|----------------|----------------|----------|
| 1   | 33.8839        | -43.98           | -71.19         | -13.00         | 58.19          | -27.21         | Vertical |
| 2   | 106.706        | -51.56           | -58.99         | -13.00         | 45.99          | -7.43          | Vertical |
| 3   | 134.864        | -53.70           | -60.54         | -13.00         | 47.54          | -6.84          | Vertical |
| 4   | 210.600        | -54.07           | -63.30         | -13.00         | 50.30          | -9.23          | Vertical |
| 5   | 311.581        | -49.43           | -54.89         | -13.00         | 41.89          | -5.46          | Vertical |
| 6   | 360.130        | -49.36           | -54.56         | -13.00         | 41.56          | -5.20          | Vertical |

66C Mid 30M-1G V


**Suspected Data List**

| NO. | Freq.<br>[MHz] | Reading<br>[dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Factor<br>[dB] | Polarity |
|-----|----------------|------------------|----------------|----------------|----------------|----------------|----------|
| 1   | 2267.62        | -47.38           | -57.01         | -13.00         | 44.01          | -9.63          | Vertical |
| 2   | 3195.21        | -48.54           | -55.02         | -13.00         | 42.02          | -6.48          | Vertical |
| 3   | 5051.90        | -50.04           | -50.45         | -13.00         | 37.45          | -0.41          | Vertical |
| 4   | 7244.52        | -52.42           | -44.08         | -13.00         | 31.08          | 8.34           | Vertical |
| 5   | 10703.2        | -53.23           | -38.94         | -13.00         | 25.94          | 14.29          | Vertical |
| 6   | 14627.6        | -55.55           | -34.63         | -13.00         | 21.63          | 20.92          | Vertical |

66C Mid 1G-18G V




ANT1

**Suspected Data List**


| NO. | Freq. [MHz] | Reading [dBm] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Polarity   |
|-----|-------------|---------------|-------------|-------------|-------------|-------------|------------|
| 1   | 34.8549     | -44.40        | -60.60      | -13.00      | 47.60       | -16.20      | Horizontal |
| 2   | 105.735     | -41.86        | -59.64      | -13.00      | 46.64       | -17.78      | Horizontal |
| 3   | 188.268     | -48.71        | -58.11      | -13.00      | 45.11       | -9.40       | Horizontal |
| 4   | 233.903     | -53.36        | -56.40      | -13.00      | 43.40       | -3.04       | Horizontal |
| 5   | 291.191     | -53.52        | -60.89      | -13.00      | 47.89       | -7.37       | Horizontal |
| 6   | 360.130     | -52.31        | -58.11      | -13.00      | 45.11       | -5.80       | Horizontal |

12B Mid 30M-1G H

**Suspected Data List**

| NO. | Freq. [MHz] | Reading [dBm] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Polarity   |
|-----|-------------|---------------|-------------|-------------|-------------|-------------|------------|
| 1   | 2351.13     | -48.28        | -57.53      | -13.00      | 44.53       | -9.25       | Horizontal |
| 2   | 3801.78     | -47.86        | -52.33      | -13.00      | 39.33       | -4.47       | Horizontal |
| 3   | 5185.41     | -49.73        | -50.05      | -13.00      | 37.05       | -0.32       | Horizontal |
| 4   | 7148.51     | -51.80        | -44.85      | -13.00      | 31.85       | 6.95        | Horizontal |
| 5   | 10538.8     | -54.13        | -39.65      | -13.00      | 26.65       | 14.48       | Horizontal |
| 6   | 14644.4     | -56.25        | -35.65      | -13.00      | 22.65       | 20.60       | Horizontal |

12B Mid 1G-18G H


**Suspected Data List**

| NO. | Freq. [MHz] | Reading [dBm] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Polarity |
|-----|-------------|---------------|-------------|-------------|-------------|-------------|----------|
| 1   | 106.706     | -55.70        | -63.13      | -13.00      | 50.13       | -7.43       | Vertical |
| 2   | 132.922     | -51.67        | -59.32      | -13.00      | 46.32       | -7.65       | Vertical |
| 3   | 156.226     | -55.24        | -65.94      | -13.00      | 52.94       | -10.70      | Vertical |
| 4   | 213.513     | -54.39        | -63.43      | -13.00      | 50.43       | -9.04       | Vertical |
| 5   | 312.552     | -49.77        | -55.14      | -13.00      | 42.14       | -5.37       | Vertical |
| 6   | 360.130     | -49.25        | -54.45      | -13.00      | 41.45       | -5.20       | Vertical |

12B Mid 30M-1G V



REPORT No.: SZ24070315W11




### Suspected Data List

| NO. | Freq. [MHz] | Reading [dBm] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Polarity |
|-----|-------------|---------------|-------------|-------------|-------------|-------------|----------|
| 1   | 3139.71     | -48.66        | -55.29      | -13.00      | 42.29       | -6.63       | Vertical |
| 2   | 3792.77     | -47.90        | -52.79      | -13.00      | 39.79       | -4.89       | Vertical |
| 3   | 5550.45     | -51.85        | -49.80      | -13.00      | 36.80       | 2.05        | Vertical |
| 4   | 7297.32     | -51.38        | -44.14      | -13.00      | 31.14       | 7.24        | Vertical |
| 5   | 10625.2     | -53.52        | -38.93      | -13.00      | 25.93       | 14.59       | Vertical |
| 6   | 14651.6     | -54.73        | -33.31      | -13.00      | 20.31       | 21.42       | Vertical |

12B Mid 1G-18G V




ANT4

**Suspected Data List**


| NO. | Freq. [MHz] | Reading [dBm] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Polarity   |
|-----|-------------|---------------|-------------|-------------|-------------|-------------|------------|
| 1   | 33.8839     | -45.16        | -62.11      | -40.00      | 22.11       | -16.95      | Horizontal |
| 2   | 103.793     | -42.43        | -59.57      | -40.00      | 19.57       | -17.14      | Horizontal |
| 3   | 164.965     | -47.39        | -60.42      | -40.00      | 20.42       | -13.03      | Horizontal |
| 4   | 234.874     | -51.56        | -54.53      | -40.00      | 14.53       | -2.97       | Horizontal |
| 5   | 290.220     | -53.58        | -60.86      | -40.00      | 20.86       | -7.28       | Horizontal |
| 6   | 360.130     | -52.31        | -58.11      | -40.00      | 18.11       | -5.80       | Horizontal |

48C Mid 30M-1G H

**Suspected Data List**


| NO. | Freq.<br>[MHz] | Reading<br>[dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Factor<br>[dB] | Polarity   |
|-----|----------------|------------------|----------------|----------------|----------------|----------------|------------|
| 1   | 3061.70        | -48.74           | -55.60         | -40.00         | 15.60          | -6.86          | Horizontal |
| 2   | 3856.28        | -47.96           | -52.86         | -40.00         | 12.86          | -4.90          | Horizontal |
| 3   | 5887.48        | -50.94           | -48.87         | -40.00         | 8.87           | 2.07           | Horizontal |
| 4   | 7240.92        | -59.71           | -52.71         | -40.00         | 12.71          | 7.00           | Horizontal |
| 5   | 10639.6        | -61.96           | -46.93         | -40.00         | 6.93           | 15.03          | Horizontal |
| 6   | 14195.6        | -67.23           | -49.00         | -40.00         | 9.00           | 18.23          | Horizontal |

48C Mid 1G-18G H

**Suspected Data List**

| NO. | Freq.<br>[MHz] | Reading<br>[dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Factor<br>[dB] | Polarity |
|-----|----------------|------------------|----------------|----------------|----------------|----------------|----------|
| 1   | 104.764        | -56.33           | -62.91         | -40.00         | 22.91          | -6.58          | Vertical |
| 2   | 131.952        | -46.95           | -55.10         | -40.00         | 15.10          | -8.15          | Vertical |
| 3   | 158.168        | -53.03           | -64.01         | -40.00         | 24.01          | -10.98         | Vertical |
| 4   | 211.571        | -53.37           | -62.54         | -40.00         | 22.54          | -9.17          | Vertical |
| 5   | 311.581        | -49.88           | -55.34         | -40.00         | 15.34          | -5.46          | Vertical |
| 6   | 360.130        | -49.31           | -54.51         | -40.00         | 14.51          | -5.20          | Vertical |

48C Mid 30M-1G V


**Suspected Data List**

| NO. | Freq. [MHz] | Reading [dBm] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Polarity |
|-----|-------------|---------------|-------------|-------------|-------------|-------------|----------|
| 1   | 104.7648    | -56.33        | -62.91      | -40.00      | 22.91       | -6.58       | Vertical |
| 2   | 131.9520    | -46.95        | -55.10      | -40.00      | 15.10       | -8.15       | Vertical |
| 3   | 158.1682    | -53.03        | -64.01      | -40.00      | 24.01       | -10.98      | Vertical |
| 4   | 211.5716    | -53.37        | -62.54      | -40.00      | 22.54       | -9.17       | Vertical |
| 5   | 311.5816    | -49.88        | -55.34      | -40.00      | 15.34       | -5.46       | Vertical |
| 6   | 360.1301    | -49.31        | -54.51      | -40.00      | 14.51       | -5.20       | Vertical |

48C Mid 1G-18G V




ANT8

**Suspected Data List**


| NO. | Freq.<br>[MHz] | Reading<br>[dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Factor<br>[dB] | Polarity   |
|-----|----------------|------------------|----------------|----------------|----------------|----------------|------------|
| 1   | 33.8839        | -44.69           | -61.64         | -40.00         | 21.64          | -16.95         | Horizontal |
| 2   | 102.8228       | -40.98           | -58.69         | -40.00         | 18.69          | -17.71         | Horizontal |
| 3   | 179.5295       | -48.08           | -59.64         | -40.00         | 19.64          | -11.56         | Horizontal |
| 4   | 236.8168       | -53.11           | -56.16         | -40.00         | 16.16          | -3.05          | Horizontal |
| 5   | 291.1912       | -53.50           | -60.87         | -40.00         | 20.87          | -7.37          | Horizontal |
| 6   | 360.1301       | -52.22           | -58.02         | -40.00         | 18.02          | -5.80          | Horizontal |

48C Mid 30M-1G H

**Suspected Data List**


| NO. | Freq.<br>[MHz] | Reading<br>[dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Factor<br>[dB] | Polarity   |
|-----|----------------|------------------|----------------|----------------|----------------|----------------|------------|
| 1   | 3088.208       | -48.52           | -55.48         | -40.00         | 15.48          | -6.96          | Horizontal |
| 2   | 3803.780       | -48.23           | -52.72         | -40.00         | 12.72          | -4.49          | Horizontal |
| 3   | 5884.988       | -49.81           | -47.69         | -40.00         | 7.69           | 2.12           | Horizontal |
| 4   | 7254.125       | -60.43           | -53.17         | -40.00         | 13.17          | 7.26           | Horizontal |
| 5   | 10668.46       | -61.84           | -46.89         | -40.00         | 6.89           | 14.95          | Horizontal |
| 6   | 15068.10       | -67.53           | -48.71         | -40.00         | 8.71           | 18.82          | Horizontal |

48C Mid 1G-18G H

**Suspected Data List**

| NO. | Freq.<br>[MHz] | Reading<br>[dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Factor<br>[dB] | Polarity |
|-----|----------------|------------------|----------------|----------------|----------------|----------------|----------|
| 1   | 104.7648       | -51.96           | -58.54         | -40.00         | 18.54          | -6.58          | Vertical |
| 2   | 131.9520       | -45.45           | -53.60         | -40.00         | 13.60          | -8.15          | Vertical |
| 3   | 156.2262       | -52.89           | -63.59         | -40.00         | 23.59          | -10.70         | Vertical |
| 4   | 212.5425       | -54.19           | -63.29         | -40.00         | 23.29          | -9.10          | Vertical |
| 5   | 310.6106       | -50.16           | -55.71         | -40.00         | 15.71          | -5.55          | Vertical |
| 6   | 360.1301       | -49.30           | -54.50         | -40.00         | 14.50          | -5.20          | Vertical |

48C Mid 30M-1G V


**Suspected Data List**

| NO. | Freq. [MHz] | Reading [dBm] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Polarity |
|-----|-------------|---------------|-------------|-------------|-------------|-------------|----------|
| 1   | 3059.706    | -49.04        | -55.67      | -40.00      | 15.67       | -6.63       | Vertical |
| 2   | 4366.336    | -49.64        | -52.36      | -40.00      | 12.36       | -2.72       | Vertical |
| 3   | 5887.488    | -51.38        | -48.78      | -40.00      | 8.78        | 2.60        | Vertical |
| 4   | 7659.766    | -60.14        | -52.00      | -40.00      | 12.00       | 8.14        | Vertical |
| 5   | 11431.74    | -61.29        | -46.57      | -40.00      | 6.57        | 14.72       | Vertical |
| 6   | 14865.28    | -68.24        | -48.49      | -40.00      | 8.49        | 19.75       | Vertical |

48C Mid 1G-18G V




ANT9

**Suspected Data List**


| NO. | Freq.<br>[MHz] | Reading<br>[dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Factor<br>[dB] | Polarity   |
|-----|----------------|------------------|----------------|----------------|----------------|----------------|------------|
| 1   | 34.8549        | -44.00           | -60.20         | -40.00         | 20.20          | -16.20         | Horizontal |
| 2   | 105.7357       | -39.74           | -57.52         | -40.00         | 17.52          | -17.78         | Horizontal |
| 3   | 164.9650       | -47.09           | -60.12         | -40.00         | 20.12          | -13.03         | Horizontal |
| 4   | 235.8458       | -52.99           | -55.99         | -40.00         | 15.99          | -3.00          | Horizontal |
| 5   | 295.0751       | -53.16           | -60.87         | -40.00         | 20.87          | -7.71          | Horizontal |
| 6   | 360.1301       | -52.69           | -58.49         | -40.00         | 18.49          | -5.80          | Horizontal |

48C Mid 30M-1G H

**Suspected Data List**


| NO. | Freq.<br>[MHz] | Reading<br>[dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Factor<br>[dB] | Polarity   |
|-----|----------------|------------------|----------------|----------------|----------------|----------------|------------|
| 1   | 3190.719       | -48.49           | -55.34         | -40.00         | 15.34          | -6.85          | Horizontal |
| 2   | 3940.794       | -48.42           | -52.71         | -40.00         | 12.71          | -4.29          | Horizontal |
| 3   | 5892.489       | -50.01           | -48.03         | -40.00         | 8.03           | 1.98           | Horizontal |
| 4   | 7245.724       | -60.26           | -53.05         | -40.00         | 13.05          | 7.21           | Horizontal |
| 5   | 10630.06       | -61.63           | -46.92         | -40.00         | 6.92           | 14.71          | Horizontal |
| 6   | 15129.31       | -68.04           | -49.15         | -40.00         | 9.15           | 18.89          | Horizontal |

48C Mid 1G-18G H

**Suspected Data List**

| NO. | Freq. [MHz] | Reading [dBm] | Level [dBm] | Limit [dBm] | Margin [dB] | Factor [dB] | Polarity |
|-----|-------------|---------------|-------------|-------------|-------------|-------------|----------|
| 1   | 102.8228    | -55.00        | -61.88      | -40.00      | 21.88       | -6.88       | Vertical |
| 2   | 131.9520    | -45.62        | -53.77      | -40.00      | 13.77       | -8.15       | Vertical |
| 3   | 159.1391    | -47.54        | -59.20      | -40.00      | 19.20       | -11.66      | Vertical |
| 4   | 205.7457    | -53.12        | -63.38      | -40.00      | 23.38       | -10.26      | Vertical |
| 5   | 312.5526    | -50.27        | -55.64      | -40.00      | 15.64       | -5.37       | Vertical |
| 6   | 360.1301    | -48.97        | -54.17      | -40.00      | 14.17       | -5.20       | Vertical |

48C Mid 30M-1G V


**Suspected Data List**

| NO. | Freq.<br>[MHz] | Reading<br>[dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Factor<br>[dB] | Polarity |
|-----|----------------|------------------|----------------|----------------|----------------|----------------|----------|
| 1   | 3062.706       | -48.29           | -54.98         | -40.00         | 14.98          | -6.69          | Vertical |
| 2   | 3798.779       | -48.75           | -53.48         | -40.00         | 13.48          | -4.73          | Vertical |
| 3   | 5889.488       | -51.49           | -48.88         | -40.00         | 8.88           | 2.61           | Vertical |
| 4   | 7658.565       | -60.28           | -52.06         | -40.00         | 12.06          | 8.22           | Vertical |
| 5   | 10630.06       | -61.93           | -47.18         | -40.00         | 7.18           | 14.75          | Vertical |
| 6   | 15188.11       | -67.91           | -48.58         | -40.00         | 8.58           | 19.33          | Vertical |

48C Mid 1G-18G V




ANT11

**Suspected Data List**


| NO. | Freq.<br>[MHz] | Reading<br>[dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Factor<br>[dB] | Polarity   |
|-----|----------------|------------------|----------------|----------------|----------------|----------------|------------|
| 1   | 33.8839        | -44.65           | -61.60         | -40.00         | 21.60          | -16.95         | Horizontal |
| 2   | 74.6647        | -49.46           | -67.03         | -40.00         | 27.03          | -17.57         | Horizontal |
| 3   | 103.7938       | -43.73           | -60.87         | -40.00         | 20.87          | -17.14         | Horizontal |
| 4   | 164.9650       | -47.16           | -60.19         | -40.00         | 20.19          | -13.03         | Horizontal |
| 5   | 240.7007       | -52.55           | -55.94         | -40.00         | 15.94          | -3.39          | Horizontal |
| 6   | 360.1301       | -52.81           | -58.61         | -40.00         | 18.61          | -5.80          | Horizontal |

48C Mid 30M-1G H

**Suspected Data List**


| NO. | Freq.<br>[MHz] | Reading<br>[dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Factor<br>[dB] | Polarity   |
|-----|----------------|------------------|----------------|----------------|----------------|----------------|------------|
| 1   | 3077.707       | -48.19           | -55.11         | -40.00         | 15.11          | -6.92          | Horizontal |
| 2   | 3799.279       | -48.17           | -52.65         | -40.00         | 12.65          | -4.48          | Horizontal |
| 3   | 5886.488       | -50.28           | -48.19         | -40.00         | 8.19           | 2.09           | Horizontal |
| 4   | 8054.605       | -60.11           | -51.34         | -40.00         | 11.34          | 8.77           | Horizontal |
| 5   | 10662.46       | -61.85           | -46.76         | -40.00         | 6.76           | 15.09          | Horizontal |
| 6   | 15086.10       | -67.74           | -48.86         | -40.00         | 8.86           | 18.88          | Horizontal |

48C Mid 1G-18G H

**Suspected Data List**

| NO. | Freq.<br>[MHz] | Reading<br>[dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Factor<br>[dB] | Polarity |
|-----|----------------|------------------|----------------|----------------|----------------|----------------|----------|
| 1   | 94.0841        | -60.22           | -68.63         | -40.00         | 28.63          | -8.41          | Vertical |
| 2   | 106.7067       | -55.45           | -62.88         | -40.00         | 22.88          | -7.43          | Vertical |
| 3   | 141.6617       | -51.26           | -60.38         | -40.00         | 20.38          | -9.12          | Vertical |
| 4   | 208.6587       | -53.89           | -63.47         | -40.00         | 23.47          | -9.58          | Vertical |
| 5   | 311.5816       | -50.44           | -55.90         | -40.00         | 15.90          | -5.46          | Vertical |
| 6   | 360.1301       | -49.45           | -54.65         | -40.00         | 14.65          | -5.20          | Vertical |

48C Mid 30M-1G V

**Suspected Data List**

| NO. | Freq.<br>[MHz] | Reading<br>[dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Factor<br>[dB] | Polarity |
|-----|----------------|------------------|----------------|----------------|----------------|----------------|----------|
| 1   | 3051.205       | -47.99           | -54.45         | -40.00         | 14.45          | -6.46          | Vertical |
| 2   | 4116.811       | -48.93           | -52.89         | -40.00         | 12.89          | -3.96          | Vertical |
| 3   | 5891.989       | -51.16           | -48.55         | -40.00         | 8.55           | 2.61           | Vertical |
| 4   | 7656.165       | -60.52           | -52.13         | -40.00         | 12.13          | 8.39           | Vertical |
| 5   | 11293.72       | -60.85           | -46.76         | -40.00         | 6.76           | 14.09          | Vertical |
| 6   | 14603.66       | -68.54           | -48.22         | -40.00         | 8.22           | 20.32          | Vertical |

48C Mid 1G-18G V

## Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

| Test Items                          | Uncertainty   |
|-------------------------------------|---------------|
| Output Power                        | $\pm 2.22$ dB |
| Bandwidth                           | $\pm 5\%$     |
| Conducted Spurious Emission         | $\pm 2.77$ dB |
| Band Edge                           | $\pm 2.77$ dB |
| Equivalent Isotropic Radiated Power | $\pm 2.22$ dB |
| Radiated Spurious Emissions         | $\pm 6$ dB    |

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of  $k=2$ .



## Annex B Testing Laboratory Information

### 1. Identification of the Responsible Testing Laboratory

|                            |                                                                                                                                  |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>Laboratory Name:</b>    | Shenzhen Morlab Communications Technology Co., Ltd.                                                                              |
| <b>Laboratory Address:</b> | FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China |
| <b>Telephone:</b>          | +86 755 36698555                                                                                                                 |
| <b>Facsimile:</b>          | +86 755 36698525                                                                                                                 |

### 2. Identification of the Responsible Testing Location

|                 |                                                                                                                                  |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>Name:</b>    | Shenzhen Morlab Communications Technology Co., Ltd.                                                                              |
| <b>Address:</b> | FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China |

### 3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.



REPORT No.: SZ24070315W11

#### 4. Test Equipments Utilized

##### 4.1 Conducted Test Equipments

| Equipment Name            | Serial No. | Type      | Manufacturer | Cal. Date  | Due Date   |
|---------------------------|------------|-----------|--------------|------------|------------|
| Power Splitter            | NW521      | 1506A     | Weinschel    | N/A        | N/A        |
| Attenuator 1              | (N/A.)     | 10dB      | Resnet       | N/A        | N/A        |
| EXA Signal Analyzer       | MY51511149 | N9020A    | Agilent      | 2024.06.19 | 2025.06.18 |
| EXA Signal Analyzer       | MY54170556 | N9030A    | Keysight     | 2023.10.07 | 2024.10.06 |
| System Simulator          | 6261830572 | MT8821C   | Anritsu      | 2024.01.25 | 2025.01.24 |
| RF cable<br>(30MHz-26GHz) | CB01       | RF01      | Morlab       | N/A        | N/A        |
| Computer                  | T430i      | Think Pad | Lenovo       | N/A        | N/A        |





REPORT No.: SZ24070315W11

#### 4.2 List of Software Used

| Description                | Manufacturer | Software Version |
|----------------------------|--------------|------------------|
| Morlab FCC LTE Test System | MORLAB       | V7.99            |
| MORLAB EMCR                | MORLAB       | V1.2             |





REPORT No.: SZ24070315W11

**4.3 Radiated Test Equipments**

| Equipment Name                 | Serial No.   | Type            | Manufacturer  | Cal. Date  | Due Date   |
|--------------------------------|--------------|-----------------|---------------|------------|------------|
| Loop Antenna                   | 00131        | FMZB 1519B      | SCHWARZBECK   | 2023/10/10 | 2024/10/9  |
| Bi-Log Antenna                 | 9163-274     | VULB 9163       | SCHWARZBECK   | 2024/06/29 | 2025/06/28 |
| Horn Antenna                   | 9120D-963    | BBHA 9120D      | SCHWARZBECK   | 2024/06/03 | 2025/06/02 |
| Horn Antenna                   | BBHA9170#773 | BBHA9170        | SCHWARZBECK   | 2024/06/22 | 2025/06/21 |
| Signal Analyzer                | MY56060145   | N9020A          | Agilent       | 2024/05/30 | 2025/05/29 |
| Receiver                       | 595WX11007   | PMM 9010        | PMM           | 2024/01/25 | 2025/1/24  |
| 6db Attenuator                 | E191001      | BW-N6W5+        | Mini-circuits | 2023/09/19 | 2024/09/18 |
| Preamplifier<br>(2GHz-18GHz)   | 61171/61172  | S020180L3203    | LUCIX CORP.   | 2024/05/30 | 2025/05/29 |
| Preamplifier<br>(10MHz-6GHz)   | 46732        | S10M100L3802    | LUCIX CORP.   | 2024/05/30 | 2025/05/29 |
| Preamplifier<br>(18GHz-40GHz)  | DS77209      | DCLNA0118-40C-S | Decentest     | 2024/05/30 | 2025/05/29 |
| RF Coaxial Cable<br>(DC-18GHz) | MRE001       | PE330           | Pasternack    | 2024/05/30 | 2025/05/29 |
| RF Coaxial Cable<br>(DC-18GHz) | MRE002       | CLU18           | Pasternack    | 2024/05/30 | 2025/05/29 |
| RF Coaxial Cable<br>(DC-18GHz) | MRE003       | CLU18           | Pasternack    | 2024/05/30 | 2025/05/29 |
| RF Coaxial Cable<br>(DC-40GHz) | 22290045     | QA360-40-KK-0.5 | Qualwave      | 2024/07/03 | 2025/07/02 |
| RF Coaxial Cable<br>(DC-40GHz) | 22290046     | QA360-40-KK F-2 | Qualwave      | 2024/07/03 | 2025/07/02 |
| RF Coaxial Cable<br>(DC-18GHz) | 22120181     | QA500-18-NN-5   | Qualwave      | 2024/07/03 | 2025/07/02 |

\_\_\_\_ END OF REPORT \_\_\_\_