



REPORT No.: SZ24070315S02

Annex E Conducted Power

Note:

Conducted power unit: dBm

The target power was recorded in the manufacturer's document.

U-NII-5

Condition	Mode	Frequency (MHz)	Antenna	Conducte d Power (dBm)	TUNE
NVNT	ax20 SISO	5955	Ant12	-6.52	-5.00
NVNT	ax20 SISO	6175	Ant12	-7.42	-5.50
NVNT	ax20 SISO	6415	Ant12	-6.82	-5.00
NVNT	ax40 SISO	5955	Ant12	-3.45	-1.50
NVNT	ax40 SISO	6205	Ant12	-4.11	-2.50
NVNT	ax40 SISO	6405	Ant12	-3.55	-2.00
NVNT	ax80 SISO	5955	Ant12	-1.75	0.00
NVNT	ax80 SISO	6225	Ant12	-2.53	-1.00
NVNT	ax80 SISO	6385	Ant12	-2.25	-0.50
NVNT	ax160 SISO	6025	Ant12	-1.86	0.00
NVNT	ax160 SISO	6185	Ant12	-2.29	-0.50
NVNT	ax160 SISO	6345	Ant12	-1.81	0.00
NVNT	be20 SISO	5955	Ant12	-6.81	-5.00
NVNT	be20 SISO	6175	Ant12	-7.65	-6.00
NVNT	be20 SISO	6415	Ant12	-6.82	-5.00
NVNT	be40 SISO	5955	Ant12	-3.44	-1.50
NVNT	be40 SISO	6205	Ant12	-4.13	-2.50
NVNT	be40 SISO	6405	Ant12	-3.54	-2.00
NVNT	be80 SISO	5955	Ant12	-1.85	0.00
NVNT	be80 SISO	6225	Ant12	-2.64	-1.00
NVNT	be80 SISO	6385	Ant12	-2.19	-0.50
NVNT	be160 SISO	6025	Ant12	-1.77	0.00
NVNT	be160 SISO	6185	Ant12	-2.34	-0.50
NVNT	be160 SISO	6345	Ant12	-1.83	0.00
NVNT	be320 SISO	6105	Ant12	-1.68	0.00
NVNT	ax20 26@80 SISO	5955	Ant12	-15.14	-13.50
NVNT	ax20 26@80 SISO	6175	Ant12	-16.47	-14.50
NVNT	ax20 26@80 SISO	6415	Ant12	-15.7	-14.00
NVNT	ax20 52@37 SISO	5955	Ant12	-12.46	-10.50
NVNT	ax20 52@37 SISO	6175	Ant12	-13.38	-11.50
NVNT	ax20 52@37 SISO	6415	Ant12	-12.76	-11.00
NVNT	ax20 106@53 SISO	5955	Ant12	-9.7	-8.00
NVNT	ax20 106@53 SISO	6175	Ant12	-7.11	-5.50
NVNT	ax20 106@53 SISO	6415	Ant12	-9.93	-8.00
NVNT	ax40 26@80 SISO	5955	Ant12	-14.14	-12.50
NVNT	ax40 52@37 SISO	5955	Ant12	-11.38	-9.50
NVNT	ax40 106@53 SISO	5955	Ant12	-8.47	-6.50
NVNT	ax40 242@61 SISO	5955	Ant12	-5.67	-4.00
NVNT	ax80 26@80 SISO	5955	Ant12	-14.26	-12.50
NVNT	ax80 52@37 SISO	5955	Ant12	-11.09	-9.50
NVNT	ax80 106@53 SISO	5955	Ant12	-8.29	-6.50
NVNT	ax80 242@61 SISO	5955	Ant12	-5.05	-3.50
NVNT	ax80 484@65 SISO	5955	Ant12	-2.45	-0.50
NVNT	ax160 26@80 SISO	6025	Ant12	-13.52	-12.00
NVNT	ax160 52@74 SISO	6025	Ant12	-10.83	-9.00
NVNT	ax160 106@106 SISO	6025	Ant12	-7.72	-6.00
NVNT	ax160 242@122 SISO	6025	Ant12	-4.64	-3.00
NVNT	ax160 484@130 SISO	6025	Ant12	-1.92	0.00
NVNT	ax160 996@134 SISO	6025	Ant12	0.36	2.00
NVNT	be20 26@80 SISO	5955	Ant12	-15.54	-14.00
NVNT	be20 26@80 SISO	6175	Ant12	-16.48	-14.50
NVNT	be20 26@80 SISO	6415	Ant12	-15.92	-14.00
NVNT	be20 52@37 SISO	5955	Ant12	-12.52	-11.00
NVNT	be20 52@37 SISO	6175	Ant12	-13.49	-11.50
NVNT	be20 52@37 SISO	6415	Ant12	-12.91	-11.00
NVNT	be20 106@53 SISO	5955	Ant12	-9.66	-8.00
NVNT	be20 106@53 SISO	6175	Ant12	-10.63	-9.00
NVNT	be20 106@53 SISO	6415	Ant12	-9.97	-8.00
NVNT	be40 26@80 SISO	5955	Ant12	-14.33	-12.50
NVNT	be40 52@37 SISO	5955	Ant12	-11.3	-9.50
NVNT	be40 106@53 SISO	5955	Ant12	-8.4	-6.50
NVNT	be40 242@61 SISO	5955	Ant12	-5.68	-4.00
NVNT	be80 26@80 SISO	5955	Ant12	-14.31	-12.50
NVNT	be80 52@37 SISO	5955	Ant12	-11.11	-9.50
NVNT	be80 106@53 SISO	5955	Ant12	-8.11	-6.50
NVNT	be80 242@61 SISO	5955	Ant12	-5.2	-3.50
NVNT	be80 484@65 SISO	5955	Ant12	-2.48	-0.50
NVNT	be160 26@80 SISO	6025	Ant12	-13.82	-12.00
NVNT	be160 52@74 SISO	6025	Ant12	-10.78	-9.00
NVNT	be160 106@106 SISO	6025	Ant12	-7.71	-6.00
NVNT	be160 242@122 SISO	6025	Ant12	-4.64	-3.00
NVNT	be160 484@130 SISO	6025	Ant12	-1.88	0.00
NVNT	be160 996@134 SISO	6025	Ant12	0.54	2.50
NVNT	be320 26@80 SISO	6105	Ant12	-15.28	-13.50

U-NII-5

Condition	Mode	Frequency (MHz)	Antenna	Conducte d Power (dBm)	TUNE
NVNT	ax20 SISO	5955	Ant13	-5.5	-4.00
NVNT	ax20 SISO	6175	Ant13	-5.7	-4.00
NVNT	ax20 SISO	6415	Ant13	-6.16	-4.50
NVNT	ax40 SISO	5955	Ant13	-2.73	-1.00
NVNT	ax40 SISO	6205	Ant13	-2.73	-1.00
NVNT	ax40 SISO	6405	Ant13	-2.83	-1.00
NVNT	ax40 SISO	6405	Ant13	-0.96	1.00
NVNT	ax80 SISO	6225	Ant13	-0.67	1.00
NVNT	ax80 SISO	6385	Ant13	-1.13	0.50
NVNT	ax160 SISO	6025	Ant13	-0.5	1.00
NVNT	ax160 SISO	6185	Ant13	-0.5	1.00
NVNT	ax160 SISO	6345	Ant13	-1	1.00
NVNT	be20 SISO	5955	Ant13	-5.97	-4.00
NVNT	be20 SISO	6175	Ant13	-5.72	-4.00
NVNT	be20 SISO	6415	Ant13	-6.17	-4.50
NVNT	be40 SISO	5955	Ant13	-2.67	-1.00
NVNT	be40 SISO	6205	Ant13	-2.79	-1.00
NVNT	be40 SISO	6405	Ant13	-2.82	-1.00
NVNT	be80 SISO	6225	Ant13	-0.98	1.00
NVNT	be80 SISO	6225	Ant13	-0.59	1.00
NVNT	be80 SISO	6385	Ant13	-1.02	0.50
NVNT	be160 SISO	6025	Ant13	-0.52	1.00
NVNT	be160 SISO	6185	Ant13	-0.54	1.00
NVNT	be160 SISO	6345	Ant13	-1	1.00
NVNT	be320 SISO	6105	Ant13	-0.27	1.50
NVNT	ax20 26@80 SISO	5955	Ant13	-17.03	-15.50
NVNT	ax20 26@80 SISO	6175	Ant13	-16.75	-15.00
NVNT	ax20 26@80 SISO	6415	Ant13	-17.38	-15.50
NVNT	ax20 52@37 SISO	5955	Ant13	-13.56	-12.00
NVNT	ax20 52@37 SISO	6175	Ant13	-13.42	-11.50
NVNT	ax20 52@37 SISO	6415	Ant13	-14.1	-12.50
NVNT	ax20 106@53 SISO	5955	Ant13	-8.8	-7.00
NVNT	ax20 106@53 SISO	6175	Ant13	-8.65	-7.00
NVNT	ax20 106@53 SISO	6415	Ant13	-9.15	-7.50
NVNT	ax40 26@80 SISO	5955	Ant13	-16.19	-14.50
NVNT	ax40 52@37 SISO	5955	Ant13	-11.15	-9.50
NVNT	ax40 106@53 SISO	5955	Ant13	-8.2	-6.50
NVNT	ax40 242@61 SISO	5955	Ant13	-5.52	-4.00
NVNT	ax80 26@80 SISO	5955	Ant13	-16.26	-14.50
NVNT	ax80 52@37 SISO	5955	Ant13	-11.07	-9.50
NVNT	ax80 106@53 SISO	5955	Ant13	-10.1	-8.50
NVNT	ax80 242@61 SISO	5955	Ant13	-5.25	-3.50
NVNT	ax80 484@65 SISO	5955	Ant13	-2.13	-0.50
NVNT	ax160 26@80 SISO	6025	Ant13	-15.08	-13.50
NVNT	ax160 52@74 SISO	6025	Ant13	-12.31	-10.50
NVNT	ax160 106@106 SISO	6025	Ant13	-9.29	-7.50
NVNT	ax160 242@122 SISO	6025	Ant13	-6.17	-4.50
NVNT	ax160 484@130 SISO	6025	Ant13	-3.16	-1.50
NVNT	ax160 996@134 SISO	6025	Ant13	-1.06	0.50
NVNT	be20 26@80 SISO	5955	Ant13	-14.88	-13.00
NVNT	be20 26@80 SISO	6175	Ant13	-14.63	-13.00
NVNT	be20 26@80 SISO	6415	Ant13	-15.2	-13.50
NVNT	be20 52@37 SISO	5955	Ant13	-11.71	-10.00
NVNT	be20 52@37 SISO	6175	Ant13	-11.57	-10.00
NVNT	be20 52@37 SISO	6415	Ant13	-12.23	-10.50
NVNT	be20 106@53 SISO	5955	Ant13	-8.87	-7.00
NVNT	be20 106@53 SISO	6175	Ant13	-8.71	-7.00
NVNT	be20 106@53 SISO	6415	Ant13	-9.2	-7.50
NVNT	be40 26@80 SISO	5955	Ant13	-16.11	-14.50
NVNT	be40 52@37 SISO	5955	Ant13	-11.05	-9.50
NVNT	be40 106@53 SISO	5955	Ant13	-8.18	-6.50
NVNT	be40 242@61 SISO	5955	Ant13	-5.54	-4.00
NVNT	be80 26@80 SISO	5955	Ant13	-16.71	-15.00
NVNT	be80 52@37 SISO	5955	Ant13	-10.92	-9.00
NVNT	be80 106@53 SISO	5955	Ant13	-7.97	-6.00
NVNT	be80 242@61 SISO	5955	Ant13	-5.24	-3.50
NVNT	be80 484@65 SISO	5955	Ant13	-2.34	-0.50
NVNT	be160 26@80 SISO	6025	Ant13	-15.32	-13.50
NVNT	be160 52@74 SISO	6025	Ant13	-12.24	-10.50
NVNT	be160 106@106 SISO	6025	Ant13	-9.18	-7.50
NVNT	be160 242@122 SISO	6025	Ant13	-6.13	-4.50
NVNT	be160 484@130 SISO	6025	Ant13	-3.2	-1.50
NVNT	be160 996@134 SISO	6025	Ant13	-0.97	1.00
NVNT	be320 26@80 SISO	6105	Ant13	-15.87	-14.00

U-NII-5

Condition	Mode	Frequency (MHz)	Antenna	Conducte d Power (dBm)	TUNE	
NVNT	ax20 MIMO	5955	Sum	-6.84	-5	
NVNT	ax20 MIMO	6175	Sum	-7.5	-6	
NVNT	ax20 MIMO	6415	Sum	-7.38	-5.5	
NVNT	ax40 MIMO	5955	Sum	-3.91	-2	
NVNT	ax40 MIMO	6205	Sum	-4.36	-2.5	
NVNT	ax40 MIMO	6405	Sum	-4.13	-2.5	
NVNT	ax80 MIMO	5955	Sum	-2.08	-0.5	
NVNT	ax80 MIMO	6225	Sum	-2.49	-0.5	
NVNT	ax80 MIMO	6385	Sum	-2.38	-0.5	
NVNT	ax160 MIMO	6025	Sum	-1.96	0	
NVNT	ax160 MIMO	6185	Sum	-2.28	-0.5	
NVNT	ax160 MIMO	6345	Sum	-2.17	-0.5	
NVNT	be20 MIMO	5955	Sum	-6.85	-5	
NVNT	be20 MIMO	6175	Sum	-7.47	-5.5	
NVNT	be20 MIMO	6415	Sum	-7.3	-5	
NVNT	be40 MIMO	5955	Sum	-3.95	-2	
NVNT	be40 MIMO	6205	Sum	-4.42	-2.5	
NVNT	be40 MIMO	6405	Sum	-4.17	-2.5	
NVNT	be80 MIMO	5955	Sum	-2.06	-0.5	
NVNT	be80 MIMO	6225	Sum	-2.48	-0.5	
NVNT	be80 MIMO	6385	Sum	-2.34	-0.5	
NVNT	be160 MIMO	6025	Sum	-1.92	0	
NVNT	be160 MIMO	6185	Sum	-2.21	-0.5	
NVNT	be160 MIMO	6345	Sum	-2.16	-0.5	
NVNT	be320 MIMO	6105	Sum	-1.23	0.5	
NVNT	ax20 26@80 MIMO	5955	Sum	-17.91	-16	
NVNT	ax20 26@80 MIMO	6175	Sum	-18.37	-16.5	
NVNT	ax20 26@80 MIMO	6415	Sum	-18.28	-16.5	
NVNT	ax20 52@37 MIMO	5955	Sum	-14.83	-13	
NVNT	ax20 52@37 MIMO	6175	Sum	-15.26	-13.5	
NVNT	ax20 52@37 MIMO	6415	Sum	-15.26	-13.5	
NVNT	ax20 106@53 MIMO	5955	Sum	-9.99	-8	
NVNT	ax20 106@53 MIMO	6175	Sum	-10.5	-9	
NVNT	ax20 106@53 MIMO	6415	Sum	-10.4	-8.5	
NVNT	ax40 26@80 MIMO	5955	Sum	-16.99	-15	
NVNT	ax40 52@37 MIMO	5955	Sum	-12.08	-10.5	
NVNT	ax40 106@53 MIMO	5955	Sum	-9.11	-7.5	
NVNT	ax40 242@61 MIMO	5955	Sum	-6.37	-4.5	
NVNT	ax80 26@80 MIMO	5955	Sum	-16.98	-15	
NVNT	ax80 52@37 MIMO	5955	Sum	-11.84	-10	
NVNT	ax80 106@53 MIMO	5955	Sum	-10.9	-9	
NVNT	ax80 242@61 MIMO	5955	Sum	-6.07	-4.5	
NVNT	ax80 484@65 MIMO	5955	Sum	-3.13	-1.5	
NVNT	ax160 26@80 MIMO	6025	Sum	-16.39	-14.5	
NVNT	ax160 52@74 MIMO	6025	Sum	-13.45	-11.5	
NVNT	ax160 106@106 MIMO	6025	Sum	-10.46	-8.5	
NVNT	ax160 242@122 MIMO	6025	Sum	-7.25	-5.5	
NVNT	ax160 484@130 MIMO	6025	Sum	-4.37	-2.5	
NVNT	ax160 996@134 MIMO	6025	Sum	-2.07	-0.5	
NVNT	be20 26@80 MIMO	5955	Sum	-15.95	-14	
NVNT	be20 26@80 MIMO	6175	Sum	-16.44	-14.5	
NVNT	be20 26@80 MIMO	6415	Sum	-16.42	-14.5	
NVNT	be20 26@80 MIMO	5955	Sum	-13.04	-11.5	
NVNT	be20 26@80 MIMO	6175	Sum	-13.42	-11.5	
NVNT	be20 26@80 MIMO	6415	Sum	-13.4	-11.5	
NVNT	be20 26@80 MIMO	5955	Sum	-10.09	-8.5	
NVNT	be20 26@80 MIMO	6175	Sum	-10.53	-9	
NVNT	be20 26@80 MIMO	6415	Sum	-10.41	-8.5	
NVNT	be20 26@80 MIMO	5955	Sum	-17.01	-15.5	
NVNT	be20 26@80 MIMO	5955	Sum	-12.12	-10.5	
NVNT	be20 26@80 MIMO	5955	Sum	-9.11	-7.5	
NVNT	be20 26@80 MIMO	242@61	5955	Sum	-6.37	-4.5
NVNT	be20 26@80 MIMO	5955	Sum	-17.35	-15.5	
NVNT	be20 26@80 MIMO	5955	Sum	-11.91	-10	
NVNT	be20 26@80 MIMO	5955	Sum	-8.92	-7	
NVNT	be20 26@80 MIMO	242@61	5955	Sum	-6.07	-4.5
NVNT	be20 26@80 MIMO	5955	Sum	-3.14	-1.5	
NVNT	be160 26@80 MIMO	6025	Sum	-16.43	-14.5	
NVNT	be160 26@80 MIMO	52@74	6025	Sum	-13.46	-11.5
NVNT	be160 106@106 MIMO	6025	Sum	-10.38	-8.5	
NVNT	be160 242@122 MIMO	6025	Sum	-7.31	-5.5	
NVNT	be160 484@130 MIMO	6025	Sum	-4.47	-2.5	
NVNT	be160 996@134 MIMO	6025	Sum	-2.18	-0.5	
NVNT	be320 26@80 MIMO	6105	Sum	-17.5	-16	
NVNT	be320 26@80 MIMO	6105	Sum	-14.42	-12.5	
NVNT	be320 26@80 MIMO	6105	Sum	-11.46	-9.5	
NVNT	be320 26@80 MIMO	6105	Sum	-8.4	-6.5	
NVNT	be320 26@80 MIMO	6105	Sum	-5.28	-3.5	
NVNT	be320 26@80 MIMO	6105	Sum	-3.4	-1.5	
NVNT	be320 1032@136 MIMO	6105	Sum	-3.47	-1.5	

U-NII-6

Condition	Mode	Frequency (MHz)	Antenna	Conducte d Power (dBm)	TUNE
NVNT	ax20 SISO	6435	Ant12	3.35	0.00
NVNT	ax20 SISO	6475	Ant12	3.99	5.50
NVNT	ax20 SISO	6515	Ant12	4.27	0.00
NVNT	ax40 SISO	6445	Ant12	7.07	0.00
NVNT	ax40 SISO	6485	Ant12	7.25	0.00
NVNT	ax40 SISO	6465	Ant12	9.12	11.00
NVNT	be20 SISO	6435	Ant12	3.37	0.00
NVNT	be20 SISO	6475	Ant12	3.74	5.50
NVNT	be20 SISO	6515	Ant12	4.26	0.00
NVNT	be40 SISO	6445	Ant12	6.91	5.50
NVNT	be40 SISO	6485	Ant12	7.1	0.00
NVNT	be40 SISO	6465	Ant12	9.21	11.00
NVNT	be20 SISO	6425	Ant12	7.37	0.00
NVNT	ax20 26B0 SISO	6435	Ant12	-5.33	-3.50
NVNT	ax20 26B0 SISO	6475	Ant12	-4.44	-2.50
NVNT	ax20 26B0 SISO	6515	Ant12	-4.54	-3.00
NVNT	ax20 52B37 SISO	6435	Ant12	-2.26	-0.50
NVNT	ax20 52B37 SISO	6475	Ant12	-1.44	0.50
NVNT	ax20 52B37 SISO	6515	Ant12	-1.58	0.00
NVNT	ax20 106B53 SISO	6435	Ant12	0.59	2.50
NVNT	ax20 106B53 SISO	6475	Ant12	1.34	3.00
NVNT	ax20 106B53 SISO	6515	Ant12	1.24	3.00
NVNT	ax40 26B0 SISO	6445	Ant12	-4.95	-3.00
NVNT	ax40 52B37 SISO	6445	Ant12	-1.95	0.00
NVNT	ax40 106B53 SISO	6445	Ant12	0.97	2.50
NVNT	ax40 242B61 SISO	6445	Ant12	7.25	9.00
NVNT	ax80 26B0 SISO	6465	Ant12	-4.9	-3.00
NVNT	ax80 52B37 SISO	6465	Ant12	-1.77	0.00
NVNT	ax80 106B53 SISO	6465	Ant12	1.17	3.00
NVNT	ax80 242B61 SISO	6465	Ant12	7.71	9.50
NVNT	ax80 484B65 SISO	6465	Ant12	7.59	9.50
NVNT	be20 26B0 SISO	6435	Ant12	-5.3	-3.50
NVNT	be20 26B0 SISO	6475	Ant12	-4.37	-2.50
NVNT	be20 26B0 SISO	6515	Ant12	-4.52	-3.00
NVNT	be20 52B37 SISO	6435	Ant12	-2.23	-0.50
NVNT	be20 52B37 SISO	6475	Ant12	-1.47	0.50
NVNT	be20 52B37 SISO	6515	Ant12	-1.57	0.00
NVNT	be20 106B53 SISO	6435	Ant12	0.64	2.50
NVNT	be20 106B53 SISO	6475	Ant12	1.42	3.00
NVNT	be20 106B53 SISO	6515	Ant12	1.29	3.00
NVNT	be40 26B0 SISO	6445	Ant12	-5.02	-3.50
NVNT	be40 52B37 SISO	6445	Ant12	-2.01	-0.50
NVNT	be40 106B53 SISO	6445	Ant12	0.8	2.50
NVNT	be40 242B61 SISO	6445	Ant12	7.25	9.00
NVNT	be80 26B0 SISO	6465	Ant12	-5.13	-3.50
NVNT	be80 52B37 SISO	6465	Ant12	-1.88	0.00
NVNT	be80 106B53 SISO	6465	Ant12	1.09	3.00
NVNT	be80 242B61 SISO	6465	Ant12	7.66	9.50
NVNT	be80 484B65 SISO	6465	Ant12	7.61	9.50

U-NII-6

Condition	Mode	Frequency (MHz)	Antenna	Conducte d Power (dBm)	TUNE
NVNT	ax20 SISO	6435	Ant13	3.84	5.50
NVNT	ax20 SISO	6475	Ant13	3.83	5.50
NVNT	ax20 SISO	6515	Ant13	3.75	5.50
NVNT	ax40 SISO	6445	Ant13	7.19	0.00
NVNT	ax40 SISO	6485	Ant13	7.51	0.00
NVNT	ax80 SISO	6465	Ant13	9.12	11.00
NVNT	be20 SISO	6435	Ant13	3.24	5.50
NVNT	be20 SISO	6475	Ant13	3.83	5.50
NVNT	be20 SISO	6515	Ant13	3.74	5.50
NVNT	be40 SISO	6445	Ant13	6.82	5.50
NVNT	be40 SISO	6485	Ant13	7.05	0.00
NVNT	be80 SISO	6465	Ant13	9.08	11.00
NVNT	ax20 26B0 SISO	6435	Ant13	-5.29	-3.50
NVNT	ax20 26B0 SISO	6475	Ant13	-5.55	-4.00
NVNT	ax20 26B0 SISO	6515	Ant13	-5.68	-4.00
NVNT	ax20 52B37 SISO	6435	Ant13	-2.27	-0.50
NVNT	ax20 52B37 SISO	6475	Ant13	-2.46	-0.50
NVNT	ax20 52B37 SISO	6515	Ant13	-2.64	-1.00
NVNT	ax20 106B53 SISO	6435	Ant13	1.53	3.50
NVNT	ax20 106B53 SISO	6475	Ant13	0.59	2.50
NVNT	ax20 106B53 SISO	6515	Ant13	1.19	3.00
NVNT	ax40 26B0 SISO	6445	Ant13	-5.07	-3.50
NVNT	ax40 52B37 SISO	6445	Ant13	-2.04	-0.50
NVNT	ax40 106B53 SISO	6445	Ant13	1.86	3.50
NVNT	ax40 242B61 SISO	6445	Ant13	7.44	9.00
NVNT	ax80 26B0 SISO	6465	Ant13	-5.15	-3.50
NVNT	ax80 52B37 SISO	6465	Ant13	-1.91	0.00
NVNT	ax80 106B53 SISO	6465	Ant13	2.03	4.00
NVNT	ax80 242B61 SISO	6465	Ant13	7.55	9.50
NVNT	ax80 484B65 SISO	6465	Ant13	7.46	9.00
NVNT	be20 26B0 SISO	6435	Ant13	-5.42	-3.50
NVNT	be20 26B0 SISO	6475	Ant13	-5.58	-4.00
NVNT	be20 26B0 SISO	6515	Ant13	-5.75	-4.00
NVNT	be20 52B37 SISO	6435	Ant13	-2.23	-0.50
NVNT	be20 52B37 SISO	6475	Ant13	-2.46	-0.50
NVNT	be20 52B37 SISO	6515	Ant13	-2.62	-1.00
NVNT	be20 106B53 SISO	6435	Ant13	0.59	2.50
NVNT	be20 106B53 SISO	6475	Ant13	0.41	2.00
NVNT	be20 106B53 SISO	6515	Ant13	0.25	2.00
NVNT	be40 26B0 SISO	6445	Ant13	-5.07	-3.50
NVNT	be40 52B37 SISO	6445	Ant13	-2.08	-0.50
NVNT	be40 106B53 SISO	6445	Ant13	1.77	3.50
NVNT	be40 242B61 SISO	6445	Ant13	7.45	9.00
NVNT	be80 6465	Ant13	-5.29	-3.50	
NVNT	be80 52B37 SISO	6465	Ant13	-2.02	-0.50
NVNT	be80 106B53 SISO	6465	Ant13	1.94	3.50
NVNT	be80 242B61 SISO	6465	Ant13	7.54	9.50
NVNT	be80 484B65 SISO	6465	Ant13	7.47	9.00

U-NII-6

Condition	Mode	Frequency (MHz)	Antenna	Conducte d Power (dBm)	TUNE
NVNT	ax20 MIMO	6435	Sum	1.81	3.5
NVNT	ax20 MIMO	6475	Sum	1.69	3.5
NVNT	ax20 MIMO	6515	Sum	1.9	3.5
NVNT	ax40 MIMO	6445	Sum	5.12	7
NVNT	ax40 MIMO	6485	Sum	5.22	7
NVNT	ax80 MIMO	6465	Sum	7.1	9
NVNT	be20 MIMO	6435	Sum	1.61	3.5
NVNT	be20 MIMO	6475	Sum	1.71	3.5
NVNT	be20 MIMO	6515	Sum	1.84	3.5
NVNT	be40 MIMO	6445	Sum	4.99	6.5
NVNT	be40 MIMO	6485	Sum	5.14	7
NVNT	be80 MIMO	6465	Sum	7.18	9
NVNT	ax20 26B0 MIMO	6435	Sum	-5.59	7.5
NVNT	ax20 26B0 MIMO	6475	Sum	-6.02	-4.5
NVNT	ax20 26B0 MIMO	6515	Sum	-5.71	-4
NVNT	ax20 52B37 MIMO	6435	Sum	-3.01	-1.5
NVNT	ax20 52B37 MIMO	6475	Sum	-2.57	-1
NVNT	ax20 52B37 MIMO	6515	Sum	-2.66	-1
NVNT	ax20 106B53 MIMO	6435	Sum	0.76	2.5
NVNT	ax20 106B53 MIMO	6475	Sum	1.27	3
NVNT	ax20 106B53 MIMO	6515	Sum	1.15	3
NVNT	ax40 26B0 MIMO	6445	Sum	-5.81	-4
NVNT	ax40 52B37 MIMO	6445	Sum	-2.75	-1
NVNT	ax40 106B53 MIMO	6445	Sum	1.15	3
NVNT	ax40 242B61 MIMO	6445	Sum	5.38	7
NVNT	ax80 26B0 MIMO	6465	Sum	-5.78	-4
NVNT	ax80 52B37 MIMO	6465	Sum	-2.59	-1
NVNT	ax80 106B53 MIMO	6465	Sum	1.36	3
NVNT	ax80 242B61 MIMO	6465	Sum	5.66	7.5
NVNT	ax80 484B65 MIMO	6465	Sum	5.52	7.5
NVNT	be20 26B0 MIMO	6435	Sum	-6.09	-4.5
NVNT	be20 26B0 MIMO	6475	Sum	-5.62	-4
NVNT	be20 26B0 MIMO	6515	Sum	-5.71	-4
NVNT	be20 52B37 MIMO	6435	Sum	-2.96	-1
NVNT	be20 52B37 MIMO	6475	Sum	-2.57	-1
NVNT	be20 52B37 MIMO	6515	Sum	-2.7	-1
NVNT	be20 106B53 MIMO	6435	Sum	-0.2	1.5
NVNT	be20 106B53 MIMO	6475	Sum	0.28	2
NVNT	be20 106B53 MIMO	6515	Sum	0.17	2
NVNT	be40 26B0 MIMO	6445	Sum	-5.78	-4
NVNT	be40 52B37 MIMO	6445	Sum	-2.81	-1
NVNT	be40 106B53 MIMO	6445	Sum	1.17	3
NVNT	be40 242B61 MIMO	6445	Sum	5.38	7
NVNT	be80 26B0 MIMO	6465	Sum	-5.9	-4
NVNT	be80 52B37 MIMO	6465	Sum	-2.6	-1
NVNT	be80 106B53 MIMO	6465	Sum	1.36	3
NVNT	be80 242B61 MIMO	6465	Sum	5.66	7.5
NVNT	be80 484B65 MIMO	6465	Sum	5.54	7.5

U-NII-7

Condition	Mode	Frequency (MHz)	Antenna	Conducte d Power (dBm)	TUNE
NVNT	ax20 SISO	6535	Ant12	-5.22	-3.50
NVNT	ax20 SISO	6695	Ant12	-4.42	-2.50
NVNT	ax20 SISO	6855	Ant12	-4.35	-2.50
NVNT	ax40 SISO	6665	Ant12	1.00	0.00
NVNT	ax40 SISO	6685	Ant12	-1.74	0.00
NVNT	ax40 SISO	6845	Ant12	-0.8	1.00
NVNT	ax80 SISO	6685	Ant12	-0.92	1.50
NVNT	ax80 SISO	6705	Ant12	-0.96	1.50
NVNT	ax80 SISO	6785	Ant12	-0.55	1.00
NVNT	ax160 SISO	6665	Ant12	-0.06	1.50
NVNT	be20 SISO	6535	Ant12	-5.41	3.50
NVNT	be20 SISO	6695	Ant12	-4.42	2.50
NVNT	be20 SISO	6855	Ant12	-4.36	3.00
NVNT	be40 SISO	6665	Ant12	2.67	1.00
NVNT	be40 SISO	6685	Ant12	-1.8	0.00
NVNT	be40 SISO	6845	Ant12	0.65	1.00
NVNT	be80 SISO	6625	Ant12	-0.08	1.50
NVNT	be80 SISO	6705	Ant12	-1	1.00
NVNT	be80 SISO	6785	Ant12	-0.66	1.50
NVNT	be160 SISO	6665	Ant12	-0.01	1.50
NVNT	be320 SISO	6745	Ant12	1	3.00
NVNT	ax20 26B0 SISO	6535	Ant12	-14.17	-12.50
NVNT	ax20 26B0 SISO	6695	Ant12	-13.08	-11.50
NVNT	ax20 26B0 SISO	6855	Ant12	-13.57	-12.00
NVNT	ax20 52B37 SISO	6535	Ant12	-11.29	-9.50
NVNT	ax20 52B37 SISO	6695	Ant12	-10.45	-8.50
NVNT	ax20 52B37 SISO	6855	Ant12	-10.5	-8.00
NVNT	ax20 106B53 SISO	6535	Ant12	-8.4	-6.50
NVNT	ax20 106B53 SISO	6695	Ant12	-7.54	-6.00
NVNT	ax20 106B53 SISO	6855	Ant12	-7.61	-6.00
NVNT	be20 26B0 SISO	6535	Ant12	-14.31	-12.50
NVNT	be20 26B0 SISO	6695	Ant12	-13.37	-11.50
NVNT	be20 26B0 SISO	6855	Ant12	-13.61	-12.00
NVNT	be20 52B37 SISO	6535	Ant12	-11.42	-9.50
NVNT	be20 52B37 SISO	6695	Ant12	-10.54	-8.00
NVNT	be20 52B37 SISO	6855	Ant12	-10.76	-9.00
NVNT	be20 106B53 SISO	6535	Ant12	-8.45	-6.50

U-NII-7

Condition	Mode	Frequency (MHz)	Antenna	Conducte d Power (dBm)	TUNE
NVNT	ax20 SISO	6535	Ant13	-6.49	-4.50
NVNT	ax20 SISO	6695	Ant13	-7.08	-5.50
NVNT	ax20 SISO	6855	Ant13	-7.65	-6.00
NVNT	ax40 SISO	6665	Ant13	-3.52	-2.00
NVNT	ax40 SISO	6685	Ant13	-4.23	-2.50
NVNT	ax40 SISO	6845	Ant13	-2.25	0.50
NVNT	ax80 SISO	6685	Ant13	-2.91	1.50
NVNT	ax80 SISO	6705	Ant13	-2.55	-1.00
NVNT	ax80 SISO	6785	Ant13	-2.55	-1.00
NVNT	ax160 SISO	6665	Ant13	-1.96	0.00
NVNT	be20 SISO	6535	Ant13	-6.46	-4.50
NVNT	be20 SISO	6695	Ant13	-7.05	-5.50
NVNT	be20 SISO	6855	Ant13	-7.66	-6.00
NVNT	be40 SISO	6665	Ant13	-3.54	-2.00
NVNT	be40 SISO	6685	Ant13	-4.27	-2.50
NVNT	be40 SISO	6845	Ant13	-2.26	0.50

NVNT	be20 106@53 SISQ	6995	Ant12	-7.61	-4.00
NVNT	be20 106@53 SISQ	6955	Ant12	-7.67	-4.00

NVNT	be20 106@53 SISQ	6995	Ant13	-9.8	-4.00
NVNT	be20 106@53 SISQ	6955	Ant13	-10.74	-4.00

NVNT	be20 106@53 MMQ	6995	Sum	-8.9	-7
NVNT	be20 106@53 MMQ	6955	Sum	-9.25	-7.5

U-NII-8

Condition	Mode	Frequency (MHz)	Antenna	Conducte d Power (dBm)	TUNE
NVNT	ax20 SISO	6875	Ant12	3.14	0.00
NVNT	ax20 SISO	6995	Ant12	2.67	4.90
NVNT	ax20 SISO	7115	Ant12	-13.37	-11.90
NVNT	ax40 SISO	6985	Ant12	6.39	0.00
NVNT	ax40 SISO	6995	Ant12	5.52	7.90
NVNT	ax40 SISO	7085	Ant12	6.67	8.90
NVNT	ax80 SISO	6945	Ant12	8.19	0.90
NVNT	ax80 SISO	7025	Ant12	8.59	0.90
NVNT	ax160 SISO	6985	Ant12	6.13	8.00
NVNT	be20 SISO	6875	Ant12	3.09	0.00
NVNT	be20 SISO	6995	Ant12	2.64	4.90
NVNT	be20 SISO	7115	Ant12	-13.36	-11.90
NVNT	be40 SISO	6985	Ant12	6.13	0.00
NVNT	be40 SISO	6995	Ant12	5.21	7.90
NVNT	be40 SISO	7085	Ant12	8.44	8.00
NVNT	be80 SISO	6945	Ant12	8.29	0.90
NVNT	be80 SISO	7025	Ant12	8.57	0.90
NVNT	be160 SISO	6985	Ant12	5.32	7.00
NVNT	be320 SISO	6905	Ant12	7.04	9.00
NVNT	ax20 26@0 SISO	6875	Ant12	-3.16	-1.90
NVNT	ax20 26@0 SISO	6995	Ant12	-4.86	-3.00
NVNT	ax20 26@0 SISO	7115	Ant12	-5.29	-3.50
NVNT	ax20 52@37 SISO	6875	Ant12	-0.11	1.90
NVNT	ax20 52@37 SISO	6995	Ant12	-1.75	0.00
NVNT	ax20 52@37 SISO	7115	Ant12	-2.2	-0.50
NVNT	ax20 106@53 SISO	6875	Ant12	2.44	4.00
NVNT	ax20 106@53 SISO	6995	Ant12	0.95	2.50
NVNT	ax20 106@53 SISO	7115	Ant12	1.03	3.00
NVNT	ax160 26@0 SISO	6985	Ant12	-3.95	-2.00
NVNT	ax160 52@74 SISO	6985	Ant12	-0.61	1.00
NVNT	ax160 106@106 SISO	6985	Ant12	2.13	4.00
NVNT	ax160 242@122 SISO	6985	Ant12	6.39	8.00
NVNT	ax160 484@130 SISO	6985	Ant12	6.31	8.00
NVNT	ax160 996@134 SISO	6985	Ant12	6.09	8.00
NVNT	be20 26@0 SISO	6875	Ant12	-3.24	-1.90
NVNT	be20 26@0 SISO	6995	Ant12	-4.79	-3.00
NVNT	be20 26@0 SISO	7115	Ant12	-5.27	-3.50
NVNT	be20 52@37 SISO	6875	Ant12	-0.13	1.90
NVNT	be20 52@37 SISO	6995	Ant12	-1.81	0.00
NVNT	be20 52@37 SISO	7115	Ant12	-2.31	-0.50
NVNT	be20 106@53 SISO	6875	Ant12	2.39	4.00
NVNT	be20 106@53 SISO	6995	Ant12	0.99	2.50
NVNT	be20 106@53 SISO	7115	Ant12	1.07	3.00
NVNT	be160 26@0 SISO	6985	Ant12	-3.82	-2.00
NVNT	be160 52@74 SISO	6985	Ant12	-0.59	1.00
NVNT	be160 106@106 SISO	6985	Ant12	2.35	4.00
NVNT	be160 242@122 SISO	6985	Ant12	6.96	8.00
NVNT	be160 484@130 SISO	6985	Ant12	6.8	8.00
NVNT	be160 996@134 SISO	6985	Ant12	6.48	8.00

U-NII-8

Condition	Mode	Frequency (MHz)	Antenna	Conducte d Power (dBm)	TUNE
NVNT	ax20 SISO	6875	Ant13	4.24	0.00
NVNT	ax20 SISO	6995	Ant13	2.4	4.90
NVNT	ax20 SISO	7115	Ant13	-10.25	-9.90
NVNT	ax40 SISO	6985	Ant13	5.79	7.90
NVNT	ax40 SISO	6995	Ant13	5.83	7.90
NVNT	ax40 SISO	7085	Ant13	4.87	6.90
NVNT	ax80 SISO	6945	Ant13	7.51	9.90
NVNT	ax80 SISO	7025	Ant13	7.55	9.90
NVNT	ax160 SISO	6985	Ant13	6.03	8.00
NVNT	be20 SISO	6875	Ant13	2.56	4.90
NVNT	be20 SISO	6995	Ant13	2.31	4.90
NVNT	be20 SISO	7115	Ant13	-10.44	-9.90
NVNT	be40 SISO	6985	Ant13	5.5	7.90
NVNT	be40 SISO	6995	Ant13	5.66	7.90
NVNT	be40 SISO	7085	Ant13	4.6	6.90
NVNT	be80 SISO	6945	Ant13	7.85	9.90
NVNT	be80 SISO	7025	Ant13	7.61	9.90
NVNT	be160 SISO	6985	Ant13	5.31	7.00
NVNT	be320 SISO	6905	Ant13	6.47	9.00
NVNT	ax20 26@0 SISO	6875	Ant13	-7.06	-8.90
NVNT	ax20 26@0 SISO	6995	Ant13	-6.76	-9.00
NVNT	ax20 26@0 SISO	7115	Ant13	-6.96	-9.00
NVNT	ax20 52@37 SISO	6875	Ant13	-3.97	-2.00
NVNT	ax20 52@37 SISO	6995	Ant13	-3.7	-2.00
NVNT	ax20 52@37 SISO	7115	Ant13	-3.82	-2.00
NVNT	ax20 106@53 SISO	6875	Ant13	0.1	2.00
NVNT	ax20 106@53 SISO	6995	Ant13	0.66	2.50
NVNT	ax20 106@53 SISO	7115	Ant13	0.4	2.00
NVNT	ax160 26@0 SISO	6985	Ant13	-5.59	-4.00
NVNT	ax160 52@74 SISO	6985	Ant13	-2.44	-0.90
NVNT	ax160 106@106 SISO	6985	Ant13	1.25	3.00
NVNT	ax160 242@122 SISO	6985	Ant13	6.36	8.00
NVNT	ax160 484@130 SISO	6985	Ant13	6.21	8.00
NVNT	ax160 996@134 SISO	6985	Ant13	6.41	8.00
NVNT	be20 26@0 SISO	6875	Ant13	-7.03	-8.90
NVNT	be20 26@0 SISO	6995	Ant13	-6.75	-9.00
NVNT	be20 26@0 SISO	7115	Ant13	-6.98	-9.00
NVNT	be20 52@37 SISO	6875	Ant13	-3.92	-2.00
NVNT	be20 52@37 SISO	6995	Ant13	-3.65	-2.00
NVNT	be20 52@37 SISO	7115	Ant13	-3.88	-2.00
NVNT	be20 106@53 SISO	6875	Ant13	-0.8	1.00
NVNT	be20 106@53 SISO	6995	Ant13	-0.54	1.00
NVNT	be20 106@53 SISO	7115	Ant13	-0.85	1.00
NVNT	be160 26@0 SISO	6985	Ant13	-5.82	-4.00
NVNT	be160 52@74 SISO	6985	Ant13	-2.69	-1.00
NVNT	be160 106@106 SISO	6985	Ant13	1.18	3.00
NVNT	be160 242@122 SISO	6985	Ant13	6.85	8.00
NVNT	be160 484@130 SISO	6985	Ant13	6.69	8.00
NVNT	be160 996@134 SISO	6985	Ant13	6.42	8.00

U-NII-8

Condition	Mode	Frequency (MHz)	Antenna	Conducte d Power (dBm)	TUNE
NVNT	ax20 MIMO	6875	Sum	0.83	2.5
NVNT	ax20 MIMO	6995	Sum	0.49	2
NVNT	ax20 MIMO	7115	Sum	-13.44	-11.5
NVNT	ax40 MIMO	6985	Sum	4.11	6
NVNT	ax40 MIMO	6995	Sum	3.7	5.6
NVNT	ax40 MIMO	7085	Sum	3.88	5.5
NVNT	ax80 MIMO	6945	Sum	6.38	6
NVNT	ax80 MIMO	7025	Sum	6.12	6
NVNT	ax160 MIMO	6985	Sum	4.13	6
NVNT	be20 MIMO	6875	Sum	0.69	2.5
NVNT	be20 MIMO	6995	Sum	0.5	2.5
NVNT	be20 MIMO	7115	Sum	-13.11	-11.5
NVNT	be40 MIMO	6985	Sum	3.92	5.5
NVNT	be40 MIMO	6995	Sum	3.53	5.6
NVNT	be40 MIMO	7085	Sum	3.66	5.5
NVNT	be80 MIMO	6945	Sum	6.14	6
NVNT	be80 MIMO	7025	Sum	6.14	6
NVNT	be160 MIMO	6985	Sum	3.39	5
NVNT	be320 MIMO	6905	Sum	4.87	6.5
NVNT	ax20 26@0 MIMO	6875	Sum	-4.92	-3
NVNT	ax20 26@0 MIMO	6995	Sum	-6.12	-4.5
NVNT	ax20 26@0 MIMO	7115	Sum	-6.63	-5
NVNT	ax20 52@37 MIMO	6875	Sum	-2.25	-0.5
NVNT	ax20 52@37 MIMO	6995	Sum	-3.1	-1.5
NVNT	ax20 52@37 MIMO	7115	Sum	-3.42	-1.5
NVNT	ax20 106@53 MIMO	6875	Sum	1.75	3.5
NVNT	ax20 106@53 MIMO	6995	Sum	0.75	2.5
NVNT	ax20 106@53 MIMO	7115	Sum	0.52	2.5
NVNT	ax160 26@0 MIMO	6985	Sum	-5.18	-3.5
NVNT	ax160 52@74 MIMO	6985	Sum	-2.11	-0.5
NVNT	ax160 106@106 MIMO	6985	Sum	1.8	3.5
NVNT	ax160 242@122 MIMO	6985	Sum	4.42	6
NVNT	ax160 484@130 MIMO	6985	Sum	4.23	6
NVNT	ax160 996@134 MIMO	6985	Sum	4.49	6
NVNT	be20 26@0 MIMO	6875	Sum	-4.99	-3
NVNT	be20 26@0 MIMO	6995	Sum	-6.14	-4.5
NVNT	be20 26@0 MIMO	7115	Sum	-6.59	-5
NVNT	be20 52@37 MIMO	6875	Sum	-2.23	-0.5
NVNT	be20 52@37 MIMO	6995	Sum	-3.03	-1.5
NVNT	be20 52@37 MIMO	7115	Sum	-3.44	-1.5
NVNT	be20 106@53 MIMO	6875	Sum	0.78	2.5
NVNT	be20 106@53 MIMO	6995	Sum	-0.24	1.5
NVNT	be20 106@53 MIMO	7115	Sum	-0.58	1
NVNT	be160 26@0 MIMO	6985	Sum	-5.08	-3.5
NVNT	be160 52@74 MIMO	6985	Sum	-2.18	-0.5
NVNT	be160 106@106 MIMO	6985	Sum	1.98	3.5
NVNT	be160 242@122 MIMO	6985	Sum	4.89	6.5
NVNT	be160 484@130 MIMO	6985	Sum	4.75	6.5
NVNT	be160 996@134 MIMO	6985	Sum	4.49	6

Condition	Mode	Frequency	Antenna	Duty	Correction	1/T (kHz)
NVNT	ax20 SISO	5955	Ant 12	100	0	0
NVNT	ax20 SISO	5955	Ant 13	99.9	0	0
NVNT	ax20 MIMO	5955	Sum	99.25	0.03	0.19
NVNT	ax40 SISO	5965	Ant 12	100	0	0
NVNT	ax40 SISO	5965	Ant 13	99.26	0.03	0.19
NVNT	ax40 MIMO	5965	Sum	99.9	0	0
NVNT	ax80 SISO	5985	Ant 12	99.24	0.03	0.19
NVNT	ax80 SISO	5985	Ant 13	99.9	0	0
NVNT	ax80 MIMO	5985	Sum	99.24	0.03	0.19
NVNT	ax160 SISO	6025	Ant 12	100	0	0
NVNT	ax160 SISO	6025	Ant 13	100	0	0
NVNT	ax160 MIMO	6025	Sum	100	0	0
NVNT	ax20 26@0 SISO	5955	Ant 12	96.23	0.17	0.2
NVNT	ax20 26@0 SISO	5955	Ant 13	95.85	0.18	0.2
NVNT	ax20 26@0 SISO	6535	Ant 13	95.47	0.2	0.2
NVNT	ax20 26@0 SISO	6435	Ant 12	95.85	0.18	0.2
NVNT	ax20 26@0 MIMO	6435	Sum	96.23	0.17	0.2
NVNT	ax20 52@37 SISO	5955	Ant 12	95.83	0.18	0.2
NVNT	ax20 52@37 SISO	5955	Ant 13	95.85	0.18	0.2
NVNT	ax20 106@53 SISO	5955	Ant 12	96.36	0.16	0.21
NVNT	ax20 106@53 SISO	5955	Ant 13	96.36	0.16	0.21
NVNT	be160 SISO	6025	Ant 12	100	0	0
NVNT	be160 SISO	6025	Ant 13	100	0	0
NVNT	be160 MIMO	6025	Sum	100	0	0
NVNT	be20 106@53 SISO	5955	Ant 12	96.36	0.16	0.21
NVNT	be20 106@53 SISO	5955	Ant 13	96.36	0.16	0.21
NVNT	be20 106@53 MIMO	5955	Sum	96.76	0.14	0.21
NVNT	be20 26@0 SISO	5955	Ant 12	95.85	0.18	0.2
NVNT	be20 26@0 SISO	5955	Ant 13	95.85	0.18	0.2
NVNT	be20 52@37 SISO	5955	Ant 12	95.85	0.18	0.2
NVNT	be20 52@37 SISO	5955	Ant 13	96.21	0.17	0.2
NVNT	be20 52@37 MIMO	5955	Sum	95.85	0.18	0.2
NVNT	be20 SISO	5955	Ant 12	100	0	0
NVNT	be20 SISO	5955	Ant 13	99.9	0	0
NVNT	be20 MIMO	5955	Sum	99.9	0	0
NVNT	be320 SISO	6105	Ant 12	100	0	0
NVNT	be320 SISO	6105	Ant 13	100	0	0
NVNT	be320 MIMO	6105	Sum	100	0	0
NVNT	be40 SISO	5965	Ant 12	100	0	0
NVNT	be40 SISO	5965	Ant 13	99.9	0	0
NVNT	be40 MIMO	5965	Sum	100	0	0
NVNT	be80 SISO	5985	Ant 12	98.87	0.05	0.19
NVNT	be80 SISO	5985	Ant 13	98.87	0.05	0.19
NVNT	be80 MIMO	5985	Sum	98.87	0.05	0.19

Mode		6G WIFI Power level setting											
		ANT12				ANT13				MIMO(ANT12+ANT13)			
		Band				Band				Band			
		U-NII-5	U-NII-6	U-NII-7	U-NII-8	U-NII-5	U-NII-6	U-NII-7	U-NII-8	U-NII-5	U-NII-6	U-NII-7	U-NII-8
802.11ax20		-6	4	-6	4(CH233:-15)	-4	4	-4	4(CH233:-15)	-4	4	-4	4(CH233:-15)
802.11ax40		-3	7	-3	7	-1	7	-1	7	-1	7	-1	7
802.11ax80		-1	9	-1	9	1	9	1	9	1	9	1	9
802.11ax160		-1	-	-1	7	1	-	1	7	1	-	1	7
802.11be20		-6	4	-6	4(CH233:-15)	-4	4	-4	4(CH233:-15)	-4	4	-4	4(CH233:-15)
802.11be40		-3	7	-3	7	-1	7	-1	7	-1	7	-1	7
802.11be80		-1	9	-1	9	1	9	1	9	1	9	1	9
802.11be160		-1	-	-1	7	1	-	1	7	1	-	1	7
802.11be320		-1	7	-1	7	1	7	1	7	1	7	1	7
ax20	ru26	-15	-7	-15	-7	-15	-5	-15	-5	-15	-5	-15	-5
	ru52	-12	-4	-12	-4	-10	-2	-10	-2	-10	-2	-10	-2
	ru106	-9	-1	-9	-1	-7	2	-7	2	-7	2	-7	2
ax40	ru26	-15	-7	-15	-7	-13	-5	-13	-5	-13	-5	-13	-5
	ru52	-12	-4	-12	-4	-10	-2	-10	-2	-10	-2	-10	-2
	ru106	-9	-1	-9	-1	-7	2	-7	2	-7	2	-7	2
	ru242	-6	7	-6	7	-4	7	-4	7	-4	7	-4	7
ax80	ru26	-15	-7	-15	-7	-15	-5	-15	-5	-15	-5	-15	-5
	ru52	-12	-4	-12	-4	-10	-2	-10	-2	-10	-2	-10	-2
	ru106	-9	-1	-9	-1	-7	2	-7	2	-7	2	-7	2
	ru242	-6	7	-6	7	-4	7	-4	7	-4	7	-4	7
ax160	ru26	-15	-	-15	-7	-15	-	-15	-5	-15	-	-15	-5
	ru52	-12	-	-12	-4	-10	-	-10	-2	-10	-	-10	-2
	ru106	-9	-	-9	-1	-7	-	-7	2	-7	-	-7	2
	ru242	-6	-	-6	7	-4	-	-4	7	-4	-	-4	7
be20	ru26	-15	-7	-15	-7	-15	-5	-15	-5	-15	-5	-15	-5
	ru52	-12	-4	-12	-4	-10	-2	-10	-2	-10	-2	-10	-2
	ru106	-9	-1	-9	-1	-7	2	-7	2	-7	2	-7	2
	ru242	-6	7	-6	7	-4	7	-4	7	-4	7	-4	7
be40	ru26	-15	-7	-15	-7	-15	-5	-15	-5	-15	-5	-15	-5
	ru52	-12	-4	-12	-4	-10	-2	-10	-2	-10	-2	-10	-2
	ru106	-9	-1	-9	-1	-7	2	-7	2	-7	2	-7	2
	ru242	-6	7	-6	7	-4	7	-4	7	-4	7	-4	7
be80	ru26	-15	-7	-15	-7	-13	-5	-13	-5	-13	-5	-13	-5
	ru52	-12	-4	-12	-4	-10	-2	-10	-2	-10	-2	-10	-2
	ru106	-9	-1	-9	-1	-7	2	-7	2	-7	2	-7	2
	ru242	-6	7	-6	7	-4	7	-4	7	-4	7	-4	7
be160	ru26	-15	-	-15	-7	-15	-	-15	-5	-15	-	-15	-5
	ru52	-12	-	-12	-4	-12	-	-12	-2	-12	-	-12	-2
	ru106	-9	-	-9	-1	-9	-	-9	2	-9	-	-9	2
	ru242	-6	-	-6	7	-6	-	-6	7	-6	-	-6	7
be320	ru26	-15	-7	-15	-7	-15	-5	-15	-5	-15	-5	-15	-5
	ru52	-12	-4	-12	-4	-12	-2	-12	-2	-12	-2	-12	-2
	ru106	-9	-1	-9	-1	-9	2	-9	2	-9	2	-9	2
	ru242	-6	7	-6	7	-6	7	-6	7	-6	7	-6	7
be996*2	ru26	-15	-7	-15	-7	-15	-5	-15	-5	-15	-5	-15	-5
	ru52	-12	-4	-12	-4	-12	-2	-12	-2	-12	-2	-12	-2
	ru106	-9	-1	-9	-1	-9	2	-9	2	-9	2	-9	2
	ru242	-6	7	-6	7	-6	7	-6	7	-6	7	-6	7
be996*2	ru26	-15	-7	-15	-7	-15	-5	-15	-5	-15	-5	-15	-5
	ru52	-12	-4	-12	-4	-12	-2	-12	-2	-12	-2	-12	-2
	ru106	-9	-1	-9	-1	-9	2	-9	2	-9	2	-9	2
	ru242	-6	7	-6	7	-6	7	-6	7	-6	7	-6	7