






































































































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Chase Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
Condition: FCC 15C_QP AC LISN 100063_N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.17	32.72	-22.31	55.03	12.10	10.48	10.14	Average
2	0.17	46.42	-18.61	65.03	25.80	10.48	10.14	QP
3	0.19	32.98	-21.00	53.98	12.50	10.33	10.15	Average
4 *	0.19	46.78	-17.20	63.98	26.30	10.33	10.15	QP
5	0.23	30.25	-22.27	52.52	9.90	10.20	10.15	Average
6	0.23	42.75	-19.77	62.52	22.40	10.20	10.15	QP
7	0.31	29.09	-20.79	49.88	8.50	10.44	10.15	Average
8	0.31	40.29	-19.59	59.88	19.70	10.44	10.15	QP
9	0.34	28.42	-20.80	49.22	7.90	10.36	10.16	Average
10	0.34	39.62	-19.60	59.22	19.10	10.36	10.16	QP
11	1.02	27.98	-18.02	46.00	7.60	10.22	10.16	Average
12	1.02	36.28	-19.72	56.00	15.90	10.22	10.16	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Reid Huang	Relative Humidity :	50%
		Temperature :	20-24°C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	13	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 2	2400-2483.5	13	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 3	2400-2483.5	13	Bluetooth BR_GFSK	78	2480	1DH5	-	-
Mode 4	2400-2483.5	13	Bluetooth BR_GFSK	78	2480	1DH5	-	LF
Mode 5	2400-2483.5	10	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 6	2400-2483.5	10	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 7	2400-2483.5	10	Bluetooth BR_GFSK	78	2480	1DH5	-	-
Mode 8	2400-2483.5	10	Bluetooth BR_GFSK	78	2480	1DH5	-	LF
Mode 9	2400-2483.5	1	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 10	2400-2483.5	1	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 11	2400-2483.5	1	Bluetooth BR_GFSK	78	2480	1DH5	-	-
Mode 12	2400-2483.5	1	Bluetooth BR_GFSK	78	2480	1DH5	-	LF

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	00	2341.56	45.74	74.00	-28.26	V	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	00	4804.00	40.69	74.00	-33.31	H	Peak	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	42.91	74.00	-31.09	H	Peak	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2483.60	46.07	74.00	-27.93	H	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	42.12	74.00	-31.88	V	Peak	Pass	Harmonic
4	Bluetooth BR_GFSK	78	823.46	31.78	46	-14.22	V	Peak	Pass	LF
5	Bluetooth BR_GFSK	00	2342.38	44.48	74.00	-29.52	V	PEAK	Pass	Band Edge
5	Bluetooth BR_GFSK	00	4804.00	41.96	74.00	-32.04	H	Peak	Pass	Harmonic
6	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
6	Bluetooth BR_GFSK	39	7323.00	43.08	74.00	-30.92	V	Peak	Pass	Harmonic
7	Bluetooth BR_GFSK	78	2483.54	47.26	74.00	-26.74	H	PEAK	Pass	Band Edge
7	Bluetooth BR_GFSK	78	7440.00	42.61	74.00	-31.39	V	Peak	Pass	Harmonic
8	Bluetooth BR_GFSK	78	959.26	31.67	46	-14.33	V	Peak	Pass	LF
9	Bluetooth BR_GFSK	00	2383.05	44.19	74.00	-29.81	V	PEAK	Pass	Band Edge
9	Bluetooth BR_GFSK	00	4804.00	41.30	74.00	-32.70	H	Peak	Pass	Harmonic
10	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
10	Bluetooth BR_GFSK	39	7323.00	44.43	74.00	-29.57	V	Peak	Pass	Harmonic
11	Bluetooth BR_GFSK	78	2483.60	47.34	74.00	-26.66	H	PEAK	Pass	Band Edge
11	Bluetooth BR_GFSK	78	7440.00	42.36	74.00	-31.64	V	Peak	Pass	Harmonic
12	Bluetooth BR_GFSK	78	948.59	31.41	46	-14.59	H	Peak	Pass	LF



Mode	1																																																																																																																						
	Band Edge																																																																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																						
ANT	13																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak	Level (dBuV/m) Date: 2024-08-17 Frequency (MHz)						Level (dBuV/m) Date: 2024-08-17 Frequency (MHz)																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2318.28</td><td>43.79</td><td>74.00</td><td>-30.21</td><td>41.93</td><td>30.75</td><td>4.72</td><td>33.61</td><td>127</td><td>114</td><td>PEAK</td></tr><tr><td>2</td><td>2318.28</td><td>19.00</td><td>54.00</td><td>-35.00</td><td>17.14</td><td>30.75</td><td>4.72</td><td>33.61</td><td>127</td><td>114</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2318.28	43.79	74.00	-30.21	41.93	30.75	4.72	33.61	127	114	PEAK	2	2318.28	19.00	54.00	-35.00	17.14	30.75	4.72	33.61	127	114	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>101.38</td><td>-----</td><td>-----</td><td>99.51</td><td>30.62</td><td>4.81</td><td>33.56</td><td>127</td><td>114</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>76.59</td><td>-----</td><td>-----</td><td>74.72</td><td>30.62</td><td>4.81</td><td>33.56</td><td>127</td><td>114</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2402.00	101.38	-----	-----	99.51	30.62	4.81	33.56	127	114	PEAK	2	2402.00	76.59	-----	-----	74.72	30.62	4.81	33.56	127	114	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2318.28	43.79	74.00	-30.21	41.93	30.75	4.72	33.61	127	114	PEAK																																																																																																												
2	2318.28	19.00	54.00	-35.00	17.14	30.75	4.72	33.61	127	114	AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2402.00	101.38	-----	-----	99.51	30.62	4.81	33.56	127	114	PEAK																																																																																																												
2	2402.00	76.59	-----	-----	74.72	30.62	4.81	33.56	127	114	AVERAGE																																																																																																												



Mode	1																																																																																																																							
	Band Edge																																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																							
ANT	13																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																	
Peak	Level (dBuV/m) Date: 2024-08-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2341.56</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>43.89</td><td>30.70</td><td>4.75</td><td>33.60</td><td>371</td><td>194</td><td>PEAK</td></tr><tr><td>2</td><td>2341.56</td><td>20.95</td><td>54.00</td><td>-33.05</td><td>19.10</td><td>30.70</td><td>4.75</td><td>33.60</td><td>371</td><td>194</td><td>AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2024-08-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>95.67</td><td>-----</td><td>-----</td><td>93.80</td><td>30.62</td><td>4.81</td><td>33.56</td><td>371</td><td>194</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>70.88</td><td>-----</td><td>-----</td><td>69.01</td><td>30.62</td><td>4.81</td><td>33.56</td><td>371</td><td>194</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2341.56	45.74	74.00	-28.26	43.89	30.70	4.75	33.60	371	194	PEAK	2	2341.56	20.95	54.00	-33.05	19.10	30.70	4.75	33.60	371	194	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2402.00	95.67	-----	-----	93.80	30.62	4.81	33.56	371	194	PEAK	2	2402.00	70.88	-----	-----	69.01	30.62	4.81	33.56	371	194	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2341.56	45.74	74.00	-28.26	43.89	30.70	4.75	33.60	371	194	PEAK																																																																																																													
2	2341.56	20.95	54.00	-33.05	19.10	30.70	4.75	33.60	371	194	AVERAGE																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2402.00	95.67	-----	-----	93.80	30.62	4.81	33.56	371	194	PEAK																																																																																																													
2	2402.00	70.88	-----	-----	69.01	30.62	4.81	33.56	371	194	AVERAGE																																																																																																													



Mode	1																																																																
	Harmonic																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																
ANT	13																																																																
Pol.	Horizontal																																																																
Peak Avg	Date: 2024-08-17 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>40.69</td><td>74.00</td><td>-33.31</td><td>63.94</td><td>34.23</td><td>7.74</td><td>65.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>15.90</td><td>54.00</td><td>-38.10</td><td>39.15</td><td>34.23</td><td>7.74</td><td>65.22</td><td>--</td><td>--</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4804.00	40.69	74.00	-33.31	63.94	34.23	7.74	65.22	--	--	Peak	2	4804.00	15.90	54.00	-38.10	39.15	34.23	7.74	65.22	--	--	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	4804.00	40.69	74.00	-33.31	63.94	34.23	7.74	65.22	--	--	Peak																																																						
2	4804.00	15.90	54.00	-38.10	39.15	34.23	7.74	65.22	--	--	Average																																																						
Date: 2024-08-17 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>40.07</td><td>74.00</td><td>-33.93</td><td>63.32</td><td>34.23</td><td>7.74</td><td>65.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>15.28</td><td>54.00</td><td>-38.72</td><td>38.53</td><td>34.23</td><td>7.74</td><td>65.22</td><td>--</td><td>--</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4804.00	40.07	74.00	-33.93	63.32	34.23	7.74	65.22	--	--	Peak	2	4804.00	15.28	54.00	-38.72	38.53	34.23	7.74	65.22	--	--	Average	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	4804.00	40.07	74.00	-33.93	63.32	34.23	7.74	65.22	--	--	Peak																																																						
2	4804.00	15.28	54.00	-38.72	38.53	34.23	7.74	65.22	--	--	Average																																																						



Mode	2																																																																																																																																																													
	Harmonic																																																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																													
ANT	13																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2024-08-27 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>41.10</td><td>74.00</td><td>-32.90</td><td>64.24</td><td>34.34</td><td>7.77</td><td>65.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>16.31</td><td>54.00</td><td>-37.69</td><td>39.45</td><td>34.34</td><td>7.77</td><td>65.25</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>42.91</td><td>74.00</td><td>-31.09</td><td>63.15</td><td>35.43</td><td>8.97</td><td>64.64</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>19.52</td><td>54.00</td><td>-34.48</td><td>39.76</td><td>35.43</td><td>8.97</td><td>64.64</td><td>--</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4882.00	41.10	74.00	-32.90	64.24	34.34	7.77	65.25	--	--	Peak	2	4882.00	16.31	54.00	-37.69	39.45	34.34	7.77	65.25	--	--	Average	3	7323.00	42.91	74.00	-31.09	63.15	35.43	8.97	64.64	--	--	Peak	4	7323.00	19.52	54.00	-34.48	39.76	35.43	8.97	64.64	--	--	Average	Level (dBuV/m) Date: 2024-08-27 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>40.82</td><td>74.00</td><td>-33.18</td><td>63.96</td><td>34.34</td><td>7.77</td><td>65.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>16.03</td><td>54.00</td><td>-37.97</td><td>39.17</td><td>34.34</td><td>7.77</td><td>65.25</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>42.53</td><td>74.00</td><td>-31.47</td><td>62.77</td><td>35.43</td><td>8.97</td><td>64.64</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>19.14</td><td>54.00</td><td>-34.86</td><td>39.38</td><td>35.43</td><td>8.97</td><td>64.64</td><td>--</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4882.00	40.82	74.00	-33.18	63.96	34.34	7.77	65.25	--	--	Peak	2	4882.00	16.03	54.00	-37.97	39.17	34.34	7.77	65.25	--	--	Average	3	7323.00	42.53	74.00	-31.47	62.77	35.43	8.97	64.64	--	--	Peak	4	7323.00	19.14	54.00	-34.86	39.38	35.43	8.97	64.64	--	--	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																				
1	4882.00	41.10	74.00	-32.90	64.24	34.34	7.77	65.25	--	--	Peak																																																																																																																																																			
2	4882.00	16.31	54.00	-37.69	39.45	34.34	7.77	65.25	--	--	Average																																																																																																																																																			
3	7323.00	42.91	74.00	-31.09	63.15	35.43	8.97	64.64	--	--	Peak																																																																																																																																																			
4	7323.00	19.52	54.00	-34.48	39.76	35.43	8.97	64.64	--	--	Average																																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																				
1	4882.00	40.82	74.00	-33.18	63.96	34.34	7.77	65.25	--	--	Peak																																																																																																																																																			
2	4882.00	16.03	54.00	-37.97	39.17	34.34	7.77	65.25	--	--	Average																																																																																																																																																			
3	7323.00	42.53	74.00	-31.47	62.77	35.43	8.97	64.64	--	--	Peak																																																																																																																																																			
4	7323.00	19.14	54.00	-34.86	39.38	35.43	8.97	64.64	--	--	Average																																																																																																																																																			



Mode	3																																																																																																																							
	Band Edge																																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																							
ANT	13																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak	Level (dBuV/m) Date: 2024-08-17 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 24412452.82464.62476.42488.22500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.60</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>43.81</td><td>30.85</td><td>4.92</td><td>33.51</td><td>119</td><td>121</td><td>PEAK</td></tr><tr><td>2</td><td>2483.60</td><td>21.28</td><td>54.00</td><td>-32.72</td><td>19.02</td><td>30.85</td><td>4.92</td><td>33.51</td><td>119</td><td>121</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.60	46.07	74.00	-27.93	43.81	30.85	4.92	33.51	119	121	PEAK	2	2483.60	21.28	54.00	-32.72	19.02	30.85	4.92	33.51	119	121	AVERAGE	Level (dBuV/m) Date: 2024-08-17 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 100014001800220026003000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>102.48</td><td>-----</td><td>-----</td><td>100.23</td><td>30.84</td><td>4.92</td><td>33.51</td><td>119</td><td>121</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>77.69</td><td>-----</td><td>-----</td><td>75.44</td><td>30.84</td><td>4.92</td><td>33.51</td><td>119</td><td>121</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	102.48	-----	-----	100.23	30.84	4.92	33.51	119	121	PEAK	2	2480.00	77.69	-----	-----	75.44	30.84	4.92	33.51	119	121	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2483.60	46.07	74.00	-27.93	43.81	30.85	4.92	33.51	119	121	PEAK																																																																																																													
2	2483.60	21.28	54.00	-32.72	19.02	30.85	4.92	33.51	119	121	AVERAGE																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2480.00	102.48	-----	-----	100.23	30.84	4.92	33.51	119	121	PEAK																																																																																																													
2	2480.00	77.69	-----	-----	75.44	30.84	4.92	33.51	119	121	AVERAGE																																																																																																													



Mode	3																																																																																																																			
	Band Edge																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																			
ANT	13																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak	Level (dBuV/m) Date: 2024-08-17 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 2441 2452.8 2464.6 2476.4 2488.2 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.82</td><td>44.06</td><td>74.00</td><td>-29.94</td><td>41.70</td><td>30.92</td><td>4.94</td><td>33.50</td><td>394</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>2499.82</td><td>19.27</td><td>54.00</td><td>-34.73</td><td>16.91</td><td>30.92</td><td>4.94</td><td>33.50</td><td>394</td><td>206</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2499.82	44.06	74.00	-29.94	41.70	30.92	4.94	33.50	394	206	PEAK	2	2499.82	19.27	54.00	-34.73	16.91	30.92	4.94	33.50	394	206	AVERAGE	Level (dBuV/m) Date: 2024-08-17 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.63</td><td>-----</td><td>-----</td><td>96.38</td><td>30.84</td><td>4.92</td><td>33.51</td><td>394</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>73.84</td><td>-----</td><td>-----</td><td>71.59</td><td>30.84</td><td>4.92</td><td>33.51</td><td>394</td><td>206</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2480.00	98.63	-----	-----	96.38	30.84	4.92	33.51	394	206	PEAK	2	2480.00	73.84	-----	-----	71.59	30.84	4.92	33.51	394	206	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																										
1	2499.82	44.06	74.00	-29.94	41.70	30.92	4.94	33.50	394	206	PEAK																																																																																																									
2	2499.82	19.27	54.00	-34.73	16.91	30.92	4.94	33.50	394	206	AVERAGE																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	2480.00	98.63	-----	-----	96.38	30.84	4.92	33.51	394	206	PEAK																																																																																																									
2	2480.00	73.84	-----	-----	71.59	30.84	4.92	33.51	394	206	AVERAGE																																																																																																									



Mode	3																																																																																													
	Harmonic																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																													
ANT	13																																																																																													
Pol.	Horizontal																																																																																													
Peak Avg	Level (dBuV/m) Date: 2024-08-27 PEAK_74 AVG_54 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.76</td><td>74.00</td><td>-33.24</td><td>63.79</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>15.97</td><td>54.00</td><td>-38.03</td><td>39.00</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>41.43</td><td>74.00</td><td>-32.57</td><td>61.37</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>17.53</td><td>54.00</td><td>-36.47</td><td>37.47</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>--</td><td>Average</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4960.00	40.76	74.00	-33.24	63.79	34.45	7.81	65.29	--	--	Peak	2	4960.00	15.97	54.00	-38.03	39.00	34.45	7.81	65.29	--	--	Average	3	7440.00	41.43	74.00	-32.57	61.37	35.41	9.19	64.54	--	--	Peak	4	7440.00	17.53	54.00	-36.47	37.47	35.41	9.19	64.54	--	--	Average
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
	1	4960.00	40.76	74.00	-33.24	63.79	34.45	7.81	65.29	--	--	Peak																																																																																		
2	4960.00	15.97	54.00	-38.03	39.00	34.45	7.81	65.29	--	--	Average																																																																																			
3	7440.00	41.43	74.00	-32.57	61.37	35.41	9.19	64.54	--	--	Peak																																																																																			
4	7440.00	17.53	54.00	-36.47	37.47	35.41	9.19	64.54	--	--	Average																																																																																			
Level (dBuV/m) Date: 2024-08-27 PEAK_74 AVG_54 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.91</td><td>74.00</td><td>-33.09</td><td>63.94</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>16.12</td><td>54.00</td><td>-37.88</td><td>39.15</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>42.12</td><td>74.00</td><td>-31.88</td><td>62.06</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>18.21</td><td>54.00</td><td>-35.79</td><td>38.15</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>--</td><td>Average</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4960.00	40.91	74.00	-33.09	63.94	34.45	7.81	65.29	--	--	Peak	2	4960.00	16.12	54.00	-37.88	39.15	34.45	7.81	65.29	--	--	Average	3	7440.00	42.12	74.00	-31.88	62.06	35.41	9.19	64.54	--	--	Peak	4	7440.00	18.21	54.00	-35.79	38.15	35.41	9.19	64.54	--	--	Average	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	4960.00	40.91	74.00	-33.09	63.94	34.45	7.81	65.29	--	--	Peak																																																																																			
2	4960.00	16.12	54.00	-37.88	39.15	34.45	7.81	65.29	--	--	Average																																																																																			
3	7440.00	42.12	74.00	-31.88	62.06	35.41	9.19	64.54	--	--	Peak																																																																																			
4	7440.00	18.21	54.00	-35.79	38.15	35.41	9.19	64.54	--	--	Average																																																																																			





Mode	4																																																																																																																																																																																													
	LF																																																																																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_LFMHz																																																																																																																																																																																													
ANT	13																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																												
QPI/ Peak	Level (dBuV/m) Date: 2024-09-02 FCC CLASS-B -6dB Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>56.19</td><td>20.05</td><td>40.00</td><td>-19.95</td><td>34.93</td><td>19.26</td><td>0.76</td><td>34.90</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>142.52</td><td>25.81</td><td>43.50</td><td>-17.69</td><td>40.93</td><td>18.35</td><td>1.25</td><td>34.72</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>203.63</td><td>22.05</td><td>43.50</td><td>-21.45</td><td>39.15</td><td>16.11</td><td>1.49</td><td>34.70</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>287.05</td><td>24.91</td><td>46.00</td><td>-21.09</td><td>39.06</td><td>18.72</td><td>1.76</td><td>34.63</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>349.13</td><td>27.91</td><td>46.00</td><td>-18.09</td><td>40.37</td><td>20.20</td><td>1.94</td><td>34.60</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>829.28</td><td>29.38</td><td>46.00</td><td>-16.62</td><td>32.21</td><td>28.40</td><td>3.07</td><td>34.30</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	56.19	20.05	40.00	-19.95	34.93	19.26	0.76	34.90	--	Peak	2	142.52	25.81	43.50	-17.69	40.93	18.35	1.25	34.72	--	Peak	3	203.63	22.05	43.50	-21.45	39.15	16.11	1.49	34.70	--	Peak	4	287.05	24.91	46.00	-21.09	39.06	18.72	1.76	34.63	--	Peak	5	349.13	27.91	46.00	-18.09	40.37	20.20	1.94	34.60	--	Peak	6	829.28	29.38	46.00	-16.62	32.21	28.40	3.07	34.30	--	Peak	Level (dBuV/m) Date: 2024-09-02 FCC CLASS-B -6dB Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>33.88</td><td>23.98</td><td>40.00</td><td>-16.02</td><td>39.82</td><td>18.46</td><td>0.57</td><td>34.87</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>146.40</td><td>25.13</td><td>43.50</td><td>-18.37</td><td>39.90</td><td>18.67</td><td>1.27</td><td>34.71</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>198.78</td><td>22.84</td><td>43.50</td><td>-20.66</td><td>40.01</td><td>16.05</td><td>1.48</td><td>34.70</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>282.20</td><td>23.45</td><td>46.00</td><td>-22.55</td><td>37.78</td><td>18.57</td><td>1.74</td><td>34.64</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>489.78</td><td>24.93</td><td>46.00</td><td>-21.07</td><td>33.87</td><td>23.23</td><td>2.33</td><td>34.50</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>823.46</td><td>31.78</td><td>46.00</td><td>-14.22</td><td>34.73</td><td>28.29</td><td>3.06</td><td>34.30</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	33.88	23.98	40.00	-16.02	39.82	18.46	0.57	34.87	--	Peak	2	146.40	25.13	43.50	-18.37	39.90	18.67	1.27	34.71	--	Peak	3	198.78	22.84	43.50	-20.66	40.01	16.05	1.48	34.70	--	Peak	4	282.20	23.45	46.00	-22.55	37.78	18.57	1.74	34.64	--	Peak	5	489.78	24.93	46.00	-21.07	33.87	23.23	2.33	34.50	--	Peak	6	823.46	31.78	46.00	-14.22	34.73	28.29	3.06	34.30	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																					
1	56.19	20.05	40.00	-19.95	34.93	19.26	0.76	34.90	--	Peak																																																																																																																																																																																				
2	142.52	25.81	43.50	-17.69	40.93	18.35	1.25	34.72	--	Peak																																																																																																																																																																																				
3	203.63	22.05	43.50	-21.45	39.15	16.11	1.49	34.70	--	Peak																																																																																																																																																																																				
4	287.05	24.91	46.00	-21.09	39.06	18.72	1.76	34.63	--	Peak																																																																																																																																																																																				
5	349.13	27.91	46.00	-18.09	40.37	20.20	1.94	34.60	--	Peak																																																																																																																																																																																				
6	829.28	29.38	46.00	-16.62	32.21	28.40	3.07	34.30	--	Peak																																																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																					
1	33.88	23.98	40.00	-16.02	39.82	18.46	0.57	34.87	--	Peak																																																																																																																																																																																				
2	146.40	25.13	43.50	-18.37	39.90	18.67	1.27	34.71	--	Peak																																																																																																																																																																																				
3	198.78	22.84	43.50	-20.66	40.01	16.05	1.48	34.70	--	Peak																																																																																																																																																																																				
4	282.20	23.45	46.00	-22.55	37.78	18.57	1.74	34.64	--	Peak																																																																																																																																																																																				
5	489.78	24.93	46.00	-21.07	33.87	23.23	2.33	34.50	--	Peak																																																																																																																																																																																				
6	823.46	31.78	46.00	-14.22	34.73	28.29	3.06	34.30	--	Peak																																																																																																																																																																																				



Mode	5																																																																																																																						
	Band Edge																																																																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																						
ANT	10																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak	Date: 2024-08-17						Date: 2024-08-17																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2349.10</td><td>43.68</td><td>74.00</td><td>-30.32</td><td>41.83</td><td>30.69</td><td>4.75</td><td>33.59</td><td>155</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>2349.10</td><td>18.89</td><td>54.00</td><td>-35.11</td><td>17.04</td><td>30.69</td><td>4.75</td><td>33.59</td><td>155</td><td>116</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2349.10	43.68	74.00	-30.32	41.83	30.69	4.75	33.59	155	116	PEAK	2	2349.10	18.89	54.00	-35.11	17.04	30.69	4.75	33.59	155	116	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>99.75</td><td>-----</td><td>-----</td><td>97.88</td><td>30.62</td><td>4.81</td><td>33.56</td><td>155</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>74.96</td><td>-----</td><td>-----</td><td>73.09</td><td>30.62</td><td>4.81</td><td>33.56</td><td>155</td><td>116</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2402.00	99.75	-----	-----	97.88	30.62	4.81	33.56	155	116	PEAK	2	2402.00	74.96	-----	-----	73.09	30.62	4.81	33.56	155	116	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2349.10	43.68	74.00	-30.32	41.83	30.69	4.75	33.59	155	116	PEAK																																																																																																												
2	2349.10	18.89	54.00	-35.11	17.04	30.69	4.75	33.59	155	116	AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2402.00	99.75	-----	-----	97.88	30.62	4.81	33.56	155	116	PEAK																																																																																																												
2	2402.00	74.96	-----	-----	73.09	30.62	4.81	33.56	155	116	AVERAGE																																																																																																												



Mode	5																																																																																																																						
	Band Edge																																																																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																						
ANT	10																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2342.38</td><td>44.48</td><td>74.00</td><td>-29.52</td><td>42.63</td><td>30.70</td><td>4.75</td><td>33.60</td><td>373</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>2342.38</td><td>19.69</td><td>54.00</td><td>-34.31</td><td>17.84</td><td>30.70</td><td>4.75</td><td>33.60</td><td>373</td><td>205</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2342.38	44.48	74.00	-29.52	42.63	30.70	4.75	33.60	373	205	PEAK	2	2342.38	19.69	54.00	-34.31	17.84	30.70	4.75	33.60	373	205	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>97.35</td><td>-----</td><td>-----</td><td>95.48</td><td>30.62</td><td>4.81</td><td>33.56</td><td>373</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>72.56</td><td>-----</td><td>-----</td><td>70.69</td><td>30.62</td><td>4.81</td><td>33.56</td><td>373</td><td>205</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2402.00	97.35	-----	-----	95.48	30.62	4.81	33.56	373	205	PEAK	2	2402.00	72.56	-----	-----	70.69	30.62	4.81	33.56	373	205	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2342.38	44.48	74.00	-29.52	42.63	30.70	4.75	33.60	373	205	PEAK																																																																																																												
2	2342.38	19.69	54.00	-34.31	17.84	30.70	4.75	33.60	373	205	AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2402.00	97.35	-----	-----	95.48	30.62	4.81	33.56	373	205	PEAK																																																																																																												
2	2402.00	72.56	-----	-----	70.69	30.62	4.81	33.56	373	205	AVERAGE																																																																																																												



Mode	5																																																																																																													
	Harmonic																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																													
ANT	10																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2024-08-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.96</td><td>74.00</td><td>-32.04</td><td>65.21</td><td>34.23</td><td>7.74</td><td>65.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>17.17</td><td>54.00</td><td>-36.83</td><td>40.42</td><td>34.23</td><td>7.74</td><td>65.22</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4804.00	41.96	74.00	-32.04	65.21	34.23	7.74	65.22	--	Peak	2	4804.00	17.17	54.00	-36.83	40.42	34.23	7.74	65.22	--	Average	Level (dBuV/m) Date: 2024-08-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.89</td><td>74.00</td><td>-33.11</td><td>64.14</td><td>34.23</td><td>7.74</td><td>65.22</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>16.10</td><td>54.00</td><td>-37.90</td><td>39.35</td><td>34.23</td><td>7.74</td><td>65.22</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4804.00	40.89	74.00	-33.11	64.14	34.23	7.74	65.22	--	Peak	2	4804.00	16.10	54.00	-37.90	39.35	34.23	7.74	65.22	--	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
	Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	4804.00	41.96	74.00	-32.04	65.21	34.23	7.74	65.22	--	Peak																																																																																																				
2	4804.00	17.17	54.00	-36.83	40.42	34.23	7.74	65.22	--	Average																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	4804.00	40.89	74.00	-33.11	64.14	34.23	7.74	65.22	--	Peak																																																																																																				
2	4804.00	16.10	54.00	-37.90	39.35	34.23	7.74	65.22	--	Average																																																																																																				



Mode	6																																																																																																																																																																						
	Harmonic																																																																																																																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																																						
ANT	10																																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-08-27 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4882.00</td><td>40.71</td><td>74.00</td><td>-33.29</td><td>63.85</td><td>34.34</td><td>7.77</td><td>65.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>15.92</td><td>54.00</td><td>-38.08</td><td>39.06</td><td>34.34</td><td>7.77</td><td>65.25</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>42.51</td><td>74.00</td><td>-31.49</td><td>62.75</td><td>35.43</td><td>8.97</td><td>64.64</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>19.11</td><td>54.00</td><td>-34.89</td><td>39.35</td><td>35.43</td><td>8.97</td><td>64.64</td><td>--</td><td>--</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4882.00	40.71	74.00	-33.29	63.85	34.34	7.77	65.25	--	--	Peak	2	4882.00	15.92	54.00	-38.08	39.06	34.34	7.77	65.25	--	--	Average	3	7323.00	42.51	74.00	-31.49	62.75	35.43	8.97	64.64	--	--	Peak	4	7323.00	19.11	54.00	-34.89	39.35	35.43	8.97	64.64	--	--	Average	Level (dBuV/m) Date: 2024-08-27 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4882.00</td><td>40.49</td><td>74.00</td><td>-33.51</td><td>63.63</td><td>34.34</td><td>7.77</td><td>65.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>15.70</td><td>54.00</td><td>-38.30</td><td>38.84</td><td>34.34</td><td>7.77</td><td>65.25</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>43.08</td><td>74.00</td><td>-30.92</td><td>63.32</td><td>35.43</td><td>8.97</td><td>64.64</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>19.69</td><td>54.00</td><td>-34.31</td><td>39.93</td><td>35.43</td><td>8.97</td><td>64.64</td><td>--</td><td>--</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4882.00	40.49	74.00	-33.51	63.63	34.34	7.77	65.25	--	--	Peak	2	4882.00	15.70	54.00	-38.30	38.84	34.34	7.77	65.25	--	--	Average	3	7323.00	43.08	74.00	-30.92	63.32	35.43	8.97	64.64	--	--	Peak	4	7323.00	19.69	54.00	-34.31	39.93	35.43	8.97	64.64	--	--	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																													
1	4882.00	40.71	74.00	-33.29	63.85	34.34	7.77	65.25	--	--	Peak																																																																																																																																																												
2	4882.00	15.92	54.00	-38.08	39.06	34.34	7.77	65.25	--	--	Average																																																																																																																																																												
3	7323.00	42.51	74.00	-31.49	62.75	35.43	8.97	64.64	--	--	Peak																																																																																																																																																												
4	7323.00	19.11	54.00	-34.89	39.35	35.43	8.97	64.64	--	--	Average																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																													
1	4882.00	40.49	74.00	-33.51	63.63	34.34	7.77	65.25	--	--	Peak																																																																																																																																																												
2	4882.00	15.70	54.00	-38.30	38.84	34.34	7.77	65.25	--	--	Average																																																																																																																																																												
3	7323.00	43.08	74.00	-30.92	63.32	35.43	8.97	64.64	--	--	Peak																																																																																																																																																												
4	7323.00	19.69	54.00	-34.31	39.93	35.43	8.97	64.64	--	--	Average																																																																																																																																																												



Mode	7																																																																																																																			
	Band Edge																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																			
ANT	10																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak	Level (dBuV/m) Date: 2024-08-17 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 2441 2452.8 2464.6 2476.4 2488.2 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>45.00</td><td>30.85</td><td>4.92</td><td>33.51</td><td>119</td><td>121</td><td>PEAK</td></tr><tr><td>2</td><td>2483.54</td><td>22.47</td><td>54.00</td><td>-31.53</td><td>20.21</td><td>30.85</td><td>4.92</td><td>33.51</td><td>119</td><td>121</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.54	47.26	74.00	-26.74	45.00	30.85	4.92	33.51	119	121	PEAK	2	2483.54	22.47	54.00	-31.53	20.21	30.85	4.92	33.51	119	121	AVERAGE	Level (dBuV/m) Date: 2024-08-17 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.46</td><td>-----</td><td>-----</td><td>100.21</td><td>30.84</td><td>4.92</td><td>33.51</td><td>119</td><td>121</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>77.67</td><td>-----</td><td>-----</td><td>75.42</td><td>30.84</td><td>4.92</td><td>33.51</td><td>119</td><td>121</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2480.00	102.46	-----	-----	100.21	30.84	4.92	33.51	119	121	PEAK	2	2480.00	77.67	-----	-----	75.42	30.84	4.92	33.51	119	121	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																										
1	2483.54	47.26	74.00	-26.74	45.00	30.85	4.92	33.51	119	121	PEAK																																																																																																									
2	2483.54	22.47	54.00	-31.53	20.21	30.85	4.92	33.51	119	121	AVERAGE																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	2480.00	102.46	-----	-----	100.21	30.84	4.92	33.51	119	121	PEAK																																																																																																									
2	2480.00	77.67	-----	-----	75.42	30.84	4.92	33.51	119	121	AVERAGE																																																																																																									



Mode	7																																																																																																													
	Band Edge																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																													
ANT	10																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	Level (dBuV/m) Date: 2024-08-17 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 2441 2452.8 2464.6 2476.4 2488.2 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.60</td><td>44.10</td><td>74.00</td><td>-29.90</td><td>41.84</td><td>30.85</td><td>4.92</td><td>33.51</td><td>394</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>2483.60</td><td>19.31</td><td>54.00</td><td>-34.69</td><td>17.05</td><td>30.85</td><td>4.92</td><td>33.51</td><td>394</td><td>206</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.60	44.10	74.00	-29.90	41.84	30.85	4.92	33.51	394	206	PEAK	2	2483.60	19.31	54.00	-34.69	17.05	30.85	4.92	33.51	394	206	AVERAGE	Level (dBuV/m) Date: 2024-08-17 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>98.43</td><td>-----</td><td>-----</td><td>96.18</td><td>30.84</td><td>4.92</td><td>33.51</td><td>394</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>73.64</td><td>-----</td><td>-----</td><td>71.39</td><td>30.84</td><td>4.92</td><td>33.51</td><td>394</td><td>206</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	98.43	-----	-----	96.18	30.84	4.92	33.51	394	206	PEAK	2	2480.00	73.64	-----	-----	71.39	30.84	4.92	33.51	394	206	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2483.60	44.10	74.00	-29.90	41.84	30.85	4.92	33.51	394	206	PEAK																																																																																																			
2	2483.60	19.31	54.00	-34.69	17.05	30.85	4.92	33.51	394	206	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2480.00	98.43	-----	-----	96.18	30.84	4.92	33.51	394	206	PEAK																																																																																																			
2	2480.00	73.64	-----	-----	71.39	30.84	4.92	33.51	394	206	AVERAGE																																																																																																			





Mode	7																																																																																								
	Harmonic																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																								
ANT	10																																																																																								
Pol.	Horizontal																																																																																								
Peak Avg	Level (dBuV/m) Date: 2024-08-27 PEAK_74 AVG_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.48</td><td>74.00</td><td>-33.52</td><td>63.51</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>15.69</td><td>54.00</td><td>-38.31</td><td>38.72</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>41.74</td><td>74.00</td><td>-32.26</td><td>61.68</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>17.83</td><td>54.00</td><td>-36.17</td><td>37.77</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>--</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	40.48	74.00	-33.52	63.51	34.45	7.81	65.29	--	--	Peak	2	4960.00	15.69	54.00	-38.31	38.72	34.45	7.81	65.29	--	--	Average	3	7440.00	41.74	74.00	-32.26	61.68	35.41	9.19	64.54	--	--	Peak	4	7440.00	17.83	54.00	-36.17	37.77	35.41	9.19	64.54	--	--	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
	1	4960.00	40.48	74.00	-33.52	63.51	34.45	7.81	65.29	--	--	Peak																																																																													
2	4960.00	15.69	54.00	-38.31	38.72	34.45	7.81	65.29	--	--	Average																																																																														
3	7440.00	41.74	74.00	-32.26	61.68	35.41	9.19	64.54	--	--	Peak																																																																														
4	7440.00	17.83	54.00	-36.17	37.77	35.41	9.19	64.54	--	--	Average																																																																														
Vertical																																																																																									
Level (dBuV/m) Date: 2024-08-27 PEAK_74 AVG_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.34</td><td>74.00</td><td>-33.66</td><td>63.37</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>15.55</td><td>54.00</td><td>-38.45</td><td>38.58</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>42.61</td><td>74.00</td><td>-31.39</td><td>62.55</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>18.71</td><td>54.00</td><td>-35.29</td><td>38.65</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>--</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4960.00	40.34	74.00	-33.66	63.37	34.45	7.81	65.29	--	--	Peak	2	4960.00	15.55	54.00	-38.45	38.58	34.45	7.81	65.29	--	--	Average	3	7440.00	42.61	74.00	-31.39	62.55	35.41	9.19	64.54	--	--	Peak	4	7440.00	18.71	54.00	-35.29	38.65	35.41	9.19	64.54	--	--	Average	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	4960.00	40.34	74.00	-33.66	63.37	34.45	7.81	65.29	--	--	Peak																																																																														
2	4960.00	15.55	54.00	-38.45	38.58	34.45	7.81	65.29	--	--	Average																																																																														
3	7440.00	42.61	74.00	-31.39	62.55	35.41	9.19	64.54	--	--	Peak																																																																														
4	7440.00	18.71	54.00	-35.29	38.65	35.41	9.19	64.54	--	--	Average																																																																														





Mode	8																																																																																																																																																																																																																											
	LF																																																																																																																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_LFMHz																																																																																																																																																																																																																											
ANT	10																																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																																					
QPI/ Peak	Level (dBuV/m) Date: 2024-09-02 FCC CLASS-B -6dB Frequency (MHz)						Level (dBuV/m) Date: 2024-09-02 FCC CLASS-B -6dB Frequency (MHz)																																																																																																																																																																																																																					
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>74.62</td><td>21.98</td><td>40.00</td><td>-18.02</td><td></td><td>39.67</td><td>16.13</td><td>0.88</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>141.55</td><td>27.78</td><td>43.50</td><td>-15.72</td><td></td><td>42.98</td><td>18.27</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>283.17</td><td>30.95</td><td>46.00</td><td>-15.05</td><td></td><td>45.23</td><td>18.60</td><td>1.75</td><td>34.63</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>352.04</td><td>27.10</td><td>46.00</td><td>-18.90</td><td></td><td>39.48</td><td>20.27</td><td>1.95</td><td>34.60</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>606.18</td><td>26.17</td><td>46.00</td><td>-19.83</td><td></td><td>32.03</td><td>26.11</td><td>2.62</td><td>34.59</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>910.76</td><td>29.13</td><td>46.00</td><td>-16.87</td><td></td><td>31.39</td><td>28.87</td><td>3.17</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	74.62	21.98	40.00	-18.02		39.67	16.13	0.88	34.70	--	--	Peak	2	141.55	27.78	43.50	-15.72		42.98	18.27	1.25	34.72	--	--	Peak	3	283.17	30.95	46.00	-15.05		45.23	18.60	1.75	34.63	--	--	Peak	4	352.04	27.10	46.00	-18.90		39.48	20.27	1.95	34.60	--	--	Peak	5	606.18	26.17	46.00	-19.83		32.03	26.11	2.62	34.59	--	--	Peak	6	910.76	29.13	46.00	-16.87		31.39	28.87	3.17	34.30	--	--	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>33.88</td><td>25.08</td><td>40.00</td><td>-14.92</td><td></td><td>40.92</td><td>18.46</td><td>0.57</td><td>34.87</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>141.55</td><td>28.36</td><td>43.50</td><td>-15.14</td><td></td><td>43.56</td><td>18.27</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>197.81</td><td>25.50</td><td>43.50</td><td>-18.00</td><td></td><td>42.62</td><td>16.11</td><td>1.47</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>467.47</td><td>25.65</td><td>46.00</td><td>-20.35</td><td></td><td>34.91</td><td>22.96</td><td>2.28</td><td>34.50</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>643.04</td><td>27.71</td><td>46.00</td><td>-18.29</td><td></td><td>33.30</td><td>26.23</td><td>2.69</td><td>34.51</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>959.26</td><td>31.67</td><td>46.00</td><td>-14.33</td><td></td><td>32.86</td><td>29.81</td><td>3.28</td><td>34.28</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	33.88	25.08	40.00	-14.92		40.92	18.46	0.57	34.87	--	--	Peak	2	141.55	28.36	43.50	-15.14		43.56	18.27	1.25	34.72	--	--	Peak	3	197.81	25.50	43.50	-18.00		42.62	16.11	1.47	34.70	--	--	Peak	4	467.47	25.65	46.00	-20.35		34.91	22.96	2.28	34.50	--	--	Peak	5	643.04	27.71	46.00	-18.29		33.30	26.23	2.69	34.51	--	--	Peak	6	959.26	31.67	46.00	-14.33		32.86	29.81	3.28	34.28	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																	
1	74.62	21.98	40.00	-18.02		39.67	16.13	0.88	34.70	--	--	Peak																																																																																																																																																																																																																
2	141.55	27.78	43.50	-15.72		42.98	18.27	1.25	34.72	--	--	Peak																																																																																																																																																																																																																
3	283.17	30.95	46.00	-15.05		45.23	18.60	1.75	34.63	--	--	Peak																																																																																																																																																																																																																
4	352.04	27.10	46.00	-18.90		39.48	20.27	1.95	34.60	--	--	Peak																																																																																																																																																																																																																
5	606.18	26.17	46.00	-19.83		32.03	26.11	2.62	34.59	--	--	Peak																																																																																																																																																																																																																
6	910.76	29.13	46.00	-16.87		31.39	28.87	3.17	34.30	--	--	Peak																																																																																																																																																																																																																
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																	
1	33.88	25.08	40.00	-14.92		40.92	18.46	0.57	34.87	--	--	Peak																																																																																																																																																																																																																
2	141.55	28.36	43.50	-15.14		43.56	18.27	1.25	34.72	--	--	Peak																																																																																																																																																																																																																
3	197.81	25.50	43.50	-18.00		42.62	16.11	1.47	34.70	--	--	Peak																																																																																																																																																																																																																
4	467.47	25.65	46.00	-20.35		34.91	22.96	2.28	34.50	--	--	Peak																																																																																																																																																																																																																
5	643.04	27.71	46.00	-18.29		33.30	26.23	2.69	34.51	--	--	Peak																																																																																																																																																																																																																
6	959.26	31.67	46.00	-14.33		32.86	29.81	3.28	34.28	--	--	Peak																																																																																																																																																																																																																



Mode	9																																																																																																																						
	Band Edge																																																																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak	Level (dBuV/m) Date: 2024-08-17  Frequency (MHz)						Level (dBuV/m) Date: 2024-08-17  Frequency (MHz)																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2346.34</td><td>44.00</td><td>74.00</td><td>-30.00</td><td>42.15</td><td>30.69</td><td>4.75</td><td>33.59</td><td>155</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>2346.34</td><td>19.21</td><td>54.00</td><td>-34.79</td><td>17.36</td><td>30.69</td><td>4.75</td><td>33.59</td><td>155</td><td>116</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2346.34	44.00	74.00	-30.00	42.15	30.69	4.75	33.59	155	116	PEAK	2	2346.34	19.21	54.00	-34.79	17.36	30.69	4.75	33.59	155	116	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>101.38</td><td>-----</td><td>-----</td><td>99.51</td><td>30.62</td><td>4.81</td><td>33.56</td><td>155</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>76.59</td><td>-----</td><td>-----</td><td>74.72</td><td>30.62</td><td>4.81</td><td>33.56</td><td>155</td><td>116</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2402.00	101.38	-----	-----	99.51	30.62	4.81	33.56	155	116	PEAK	2	2402.00	76.59	-----	-----	74.72	30.62	4.81	33.56	155	116	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2346.34	44.00	74.00	-30.00	42.15	30.69	4.75	33.59	155	116	PEAK																																																																																																												
2	2346.34	19.21	54.00	-34.79	17.36	30.69	4.75	33.59	155	116	AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2402.00	101.38	-----	-----	99.51	30.62	4.81	33.56	155	116	PEAK																																																																																																												
2	2402.00	76.59	-----	-----	74.72	30.62	4.81	33.56	155	116	AVERAGE																																																																																																												



Mode	9																																																																																																																						
	Band Edge																																																																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak	Level (dBuV/m) Date: 2024-08-17  Frequency (MHz)						Level (dBuV/m) Date: 2024-08-17  Frequency (MHz)																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2383.05</td><td>44.19</td><td>74.00</td><td>-29.81</td><td>42.35</td><td>30.62</td><td>4.79</td><td>33.57</td><td>371</td><td>207</td><td>PEAK</td></tr><tr><td>2</td><td>2383.05</td><td>19.40</td><td>54.00</td><td>-34.60</td><td>17.56</td><td>30.62</td><td>4.79</td><td>33.57</td><td>371</td><td>207</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2383.05	44.19	74.00	-29.81	42.35	30.62	4.79	33.57	371	207	PEAK	2	2383.05	19.40	54.00	-34.60	17.56	30.62	4.79	33.57	371	207	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>98.61</td><td>-----</td><td>-----</td><td>96.74</td><td>30.62</td><td>4.81</td><td>33.56</td><td>371</td><td>207</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>73.82</td><td>-----</td><td>-----</td><td>71.95</td><td>30.62</td><td>4.81</td><td>33.56</td><td>371</td><td>207</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2402.00	98.61	-----	-----	96.74	30.62	4.81	33.56	371	207	PEAK	2	2402.00	73.82	-----	-----	71.95	30.62	4.81	33.56	371	207	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2383.05	44.19	74.00	-29.81	42.35	30.62	4.79	33.57	371	207	PEAK																																																																																																												
2	2383.05	19.40	54.00	-34.60	17.56	30.62	4.79	33.57	371	207	AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2402.00	98.61	-----	-----	96.74	30.62	4.81	33.56	371	207	PEAK																																																																																																												
2	2402.00	73.82	-----	-----	71.95	30.62	4.81	33.56	371	207	AVERAGE																																																																																																												



Mode	9																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-08-17 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>41.30</td><td>74.00</td><td>-32.70</td><td>64.55</td><td>34.23</td><td>7.74</td><td>65.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>16.51</td><td>54.00</td><td>-37.49</td><td>39.76</td><td>34.23</td><td>7.74</td><td>65.22</td><td>--</td><td>--</td><td>Average</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		dB	cm	deg		1	4804.00	41.30	74.00	-32.70	64.55	34.23	7.74	65.22	--	--	Peak	2	4804.00	16.51	54.00	-37.49	39.76	34.23	7.74	65.22	--	--	Average	Level (dBuV/m) Date: 2024-08-17 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>41.15</td><td>74.00</td><td>-32.85</td><td>64.40</td><td>34.23</td><td>7.74</td><td>65.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>16.36</td><td>54.00</td><td>-37.64</td><td>39.61</td><td>34.23</td><td>7.74</td><td>65.22</td><td>--</td><td>--</td><td>Average</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		dB	cm	deg		1	4804.00	41.15	74.00	-32.85	64.40	34.23	7.74	65.22	--	--	Peak	2	4804.00	16.36	54.00	-37.64	39.61	34.23	7.74	65.22	--	--	Average
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		dB	cm	deg																																																																																																																								
1	4804.00	41.30	74.00	-32.70	64.55	34.23	7.74	65.22	--	--	Peak																																																																																																																							
2	4804.00	16.51	54.00	-37.49	39.76	34.23	7.74	65.22	--	--	Average																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		dB	cm	deg																																																																																																																								
1	4804.00	41.15	74.00	-32.85	64.40	34.23	7.74	65.22	--	--	Peak																																																																																																																							
2	4804.00	16.36	54.00	-37.64	39.61	34.23	7.74	65.22	--	--	Average																																																																																																																							





Mode	10																																																																																																																																																																					
	Harmonic																																																																																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																																					
ANT	1																																																																																																																																																																					
Pol.	Horizontal					Vertical																																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-08-27 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>41.16</td><td>74.00</td><td>-32.84</td><td>64.30</td><td>34.34</td><td>7.77</td><td>65.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>16.37</td><td>54.00</td><td>-37.63</td><td>39.51</td><td>34.34</td><td>7.77</td><td>65.25</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>42.54</td><td>74.00</td><td>-31.46</td><td>62.78</td><td>35.43</td><td>8.97</td><td>64.64</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>19.15</td><td>54.00</td><td>-34.85</td><td>39.39</td><td>35.43</td><td>8.97</td><td>64.64</td><td>--</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4882.00	41.16	74.00	-32.84	64.30	34.34	7.77	65.25	--	--	Peak	2	4882.00	16.37	54.00	-37.63	39.51	34.34	7.77	65.25	--	--	Average	3	7323.00	42.54	74.00	-31.46	62.78	35.43	8.97	64.64	--	--	Peak	4	7323.00	19.15	54.00	-34.85	39.39	35.43	8.97	64.64	--	--	Average	Level (dBuV/m) Date: 2024-08-27 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>40.93</td><td>74.00</td><td>-33.07</td><td>64.07</td><td>34.34</td><td>7.77</td><td>65.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>16.14</td><td>54.00</td><td>-37.86</td><td>39.28</td><td>34.34</td><td>7.77</td><td>65.25</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>64.67</td><td>35.43</td><td>8.97</td><td>64.64</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>21.04</td><td>54.00</td><td>-32.96</td><td>41.28</td><td>35.43</td><td>8.97</td><td>64.64</td><td>--</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4882.00	40.93	74.00	-33.07	64.07	34.34	7.77	65.25	--	--	Peak	2	4882.00	16.14	54.00	-37.86	39.28	34.34	7.77	65.25	--	--	Average	3	7323.00	44.43	74.00	-29.57	64.67	35.43	8.97	64.64	--	--	Peak	4	7323.00	21.04	54.00	-32.96	41.28	35.43	8.97	64.64	--	--	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																												
1	4882.00	41.16	74.00	-32.84	64.30	34.34	7.77	65.25	--	--	Peak																																																																																																																																																											
2	4882.00	16.37	54.00	-37.63	39.51	34.34	7.77	65.25	--	--	Average																																																																																																																																																											
3	7323.00	42.54	74.00	-31.46	62.78	35.43	8.97	64.64	--	--	Peak																																																																																																																																																											
4	7323.00	19.15	54.00	-34.85	39.39	35.43	8.97	64.64	--	--	Average																																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																												
1	4882.00	40.93	74.00	-33.07	64.07	34.34	7.77	65.25	--	--	Peak																																																																																																																																																											
2	4882.00	16.14	54.00	-37.86	39.28	34.34	7.77	65.25	--	--	Average																																																																																																																																																											
3	7323.00	44.43	74.00	-29.57	64.67	35.43	8.97	64.64	--	--	Peak																																																																																																																																																											
4	7323.00	21.04	54.00	-32.96	41.28	35.43	8.97	64.64	--	--	Average																																																																																																																																																											





Mode	11																																																														
	Band Edge																																																														
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																														
ANT	1																																																														
Pol.	Horizontal																																																														
Peak	Level (dBuV/m) Date: 2024-08-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.60</td><td>47.34</td><td>74.00</td><td>-26.66</td><td>45.08</td><td>30.85</td><td>4.92</td><td>33.51</td><td>122</td><td>121</td><td>PEAK</td></tr><tr><td>2</td><td>2483.60</td><td>22.55</td><td>74.00</td><td>-51.45</td><td>20.29</td><td>30.85</td><td>4.92</td><td>33.51</td><td>122</td><td>121</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.60	47.34	74.00	-26.66	45.08	30.85	4.92	33.51	122	121	PEAK	2	2483.60	22.55	74.00	-51.45	20.29	30.85	4.92	33.51	122	121	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	2483.60	47.34	74.00	-26.66	45.08	30.85	4.92	33.51	122	121	PEAK																																																				
2	2483.60	22.55	74.00	-51.45	20.29	30.85	4.92	33.51	122	121	Average																																																				
Level (dBuV/m) Date: 2024-08-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>102.24</td><td>-----</td><td>99.99</td><td>30.84</td><td>4.92</td><td>33.51</td><td>122</td><td>121</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>77.44</td><td>74.00</td><td>3.44</td><td>75.19</td><td>30.84</td><td>4.92</td><td>33.51</td><td>122</td><td>121</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2480.00	102.24	-----	99.99	30.84	4.92	33.51	122	121	PEAK	2	2480.00	77.44	74.00	3.44	75.19	30.84	4.92	33.51	122	121	Average		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1	2480.00	102.24	-----	99.99	30.84	4.92	33.51	122	121	PEAK																																																					
2	2480.00	77.44	74.00	3.44	75.19	30.84	4.92	33.51	122	121	Average																																																				



Mode	11																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.03</td><td>44.03</td><td>74.00</td><td>-29.97</td><td>41.74</td><td>30.87</td><td>4.93</td><td>33.51</td><td>396</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>2489.03</td><td>19.24</td><td>54.00</td><td>-34.76</td><td>16.95</td><td>30.87</td><td>4.93</td><td>33.51</td><td>396</td><td>206</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2489.03	44.03	74.00	-29.97	41.74	30.87	4.93	33.51	396	206	PEAK	2	2489.03	19.24	54.00	-34.76	16.95	30.87	4.93	33.51	396	206	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.11</td><td>-----</td><td>-----</td><td>96.86</td><td>30.84</td><td>4.92</td><td>33.51</td><td>396</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>74.32</td><td>54.00</td><td>20.32</td><td>72.07</td><td>30.84</td><td>4.92</td><td>33.51</td><td>396</td><td>206</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2480.00	99.11	-----	-----	96.86	30.84	4.92	33.51	396	206	PEAK	2	2480.00	74.32	54.00	20.32	72.07	30.84	4.92	33.51	396	206	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																										
1	2489.03	44.03	74.00	-29.97	41.74	30.87	4.93	33.51	396	206	PEAK																																																																																																								
2	2489.03	19.24	54.00	-34.76	16.95	30.87	4.93	33.51	396	206	AVERAGE																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																										
1	2480.00	99.11	-----	-----	96.86	30.84	4.92	33.51	396	206	PEAK																																																																																																								
2	2480.00	74.32	54.00	20.32	72.07	30.84	4.92	33.51	396	206	AVERAGE																																																																																																								



Mode	11																																																																																																																																																																
	Harmonic																																																																																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																
ANT	1																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																										
Peak Avg																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>41.44</td><td>74.00</td><td>-32.56</td><td>64.47</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>16.65</td><td>54.00</td><td>-37.35</td><td>39.68</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>42.12</td><td>74.00</td><td>-31.88</td><td>62.06</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>18.22</td><td>54.00</td><td>-35.78</td><td>38.16</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>--</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4960.00	41.44	74.00	-32.56	64.47	34.45	7.81	65.29	--	--	Peak	2	4960.00	16.65	54.00	-37.35	39.68	34.45	7.81	65.29	--	--	Average	3	7440.00	42.12	74.00	-31.88	62.06	35.41	9.19	64.54	--	--	Peak	4	7440.00	18.22	54.00	-35.78	38.16	35.41	9.19	64.54	--	--	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.54</td><td>74.00</td><td>-33.46</td><td>63.57</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>15.75</td><td>54.00</td><td>-38.25</td><td>38.78</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>42.36</td><td>74.00</td><td>-31.64</td><td>62.30</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>18.46</td><td>54.00</td><td>-35.54</td><td>38.40</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>--</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4960.00	40.54	74.00	-33.46	63.57	34.45	7.81	65.29	--	--	Peak	2	4960.00	15.75	54.00	-38.25	38.78	34.45	7.81	65.29	--	--	Average	3	7440.00	42.36	74.00	-31.64	62.30	35.41	9.19	64.54	--	--	Peak	4	7440.00	18.46	54.00	-35.54	38.40	35.41	9.19	64.54	--	--	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																									
1	4960.00	41.44	74.00	-32.56	64.47	34.45	7.81	65.29	--	--	Peak																																																																																																																																																						
2	4960.00	16.65	54.00	-37.35	39.68	34.45	7.81	65.29	--	--	Average																																																																																																																																																						
3	7440.00	42.12	74.00	-31.88	62.06	35.41	9.19	64.54	--	--	Peak																																																																																																																																																						
4	7440.00	18.22	54.00	-35.78	38.16	35.41	9.19	64.54	--	--	Average																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																										
1	4960.00	40.54	74.00	-33.46	63.57	34.45	7.81	65.29	--	--	Peak																																																																																																																																																						
2	4960.00	15.75	54.00	-38.25	38.78	34.45	7.81	65.29	--	--	Average																																																																																																																																																						
3	7440.00	42.36	74.00	-31.64	62.30	35.41	9.19	64.54	--	--	Peak																																																																																																																																																						
4	7440.00	18.46	54.00	-35.54	38.40	35.41	9.19	64.54	--	--	Average																																																																																																																																																						




Mode	12																																																																																																																																																																																																																																							
	LF																																																																																																																																																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH78_LFMHz																																																																																																																																																																																																																																							
ANT	1																																																																																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																	
QPI/ Peak	Level (dBuV/m) Date: 2024-09-02 FCC CLASS-B -6dB Frequency (MHz) <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>113.42</td><td>22.88</td><td>43.50</td><td>-20.62</td><td></td><td>40.52</td><td>16.00</td><td>1.13</td><td>34.77</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>142.52</td><td>24.81</td><td>43.50</td><td>-18.69</td><td></td><td>39.93</td><td>18.35</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>287.05</td><td>26.91</td><td>46.00</td><td>-19.09</td><td></td><td>41.06</td><td>18.72</td><td>1.76</td><td>34.63</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>349.13</td><td>31.91</td><td>46.00</td><td>-14.09</td><td></td><td>44.37</td><td>20.20</td><td>1.94</td><td>34.60</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>732.28</td><td>27.28</td><td>46.00</td><td>-18.72</td><td></td><td>31.36</td><td>27.42</td><td>2.90</td><td>34.40</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>948.59</td><td>31.41</td><td>46.00</td><td>-14.59</td><td></td><td>32.71</td><td>29.74</td><td>3.26</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	113.42	22.88	43.50	-20.62		40.52	16.00	1.13	34.77	--	--	Peak	2	142.52	24.81	43.50	-18.69		39.93	18.35	1.25	34.72	--	--	Peak	3	287.05	26.91	46.00	-19.09		41.06	18.72	1.76	34.63	--	--	Peak	4	349.13	31.91	46.00	-14.09		44.37	20.20	1.94	34.60	--	--	Peak	5	732.28	27.28	46.00	-18.72		31.36	27.42	2.90	34.40	--	--	Peak	6	948.59	31.41	46.00	-14.59		32.71	29.74	3.26	34.30	--	--	Peak	Level (dBuV/m) Date: 2024-09-02 FCC CLASS-B -6dB Frequency (MHz) <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>33.88</td><td>23.98</td><td>40.00</td><td>-16.02</td><td></td><td>39.82</td><td>18.46</td><td>0.57</td><td>34.87</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>141.55</td><td>27.03</td><td>43.50</td><td>-16.47</td><td></td><td>42.23</td><td>18.27</td><td>1.25</td><td>34.72</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>198.78</td><td>21.84</td><td>43.50</td><td>-21.66</td><td></td><td>39.01</td><td>16.05</td><td>1.48</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>270.56</td><td>25.31</td><td>46.00</td><td>-20.69</td><td></td><td>40.05</td><td>18.21</td><td>1.71</td><td>34.66</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>671.17</td><td>28.82</td><td>46.00</td><td>-17.18</td><td></td><td>33.92</td><td>26.61</td><td>2.75</td><td>34.46</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>915.61</td><td>31.36</td><td>46.00</td><td>-14.64</td><td></td><td>33.50</td><td>28.98</td><td>3.18</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	33.88	23.98	40.00	-16.02		39.82	18.46	0.57	34.87	--	--	Peak	2	141.55	27.03	43.50	-16.47		42.23	18.27	1.25	34.72	--	--	Peak	3	198.78	21.84	43.50	-21.66		39.01	16.05	1.48	34.70	--	--	Peak	4	270.56	25.31	46.00	-20.69		40.05	18.21	1.71	34.66	--	--	Peak	5	671.17	28.82	46.00	-17.18		33.92	26.61	2.75	34.46	--	--	Peak	6	915.61	31.36	46.00	-14.64		33.50	28.98	3.18	34.30	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																											
		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																												
1	113.42	22.88	43.50	-20.62		40.52	16.00	1.13	34.77	--	--	Peak																																																																																																																																																																																																																												
2	142.52	24.81	43.50	-18.69		39.93	18.35	1.25	34.72	--	--	Peak																																																																																																																																																																																																																												
3	287.05	26.91	46.00	-19.09		41.06	18.72	1.76	34.63	--	--	Peak																																																																																																																																																																																																																												
4	349.13	31.91	46.00	-14.09		44.37	20.20	1.94	34.60	--	--	Peak																																																																																																																																																																																																																												
5	732.28	27.28	46.00	-18.72		31.36	27.42	2.90	34.40	--	--	Peak																																																																																																																																																																																																																												
6	948.59	31.41	46.00	-14.59		32.71	29.74	3.26	34.30	--	--	Peak																																																																																																																																																																																																																												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																													
1	33.88	23.98	40.00	-16.02		39.82	18.46	0.57	34.87	--	--	Peak																																																																																																																																																																																																																												
2	141.55	27.03	43.50	-16.47		42.23	18.27	1.25	34.72	--	--	Peak																																																																																																																																																																																																																												
3	198.78	21.84	43.50	-21.66		39.01	16.05	1.48	34.70	--	--	Peak																																																																																																																																																																																																																												
4	270.56	25.31	46.00	-20.69		40.05	18.21	1.71	34.66	--	--	Peak																																																																																																																																																																																																																												
5	671.17	28.82	46.00	-17.18		33.92	26.61	2.75	34.46	--	--	Peak																																																																																																																																																																																																																												
6	915.61	31.36	46.00	-14.64		33.50	28.98	3.18	34.30	--	--	Peak																																																																																																																																																																																																																												




<Ant10>

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.




<Ant13>

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.