







Mode	15																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-09-12 PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.40</td><td>44.12</td><td>74.00</td><td>-29.88</td><td>41.55</td><td>30.70</td><td>5.47</td><td>33.60</td><td>100</td><td>271 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2483.40	44.12	74.00	-29.88	41.55	30.70	5.47	33.60	100	271 PEAK	Level (dBuV/m) Date: 2024-09-12 PEAK_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>98.40</td><td>-----</td><td>-----</td><td>95.83</td><td>30.70</td><td>5.46</td><td>33.59</td><td>100</td><td>271</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2480.00	98.40	-----	-----	95.83	30.70	5.46	33.59	100	271
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2483.40	44.12	74.00	-29.88	41.55	30.70	5.47	33.60	100	271 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2480.00	98.40	-----	-----	95.83	30.70	5.46	33.59	100	271																																																																									
Avg	Level (dBuV/m) Date: 2024-09-12 AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.82</td><td>38.90</td><td>54.00</td><td>-15.10</td><td>36.33</td><td>30.70</td><td>5.46</td><td>33.59</td><td>100</td><td>271 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2483.82	38.90	54.00	-15.10	36.33	30.70	5.46	33.59	100	271 AVERAGE	Level (dBuV/m) Date: 2024-09-12 AVG_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>97.41</td><td>-----</td><td>-----</td><td>94.84</td><td>30.70</td><td>5.46</td><td>33.59</td><td>100</td><td>271</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2480.00	97.41	-----	-----	94.84	30.70	5.46	33.59	100	271
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2483.82	38.90	54.00	-15.10	36.33	30.70	5.46	33.59	100	271 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2480.00	97.41	-----	-----	94.84	30.70	5.46	33.59	100	271																																																																									







Mode	15																																																																																																														
	Harmonic																																																																																																														
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Vertical																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2024-08-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>41.87</td><td>74.00</td><td>-32.13</td><td>64.90</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>7440.00</td><td>43.13</td><td>74.00</td><td>-30.87</td><td>63.07</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>-- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.87	74.00	-32.13	64.90	34.45	7.81	65.29	--	-- Peak	2	7440.00	43.13	74.00	-30.87	63.07	35.41	9.19	64.54	--	-- Peak	Level (dBuV/m) Date: 2024-08-17 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>64.50</td><td>34.45</td><td>7.81</td><td>65.29</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>7440.00</td><td>42.98</td><td>74.00</td><td>-31.02</td><td>62.92</td><td>35.41</td><td>9.19</td><td>64.54</td><td>--</td><td>-- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.47	74.00	-32.53	64.50	34.45	7.81	65.29	--	-- Peak	2	7440.00	42.98	74.00	-31.02	62.92	35.41	9.19	64.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	4960.00	41.87	74.00	-32.13	64.90	34.45	7.81	65.29	--	-- Peak																																																																																																					
2	7440.00	43.13	74.00	-30.87	63.07	35.41	9.19	64.54	--	-- Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4960.00	41.47	74.00	-32.53	64.50	34.45	7.81	65.29	--	-- Peak																																																																																																					
2	7440.00	42.98	74.00	-31.02	62.92	35.41	9.19	64.54	--	-- Peak																																																																																																					







Mode	16																																																																																										
	Band Edge																																																																																										
	2400-2483.5_Bluetooth-LE_GSKF_CH01_2404MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	 Date: 2024-08-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2375.24</td><td>49.78</td><td>74.00</td><td>-24.22</td><td>47.94</td><td>30.64</td><td>4.78</td><td>33.58</td><td>154</td><td>129</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2375.24	49.78	74.00	-24.22	47.94	30.64	4.78	33.58	154	129	PEAK	 Date: 2024-08-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>108.79</td><td>-----</td><td>-----</td><td>106.92</td><td>30.62</td><td>4.81</td><td>33.56</td><td>154</td><td>129</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2404.00	108.79	-----	-----	106.92	30.62	4.81	33.56	154	129	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2375.24	49.78	74.00	-24.22	47.94	30.64	4.78	33.58	154	129	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2404.00	108.79	-----	-----	106.92	30.62	4.81	33.56	154	129	PEAK																																																																																
Avg	 Date: 2024-08-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2314.98</td><td>41.16</td><td>54.00</td><td>-12.84</td><td>39.30</td><td>30.75</td><td>4.72</td><td>33.61</td><td>154</td><td>129</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2314.98	41.16	54.00	-12.84	39.30	30.75	4.72	33.61	154	129	AVERAGE	 Date: 2024-08-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>107.35</td><td>-----</td><td>-----</td><td>105.48</td><td>30.62</td><td>4.81</td><td>33.56</td><td>154</td><td>129</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2404.00	107.35	-----	-----	105.48	30.62	4.81	33.56	154	129	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2314.98	41.16	54.00	-12.84	39.30	30.75	4.72	33.61	154	129	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2404.00	107.35	-----	-----	105.48	30.62	4.81	33.56	154	129	AVERAGE																																																																																



Mode	16																																																																																										
	Band Edge																																																																																										
	2400-2483.5_Bluetooth-LE_GSKF_CH01_2404MHz																																																																																										
ANT	1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-08-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2377.12</td><td>50.25</td><td>74.00</td><td>-23.75</td><td>48.41</td><td>30.63</td><td>4.78</td><td>33.57</td><td>372</td><td>194</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2377.12	50.25	74.00	-23.75	48.41	30.63	4.78	33.57	372	194	PEAK	Level (dBuV/m) Date: 2024-08-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>105.17</td><td>-----</td><td>-----</td><td>103.30</td><td>30.62</td><td>4.81</td><td>33.56</td><td>372</td><td>194</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2404.00	105.17	-----	-----	103.30	30.62	4.81	33.56	372	194	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2377.12	50.25	74.00	-23.75	48.41	30.63	4.78	33.57	372	194	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2404.00	105.17	-----	-----	103.30	30.62	4.81	33.56	372	194	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-08-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2350.51</td><td>41.39</td><td>54.00</td><td>-12.61</td><td>39.53</td><td>30.69</td><td>4.76</td><td>33.59</td><td>372</td><td>194</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2350.51	41.39	54.00	-12.61	39.53	30.69	4.76	33.59	372	194	AVERAGE	Level (dBuV/m) Date: 2024-08-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>103.76</td><td>-----</td><td>-----</td><td>101.89</td><td>30.62</td><td>4.81</td><td>33.56</td><td>372</td><td>194</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2404.00	103.76	-----	-----	101.89	30.62	4.81	33.56	372	194	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2350.51	41.39	54.00	-12.61	39.53	30.69	4.76	33.59	372	194	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2404.00	103.76	-----	-----	101.89	30.62	4.81	33.56	372	194	AVERAGE																																																																																





Mode	17																																																																																					
	Band Edge																																																																																					
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal					Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-08-17  PEAK_BE_74 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2483.87</td><td>51.69</td><td>74.00</td><td>-22.31</td><td>49.43</td><td>30.85</td><td>4.92</td><td>33.51</td><td>139</td><td>128 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2483.87	51.69	74.00	-22.31	49.43	30.85	4.92	33.51	139	128 PEAK	Level (dBuV/m) Date: 2024-08-27  PEAK_74 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2478.00</td><td>109.74</td><td>-----</td><td>-----</td><td>107.52</td><td>30.83</td><td>4.91</td><td>33.52</td><td>139</td><td>128 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2478.00	109.74	-----	-----	107.52	30.83	4.91	33.52	139	128 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2483.87	51.69	74.00	-22.31	49.43	30.85	4.92	33.51	139	128 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2478.00	109.74	-----	-----	107.52	30.83	4.91	33.52	139	128 PEAK																																																																													
Avg	Level (dBuV/m) Date: 2024-08-17  AVG_BE_54 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2484.03</td><td>44.44</td><td>54.00</td><td>-9.56</td><td>42.18</td><td>30.85</td><td>4.92</td><td>33.51</td><td>139</td><td>128 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2484.03	44.44	54.00	-9.56	42.18	30.85	4.92	33.51	139	128 AVERAGE	Level (dBuV/m) Date: 2024-08-27  AVG_54 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2478.00</td><td>108.02</td><td>-----</td><td>-----</td><td>105.80</td><td>30.83</td><td>4.91</td><td>33.52</td><td>139</td><td>128 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2478.00	108.02	-----	-----	105.80	30.83	4.91	33.52	139	128 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2484.03	44.44	54.00	-9.56	42.18	30.85	4.92	33.51	139	128 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2478.00	108.02	-----	-----	105.80	30.83	4.91	33.52	139	128 AVERAGE																																																																													





Mode	17																																																																																											
	Band Edge																																																																																											
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																											
ANT	1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-08-17 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2478 2482.4 2486.8 2491.2 2495.6 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.85</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>48.19</td><td>30.86</td><td>4.92</td><td>33.51</td><td>400</td><td>213</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2485.85	50.46	74.00	-23.54	48.19	30.86	4.92	33.51	400	213	PEAK	Level (dBuV/m) Date: 2024-08-27 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>107.64</td><td>-----</td><td>-----</td><td>105.42</td><td>30.83</td><td>4.91</td><td>33.52</td><td>400</td><td>213</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	107.64	-----	-----	105.42	30.83	4.91	33.52	400	213	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2485.85	50.46	74.00	-23.54	48.19	30.86	4.92	33.51	400	213	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2478.00	107.64	-----	-----	105.42	30.83	4.91	33.52	400	213	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-08-17 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 2478 2482.4 2486.8 2491.2 2495.6 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.31</td><td>42.14</td><td>54.00</td><td>-11.86</td><td>39.88</td><td>30.85</td><td>4.92</td><td>33.51</td><td>400</td><td>213</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.31	42.14	54.00	-11.86	39.88	30.85	4.92	33.51	400	213	AVERAGE	Level (dBuV/m) Date: 2024-08-27 130 113.8 97.5 81.3 65.0 48.8 32.5 16.3 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>106.05</td><td>-----</td><td>-----</td><td>103.83</td><td>30.83</td><td>4.91</td><td>33.52</td><td>400</td><td>213</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	106.05	-----	-----	103.83	30.83	4.91	33.52	400	213	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2484.31	42.14	54.00	-11.86	39.88	30.85	4.92	33.51	400	213	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2478.00	106.05	-----	-----	103.83	30.83	4.91	33.52	400	213	AVERAGE																																																																																	



Mode	17																																																																																																																	
	Harmonic																																																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4956.00</td><td>40.38</td><td>74.00</td><td>-33.62</td><td>63.42</td><td>34.44</td><td>7.80</td><td>65.28</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>42.69</td><td>74.00</td><td>-31.31</td><td>62.64</td><td>35.41</td><td>9.19</td><td>64.55</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4956.00	40.38	74.00	-33.62	63.42	34.44	7.80	65.28	--	--	Peak	2	7434.00	42.69	74.00	-31.31	62.64	35.41	9.19	64.55	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4956.00</td><td>40.97</td><td>74.00</td><td>-33.03</td><td>64.01</td><td>34.44</td><td>7.80</td><td>65.28</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>43.52</td><td>74.00</td><td>-30.48</td><td>63.47</td><td>35.41</td><td>9.19</td><td>64.55</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4956.00	40.97	74.00	-33.03	64.01	34.44	7.80	65.28	--	--	Peak	2	7434.00	43.52	74.00	-30.48	63.47	35.41	9.19	64.55	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																									
1	4956.00	40.38	74.00	-33.62	63.42	34.44	7.80	65.28	--	--	Peak																																																																																																							
2	7434.00	42.69	74.00	-31.31	62.64	35.41	9.19	64.55	--	--	Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																									
1	4956.00	40.97	74.00	-33.03	64.01	34.44	7.80	65.28	--	--	Peak																																																																																																							
2	7434.00	43.52	74.00	-30.48	63.47	35.41	9.19	64.55	--	--	Peak																																																																																																							







Mode	18											
	LF											
	2400-2483.5_Bluetooth-LE_GSKF_CH38_LFMHz											
ANT	1											
Pol.	Horizontal					Vertical						
QP/ Peak												
	Limit					Limit						
	Freq	Level	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos		
					Level	Factor	Loss	Factor				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
	1	46.49	21.87	40.00	-18.13	36.56	19.62	0.69	35.00	--	--	Peak
	2	142.52	23.81	43.50	-19.69	38.93	18.35	1.25	34.72	--	--	Peak
	3	287.05	24.91	46.00	-21.09	39.06	18.72	1.76	34.63	--	--	Peak
	4	349.13	27.91	46.00	-18.09	40.37	20.20	1.94	34.60	--	--	Peak
	5	513.06	24.81	46.00	-21.19	33.35	23.57	2.39	34.50	--	--	Peak
6	859.35	29.78	46.00	-16.22	32.20	28.77	3.11	34.30	--	--	Peak	
Limit					Limit							
Freq	Level	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos			
				Level	Factor	Loss	Factor					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			
1	33.88	23.98	40.00	-16.02	39.82	18.46	0.57	34.87	--	--	Peak	
2	146.40	21.13	43.50	-22.37	35.90	18.67	1.27	34.71	--	--	Peak	
3	198.78	21.84	43.50	-21.66	39.01	16.05	1.48	34.70	--	--	Peak	
4	282.20	23.45	46.00	-22.55	37.78	18.57	1.74	34.64	--	--	Peak	
5	627.52	27.40	46.00	-18.60	33.10	26.18	2.66	34.54	--	--	Peak	
6	844.80	30.81	46.00	-15.19	33.31	28.71	3.09	34.30	--	--	Peak	



Co-location

		19																																																																																								
Mode		Band Edge																																																																																								
		Co-location																																																																																								
ANT		1																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2024-08-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.68</td><td>49.46</td><td>74.00</td><td>-24.54</td><td>47.19</td><td>30.86</td><td>4.92</td><td>33.51</td><td>349</td><td>86</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2486.68	49.46	74.00	-24.54	47.19	30.86	4.92	33.51	349	86	Peak	Level (dBuV/m) Date: 2024-08-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>97.87</td><td>-----</td><td>-----</td><td>95.65</td><td>30.83</td><td>4.91</td><td>33.52</td><td>349</td><td>86</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	97.87	-----	-----	95.65	30.83	4.91	33.52	349	86	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2486.68	49.46	74.00	-24.54	47.19	30.86	4.92	33.51	349	86	Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2478.00	97.87	-----	-----	95.65	30.83	4.91	33.52	349	86	Peak																																																																															
Avg	Level (dBuV/m) Date: 2024-08-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.92</td><td>42.15</td><td>54.00</td><td>-11.85</td><td>39.88</td><td>30.86</td><td>4.92</td><td>33.51</td><td>349</td><td>86</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.92	42.15	54.00	-11.85	39.88	30.86	4.92	33.51	349	86	Average	Level (dBuV/m) Date: 2024-08-30 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>96.69</td><td>-----</td><td>-----</td><td>94.47</td><td>30.83</td><td>4.91</td><td>33.52</td><td>349</td><td>86</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	96.69	-----	-----	94.47	30.83	4.91	33.52	349	86	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2484.92	42.15	54.00	-11.85	39.88	30.86	4.92	33.51	349	86	Average																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2478.00	96.69	-----	-----	94.47	30.83	4.91	33.52	349	86	Average																																																																															







Mode	19																																																																																								
	Band Edge																																																																																								
	Co-location																																																																																								
ANT	1																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2492.40</td><td>49.82</td><td>74.00</td><td>-24.18</td><td>47.51</td><td>30.89</td><td>4.93</td><td>33.51</td><td>385</td><td>289</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.40	49.82	74.00	-24.18	47.51	30.89	4.93	33.51	385	289	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>92.50</td><td>-----</td><td>-----</td><td>90.28</td><td>30.83</td><td>4.91</td><td>33.52</td><td>385</td><td>289</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	92.50	-----	-----	90.28	30.83	4.91	33.52	385	289
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2492.40	49.82	74.00	-24.18	47.51	30.89	4.93	33.51	385	289	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2478.00	92.50	-----	-----	90.28	30.83	4.91	33.52	385	289	Peak																																																																														
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2491.28</td><td>42.00</td><td>54.00</td><td>-12.00</td><td>39.70</td><td>30.88</td><td>4.93</td><td>33.51</td><td>385</td><td>289</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.28	42.00	54.00	-12.00	39.70	30.88	4.93	33.51	385	289	Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>91.25</td><td>-----</td><td>-----</td><td>89.03</td><td>30.83</td><td>4.91</td><td>33.52</td><td>385</td><td>289</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	91.25	-----	-----	89.03	30.83	4.91	33.52	385	289
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2491.28	42.00	54.00	-12.00	39.70	30.88	4.93	33.51	385	289	Average																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2478.00	91.25	-----	-----	89.03	30.83	4.91	33.52	385	289	Average																																																																														



Mode	19											
	Harmonic											
	Co-location											
ANT	1											
Pol.	Horizontal						Vertical					
Peak Avg	Data: 1 Level (dBuV/m) </											







Mode	20																																																																																							
	Band Edge																																																																																							
	Co-location																																																																																							
ANT	1																																																																																							
Pol.	Horizontal					Fundamental																																																																																		
Peak	 Level (dBuV/m) Date: 2024-08-30 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2491.88</td><td>49.49</td><td>74.00</td><td>-24.51</td><td>47.19</td><td>30.88</td><td>4.93</td><td>33.51</td><td>349</td><td>86 Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.88	49.49	74.00	-24.51	47.19	30.88	4.93	33.51	349	86 Peak	 Level (dBuV/m) Date: 2024-08-30 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>97.85</td><td>-----</td><td>-----</td><td>95.63</td><td>30.83</td><td>4.91</td><td>33.52</td><td>349</td><td>86 Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	97.85	-----	-----	95.63	30.83	4.91	33.52	349	86 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2491.88	49.49	74.00	-24.51	47.19	30.88	4.93	33.51	349	86 Peak																																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2478.00	97.85	-----	-----	95.63	30.83	4.91	33.52	349	86 Peak																																																																														
Avg	 Level (dBuV/m) Date: 2024-08-30 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2493.64</td><td>42.19</td><td>54.00</td><td>-11.81</td><td>39.88</td><td>30.89</td><td>4.93</td><td>33.51</td><td>349</td><td>86 Average</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.64	42.19	54.00	-11.81	39.88	30.89	4.93	33.51	349	86 Average	 Level (dBuV/m) Date: 2024-08-30 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>96.55</td><td>-----</td><td>-----</td><td>94.33</td><td>30.83</td><td>4.91</td><td>33.52</td><td>349</td><td>86 Average</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	96.55	-----	-----	94.33	30.83	4.91	33.52	349	86 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2493.64	42.19	54.00	-11.81	39.88	30.89	4.93	33.51	349	86 Average																																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2478.00	96.55	-----	-----	94.33	30.83	4.91	33.52	349	86 Average																																																																														



	20																																																																																								
Mode	Band Edge																																																																																								
	Co-location																																																																																								
ANT	1																																																																																								
Pol.	Vertical						Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-30 246024682476248424922500 Frequency (MHz)						Level (dBuV/m) Date: 2024-08-30 100014001800220026003000 Frequency (MHz)																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.36</td><td>50.12</td><td>74.00</td><td>-23.88</td><td>47.77</td><td>30.91</td><td>4.94</td><td>33.50</td><td>385</td><td>289 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2497.36	50.12	74.00	-23.88	47.77	30.91	4.94	33.50	385	289 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>92.52</td><td>-----</td><td>-----</td><td>90.30</td><td>30.83</td><td>4.91</td><td>33.52</td><td>385</td><td>289 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	92.52	-----	-----	90.30	30.83	4.91	33.52	385	289 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2497.36	50.12	74.00	-23.88	47.77	30.91	4.94	33.50	385	289 Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2478.00	92.52	-----	-----	90.30	30.83	4.91	33.52	385	289 Peak																																																																															
Avg	Level (dBuV/m) Date: 2024-08-30 246024682476248424922500 Frequency (MHz)						Level (dBuV/m) Date: 2024-08-30 100014001800220026003000 Frequency (MHz)																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.28</td><td>41.55</td><td>54.00</td><td>-12.45</td><td>39.20</td><td>30.91</td><td>4.94</td><td>33.50</td><td>385</td><td>289 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2497.28	41.55	54.00	-12.45	39.20	30.91	4.94	33.50	385	289 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>91.11</td><td>-----</td><td>-----</td><td>88.89</td><td>30.83</td><td>4.91</td><td>33.52</td><td>385</td><td>289 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	91.11	-----	-----	88.89	30.83	4.91	33.52	385	289 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2497.28	41.55	54.00	-12.45	39.20	30.91	4.94	33.50	385	289 Average																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2478.00	91.11	-----	-----	88.89	30.83	4.91	33.52	385	289 Average																																																																															





		20																																																																																			
Mode		Band Edge																																																																																			
		Co-location																																																																																			
ANT		CDD 13+10																																																																																			
Pol.		Horizontal					Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2024-08-30  Frequency (MHz)					Level (dBuV/m) Date: 2024-08-30  Frequency (MHz)																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2387.70</td><td>50.59</td><td>74.00</td><td>-23.41</td><td>48.76</td><td>30.61</td><td>4.79</td><td>33.57</td><td>187</td><td>28</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2387.70	50.59	74.00	-23.41	48.76	30.61	4.79	33.57	187	28	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2412.00</td><td>100.57</td><td>74.00</td><td>26.57</td><td>98.66</td><td>30.64</td><td>4.82</td><td>33.55</td><td>187</td><td>28</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2412.00	100.57	74.00	26.57	98.66	30.64	4.82	33.55	187	28
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2387.70	50.59	74.00	-23.41	48.76	30.61	4.79	33.57	187	28	Peak																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	100.57	74.00	26.57	98.66	30.64	4.82	33.55	187	28	Peak																																																																										
Avg	Level (dBuV/m) Date: 2024-08-30  Frequency (MHz)					Level (dBuV/m) Date: 2024-08-30  Frequency (MHz)																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.91</td><td>38.78</td><td>54.00</td><td>-15.22</td><td>36.94</td><td>30.61</td><td>4.80</td><td>33.57</td><td>187</td><td>28</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2389.91	38.78	54.00	-15.22	36.94	30.61	4.80	33.57	187	28	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2412.00</td><td>91.53</td><td>54.00</td><td>37.53</td><td>89.62</td><td>30.64</td><td>4.82</td><td>33.55</td><td>187</td><td>28</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2412.00	91.53	54.00	37.53	89.62	30.64	4.82	33.55	187	28
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.91	38.78	54.00	-15.22	36.94	30.61	4.80	33.57	187	28	Average																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2412.00	91.53	54.00	37.53	89.62	30.64	4.82	33.55	187	28	Peak																																																																										







Mode	20	
	Band Edge	
	Co-location	
ANT	CDD 13+10	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-08-30 1 2340.24 49.10 74.00 -24.90 47.25 30.74 4.72 33.61 367 321 Peak	Level (dBuV/m) Date: 2024-08-30 1 2412.00 88.81 74.00 14.81 86.90 30.64 4.82 33.55 367 321 Peak
	Level (dBuV/m) Date: 2024-08-30 1 2340.24 37.99 54.00 -16.01 36.14 30.71 4.74 33.60 367 321 Average	Level (dBuV/m) Date: 2024-08-30 1 2412.00 79.70 54.00 25.70 77.79 30.64 4.82 33.55 367 321 Peak



Mode	20																																																																																																																																										
	Harmonic																																																																																																																																										
	Co-location																																																																																																																																										
ANT	1/CDD 13+10																																																																																																																																										
Pol.	Horizontal										Vertical																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-08-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>40.24</td><td>74.00</td><td>-33.76</td><td>63.46</td><td>34.26</td><td>7.75</td><td>65.23</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>42.26</td><td>74.00</td><td>-31.74</td><td>65.30</td><td>34.44</td><td>7.80</td><td>65.28</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>43.29</td><td>74.00</td><td>-30.71</td><td>63.24</td><td>35.41</td><td>9.19</td><td>64.55</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	40.24	74.00	-33.76	63.46	34.26	7.75	65.23	--	--	Peak	2	4956.00	42.26	74.00	-31.74	65.30	34.44	7.80	65.28	--	--	Peak	3	7434.00	43.29	74.00	-30.71	63.24	35.41	9.19	64.55	--	--	Peak	Level (dBuV/m) Date: 2024-08-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>40.27</td><td>74.00</td><td>-33.73</td><td>63.49</td><td>34.26</td><td>7.75</td><td>65.23</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>41.01</td><td>74.00</td><td>-32.99</td><td>64.05</td><td>34.44</td><td>7.80</td><td>65.28</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>43.27</td><td>74.00</td><td>-30.73</td><td>63.22</td><td>35.41</td><td>9.19</td><td>64.55</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	40.27	74.00	-33.73	63.49	34.26	7.75	65.23	--	--	Peak	2	4956.00	41.01	74.00	-32.99	64.05	34.44	7.80	65.28	--	--	Peak	3	7434.00	43.27	74.00	-30.73	63.22	35.41	9.19	64.55	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																			
	Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4824.00	40.24	74.00	-33.76	63.46	34.26	7.75	65.23	--	--	Peak																																																																																																																																
2	4956.00	42.26	74.00	-31.74	65.30	34.44	7.80	65.28	--	--	Peak																																																																																																																																
3	7434.00	43.29	74.00	-30.71	63.24	35.41	9.19	64.55	--	--	Peak																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	4824.00	40.27	74.00	-33.73	63.49	34.26	7.75	65.23	--	--	Peak																																																																																																																																
2	4956.00	41.01	74.00	-32.99	64.05	34.44	7.80	65.28	--	--	Peak																																																																																																																																
3	7434.00	43.27	74.00	-30.73	63.22	35.41	9.19	64.55	--	--	Peak																																																																																																																																







		21																																																																							
Mode		Band Edge																																																																							
		Co-location																																																																							
ANT		1																																																																							
Pol.		Horizontal					Fundamental																																																																		
Peak	Level (dBuV/m) Date: 2024-08-30  PEAK_BE_74 Frequency (MHz)					Level (dBuV/m) Date: 2024-08-30  PEAK_74 Frequency (MHz)																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 2489.00</td><td>49.24</td><td>74.00</td><td>-24.76</td><td>46.95</td><td>30.87</td><td>4.93</td><td>33.51</td><td>256 78 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2489.00	49.24	74.00	-24.76	46.95	30.87	4.93	33.51	256 78 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 2478.00</td><td>97.72</td><td>-----</td><td>-----</td><td>95.50</td><td>30.83</td><td>4.91</td><td>33.52</td><td>256 78 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2478.00	97.72	-----	-----	95.50	30.83	4.91	33.52
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1 2489.00	49.24	74.00	-24.76	46.95	30.87	4.93	33.51	256 78 Peak																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1 2478.00	97.72	-----	-----	95.50	30.83	4.91	33.52	256 78 Peak																																																																	
Avg	Level (dBuV/m) Date: 2024-08-30  AVG_BE_54 Frequency (MHz)					Level (dBuV/m) Date: 2024-08-30  AVG_54 Frequency (MHz)																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 2487.76</td><td>41.93</td><td>54.00</td><td>-12.07</td><td>39.64</td><td>30.87</td><td>4.93</td><td>33.51</td><td>256 78 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2487.76	41.93	54.00	-12.07	39.64	30.87	4.93	33.51	256 78 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 2478.00</td><td>96.76</td><td>-----</td><td>-----</td><td>94.54</td><td>30.83</td><td>4.91</td><td>33.52</td><td>256 78 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2478.00	96.76	-----	-----	94.54	30.83	4.91	33.52
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1 2487.76	41.93	54.00	-12.07	39.64	30.87	4.93	33.51	256 78 Average																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1 2478.00	96.76	-----	-----	94.54	30.83	4.91	33.52	256 78 Average																																																																	







Mode	21																																																																																							
	Band Edge																																																																																							
	Co-location																																																																																							
ANT	1																																																																																							
Pol.	Vertical					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-30 PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.52</td><td>50.17</td><td>74.00</td><td>-23.83</td><td>47.82</td><td>30.91</td><td>4.94</td><td>33.50</td><td>135</td><td>23 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.52	50.17	74.00	-23.83	47.82	30.91	4.94	33.50	135	23 Peak	Level (dBuV/m) Date: 2024-08-30 PEAK_74 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>92.56</td><td>-----</td><td>-----</td><td>90.34</td><td>30.83</td><td>4.91</td><td>33.52</td><td>135</td><td>23 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	92.56	-----	-----	90.34	30.83	4.91	33.52	135	23 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2498.52	50.17	74.00	-23.83	47.82	30.91	4.94	33.50	135	23 Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2478.00	92.56	-----	-----	90.34	30.83	4.91	33.52	135	23 Peak																																																																														
Avg	Level (dBuV/m) Date: 2024-08-30 AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.08</td><td>41.84</td><td>54.00</td><td>-12.16</td><td>39.49</td><td>30.91</td><td>4.94</td><td>33.50</td><td>135</td><td>23 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.08	41.84	54.00	-12.16	39.49	30.91	4.94	33.50	135	23 Average	Level (dBuV/m) Date: 2024-08-30 AVG_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>91.58</td><td>-----</td><td>-----</td><td>89.36</td><td>30.83</td><td>4.91</td><td>33.52</td><td>135</td><td>23 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	91.58	-----	-----	89.36	30.83	4.91	33.52	135	23 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2497.08	41.84	54.00	-12.16	39.49	30.91	4.94	33.50	135	23 Average																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2478.00	91.58	-----	-----	89.36	30.83	4.91	33.52	135	23 Average																																																																														



		21																																																																																												
Mode		Band Edge																																																																																												
		Co-location																																																																																												
ANT		SISO 10																																																																																												
Pol.		Horizontal					Fundamental																																																																																							
Peak	Level (dBuV/m) Date: 2024-08-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2356.31</td><td>49.70</td><td>74.00</td><td>-24.30</td><td>47.86</td><td>30.67</td><td>4.76</td><td>33.59</td><td>398</td><td>259</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2356.31	49.70	74.00	-24.30	47.86	30.67	4.76	33.59	398	259	Peak	Level (dBuV/m) Date: 2024-08-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>97.95</td><td>74.00</td><td>23.95</td><td>96.04</td><td>30.64</td><td>4.82</td><td>33.55</td><td>398</td><td>259</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2412.00	97.95	74.00	23.95	96.04	30.64	4.82	33.55	398	259	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2356.31	49.70	74.00	-24.30	47.86	30.67	4.76	33.59	398	259	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2412.00	97.95	74.00	23.95	96.04	30.64	4.82	33.55	398	259	Peak																																																																																			
Avg	Level (dBuV/m) Date: 2024-08-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2390.00</td><td>38.45</td><td>54.00</td><td>-15.55</td><td>36.61</td><td>30.61</td><td>4.80</td><td>33.57</td><td>398</td><td>259</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2390.00	38.45	54.00	-15.55	36.61	30.61	4.80	33.57	398	259	Average	Level (dBuV/m) Date: 2024-08-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>88.28</td><td>54.00</td><td>34.28</td><td>86.37</td><td>30.64</td><td>4.82</td><td>33.55</td><td>398</td><td>259</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2412.00	88.28	54.00	34.28	86.37	30.64	4.82	33.55	398	259	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2390.00	38.45	54.00	-15.55	36.61	30.61	4.80	33.57	398	259	Average																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2412.00	88.28	54.00	34.28	86.37	30.64	4.82	33.55	398	259	Average																																																																																			



		21																																																																																								
Mode		Band Edge																																																																																								
		Co-location																																																																																								
ANT		SISO 10																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2024-08-30  125 109.4 93.8 78.1 62.5 46.9 31.3 15.6 0 231023312352237323942415 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2353.58</td><td>49.61</td><td>74.00</td><td>-24.39</td><td>47.76</td><td>30.68</td><td>4.76</td><td>33.59</td><td>376</td><td>155 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2353.58	49.61	74.00	-24.39	47.76	30.68	4.76	33.59	376	155 Peak	Level (dBuV/m) Date: 2024-08-30  125 109.4 93.8 78.1 62.5 46.9 31.3 15.6 0 100014001800220026003000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>97.13</td><td>74.00</td><td>23.13</td><td>95.22</td><td>30.64</td><td>4.82</td><td>33.55</td><td>376</td><td>155 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	97.13	74.00	23.13	95.22	30.64	4.82	33.55	376	155 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2353.58	49.61	74.00	-24.39	47.76	30.68	4.76	33.59	376	155 Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	97.13	74.00	23.13	95.22	30.64	4.82	33.55	376	155 Peak																																																																																
Avg	Level (dBuV/m) Date: 2024-09-01  125 109.4 93.8 78.1 62.5 46.9 31.3 15.6 0 231023312352237323942415 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2390.00</td><td>38.51</td><td>54.00</td><td>-15.49</td><td>36.67</td><td>30.61</td><td>4.80</td><td>33.57</td><td>376</td><td>155 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2390.00	38.51	54.00	-15.49	36.67	30.61	4.80	33.57	376	155 Average	Level (dBuV/m) Date: 2024-08-30  125 109.4 93.8 78.1 62.5 46.9 31.3 15.6 0 100014001800220026003000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>87.50</td><td>54.00</td><td>33.50</td><td>85.59</td><td>30.64</td><td>4.82</td><td>33.55</td><td>376</td><td>155 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	87.50	54.00	33.50	85.59	30.64	4.82	33.55	376	155 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2390.00	38.51	54.00	-15.49	36.67	30.61	4.80	33.57	376	155 Average																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	87.50	54.00	33.50	85.59	30.64	4.82	33.55	376	155 Peak																																																																																




Mode	21																																																																																																																																									
	Harmonic																																																																																																																																									
	Co-location																																																																																																																																									
ANT	1/SISO 10																																																																																																																																									
Pol.	Horizontal					Vertical																																																																																																																																				
Peak Avg																																																																																																																																										
	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>MHz</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>39.71</td><td>74.00</td><td>-34.29</td><td>62.93</td><td>34.26</td><td>7.75</td><td>65.23</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>4956.00</td><td>41.39</td><td>74.00</td><td>-32.61</td><td>64.43</td><td>34.44</td><td>7.80</td><td>65.28</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>7434.00</td><td>43.67</td><td>74.00</td><td>-30.33</td><td>63.62</td><td>35.41</td><td>9.19</td><td>64.55</td><td>--</td><td>-- Peak</td></tr></tbody></table>						Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos			MHz	Level	Line	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	39.71	74.00	-34.29	62.93	34.26	7.75	65.23	--	-- Peak	2	4956.00	41.39	74.00	-32.61	64.43	34.44	7.80	65.28	--	-- Peak	3	7434.00	43.67	74.00	-30.33	63.62	35.41	9.19	64.55	--	-- Peak	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>MHz</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>40.68</td><td>74.00</td><td>-33.32</td><td>63.90</td><td>34.26</td><td>7.75</td><td>65.23</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>4956.00</td><td>40.81</td><td>74.00</td><td>-33.19</td><td>63.85</td><td>34.44</td><td>7.80</td><td>65.28</td><td>--</td><td>-- Peak</td></tr><tr><td>3</td><td>7434.00</td><td>43.19</td><td>74.00</td><td>-30.81</td><td>63.14</td><td>35.41</td><td>9.19</td><td>64.55</td><td>--</td><td>-- Peak</td></tr></tbody></table>						Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos			MHz	Level	Line	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	40.68	74.00	-33.32	63.90	34.26	7.75	65.23	--	-- Peak	2	4956.00	40.81	74.00	-33.19	63.85	34.44	7.80	65.28	--	-- Peak	3	7434.00	43.19	74.00	-30.81	63.14	35.41	9.19	64.55	--	-- Peak
		Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																	
		MHz	Level	Line	Level	Factor	Loss	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	4824.00	39.71	74.00	-34.29	62.93	34.26	7.75	65.23	--	-- Peak																																																																																																																																
2	4956.00	41.39	74.00	-32.61	64.43	34.44	7.80	65.28	--	-- Peak																																																																																																																																
3	7434.00	43.67	74.00	-30.33	63.62	35.41	9.19	64.55	--	-- Peak																																																																																																																																
	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																		
	MHz	Level	Line	Level	Factor	Loss	Factor		Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	4824.00	40.68	74.00	-33.32	63.90	34.26	7.75	65.23	--	-- Peak																																																																																																																																
2	4956.00	40.81	74.00	-33.19	63.85	34.44	7.80	65.28	--	-- Peak																																																																																																																																
3	7434.00	43.19	74.00	-30.81	63.14	35.41	9.19	64.55	--	-- Peak																																																																																																																																

Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Ant 1	Bluetooth LE 1Mbps	62.44	0.389	2.571	3KHz
Ant 1	Bluetooth LE 2Mbps	32.91	0.206	4.854	10KHz
Ant 10	Bluetooth LE 1Mbps	62.50	0.391	2.556	3KHz
Ant 10	Bluetooth LE 2Mbps	32.64	0.204	4.894	10KHz
Ant 13	Bluetooth LE 1Mbps	62.41	0.390	2.565	3KHz
Ant 13	Bluetooth LE 2Mbps	32.79	0.206	4.859	10KHz


<Ant1>

Bluetooth LE 1Mbps






Bluetooth LE 2Mbps




<Ant10>

Bluetooth LE 1Mbps






Bluetooth LE 2Mbps



<Ant13>

Bluetooth LE 1Mbps





Bluetooth LE 2Mbps

