




























Min emission bandwidth



Test Result for UNII-3



TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant14	5745	16.36	5736.80	5753.16	0.5	PASS
	Ant15	5745	16.36	5736.80	5753.16	0.5	PASS
	Ant14	5785	16.36	5776.80	5793.16	0.5	PASS
	Ant15	5785	16.36	5776.80	5793.16	0.5	PASS
	Ant14	5825	16.36	5816.80	5833.16	0.5	PASS
	Ant15	5825	16.36	5816.80	5833.16	0.5	PASS
11N20SISO	Ant14	5745	17.60	5736.20	5753.80	0.5	PASS
	Ant15	5745	17.60	5736.20	5753.80	0.5	PASS
	Ant14	5785	17.60	5776.20	5793.80	0.5	PASS
	Ant15	5785	17.60	5776.20	5793.80	0.5	PASS
	Ant14	5825	17.60	5816.20	5833.80	0.5	PASS
	Ant15	5825	17.60	5816.20	5833.80	0.5	PASS
11N40SISO	Ant14	5755	36.32	5736.84	5773.16	0.5	PASS
	Ant15	5755	36.32	5736.84	5773.16	0.5	PASS
	Ant14	5795	36.32	5776.84	5813.16	0.5	PASS
	Ant15	5795	36.32	5776.84	5813.16	0.5	PASS
11AC80SISO	Ant14	5775	76.48	5736.76	5813.24	0.5	PASS
	Ant15	5775	76.48	5736.76	5813.24	0.5	PASS
11AX20SISO	Ant14	5745	19.04	5735.48	5754.52	0.5	PASS
	Ant15	5745	19.00	5735.48	5754.48	0.5	PASS
	Ant14	5785	19.00	5775.48	5794.48	0.5	PASS
	Ant15	5785	19.08	5775.44	5794.52	0.5	PASS
	Ant14	5825	19.04	5815.48	5834.52	0.5	PASS
	Ant15	5825	19.04	5815.48	5834.52	0.5	PASS
11AX40SISO	Ant14	5755	38.24	5735.88	5774.12	0.5	PASS
	Ant15	5755	38.32	5735.80	5774.12	0.5	PASS
	Ant14	5795	38.32	5775.80	5814.12	0.5	PASS
	Ant15	5795	38.08	5775.96	5814.04	0.5	PASS
11AX80SISO	Ant14	5775	78.08	5735.96	5814.04	0.5	PASS
	Ant15	5775	78.24	5735.96	5814.20	0.5	PASS







Test Graphs for UNII-3





















































Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant14	5180	7.93	≤11.00	PASS
	Ant15	5180	7.95	≤11.00	PASS
	Ant14	5220	7.96	≤11.00	PASS
	Ant15	5220	7.87	≤11.00	PASS
	Ant14	5240	8.30	≤11.00	PASS
	Ant15	5240	7.86	≤11.00	PASS
	Ant14	5260	8.48	≤11.00	PASS
	Ant15	5260	8.16	≤11.00	PASS
	Ant14	5300	8.25	≤11.00	PASS
	Ant15	5300	8.36	≤11.00	PASS
	Ant14	5320	8.01	≤11.00	PASS
	Ant15	5320	8.29	≤11.00	PASS
	Ant14	5500	8.21	≤11.00	PASS
	Ant15	5500	8.15	≤11.00	PASS
	Ant14	5580	6.56	≤11.00	PASS
	Ant15	5580	6.78	≤11.00	PASS
	Ant14	5700	7.59	≤11.00	PASS
	Ant15	5700	7.20	≤11.00	PASS
	Ant14	5745	6.51	≤30.00	PASS
	Ant15	5745	6.54	≤30.00	PASS
	Ant14	5785	5.32	≤30.00	PASS
	Ant15	5785	5.31	≤30.00	PASS
	Ant14	5825	5.00	≤30.00	PASS
	Ant15	5825	5.08	≤30.00	PASS
11N20SISO	Ant14	5180	7.47	≤11.00	PASS
	Ant15	5180	7.83	≤11.00	PASS
	Ant14	5220	7.83	≤11.00	PASS
	Ant15	5220	7.80	≤11.00	PASS
	Ant14	5240	7.64	≤11.00	PASS
	Ant15	5240	7.60	≤11.00	PASS
	Ant14	5260	8.22	≤11.00	PASS
	Ant15	5260	8.06	≤11.00	PASS
	Ant14	5300	8.05	≤11.00	PASS
	Ant15	5300	7.89	≤11.00	PASS



	Ant14	5320	8.03	≤11.00	PASS
	Ant15	5320	7.58	≤11.00	PASS
	Ant14	5500	8.10	≤11.00	PASS
	Ant15	5500	7.81	≤11.00	PASS
	Ant14	5580	7.25	≤11.00	PASS
	Ant15	5580	7.70	≤11.00	PASS
	Ant14	5700	7.96	≤11.00	PASS
	Ant15	5700	7.76	≤11.00	PASS
	Ant14	5745	6.58	≤30.00	PASS
	Ant15	5745	6.22	≤30.00	PASS
	Ant14	5785	5.21	≤30.00	PASS
	Ant15	5785	4.89	≤30.00	PASS
	Ant14	5825	4.92	≤30.00	PASS
	Ant15	5825	4.71	≤30.00	PASS
11N40SISO	Ant14	5190	4.82	≤11.00	PASS
	Ant15	5190	4.97	≤11.00	PASS
	Ant14	5230	4.91	≤11.00	PASS
	Ant15	5230	4.90	≤11.00	PASS
	Ant14	5270	5.53	≤11.00	PASS
	Ant15	5270	5.07	≤11.00	PASS
	Ant14	5310	5.27	≤11.00	PASS
	Ant15	5310	4.92	≤11.00	PASS
	Ant14	5510	5.37	≤11.00	PASS
	Ant15	5510	4.96	≤11.00	PASS
	Ant14	5550	4.79	≤11.00	PASS
	Ant15	5550	4.83	≤11.00	PASS
	Ant14	5670	5.21	≤11.00	PASS
	Ant15	5670	5.18	≤11.00	PASS
	Ant14	5755	3.35	≤30.00	PASS
	Ant15	5755	2.83	≤30.00	PASS
	Ant14	5795	2.45	≤30.00	PASS
	Ant15	5795	1.99	≤30.00	PASS
11AC80SISO	Ant14	5210	2.06	≤11.00	PASS
	Ant15	5210	2.02	≤11.00	PASS
	Ant14	5290	2.02	≤11.00	PASS
	Ant15	5290	2.05	≤11.00	PASS
	Ant14	5530	2.47	≤11.00	PASS
	Ant15	5530	1.83	≤11.00	PASS
	Ant14	5610	1.07	≤11.00	PASS



	Ant15	5610	0.17	≤11.00	PASS
	Ant14	5775	0.12	≤30.00	PASS
	Ant15	5775	-0.40	≤30.00	PASS
11AX20SISO	Ant14	5180	7.33	≤11.00	PASS
	Ant15	5180	7.65	≤11.00	PASS
	Ant14	5220	7.79	≤11.00	PASS
	Ant15	5220	7.52	≤11.00	PASS
	Ant14	5240	7.75	≤11.00	PASS
	Ant15	5240	7.87	≤11.00	PASS
	Ant14	5260	8.28	≤11.00	PASS
	Ant15	5260	7.48	≤11.00	PASS
	Ant14	5300	7.83	≤11.00	PASS
	Ant15	5300	7.85	≤11.00	PASS
	Ant14	5320	7.91	≤11.00	PASS
	Ant15	5320	7.69	≤11.00	PASS
	Ant14	5500	8.08	≤11.00	PASS
	Ant15	5500	7.60	≤11.00	PASS
	Ant14	5580	7.44	≤11.00	PASS
	Ant15	5580	7.41	≤11.00	PASS
	Ant14	5700	7.81	≤11.00	PASS
	Ant15	5700	7.96	≤11.00	PASS
	Ant14	5745	5.66	≤30.00	PASS
	Ant15	5745	5.50	≤30.00	PASS
	Ant14	5785	4.87	≤30.00	PASS
	Ant15	5785	4.79	≤30.00	PASS
	Ant14	5825	4.92	≤30.00	PASS
	Ant15	5825	4.62	≤30.00	PASS
11AX40SISO	Ant14	5190	4.63	≤11.00	PASS
	Ant15	5190	4.96	≤11.00	PASS
	Ant14	5230	5.08	≤11.00	PASS
	Ant15	5230	4.57	≤11.00	PASS
	Ant14	5270	5.20	≤11.00	PASS
	Ant15	5270	4.85	≤11.00	PASS
	Ant14	5310	4.78	≤11.00	PASS
	Ant15	5310	4.97	≤11.00	PASS
	Ant14	5510	5.04	≤11.00	PASS
	Ant15	5510	4.62	≤11.00	PASS
	Ant14	5550	4.48	≤11.00	PASS
	Ant15	5550	4.93	≤11.00	PASS




	Ant14	5670	4.88	≤ 11.00	PASS
	Ant15	5670	4.99	≤ 11.00	PASS
	Ant14	5755	2.78	≤ 30.00	PASS
	Ant15	5755	2.73	≤ 30.00	PASS
	Ant14	5795	2.26	≤ 30.00	PASS
	Ant15	5795	1.89	≤ 30.00	PASS
11AX80SISO	Ant14	5210	1.70	≤ 11.00	PASS
	Ant15	5210	2.15	≤ 11.00	PASS
	Ant14	5290	1.69	≤ 11.00	PASS
	Ant15	5290	1.76	≤ 11.00	PASS
	Ant14	5530	2.07	≤ 11.00	PASS
	Ant15	5530	2.13	≤ 11.00	PASS
	Ant14	5610	1.95	≤ 11.00	PASS
	Ant15	5610	1.78	≤ 11.00	PASS
	Ant14	5775	-0.15	≤ 30.00	PASS
	Ant15	5775	-0.28	≤ 30.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.



2.The Duty Cycle Factor and is compensated in the graph.







Test Graphs

























































































































































































































































Single RU Mode

Maximum conducted output power

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Set Power	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Conducted Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20 MIMO	Ant14	5180	26Tone	RU0	3	1.48	99.63	0.02	1.50	≤23.98	-2.50	-1.00	---	PASS
			52Tone	RU37	6	4.81	99.63	0.02	4.83	≤23.98	-2.50	2.33	---	PASS
			106Tone	RU53	9	7.44	99.63	0.02	7.46	≤23.98	-2.50	4.96	---	PASS
	Ant15	5180	26Tone	RU0	3	3.84	99.63	0.02	3.86	≤23.98	-2.00	1.86	---	PASS
			52Tone	RU37	6	6.51	99.63	0.02	6.53	≤23.98	-2.00	4.53	---	PASS
			106Tone	RU53	9	8.75	99.63	0.02	8.77	≤23.98	-2.00	6.77	---	PASS
	total	5180	26Tone	RU0	---	---	---	---	5.85	≤23.98	-2.00	3.85	---	PASS
			52Tone	RU37	---	---	---	---	8.77	≤23.98	-2.00	6.77	---	PASS
			106Tone	RU53	---	---	---	---	11.17	≤23.98	-2.00	9.17	---	PASS
	Ant14	5320	26Tone	RU8	3	1.65	99.63	0.02	1.67	≤23.98	-2.00	-0.33	≤26.99	PASS
			52Tone	RU40	6	4.70	99.63	0.02	4.72	≤23.98	-2.00	2.72	≤26.99	PASS
			106Tone	RU54	9.5	8.56	99.63	0.02	8.58	≤23.98	-2.00	6.58	≤26.99	PASS
	Ant15	5320	26Tone	RU8	3	2.96	99.63	0.02	2.98	≤23.98	-0.70	2.28	≤26.99	PASS
			52Tone	RU40	6	5.92	99.63	0.02	5.94	≤23.98	-0.70	5.24	≤26.99	PASS
			106Tone	RU54	9.5	8.09	99.63	0.02	8.11	≤23.98	-0.70	7.41	≤26.99	PASS
	total	5320	26Tone	RU8	---	---	---	---	5.38	≤23.98	-0.70	4.68	≤26.99	PASS
			52Tone	RU40	---	---	---	---	8.38	≤23.98	-0.70	7.68	≤26.99	PASS
			106Tone	RU54	---	---	---	---	11.36	≤23.98	-0.70	10.66	≤26.99	PASS
	Ant14	5500	26Tone	RU0	2.5	1.95	99.63	0.02	1.97	≤23.98	1.50	3.47	≤26.99	PASS
			52Tone	RU37	5.5	5.07	99.63	0.02	5.09	≤23.98	1.50	6.59	≤26.99	PASS
			106Tone	RU53	9	7.91	99.63	0.02	7.93	≤23.98	1.50	9.43	≤26.99	PASS
	Ant15	5500	26Tone	RU0	2.5	2.83	99.63	0.02	2.85	≤23.98	1.00	3.85	≤26.99	PASS
			52Tone	RU37	5.5	5.93	99.63	0.02	5.95	≤23.98	1.00	6.95	≤26.99	PASS
			106Tone	RU53	9	8.03	99.63	0.02	8.05	≤23.98	1.00	9.05	≤26.99	PASS
	total	5500	26Tone	RU0	---	---	---	---	5.44	≤23.98	1.50	6.94	≤26.99	PASS
			52Tone	RU37	---	---	---	---	8.55	≤23.98	1.50	10.05	≤26.99	PASS
			106Tone	RU53	---	---	---	---	11.00	≤23.98	1.50	12.50	≤26.99	PASS
	Ant14	5700	26Tone	RU8	3	3.03	99.63	0.02	3.05	≤23.98	1.50	4.55	≤26.99	PASS
			52Tone	RU40	5.5	5.50	99.63	0.02	5.52	≤23.98	1.50	7.02	≤26.99	PASS
			106Tone	RU54	9.5	8.65	99.63	0.02	8.67	≤23.98	1.50	10.17	≤26.99	PASS
	Ant15	5700	26Tone	RU8	3	2.53	99.63	0.02	2.55	≤23.98	1.00	3.55	≤26.99	PASS
			52Tone	RU40	5.5	5.39	99.63	0.02	5.41	≤23.98	1.00	6.41	≤26.99	PASS
			106Tone	RU54	9.5	8.01	99.63	0.02	8.03	≤23.98	1.00	9.03	≤26.99	PASS
	total	5700	26Tone	RU8	---	---	---	---	5.82	≤23.98	1.50	7.32	≤26.99	PASS
			52Tone	RU40	---	---	---	---	8.48	≤23.98	1.50	9.98	≤26.99	PASS
			106Tone	RU54	---	---	---	---	11.37	≤23.98	1.50	12.87	≤26.99	PASS
	Ant14	5745	26Tone	RU0	2.5	1.93	99.63	0.02	1.95	≤30.00	1.00	2.95	---	PASS
			52Tone	RU37	5.5	5.37	99.63	0.02	5.39	≤30.00	1.00	6.39	---	PASS
			106Tone	RU53	9.5	8.28	99.63	0.02	8.30	≤30.00	1.00	9.30	---	PASS
	Ant15	5745	26Tone	RU0	2.5	3.29	99.63	0.02	3.31	≤30.00	1.00	4.31	---	PASS



	total	5745	52Tone	RU37	5.5	6.33	99.63	0.02	6.35	≤30.00	1.00	7.35	---	PASS
			106Tone	RU53	9.5	8.07	99.63	0.02	8.09	≤30.00	1.00	9.09	---	PASS
			26Tone	RU0	---	---	---	---	5.69	≤30.00	1.00	6.69	---	PASS
			52Tone	RU37	---	---	---	---	8.91	≤30.00	1.00	9.91	---	PASS
			106Tone	RU53	---	---	---	---	11.21	≤30.00	1.00	12.21	---	PASS
	Ant14	5825	26Tone	RU8	3	2.31	99.63	0.02	2.33	≤30.00	1.00	3.33	---	PASS
			52Tone	RU40	6	5.32	99.63	0.02	5.34	≤30.00	1.00	6.34	---	PASS
			106Tone	RU54	10.5	8.75	99.63	0.02	8.77	≤30.00	1.00	9.77	---	PASS
	Ant15	5825	26Tone	RU8	3	2.93	99.63	0.02	2.95	≤30.00	1.00	3.95	---	PASS
			52Tone	RU40	6	5.98	99.63	0.02	6.00	≤30.00	1.00	7.00	---	PASS
			106Tone	RU54	10.5	8.29	99.63	0.02	8.31	≤30.00	1.00	9.31	---	PASS
	total	5825	26Tone	RU8	---	---	---	---	5.66	≤30.00	1.00	6.66	---	PASS
			52Tone	RU40	---	---	---	---	8.69	≤30.00	1.00	9.69	---	PASS
			106Tone	RU54	---	---	---	---	11.56	≤30.00	1.00	12.56	---	PASS
11BE20 MIMO	Ant14	5180	26Tone	RU0	3	1.53	100.00	0.00	1.53	≤23.98	-2.50	-0.97	---	PASS
			52Tone	RU37	6	4.86	100.00	0.00	4.86	≤23.98	-2.50	2.36	---	PASS
			106Tone	RU53	10	8.10	100.00	0.00	8.10	≤23.98	-2.50	5.60	---	PASS
	Ant15	5180	26Tone	RU0	3	3.64	100.00	0.00	3.64	≤23.98	-2.00	1.64	---	PASS
			52Tone	RU37	6	6.70	100.00	0.00	6.70	≤23.98	-2.00	4.70	---	PASS
			106Tone	RU53	10	9.42	100.00	0.00	9.42	≤23.98	-2.00	7.42	---	PASS
	total	5180	26Tone	RU0	---	---	---	---	5.72	≤23.98	-2.00	3.72	---	PASS
			52Tone	RU37	---	---	---	---	8.89	≤23.98	-2.00	6.89	---	PASS
			106Tone	RU53	---	---	---	---	11.82	≤23.98	-2.00	9.82	---	PASS
	Ant14	5320	26Tone	RU8	3.5	2.31	100.00	0.00	2.31	≤23.98	-2.00	0.31	≤26.99	PASS
			52Tone	RU40	6.5	5.40	100.00	0.00	5.40	≤23.98	-2.00	3.40	≤26.99	PASS
			106Tone	RU54	10	9.44	100.00	0.00	9.44	≤23.98	-2.00	7.44	≤26.99	PASS
	Ant15	5320	26Tone	RU8	3.5	3.49	100.00	0.00	3.49	≤23.98	-0.70	2.79	≤26.99	PASS
			52Tone	RU40	6.5	6.67	100.00	0.00	6.67	≤23.98	-0.70	5.97	≤26.99	PASS
			106Tone	RU54	10	8.57	100.00	0.00	8.57	≤23.98	-0.70	7.87	≤26.99	PASS
	total	5320	26Tone	RU8	---	---	---	---	5.95	≤23.98	-0.70	5.25	≤26.99	PASS
			52Tone	RU40	---	---	---	---	9.09	≤23.98	-0.70	8.39	≤26.99	PASS
			106Tone	RU54	---	---	---	---	12.04	≤23.98	-0.70	11.34	≤26.99	PASS
	Ant14	5500	26Tone	RU0	3	2.57	100.00	0.00	2.57	≤23.98	1.50	4.07	≤26.99	PASS
			52Tone	RU37	6	5.00	100.00	0.00	5.00	≤23.98	1.50	6.50	≤26.99	PASS
			106Tone	RU53	9.5	8.37	100.00	0.00	8.37	≤23.98	1.50	9.87	≤26.99	PASS
	Ant15	5500	26Tone	RU0	3	3.47	100.00	0.00	3.47	≤23.98	1.00	4.47	≤26.99	PASS
			52Tone	RU37	6	5.96	100.00	0.00	5.96	≤23.98	1.00	6.96	≤26.99	PASS
			106Tone	RU53	9.5	8.68	100.00	0.00	8.68	≤23.98	1.00	9.68	≤26.99	PASS
	total	5500	26Tone	RU0	---	---	---	---	6.05	≤23.98	1.50	7.55	≤26.99	PASS
			52Tone	RU37	---	---	---	---	8.52	≤23.98	1.50	10.02	≤26.99	PASS
			106Tone	RU53	---	---	---	---	11.54	≤23.98	1.50	13.04	≤26.99	PASS
	Ant14	5700	26Tone	RU8	3	2.20	100.00	0.00	2.20	≤23.98	1.50	3.70	≤26.99	PASS
			52Tone	RU40	6	5.29	100.00	0.00	5.29	≤23.98	1.50	6.79	≤26.99	PASS
			106Tone	RU54	9.5	8.73	100.00	0.00	8.73	≤23.98	1.50	10.23	≤26.99	PASS
	Ant15	5700	26Tone	RU8	3	2.02	100.00	0.00	2.02	≤23.98	1.00	3.02	≤26.99	PASS
			52Tone	RU40	6	5.31	100.00	0.00	5.31	≤23.98	1.00	6.31	≤26.99	PASS
			106Tone	RU54	9.5	8.45	100.00	0.00	8.45	≤23.98	1.00	9.45	≤26.99	PASS
	total	5700	26Tone	RU8	---	---	---	---	5.12	≤23.98	1.50	6.62	≤26.99	PASS
			52Tone	RU40	---	---	---	---	8.31	≤23.98	1.50	9.81	≤26.99	PASS
			106Tone	RU54	---	---	---	---	11.60	≤23.98	1.50	13.10	≤26.99	PASS



	Ant14	5745	26Tone	RU0	3	1.68	100.00	0.00	1.68	≤30.00	1.00	2.68	---	PASS
			52Tone	RU37	6	4.84	100.00	0.00	4.84	≤30.00	1.00	5.84	---	PASS
			106Tone	RU53	9.5	8.34	100.00	0.00	8.34	≤30.00	1.00	9.34	---	PASS
	Ant15	5745	26Tone	RU0	3	3.02	100.00	0.00	3.02	≤30.00	1.00	4.02	---	PASS
			52Tone	RU37	6	6.29	100.00	0.00	6.29	≤30.00	1.00	7.29	---	PASS
			106Tone	RU53	9.5	8.36	100.00	0.00	8.36	≤30.00	1.00	9.36	---	PASS
	total	5745	26Tone	RU0	---	---	---	---	5.41	≤30.00	1.00	6.41	---	PASS
			52Tone	RU37	---	---	---	---	8.64	≤30.00	1.00	9.64	---	PASS
			106Tone	RU53	---	---	---	---	11.36	≤30.00	1.00	12.36	---	PASS
	Ant14	5825	26Tone	RU8	3.5	2.10	100.00	0.00	2.10	≤30.00	1.00	3.10	---	PASS
			52Tone	RU40	6.5	5.21	100.00	0.00	5.21	≤30.00	1.00	6.21	---	PASS
			106Tone	RU54	10.5	8.98	100.00	0.00	8.98	≤30.00	1.00	9.98	---	PASS
	Ant15	5825	26Tone	RU8	3.5	2.81	100.00	0.00	2.81	≤30.00	1.00	3.81	---	PASS
			52Tone	RU40	6.5	5.90	100.00	0.00	5.90	≤30.00	1.00	6.90	---	PASS
			106Tone	RU54	10.5	8.58	100.00	0.00	8.58	≤30.00	1.00	9.58	---	PASS
	total	5825	26Tone	RU8	---	---	---	---	5.48	≤30.00	1.00	6.48	---	PASS
			52Tone	RU40	---	---	---	---	8.58	≤30.00	1.00	9.58	---	PASS
			106Tone	RU54	---	---	---	---	11.79	≤30.00	1.00	12.79	---	PASS



Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant14	5180	26Tone	RU0	-0.75	≤11.00	PASS
			52Tone	RU37	-0.26	≤11.00	PASS
			106Tone	RU53	-0.20	≤11.00	PASS
	Ant15	5180	26Tone	RU0	1.60	≤11.00	PASS
			52Tone	RU37	2.29	≤11.00	PASS
			106Tone	RU53	0.46	≤11.00	PASS
	total	5180	26Tone	RU0	3.56	≤11.00	PASS
			52Tone	RU37	4.15	≤11.00	PASS
			106Tone	RU53	2.80	≤11.00	PASS
	Ant14	5320	26Tone	RU8	-0.41	≤11.00	PASS
			52Tone	RU40	0.15	≤11.00	PASS
			106Tone	RU54	0.62	≤11.00	PASS
	Ant15	5320	26Tone	RU8	0.57	≤11.00	PASS
			52Tone	RU40	0.78	≤11.00	PASS
			106Tone	RU54	0.11	≤11.00	PASS
	total	5320	26Tone	RU8	3.11	≤11.00	PASS
			52Tone	RU40	3.46	≤11.00	PASS
			106Tone	RU54	3.18	≤11.00	PASS
	Ant14	5500	26Tone	RU0	-0.61	≤11.00	PASS
			52Tone	RU37	0.08	≤11.00	PASS
			106Tone	RU53	-0.49	≤11.00	PASS
	Ant15	5500	26Tone	RU0	0.25	≤11.00	PASS
			52Tone	RU37	0.77	≤11.00	PASS
			106Tone	RU53	-0.14	≤11.00	PASS
	total	5500	26Tone	RU0	2.82	≤11.00	PASS
			52Tone	RU37	3.32	≤11.00	PASS
			106Tone	RU53	2.69	≤11.00	PASS
	Ant14	5700	26Tone	RU8	0.85	≤11.00	PASS
			52Tone	RU40	-0.12	≤11.00	PASS
			106Tone	RU54	0.37	≤11.00	PASS
	Ant15	5700	26Tone	RU8	-0.40	≤11.00	PASS
			52Tone	RU40	-0.58	≤11.00	PASS
			106Tone	RU54	-0.81	≤11.00	PASS



	total	5700	26Tone	RU8	3.28	≤11.00	PASS
			52Tone	RU40	2.67	≤11.00	PASS
			106Tone	RU54	2.59	≤11.00	PASS
	Ant14	5745	26Tone	RU0	-3.52	≤30.00	PASS
			52Tone	RU37	-3.00	≤30.00	PASS
			106Tone	RU53	-2.87	≤30.00	PASS
	Ant15	5745	26Tone	RU0	-2.02	≤30.00	PASS
			52Tone	RU37	-2.08	≤30.00	PASS
			106Tone	RU53	-3.31	≤30.00	PASS
	total	5745	26Tone	RU0	0.30	≤30.00	PASS
			52Tone	RU37	0.49	≤30.00	PASS
			106Tone	RU53	-0.07	≤30.00	PASS
	Ant14	5825	26Tone	RU8	-3.05	≤30.00	PASS
			52Tone	RU40	-2.80	≤30.00	PASS
			106Tone	RU54	-2.70	≤30.00	PASS
	Ant15	5825	26Tone	RU8	-1.77	≤30.00	PASS
			52Tone	RU40	-1.47	≤30.00	PASS
			106Tone	RU54	-2.63	≤30.00	PASS
	total	5825	26Tone	RU8	0.65	≤30.00	PASS
			52Tone	RU40	0.93	≤30.00	PASS
			106Tone	RU54	0.35	≤30.00	PASS
11BE20MIMO	Ant14	5180	26Tone	RU0	-0.67	≤11.00	PASS
			52Tone	RU37	-0.41	≤11.00	PASS
			106Tone	RU53	0.08	≤11.00	PASS
	Ant15	5180	26Tone	RU0	1.37	≤11.00	PASS
			52Tone	RU37	1.85	≤11.00	PASS
			106Tone	RU53	1.37	≤11.00	PASS
	total	5180	26Tone	RU0	3.47	≤11.00	PASS
			52Tone	RU37	3.80	≤11.00	PASS
			106Tone	RU53	3.78	≤11.00	PASS
	Ant14	5320	26Tone	RU8	0.07	≤11.00	PASS
			52Tone	RU40	0.45	≤11.00	PASS
			106Tone	RU54	1.34	≤11.00	PASS
	Ant15	5320	26Tone	RU8	1.54	≤11.00	PASS
			52Tone	RU40	1.69	≤11.00	PASS
			106Tone	RU54	0.02	≤11.00	PASS
	total	5320	26Tone	RU8	3.81	≤11.00	PASS
			52Tone	RU40	4.09	≤11.00	PASS
			106Tone	RU54	3.74	≤11.00	PASS



	Ant14	5500	26Tone	RU0	-0.03	≤11.00	PASS
			52Tone	RU37	-0.95	≤11.00	PASS
			106Tone	RU53	-0.02	≤11.00	PASS
	Ant15	5500	26Tone	RU0	0.97	≤11.00	PASS
			52Tone	RU37	0.96	≤11.00	PASS
			106Tone	RU53	0.56	≤11.00	PASS
	total	5500	26Tone	RU0	3.51	≤11.00	PASS
			52Tone	RU37	3.12	≤11.00	PASS
			106Tone	RU53	2.98	≤11.00	PASS
	Ant14	5700	26Tone	RU8	-0.58	≤11.00	PASS
			52Tone	RU40	-0.35	≤11.00	PASS
			106Tone	RU54	-0.15	≤11.00	PASS
	Ant15	5700	26Tone	RU8	-1.22	≤11.00	PASS
			52Tone	RU40	-0.96	≤11.00	PASS
			106Tone	RU54	-0.73	≤11.00	PASS
	total	5700	26Tone	RU8	2.07	≤11.00	PASS
			52Tone	RU40	2.28	≤11.00	PASS
			106Tone	RU54	2.53	≤11.00	PASS
	Ant14	5745	26Tone	RU0	-4.35	≤30.00	PASS
			52Tone	RU37	-3.35	≤30.00	PASS
			106Tone	RU53	-3.10	≤30.00	PASS
	Ant15	5745	26Tone	RU0	-2.59	≤30.00	PASS
			52Tone	RU37	-2.41	≤30.00	PASS
			106Tone	RU53	-3.18	≤30.00	PASS
	total	5745	26Tone	RU0	-0.37	≤30.00	PASS
			52Tone	RU37	0.16	≤30.00	PASS
			106Tone	RU53	-0.13	≤30.00	PASS
	Ant14	5825	26Tone	RU8	-3.37	≤30.00	PASS
			52Tone	RU40	-3.19	≤30.00	PASS
			106Tone	RU54	-2.56	≤30.00	PASS
	Ant15	5825	26Tone	RU8	-2.40	≤30.00	PASS
			52Tone	RU40	-2.16	≤30.00	PASS
			106Tone	RU54	-2.70	≤30.00	PASS
	total	5825	26Tone	RU8	0.15	≤30.00	PASS
			52Tone	RU40	0.37	≤30.00	PASS
			106Tone	RU54	0.38	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.



Test Graphs

