














































































































































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Chase Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-SZ
Condition: FCC 15E_QP AC LISN 100063_L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.17	34.19	-20.67	54.86	13.80	10.25	10.14	Average
2 *	0.17	48.89	-15.97	64.86	28.50	10.25	10.14	QP
3	0.18	34.39	-19.98	54.37	13.91	10.34	10.14	Average
4	0.18	47.79	-16.58	64.37	27.31	10.34	10.14	QP
5	0.22	29.55	-23.11	52.66	9.10	10.30	10.15	Average
6	0.22	42.55	-20.11	62.66	22.10	10.30	10.15	QP
7	0.25	27.58	-24.11	51.69	7.31	10.12	10.15	Average
8	0.25	40.88	-20.81	61.69	20.61	10.12	10.15	QP
9	0.28	27.53	-23.28	50.81	7.31	10.07	10.15	Average
10	0.28	40.23	-20.58	60.81	20.01	10.07	10.15	QP
11	1.02	27.60	-18.40	46.00	7.20	10.24	10.16	Average
12	1.02	35.70	-20.30	56.00	15.30	10.24	10.16	QP



Test Engineer :	Chase Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
Condition: FCC 15E QP AC LISN 100063 N NEUTRAL

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.17	31.85	-23.36	55.21	11.30	10.41	10.14	Average
2	0.17	43.55	-21.66	65.21	23.00	10.41	10.14	QP
3	0.18	33.85	-20.52	54.37	13.30	10.41	10.14	Average
4	0.18	45.75	-18.62	64.37	25.20	10.41	10.14	QP
5	0.24	29.02	-23.11	52.13	8.70	10.17	10.15	Average
6	0.24	40.02	-22.11	62.13	19.70	10.17	10.15	QP
7	0.30	28.23	-21.96	50.19	7.61	10.47	10.15	Average
8	0.30	39.23	-20.96	60.19	18.61	10.47	10.15	QP
9	0.39	26.83	-21.16	47.99	6.70	9.97	10.16	Average
10	0.39	36.93	-21.06	57.99	16.80	9.97	10.16	QP
11 *	1.02	28.08	-17.92	46.00	7.70	10.22	10.16	Average
12	1.02	36.28	-19.72	56.00	15.90	10.22	10.16	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Wenbo Xiao	Relative Humidity :	50%
		Temperature :	20°C~22°C

Radiated Spurious Emission Test Modes

MIMO Mode:

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 14+15	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 14+15	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 14+15	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 14+15	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 14+15	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 14+15	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 14+15	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 14+15	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 14+15	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 14+15	802.11n HT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	CDD 14+15	802.11n HT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	CDD 14+15	802.11n HT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	CDD 14+15	802.11n HT20	52	5260	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	CDD 14+15	802.11n HT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	CDD 14+15	802.11n HT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	CDD 14+15	802.11n HT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	CDD 14+15	802.11n HT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	CDD 14+15	802.11n HT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	CDD 14+15	802.11n HT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	CDD 14+15	802.11n HT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	CDD 14+15	802.11n HT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	CDD 14+15	802.11n HT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	CDD 14+15	802.11n HT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	CDD 14+15	802.11n HT40	134	5670	MCS0	-	-
Mode 25	U-NII-1	5.15-5.25	CDD 14+15	802.11ac VHT80	42	5210	MCS0	-	-
Mode 26	U-NII-2A	5.25-5.35	CDD 14+15	802.11ac VHT80	58	5290	MCS0	-	-
Mode 27	U-NII-2C	5.47-5.725	CDD 14+15	802.11ac VHT80	106	5530	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	CDD 14+15	802.11ac VHT80	122	5610	MCS0	-	-
Mode 29	U-NII-2A	5.15-5.35	CDD 14+15	802.11ac VHT160	50	5250	MCS0	-	-
Mode 30	U-NII-2C	5.47-5.725	CDD 14+15	802.11ac VHT160	114	5570	MCS0	-	-
Mode 31	U-NII-1	5.15-5.25	CDD 14+15	802.11ax HE20	36	5180	MCS0	Full RU	-
Mode 32	U-NII-1	5.15-5.25	CDD 14+15	802.11ax HE20	44	5220	MCS0	Full RU	-

**FCC TEST REPORT**

Report No.: FR461101F

Mode 33	U-NII-1	5.15-5.25	CDD 14+15	802.11ax HE20	48	5240	MCS0	Full RU	-
Mode 34	U-NII-2A	5.25-5.35	CDD 14+15	802.11ax HE20	52	5260	MCS0	Full RU	-
Mode 35	U-NII-2A	5.25-5.35	CDD 14+15	802.11ax HE20	60	5300	MCS0	Full RU	-
Mode 36	U-NII-2A	5.25-5.35	CDD 14+15	802.11ax HE20	64	5320	MCS0	Full RU	-
Mode 37	U-NII-2C	5.47-5.725	CDD 14+15	802.11ax HE20	100	5500	MCS0	Full RU	-
Mode 38	U-NII-2C	5.47-5.725	CDD 14+15	802.11ax HE20	116	5580	MCS0	Full RU	-
Mode 39	U-NII-2C	5.47-5.725	CDD 14+15	802.11ax HE20	140	5700	MCS0	Full RU	-
Mode 40	U-NII-1	5.15-5.25	CDD 14+15	802.11ax HE40	38	5190	MCS0	Full RU	-
Mode 41	U-NII-1	5.15-5.25	CDD 14+15	802.11ax HE40	46	5230	MCS0	Full RU	-
Mode 42	U-NII-2A	5.25-5.35	CDD 14+15	802.11ax HE40	54	5270	MCS0	Full RU	-
Mode 43	U-NII-2A	5.25-5.35	CDD 14+15	802.11ax HE40	62	5310	MCS0	Full RU	-
Mode 44	U-NII-2C	5.47-5.725	CDD 14+15	802.11ax HE40	102	5510	MCS0	Full RU	-
Mode 45	U-NII-2C	5.47-5.725	CDD 14+15	802.11ax HE40	134	5670	MCS0	Full RU	-
Mode 46	U-NII-1	5.15-5.25	CDD 14+15	802.11ax HE80	42	5210	MCS0	Full RU	-
Mode 47	U-NII-2A	5.25-5.35	CDD 14+15	802.11ax HE80	58	5290	MCS0	Full RU	-
Mode 48	U-NII-2C	5.47-5.725	CDD 14+15	802.11ax HE80	106	5530	MCS0	Full RU	-
Mode 49	U-NII-2C	5.47-5.725	CDD 14+15	802.11ax HE80	122	5610	MCS0	Full RU	-
Mode 50	U-NII-1	5.15-5.35	CDD 14+15	802.11ax HE160	50	5250	MCS0	Full RU	-
Mode 51	U-NII-2C	5.47-5.725	CDD 14+15	802.11ax HE160	114	5570	MCS0	Full RU	-
Mode 52	U-NII-1	5.15-5.25	CDD 14+15	802.11ax HE20	36	5180	MCS0	Partial RU 52/37	-
Mode 53	U-NII-2A	5.25-5.35	CDD 14+15	802.11ax HE20	64	5320	MCS0	Partial RU 52/40	-
Mode 54	U-NII-2C	5.47-5.725	CDD 14+15	802.11ax HE20	100	5500	MCS0	Partial RU 52/37	-
Mode 55	U-NII-2C	5.47-5.725	CDD 14+15	802.11ax HE20	140	5700	MCS0	Partial RU 26/8	-
Mode 56	U-NII-1	5.15-5.25	CDD 14+15	802.11be EHT20	36	5180	MCS0	Full RU	-
Mode 57	U-NII-1	5.15-5.25	CDD 14+15	802.11be EHT20	44	5220	MCS0	Full RU	-
Mode 58	U-NII-1	5.15-5.25	CDD 14+15	802.11be EHT20	48	5240	MCS0	Full RU	-
Mode 59	U-NII-2A	5.25-5.35	CDD 14+15	802.11be EHT20	52	5260	MCS0	Full RU	-
Mode 60	U-NII-2A	5.25-5.35	CDD 14+15	802.11be EHT20	60	5300	MCS0	Full RU	-
Mode 61	U-NII-2A	5.25-5.35	CDD 14+15	802.11be EHT20	64	5320	MCS0	Full RU	-
Mode 62	U-NII-2C	5.47-5.725	CDD 14+15	802.11be EHT20	100	5500	MCS0	Full RU	-
Mode 63	U-NII-2C	5.47-5.725	CDD 14+15	802.11be EHT20	116	5580	MCS0	Full RU	-
Mode 64	U-NII-2C	5.47-5.725	CDD 14+15	802.11be EHT20	140	5700	MCS0	Full RU	-
Mode 65	U-NII-1	5.15-5.25	CDD 14+15	802.11be EHT40	38	5190	MCS0	Full RU	-
Mode 66	U-NII-1	5.15-5.25	CDD 14+15	802.11be EHT40	46	5230	MCS0	Full RU	-
Mode 67	U-NII-2A	5.25-5.35	CDD 14+15	802.11be EHT40	54	5270	MCS0	Full RU	-
Mode 68	U-NII-2A	5.25-5.35	CDD 14+15	802.11be EHT40	62	5310	MCS0	Full RU	-
Mode 69	U-NII-2C	5.47-5.725	CDD 14+15	802.11be EHT40	102	5510	MCS0	Full RU	-
Mode 70	U-NII-2C	5.47-5.725	CDD 14+15	802.11be EHT40	134	5670	MCS0	Full RU	-
Mode 71	U-NII-1	5.15-5.25	CDD 14+15	802.11be EHT80	42	5210	MCS0	Full RU	-

**FCC TEST REPORT**

Report No.: FR461101F

Mode 72	U-NII-2A	5.25-5.35	CDD 14+15	802.11be EHT80	58	5290	MCS0	Full RU	-
Mode 73	U-NII-2C	5.47-5.725	CDD 14+15	802.11be EHT80	106	5530	MCS0	Full RU	-
Mode 74	U-NII-2C	5.47-5.725	CDD 14+15	802.11be EHT80	122	5610	MCS0	Full RU	-
Mode 75	U-NII-1	5.15-5.35	CDD 14+15	802.11be EHT160	50	5250	MCS0	Full RU	-
Mode 76	U-NII-2C	5.47-5.725	CDD 14+15	802.11be EHT160	114	5570	MCS0	Full RU	-
Mode 77	U-NII-1	5.15-5.25	CDD 14+15	802.11be EHT20	36	5180	MCS0	Single RU 52/37	-
Mode 78	U-NII-2A	5.25-5.35	CDD 14+15	802.11be EHT20	64	5320	MCS0	Single RU 52/40	-
Mode 79	U-NII-2C	5.47-5.725	CDD 14+15	802.11be EHT20	100	5500	MCS0	Single RU 52/37	-
Mode 80	U-NII-2C	5.47-5.725	CDD 14+15	802.11be EHT20	140	5700	MCS0	Single RU 106/54	-
Mode 81	U-NII-1	5.15-5.25	CDD 14+15	802.11be EHT20	36	5180	MCS0	Small RU 106+26	-
Mode 82	U-NII-2A	5.25-5.35	CDD 14+15	802.11be EHT20	64	5320	MCS0	Small RU 106+26	-
Mode 83	U-NII-2C	5.47-5.725	CDD 14+15	802.11be EHT20	100	5500	MCS0	Small RU 106+26	-
Mode 84	U-NII-2C	5.47-5.725	CDD 14+15	802.11be EHT20	140	5700	MCS0	Small RU 106+26	-
Mode 85	U-NII-3	5.725-5.85	CDD 14+15	802.11a	149	5745	6Mbps	-	-
Mode 86	U-NII-3	5.725-5.85	CDD 14+15	802.11a	157	5785	6Mbps	-	-
Mode 87	U-NII-3	5.725-5.85	CDD 14+15	802.11a	165	5825	6Mbps	-	-
Mode 88	U-NII-3	5.725-5.85	CDD 14+15	802.11n HT20	149	5745	MCS0	-	-
Mode 89	U-NII-3	5.725-5.85	CDD 14+15	802.11n HT20	157	5785	MCS0	-	-
Mode 90	U-NII-3	5.725-5.85	CDD 14+15	802.11n HT20	165	5825	MCS0	-	-
Mode 91	U-NII-3	5.725-5.85	CDD 14+15	802.11n HT40	151	5755	MCS0	-	-
Mode 92	U-NII-3	5.725-5.85	CDD 14+15	802.11n HT40	159	5795	MCS0	-	-
Mode 93	U-NII-3	5.725-5.85	CDD 14+15	802.11ac VHT80	155	5775	MCS0	-	-
Mode 94	U-NII-3	5.725-5.85	CDD 14+15	802.11ax HE20	149	5745	MCS0	Full RU	-
Mode 95	U-NII-3	5.725-5.85	CDD 14+15	802.11ax HE20	157	5785	MCS0	Full RU	-
Mode 96	U-NII-3	5.725-5.85	CDD 14+15	802.11ax HE20	165	5825	MCS0	Full RU	-
Mode 97	U-NII-3	5.725-5.85	CDD 14+15	802.11ax HE40	151	5755	MCS0	Full RU	-
Mode 98	U-NII-3	5.725-5.85	CDD 14+15	802.11ax HE40	159	5795	MCS0	Full RU	-
Mode 99	U-NII-3	5.725-5.85	CDD 14+15	802.11ax HE80	155	5775	MCS0	Full RU	-
Mode 100	U-NII-3	5.725-5.85	CDD 14+15	802.11ax HE20	149	5745	MCS0	Partial RU 52/37	-
Mode 101	U-NII-3	5.725-5.85	CDD 14+15	802.11ax HE20	165	5825	MCS0	Partial RU 52/40	-
Mode 102	U-NII-3	5.725-5.85	CDD 14+15	802.11be EHT20	149	5745	MCS0	Full RU	-
Mode 103	U-NII-3	5.725-5.85	CDD 14+15	802.11be EHT20	157	5785	MCS0	Full RU	-
Mode 104	U-NII-3	5.725-5.85	CDD 14+15	802.11be EHT20	165	5825	MCS0	Full RU	-
Mode 105	U-NII-3	5.725-5.85	CDD 14+15	802.11be EHT40	151	5755	MCS0	Full RU	-
Mode 106	U-NII-3	5.725-5.85	CDD 14+15	802.11be EHT40	159	5795	MCS0	Full RU	-
Mode 107	U-NII-3	5.725-5.85	CDD 14+15	802.11be EHT80	155	5775	MCS0	Full RU	-
Mode 108	U-NII-3	5.725-5.85	CDD 14+15	802.11be EHT20	149	5745	MCS0	Single RU 52/37	-
Mode 109	U-NII-3	5.725-5.85	CDD 14+15	802.11be EHT20	165	5825	MCS0	Single RU 106/54	-



Mode 110	U-NII-3	5.725-5.85	CDD 14+15	802.11be EHT20	149	5745	MCS0	Small RU 52+26	-
Mode 111	U-NII-3	5.725-5.85	CDD 14+15	802.11be EHT20	165	5825	MCS0	Small RU 52+26	-
Mode 112	U-NII-1	5.15-5.25	CDD 14+15	802.11be EHT80	42	5210	MCS0	Large RU 484+242	-
Mode 113	U-NII-2A	5.25-5.35	CDD 14+15	802.11be EHT80	58	5290	MCS0	Large RU 484+242	-
Mode 114	U-NII-2C	5.47-5.725	CDD 14+15	802.11be EHT80	106	5530	MCS0	Large RU 484+242	-
Mode 115	U-NII-2C	5.47-5.725	CDD 14+15	802.11be EHT80	122	5610	MCS0	Large RU 484+242	-
Mode 116	U-NII-1	5.15-5.35	CDD 14+15	802.11be EHT160	50	5250	MCS0	Large RU 996+484	-
Mode 117	U-NII-2C	5.15-5.35	CDD 14+15	802.11be EHT160	114	5570	MCS0	Large RU 996+484	-
Mode 118	U-NII-3	5.725-5.85	CDD 14+15	802.11be EHT80	155	5775	MCS0	Large RU 484+242	-
Mode 119	U-NII-1	5.15-5.25	CDD 14+15	802.11be EHT80	42	5210	MCS0	Puncturin q 20M 4	-
Mode 120	U-NII-2A	5.25-5.35	CDD 14+15	802.11be EHT80	58	5290	MCS0	Puncturin q 20M 1	-
Mode 121	U-NII-2C	5.47-5.725	CDD 14+15	802.11be EHT80	106	5530	MCS0	Puncturin q 20M 4	-
Mode 122	U-NII-2C	5.47-5.725	CDD 14+15	802.11be EHT80	122	5610	MCS0	Puncturin q 20M 1	-
Mode 123	U-NII-1	5.15-5.35	CDD 14+15	802.11be EHT160	50	5250	MCS0	Puncturin q 40M 2	-
Mode 124	U-NII-2C	5.15-5.35	CDD 14+15	802.11be EHT160	114	5570	MCS0	Puncturin q 40M 4	-
Mode 125	U-NII-3	5.725-5.85	CDD 14+15	802.11be EHT80	155	5775	MCS0	Puncturin q 20M 4	-
Mode 126	U-NII-1	5.15-5.35	CDD 14+15	802.11be EHT160	50	5250	MCS0	Puncturin q 20M 6	-
Mode 127	U-NII-2C	5.15-5.35	CDD 14+15	802.11be EHT160	114	5570	MCS0	Puncturin q 20M 8	-
Mode 128	U-NII-2C	5.47-5.725	CDD 14+15	802.11be EHT160-LF	114	5570	MCS0	LF	-
Mode 129	U-NII-3	5.725-5.85	CDD 14+15	802.11ac VHT80-LF	155	5775	MCS0	LF	-

SISO Mode(Antenna 14):

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 130	U-NII-1	5.15-5.25	SISO 14	802.11a	36	5180	6Mbps	-	-
Mode 131	U-NII-1	5.15-5.25	SISO 14	802.11a	44	5220	6Mbps	-	-
Mode 132	U-NII-1	5.15-5.25	SISO 14	802.11a	48	5240	6Mbps	-	-
Mode 133	U-NII-2A	5.25-5.35	SISO 14	802.11a	52	5280	6Mbps	-	-
Mode 134	U-NII-2A	5.25-5.35	SISO 14	802.11a	60	5300	6Mbps	-	-
Mode 135	U-NII-2A	5.25-5.35	SISO 14	802.11a	64	5320	6Mbps	-	-
Mode 136	U-NII-2C	5.47-5.725	SISO 14	802.11a	100	5500	6Mbps	-	-
Mode 137	U-NII-2C	5.47-5.725	SISO 14	802.11a	116	5580	6Mbps	-	-
Mode 138	U-NII-2C	5.47-5.725	SISO 14	802.11a	140	5700	6Mbps	-	-
Mode 139	U-NII-1	5.15-5.25	SISO 14	802.11n HT20	36	5180	MCS0	-	-
Mode 140	U-NII-1	5.15-5.25	SISO 14	802.11n HT20	44	5220	MCS0	-	-
Mode 141	U-NII-1	5.15-5.25	SISO 14	802.11n HT20	48	5240	MCS0	-	-
Mode 142	U-NII-2A	5.25-5.35	SISO 14	802.11n HT20	52	5280	MCS0	-	-
Mode 143	U-NII-2A	5.25-5.35	SISO 14	802.11n HT20	60	5300	MCS0	-	-
Mode 144	U-NII-2A	5.25-5.35	SISO 14	802.11n HT20	64	5320	MCS0	-	-
Mode 145	U-NII-2C	5.47-5.725	SISO 14	802.11n HT20	100	5500	MCS0	-	-



Mode 146	U-NII-2C	5.47-5.725	SISO 14	802.11n HT20	116	5580	MCS0	-	-
Mode 147	U-NII-2C	5.47-5.725	SISO 14	802.11n HT20	140	5700	MCS0	-	-
Mode 148	U-NII-1	5.15-5.25	SISO 14	802.11n HT40	38	5190	MCS0	-	-
Mode 149	U-NII-1	5.15-5.25	SISO 14	802.11n HT40	46	5230	MCS0	-	-
Mode 150	U-NII-2A	5.25-5.35	SISO 14	802.11n HT40	54	5270	MCS0	-	-
Mode 151	U-NII-2A	5.25-5.35	SISO 14	802.11n HT40	62	5310	MCS0	-	-
Mode 152	U-NII-2C	5.47-5.725	SISO 14	802.11n HT40	102	5510	MCS0	-	-
Mode 153	U-NII-2C	5.47-5.725	SISO 14	802.11n HT40	134	5670	MCS0	-	-
Mode 154	U-NII-1	5.15-5.25	SISO 14	802.11ac VHT80	42	5210	MCS0	-	-
Mode 155	U-NII-2A	5.25-5.35	SISO 14	802.11ac VHT80	58	5290	MCS0	-	-
Mode 156	U-NII-2C	5.47-5.725	SISO 14	802.11ac VHT80	106	5530	MCS0	-	-
Mode 157	U-NII-2C	5.47-5.725	SISO 14	802.11ac VHT80	122	5610	MCS0	-	-
Mode 160	U-NII-1	5.15-5.25	SISO 14	802.11ax HE20	36	5180	MCS0	Full RU	-
Mode 161	U-NII-1	5.15-5.25	SISO 14	802.11ax HE20	44	5220	MCS0	Full RU	-
Mode 162	U-NII-1	5.15-5.25	SISO 14	802.11ax HE20	48	5240	MCS0	Full RU	-
Mode 163	U-NII-2A	5.25-5.35	SISO 14	802.11ax HE20	52	5280	MCS0	Full RU	-
Mode 164	U-NII-2A	5.25-5.35	SISO 14	802.11ax HE20	60	5300	MCS0	Full RU	-
Mode 165	U-NII-2A	5.25-5.35	SISO 14	802.11ax HE20	64	5320	MCS0	Full RU	-
Mode 166	U-NII-2C	5.47-5.725	SISO 14	802.11ax HE20	100	5500	MCS0	Full RU	-
Mode 167	U-NII-2C	5.47-5.725	SISO 14	802.11ax HE20	116	5580	MCS0	Full RU	-
Mode 168	U-NII-2C	5.47-5.725	SISO 14	802.11ax HE20	140	5700	MCS0	Full RU	-
Mode 169	U-NII-1	5.15-5.25	SISO 14	802.11ax HE40	38	5190	MCS0	Full RU	-
Mode 170	U-NII-1	5.15-5.25	SISO 14	802.11ax HE40	46	5230	MCS0	Full RU	-
Mode 171	U-NII-2A	5.25-5.35	SISO 14	802.11ax HE40	54	5270	MCS0	Full RU	-
Mode 172	U-NII-2A	5.25-5.35	SISO 14	802.11ax HE40	62	5310	MCS0	Full RU	-
Mode 173	U-NII-2C	5.47-5.725	SISO 14	802.11ax HE40	102	5510	MCS0	Full RU	-
Mode 174	U-NII-2C	5.47-5.725	SISO 14	802.11ax HE40	134	5670	MCS0	Full RU	-
Mode 175	U-NII-1	5.15-5.25	SISO 14	802.11ax HE80	42	5210	MCS0	Full RU	-
Mode 176	U-NII-2A	5.25-5.35	SISO 14	802.11ax HE80	58	5290	MCS0	Full RU	-
Mode 177	U-NII-2C	5.47-5.725	SISO 14	802.11ax HE80	106	5530	MCS0	Full RU	-
Mode 178	U-NII-2C	5.47-5.725	SISO 14	802.11ax HE80	122	5610	MCS0	Full RU	-
Mode 181	U-NII-3	5.725-5.85	SISO 14	802.11ax HE20	149	5745	MCS0	Full RU	-
Mode 182	U-NII-3	5.725-5.85	SISO 14	802.11ax HE20	157	5785	MCS0	Full RU	-
Mode 183	U-NII-3	5.725-5.85	SISO 14	802.11ax HE20	165	5825	MCS0	Full RU	-
Mode 184	U-NII-3	5.725-5.85	SISO 14	802.11ax HE40	151	5755	MCS0	Full RU	-
Mode 185	U-NII-3	5.725-5.85	SISO 14	802.11ax HE40	159	5795	MCS0	Full RU	-
Mode 186	U-NII-3	5.725-5.85	SISO 14	802.11ax HE80	155	5775	MCS0	Full RU	-
Mode 187	UNII 2C	5.47-5.725	SISO 14	802.11ax HE80-LF	122	5610	MCS0	Full RU	-
Mode 188	U-NII-3	5.725-5.85	SISO 14	802.11ax HE80-LF	155	5775	MCS0	Full RU	-

SISO Mode(Antenna 15)



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 189	U-NII-1	5.15-5.25	SISO 15	802.11a	36	5180	6Mbps	-	-
Mode 190	U-NII-1	5.15-5.25	SISO 15	802.11a	44	5220	6Mbps	-	-
Mode 191	U-NII-1	5.15-5.25	SISO 15	802.11a	48	5240	6Mbps	-	-
Mode 192	U-NII-2A	5.25-5.35	SISO 15	802.11a	52	5260	6Mbps	-	-
Mode 193	U-NII-2A	5.25-5.35	SISO 15	802.11a	60	5300	6Mbps	-	-
Mode 194	U-NII-2A	5.25-5.35	SISO 15	802.11a	64	5320	6Mbps	-	-
Mode 195	U-NII-2C	5.47-5.725	SISO 15	802.11a	100	5500	6Mbps	-	-
Mode 196	U-NII-2C	5.47-5.725	SISO 15	802.11a	116	5580	6Mbps	-	-
Mode 197	U-NII-2C	5.47-5.725	SISO 15	802.11a	140	5700	6Mbps	-	-
Mode 198	U-NII-1	5.15-5.25	SISO 15	802.11n HT20	36	5180	MCS0	-	-
Mode 199	U-NII-1	5.15-5.25	SISO 15	802.11n HT20	44	5220	MCS0	-	-
Mode 200	U-NII-1	5.15-5.25	SISO 15	802.11n HT20	48	5240	MCS0	-	-
Mode 201	U-NII-2A	5.25-5.35	SISO 15	802.11n HT20	52	5260	MCS0	-	-
Mode 202	U-NII-2A	5.25-5.35	SISO 15	802.11n HT20	60	5300	MCS0	-	-
Mode 203	U-NII-2A	5.25-5.35	SISO 15	802.11n HT20	64	5320	MCS0	-	-
Mode 204	U-NII-2C	5.47-5.725	SISO 15	802.11n HT20	100	5500	MCS0	-	-
Mode 205	U-NII-2C	5.47-5.725	SISO 15	802.11n HT20	116	5580	MCS0	-	-
Mode 206	U-NII-2C	5.47-5.725	SISO 15	802.11n HT20	140	5700	MCS0	-	-
Mode 207	U-NII-1	5.15-5.25	SISO 15	802.11n HT40	38	5190	MCS0	-	-
Mode 208	U-NII-1	5.15-5.25	SISO 15	802.11n HT40	46	5230	MCS0	-	-
Mode 209	U-NII-2A	5.25-5.35	SISO 15	802.11n HT40	54	5270	MCS0	-	-
Mode 210	U-NII-2A	5.25-5.35	SISO 15	802.11n HT40	62	5310	MCS0	-	-
Mode 211	U-NII-2C	5.47-5.725	SISO 15	802.11n HT40	102	5510	MCS0	-	-
Mode 212	U-NII-2C	5.47-5.725	SISO 15	802.11n HT40	134	5670	MCS0	-	-
Mode 213	U-NII-1	5.15-5.25	SISO 15	802.11ac VHT80	42	5210	MCS0	-	-
Mode 214	U-NII-2A	5.25-5.35	SISO 15	802.11ac VHT80	58	5290	MCS0	-	-
Mode 215	U-NII-2C	5.47-5.725	SISO 15	802.11ac VHT80	106	5530	MCS0	-	-
Mode 216	U-NII-2C	5.47-5.725	SISO 15	802.11ac VHT80	122	5610	MCS0	-	-
Mode 219	U-NII-1	5.15-5.25	SISO 15	802.11ax HE20	36	5180	MCS0	Full RU	-
Mode 220	U-NII-1	5.15-5.25	SISO 15	802.11ax HE20	44	5220	MCS0	Full RU	-
Mode 221	U-NII-1	5.15-5.25	SISO 15	802.11ax HE20	48	5240	MCS0	Full RU	-
Mode 222	U-NII-2A	5.25-5.35	SISO 15	802.11ax HE20	52	5260	MCS0	Full RU	-
Mode 223	U-NII-2A	5.25-5.35	SISO 15	802.11ax HE20	60	5300	MCS0	Full RU	-
Mode 224	U-NII-2A	5.25-5.35	SISO 15	802.11ax HE20	64	5320	MCS0	Full RU	-
Mode 225	U-NII-2C	5.47-5.725	SISO 15	802.11ax HE20	100	5500	MCS0	Full RU	-
Mode 226	U-NII-2C	5.47-5.725	SISO 15	802.11ax HE20	116	5580	MCS0	Full RU	-
Mode 227	U-NII-2C	5.47-5.725	SISO 15	802.11ax HE20	140	5700	MCS0	Full RU	-
Mode 228	U-NII-1	5.15-5.25	SISO 15	802.11ax HE40	38	5190	MCS0	Full RU	-
Mode 229	U-NII-1	5.15-5.25	SISO 15	802.11ax HE40	46	5230	MCS0	Full RU	-
Mode 230	U-NII-2A	5.25-5.35	SISO 15	802.11ax HE40	54	5270	MCS0	Full RU	-
Mode 231	U-NII-2A	5.25-5.35	SISO 15	802.11ax HE40	62	5310	MCS0	Full RU	-



Mode 232	U-NII-2C	5.47-5.725	SISO 15	802.11ax HE40	102	5510	MCS0	Full RU	-
Mode 233	U-NII-2C	5.47-5.725	SISO 15	802.11ax HE40	134	5670	MCS0	Full RU	-
Mode 234	U-NII-1	5.15-5.25	SISO 15	802.11ax HE80	42	5210	MCS0	Full RU	-
Mode 235	U-NII-2A	5.25-5.35	SISO 15	802.11ax HE80	58	5290	MCS0	Full RU	-
Mode 236	U-NII-2C	5.47-5.725	SISO 15	802.11ax HE80	106	5530	MCS0	Full RU	-
Mode 237	U-NII-2C	5.47-5.725	SISO 15	802.11ax HE80	122	5610	MCS0	Full RU	-
Mode 240	U-NII-3	5.725-5.85	SISO 15	802.11ax HE20	149	5745	MCS0	Full RU	-
Mode 241	U-NII-3	5.725-5.85	SISO 15	802.11ax HE20	157	5785	MCS0	Full RU	-
Mode 242	U-NII-3	5.725-5.85	SISO 15	802.11ax HE20	165	5825	MCS0	Full RU	-
Mode 243	U-NII-3	5.725-5.85	SISO 15	802.11ax HE40	151	5755	MCS0	Full RU	-
Mode 244	U-NII-3	5.725-5.85	SISO 15	802.11ax HE40	159	5795	MCS0	Full RU	-
Mode 245	U-NII-3	5.725-5.85	SISO 15	802.11ax HE80	155	5775	MCS0	Full RU	-
Mode 246	5.25-5.35	UNII 2A	SISO 15	802.11n HT40	CH62	(5310)	MCS0	LF	-
Mode 247	5.725-5.85	UNII 3	SISO 15	802.11ax HE80	CH155	(5775)	MCS0	LF	-

Co-Location Mode

Mode	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 248	CO-TX	CDD 14+15	802.11be EHT160	114	5570	MCS0	Full RU	-
		CDD 13+10	802.11be EHT20	01	2412	MCS0	Full RU	-
		1	Bluetooth-LE	38	2478	2Mbps	-	-
		10	LTE B48 Link	-	-	-	-	-
Mode 249	CO-TX	CDD 14+15	802.11be EHT160	114	5570	MCS0	Full RU	-
		10	802.11n HT20	01	2412	MCS0	-	-
		1	Bluetooth-LE	38	2478	2Mbps	-	-
		10	LTE B48 Link H	-	-	-	-	-
Mode 250	CO-TX	SISO 14	802.11ax HE80	122	5610	MCS0	Full RU	-
		10	802.11n HT20	01	2412	MCS0	-	-
		1	Bluetooth-LE	38	2478	2Mbps	-	-
		10	LTE B48 Link H	-	-	-	-	-



Summary of each worse mode

MIMO Mode:

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	-	-	-	-	-	-	-	Band Edge
1	802.11a	36	10360.00	47.93	68.30	-20.37	V	Peak	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	46.20	68.30	-22.10	V	Peak	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	47.17	68.30	-21.13	H	Peak	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	45.63	68.30	-22.67	V	Peak	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	46.22	74.00	-27.78	V	Peak	Pass	Harmonic
6	802.11a	64	-	-	-	-	-	-	-	Band Edge
6	802.11a	64	10640.00	46.75	74.00	-27.25	V	Peak	Pass	Harmonic
7	802.11a	100	-	-	-	-	-	-	-	Band Edge
7	802.11a	100	16500.00	46.31	68.30	-21.99	H	Peak	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	47.72	68.30	-20.58	H	Peak	Pass	Harmonic
9	802.11a	140	-	-	-	-	-	-	-	Band Edge
9	802.11a	140	17100.00	47.63	68.30	-20.67	V	Peak	Pass	Harmonic
10	802.11n HT20	36	5147.42	44.38	54.00	-9.62	V	AVERAGE	Pass	Band Edge
10	802.11n HT20	36	10360.00	45.27	68.30	-23.03	V	Peak	Pass	Harmonic
11	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11n HT20	44	10440.00	44.84	68.30	-23.46	V	Peak	Pass	Harmonic
12	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11n HT20	48	10480.00	45.54	68.30	-22.76	V	Peak	Pass	Harmonic
13	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11n HT20	52	10520.00	45.70	68.30	-22.60	V	Peak	Pass	Harmonic
14	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11n HT20	60	15900.00	45.71	74.00	-28.29	H	Peak	Pass	Harmonic
15	802.11n HT20	64	5350.24	46.57	54.00	-7.43	V	AVERAGE	Pass	Band Edge
15	802.11n HT20	64	15960.00	46.14	74.00	-27.86	H	Peak	Pass	Harmonic
16	802.11n HT20	100	5459.80	43.83	54.00	-10.17	V	AVERAGE	Pass	Band Edge
16	802.11n HT20	100	16500.00	47.75	68.30	-20.55	V	Peak	Pass	Harmonic
17	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11n HT20	116	16740.00	48.56	68.30	-19.74	V	Peak	Pass	Harmonic
18	802.11n HT20	140	5729.97	58.54	68.30	-9.76	H	PEAK	Pass	Band Edge
18	802.11n HT20	140	17100.00	48.99	68.30	-19.31	V	Peak	Pass	Harmonic
19	802.11n HT40	38	5147.82	47.68	54.00	-6.32	V	AVERAGE	Pass	Band Edge
19	802.11n HT40	38	-	-	-	-	-	-	-	Harmonic
20	802.11n HT40	46	5149.73	43.94	54.00	-10.06	V	AVERAGE	Pass	Band Edge
20	802.11n HT40	46	-	-	-	-	-	-	-	Harmonic
21	802.11n HT40	54	5000.81	44.71	54.00	-9.29	H	AVERAGE	Pass	Band Edge
21	802.11n HT40	54	-	-	-	-	-	-	-	Harmonic



22	802.11n HT40	62	5335.15	47.35	54.00	-6.65	V	AVERAGE	Pass	Band Edge
22	802.11n HT40	62	-	-	-	-	-	-	-	Harmonic
23	802.11n HT40	102	5459.28	46.06	54.00	-7.94	V	AVERAGE	Pass	Band Edge
23	802.11n HT40	102	-	-	-	-	-	-	-	Harmonic
24	802.11n HT40	134	5456.88	42.52	54.00	-11.48	V	AVERAGE	Pass	Band Edge
24	802.11n HT40	134	-	-	-	-	-	-	-	Harmonic
25	802.11ac VHT80	42	5149.94	47.86	54.00	-6.14	V	AVERAGE	Pass	Band Edge
25	802.11ac VHT80	42	-	-	-	-	-	-	-	Harmonic
26	802.11ac VHT80	58	5357.49	48.41	54.00	-5.59	H	AVERAGE	Pass	Band Edge
26	802.11ac VHT80	58	-	-	-	-	-	-	-	Harmonic
27	802.11ac VHT80	106	5459.44	48.89	54.00	-5.11	H	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	106	-	-	-	-	-	-	-	Harmonic
28	802.11ac VHT80	122	5730.28	61.35	68.30	-6.95	H	PEAK	Pass	Band Edge
28	802.11ac VHT80	122	-	-	-	-	-	-	-	Harmonic
29	802.11ac VHT160	50	5436.69	45.04	54.00	-8.96	H	AVERAGE	Pass	Band Edge
29	802.11ac VHT160	50	-	-	-	-	-	-	-	Harmonic
30	802.11ac VHT160	114	5726.39	62.67	68.30	-5.63	H	PEAK	Pass	Band Edge
30	802.11ac VHT160	114	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE20	36	5149.22	46.64	54.00	-7.36	V	AVERAGE	Pass	Band Edge
31	802.11ax HE20	36	10360.00	47.24	68.30	-21.06	V	Peak	Pass	Harmonic
32	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE20	44	10440.00	47.39	68.30	-20.91	V	Peak	Pass	Harmonic
33	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE20	48	10480.00	46.89	68.30	-21.41	V	Peak	Pass	Harmonic
34	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE20	52	10520.00	46.72	68.30	-21.58	H	Peak	Pass	Harmonic
35	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	60	10600.00	46.78	74.00	-27.22	H	Peak	Pass	Harmonic
36	802.11ax HE20	64	5359.48	47.62	54.00	-6.38	V	AVERAGE	Pass	Band Edge
36	802.11ax HE20	64	15960.00	47.42	74.00	-26.58	V	Peak	Pass	Harmonic
37	802.11ax HE20	100	5459.95	48.87	54.00	-5.13	V	AVERAGE	Pass	Band Edge
37	802.11ax HE20	100	16500.00	45.94	68.30	-22.36	V	Peak	Pass	Harmonic
38	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	116	16740.00	47.77	68.30	-20.53	H	Peak	Pass	Harmonic
39	802.11ax HE20	140	5726.33	62.39	68.30	-5.91	V	PEAK	Pass	Band Edge
39	802.11ax HE20	140	17100.00	47.97	68.30	-20.33	H	Peak	Pass	Harmonic
40	802.11ax HE40	38	5147.44	48.60	54.00	-5.40	V	AVERAGE	Pass	Band Edge
40	802.11ax HE40	38	-	-	-	-	-	-	-	Harmonic
41	802.11ax HE40	46	5362.25	45.81	54.00	-8.19	V	AVERAGE	Pass	Band Edge
41	802.11ax HE40	46	-	-	-	-	-	-	-	Harmonic
42	802.11ax HE40	54	5368.23	45.68	54.00	-8.32	V	AVERAGE	Pass	Band Edge
42	802.11ax HE40	54	-	-	-	-	-	-	-	Harmonic
43	802.11ax HE40	62	5356.65	47.07	54.00	-6.93	H	AVERAGE	Pass	Band Edge
43	802.11ax HE40	62	-	-	-	-	-	-	-	Harmonic
44	802.11ax HE40	102	5458.96	48.15	54.00	-5.85	V	AVERAGE	Pass	Band Edge
44	802.11ax HE40	102	-	-	-	-	-	-	-	Harmonic



45	802.11ax HE40	134	5725.39	58.31	68.30	-9.99	H	PEAK	Pass	Band Edge
45	802.11ax HE40	134	-	-	-	-	-	-	-	Harmonic
46	802.11ax HE80	42	5149.31	45.83	54.00	-8.17	V	AVERAGE	Pass	Band Edge
46	802.11ax HE80	42	-	-	-	-	-	-	-	Harmonic
47	802.11ax HE80	58	5355.96	47.33	54.00	-6.67	H	AVERAGE	Pass	Band Edge
47	802.11ax HE80	58	-	-	-	-	-	-	-	Harmonic
48	802.11ax HE80	106	5459.26	47.85	54.00	-6.15	H	AVERAGE	Pass	Band Edge
48	802.11ax HE80	106	-	-	-	-	-	-	-	Harmonic
49	802.11ax HE80	122	5456.34	44.65	54.00	-9.35	V	AVERAGE	Pass	Band Edge
49	802.11ax HE80	122	-	-	-	-	-	-	-	Harmonic
50	802.11ax HE160	50	5407.29	48.83	54.00	-5.17	V	AVERAGE	Pass	Band Edge
50	802.11ax HE160	50	10500.00	46.93	68.30	-21.37	H	Peak	Pass	Harmonic
51	802.11ax HE160	114	5740.63	61.26	68.30	-7.04	H	PEAK	Pass	Band Edge
51	802.11ax HE160	114	16710.00	47.77	68.30	-20.53	H	Peak	Pass	Harmonic
52	802.11ax HE20	36	5031.86	42.72	54.00	-11.28	H	AVERAGE	Pass	Band Edge
52	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
53	802.11ax HE20	64	5454.68	42.21	54.00	-11.79	H	AVERAGE	Pass	Band Edge
53	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	100	5449.60	42.44	54.00	-11.56	H	AVERAGE	Pass	Band Edge
54	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	140	5736.01	52.17	68.30	-16.13	V	PEAK	Pass	Band Edge
55	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT20	36	5145.26	44.82	54.00	-9.18	V	AVERAGE	Pass	Band Edge
56	802.11be EHT20	36	10360.00	44.41	68.30	-23.89	V	Peak	Pass	Harmonic
57	802.11be EHT20	44	-	-	-	-	-	-	-	Band Edge
57	802.11be EHT20	44	10440.00	43.52	68.30	-24.78	V	Peak	Pass	Harmonic
58	802.11be EHT20	48	-	-	-	-	-	-	-	Band Edge
58	802.11be EHT20	48	10480.00	43.98	68.30	-24.32	H	Peak	Pass	Harmonic
59	802.11be EHT20	52	-	-	-	-	-	-	-	Band Edge
59	802.11be EHT20	52	10520.00	43.76	68.30	-24.54	V	Peak	Pass	Harmonic
60	802.11be EHT20	60	-	-	-	-	-	-	-	Band Edge
60	802.11be EHT20	60	15900.00	49.39	74.00	-24.61	V	Peak	Pass	Harmonic
61	802.11be EHT20	64	5350.66	47.92	54.00	-6.08	V	AVERAGE	Pass	Band Edge
61	802.11be EHT20	64	15960.00	48.98	74.00	-25.02	H	Peak	Pass	Harmonic
62	802.11be EHT20	100	5459.95	45.92	54.00	-8.08	V	AVERAGE	Pass	Band Edge
62	802.11be EHT20	100	16500.00	49.30	68.30	-19.00	H	Peak	Pass	Harmonic
63	802.11be EHT20	116	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT20	116	16590.00	49.59	68.30	-18.71	H	Peak	Pass	Harmonic
64	802.11be EHT20	140	5730.62	59.78	68.30	-8.52	H	PEAK	Pass	Band Edge
64	802.11be EHT20	140	17100.00	49.54	68.30	-18.76	H	Peak	Pass	Harmonic
65	802.11be EHT40	38	5148.96	48.08	54.00	-5.92	V	AVERAGE	Pass	Band Edge
65	802.11be EHT40	38	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT40	46	5149.27	43.10	54.00	-10.90	H	AVERAGE	Pass	Band Edge
66	802.11be EHT40	46	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT40	54	5365.00	46.30	54.00	-7.70	V	AVERAGE	Pass	Band Edge
67	802.11be EHT40	54	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT40	62	5353.35	48.19	54.00	-5.81	V	AVERAGE	Pass	Band Edge



68	802.11be EHT40	62	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT40	102	5459.92	48.33	54.00	-5.67	V	AVERAGE	Pass	Band Edge
69	802.11be EHT40	102	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT40	134	5726.62	58.91	68.30	-9.39	H	PEAK	Pass	Band Edge
70	802.11be EHT40	134	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT80	42	5363.50	48.55	54.00	-5.45	V	AVERAGE	Pass	Band Edge
71	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT80	58	5357.83	48.70	54.00	-5.30	V	AVERAGE	Pass	Band Edge
72	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT80	106	5376.46	47.75	54.00	-6.25	V	AVERAGE	Pass	Band Edge
73	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT80	122	5456.34	48.81	54.00	-5.19	V	AVERAGE	Pass	Band Edge
74	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
75	802.11 be EHT 160	50	5406.03	48.21	54.00	-5.79	V	AVERAGE	Pass	Band Edge
75	802.11 be EHT 160	50	-	-	-	-	-	-	-	Harmonic
76	802.11 be EHT 160	114	5725.03	63.24	68.30	-5.06	H	PEAK	Pass	Band Edge
76	802.11 be EHT 160	114	16710.00	49.66	68.30	-18.64	H	Peak	Pass	Harmonic
77	802.11be EHT20	36	5060.12	42.90	54.00	-11.10	V	AVERAGE	Pass	Band Edge
77	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT20	64	5353.74	45.50	54.00	-8.50	H	AVERAGE	Pass	Band Edge
78	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT20	100	5447.20	45.52	54.00	-8.48	H	AVERAGE	Pass	Band Edge
79	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT20	140	5731.40	55.59	68.30	-12.71	H	PEAK	Pass	Band Edge
80	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT20	36	5062.46	42.80	54.00	-11.20	H	AVERAGE	Pass	Band Edge
81	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT20	64	5410.16	44.57	54.00	-9.43	H	AVERAGE	Pass	Band Edge
82	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT20	100	5454.10	45.15	54.00	-8.85	H	AVERAGE	Pass	Band Edge
83	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT20	140	5737.64	54.22	68.30	-14.08	V	PEAK	Pass	Band Edge
84	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
85	802.11a	149	-	-	-	-	-	-	-	Band Edge
85	802.11a	149	17235.00	48.75	68.30	-19.55	H	Peak	Pass	Harmonic
86	802.11a	157	-	-	-	-	-	-	-	Band Edge
86	802.11a	157	17355.00	48.36	68.30	-19.94	V	Peak	Pass	Harmonic
87	802.11a	165	-	-	-	-	-	-	-	Band Edge
87	802.11a	165	17475.00	50.18	68.30	-18.12	H	Peak	Pass	Harmonic
88	802.11n HT20	149	5603.19	55.01	68.30	-13.29	H	PEAK	Pass	Band Edge
88	802.11n HT20	149	17235.00	49.68	68.30	-18.62	H	Peak	Pass	Harmonic
89	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
89	802.11n HT20	157	17355.00	48.31	68.30	-19.99	H	Peak	Pass	Harmonic
90	802.11n HT20	165	5931.38	56.07	68.30	-12.23	H	PEAK	Pass	Band Edge
90	802.11n HT20	165	17475.00	50.58	68.30	-17.72	V	Peak	Pass	Harmonic
91	802.11n HT40	151	5640.15	55.63	68.30	-12.67	H	PEAK	Pass	Band Edge



91	802.11n HT40	151	-	-	-	-	-	-	-	Harmonic
92	802.11n HT40	159	5928.77	56.10	68.30	-12.20	H	PEAK	Pass	Band Edge
92	802.11n HT40	159	-	-	-	-	-	-	-	Harmonic
93	802.11ac VHT80	155	5631.68	58.79	68.30	-9.51	H	PEAK	Pass	Band Edge
93	802.11ac VHT80	155	17325.00	48.73	68.30	-19.57	V	Peak	Pass	Harmonic
94	802.11ax HE20	149	5642.78	55.06	68.30	-13.24	H	PEAK	Pass	Band Edge
94	802.11ax HE20	149	17235.00	49.40	68.30	-18.90	H	Peak	Pass	Harmonic
95	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
95	802.11ax HE20	157	17355.00	49.81	68.30	-18.49	V	Peak	Pass	Harmonic
96	802.11ax HE20	165	5938.75	53.35	68.30	-14.95	H	PEAK	Pass	Band Edge
96	802.11ax HE20	165	17475.00	50.79	68.30	-17.51	V	Peak	Pass	Harmonic
97	802.11ax HE40	151	5639.06	53.59	68.30	-14.71	V	PEAK	Pass	Band Edge
97	802.11ax HE40	151	-	-	-	-	-	-	-	Harmonic
98	802.11ax HE40	159	5933.26	53.56	68.30	-14.74	H	PEAK	Pass	Band Edge
98	802.11ax HE40	159	-	-	-	-	-	-	-	Harmonic
99	802.11ax HE80	155	5931.10	55.32	68.30	-12.98	H	PEAK	Pass	Band Edge
99	802.11ax HE80	155	-	-	-	-	-	-	-	Harmonic
100	802.11ax HE20	149	5606.82	51.88	68.30	-16.42	H	PEAK	Pass	Band Edge
100	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
101	802.11ax HE20	165	5926.38	53.09	68.30	-15.21	V	PEAK	Pass	Band Edge
101	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
102	802.11be EHT20	149	5613.34	53.18	68.30	-15.12	H	PEAK	Pass	Band Edge
102	802.11be EHT20	149	17235.00	50.01	68.30	-18.29	H	Peak	Pass	Harmonic
103	802.11be EHT20	157	-	-	-	-	-	-	-	Band Edge
103	802.11be EHT20	157	17355.00	50.20	68.30	-18.10	H	Peak	Pass	Harmonic
104	802.11be EHT20	165	5928.88	54.05	68.30	-14.25	H	PEAK	Pass	Band Edge
104	802.11be EHT20	165	17475.00	50.17	68.30	-18.13	H	Peak	Pass	Harmonic
105	802.11be EHT40	151	5642.47	53.68	68.30	-14.62	V	PEAK	Pass	Band Edge
105	802.11be EHT40	151	-	-	-	-	-	-	-	Harmonic
106	802.11be EHT40	159	5630.81	54.01	68.30	-14.29	V	PEAK	Pass	Band Edge
106	802.11be EHT40	159	-	-	-	-	-	-	-	Harmonic
107	802.11be EHT80	155	5627.48	54.98	68.30	-13.32	H	PEAK	Pass	Band Edge
107	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
108	802.11be EHT20	149	5649.59	51.81	68.30	-16.49	H	PEAK	Pass	Band Edge
108	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
109	802.11be EHT20	165	5926.38	53.17	68.30	-15.13	V	PEAK	Pass	Band Edge
109	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
110	802.11be EHT20	149	5637.99	53.89	68.30	-14.41	H	PEAK	Pass	Band Edge
110	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
111	802.11be EHT20	165	5931.13	54.53	68.30	-13.77	H	PEAK	Pass	Band Edge
111	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
112	802.11be EHT80	42	5148.05	46.68	54.00	-7.32	H	AVERAGE	Pass	Band Edge
112	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
113	802.11be EHT80	58	5353.75	47.12	54.00	-6.88	H	AVERAGE	Pass	Band Edge
113	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
114	802.11be EHT80	106	5376.46	46.42	54.00	-7.58	H	AVERAGE	Pass	Band Edge
114	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic



115	802.11be EHT80	122	5456.34	47.35	54.00	-6.65	H	AVERAGE	Pass	Band Edge
115	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
116	802.11be EHT160	50	5402.46	48.65	54.00	-5.35	H	AVERAGE	Pass	Band Edge
116	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
117	802.11be EHT160	114	5418.20	48.46	54.00	-5.54	H	AVERAGE	Pass	Band Edge
117	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
118	802.11be EHT80	155	5649.70	63.18	68.30	-5.12	H	PEAK	Pass	Band Edge
118	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
119	802.11be EHT80	42	5146.79	45.86	54.00	-8.14	H	AVERAGE	Pass	Band Edge
119	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
120	802.11be EHT80	58	5357.15	48.92	54.00	-5.08	H	AVERAGE	Pass	Band Edge
120	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
121	802.11be EHT80	106	5466.64	60.93	68.30	-7.37	H	PEAK	Pass	Band Edge
121	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
122	802.11be EHT80	122	5727.96	61.33	68.30	-6.97	H	PEAK	Pass	Band Edge
122	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
123	802.11be EHT160	50	5116.00	48.87	54.00	-5.13	H	AVERAGE	Pass	Band Edge
123	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
124	802.11be EHT160	114	5756.42	62.42	68.30	-5.88	V	PEAK	Pass	Band Edge
124	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
125	802.11be EHT80	155	5656.35	61.06	73.00	-11.94	V	PEAK	Pass	Band Edge
125	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
126	802.11be EHT160	50	5406.03	48.78	54.00	-5.22	V	AVERAGE	Pass	Band Edge
126	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
127	802.11be EHT160	114	5416.44	47.42	54.00	-6.58	V	AVERAGE	Pass	Band Edge
127	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
128	802.11ax HE160-LF	114	942.77	32.70	46.00	-13.30	V	PEAK	PASS	LF
129	802.11ac VHT80-LF	155	953.44	32.94	46.00	-13.06	H	PEAK	PASS	LF

SISO Mode(Antenna 14)

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
130	802.11a	36	5149.58	47.21	54.00	-6.79	V	AVERAGE	Pass	Band Edge
130	802.11a	36	10360.00	47.16	68.30	-21.14	H	Peak	Pass	Harmonic
131	802.11a	44	-	-	-	-	-	-	-	Band Edge
131	802.11a	44	10440.00	47.78	68.30	-20.52	V	Peak	Pass	Harmonic
132	802.11a	48	-	-	-	-	-	-	-	Band Edge
132	802.11a	48	10480.00	47.48	68.30	-20.82	H	Peak	Pass	Harmonic
133	802.11a	52	-	-	-	-	-	-	-	Band Edge
133	802.11a	52	10520.00	47.86	68.30	-20.44	H	Peak	Pass	Harmonic
134	802.11a	60	-	-	-	-	-	-	-	Band Edge
134	802.11a	60	15900.00	48.58	74.00	-25.42	H	Peak	Pass	Harmonic
135	802.11a	64	5351.50	48.53	54.00	-5.47	V	AVERAGE	Pass	Band Edge
135	802.11a	64	15960.00	49.31	74.00	-24.69	H	Peak	Pass	Harmonic

**FCC TEST REPORT**

Report No.: FR461101F

136	802.11a	100	5459.80	48.63	54.00	-5.37	V	AVERAGE	Pass	Band Edge
136	802.11a	100	16500.00	47.98	68.30	-20.32	V	Peak	Pass	Harmonic
137	802.11a	116	-	-	-	-	-	-	-	Band Edge
137	802.11a	116	16740.00	50.54	68.30	-17.76	H	Peak	Pass	Harmonic
138	802.11a	140	-	-	-	-	-	-	-	Band Edge
138	802.11a	140	17100.00	49.07	68.30	-19.23	V	Peak	Pass	Harmonic
139	802.11n HT20	36	5146.52	47.36	54.00	-6.64	V	AVERAGE	Pass	Band Edge
139	802.11n HT20	36	10360.00	47.55	68.30	-20.75	H	Peak	Pass	Harmonic
140	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
140	802.11n HT20	44	10440.00	48.81	68.30	-19.49	H	Peak	Pass	Harmonic
141	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
141	802.11n HT20	48	10480.00	47.50	68.30	-20.80	H	Peak	Pass	Harmonic
142	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
142	802.11n HT20	52	10520.00	48.02	68.30	-20.28	V	Peak	Pass	Harmonic
143	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
143	802.11n HT20	60	15900.00	49.29	74.00	-24.71	H	Peak	Pass	Harmonic
144	802.11n HT20	64	5351.08	47.90	54.00	-6.10	V	AVERAGE	Pass	Band Edge
144	802.11n HT20	64	15960.00	48.65	74.00	-25.35	V	Peak	Pass	Harmonic
145	802.11n HT20	100	5459.80	47.72	54.00	-6.28	V	AVERAGE	Pass	Band Edge
145	802.11n HT20	100	16500.00	49.73	68.30	-18.57	V	Peak	Pass	Harmonic
146	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
146	802.11n HT20	116	16740.00	49.37	68.30	-18.93	H	Peak	Pass	Harmonic
147	802.11n HT20	140	5725.16	60.17	68.30	-8.13	V	PEAK	Pass	Band Edge
147	802.11n HT20	140	17100.00	49.53	68.30	-18.77	V	Peak	Pass	Harmonic
148	802.11n HT40	38	5149.53	47.43	54.00	-6.57	V	AVERAGE	Pass	Band Edge
148	802.11n HT40	38	-	-	-	-	-	-	-	Harmonic
149	802.11n HT40	46	5149.04	47.19	54.00	-6.81	V	AVERAGE	Pass	Band Edge
149	802.11n HT40	46	-	-	-	-	-	-	-	Harmonic
150	802.11n HT40	54	5350.18	46.52	54.00	-7.48	V	AVERAGE	Pass	Band Edge
150	802.11n HT40	54	-	-	-	-	-	-	-	Harmonic
151	802.11n HT40	62	5355.15	47.91	54.00	-6.09	V	AVERAGE	Pass	Band Edge
151	802.11n HT40	62	-	-	-	-	-	-	-	Harmonic
152	802.11n HT40	102	5458.64	47.86	54.00	-6.14	V	AVERAGE	Pass	Band Edge
152	802.11n HT40	102	-	-	-	-	-	-	-	Harmonic
153	802.11n HT40	134	5729.47	59.98	68.30	-8.32	H	PEAK	Pass	Band Edge
153	802.11n HT40	134	-	-	-	-	-	-	-	Harmonic
154	802.11ac VHT80	42	5149.94	47.27	54.00	-6.73	V	AVERAGE	Pass	Band Edge
154	802.11ac VHT80	42	-	-	-	-	-	-	-	Harmonic
155	802.11ac VHT80	58	5356.47	47.46	54.00	-6.54	V	AVERAGE	Pass	Band Edge
155	802.11ac VHT80	58	-	-	-	-	-	-	-	Harmonic
156	802.11ac VHT80	106	5458.00	48.19	54.00	-5.81	V	AVERAGE	Pass	Band Edge
156	802.11ac VHT80	106	-	-	-	-	-	-	-	Harmonic

**FCC TEST REPORT**

Report No.: FR461101F

157	802.11ac VHT80	122	5456.08	44.19	54.00	-9.81	V	AVERAGE	Pass	Band Edge
157	802.11ac VHT80	122	-	-	-	-	-	-	-	Harmonic
160	802.11ax HE20	36	5147.24	48.00	54.00	-6.00	V	AVERAGE	Pass	Band Edge
160	802.11ax HE20	36	10360.00	48.52	68.30	-19.78	V	Peak	Pass	Harmonic
161	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
161	802.11ax HE20	44	10440.00	48.65	68.30	-19.65	V	Peak	Pass	Harmonic
162	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
162	802.11ax HE20	48	10480.00	47.70	68.30	-20.60	V	Peak	Pass	Harmonic
163	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
163	802.11ax HE20	52	10520.00	47.42	68.30	-20.88	V	Peak	Pass	Harmonic
164	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
164	802.11ax HE20	60	15900.00	48.80	74.00	-25.20	V	Peak	Pass	Harmonic
165	802.11ax HE20	64	5352.20	48.22	54.00	-5.78	V	AVERAGE	Pass	Band Edge
165	802.11ax HE20	64	15960.00	47.61	74.00	-26.39	H	Peak	Pass	Harmonic
166	802.11ax HE20	100	5459.20	47.02	54.00	-6.98	V	AVERAGE	Pass	Band Edge
166	802.11ax HE20	100	16500.00	47.47	68.30	-20.83	V	Peak	Pass	Harmonic
167	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
167	802.11ax HE20	116	16740.00	49.32	68.30	-18.98	H	Peak	Pass	Harmonic
168	802.11ax HE20	140	5726.52	61.94	68.30	-6.36	V	PEAK	Pass	Band Edge
168	802.11ax HE20	140	17100.00	49.71	68.30	-18.59	H	Peak	Pass	Harmonic
169	802.11ax HE40	38	5149.15	47.92	54.00	-6.08	V	AVERAGE	Pass	Band Edge
169	802.11ax HE40	38	-	-	-	-	-	-	-	Harmonic
170	802.11ax HE40	46	5149.50	48.55	54.00	-5.45	V	AVERAGE	Pass	Band Edge
170	802.11ax HE40	46	-	-	-	-	-	-	-	Harmonic
171	802.11ax HE40	54	5350.56	47.76	54.00	-6.24	V	AVERAGE	Pass	Band Edge
171	802.11ax HE40	54	-	-	-	-	-	-	-	Harmonic
172	802.11ax HE40	62	5350.80	48.27	54.00	-5.73	V	AVERAGE	Pass	Band Edge
172	802.11ax HE40	62	-	-	-	-	-	-	-	Harmonic
173	802.11ax HE40	102	5459.44	48.76	54.00	-5.24	V	AVERAGE	Pass	Band Edge
173	802.11ax HE40	102	-	-	-	-	-	-	-	Harmonic
174	802.11ax HE40	134	5725.29	59.89	68.30	-8.41	V	PEAK	Pass	Band Edge
174	802.11ax HE40	134	-	-	-	-	-	-	-	Harmonic
175	802.11ax HE80	42	5149.52	46.22	54.00	-7.78	V	AVERAGE	Pass	Band Edge
175	802.11ax HE80	42	-	-	-	-	-	-	-	Harmonic
176	802.11ax HE80	58	5358.85	47.56	54.00	-6.44	V	AVERAGE	Pass	Band Edge
176	802.11ax HE80	58	-	-	-	-	-	-	-	Harmonic
177	802.11ax HE80	106	5459.98	47.72	54.00	-6.28	V	AVERAGE	Pass	Band Edge
177	802.11ax HE80	106	-	-	-	-	-	-	-	Harmonic
178	802.11ax HE80	122	5456.34	48.91	54.00	-5.09	V	AVERAGE	Pass	Band Edge
178	802.11ax HE80	122	16830.00	49.15	68.30	-19.15	H	Peak	Pass	Harmonic
179	802.11ax HE160	50	-	-	-	-	-	-	-	Band Edge



181	802.11ax HE20	149	5622.91	54.50	68.30	-13.80	V	PEAK	Pass	Band Edge
181	802.11ax HE20	149	17235.00	48.51	68.30	-19.79	H	Peak	Pass	Harmonic
182	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
182	802.11ax HE20	157	17355.00	50.01	68.30	-18.29	H	Peak	Pass	Harmonic
183	802.11ax HE20	165	5924.38	54.21	68.76	-14.55	V	PEAK	Pass	Band Edge
183	802.11ax HE20	165	17475.00	50.81	68.30	-17.49	V	Peak	Pass	Harmonic
184	802.11ax HE40	151	5649.91	60.06	68.30	-8.24	V	PEAK	Pass	Band Edge
184	802.11ax HE40	151	-	-	-	-	-	-	-	Harmonic
185	802.11ax HE40	159	5645.83	54.02	68.30	-14.28	V	PEAK	Pass	Band Edge
185	802.11ax HE40	159	-	-	-	-	-	-	-	Harmonic
186	802.11ax HE80	155	5653.73	65.60	71.06	-5.46	V	PEAK	Pass	Band Edge
186	802.11ax HE80	155	-	-	-	-	-	-	-	Harmonic
187	802.11ax HE80 LF	122	946.65	33.14	46.00	-12.86	H	PEAK	Pass	LF
188	802.11ax HE80 LF	155	936.95	32.75	46.00	-13.25	H	PEAK	Pass	LF

SISO Mode(Antenna 15)

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
189	802.11a	36	-	-	-	-	-	-	-	Band Edge
189	802.11a	36	10360.00	47.28	68.30	-21.02	H	Peak	Pass	Harmonic
190	802.11a	44	-	-	-	-	-	-	-	Band Edge
190	802.11a	44	10440.00	47.62	68.30	-20.68	V	Peak	Pass	Harmonic
191	802.11a	48	-	-	-	-	-	-	-	Band Edge
191	802.11a	48	10480.00	47.55	68.30	-20.75	V	Peak	Pass	Harmonic
192	802.11a	52	-	-	-	-	-	-	-	Band Edge
192	802.11a	52	10520.00	47.45	68.30	-20.85	V	Peak	Pass	Harmonic
193	802.11a	60	-	-	-	-	-	-	-	Band Edge
193	802.11a	60	15900.00	48.98	74.00	-25.02	V	Peak	Pass	Harmonic
194	802.11a	64	-	-	-	-	-	-	-	Band Edge
194	802.11a	64	15960.00	48.59	74.00	-25.41	V	Peak	Pass	Harmonic
195	802.11a	100	-	-	-	-	-	-	-	Band Edge
195	802.11a	100	16500.00	48.14	68.30	-20.16	V	Peak	Pass	Harmonic
196	802.11a	116	-	-	-	-	-	-	-	Band Edge
196	802.11a	116	16740.00	47.81	68.30	-20.49	V	Peak	Pass	Harmonic
197	802.11a	140	-	-	-	-	-	-	-	Band Edge
197	802.11a	140	17100.00	49.10	68.30	-19.20	V	Peak	Pass	Harmonic
198	802.11n HT20	36	5149.94	46.69	54.00	-7.31	H	AVERAGE	Pass	Band Edge
198	802.11n HT20	36	10360.00	47.20	68.30	-21.10	V	Peak	Pass	Harmonic
199	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
199	802.11n HT20	44	10440.00	46.26	68.30	-22.04	V	Peak	Pass	Harmonic
200	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
200	802.11n HT20	48	10480.00	47.24	68.30	-21.06	V	Peak	Pass	Harmonic
201	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
201	802.11n HT20	52	10520.00	46.08	68.30	-22.22	V	Peak	Pass	Harmonic
202	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge



FCC TEST REPORT

Report No.: FR461101F

202	802.11n HT20	60	15900.00	48.30	74.00	-25.70	V	Peak	Pass	Harmonic
203	802.11n HT20	64	5353.60	47.42	54.00	-6.58	H	AVERAGE	Pass	Band Edge
203	802.11n HT20	64	15960.00	48.43	74.00	-25.57	V	Peak	Pass	Harmonic
204	802.11n HT20	100	5465.05	63.00	68.30	-5.30	H	PEAK	Pass	Band Edge
204	802.11n HT20	100	16500.00	48.29	68.30	-20.01	V	Peak	Pass	Harmonic
205	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
205	802.11n HT20	116	16740.00	47.91	68.30	-20.39	H	Peak	Pass	Harmonic
206	802.11n HT20	140	5726.65	62.91	68.30	-5.39	H	PEAK	Pass	Band Edge
206	802.11n HT20	140	17100.00	48.77	68.30	-19.53	H	Peak	Pass	Harmonic
207	802.11n HT40	38	5147.06	48.12	54.00	-5.88	H	AVERAGE	Pass	Band Edge
207	802.11n HT40	38	-	-	-	-	-	-	-	Harmonic
208	802.11n HT40	46	5149.96	45.64	54.00	-8.36	H	AVERAGE	Pass	Band Edge
208	802.11n HT40	46	-	-	-	-	-	-	-	Harmonic
209	802.11n HT40	54	5353.98	44.50	54.00	-9.50	H	AVERAGE	Pass	Band Edge
209	802.11n HT40	54	-	-	-	-	-	-	-	Harmonic
210	802.11n HT40	62	5350.80	48.90	54.00	-5.10	H	AVERAGE	Pass	Band Edge
210	802.11n HT40	62	15930.00	49.09	74.00	-24.91	H	PEAK	PASS	Harmonic
211	802.11n HT40	102	5457.68	48.32	54.00	-5.68	H	AVERAGE	Pass	Band Edge
211	802.11n HT40	102	-	-	-	-	-	-	-	Harmonic
212	802.11n HT40	134	5734.79	62.15	68.30	-6.15	H	PEAK	Pass	Band Edge
212	802.11n HT40	134	-	-	-	-	-	-	-	Harmonic
213	802.11ac VHT80	42	5149.73	48.19	54.00	-5.81	H	AVERAGE	Pass	Band Edge
213	802.11ac VHT80	42	-	-	-	-	-	-	-	Harmonic
214	802.11ac VHT80	58	5353.07	47.15	54.00	-6.85	H	AVERAGE	Pass	Band Edge
214	802.11ac VHT80	58	-	-	-	-	-	-	-	Harmonic
215	802.11ac VHT80	106	5457.64	47.40	54.00	-6.60	H	AVERAGE	Pass	Band Edge
215	802.11ac VHT80	106	-	-	-	-	-	-	-	Harmonic
216	802.11ac VHT80	122	5456.60	43.41	54.00	-10.59	H	AVERAGE	Pass	Band Edge
216	802.11ac VHT80	122	-	-	-	-	-	-	-	Harmonic
219	802.11ax HE20	36	5146.52	45.28	54.00	-8.72	H	AVERAGE	Pass	Band Edge
219	802.11ax HE20	36	10360.00	46.76	68.30	-21.54	V	Peak	Pass	Harmonic
220	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
220	802.11ax HE20	44	10440.00	46.62	68.30	-21.68	V	Peak	Pass	Harmonic
221	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
221	802.11ax HE20	48	10480.00	45.92	68.30	-22.38	V	Peak	Pass	Harmonic
222	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
222	802.11ax HE20	52	10520.00	46.43	68.30	-21.87	H	Peak	Pass	Harmonic
223	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
223	802.11ax HE20	60	15900.00	47.78	74.00	-26.22	V	Peak	Pass	Harmonic
224	802.11ax HE20	64	5352.62	48.84	54.00	-5.16	H	AVERAGE	Pass	Band Edge
224	802.11ax HE20	64	15960.00	46.71	74.00	-27.29	H	Peak	Pass	Harmonic
225	802.11ax HE20	100	5459.05	47.40	54.00	-6.60	H	AVERAGE	Pass	Band Edge
225	802.11ax HE20	100	16500.00	48.71	68.30	-19.59	H	Peak	Pass	Harmonic
226	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge

**FCC TEST REPORT**



Report No.: FR461101F

226	802.11ax HE20	116	16740.00	48.58	68.30	-19.72	H	Peak	Pass	Harmonic
227	802.11ax HE20	140	5725.22	61.22	68.30	-7.08	H	PEAK	Pass	Band Edge
227	802.11ax HE20	140	17100.00	49.21	68.30	-19.09	H	Peak	Pass	Harmonic
228	802.11ax HE40	38	5144.02	44.12	54.00	-9.88	H	AVERAGE	Pass	Band Edge
228	802.11ax HE40	38	-	-	-	-	-	-	-	Harmonic
229	802.11ax HE40	46	5149.04	43.49	54.00	-10.51	V	AVERAGE	Pass	Band Edge
229	802.11ax HE40	46	-	-	-	-	-	-	-	Harmonic
230	802.11ax HE40	54	5352.46	43.34	54.00	-10.66	H	AVERAGE	Pass	Band Edge
230	802.11ax HE40	54	-	-	-	-	-	-	-	Harmonic
231	802.11ax HE40	62	5350.20	48.59	54.00	-5.41	H	AVERAGE	Pass	Band Edge
231	802.11ax HE40	62	-	-	-	-	-	-	-	Harmonic
232	802.11ax HE40	102	5459.60	48.40	54.00	-5.60	H	AVERAGE	Pass	Band Edge
232	802.11ax HE40	102	-	-	-	-	-	-	-	Harmonic
233	802.11ax HE40	134	5733.46	58.78	68.30	-9.52	H	PEAK	Pass	Band Edge
233	802.11ax HE40	134	-	-	-	-	-	-	-	Harmonic
234	802.11ax HE80	42	5149.94	48.19	54.00	-5.81	H	AVERAGE	Pass	Band Edge
234	802.11ax HE80	42	-	-	-	-	-	-	-	Harmonic
235	802.11ax HE80	58	5356.13	47.47	54.00	-6.53	H	AVERAGE	Pass	Band Edge
235	802.11ax HE80	58	-	-	-	-	-	-	-	Harmonic
236	802.11ax HE80	106	5459.44	45.32	54.00	-8.68	H	AVERAGE	Pass	Band Edge
236	802.11ax HE80	106	-	-	-	-	-	-	-	Harmonic
237	802.11ax HE80	122	5725.79	62.09	68.30	-6.21	H	PEAK	Pass	Band Edge
237	802.11ax HE80	122	-	-	-	-	-	-	-	Harmonic
240	802.11ax HE20	149	5644.37	54.32	68.30	-13.98	H	PEAK	Pass	Band Edge
240	802.11ax HE20	149	17235.00	49.20	68.30	-19.10	H	Peak	Pass	Harmonic
241	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
241	802.11ax HE20	157	17355.00	49.96	68.30	-18.34	H	Peak	Pass	Harmonic
242	802.11ax HE20	165	5936.63	54.65	68.30	-13.65	H	PEAK	Pass	Band Edge
242	802.11ax HE20	165	17475.00	48.41	68.30	-19.89	H	Peak	Pass	Harmonic
243	802.11ax HE40	151	5650.38	59.74	68.58	-8.84	H	PEAK	Pass	Band Edge
243	802.11ax HE40	151	-	-	-	-	-	-	-	Harmonic
244	802.11ax HE40	159	5926.91	55.20	68.30	-13.10	H	PEAK	Pass	Band Edge
244	802.11ax HE40	159	-	-	-	-	-	-	-	Harmonic
245	802.11ax HE80	155	5637.28	62.75	68.30	-5.55	H	PEAK	Pass	Band Edge
245	802.11ax HE80	155	17325.00	49.81	68.30	-18.49	V	Peak	Pass	Harmonic
246	802.11n HT40	CH62	947.62	32.96	46.00	-13.04	H	Peak	Pass	LF
247	802.11ax HE80	CH155	945.68	32.49	46.00	-13.51	V	Peak	Pass	LF



**Co-Location Mode**

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
248	CO-TX	-	5727.56	62.71	68.30	-5.59	H	PEAK	Pass	Band Edge
248		-	16710.00	47.72	68.30	-20.58	V	Peak	Pass	Harmonic
249	CO-TX	-	5727.76	60.85	68.30	-7.45	H	PEAK	Pass	Band Edge
249		-	16710.00	47.95	68.30	-20.35	V	Peak	Pass	Harmonic
250	CO-TX	-	5456.34	48.51	54.00	-5.49	V	AVERAGE	Pass	Band Edge
250		-	16830.00	49.87	68.30	-18.43	H	Peak	Pass	Harmonic





Mode	1																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																				
ANT	CDD 14+15																																																																																																																				
Pol.	Horizontal										Vertical																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2024-08-28 										Level (dBuV/m) Date: 2024-08-28 																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>46.59</td><td>68.30</td><td>-21.71</td><td>47.27</td><td>38.74</td><td>12.06</td><td>51.48</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>45.02</td><td>40.73</td><td>14.58</td><td>52.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	46.59	68.30	-21.71	47.27	38.74	12.06	51.48	---	---	Peak	2	15540.00	47.85	74.00	-26.15	45.02	40.73	14.58	52.48	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>47.93</td><td>68.30</td><td>-20.37</td><td>48.61</td><td>38.74</td><td>12.06</td><td>51.48</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>46.85</td><td>74.00</td><td>-27.15</td><td>44.02</td><td>40.73</td><td>14.58</td><td>52.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	47.93	68.30	-20.37	48.61	38.74	12.06	51.48	---	---	Peak	2	15540.00	46.85	74.00	-27.15	44.02	40.73	14.58	52.48	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10360.00	46.59	68.30	-21.71	47.27	38.74	12.06	51.48	---	---	Peak																																																																																																										
2	15540.00	47.85	74.00	-26.15	45.02	40.73	14.58	52.48	---	---	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10360.00	47.93	68.30	-20.37	48.61	38.74	12.06	51.48	---	---	Peak																																																																																																										
2	15540.00	46.85	74.00	-27.15	44.02	40.73	14.58	52.48	---	---	Peak																																																																																																										



Mode	2																																																																																																									
	Harmonic																																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>46.15</td><td>68.30</td><td>-22.15</td><td>46.57</td><td>38.78</td><td>12.12</td><td>51.32</td><td>--- Peak</td></tr><tr><td>2</td><td>15660.00</td><td>47.34</td><td>74.00</td><td>-26.66</td><td>44.43</td><td>40.83</td><td>14.64</td><td>52.56</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10440.00	46.15	68.30	-22.15	46.57	38.78	12.12	51.32	--- Peak	2	15660.00	47.34	74.00	-26.66	44.43	40.83	14.64	52.56	--- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>46.20</td><td>68.30</td><td>-22.10</td><td>46.62</td><td>38.78</td><td>12.12</td><td>51.32</td><td>--- Peak</td></tr><tr><td>2</td><td>15660.00</td><td>46.02</td><td>74.00</td><td>-27.98</td><td>43.11</td><td>40.83</td><td>14.64</td><td>52.56</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10440.00	46.20	68.30	-22.10	46.62	38.78	12.12	51.32	--- Peak	2	15660.00	46.02	74.00	-27.98	43.11	40.83	14.64	52.56	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	10440.00	46.15	68.30	-22.15	46.57	38.78	12.12	51.32	--- Peak																																																																																																	
2	15660.00	47.34	74.00	-26.66	44.43	40.83	14.64	52.56	--- Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	10440.00	46.20	68.30	-22.10	46.62	38.78	12.12	51.32	--- Peak																																																																																																	
2	15660.00	46.02	74.00	-27.98	43.11	40.83	14.64	52.56	--- Peak																																																																																																	



Mode	3																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																				
ANT	CDD 14+15																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>47.17</td><td>68.30</td><td>-21.13</td><td>47.47</td><td>38.79</td><td>12.15</td><td>51.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.25</td><td>74.00</td><td>-26.75</td><td>44.31</td><td>40.88</td><td>14.66</td><td>52.60</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	47.17	68.30	-21.13	47.47	38.79	12.15	51.24	---	---	Peak	2	15720.00	47.25	74.00	-26.75	44.31	40.88	14.66	52.60	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>46.08</td><td>68.30</td><td>-22.22</td><td>46.38</td><td>38.79</td><td>12.15</td><td>51.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>43.05</td><td>40.88</td><td>14.66</td><td>52.60</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	46.08	68.30	-22.22	46.38	38.79	12.15	51.24	---	---	Peak	2	15720.00	45.99	74.00	-28.01	43.05	40.88	14.66	52.60	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10480.00	47.17	68.30	-21.13	47.47	38.79	12.15	51.24	---	---	Peak																																																																																																										
2	15720.00	47.25	74.00	-26.75	44.31	40.88	14.66	52.60	---	---	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10480.00	46.08	68.30	-22.22	46.38	38.79	12.15	51.24	---	---	Peak																																																																																																										
2	15720.00	45.99	74.00	-28.01	43.05	40.88	14.66	52.60	---	---	Peak																																																																																																										