







Mode	46																																																																																	
	Band Edge - L																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																	
ANT	CDD 14+15																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-08-04 Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue trace with a sharp peak at 5168 MHz. A red horizontal line indicates the limit at 70.0 dBuV/m. The peak is labeled PART 15.407. <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.52</td><td>53.48</td><td>74.00</td><td>-20.52</td><td>41.51</td><td>36.11</td><td>8.53</td><td>32.67</td><td>200 304 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.52	53.48	74.00	-20.52	41.51	36.11	8.53	32.67	200 304 PEAK	Level (dBuV/m) Date: 2024-08-04 Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue trace with a sharp peak at 5210 MHz. A red horizontal line indicates the limit at 70.0 dBuV/m. The peak is labeled PART 15.407. <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>99.50</td><td>-----</td><td>-----</td><td>87.50</td><td>36.10</td><td>8.57</td><td>32.67</td><td>200 304 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	99.50	-----	-----	87.50	36.10	8.57	32.67	200 304 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5149.52	53.48	74.00	-20.52	41.51	36.11	8.53	32.67	200 304 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5210.00	99.50	-----	-----	87.50	36.10	8.57	32.67	200 304 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-08-04 Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue trace with a sharp peak at 5168 MHz. A red horizontal line indicates the limit at 52.5 dBuV/m. The peak is labeled PART 15.407 AVG. <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.52</td><td>43.61</td><td>54.00</td><td>-10.39</td><td>31.64</td><td>36.11</td><td>8.53</td><td>32.67</td><td>200 304 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.52	43.61	54.00	-10.39	31.64	36.11	8.53	32.67	200 304 AVERAGE	Level (dBuV/m) Date: 2024-08-04 Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue trace with a sharp peak at 5210 MHz. A red horizontal line indicates the limit at 52.5 dBuV/m. The peak is labeled PART 15.407 AVG. <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>90.09</td><td>-----</td><td>-----</td><td>78.05</td><td>36.08</td><td>8.62</td><td>32.66</td><td>200 304 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	90.09	-----	-----	78.05	36.08	8.62	32.66	200 304 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5149.52	43.61	54.00	-10.39	31.64	36.11	8.53	32.67	200 304 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5210.00	90.09	-----	-----	78.05	36.08	8.62	32.66	200 304 AVERAGE																																																																									



Mode	46																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																		
ANT	CDD 14+15																																																		
Pol.	Horizontal							Fundamental																																											
Peak	Level (dBuV/m) Date: 2024-08-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5422.50</td><td>51.59</td><td>74.00</td><td>-22.41</td><td>38.59</td><td>35.95</td><td>9.67</td><td>32.62</td><td>200</td><td>304</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5422.50	51.59	74.00	-22.41	38.59	35.95	9.67	32.62	200	304	PEAK	Blank			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	5422.50	51.59	74.00	-22.41	38.59	35.95	9.67	32.62	200	304	PEAK																																								
Avg	Level (dBuV/m) Date: 2024-08-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5418.25</td><td>42.84</td><td>54.00</td><td>-11.16</td><td>29.84</td><td>35.95</td><td>9.67</td><td>32.62</td><td>200</td><td>304</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5418.25	42.84	54.00	-11.16	29.84	35.95	9.67	32.62	200	304	AVERAGE	Blank			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																										
1	5418.25	42.84	54.00	-11.16	29.84	35.95	9.67	32.62	200	304	AVERAGE																																								







Mode	46																																																																																																																																																																						
	Band Edge - L																																																																																																																																																																						
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																																																																																																						
ANT	CDD 14+15																																																																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																																																																					
Peak	Level (dBuV/m) Date: 2024-08-04  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.94</td><td>55.41</td><td>74.00</td><td>-18.59</td><td>43.43</td><td>36.11</td><td>8.54</td><td>32.67</td><td>298</td><td>289 PEAK</td></tr></table> Level (dBuV/m) Date: 2024-08-04  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>100.95</td><td>-----</td><td>-----</td><td>88.71</td><td>36.05</td><td>8.84</td><td>32.65</td><td>298</td><td>289 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.94	55.41	74.00	-18.59	43.43	36.11	8.54	32.67	298	289 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	100.95	-----	-----	88.71	36.05	8.84	32.65	298	289 PEAK	Avg	Level (dBuV/m) Date: 2024-08-04  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.31</td><td>45.83</td><td>54.00</td><td>-8.17</td><td>33.86</td><td>36.11</td><td>8.53</td><td>32.67</td><td>298</td><td>289 AVERAGE</td></tr></table> Level (dBuV/m) Date: 2024-08-04  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>91.79</td><td>-----</td><td>-----</td><td>79.75</td><td>36.08</td><td>8.62</td><td>32.66</td><td>298</td><td>289 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.31	45.83	54.00	-8.17	33.86	36.11	8.53	32.67	298	289 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	91.79	-----	-----	79.75	36.08	8.62	32.66	298	289 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	5149.94	55.41	74.00	-18.59	43.43	36.11	8.54	32.67	298	289 PEAK																																																																																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	5210.00	100.95	-----	-----	88.71	36.05	8.84	32.65	298	289 PEAK																																																																																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	5149.31	45.83	54.00	-8.17	33.86	36.11	8.53	32.67	298	289 AVERAGE																																																																																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	5210.00	91.79	-----	-----	79.75	36.08	8.62	32.66	298	289 AVERAGE																																																																																																																																																													



Mode	46																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																		
ANT	CDD 14+15																																																		
Pol.	Vertical					Fundamental																																													
Peak	Date: 2024-08-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.00</td><td>52.36</td><td>74.00</td><td>-21.64</td><td>39.62</td><td>35.99</td><td>9.38</td><td>32.63</td><td>298</td><td>289 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5352.00	52.36	74.00	-21.64	39.62	35.99	9.38	32.63	298	289 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5352.00	52.36	74.00	-21.64	39.62	35.99	9.38	32.63	298	289 PEAK																																									
Avg	Date: 2024-08-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.50</td><td>43.75</td><td>54.00</td><td>-10.25</td><td>30.97</td><td>35.98</td><td>9.43</td><td>32.63</td><td>298</td><td>289 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5363.50	43.75	54.00	-10.25	30.97	35.98	9.43	32.63	298	289 AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																										
1	5363.50	43.75	54.00	-10.25	30.97	35.98	9.43	32.63	298	289 AVERAGE																																									







		47																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																							
ANT		CDD 14+15																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	 Level (dBuV/m) Date: 2024-08-04 5000 5058 5116 5174 5232 5290 15.407					 Level (dBuV/m) Date: 2024-08-04 1000 2200 3400 4600 5800 7000 15.407																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5094.25</td><td>52.84</td><td>74.00</td><td>-21.16</td><td>40.95</td><td>36.14</td><td>8.43</td><td>32.68</td><td>100 356 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5094.25	52.84	74.00	-21.16	40.95	36.14	8.43	32.68	100 356 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>99.63</td><td>-----</td><td>-----</td><td>87.36</td><td>36.05</td><td>8.87</td><td>32.65</td><td>100 356 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.63	-----	-----	87.36	36.05	8.87	32.65
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5094.25	52.84	74.00	-21.16	40.95	36.14	8.43	32.68	100 356 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5290.00	99.63	-----	-----	87.36	36.05	8.87	32.65	100 356 PEAK																																																																																
Avg	 Level (dBuV/m) Date: 2024-08-04 5000 5058 5116 5174 5232 5290 15.407 AVG					 Level (dBuV/m) Date: 2024-08-04 1000 2200 3400 4600 5800 7000 15.407 AVG																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5098.60</td><td>42.68</td><td>54.00</td><td>-11.32</td><td>30.78</td><td>36.14</td><td>8.44</td><td>32.68</td><td>100 356 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5098.60	42.68	54.00	-11.32	30.78	36.14	8.44	32.68	100 356 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>90.80</td><td>-----</td><td>-----</td><td>78.42</td><td>36.03</td><td>8.99</td><td>32.64</td><td>100 356 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.80	-----	-----	78.42	36.03	8.99	32.64
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5098.60	42.68	54.00	-11.32	30.78	36.14	8.44	32.68	100 356 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5290.00	90.80	-----	-----	78.42	36.03	8.99	32.64	100 356 AVERAGE																																																																																





Mode	47																																	
	Band Edge - R																																	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																	
ANT	CDD 14+15																																	
Pol.	Horizontal	Fundamental																																
Peak	Date: 2024-08-04 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5357.83</td><td>56.83</td><td>74.00</td><td>-17.17</td><td>44.06</td><td>35.99</td><td>9.41</td></tr></table> 32.63 100 356 PEAK	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	5357.83	56.83	74.00	-17.17	44.06	35.99	9.41	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																											
1	5357.83	56.83	74.00	-17.17	44.06	35.99	9.41																											
Avg	Date: 2024-08-04 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5355.96</td><td>47.33</td><td>54.00</td><td>-6.67</td><td>34.57</td><td>35.99</td><td>9.40</td></tr></table> 32.63 100 356 AVERAGE	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	5355.96	47.33	54.00	-6.67	34.57	35.99	9.40	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																											
1	5355.96	47.33	54.00	-6.67	34.57	35.99	9.40																											



Mode	47																																																																																															
	Band Edge - L																																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2024-08-04  5000 5058 5116 5174 5232 5290 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5125.28</td><td>53.44</td><td>74.00</td><td>-20.56</td><td>41.50</td><td>36.12</td><td>8.49</td><td>32.67</td><td>300</td><td>288</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5125.28	53.44	74.00	-20.56	41.50	36.12	8.49	32.67	300	288	PEAK	Level (dBuV/m) Date: 2024-08-04  1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>103.27</td><td>-----</td><td>-----</td><td>90.83</td><td>36.03</td><td>9.05</td><td>32.64</td><td>300</td><td>288</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	103.27	-----	-----	90.83	36.03	9.05	32.64	300	288	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5125.28	53.44	74.00	-20.56	41.50	36.12	8.49	32.67	300	288	PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5290.00	103.27	-----	-----	90.83	36.03	9.05	32.64	300	288	PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2024-08-04  5000 5058 5116 5174 5232 5290 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.30</td><td>43.59</td><td>54.00</td><td>-10.41</td><td>31.63</td><td>36.12</td><td>8.51</td><td>32.67</td><td>300</td><td>288</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5136.30	43.59	54.00	-10.41	31.63	36.12	8.51	32.67	300	288	AVERAGE	Level (dBuV/m) Date: 2024-08-04  1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>94.15</td><td>-----</td><td>-----</td><td>81.71</td><td>36.03</td><td>9.05</td><td>32.64</td><td>300</td><td>288</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	94.15	-----	-----	81.71	36.03	9.05	32.64	300	288	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5136.30	43.59	54.00	-10.41	31.63	36.12	8.51	32.67	300	288	AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5290.00	94.15	-----	-----	81.71	36.03	9.05	32.64	300	288	AVERAGE																																																																																					



Mode	47																																																			
	Band Edge - R																																																			
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																			
ANT	CDD 14+15																																																			
Pol.	Vertical					Fundamental																																														
Peak	Date: 2024-08-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.09</td><td>55.46</td><td>74.00</td><td>-18.54</td><td>42.71</td><td>35.99</td><td>9.39</td><td>32.63</td><td>300</td><td>288</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5354.09	55.46	74.00	-18.54	42.71	35.99	9.39	32.63	300	288	PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																											
1	5354.09	55.46	74.00	-18.54	42.71	35.99	9.39	32.63	300	288	PEAK																																									
Avg	Date: 2024-08-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.29</td><td>47.26</td><td>54.00</td><td>-6.74</td><td>34.47</td><td>35.98</td><td>9.44</td><td>32.63</td><td>300</td><td>288</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5364.29	47.26	54.00	-6.74	34.47	35.98	9.44	32.63	300	288	AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																											
1	5364.29	47.26	54.00	-6.74	34.47	35.98	9.44	32.63	300	288	AVERAGE																																									







Mode	48	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz	
ANT	CDD 14+15	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2024-08-05	



Mode	48																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																														
ANT	CDD 14+15																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.36</td><td>56.15</td><td>74.00</td><td>-17.85</td><td>43.15</td><td>35.92</td><td>9.69</td><td>32.61</td><td>279</td><td>280 PEAK</td></tr><tr><td>2</td><td>5469.70</td><td>57.32</td><td>68.30</td><td>-10.98</td><td>44.32</td><td>35.92</td><td>9.69</td><td>32.61</td><td>279</td><td>280 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5458.36	56.15	74.00	-17.85	43.15	35.92	9.69	32.61	279	280 PEAK	2	5469.70	57.32	68.30	-10.98	44.32	35.92	9.69	32.61	279	280 PEAK	Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>106.14</td><td>-----</td><td>-----</td><td>93.11</td><td>35.92</td><td>9.71</td><td>32.60</td><td>279</td><td>280 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5530.00	106.14	-----	-----	93.11	35.92	9.71	32.60	279	280 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5458.36	56.15	74.00	-17.85	43.15	35.92	9.69	32.61	279	280 PEAK																																																																																					
2	5469.70	57.32	68.30	-10.98	44.32	35.92	9.69	32.61	279	280 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5530.00	106.14	-----	-----	93.11	35.92	9.71	32.60	279	280 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.22</td><td>47.53</td><td>54.00</td><td>-6.47</td><td>34.53</td><td>35.93</td><td>9.68</td><td>32.61</td><td>279</td><td>280 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5454.22	47.53	54.00	-6.47	34.53	35.93	9.68	32.61	279	280 AVERAGE	Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>97.25</td><td>-----</td><td>-----</td><td>84.22</td><td>35.92</td><td>9.71</td><td>32.60</td><td>279</td><td>280 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.25	-----	-----	84.22	35.92	9.71	32.60	279	280 AVERAGE											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5454.22	47.53	54.00	-6.47	34.53	35.93	9.68	32.61	279	280 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5530.00	97.25	-----	-----	84.22	35.92	9.71	32.60	279	280 AVERAGE																																																																																					



		49																																																																																																					
Mode		Band Edge - L																																																																																																					
		U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																					
ANT		CDD 14+15																																																																																																					
Pol.		Horizontal					Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-08-05  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5402.00</td><td>52.68</td><td>74.00</td><td>-21.32</td><td>39.71</td><td>35.96</td><td>9.63</td><td>32.62</td><td>100</td><td>18 PEAK</td></tr><tr><td>2</td><td>5464.40</td><td>51.66</td><td>68.30</td><td>-16.64</td><td>38.66</td><td>35.92</td><td>9.69</td><td>32.61</td><td>100</td><td>18 PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2024-08-05  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>106.83</td><td>-----</td><td>-----</td><td>93.59</td><td>36.08</td><td>9.81</td><td>32.65</td><td>100</td><td>18 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5402.00	52.68	74.00	-21.32	39.71	35.96	9.63	32.62	100	18 PEAK	2	5464.40	51.66	68.30	-16.64	38.66	35.92	9.69	32.61	100	18 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	106.83	-----	-----	93.59	36.08	9.81	32.65	100	18 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5402.00	52.68	74.00	-21.32	39.71	35.96	9.63	32.62	100	18 PEAK																																																																																													
2	5464.40	51.66	68.30	-16.64	38.66	35.92	9.69	32.61	100	18 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5610.00	106.83	-----	-----	93.59	36.08	9.81	32.65	100	18 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-08-05  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.12</td><td>43.24</td><td>54.00</td><td>-10.76</td><td>30.23</td><td>35.93</td><td>9.69</td><td>32.61</td><td>100</td><td>18 AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2024-08-05  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>97.46</td><td>-----</td><td>-----</td><td>84.22</td><td>36.08</td><td>9.81</td><td>32.65</td><td>100</td><td>18 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.12	43.24	54.00	-10.76	30.23	35.93	9.69	32.61	100	18 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	97.46	-----	-----	84.22	36.08	9.81	32.65	100	18 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5457.12	43.24	54.00	-10.76	30.23	35.93	9.69	32.61	100	18 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5610.00	97.46	-----	-----	84.22	36.08	9.81	32.65	100	18 AVERAGE																																																																																													



Mode	49																																		
	Band Edge - R																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																		
ANT	CDD 14+15																																		
Pol.	Horizontal	Fundamental																																	
Peak	Date: 2024-08-05 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5729.51</td><td>54.25</td><td>68.30</td><td>-14.05</td><td>40.69</td><td>36.22</td><td>10.03</td><td>32.69</td><td>100</td><td>18</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5729.51	54.25	68.30	-14.05	40.69	36.22	10.03	32.69	100	18	PEAK	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																										
1 5729.51	54.25	68.30	-14.05	40.69	36.22	10.03	32.69	100	18	PEAK																									



		49																																																																																																						
Mode		Band Edge - L																																																																																																						
		U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																						
ANT		CDD 14+15																																																																																																						
Pol.		Vertical					Fundamental																																																																																																	
Peak		Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.94</td><td>53.03</td><td>74.00</td><td>-20.97</td><td>40.03</td><td>35.93</td><td>9.68</td><td>32.61</td><td>269</td><td>287 PEAK</td></tr><tr><td>2</td><td>5460.24</td><td>52.60</td><td>68.30</td><td>-15.70</td><td>39.60</td><td>35.92</td><td>9.69</td><td>32.61</td><td>269</td><td>287 PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>106.18</td><td>-----</td><td>-----</td><td>92.98</td><td>36.06</td><td>9.79</td><td>32.65</td><td>269</td><td>287 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5445.94	53.03	74.00	-20.97	40.03	35.93	9.68	32.61	269	287 PEAK	2	5460.24	52.60	68.30	-15.70	39.60	35.92	9.69	32.61	269	287 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	106.18	-----	-----	92.98	36.06	9.79	32.65	269	287 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5445.94	53.03	74.00	-20.97	40.03	35.93	9.68	32.61	269	287 PEAK																																																																																														
2	5460.24	52.60	68.30	-15.70	39.60	35.92	9.69	32.61	269	287 PEAK																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5610.00	106.18	-----	-----	92.98	36.06	9.79	32.65	269	287 PEAK																																																																																														
Avg		Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.34</td><td>44.65</td><td>54.00</td><td>-9.35</td><td>31.64</td><td>35.93</td><td>9.69</td><td>32.61</td><td>269</td><td>287 AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>97.16</td><td>-----</td><td>-----</td><td>83.96</td><td>36.06</td><td>9.79</td><td>32.65</td><td>269</td><td>287 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5456.34	44.65	54.00	-9.35	31.64	35.93	9.69	32.61	269	287 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	97.16	-----	-----	83.96	36.06	9.79	32.65	269	287 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5456.34	44.65	54.00	-9.35	31.64	35.93	9.69	32.61	269	287 AVERAGE																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5610.00	97.16	-----	-----	83.96	36.06	9.79	32.65	269	287 AVERAGE																																																																																														



Mode	50	
	Band Edge - L	
	U-NII-1_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz	
ANT	CDD 14+15	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2024-08-05 1549.75 52.95 74.00 -21.05 40.97 36.11 8.54 32.67 235 9 PEAK	Level (dBuV/m) Date: 2024-08-05 5250.00 95.83 ----- 83.22 36.00 9.24 32.63 235 9 PEAK
	Level (dBuV/m) Date: 2024-08-05 5063.00 42.85 54.00 -11.15 31.01 36.16 8.37 32.69 235 9 AVERAGE	Level (dBuV/m) Date: 2024-08-05 5250.00 86.39 ----- 73.78 36.00 9.24 32.63 235 9 AVERAGE





Mode	50																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																										
ANT	CDD 14+15																																										
Pol.	Horizontal					Fundamental																																					
Peak	Date: 2024-08-05 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5393.85</td><td>56.78</td><td>74.00</td><td>-17.22</td><td>43.85</td><td>35.96</td><td>9.59</td><td>32.62</td><td>235</td><td>9</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5393.85	56.78	74.00	-17.22	43.85	35.96	9.59	32.62	235	9	PEAK	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1 5393.85	56.78	74.00	-17.22	43.85	35.96	9.59	32.62	235	9	PEAK																																	
Avg	Date: 2024-08-05 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5403.51</td><td>46.66</td><td>54.00</td><td>-7.34</td><td>33.68</td><td>35.96</td><td>9.64</td><td>32.62</td><td>235</td><td>9</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5403.51	46.66	54.00	-7.34	33.68	35.96	9.64	32.62	235	9	AVERAGE	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1 5403.51	46.66	54.00	-7.34	33.68	35.96	9.64	32.62	235	9	AVERAGE																																	





		50																		
Mode		Band Edge - L																		
		U-NII-1_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																		
ANT		CDD 14+15																		
Pol.	Vertical										Fundamental									
Peak	Level (dBuV/m) Date: 2024-08-05 1 5030.25 52.84 74.00 -21.16 41.04 36.18 8.31 32.69 326 252 PEAK										Level (dBuV/m) Date: 2024-08-05 1 5250.00 97.73 ----- 85.67 36.08 8.64 32.66 326 252 PEAK									
	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5030.25 52.84 74.00 -21.16 41.04 36.18 8.31 32.69 326 252 PEAK										Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5250.00 97.73 ----- 85.67 36.08 8.64 32.66 326 252 PEAK									
Avg	Level (dBuV/m) Date: 2024-08-05 1 5143.00 43.18 54.00 -10.82 31.22 36.11 8.52 32.67 326 252 AVERAGE										Level (dBuV/m) Date: 2024-08-05 1 5250.00 87.63 ----- 75.08 36.01 9.18 32.64 326 252 AVERAGE									
	Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5143.00 43.18 54.00 -10.82 31.22 36.11 8.52 32.67 326 252 AVERAGE										Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5250.00 87.63 ----- 75.08 36.01 9.18 32.64 326 252 AVERAGE									







Mode	50																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																										
ANT	CDD 14+15																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5398.05</td><td>57.93</td><td>74.00</td><td>-16.07</td><td>44.98</td><td>35.96</td><td>9.61</td><td>32.62</td><td>326</td><td>252 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5398.05	57.93	74.00	-16.07	44.98	35.96	9.61	32.62	326	252 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5398.05	57.93	74.00	-16.07	44.98	35.96	9.61	32.62	326	252 PEAK																																	
Avg	Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5407.29</td><td>48.83</td><td>54.00</td><td>-5.17</td><td>35.83</td><td>35.96</td><td>9.66</td><td>32.62</td><td>326</td><td>252 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5407.29	48.83	54.00	-5.17	35.83	35.96	9.66	32.62	326	252 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5407.29	48.83	54.00	-5.17	35.83	35.96	9.66	32.62	326	252 AVERAGE																																	



Mode	50																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-1_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																																							
ANT	CDD 14+15																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10500.00</td><td>46.93</td><td>68.30</td><td>-21.37</td><td>47.17</td><td>38.80</td><td>12.16</td><td>51.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15750.00</td><td>45.80</td><td>74.00</td><td>-28.20</td><td>42.84</td><td>40.90</td><td>14.68</td><td>52.62</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10500.00	46.93	68.30	-21.37	47.17	38.80	12.16	51.20	---	---	Peak	2	15750.00	45.80	74.00	-28.20	42.84	40.90	14.68	52.62	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10500.00</td><td>46.41</td><td>68.30</td><td>-21.89</td><td>46.65</td><td>38.80</td><td>12.16</td><td>51.20</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15750.00</td><td>46.28</td><td>74.00</td><td>-27.72</td><td>43.32</td><td>40.90</td><td>14.68</td><td>52.62</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10500.00	46.41	68.30	-21.89	46.65	38.80	12.16	51.20	---	---	Peak	2	15750.00	46.28	74.00	-27.72	43.32	40.90	14.68	52.62	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10500.00	46.93	68.30	-21.37	47.17	38.80	12.16	51.20	---	---	Peak																																																																																																													
2	15750.00	45.80	74.00	-28.20	42.84	40.90	14.68	52.62	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10500.00	46.41	68.30	-21.89	46.65	38.80	12.16	51.20	---	---	Peak																																																																																																													
2	15750.00	46.28	74.00	-27.72	43.32	40.90	14.68	52.62	---	---	Peak																																																																																																													



		51																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																																		
ANT		CDD 14+15																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5433.38</td><td>53.57</td><td>74.00</td><td>-20.43</td><td>40.57</td><td>35.94</td><td>9.67</td><td>32.61</td><td>100</td><td>351</td><td>PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>51.77</td><td>68.30</td><td>-16.53</td><td>38.77</td><td>35.92</td><td>9.69</td><td>32.61</td><td>100</td><td>351</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5433.38	53.57	74.00	-20.43	40.57	35.94	9.67	32.61	100	351	PEAK	2	5469.68	51.77	68.30	-16.53	38.77	35.92	9.69	32.61	100	351	PEAK	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>101.08</td><td>-----</td><td>-----</td><td>87.86</td><td>36.07</td><td>9.80</td><td>32.65</td><td>100</td><td>351</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	101.08	-----	-----	87.86	36.07	9.80	32.65	100	351	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5433.38	53.57	74.00	-20.43	40.57	35.94	9.67	32.61	100	351	PEAK																																																																																									
2	5469.68	51.77	68.30	-16.53	38.77	35.92	9.69	32.61	100	351	PEAK																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5570.00	101.08	-----	-----	87.86	36.07	9.80	32.65	100	351	PEAK																																																																																									
Avg	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5417.54</td><td>45.89</td><td>54.00</td><td>-8.11</td><td>32.89</td><td>35.95</td><td>9.67</td><td>32.62</td><td>100</td><td>351</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5417.54	45.89	54.00	-8.11	32.89	35.95	9.67	32.62	100	351	AVERAGE	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>91.35</td><td>-----</td><td>-----</td><td>78.22</td><td>36.01</td><td>9.75</td><td>32.63</td><td>100</td><td>351</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	91.35	-----	-----	78.22	36.01	9.75	32.63	100	351	AVERAGE												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5417.54	45.89	54.00	-8.11	32.89	35.95	9.67	32.62	100	351	AVERAGE																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5570.00	91.35	-----	-----	78.22	36.01	9.75	32.63	100	351	AVERAGE																																																																																									



		51																																																																																																																
Mode		Band Edge - L																																																																																																																
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																																																
ANT		CDD 14+15																																																																																																																
Pol.		Vertical					Fundamental																																																																																																											
Peak		Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5397.52</td><td>54.50</td><td>74.00</td><td>-19.50</td><td>41.55</td><td>35.96</td><td>9.61</td><td>32.62</td><td>100</td><td>358 PEAK</td></tr><tr><td>2</td><td>5468.80</td><td>51.77</td><td>68.30</td><td>-16.53</td><td>38.77</td><td>35.92</td><td>9.69</td><td>32.61</td><td>100</td><td>358 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5397.52	54.50	74.00	-19.50	41.55	35.96	9.61	32.62	100	358 PEAK	2	5468.80	51.77	68.30	-16.53	38.77	35.92	9.69	32.61	100	358 PEAK	Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>95.12</td><td>-----</td><td>-----</td><td>81.92</td><td>36.06</td><td>9.79</td><td>32.65</td><td>100</td><td>358 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5570.00	95.12	-----	-----	81.92	36.06	9.79	32.65	100	358 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5397.52	54.50	74.00	-19.50	41.55	35.96	9.61	32.62	100	358 PEAK																																																																																																								
2	5468.80	51.77	68.30	-16.53	38.77	35.92	9.69	32.61	100	358 PEAK																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5570.00	95.12	-----	-----	81.92	36.06	9.79	32.65	100	358 PEAK																																																																																																								
Avg		Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5397.96</td><td>44.90</td><td>54.00</td><td>-9.10</td><td>31.95</td><td>35.96</td><td>9.61</td><td>32.62</td><td>100</td><td>358 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5397.96	44.90	54.00	-9.10	31.95	35.96	9.61	32.62	100	358 AVERAGE	Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>85.85</td><td>-----</td><td>-----</td><td>72.82</td><td>35.92</td><td>9.71</td><td>32.60</td><td>100</td><td>358 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5570.00	85.85	-----	-----	72.82	35.92	9.71	32.60	100	358 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5397.96	44.90	54.00	-9.10	31.95	35.96	9.61	32.62	100	358 AVERAGE																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5570.00	85.85	-----	-----	72.82	35.92	9.71	32.60	100	358 AVERAGE																																																																																																								



Mode	51																																		
	Band Edge - R																																		
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																		
ANT	CDD 14+15																																		
Pol.	Vertical	Fundamental																																	
Peak	Date: 2024-08-05 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5733.02</td><td>53.94</td><td>68.30</td><td>-14.36</td><td>40.36</td><td>36.23</td><td>10.04</td><td>32.69</td><td>100</td><td>358</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5733.02	53.94	68.30	-14.36	40.36	36.23	10.04	32.69	100	358	PEAK	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																										
1 5733.02	53.94	68.30	-14.36	40.36	36.23	10.04	32.69	100	358	PEAK																									



Mode	51																																																																																			
	Harmonic																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz																																																																																			
ANT	CDD 14+15																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 11140.00</td><td>47.93</td><td>74.00</td><td>-26.07</td><td>46.58</td><td>39.06</td><td>12.62</td><td>50.33</td><td>--- --- Peak</td></tr><tr><td>2 16710.00</td><td>47.77</td><td>68.30</td><td>-20.53</td><td>43.80</td><td>41.45</td><td>15.32</td><td>52.80</td><td>--- --- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1 11140.00	47.93	74.00	-26.07	46.58	39.06	12.62	50.33	--- --- Peak	2 16710.00	47.77	68.30	-20.53	43.80	41.45	15.32	52.80	--- --- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1 11140.00</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>46.64</td><td>39.06</td><td>12.62</td><td>50.33</td><td>--- --- Peak</td></tr><tr><td>2 16710.00</td><td>46.82</td><td>68.30</td><td>-21.48</td><td>42.85</td><td>41.45</td><td>15.32</td><td>52.80</td><td>--- --- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1 11140.00	47.99	74.00	-26.01	46.64	39.06	12.62	50.33	--- --- Peak	2 16710.00	46.82	68.30	-21.48	42.85	41.45	15.32	52.80	--- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
1 11140.00	47.93	74.00	-26.07	46.58	39.06	12.62	50.33	--- --- Peak																																																																												
2 16710.00	47.77	68.30	-20.53	43.80	41.45	15.32	52.80	--- --- Peak																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
1 11140.00	47.99	74.00	-26.01	46.64	39.06	12.62	50.33	--- --- Peak																																																																												
2 16710.00	46.82	68.30	-21.48	42.85	41.45	15.32	52.80	--- --- Peak																																																																												
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11140.00</td><td>47.93</td><td>74.00</td><td>-26.07</td><td>46.58</td><td>39.06</td><td>12.62</td><td>50.33</td><td>---</td><td>---</td></tr><tr><td>2</td><td>16710.00</td><td>47.77</td><td>68.30</td><td>-20.53</td><td>43.80</td><td>41.45</td><td>15.32</td><td>52.80</td><td>---</td><td>---</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	47.93	74.00	-26.07	46.58	39.06	12.62	50.33	---	---	2	16710.00	47.77	68.30	-20.53	43.80	41.45	15.32	52.80	---	---	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11140.00</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>46.64</td><td>39.06</td><td>12.62</td><td>50.33</td><td>---</td><td>---</td></tr><tr><td>2</td><td>16710.00</td><td>46.82</td><td>68.30</td><td>-21.48</td><td>42.85</td><td>41.45</td><td>15.32</td><td>52.80</td><td>---</td><td>---</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	47.99	74.00	-26.01	46.64	39.06	12.62	50.33	---	---	2	16710.00	46.82	68.30	-21.48	42.85	41.45	15.32	52.80	---	---							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	11140.00	47.93	74.00	-26.07	46.58	39.06	12.62	50.33	---	---																																																																										
2	16710.00	47.77	68.30	-20.53	43.80	41.45	15.32	52.80	---	---																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	11140.00	47.99	74.00	-26.01	46.64	39.06	12.62	50.33	---	---																																																																										
2	16710.00	46.82	68.30	-21.48	42.85	41.45	15.32	52.80	---	---																																																																										



Mode	52																																																																											
	Band Edge																																																																											
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU 52/37_5180MHz																																																																											
ANT	CDD 14+15																																																																											
Pol.	Horizontal					Fundamental																																																																						
Peak	Level (dBuV/m) Date: 2024-09-02 Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5000 to 5180 MHz. A red limit line is at 70.0 dBuV/m. A blue trace shows a peak at 5180.00 MHz reaching approximately 95.71 dBuV/m. A red label 'PART 15.407' is present. <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5133.56</td><td>52.29</td><td>74.00</td><td>-21.71</td><td>40.33</td><td>36.12</td><td>8.51</td><td>32.67</td><td>234</td><td>360</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5133.56	52.29	74.00	-21.71	40.33	36.12	8.51	32.67	234	360	PEAK	Level (dBuV/m) Date: 2024-09-02 Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red limit line is at 70.0 dBuV/m. A blue trace shows a peak at 5180.00 MHz reaching approximately 95.71 dBuV/m. A red label 'PART 15.407' is present. <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5180.00</td><td>95.71</td><td>-----</td><td>-----</td><td>83.71</td><td>36.10</td><td>8.57</td><td>32.67</td><td>234</td><td>360</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5180.00	95.71	-----	-----	83.71	36.10	8.57	32.67	234	360	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5133.56	52.29	74.00	-21.71	40.33	36.12	8.51	32.67	234	360	PEAK																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5180.00	95.71	-----	-----	83.71	36.10	8.57	32.67	234	360	PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-09-02 Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5000 to 5180 MHz. A red limit line is at 54.00 dBuV/m. A blue trace shows a peak at 5180.00 MHz reaching approximately 87.47 dBuV/m. A red label 'PART 15.407 AVG' is present. <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5031.86</td><td>42.72</td><td>54.00</td><td>-11.28</td><td>30.91</td><td>36.18</td><td>8.32</td><td>32.69</td><td>234</td><td>360</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5031.86	42.72	54.00	-11.28	30.91	36.18	8.32	32.69	234	360	AVERAGE	Level (dBuV/m) Date: 2024-09-02 Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red limit line is at 54.00 dBuV/m. A blue trace shows a peak at 5180.00 MHz reaching approximately 87.47 dBuV/m. A red label 'PART 15.407 AVG' is present. <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5180.00</td><td>87.47</td><td>-----</td><td>-----</td><td>75.46</td><td>36.09</td><td>8.58</td><td>32.66</td><td>234</td><td>360</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5180.00	87.47	-----	-----	75.46	36.09	8.58	32.66	234	360	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5031.86	42.72	54.00	-11.28	30.91	36.18	8.32	32.69	234	360	AVERAGE																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5180.00	87.47	-----	-----	75.46	36.09	8.58	32.66	234	360	AVERAGE																																																																		



Mode	52																																																																																								
	Band Edge																																																																																								
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU 52/37_5180MHz																																																																																								
ANT	CDD 14+15																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5132.12</td><td>52.91</td><td>74.00</td><td>-21.09</td><td>40.96</td><td>36.12</td><td>8.50</td><td>32.67</td><td>200 171 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5132.12	52.91	74.00	-21.09	40.96	36.12	8.50	32.67	200 171 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>89.64</td><td>-----</td><td>-----</td><td>77.63</td><td>36.09</td><td>8.58</td><td>32.66</td><td>200 171 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	89.64	-----	-----	77.63	36.09	8.58	32.66
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5132.12	52.91	74.00	-21.09	40.96	36.12	8.50	32.67	200 171 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5180.00	89.64	-----	-----	77.63	36.09	8.58	32.66	200 171 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5065.52</td><td>42.56</td><td>54.00</td><td>-11.44</td><td>30.71</td><td>36.16</td><td>8.38</td><td>32.69</td><td>200 171 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5065.52	42.56	54.00	-11.44	30.71	36.16	8.38	32.69	200 171 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>81.88</td><td>-----</td><td>-----</td><td>69.88</td><td>36.10</td><td>8.57</td><td>32.67</td><td>200 171 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	81.88	-----	-----	69.88	36.10	8.57	32.67
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5065.52	42.56	54.00	-11.44	30.71	36.16	8.38	32.69	200 171 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5180.00	81.88	-----	-----	69.88	36.10	8.57	32.67	200 171 AVERAGE																																																																																







		53																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial RU 52/40_5320MHz																																																																																																		
ANT		CDD 14+15																																																																																																		
Pol.	Horizontal										Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2024-09-02 532053485376540454325460 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5380.34</td><td>81.93</td><td>74.00</td><td>-23.57</td><td>37.56</td><td>35.97</td><td>9.52</td><td>32.62</td><td>400</td><td>5 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5380.34	81.93	74.00	-23.57	37.56	35.97	9.52	32.62	400	5 PEAK	Level (dBuV/m) Date: 2024-09-02 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>94.54</td><td>-----</td><td>-----</td><td>81.93</td><td>36.00</td><td>9.24</td><td>32.63</td><td>400</td><td>5 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	94.54	-----	-----	81.93	36.00	9.24	32.63	400	5 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5380.34	81.93	74.00	-23.57	37.56	35.97	9.52	32.62	400	5 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5320.00	94.54	-----	-----	81.93	36.00	9.24	32.63	400	5 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-09-02 532053485376540454325460 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5454.68</td><td>42.21</td><td>54.00</td><td>-11.79</td><td>29.21</td><td>35.93</td><td>9.68</td><td>32.61</td><td>400</td><td>5 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5454.68	42.21	54.00	-11.79	29.21	35.93	9.68	32.61	400	5 AVERAGE	Level (dBuV/m) Date: 2024-09-02 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>87.84</td><td>-----</td><td>-----</td><td>75.23</td><td>36.00</td><td>9.24</td><td>32.63</td><td>400</td><td>5 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	87.84	-----	-----	75.23	36.00	9.24	32.63	400	5 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5454.68	42.21	54.00	-11.79	29.21	35.93	9.68	32.61	400	5 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5320.00	87.84	-----	-----	75.23	36.00	9.24	32.63	400	5 AVERAGE																																																																																											



Mode	53																																																																										
	Band Edge																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial RU 52/40_5320MHz																																																																										
ANT	CDD 14+15																																																																										
Pol.	Vertical					Fundamental																																																																					
Peak	Level (dBuV/m) Date: 2024-09-02 1 5354.58 51.23 74.00 -22.77 38.48 35.99 9.39 32.63 282 216 PEAK					Level (dBuV/m) Date: 2024-09-02 1 5320.00 99.81 ----- 87.20 36.00 9.24 32.63 282 216 PEAK																																																																					
	Limit Margin Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5354.58</td><td>51.23</td><td>74.00</td><td>-22.77</td><td>38.48</td><td>35.99</td><td>9.39</td><td>32.63</td><td>282</td><td>216 PEAK</td></tr></table>					Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5354.58	51.23	74.00	-22.77	38.48	35.99	9.39	32.63	282	216 PEAK	Limit Margin Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5320.00</td><td>99.81</td><td>-----</td><td>87.20</td><td>36.00</td><td>9.24</td><td>32.63</td><td>282</td><td>216</td><td>PEAK</td></tr></table>					Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5320.00	99.81	-----	87.20	36.00	9.24	32.63	282	216
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5354.58	51.23	74.00	-22.77	38.48	35.99	9.39	32.63	282	216 PEAK																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5320.00	99.81	-----	87.20	36.00	9.24	32.63	282	216	PEAK																																																																	
Avg	Level (dBuV/m) Date: 2024-09-02 1 5453.56 42.16 54.00 -11.84 29.16 35.93 9.68 32.61 282 216 AVERAGE					Level (dBuV/m) Date: 2024-09-02 1 5320.00 91.73 ----- 79.12 36.00 9.24 32.63 282 216 AVERAGE																																																																					
	Limit Margin Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5453.56</td><td>42.16</td><td>54.00</td><td>-11.84</td><td>29.16</td><td>35.93</td><td>9.68</td><td>32.61</td><td>282</td><td>216 AVERAGE</td></tr></table>					Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5453.56	42.16	54.00	-11.84	29.16	35.93	9.68	32.61	282	216 AVERAGE	Limit Margin Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5320.00</td><td>91.73</td><td>-----</td><td>79.12</td><td>36.00</td><td>9.24</td><td>32.63</td><td>282</td><td>216</td><td>AVERAGE</td></tr></table>					Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5320.00	91.73	-----	79.12	36.00	9.24	32.63	282	216
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5453.56	42.16	54.00	-11.84	29.16	35.93	9.68	32.61	282	216 AVERAGE																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5320.00	91.73	-----	79.12	36.00	9.24	32.63	282	216	AVERAGE																																																																	



Mode	54																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU 52/37_5500MHz																																																																																																						
ANT	CDD 14+15																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak	Date: 2024-09-02 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5442.70</td><td>51.58</td><td>74.00</td><td>-22.42</td><td>38.58</td><td>35.93</td><td>9.68</td><td>32.61</td><td>100</td><td>41 PEAK</td></tr><tr><td>2</td><td>5465.50</td><td>50.72</td><td>68.30</td><td>-17.58</td><td>37.72</td><td>35.92</td><td>9.69</td><td>32.61</td><td>100</td><td>41 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5442.70	51.58	74.00	-22.42	38.58	35.93	9.68	32.61	100	41 PEAK	2	5465.50	50.72	68.30	-17.58	37.72	35.92	9.69	32.61	100	41 PEAK	Date: 2024-09-02 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>100.42</td><td>-----</td><td>-----</td><td>87.42</td><td>35.90</td><td>9.70</td><td>32.60</td><td>100</td><td>41 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.42	-----	-----	87.42	35.90	9.70	32.60	100	41 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5442.70	51.58	74.00	-22.42	38.58	35.93	9.68	32.61	100	41 PEAK																																																																																													
2	5465.50	50.72	68.30	-17.58	37.72	35.92	9.69	32.61	100	41 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	100.42	-----	-----	87.42	35.90	9.70	32.60	100	41 PEAK																																																																																													
Avg	Date: 2024-09-02 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.60</td><td>42.44</td><td>54.00</td><td>-11.56</td><td>29.44</td><td>35.93</td><td>9.68</td><td>32.61</td><td>100</td><td>41 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5449.60	42.44	54.00	-11.56	29.44	35.93	9.68	32.61	100	41 AVERAGE	Date: 2024-09-02 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>93.73</td><td>-----</td><td>-----</td><td>80.73</td><td>35.90</td><td>9.70</td><td>32.60</td><td>100</td><td>41 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	93.73	-----	-----	80.73	35.90	9.70	32.60	100	41 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5449.60	42.44	54.00	-11.56	29.44	35.93	9.68	32.61	100	41 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	93.73	-----	-----	80.73	35.90	9.70	32.60	100	41 AVERAGE																																																																																													



Mode	54																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU 52/37_5500MHz																																																																																																						
ANT	CDD 14+15																																																																																																						
Pol.	Vertical					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-09-02 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5414.95</td><td>51.57</td><td>74.00</td><td>-22.43</td><td>38.58</td><td>35.95</td><td>9.66</td><td>32.62</td><td>393</td><td>220 PEAK</td></tr><tr><td>2</td><td>5464.15</td><td>51.12</td><td>68.30</td><td>-17.18</td><td>38.12</td><td>35.92</td><td>9.69</td><td>32.61</td><td>393</td><td>220 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5414.95	51.57	74.00	-22.43	38.58	35.95	9.66	32.62	393	220 PEAK	2	5464.15	51.12	68.30	-17.18	38.12	35.92	9.69	32.61	393	220 PEAK	Level (dBuV/m) Date: 2024-09-02 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>90.81</td><td>-----</td><td>-----</td><td>77.81</td><td>35.90</td><td>9.70</td><td>32.60</td><td>393</td><td>220 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	90.81	-----	-----	77.81	35.90	9.70	32.60	393	220 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5414.95	51.57	74.00	-22.43	38.58	35.95	9.66	32.62	393	220 PEAK																																																																																													
2	5464.15	51.12	68.30	-17.18	38.12	35.92	9.69	32.61	393	220 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	90.81	-----	-----	77.81	35.90	9.70	32.60	393	220 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-09-02 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.60</td><td>42.28</td><td>54.00</td><td>-11.72</td><td>29.28</td><td>35.92</td><td>9.69</td><td>32.61</td><td>393</td><td>220 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5458.60	42.28	54.00	-11.72	29.28	35.92	9.69	32.61	393	220 AVERAGE	Level (dBuV/m) Date: 2024-09-02 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>83.74</td><td>-----</td><td>-----</td><td>70.74</td><td>35.90</td><td>9.70</td><td>32.60</td><td>393</td><td>220 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	83.74	-----	-----	70.74	35.90	9.70	32.60	393	220 AVERAGE											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5458.60	42.28	54.00	-11.72	29.28	35.92	9.69	32.61	393	220 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	83.74	-----	-----	70.74	35.90	9.70	32.60	393	220 AVERAGE																																																																																													



Mode	55																																																																										
	Band Edge																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU 26/8_5700MHz																																																																										
ANT	CDD 14+15																																																																										
Pol.	Horizontal					Fundamental																																																																					
Peak	Level (dBuV/m) Date: 2024-09-02 1 5726.65 52.06 68.30 -16.24 38.51 36.22 10.02 32.69 200 4 PEAK					Level (dBuV/m) Date: 2024-09-02 1 5700.00 97.49 ----- 83.99 36.19 9.99 32.68 200 4 PEAK																																																																					
	Limit Margin Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5726.65</td><td>52.06</td><td>68.30</td><td>-16.24</td><td>38.51</td><td>36.22</td><td>10.02</td><td>32.69</td><td>200</td><td>4 PEAK</td></tr></table>					Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5726.65	52.06	68.30	-16.24	38.51	36.22	10.02	32.69	200	4 PEAK	Limit Margin Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5700.00</td><td>97.49</td><td>-----</td><td>83.99</td><td>36.19</td><td>9.99</td><td>32.68</td><td>200</td><td>4</td><td>PEAK</td></tr></table>					Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5700.00	97.49	-----	83.99	36.19	9.99	32.68	200	4
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5726.65	52.06	68.30	-16.24	38.51	36.22	10.02	32.69	200	4 PEAK																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5700.00	97.49	-----	83.99	36.19	9.99	32.68	200	4	PEAK																																																																	
Avg	Blank					Level (dBuV/m) Date: 2024-09-02 1 5700.00 90.49 ----- 76.99 36.19 9.99 32.68 200 4 AVERAGE																																																																					
						Limit Margin Read Ant Cable Preamp APos TPos <table><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5700.00</td><td>90.49</td><td>-----</td><td>76.99</td><td>36.19</td><td>9.99</td><td>32.68</td><td>200</td><td>4</td><td>AVERAGE</td></tr></table>					Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5700.00	90.49	-----	76.99	36.19	9.99	32.68	200	4	AVERAGE																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																		
1	5700.00	90.49	-----	76.99	36.19	9.99	32.68	200	4	AVERAGE																																																																	







Mode	55									
	Band Edge									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial RU 26/8_5700MHz									
ANT	CDD 14+15									
Pol.	Vertical					Fundamental				
Peak	Level (dBuV/m)									





Mode	56	
	Band Edge	
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz	
ANT	CDD 14+15	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2024-08-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5142.20 54.11 74.00 -19.89 42.15 36.11 8.52 32.67 234 295 PEAK	Level (dBuV/m) Date: 2024-08-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5180.00 105.54 ----- 93.50 36.09 8.61 32.66 234 295 PEAK
	Level (dBuV/m) Date: 2024-08-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5144.36 44.30 54.00 -9.70 32.33 36.11 8.53 32.67 234 295 AVERAGE	Level (dBuV/m) Date: 2024-08-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5180.00 96.69 ----- 84.67 36.09 8.59 32.66 234 295 AVERAGE





Mode	56																																																																																											
	Band Edge																																																																																											
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																																											
ANT	CDD 14+15																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.02</td><td>56.16</td><td>74.00</td><td>-17.84</td><td>44.20</td><td>36.11</td><td>8.52</td><td>32.67</td><td>100</td><td>6 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5142.02	56.16	74.00	-17.84	44.20	36.11	8.52	32.67	100	6 PEAK	Level (dBuV/m) Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.66</td><td>-----</td><td>-----</td><td>94.64</td><td>36.09</td><td>8.59</td><td>32.66</td><td>100</td><td>6 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.66	-----	-----	94.64	36.09	8.59	32.66	100	6 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5142.02	56.16	74.00	-17.84	44.20	36.11	8.52	32.67	100	6 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5180.00	106.66	-----	-----	94.64	36.09	8.59	32.66	100	6 PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.26</td><td>44.82</td><td>54.00</td><td>-9.18</td><td>32.85</td><td>36.11</td><td>8.53</td><td>32.67</td><td>100</td><td>6 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5145.26	44.82	54.00	-9.18	32.85	36.11	8.53	32.67	100	6 AVERAGE	Level (dBuV/m) Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.78</td><td>-----</td><td>-----</td><td>85.76</td><td>36.09</td><td>8.59</td><td>32.66</td><td>100</td><td>6 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.78	-----	-----	85.76	36.09	8.59	32.66	100	6 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5145.26	44.82	54.00	-9.18	32.85	36.11	8.53	32.67	100	6 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5180.00	97.78	-----	-----	85.76	36.09	8.59	32.66	100	6 AVERAGE																																																																																		





Mode	56																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																																																																																
ANT	CDD 14+15																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>44.01</td><td>68.30</td><td>-24.29</td><td>44.69</td><td>38.74</td><td>12.06</td><td>51.48</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>45.04</td><td>74.00</td><td>-28.96</td><td>42.21</td><td>40.73</td><td>14.58</td><td>52.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10360.00	44.01	68.30	-24.29	44.69	38.74	12.06	51.48	---	---	Peak	2	15540.00	45.04	74.00	-28.96	42.21	40.73	14.58	52.48	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>44.41</td><td>68.30</td><td>-23.89</td><td>45.09</td><td>38.74</td><td>12.06</td><td>51.48</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>45.13</td><td>40.73</td><td>14.58</td><td>52.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10360.00	44.41	68.30	-23.89	45.09	38.74	12.06	51.48	---	---	Peak	2	15540.00	47.96	74.00	-26.04	45.13	40.73	14.58	52.48	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	10360.00	44.01	68.30	-24.29	44.69	38.74	12.06	51.48	---	---	Peak																																																																																																																						
2	15540.00	45.04	74.00	-28.96	42.21	40.73	14.58	52.48	---	---	Peak																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	10360.00	44.41	68.30	-23.89	45.09	38.74	12.06	51.48	---	---	Peak																																																																																																																						
2	15540.00	47.96	74.00	-26.04	45.13	40.73	14.58	52.48	---	---	Peak																																																																																																																						





Mode	57																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																																																																																																																
ANT	CDD 14+15																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>43.38</td><td>68.30</td><td>-24.92</td><td>43.80</td><td>38.78</td><td>12.12</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>42.98</td><td>40.83</td><td>14.64</td><td>52.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10440.00	43.38	68.30	-24.92	43.80	38.78	12.12	51.32	---	---	Peak	2	15660.00	45.89	74.00	-28.11	42.98	40.83	14.64	52.56	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>43.52</td><td>68.30</td><td>-24.78</td><td>43.94</td><td>38.78</td><td>12.12</td><td>51.32</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>47.39</td><td>74.00</td><td>-26.61</td><td>44.48</td><td>40.83</td><td>14.64</td><td>52.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10440.00	43.52	68.30	-24.78	43.94	38.78	12.12	51.32	---	---	Peak	2	15660.00	47.39	74.00	-26.61	44.48	40.83	14.64	52.56	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	10440.00	43.38	68.30	-24.92	43.80	38.78	12.12	51.32	---	---	Peak																																																																																																																						
2	15660.00	45.89	74.00	-28.11	42.98	40.83	14.64	52.56	---	---	Peak																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	10440.00	43.52	68.30	-24.78	43.94	38.78	12.12	51.32	---	---	Peak																																																																																																																						
2	15660.00	47.39	74.00	-26.61	44.48	40.83	14.64	52.56	---	---	Peak																																																																																																																						





Mode	58																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																																																																																																	
ANT	CDD 14+15																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10480.00</td><td>43.98</td><td>68.30</td><td>-24.32</td><td>44.28</td><td>38.79</td><td>12.15</td><td>51.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>42.39</td><td>40.88</td><td>14.66</td><td>52.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10480.00	43.98	68.30	-24.32	44.28	38.79	12.15	51.24	---	---	Peak	2	15720.00	45.33	74.00	-28.67	42.39	40.88	14.66	52.60	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10480.00</td><td>42.82</td><td>68.30</td><td>-25.48</td><td>43.12</td><td>38.79</td><td>12.15</td><td>51.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.08</td><td>74.00</td><td>-26.92</td><td>44.14</td><td>40.88</td><td>14.66</td><td>52.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10480.00	42.82	68.30	-25.48	43.12	38.79	12.15	51.24	---	---	Peak	2	15720.00	47.08	74.00	-26.92	44.14	40.88	14.66	52.60	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10480.00	43.98	68.30	-24.32	44.28	38.79	12.15	51.24	---	---	Peak																																																																																																																							
2	15720.00	45.33	74.00	-28.67	42.39	40.88	14.66	52.60	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10480.00	42.82	68.30	-25.48	43.12	38.79	12.15	51.24	---	---	Peak																																																																																																																							
2	15720.00	47.08	74.00	-26.92	44.14	40.88	14.66	52.60	---	---	Peak																																																																																																																							







Mode	59																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																																																																																		
ANT	CDD 14+15																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10520.00</td><td>42.76</td><td>68.30</td><td>-25.54</td><td>55.37</td><td>38.81</td><td>12.18</td><td>63.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>55.17</td><td>40.92</td><td>14.69</td><td>64.07</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	42.76	68.30	-25.54	55.37	38.81	12.18	63.60	---	---	Peak	2	15780.00	46.71	74.00	-27.29	55.17	40.92	14.69	64.07	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10520.00</td><td>43.76</td><td>68.30</td><td>-24.54</td><td>56.37</td><td>38.81</td><td>12.18</td><td>63.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>48.31</td><td>74.00</td><td>-25.69</td><td>56.77</td><td>40.92</td><td>14.69</td><td>64.07</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	43.76	68.30	-24.54	56.37	38.81	12.18	63.60	---	---	Peak	2	15780.00	48.31	74.00	-25.69	56.77	40.92	14.69	64.07	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	10520.00	42.76	68.30	-25.54	55.37	38.81	12.18	63.60	---	---	Peak																																																																																																								
2	15780.00	46.71	74.00	-27.29	55.17	40.92	14.69	64.07	---	---	Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	10520.00	43.76	68.30	-24.54	56.37	38.81	12.18	63.60	---	---	Peak																																																																																																								
2	15780.00	48.31	74.00	-25.69	56.77	40.92	14.69	64.07	---	---	Peak																																																																																																								







Mode	60																																																																																																									
	Harmonic																																																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full RU_5300MHz																																																																																																									
ANT	CDD 14+15																																																																																																									
Pol.	Horizontal								Vertical																																																																																																	
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>48.14</td><td>74.00</td><td>-25.86</td><td>60.64</td><td>38.84</td><td>12.23</td><td>63.57 --- Peak</td></tr><tr><td>2</td><td>15900.00</td><td>48.69</td><td>74.00</td><td>-25.31</td><td>57.03</td><td>41.02</td><td>14.75</td><td>64.11 --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	10600.00	48.14	74.00	-25.86	60.64	38.84	12.23	63.57 --- Peak	2	15900.00	48.69	74.00	-25.31	57.03	41.02	14.75	64.11 --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>49.32</td><td>74.00</td><td>-24.68</td><td>61.82</td><td>38.84</td><td>12.23</td><td>63.57 --- Peak</td></tr><tr><td>2</td><td>15900.00</td><td>49.39</td><td>74.00</td><td>-24.61</td><td>57.73</td><td>41.02</td><td>14.75</td><td>64.11 --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	10600.00	49.32	74.00	-24.68	61.82	38.84	12.23	63.57 --- Peak	2	15900.00	49.39	74.00	-24.61	57.73	41.02	14.75	64.11 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																			
1	10600.00	48.14	74.00	-25.86	60.64	38.84	12.23	63.57 --- Peak																																																																																																		
2	15900.00	48.69	74.00	-25.31	57.03	41.02	14.75	64.11 --- Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																			
1	10600.00	49.32	74.00	-24.68	61.82	38.84	12.23	63.57 --- Peak																																																																																																		
2	15900.00	49.39	74.00	-24.61	57.73	41.02	14.75	64.11 --- Peak																																																																																																		





		61																																																																																									
Mode		Band Edge																																																																																									
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz																																																																																									
ANT		CDD 14+15																																																																																									
Pol.	Horizontal										Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-08-05 										Level (dBuV/m) Date: 2024-08-05 																																																																																
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5350.24</td><td>53.84</td><td>74.00</td><td>-20.16</td><td>41.11</td><td>35.99</td><td>9.37</td><td>32.63</td><td>200</td><td>302</td><td>PEAK</td></tr></tbody></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5350.24	53.84	74.00	-20.16	41.11	35.99	9.37	32.63	200	302	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>106.19</td><td>-----</td><td>-----</td><td>93.58</td><td>36.00</td><td>9.24</td><td>32.63</td><td>200</td><td>302</td><td>PEAK</td></tr></tbody></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5320.00	106.19	-----	-----	93.58	36.00	9.24	32.63	200	302
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5350.24	53.84	74.00	-20.16	41.11	35.99	9.37	32.63	200	302	PEAK																																																																																
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5320.00	106.19	-----	-----	93.58	36.00	9.24	32.63	200	302	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-08-05 										Level (dBuV/m) Date: 2024-08-05 																																																																																
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5350.10</td><td>45.08</td><td>54.00</td><td>-8.92</td><td>32.35</td><td>35.99</td><td>9.37</td><td>32.63</td><td>200</td><td>302</td><td>AVERAGE</td></tr></tbody></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5350.10	45.08	54.00	-8.92	32.35	35.99	9.37	32.63	200	302	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>97.66</td><td>-----</td><td>-----</td><td>85.05</td><td>36.00</td><td>9.24</td><td>32.63</td><td>200</td><td>302</td><td>AVERAGE</td></tr></tbody></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5320.00	97.66	-----	-----	85.05	36.00	9.24	32.63	200	302
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5350.10	45.08	54.00	-8.92	32.35	35.99	9.37	32.63	200	302	AVERAGE																																																																																
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5320.00	97.66	-----	-----	85.05	36.00	9.24	32.63	200	302	AVERAGE																																																																																







		61																																																																																					
Mode		Band Edge																																																																																					
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz																																																																																					
ANT		CDD 14+15																																																																																					
Pol.		Vertical					Fundamental																																																																																
Peak		Level (dBuV/m) Date: 2024-08-05  <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5350.52</td><td>57.51</td><td>74.00</td><td>-16.49</td><td>44.78</td><td>35.99</td><td>9.37</td><td>32.63</td><td>300</td><td>278</td><td>PEAK</td></tr></table>										Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5350.52	57.51	74.00	-16.49	44.78	35.99	9.37	32.63	300	278	PEAK	Level (dBuV/m) Date: 2024-08-05  <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5320.00</td><td>110.40</td><td>-----</td><td>-----</td><td>97.79</td><td>36.00</td><td>9.24</td><td>32.63</td><td>300</td><td>278</td><td>PEAK</td></tr></table>										Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5320.00	110.40	-----	-----	97.79	36.00	9.24	32.63	300	278	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 5350.52	57.51	74.00	-16.49	44.78	35.99	9.37	32.63	300	278	PEAK																																																																													
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 5320.00	110.40	-----	-----	97.79	36.00	9.24	32.63	300	278	PEAK																																																																													
Avg		Level (dBuV/m) Date: 2024-08-05  <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5350.66</td><td>47.92</td><td>54.00</td><td>-6.08</td><td>35.19</td><td>35.99</td><td>9.37</td><td>32.63</td><td>300</td><td>278</td><td>AVERAGE</td></tr></table>										Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5350.66	47.92	54.00	-6.08	35.19	35.99	9.37	32.63	300	278	AVERAGE	Level (dBuV/m) Date: 2024-08-05  <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5320.00</td><td>100.58</td><td>-----</td><td>-----</td><td>87.97</td><td>36.00</td><td>9.24</td><td>32.63</td><td>300</td><td>278</td><td>AVERAGE</td></tr></table>										Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5320.00	100.58	-----	-----	87.97	36.00	9.24	32.63	300	278	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 5350.66	47.92	54.00	-6.08	35.19	35.99	9.37	32.63	300	278	AVERAGE																																																																													
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 5320.00	100.58	-----	-----	87.97	36.00	9.24	32.63	300	278	AVERAGE																																																																													







Mode	61																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz																																																																																																																							
ANT	CDD 14+15																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>59.96</td><td>38.86</td><td>12.26</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>48.98</td><td>74.00</td><td>-25.02</td><td>57.27</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10640.00	47.53	74.00	-26.47	59.96	38.86	12.26	63.55	---	---	Peak	2	15960.00	48.98	74.00	-25.02	57.27	41.07	14.77	64.13	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>47.57</td><td>74.00</td><td>-26.43</td><td>60.00</td><td>38.86</td><td>12.26</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>48.29</td><td>74.00</td><td>-25.71</td><td>56.58</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10640.00	47.57	74.00	-26.43	60.00	38.86	12.26	63.55	---	---	Peak	2	15960.00	48.29	74.00	-25.71	56.58	41.07	14.77	64.13	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10640.00	47.53	74.00	-26.47	59.96	38.86	12.26	63.55	---	---	Peak																																																																																																													
2	15960.00	48.98	74.00	-25.02	57.27	41.07	14.77	64.13	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10640.00	47.57	74.00	-26.43	60.00	38.86	12.26	63.55	---	---	Peak																																																																																																													
2	15960.00	48.29	74.00	-25.71	56.58	41.07	14.77	64.13	---	---	Peak																																																																																																													





		62																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full RU_5500MHz																																																																																																		
ANT		CDD 14+15																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5447.95</td><td>53.81</td><td>74.00</td><td>-20.19</td><td>40.81</td><td>35.93</td><td>9.68</td><td>32.61</td><td>200</td><td>301 PEAK</td></tr><tr><td>2 5466.55</td><td>55.38</td><td>68.30</td><td>-12.92</td><td>42.38</td><td>35.92</td><td>9.69</td><td>32.61</td><td>200</td><td>301 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5447.95	53.81	74.00	-20.19	40.81	35.93	9.68	32.61	200	301 PEAK	2 5466.55	55.38	68.30	-12.92	42.38	35.92	9.69	32.61	200	301 PEAK	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>107.89</td><td>-----</td><td>-----</td><td>94.87</td><td>35.91</td><td>9.71</td><td>32.60</td><td>200</td><td>301 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5500.00	107.89	-----	-----	94.87	35.91	9.71	32.60	200	301 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5447.95	53.81	74.00	-20.19	40.81	35.93	9.68	32.61	200	301 PEAK																																																																																											
2 5466.55	55.38	68.30	-12.92	42.38	35.92	9.69	32.61	200	301 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5500.00	107.89	-----	-----	94.87	35.91	9.71	32.60	200	301 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5446.90</td><td>43.79</td><td>54.00</td><td>-10.21</td><td>30.79</td><td>35.93</td><td>9.68</td><td>32.61</td><td>200</td><td>301 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5446.90	43.79	54.00	-10.21	30.79	35.93	9.68	32.61	200	301 AVERAGE	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>100.99</td><td>-----</td><td>-----</td><td>87.97</td><td>35.91</td><td>9.71</td><td>32.60</td><td>200</td><td>301 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5500.00	100.99	-----	-----	87.97	35.91	9.71	32.60	200	301 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5446.90	43.79	54.00	-10.21	30.79	35.93	9.68	32.61	200	301 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5500.00	100.99	-----	-----	87.97	35.91	9.71	32.60	200	301 AVERAGE																																																																																											





Mode	62																																																																																																					
	Band Edge																																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full RU_5500MHz																																																																																																					
ANT	CDD 14+15																																																																																																					
Pol.	Vertical					Fundamental																																																																																																
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.35</td><td>58.82</td><td>74.00</td><td>-15.18</td><td>45.82</td><td>35.92</td><td>9.69</td><td>32.61</td><td>300</td><td>278 PEAK</td></tr><tr><td>2</td><td>5462.95</td><td>58.06</td><td>68.30</td><td>-10.24</td><td>45.06</td><td>35.92</td><td>9.69</td><td>32.61</td><td>300</td><td>278 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5459.35	58.82	74.00	-15.18	45.82	35.92	9.69	32.61	300	278 PEAK	2	5462.95	58.06	68.30	-10.24	45.06	35.92	9.69	32.61	300	278 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>110.85</td><td>-----</td><td>-----</td><td>97.84</td><td>35.90</td><td>9.71</td><td>32.60</td><td>300</td><td>278 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.85	-----	-----	97.84	35.90	9.71	32.60	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5459.35	58.82	74.00	-15.18	45.82	35.92	9.69	32.61	300	278 PEAK																																																																																												
2	5462.95	58.06	68.30	-10.24	45.06	35.92	9.69	32.61	300	278 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5500.00	110.85	-----	-----	97.84	35.90	9.71	32.60	300	278 PEAK																																																																																												
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.95</td><td>45.92</td><td>54.00</td><td>-8.08</td><td>32.92</td><td>35.92</td><td>9.69</td><td>32.61</td><td>300</td><td>278 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5459.95	45.92	54.00	-8.08	32.92	35.92	9.69	32.61	300	278 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.46</td><td>-----</td><td>-----</td><td>90.46</td><td>35.90</td><td>9.70</td><td>32.60</td><td>300</td><td>278 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.46	-----	-----	90.46	35.90	9.70	32.60	300	278 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5459.95	45.92	54.00	-8.08	32.92	35.92	9.69	32.61	300	278 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5500.00	103.46	-----	-----	90.46	35.90	9.70	32.60	300	278 AVERAGE																																																																																												



Mode	62																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full RU_5500MHz																																																																																																																															
ANT	CDD 14+15																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>49.40</td><td>74.00</td><td>-24.60</td><td>61.30</td><td>39.00</td><td>12.52</td><td>63.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>49.30</td><td>68.30</td><td>-19.00</td><td>57.44</td><td>41.35</td><td>15.17</td><td>64.66</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	49.40	74.00	-24.60	61.30	39.00	12.52	63.42	---	---	Peak	2	16500.00	49.30	68.30	-19.00	57.44	41.35	15.17	64.66	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>48.94</td><td>74.00</td><td>-25.06</td><td>60.84</td><td>39.00</td><td>12.52</td><td>63.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>47.09</td><td>68.30</td><td>-21.21</td><td>55.23</td><td>41.35</td><td>15.17</td><td>64.66</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	48.94	74.00	-25.06	60.84	39.00	12.52	63.42	---	---	Peak	2	16500.00	47.09	68.30	-21.21	55.23	41.35	15.17	64.66	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11000.00	49.40	74.00	-24.60	61.30	39.00	12.52	63.42	---	---	Peak																																																																																																																					
2	16500.00	49.30	68.30	-19.00	57.44	41.35	15.17	64.66	---	---	Peak																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11000.00	48.94	74.00	-25.06	60.84	39.00	12.52	63.42	---	---	Peak																																																																																																																					
2	16500.00	47.09	68.30	-21.21	55.23	41.35	15.17	64.66	---	---	Peak																																																																																																																					



Mode	63																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full RU_5580MHz																																																																																																																														
ANT	CDD 14+15																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11060.00</td><td>49.20</td><td>74.00</td><td>-24.80</td><td>61.03</td><td>39.02</td><td>12.57</td><td>63.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16590.00</td><td>49.59</td><td>68.30</td><td>-18.71</td><td>57.72</td><td>41.39</td><td>15.23</td><td>64.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11060.00	49.20	74.00	-24.80	61.03	39.02	12.57	63.42	---	---	Peak	2	16590.00	49.59	68.30	-18.71	57.72	41.39	15.23	64.75	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11060.00</td><td>48.07</td><td>74.00</td><td>-25.93</td><td>59.90</td><td>39.02</td><td>12.57</td><td>63.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16590.00</td><td>48.24</td><td>68.30</td><td>-20.06</td><td>56.37</td><td>41.39</td><td>15.23</td><td>64.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11060.00	48.07	74.00	-25.93	59.90	39.02	12.57	63.42	---	---	Peak	2	16590.00	48.24	68.30	-20.06	56.37	41.39	15.23	64.75	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	11060.00	49.20	74.00	-24.80	61.03	39.02	12.57	63.42	---	---	Peak																																																																																																																				
2	16590.00	49.59	68.30	-18.71	57.72	41.39	15.23	64.75	---	---	Peak																																																																																																																				
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	11060.00	48.07	74.00	-25.93	59.90	39.02	12.57	63.42	---	---	Peak																																																																																																																				
2	16590.00	48.24	68.30	-20.06	56.37	41.39	15.23	64.75	---	---	Peak																																																																																																																				





Mode	64																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full RU_5700MHz																																																																																									
ANT	CDD 14+15																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5730.62</td><td>59.78</td><td>68.30</td><td>-8.52</td><td>46.22</td><td>36.22</td><td>10.03</td><td>32.69</td><td>100</td><td>7 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5730.62	59.78	68.30	-8.52	46.22	36.22	10.03	32.69	100	7 PEAK	Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>111.39</td><td>-----</td><td>-----</td><td>97.93</td><td>36.18</td><td>9.96</td><td>32.68</td><td>100</td><td>7 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5700.00	111.39	-----	-----	97.93	36.18	9.96	32.68	100	7 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5730.62	59.78	68.30	-8.52	46.22	36.22	10.03	32.69	100	7 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5700.00	111.39	-----	-----	97.93	36.18	9.96	32.68	100	7 PEAK																																																																																	
Avg	Blank					Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>102.47</td><td>-----</td><td>-----</td><td>89.01</td><td>36.18</td><td>9.96</td><td>32.68</td><td>100</td><td>7 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5700.00	102.47	-----	-----	89.01	36.18	9.96	32.68	100	7 AVERAGE																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5700.00	102.47	-----	-----	89.01	36.18	9.96	32.68	100	7 AVERAGE																																																																																	







Mode	64																																																																																
	Band Edge																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full RU_5700MHz																																																																																
ANT	CDD 14+15																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak	Level (dBuV/m) Date: 2024-08-05 15725.42 54.72 68.30 -13.58 41.17 36.22 10.02 32.69 300 275 PEAK					Level (dBuV/m) Date: 2024-08-05 1 5700.00 111.11 ----- 97.65 36.18 9.96 32.68 300 275 PEAK																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5725.42</td><td>54.72</td><td>68.30</td><td>-13.58</td><td>41.17</td><td>36.22</td><td>10.02</td><td>32.69</td><td>300</td><td>275</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5725.42	54.72	68.30	-13.58	41.17	36.22	10.02	32.69	300	275	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>111.11</td><td>-----</td><td>-----</td><td>97.65</td><td>36.18</td><td>9.96</td><td>32.68</td><td>300</td><td>275</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5700.00	111.11	-----	-----	97.65	36.18	9.96	32.68	300	275
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5725.42	54.72	68.30	-13.58	41.17	36.22	10.02	32.69	300	275	PEAK																																																																						
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5700.00	111.11	-----	-----	97.65	36.18	9.96	32.68	300	275	PEAK																																																																						
Avg	Blank					Level (dBuV/m) Date: 2024-08-05 1 5700.00 101.61 ----- 88.13 36.19 9.97 32.68 300 275 AVERAGE					<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.61</td><td>-----</td><td>-----</td><td>88.13</td><td>36.19</td><td>9.97</td><td>32.68</td><td>300</td><td>275</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5700.00	101.61	-----	-----	88.13	36.19	9.97	32.68	300	275	AVERAGE																														
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5700.00	101.61	-----	-----	88.13	36.19	9.97	32.68	300	275	AVERAGE																																																																						



Mode	64																																																														
	Harmonic																																																														
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full RU_5700MHz																																																														
ANT	CDD 14+15																																																														
Pol.	Horizontal						Vertical																																																								
Peak Avg																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>48.29</td><td>74.00</td><td>-25.71</td><td>59.76</td><td>39.16</td><td>12.81</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>49.54</td><td>68.30</td><td>-18.76</td><td>57.44</td><td>41.71</td><td>15.62</td><td>65.23</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11400.00	48.29	74.00	-25.71	59.76	39.16	12.81	63.44	---	---	Peak	2	17100.00	49.54	68.30	-18.76	57.44	41.71	15.62	65.23	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																								
1	11400.00	48.29	74.00	-25.71	59.76	39.16	12.81	63.44	---	---	Peak																																																				
2	17100.00	49.54	68.30	-18.76	57.44	41.71	15.62	65.23	---	---	Peak																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>59.38</td><td>39.16</td><td>12.81</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.75</td><td>68.30</td><td>-19.55</td><td>56.65</td><td>41.71</td><td>15.62</td><td>65.23</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11400.00	47.91	74.00	-26.09	59.38	39.16	12.81	63.44	---	---	Peak	2	17100.00	48.75	68.30	-19.55	56.65	41.71	15.62	65.23	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																								
1	11400.00	47.91	74.00	-26.09	59.38	39.16	12.81	63.44	---	---	Peak																																																				
2	17100.00	48.75	68.30	-19.55	56.65	41.71	15.62	65.23	---	---	Peak																																																				



Mode	65																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full RU_5190MHz																																																																																									
ANT	CDD 14+15																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.91</td><td>56.78</td><td>74.00</td><td>-17.22</td><td>44.80</td><td>36.11</td><td>8.54</td><td>32.67</td><td>101</td><td>303 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5149.91	56.78	74.00	-17.22	44.80	36.11	8.54	32.67	101	303 PEAK	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>101.93</td><td>-----</td><td>-----</td><td>89.89</td><td>36.09</td><td>8.61</td><td>32.66</td><td>101</td><td>303 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5190.00	101.93	-----	-----	89.89	36.09	8.61	32.66	101	303 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5149.91	56.78	74.00	-17.22	44.80	36.11	8.54	32.67	101	303 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5190.00	101.93	-----	-----	89.89	36.09	8.61	32.66	101	303 PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5147.82</td><td>46.50</td><td>54.00</td><td>-7.50</td><td>34.53</td><td>36.11</td><td>8.53</td><td>32.67</td><td>101</td><td>303 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5147.82	46.50	54.00	-7.50	34.53	36.11	8.53	32.67	101	303 AVERAGE	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>92.81</td><td>-----</td><td>-----</td><td>80.77</td><td>36.09</td><td>8.61</td><td>32.66</td><td>101</td><td>303 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5190.00	92.81	-----	-----	80.77	36.09	8.61	32.66	101	303 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5147.82	46.50	54.00	-7.50	34.53	36.11	8.53	32.67	101	303 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5190.00	92.81	-----	-----	80.77	36.09	8.61	32.66	101	303 AVERAGE																																																																																	



Mode	65																																																			
	Band Edge - R																																																			
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full RU_5190MHz																																																			
ANT	CDD 14+15																																																			
Pol.	Horizontal					Fundamental																																														
Peak	Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.45</td><td>51.66</td><td>74.00</td><td>-22.34</td><td>38.66</td><td>35.93</td><td>9.68</td><td>32.61</td><td>101</td><td>303</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5442.45	51.66	74.00	-22.34	38.66	35.93	9.68	32.61	101	303	PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																											
1	5442.45	51.66	74.00	-22.34	38.66	35.93	9.68	32.61	101	303	PEAK																																									
Avg	Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5415.45</td><td>42.42</td><td>54.00</td><td>-11.58</td><td>29.43</td><td>35.95</td><td>9.66</td><td>32.62</td><td>101</td><td>303</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5415.45	42.42	54.00	-11.58	29.43	35.95	9.66	32.62	101	303	AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																											
1	5415.45	42.42	54.00	-11.58	29.43	35.95	9.66	32.62	101	303	AVERAGE																																									



Mode	65	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full RU_5190MHz	
ANT	CDD 14+15	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-08-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dB dB cm deg 1 5147.63 58.14 74.00 -15.86 46.17 36.11 8.53 32.67 296 281 PEAK	Level (dBuV/m) Date: 2024-08-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dB dB cm deg 1 5190.00 103.14 ----- 91.10 36.08 8.62 32.66 296 281 PEAK
	Level (dBuV/m) Date: 2024-08-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dB dB cm deg 1 5148.96 48.08 54.00 -5.92 36.11 36.11 8.53 32.67 296 281 AVERAGE	Level (dBuV/m) Date: 2024-08-05 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dB dB cm deg 1 5190.00 94.73 ----- 82.73 36.10 8.57 32.67 296 281 AVERAGE



Mode	65																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full RU_5190MHz																																										
ANT	CDD 14+15																																										
Pol.	Vertical					Fundamental																																					
Peak	Date: 2024-08-05 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5372.52</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>38.78</td><td>35.98</td><td>9.48</td><td>32.63</td><td>296</td><td>281 PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5372.52	51.61	74.00	-22.39	38.78	35.98	9.48	32.63	296	281 PEAK	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	5372.52	51.61	74.00	-22.39	38.78	35.98	9.48	32.63	296	281 PEAK																																	
Avg	Date: 2024-08-05 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5426.25</td><td>42.53</td><td>54.00</td><td>-11.47</td><td>29.53</td><td>35.94</td><td>9.67</td><td>32.61</td><td>296</td><td>281 AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5426.25	42.53	54.00	-11.47	29.53	35.94	9.67	32.61	296	281 AVERAGE	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	5426.25	42.53	54.00	-11.47	29.53	35.94	9.67	32.61	296	281 AVERAGE																																	



Mode	66																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full RU_5230MHz																																																																																									
ANT	CDD 14+15																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5103.27</td><td>53.29</td><td>74.00</td><td>-20.71</td><td>41.38</td><td>36.14</td><td>8.45</td><td>32.68</td><td>233 296 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5103.27	53.29	74.00	-20.71	41.38	36.14	8.45	32.68	233 296 PEAK	Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>105.51</td><td>-----</td><td>-----</td><td>93.42</td><td>36.07</td><td>8.68</td><td>32.66</td><td>233 296 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5230.00	105.51	-----	-----	93.42	36.07	8.68	32.66	233 296 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5103.27	53.29	74.00	-20.71	41.38	36.14	8.45	32.68	233 296 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5230.00	105.51	-----	-----	93.42	36.07	8.68	32.66	233 296 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.27</td><td>43.10</td><td>54.00</td><td>-10.90</td><td>31.13</td><td>36.11</td><td>8.53</td><td>32.67</td><td>233 296 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5149.27	43.10	54.00	-10.90	31.13	36.11	8.53	32.67	233 296 AVERAGE	Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>96.04</td><td>-----</td><td>-----</td><td>83.95</td><td>36.07</td><td>8.68</td><td>32.66</td><td>233 296 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5230.00	96.04	-----	-----	83.95	36.07	8.68	32.66	233 296 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5149.27	43.10	54.00	-10.90	31.13	36.11	8.53	32.67	233 296 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5230.00	96.04	-----	-----	83.95	36.07	8.68	32.66	233 296 AVERAGE																																																																																	



Mode	66																																													
	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full RU_5230MHz																																													
ANT	CDD 14+15																																													
Pol.	Horizontal					Fundamental																																								
Peak	Date: 2024-08-05 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5436.31</td><td>51.39</td><td>74.00</td><td>-22.61</td><td>38.38</td><td>35.94</td><td>9.68</td><td>32.61</td><td>233</td><td>296</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5436.31	51.39	74.00	-22.61	38.38	35.94	9.68	32.61	233	296	PEAK	Blank				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																				
1	5436.31	51.39	74.00	-22.61	38.38	35.94	9.68	32.61	233	296	PEAK																																			
Avg	Date: 2024-08-05 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5456.09</td><td>42.50</td><td>54.00</td><td>-11.50</td><td>29.49</td><td>35.93</td><td>9.69</td><td>32.61</td><td>233</td><td>296</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5456.09	42.50	54.00	-11.50	29.49	35.93	9.69	32.61	233	296	AVERAGE	Blank				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																				
1	5456.09	42.50	54.00	-11.50	29.49	35.93	9.69	32.61	233	296	AVERAGE																																			



		66																																																																																					
Mode		Band Edge - L																																																																																					
		U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full RU_5230MHz																																																																																					
ANT		CDD 14+15																																																																																					
Pol.		Vertical					Fundamental																																																																																
Peak		Level (dBuV/m) Date: 2024-08-05 1 5077.05 52.63 74.00 -21.37 40.76 36.15 8.40 32.68 300 244 PEAK <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5077.05</td><td>52.63</td><td>74.00</td><td>-21.37</td><td>40.76</td><td>36.15</td><td>8.40</td><td>32.68</td><td>300</td><td>244</td><td>PEAK</td></tr></tbody></table>										Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5077.05	52.63	74.00	-21.37	40.76	36.15	8.40	32.68	300	244	PEAK	Level (dBuV/m) Date: 2024-08-05 1 5230.00 102.23 ----- 90.11 36.07 8.71 32.66 300 244 PEAK <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5230.00</td><td>102.23</td><td>-----</td><td>-----</td><td>90.11</td><td>36.07</td><td>8.71</td><td>32.66</td><td>300</td><td>244</td><td>PEAK</td></tr></tbody></table>										Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5230.00	102.23	-----	-----	90.11	36.07	8.71	32.66	300	244	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 5077.05	52.63	74.00	-21.37	40.76	36.15	8.40	32.68	300	244	PEAK																																																																													
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 5230.00	102.23	-----	-----	90.11	36.07	8.71	32.66	300	244	PEAK																																																																													
Avg		Level (dBuV/m) Date: 2024-08-05 1 5148.58 42.91 54.00 -11.09 30.94 36.11 8.53 32.67 300 244 AVERAGE <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5148.58</td><td>42.91</td><td>54.00</td><td>-11.09</td><td>30.94</td><td>36.11</td><td>8.53</td><td>32.67</td><td>300</td><td>244</td><td>AVERAGE</td></tr></tbody></table>										Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5148.58	42.91	54.00	-11.09	30.94	36.11	8.53	32.67	300	244	AVERAGE	Level (dBuV/m) Date: 2024-08-05 1 5230.00 92.87 ----- 80.69 36.06 8.77 32.65 300 244 AVERAGE <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5230.00</td><td>92.87</td><td>-----</td><td>-----</td><td>80.69</td><td>36.06</td><td>8.77</td><td>32.65</td><td>300</td><td>244</td><td>AVERAGE</td></tr></tbody></table>										Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5230.00	92.87	-----	-----	80.69	36.06	8.77	32.65	300	244	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 5148.58	42.91	54.00	-11.09	30.94	36.11	8.53	32.67	300	244	AVERAGE																																																																													
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 5230.00	92.87	-----	-----	80.69	36.06	8.77	32.65	300	244	AVERAGE																																																																													



Mode	66																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full RU_5230MHz																																										
ANT	CDD 14+15																																										
Pol.	Vertical					Fundamental																																					
Peak	Date: 2024-08-05 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5423.20</td><td>51.36</td><td>74.00</td><td>-22.64</td><td>38.36</td><td>35.95</td><td>9.67</td><td>32.62</td><td>300</td><td>244</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5423.20	51.36	74.00	-22.64	38.36	35.95	9.67	32.62	300	244	PEAK	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1 5423.20	51.36	74.00	-22.64	38.36	35.95	9.67	32.62	300	244	PEAK																																	
Avg	Date: 2024-08-05 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5404.11</td><td>42.55</td><td>54.00</td><td>-11.45</td><td>29.56</td><td>35.96</td><td>9.65</td><td>32.62</td><td>300</td><td>244</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5404.11	42.55	54.00	-11.45	29.56	35.96	9.65	32.62	300	244	AVERAGE	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1 5404.11	42.55	54.00	-11.45	29.56	35.96	9.65	32.62	300	244	AVERAGE																																	







Mode	67																																																																											
	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full RU_5270MHz																																																																											
ANT	CDD 14+15																																																																											
Pol.	Horizontal					Fundamental																																																																						
Peak	Level (dBuV/m) Date: 2024-08-05 15132.30 54.04 74.00 -19.96 42.09 36.12 8.50 32.67 227 299 PEAK <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5132.30</td><td>54.04</td><td>74.00</td><td>-19.96</td><td>42.09</td><td>36.12</td><td>8.50</td><td>32.67</td><td>227</td><td>299 PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5132.30	54.04	74.00	-19.96	42.09	36.12	8.50	32.67	227	299 PEAK	Level (dBuV/m) Date: 2024-08-05 15270.00 104.01 ----- 91.63 36.03 8.99 32.64 227 299 PEAK <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5270.00</td><td>104.01</td><td>-----</td><td>91.63</td><td>36.03</td><td>8.99</td><td>32.64</td><td>227</td><td>299 PEAK</td><td></td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5270.00	104.01	-----	91.63	36.03	8.99	32.64	227	299 PEAK	
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5132.30	54.04	74.00	-19.96	42.09	36.12	8.50	32.67	227	299 PEAK																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5270.00	104.01	-----	91.63	36.03	8.99	32.64	227	299 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2024-08-05 15146.61 43.70 54.00 -10.30 31.73 36.11 8.53 32.67 227 299 AVERAGE <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5146.61</td><td>43.70</td><td>54.00</td><td>-10.30</td><td>31.73</td><td>36.11</td><td>8.53</td><td>32.67</td><td>227</td><td>299 AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5146.61	43.70	54.00	-10.30	31.73	36.11	8.53	32.67	227	299 AVERAGE	Level (dBuV/m) Date: 2024-08-05 15270.00 95.24 ----- 82.97 36.05 8.87 32.65 227 299 AVERAGE <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5270.00</td><td>95.24</td><td>-----</td><td>82.97</td><td>36.05</td><td>8.87</td><td>32.65</td><td>227</td><td>299 AVERAGE</td><td></td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5270.00	95.24	-----	82.97	36.05	8.87	32.65	227	299 AVERAGE	
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5146.61	43.70	54.00	-10.30	31.73	36.11	8.53	32.67	227	299 AVERAGE																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5270.00	95.24	-----	82.97	36.05	8.87	32.65	227	299 AVERAGE																																																																			







Mode	67																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full RU_5270MHz																																										
ANT	CDD 14+15																																										
Pol.	Horizontal					Fundamental																																					
Peak	Date: 2024-08-05 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5351.13</td><td>53.71</td><td>74.00</td><td>-20.29</td><td>40.98</td><td>35.99</td><td>9.37</td><td>32.63</td><td>227</td><td>299 PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5351.13	53.71	74.00	-20.29	40.98	35.99	9.37	32.63	227	299 PEAK	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	5351.13	53.71	74.00	-20.29	40.98	35.99	9.37	32.63	227	299 PEAK																																	
Avg	Date: 2024-08-05 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5358.16</td><td>45.24</td><td>54.00</td><td>-8.76</td><td>32.47</td><td>35.99</td><td>9.41</td><td>32.63</td><td>227</td><td>299 AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5358.16	45.24	54.00	-8.76	32.47	35.99	9.41	32.63	227	299 AVERAGE	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	5358.16	45.24	54.00	-8.76	32.47	35.99	9.41	32.63	227	299 AVERAGE																																	





		67																																																																																																							
Mode		Band Edge - L																																																																																																							
		U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full RU_5270MHz																																																																																																							
ANT		CDD 14+15																																																																																																							
Pol.		Vertical					Fundamental																																																																																																		
Peak		Level (dBuV/m) Date: 2024-08-05  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.72</td><td>55.18</td><td>74.00</td><td>-18.82</td><td>43.21</td><td>36.11</td><td>8.53</td><td>32.67</td><td>300</td><td>280</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5144.72	55.18	74.00	-18.82	43.21	36.11	8.53	32.67	300	280	PEAK	Level (dBuV/m) Date: 2024-08-05  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>106.36</td><td>-----</td><td>-----</td><td>94.07</td><td>36.04</td><td>8.90</td><td>32.65</td><td>300</td><td>280</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	106.36	-----	-----	94.07	36.04	8.90	32.65	300	280	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5144.72	55.18	74.00	-18.82	43.21	36.11	8.53	32.67	300	280	PEAK																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5270.00	106.36	-----	-----	94.07	36.04	8.90	32.65	300	280	PEAK																																																																																														
Avg		Level (dBuV/m) Date: 2024-08-05  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.77</td><td>44.43</td><td>54.00</td><td>-9.57</td><td>32.46</td><td>36.11</td><td>8.53</td><td>32.67</td><td>300</td><td>280</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5148.77	44.43	54.00	-9.57	32.46	36.11	8.53	32.67	300	280	AVERAGE	Level (dBuV/m) Date: 2024-08-05  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>97.60</td><td>-----</td><td>-----</td><td>85.16</td><td>36.03</td><td>9.05</td><td>32.64</td><td>300</td><td>280</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	97.60	-----	-----	85.16	36.03	9.05	32.64	300	280	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5148.77	44.43	54.00	-9.57	32.46	36.11	8.53	32.67	300	280	AVERAGE																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5270.00	97.60	-----	-----	85.16	36.03	9.05	32.64	300	280	AVERAGE																																																																																														







Mode	68																																																																																	
	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full RU_5310MHz																																																																																	
ANT	CDD 14+15																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2024-08-05  50005062.5124518652485310 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5106.95</td><td>52.39</td><td>74.00</td><td>-21.61</td><td>40.47</td><td>36.14</td><td>8.46</td><td>32.68</td><td>337</td><td>17</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5106.95	52.39	74.00	-21.61	40.47	36.14	8.46	32.68	337	17	PEAK	Level (dBuV/m) Date: 2024-08-05  100022003400460058007000 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>101.56</td><td>-----</td><td>-----</td><td>89.01</td><td>36.01</td><td>9.18</td><td>32.64</td><td>337</td><td>17</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5310.00	101.56	-----	-----	89.01	36.01	9.18	32.64	337	17	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5106.95	52.39	74.00	-21.61	40.47	36.14	8.46	32.68	337	17	PEAK																																																																							
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5310.00	101.56	-----	-----	89.01	36.01	9.18	32.64	337	17	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2024-08-05  50005062.5124518652485310 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5069.75</td><td>43.04</td><td>54.00</td><td>-10.96</td><td>31.18</td><td>36.16</td><td>8.39</td><td>32.69</td><td>337</td><td>17</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5069.75	43.04	54.00	-10.96	31.18	36.16	8.39	32.69	337	17	AVERAGE	Level (dBuV/m) Date: 2024-08-05  100022003400460058007000 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>93.81</td><td>-----</td><td>-----</td><td>81.26</td><td>36.01</td><td>9.18</td><td>32.64</td><td>337</td><td>17</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5310.00	93.81	-----	-----	81.26	36.01	9.18	32.64	337	17	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5069.75	43.04	54.00	-10.96	31.18	36.16	8.39	32.69	337	17	AVERAGE																																																																							
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5310.00	93.81	-----	-----	81.26	36.01	9.18	32.64	337	17	AVERAGE																																																																							







Mode	68																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full RU_5310MHz																																													
ANT	CDD 14+15																																													
Pol.	Horizontal					Fundamental																																								
Peak	Date: 2024-08-05  <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5351.25</td><td>55.66</td><td>74.00</td><td>-18.34</td><td>42.93</td><td>35.99</td><td>9.37</td><td>32.63</td><td>337</td><td>17</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5351.25	55.66	74.00	-18.34	42.93	35.99	9.37	32.63	337	17	PEAK	Blank				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																				
1	5351.25	55.66	74.00	-18.34	42.93	35.99	9.37	32.63	337	17	PEAK																																			
Avg	Date: 2024-08-05  <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5351.85</td><td>47.69</td><td>54.00</td><td>-6.31</td><td>34.96</td><td>35.99</td><td>9.37</td><td>32.63</td><td>337</td><td>17</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5351.85	47.69	54.00	-6.31	34.96	35.99	9.37	32.63	337	17	AVERAGE	Blank				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																				
1	5351.85	47.69	54.00	-6.31	34.96	35.99	9.37	32.63	337	17	AVERAGE																																			



Mode	68																																																																																															
	Band Edge - L																																																																																															
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full RU_5310MHz																																																																																															
ANT	CDD 14+15																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	 Date: 2024-08-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5128.65</td><td>53.20</td><td>74.00</td><td>-20.80</td><td>41.25</td><td>36.12</td><td>8.50</td><td>32.67</td><td>257</td><td>260</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5128.65	53.20	74.00	-20.80	41.25	36.12	8.50	32.67	257	260	PEAK	 Date: 2024-08-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>104.78</td><td>-----</td><td>-----</td><td>92.23</td><td>36.01</td><td>9.18</td><td>32.64</td><td>257</td><td>260</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5310.00	104.78	-----	-----	92.23	36.01	9.18	32.64	257	260	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5128.65	53.20	74.00	-20.80	41.25	36.12	8.50	32.67	257	260	PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5310.00	104.78	-----	-----	92.23	36.01	9.18	32.64	257	260	PEAK																																																																																					
Avg	 Date: 2024-08-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5141.36</td><td>43.40</td><td>54.00</td><td>-10.60</td><td>31.43</td><td>36.12</td><td>8.52</td><td>32.67</td><td>257</td><td>260</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5141.36	43.40	54.00	-10.60	31.43	36.12	8.52	32.67	257	260	AVERAGE	 Date: 2024-08-05 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>96.03</td><td>-----</td><td>-----</td><td>83.45</td><td>36.01</td><td>9.21</td><td>32.64</td><td>257</td><td>260</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5310.00	96.03	-----	-----	83.45	36.01	9.21	32.64	257	260	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5141.36	43.40	54.00	-10.60	31.43	36.12	8.52	32.67	257	260	AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5310.00	96.03	-----	-----	83.45	36.01	9.21	32.64	257	260	AVERAGE																																																																																					







Mode	69																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full RU_5510MHz																																																																																																			
ANT	CDD 14+15																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5447.28</td><td>54.01</td><td>74.00</td><td>-19.99</td><td>41.01</td><td>35.93</td><td>9.68</td><td>32.61</td><td>206</td><td>26 PEAK</td></tr><tr><td>2 5466.80</td><td>55.73</td><td>68.30</td><td>-12.57</td><td>42.73</td><td>35.92</td><td>9.69</td><td>32.61</td><td>206</td><td>26 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5447.28	54.01	74.00	-19.99	41.01	35.93	9.68	32.61	206	26 PEAK	2 5466.80	55.73	68.30	-12.57	42.73	35.92	9.69	32.61	206	26 PEAK	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5510.00</td><td>105.31</td><td>-----</td><td>-----</td><td>92.28</td><td>35.92</td><td>9.71</td><td>32.60</td><td>206</td><td>26 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5510.00	105.31	-----	-----	92.28	35.92	9.71	32.60	206	26 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5447.28	54.01	74.00	-19.99	41.01	35.93	9.68	32.61	206	26 PEAK																																																																																											
2 5466.80	55.73	68.30	-12.57	42.73	35.92	9.69	32.61	206	26 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5510.00	105.31	-----	-----	92.28	35.92	9.71	32.60	206	26 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5450.32</td><td>46.57</td><td>54.00</td><td>-7.43</td><td>33.57</td><td>35.93</td><td>9.68</td><td>32.61</td><td>206</td><td>26 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5450.32	46.57	54.00	-7.43	33.57	35.93	9.68	32.61	206	26 AVERAGE	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5510.00</td><td>99.38</td><td>-----</td><td>-----</td><td>86.36</td><td>35.91</td><td>9.71</td><td>32.60</td><td>206</td><td>26 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5510.00	99.38	-----	-----	86.36	35.91	9.71	32.60	206	26 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5450.32	46.57	54.00	-7.43	33.57	35.93	9.68	32.61	206	26 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5510.00	99.38	-----	-----	86.36	35.91	9.71	32.60	206	26 AVERAGE																																																																																											







Mode	69																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full RU_5510MHz																																										
ANT	CDD 14+15																																										
Pol.	Horizontal	Fundamental																																									
Peak	Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.99</td><td>54.10</td><td>68.30</td><td>-14.20</td><td>40.55</td><td>36.22</td><td>10.02</td><td>32.69</td><td>206</td><td>26 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5725.99	54.10	68.30	-14.20	40.55	36.22	10.02	32.69	206	26 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																		
1	5725.99	54.10	68.30	-14.20	40.55	36.22	10.02	32.69	206	26 PEAK																																	







Mode	69																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full RU_5510MHz																																																																																																						
ANT	CDD 14+15																																																																																																						
Pol.	Vertical					Fundamental																																																																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.80</td><td>55.23</td><td>74.00</td><td>-18.77</td><td>42.23</td><td>35.92</td><td>9.69</td><td>32.61</td><td>322</td><td>253 PEAK</td></tr><tr><td>2</td><td>5468.88</td><td>55.84</td><td>68.30</td><td>-12.46</td><td>42.84</td><td>35.92</td><td>9.69</td><td>32.61</td><td>322</td><td>253 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5458.80	55.23	74.00	-18.77	42.23	35.92	9.69	32.61	322	253 PEAK	2	5468.88	55.84	68.30	-12.46	42.84	35.92	9.69	32.61	322	253 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>106.09</td><td>-----</td><td>-----</td><td>93.08</td><td>35.90</td><td>9.71</td><td>32.60</td><td>322</td><td>253 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5510.00	106.09	-----	-----	93.08	35.90	9.71	32.60	322	253 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5458.80	55.23	74.00	-18.77	42.23	35.92	9.69	32.61	322	253 PEAK																																																																																													
2	5468.88	55.84	68.30	-12.46	42.84	35.92	9.69	32.61	322	253 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5510.00	106.09	-----	-----	93.08	35.90	9.71	32.60	322	253 PEAK																																																																																													
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>48.33</td><td>54.00</td><td>-5.67</td><td>35.33</td><td>35.92</td><td>9.69</td><td>32.61</td><td>322</td><td>253 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5459.92	48.33	54.00	-5.67	35.33	35.92	9.69	32.61	322	253 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>98.87</td><td>-----</td><td>-----</td><td>85.83</td><td>35.93</td><td>9.72</td><td>32.61</td><td>322</td><td>253 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.87	-----	-----	85.83	35.93	9.72	32.61	322	253 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5459.92	48.33	54.00	-5.67	35.33	35.92	9.69	32.61	322	253 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5510.00	98.87	-----	-----	85.83	35.93	9.72	32.61	322	253 AVERAGE																																																																																													



Mode	70																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full RU_5670MHz																																																																																																	
ANT	CDD 14+15																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	 Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue trace with a red limit line at 70.0 dBuV/m. Two peaks are marked: 1 at 5414.00 MHz and 2 at 5469.04 MHz. A red label 'PART 15.407' is present. <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5414.00</td><td>51.64</td><td>74.00</td><td>-22.36</td><td>38.65</td><td>35.95</td><td>9.66</td><td>32.62</td><td>200</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5469.04</td><td>50.81</td><td>68.30</td><td>-17.49</td><td>37.81</td><td>35.92</td><td>9.69</td><td>32.61</td><td>200</td><td>360</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5414.00	51.64	74.00	-22.36	38.65	35.95	9.66	32.62	200	360	PEAK	2	5469.04	50.81	68.30	-17.49	37.81	35.92	9.69	32.61	200	360	PEAK	 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue trace with a red limit line at 70.0 dBuV/m. A peak is marked at 5670.00 MHz. A red label 'PART 15.407' is present. <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>108.40</td><td>-----</td><td>-----</td><td>95.03</td><td>36.14</td><td>9.90</td><td>32.67</td><td>200</td><td>360</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	108.40	-----	-----	95.03	36.14	9.90	32.67	200	360	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5414.00	51.64	74.00	-22.36	38.65	35.95	9.66	32.62	200	360	PEAK																																																																																							
2	5469.04	50.81	68.30	-17.49	37.81	35.92	9.69	32.61	200	360	PEAK																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5670.00	108.40	-----	-----	95.03	36.14	9.90	32.67	200	360	PEAK																																																																																							
Avg	 Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue trace with a red limit line at 54.00 dBuV/m. A peak is marked at 5456.56 MHz. A red label 'PART 15.407 AVG' is present. <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.56</td><td>42.31</td><td>54.00</td><td>-11.69</td><td>29.30</td><td>35.93</td><td>9.69</td><td>32.61</td><td>200</td><td>360</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5456.56	42.31	54.00	-11.69	29.30	35.93	9.69	32.61	200	360	AVERAGE	 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue trace with a red limit line at 52.00 dBuV/m. A peak is marked at 5670.00 MHz. A red label 'PART 15.407 AVG' is present. <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>100.41</td><td>-----</td><td>-----</td><td>87.04</td><td>36.14</td><td>9.90</td><td>32.67</td><td>200</td><td>360</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.41	-----	-----	87.04	36.14	9.90	32.67	200	360	AVERAGE												
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5456.56	42.31	54.00	-11.69	29.30	35.93	9.69	32.61	200	360	AVERAGE																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5670.00	100.41	-----	-----	87.04	36.14	9.90	32.67	200	360	AVERAGE																																																																																							



Mode	70																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full RU_5670MHz																																																																																														
ANT	CDD 14+15																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2024-08-05  5350 5414. 5478. 5542. 5606. 5670 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5416.56</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>38.36</td><td>35.95</td><td>9.66</td><td>32.62</td><td>280</td><td>254 PEAK</td></tr><tr><td>2</td><td>5460.72</td><td>50.67</td><td>68.30</td><td>-17.63</td><td>37.67</td><td>35.92</td><td>9.69</td><td>32.61</td><td>280</td><td>254 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5416.56	51.35	74.00	-22.65	38.36	35.95	9.66	32.62	280	254 PEAK	2	5460.72	50.67	68.30	-17.63	37.67	35.92	9.69	32.61	280	254 PEAK	Level (dBuV/m) Date: 2024-08-05  1000 2200. 3400. 4600. 5800. 7000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>108.75</td><td>-----</td><td>-----</td><td>95.32</td><td>36.16</td><td>9.94</td><td>32.67</td><td>280</td><td>254 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	108.75	-----	-----	95.32	36.16	9.94	32.67	280	254 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5416.56	51.35	74.00	-22.65	38.36	35.95	9.66	32.62	280	254 PEAK																																																																																					
2	5460.72	50.67	68.30	-17.63	37.67	35.92	9.69	32.61	280	254 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5670.00	108.75	-----	-----	95.32	36.16	9.94	32.67	280	254 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2024-08-05  5350 5414. 5478. 5542. 5606. 5670 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.88</td><td>42.64</td><td>54.00</td><td>-11.36</td><td>29.63</td><td>35.93</td><td>9.69</td><td>32.61</td><td>280</td><td>254 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5456.88	42.64	54.00	-11.36	29.63	35.93	9.69	32.61	280	254 AVERAGE	Level (dBuV/m) Date: 2024-08-05  1000 2200. 3400. 4600. 5800. 7000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>99.72</td><td>-----</td><td>-----</td><td>86.36</td><td>36.13</td><td>9.89</td><td>32.66</td><td>280</td><td>254 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.72	-----	-----	86.36	36.13	9.89	32.66	280	254 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5456.88	42.64	54.00	-11.36	29.63	35.93	9.69	32.61	280	254 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5670.00	99.72	-----	-----	86.36	36.13	9.89	32.66	280	254 AVERAGE																																																																																					







Mode	71																																																																																											
	Band Edge - L																																																																																											
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full RU_5210MHz																																																																																											
ANT	CDD 14+15																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-08-05 Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5000 to 5210 MHz. A red line indicates the limit at 70.0 dBuV/m. A blue line shows the measured signal, which is below the limit until approximately 5168 MHz, where it rises sharply to about 85 dBuV/m. A red label 'PART 15.407' is present. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5126.42</td><td>54.38</td><td>74.00</td><td>-19.62</td><td>42.44</td><td>36.12</td><td>8.49</td><td>32.67</td><td>221</td><td>30</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5126.42	54.38	74.00	-19.62	42.44	36.12	8.49	32.67	221	30	PEAK	Level (dBuV/m) Date: 2024-08-05 Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red line indicates the limit at 70.0 dBuV/m. A blue line shows the measured signal, which is below the limit until approximately 5168 MHz, where it rises sharply to about 85 dBuV/m. A red label 'PART 15.407' is present. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>101.02</td><td>-----</td><td>-----</td><td>88.90</td><td>36.07</td><td>8.71</td><td>32.66</td><td>221</td><td>30</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	101.02	-----	-----	88.90	36.07	8.71	32.66	221	30	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5126.42	54.38	74.00	-19.62	42.44	36.12	8.49	32.67	221	30	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5210.00	101.02	-----	-----	88.90	36.07	8.71	32.66	221	30	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-08-05 Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5000 to 5210 MHz. A red line indicates the limit at 52.5 dBuV/m. A blue line shows the measured signal, which is below the limit until approximately 5168 MHz, where it rises sharply to about 85 dBuV/m. A red label 'PART 15.407 AVG' is present. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.37</td><td>44.83</td><td>54.00</td><td>-9.17</td><td>32.86</td><td>36.11</td><td>8.53</td><td>32.67</td><td>221</td><td>30</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5146.37	44.83	54.00	-9.17	32.86	36.11	8.53	32.67	221	30	AVERAGE	Level (dBuV/m) Date: 2024-08-05 Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red line indicates the limit at 52.5 dBuV/m. A blue line shows the measured signal, which is below the limit until approximately 5168 MHz, where it rises sharply to about 85 dBuV/m. A red label 'PART 15.407 AVG' is present. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>90.75</td><td>-----</td><td>-----</td><td>78.69</td><td>36.08</td><td>8.64</td><td>32.66</td><td>221</td><td>30</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	90.75	-----	-----	78.69	36.08	8.64	32.66	221	30	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5146.37	44.83	54.00	-9.17	32.86	36.11	8.53	32.67	221	30	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5210.00	90.75	-----	-----	78.69	36.08	8.64	32.66	221	30	AVERAGE																																																																																	







Mode	71																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full RU_5210MHz																																																		
ANT	CDD 14+15																																																		
Pol.	Horizontal						Fundamental																																												
Peak	Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5407.75</td><td>54.74</td><td>74.00</td><td>-19.26</td><td>41.74</td><td>35.96</td><td>9.66</td><td>32.62</td><td>221</td><td>30</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5407.75	54.74	74.00	-19.26	41.74	35.96	9.66	32.62	221	30	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5407.75	54.74	74.00	-19.26	41.74	35.96	9.66	32.62	221	30	PEAK																																								
Avg	Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5440.25</td><td>46.28</td><td>54.00</td><td>-7.72</td><td>33.27</td><td>35.94</td><td>9.68</td><td>32.61</td><td>221</td><td>30</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5440.25	46.28	54.00	-7.72	33.27	35.94	9.68	32.61	221	30	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5440.25	46.28	54.00	-7.72	33.27	35.94	9.68	32.61	221	30	AVERAGE																																								



		71																																																																																																	
Mode		Band Edge - L																																																																																																	
		U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full RU_5210MHz																																																																																																	
ANT		CDD 14+15																																																																																																	
Pol.		Vertical					Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2024-08-05 										Level (dBuV/m) Date: 2024-08-05 																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5129.36</td><td>55.54</td><td>74.00</td><td>-18.46</td><td>43.59</td><td>36.12</td><td>8.50</td><td>32.67</td><td>272</td><td>273</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5129.36	55.54	74.00	-18.46	43.59	36.12	8.50	32.67	272	273	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>103.20</td><td>-----</td><td>-----</td><td>91.15</td><td>36.08</td><td>8.63</td><td>32.66</td><td>272</td><td>273</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	103.20	-----	-----	91.15	36.08	8.63	32.66	272	273
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5129.36	55.54	74.00	-18.46	43.59	36.12	8.50	32.67	272	273	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5210.00	103.20	-----	-----	91.15	36.08	8.63	32.66	272	273	PEAK																																																																																								
Avg	Level (dBuV/m) Date: 2024-08-05 										Level (dBuV/m) Date: 2024-08-05 																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5125.37</td><td>46.40</td><td>54.00</td><td>-7.60</td><td>34.46</td><td>36.12</td><td>8.49</td><td>32.67</td><td>272</td><td>273</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5125.37	46.40	54.00	-7.60	34.46	36.12	8.49	32.67	272	273	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>93.34</td><td>-----</td><td>-----</td><td>81.28</td><td>36.08</td><td>8.64</td><td>32.66</td><td>272</td><td>273</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	93.34	-----	-----	81.28	36.08	8.64	32.66	272	273
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5125.37	46.40	54.00	-7.60	34.46	36.12	8.49	32.67	272	273	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5210.00	93.34	-----	-----	81.28	36.08	8.64	32.66	272	273	AVERAGE																																																																																								







Mode	72																																																																																										
	Band Edge - L																																																																																										
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																																																																										
ANT	CDD 14+15																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5105.85</td><td>52.34</td><td>74.00</td><td>-21.66</td><td>40.43</td><td>36.14</td><td>8.45</td><td>32.68</td><td>339</td><td>16</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5105.85	52.34	74.00	-21.66	40.43	36.14	8.45	32.68	339	16	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>100.73</td><td>-----</td><td>-----</td><td>88.20</td><td>36.02</td><td>9.15</td><td>32.64</td><td>339</td><td>16</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	100.73	-----	-----	88.20	36.02	9.15	32.64	339	16
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5105.85	52.34	74.00	-21.66	40.43	36.14	8.45	32.68	339	16	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5290.00	100.73	-----	-----	88.20	36.02	9.15	32.64	339	16	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.59</td><td>43.65</td><td>54.00</td><td>-10.35</td><td>31.69</td><td>36.12</td><td>8.51</td><td>32.67</td><td>339</td><td>16</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5136.59	43.65	54.00	-10.35	31.69	36.12	8.51	32.67	339	16	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>92.21</td><td>-----</td><td>-----</td><td>79.66</td><td>36.01</td><td>9.18</td><td>32.64</td><td>339</td><td>16</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	92.21	-----	-----	79.66	36.01	9.18	32.64	339	16
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5136.59	43.65	54.00	-10.35	31.69	36.12	8.51	32.67	339	16	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5290.00	92.21	-----	-----	79.66	36.01	9.18	32.64	339	16	AVERAGE																																																																																







Mode	72																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																																		
ANT	CDD 14+15																																																		
Pol.	Horizontal						Fundamental																																												
Peak	Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.09</td><td>54.17</td><td>74.00</td><td>-19.83</td><td>41.42</td><td>35.99</td><td>9.39</td><td>32.63</td><td>339</td><td>16</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5354.09	54.17	74.00	-19.83	41.42	35.99	9.39	32.63	339	16	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5354.09	54.17	74.00	-19.83	41.42	35.99	9.39	32.63	339	16	PEAK																																								
Avg	Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.90</td><td>47.14</td><td>54.00</td><td>-6.86</td><td>34.40</td><td>35.99</td><td>9.38</td><td>32.63</td><td>339</td><td>16</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5352.90	47.14	54.00	-6.86	34.40	35.99	9.38	32.63	339	16	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5352.90	47.14	54.00	-6.86	34.40	35.99	9.38	32.63	339	16	AVERAGE																																								



Mode	72																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																																																																																					
ANT	CDD 14+15																																																																																																					
Pol.	Vertical																																																																																																					
Peak	Level (dBuV/m) Date: 2024-08-05  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.59</td><td>54.39</td><td>74.00</td><td>-19.61</td><td>42.43</td><td>36.12</td><td>8.51</td><td>32.67</td><td>268</td><td>275</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5136.59	54.39	74.00	-19.61	42.43	36.12	8.51	32.67	268	275	PEAK	Level (dBuV/m) Date: 2024-08-05  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>104.64</td><td>-----</td><td>-----</td><td>92.35</td><td>36.04</td><td>8.90</td><td>32.65</td><td>268</td><td>275</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	104.64	-----	-----	92.35	36.04	8.90	32.65	268	275	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5136.59	54.39	74.00	-19.61	42.43	36.12	8.51	32.67	268	275	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5290.00	104.64	-----	-----	92.35	36.04	8.90	32.65	268	275	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-08-05  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.30</td><td>47.54</td><td>54.00</td><td>-6.46</td><td>35.58</td><td>36.12</td><td>8.51</td><td>32.67</td><td>268</td><td>275</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5136.30	47.54	54.00	-6.46	35.58	36.12	8.51	32.67	268	275	AVERAGE	Level (dBuV/m) Date: 2024-08-05  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>94.73</td><td>-----</td><td>-----</td><td>82.18</td><td>36.01</td><td>9.18</td><td>32.64</td><td>268</td><td>275</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	94.73	-----	-----	82.18	36.01	9.18	32.64	268	275	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5136.30	47.54	54.00	-6.46	35.58	36.12	8.51	32.67	268	275	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5290.00	94.73	-----	-----	82.18	36.01	9.18	32.64	268	275	AVERAGE																																																																																											







Mode	73																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full RU_5530MHz																																																																																																		
ANT	CDD 14+15																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2024-08-05  Frequency (MHz)					Level (dBuV/m) Date: 2024-08-05  Frequency (MHz)																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5459.80</td><td>55.18</td><td>74.00</td><td>-18.82</td><td>42.18</td><td>35.92</td><td>9.69</td><td>32.61</td><td>196</td><td>21 PEAK</td></tr><tr><td>2 5469.88</td><td>57.76</td><td>68.30</td><td>-10.54</td><td>44.76</td><td>35.92</td><td>9.69</td><td>32.61</td><td>196</td><td>21 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5459.80	55.18	74.00	-18.82	42.18	35.92	9.69	32.61	196	21 PEAK	2 5469.88	57.76	68.30	-10.54	44.76	35.92	9.69	32.61	196	21 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5530.00</td><td>103.72</td><td>-----</td><td>-----</td><td>90.64</td><td>35.97</td><td>9.73</td><td>32.62</td><td>196</td><td>21 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5530.00	103.72	-----	-----	90.64	35.97	9.73	32.62	196
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5459.80	55.18	74.00	-18.82	42.18	35.92	9.69	32.61	196	21 PEAK																																																																																										
2 5469.88	57.76	68.30	-10.54	44.76	35.92	9.69	32.61	196	21 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5530.00	103.72	-----	-----	90.64	35.97	9.73	32.62	196	21 PEAK																																																																																										
Avg	Level (dBuV/m) Date: 2024-08-05  Frequency (MHz)					Level (dBuV/m) Date: 2024-08-05  Frequency (MHz)																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5459.80</td><td>47.39</td><td>54.00</td><td>-6.61</td><td>34.39</td><td>35.92</td><td>9.69</td><td>32.61</td><td>196</td><td>21 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5459.80	47.39	54.00	-6.61	34.39	35.92	9.69	32.61	196	21 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5530.00</td><td>95.88</td><td>-----</td><td>-----</td><td>82.78</td><td>35.99</td><td>9.74</td><td>32.63</td><td>196</td><td>21 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5530.00	95.88	-----	-----	82.78	35.99	9.74	32.63	196	21 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5459.80	47.39	54.00	-6.61	34.39	35.92	9.69	32.61	196	21 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 5530.00	95.88	-----	-----	82.78	35.99	9.74	32.63	196	21 AVERAGE																																																																																										



Mode	73	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full RU_5530MHz	
ANT	CDD 14+15	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m)	







Mode	74																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full RU_5610MHz																																																																																																			
ANT	CDD 14+15																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5446.20</td><td>53.59</td><td>74.00</td><td>-20.41</td><td>40.59</td><td>35.93</td><td>9.68</td><td>32.61</td><td>100</td><td>17 PEAK</td></tr><tr><td>2 5464.66</td><td>54.29</td><td>68.30</td><td>-14.01</td><td>41.29</td><td>35.92</td><td>9.69</td><td>32.61</td><td>100</td><td>17 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5446.20	53.59	74.00	-20.41	40.59	35.93	9.68	32.61	100	17 PEAK	2 5464.66	54.29	68.30	-14.01	41.29	35.92	9.69	32.61	100	17 PEAK	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5610.00</td><td>106.47</td><td>-----</td><td>-----</td><td>93.23</td><td>36.08</td><td>9.81</td><td>32.65</td><td>100</td><td>17 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5610.00	106.47	-----	-----	93.23	36.08	9.81	32.65	100	17 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5446.20	53.59	74.00	-20.41	40.59	35.93	9.68	32.61	100	17 PEAK																																																																																											
2 5464.66	54.29	68.30	-14.01	41.29	35.92	9.69	32.61	100	17 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5610.00	106.47	-----	-----	93.23	36.08	9.81	32.65	100	17 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5459.98</td><td>46.74</td><td>54.00</td><td>-7.26</td><td>33.74</td><td>35.92</td><td>9.69</td><td>32.61</td><td>100</td><td>17 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5459.98	46.74	54.00	-7.26	33.74	35.92	9.69	32.61	100	17 AVERAGE	 Level (dBuV/m) Date: 2024-08-05 Frequency (MHz) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5610.00</td><td>98.45</td><td>-----</td><td>-----</td><td>85.16</td><td>36.10</td><td>9.85</td><td>32.66</td><td>100</td><td>17 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5610.00	98.45	-----	-----	85.16	36.10	9.85	32.66	100	17 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5459.98	46.74	54.00	-7.26	33.74	35.92	9.69	32.61	100	17 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5610.00	98.45	-----	-----	85.16	36.10	9.85	32.66	100	17 AVERAGE																																																																																											



		74																																																																																																					
Mode		Band Edge - L																																																																																																					
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full RU_5610MHz																																																																																																					
ANT		CDD 14+15																																																																																																					
Pol.		Vertical					Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5369.50</td><td>54.93</td><td>74.00</td><td>-19.07</td><td>42.11</td><td>35.98</td><td>9.47</td><td>32.63</td><td>274</td><td>271 PEAK</td></tr><tr><td>2</td><td>5463.62</td><td>55.41</td><td>68.30</td><td>-12.89</td><td>42.41</td><td>35.92</td><td>9.69</td><td>32.61</td><td>274</td><td>271 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5369.50	54.93	74.00	-19.07	42.11	35.98	9.47	32.63	274	271 PEAK	2	5463.62	55.41	68.30	-12.89	42.41	35.92	9.69	32.61	274	271 PEAK	Level (dBuV/m) Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>108.48</td><td>-----</td><td>-----</td><td>95.24</td><td>36.08</td><td>9.81</td><td>32.65</td><td>274</td><td>271 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	108.48	-----	-----	95.24	36.08	9.81	32.65	274	271 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5369.50	54.93	74.00	-19.07	42.11	35.98	9.47	32.63	274	271 PEAK																																																																																													
2	5463.62	55.41	68.30	-12.89	42.41	35.92	9.69	32.61	274	271 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5610.00	108.48	-----	-----	95.24	36.08	9.81	32.65	274	271 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.34</td><td>48.81</td><td>54.00</td><td>-5.19</td><td>35.80</td><td>35.93</td><td>9.69</td><td>32.61</td><td>274</td><td>271 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5456.34	48.81	54.00	-5.19	35.80	35.93	9.69	32.61	274	271 AVERAGE	Level (dBuV/m) Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>98.37</td><td>-----</td><td>-----</td><td>85.17</td><td>36.06</td><td>9.79</td><td>32.65</td><td>274</td><td>271 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	98.37	-----	-----	85.17	36.06	9.79	32.65	274	271 AVERAGE											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5456.34	48.81	54.00	-5.19	35.80	35.93	9.69	32.61	274	271 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5610.00	98.37	-----	-----	85.17	36.06	9.79	32.65	274	271 AVERAGE																																																																																													



Mode	75																																																																																											
	Band Edge - L																																																																																											
	U-NII-1_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																																											
ANT	CDD 14+15																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	 Level (dBuV/m) Date: 2024-08-05 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5137.25</td><td>52.42</td><td>74.00</td><td>-21.58</td><td>40.46</td><td>36.12</td><td>8.51</td><td>32.67</td><td>365</td><td>266</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.25	52.42	74.00	-21.58	40.46	36.12	8.51	32.67	365	266	PEAK	 Level (dBuV/m) Date: 2024-08-05 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>85.80</td><td>-----</td><td>-----</td><td>73.62</td><td>36.06</td><td>8.77</td><td>32.65</td><td>365</td><td>266</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	85.80	-----	-----	73.62	36.06	8.77	32.65	365	266	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5137.25	52.42	74.00	-21.58	40.46	36.12	8.51	32.67	365	266	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5250.00	85.80	-----	-----	73.62	36.06	8.77	32.65	365	266	PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2024-08-05 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5081.25</td><td>42.99</td><td>54.00</td><td>-11.01</td><td>31.11</td><td>36.15</td><td>8.41</td><td>32.68</td><td>365</td><td>266</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5081.25	42.99	54.00	-11.01	31.11	36.15	8.41	32.68	365	266	AVERAGE	 Level (dBuV/m) Date: 2024-08-05 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>77.50</td><td>-----</td><td>-----</td><td>65.32</td><td>36.06</td><td>8.77</td><td>32.65</td><td>365</td><td>266</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	77.50	-----	-----	65.32	36.06	8.77	32.65	365	266	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5081.25	42.99	54.00	-11.01	31.11	36.15	8.41	32.68	365	266	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5250.00	77.50	-----	-----	65.32	36.06	8.77	32.65	365	266	AVERAGE																																																																																	



Mode	75																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																										
ANT	CDD 14+15																																										
Pol.	Horizontal					Fundamental																																					
Peak	Date: 2024-08-05 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5440.05</td><td>51.42</td><td>74.00</td><td>-22.58</td><td>38.41</td><td>35.94</td><td>9.68</td><td>32.61</td><td>365</td><td>266 PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5440.05	51.42	74.00	-22.58	38.41	35.94	9.68	32.61	365	266 PEAK	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5440.05	51.42	74.00	-22.58	38.41	35.94	9.68	32.61	365	266 PEAK																																	
Avg	Date: 2024-08-05 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.58</td><td>42.53</td><td>54.00</td><td>-11.47</td><td>29.53</td><td>35.92</td><td>9.69</td><td>32.61</td><td>365</td><td>266 AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.58	42.53	54.00	-11.47	29.53	35.92	9.69	32.61	365	266 AVERAGE	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5459.58	42.53	54.00	-11.47	29.53	35.92	9.69	32.61	365	266 AVERAGE																																	







		75																																																																																		
Mode		Band Edge - L																																																																																		
		U-NII-1_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																																																		
ANT		CDD 14+15																																																																																		
Pol.		Vertical					Fundamental																																																																													
Peak																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5125.75	55.06	74.00	-18.94	43.12	36.12	8.49	32.67	300	274	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	96.94	-----	-----	84.59	36.04	8.96	32.65	300	274	PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5125.75	55.06	74.00	-18.94	43.12	36.12	8.49	32.67	300	274	PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5250.00	96.94	-----	-----	84.59	36.04	8.96	32.65	300	274	PEAK																																																																									
Avg																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5096.25	45.45	54.00	-8.55	33.55	36.14	8.44	32.68	300	274	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	87.27	-----	-----	74.92	36.04	8.96	32.65	300	274	AVERAGE				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5096.25	45.45	54.00	-8.55	33.55	36.14	8.44	32.68	300	274	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	5250.00	87.27	-----	-----	74.92	36.04	8.96	32.65	300	274	AVERAGE																																																																									




Mode	75																																																			
	Band Edge - R																																																			
	U-NII-1_5.15-5.35_802.11ax HE160_CH50_Full RU_5250MHz																																																			
ANT	CDD 14+15																																																			
Pol.	Vertical						Fundamental																																													
Peak	Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5406.82</td><td>59.50</td><td>74.00</td><td>-14.50</td><td>46.51</td><td>35.96</td><td>9.65</td><td>32.62</td><td>300</td><td>274</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5406.82	59.50	74.00	-14.50	46.51	35.96	9.65	32.62	300	274	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5406.82	59.50	74.00	-14.50	46.51	35.96	9.65	32.62	300	274	PEAK																																									
Avg	Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5406.03</td><td>48.21</td><td>54.00</td><td>-5.79</td><td>35.22</td><td>35.96</td><td>9.65</td><td>32.62</td><td>300</td><td>274</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5406.03	48.21	54.00	-5.79	35.22	35.96	9.65	32.62	300	274	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5406.03	48.21	54.00	-5.79	35.22	35.96	9.65	32.62	300	274	AVERAGE																																									







Mode	76																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full RU_5570MHz																																																																																											
ANT	CDD 14+15																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Date: 2024-08-05  Level (dBuV/m) Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5459.78</td><td>53.34</td><td>74.00</td><td>-20.66</td><td>40.34</td><td>35.92</td><td>9.69</td><td>32.61</td><td>200</td><td>16 PEAK</td></tr><tr><td>2 5467.70</td><td>54.49</td><td>68.30</td><td>-13.81</td><td>41.49</td><td>35.92</td><td>9.69</td><td>32.61</td><td>200</td><td>16 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5459.78	53.34	74.00	-20.66	40.34	35.92	9.69	32.61	200	16 PEAK	2 5467.70	54.49	68.30	-13.81	41.49	35.92	9.69	32.61	200	16 PEAK	Date: 2024-08-05  Level (dBuV/m) Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5570.00</td><td>102.10</td><td>-----</td><td>-----</td><td>88.90</td><td>36.06</td><td>9.79</td><td>32.65</td><td>200</td><td>16 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5570.00	102.10	-----	-----	88.90	36.06	9.79	32.65	200	16 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5459.78	53.34	74.00	-20.66	40.34	35.92	9.69	32.61	200	16 PEAK																																																																																			
2 5467.70	54.49	68.30	-13.81	41.49	35.92	9.69	32.61	200	16 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5570.00	102.10	-----	-----	88.90	36.06	9.79	32.65	200	16 PEAK																																																																																			
Avg	Date: 2024-08-05  Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5443.72</td><td>46.00</td><td>54.00</td><td>-8.00</td><td>33.00</td><td>35.93</td><td>9.68</td><td>32.61</td><td>200</td><td>16 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5443.72	46.00	54.00	-8.00	33.00	35.93	9.68	32.61	200	16 AVERAGE	Date: 2024-08-05  Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5570.00</td><td>92.68</td><td>-----</td><td>-----</td><td>79.44</td><td>36.08</td><td>9.81</td><td>32.65</td><td>200</td><td>16 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5570.00	92.68	-----	-----	79.44	36.08	9.81	32.65	200	16 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5443.72	46.00	54.00	-8.00	33.00	35.93	9.68	32.61	200	16 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	Apos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5570.00	92.68	-----	-----	79.44	36.08	9.81	32.65	200	16 AVERAGE																																																																																			





Mode	76																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802. 11be EHT160_CH114_Full RU_5570MHz																																																			
ANT	CDD 14+15																																																			
Pol.	Horizontal	Fundamental																																																		
Peak	Date: 2024-08-05 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.03</td><td>63.24</td><td>68.30</td><td>-5.06</td><td>49.69</td><td>36.22</td><td>10.02</td><td>32.69</td><td>200</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>16 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5725.03	63.24	68.30	-5.06	49.69	36.22	10.02	32.69	200										16 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																											
1	5725.03	63.24	68.30	-5.06	49.69	36.22	10.02	32.69	200																																											
									16 PEAK																																											







		76																																																																																												
Mode		Band Edge - L																																																																																												
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full RU_5570MHz																																																																																												
ANT		CDD 14+15																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5403.90	53.47	74.00	-20.53	40.49	35.96	9.64	32.62	133	264 PEAK	2 5465.50	52.72	68.30	-15.58	39.72	35.92	9.69	32.61	133	264 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5570.00</td><td>96.74</td><td>-----</td><td>-----</td><td>83.43</td><td>36.11</td><td>9.86</td><td>32.66</td><td>133</td><td>264 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5570.00	96.74	-----	-----	83.43	36.11	9.86	32.66	133
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5403.90	53.47	74.00	-20.53	40.49	35.96	9.64	32.62	133	264 PEAK																																																																																					
2 5465.50	52.72	68.30	-15.58	39.72	35.92	9.69	32.61	133	264 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5570.00	96.74	-----	-----	83.43	36.11	9.86	32.66	133	264 PEAK																																																																																					
Avg																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5416.22	46.02	54.00	-7.98	33.03	35.95	9.66	32.62	133	264 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5570.00</td><td>89.18</td><td>-----</td><td>-----</td><td>76.04</td><td>36.02</td><td>9.75</td><td>32.63</td><td>133</td><td>264 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5570.00	89.18	-----	-----	76.04	36.02	9.75	32.63	133	264 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5416.22	46.02	54.00	-7.98	33.03	35.95	9.66	32.62	133	264 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5570.00	89.18	-----	-----	76.04	36.02	9.75	32.63	133	264 AVERAGE																																																																																					



Mode	76																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full RU_5570MHz																																																																																																																							
ANT	CDD 14+15																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11140.00</td><td>48.87</td><td>74.00</td><td>-25.13</td><td>60.62</td><td>39.06</td><td>12.62</td><td>63.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16710.00</td><td>49.66</td><td>68.30</td><td>-18.64</td><td>57.77</td><td>41.45</td><td>15.32</td><td>64.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11140.00	48.87	74.00	-25.13	60.62	39.06	12.62	63.43	---	---	Peak	2	16710.00	49.66	68.30	-18.64	57.77	41.45	15.32	64.88	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11140.00</td><td>48.90</td><td>74.00</td><td>-25.10</td><td>60.65</td><td>39.06</td><td>12.62</td><td>63.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16710.00</td><td>48.74</td><td>68.30</td><td>-19.56</td><td>56.85</td><td>41.45</td><td>15.32</td><td>64.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11140.00	48.90	74.00	-25.10	60.65	39.06	12.62	63.43	---	---	Peak	2	16710.00	48.74	68.30	-19.56	56.85	41.45	15.32	64.88	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11140.00	48.87	74.00	-25.13	60.62	39.06	12.62	63.43	---	---	Peak																																																																																																													
2	16710.00	49.66	68.30	-18.64	57.77	41.45	15.32	64.88	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11140.00	48.90	74.00	-25.10	60.65	39.06	12.62	63.43	---	---	Peak																																																																																																													
2	16710.00	48.74	68.30	-19.56	56.85	41.45	15.32	64.88	---	---	Peak																																																																																																													



		77																																																																																								
Mode	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU 52/37_5180MHz																																																																																									
ANT	CDD 14+15																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	 Date: 2024-09-02					 Date: 2024-09-02																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5121.68</td><td>53.27</td><td>74.00</td><td>-20.73</td><td>41.34</td><td>36.13</td><td>8.48</td><td>32.68</td><td>400</td><td>89</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5121.68	53.27	74.00	-20.73	41.34	36.13	8.48	32.68	400	89	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>88.03</td><td>-----</td><td>-----</td><td>76.02</td><td>36.09</td><td>8.58</td><td>32.66</td><td>400</td><td>89</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	88.03	-----	-----	76.02	36.09	8.58	32.66	400	89
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5121.68	53.27	74.00	-20.73	41.34	36.13	8.48	32.68	400	89	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5180.00	88.03	-----	-----	76.02	36.09	8.58	32.66	400	89	PEAK																																																																															
Avg	 Date: 2024-09-02					 Date: 2024-09-02																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5061.20</td><td>42.76</td><td>54.00</td><td>-11.24</td><td>30.92</td><td>36.16</td><td>8.37</td><td>32.69</td><td>400</td><td>89</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5061.20	42.76	54.00	-11.24	30.92	36.16	8.37	32.69	400	89	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>80.44</td><td>-----</td><td>-----</td><td>68.43</td><td>36.09</td><td>8.58</td><td>32.66</td><td>400</td><td>89</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	80.44	-----	-----	68.43	36.09	8.58	32.66	400	89
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5061.20	42.76	54.00	-11.24	30.92	36.16	8.37	32.69	400	89	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5180.00	80.44	-----	-----	68.43	36.09	8.58	32.66	400	89	AVERAGE																																																																															







Mode	77											
	Band Edge											
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU 52/37_5180MHz											
ANT	CDD 14+15											
Pol.	Vertical						Fundamental					
Peak	Level (dBuV/m)											





		78																																																																																						
Mode		Band Edge																																																																																						
		U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_Single RU 52/40_5320MHz																																																																																						
ANT		CDD 14+15																																																																																						
Pol.		Horizontal					Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2024-09-02 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5410.30</td><td>54.20</td><td>74.00</td><td>-19.80</td><td>41.21</td><td>35.95</td><td>9.66</td><td>32.62</td><td>100</td><td>32</td><td>PEAK</td><td></td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5410.30	54.20	74.00	-19.80	41.21	35.95	9.66	32.62	100	32	PEAK		Level (dBuV/m) Date: 2024-09-02 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>102.08</td><td>-----</td><td>-----</td><td>89.47</td><td>36.00</td><td>9.24</td><td>32.63</td><td>100</td><td>32</td><td>PEAK</td><td></td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5320.00	102.08	-----	-----	89.47	36.00	9.24	32.63	100	32	PEAK	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5410.30	54.20	74.00	-19.80	41.21	35.95	9.66	32.62	100	32	PEAK																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5320.00	102.08	-----	-----	89.47	36.00	9.24	32.63	100	32	PEAK																																																																													
Avg	Level (dBuV/m) Date: 2024-09-02 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5353.74</td><td>45.50</td><td>54.00</td><td>-8.50</td><td>32.76</td><td>35.99</td><td>9.38</td><td>32.63</td><td>100</td><td>32</td><td>AVERAGE</td><td></td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5353.74	45.50	54.00	-8.50	32.76	35.99	9.38	32.63	100	32	AVERAGE		Level (dBuV/m) Date: 2024-09-02 Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>95.16</td><td>-----</td><td>-----</td><td>82.55</td><td>36.00</td><td>9.24</td><td>32.63</td><td>100</td><td>32</td><td>AVERAGE</td><td></td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5320.00	95.16	-----	-----	82.55	36.00	9.24	32.63	100	32	AVERAGE	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5353.74	45.50	54.00	-8.50	32.76	35.99	9.38	32.63	100	32	AVERAGE																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5320.00	95.16	-----	-----	82.55	36.00	9.24	32.63	100	32	AVERAGE																																																																													



Mode	78																																																																																											
	Band Edge																																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_Single RU 52/40_5320MHz																																																																																											
ANT	CDD 14+15																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	 Date: 2024-09-02 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5356.54</td><td>53.19</td><td>74.00</td><td>-20.81</td><td>40.43</td><td>35.99</td><td>9.40</td><td>32.63</td><td>384</td><td>241</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5356.54	53.19	74.00	-20.81	40.43	35.99	9.40	32.63	384	241	PEAK	 Date: 2024-09-02 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>97.43</td><td>-----</td><td>-----</td><td>84.82</td><td>36.00</td><td>9.24</td><td>32.63</td><td>384</td><td>241</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	97.43	-----	-----	84.82	36.00	9.24	32.63	384	241	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5356.54	53.19	74.00	-20.81	40.43	35.99	9.40	32.63	384	241	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5320.00	97.43	-----	-----	84.82	36.00	9.24	32.63	384	241	PEAK																																																																																	
Avg	 Date: 2024-09-02 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.32</td><td>45.07</td><td>54.00</td><td>-8.93</td><td>32.33</td><td>35.99</td><td>9.38</td><td>32.63</td><td>384</td><td>241</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5353.32	45.07	54.00	-8.93	32.33	35.99	9.38	32.63	384	241	AVERAGE	 Date: 2024-09-02 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>89.91</td><td>-----</td><td>-----</td><td>77.30</td><td>36.00</td><td>9.24</td><td>32.63</td><td>384</td><td>241</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	89.91	-----	-----	77.30	36.00	9.24	32.63	384	241	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5353.32	45.07	54.00	-8.93	32.33	35.99	9.38	32.63	384	241	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5320.00	89.91	-----	-----	77.30	36.00	9.24	32.63	384	241	AVERAGE																																																																																	



Mode	79										
	Band Edge										
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_Single RU 52/37_5500MHz										
ANT	CDD 14+15										
Pol.	Horizontal										
Peak	Fundamental										
	Date: 2024-09-02										
											
Avg	Date: 2024-09-02										
											

	Limit	Read	Ant	Cable	Preamp	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5447.65	53.39	74.00	-20.61	40.39	35.93	9.68	32.61	103	30	PEAK
2	5463.25	54.68	68.30	-13.62	41.68	35.92	9.69	32.61	103	30	PEAK

	Limit	Read	Ant	Cable	Preamp	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5500.00	103.87	-----	-----	90.87	35.90	9.70	32.60	103	30	PEAK

	Limit	Read	Ant	Cable	Preamp	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5447.20	45.52	54.00	-8.48	32.52	35.93	9.68	32.61	103	30	AVERAGE

	Limit	Read	Ant	Cable	Preamp	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5500.00	96.43	-----	-----	83.43	35.90	9.70	32.60	103	30	AVERAGE



Mode	79																																																																																																								
	Band Edge																																																																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_Single RU 52/37_5500MHz																																																																																																								
ANT	CDD 14+15																																																																																																								
Pol.	Vertical						Fundamental																																																																																																		
Peak	Level (dBuV/m) Date: 2024-09-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.35</td><td>52.35</td><td>74.00</td><td>-21.65</td><td>39.35</td><td>35.93</td><td>9.68</td><td>32.61</td><td>348</td><td>230</td><td>PEAK</td></tr><tr><td>2</td><td>5467.60</td><td>53.19</td><td>68.30</td><td>-15.11</td><td>40.19</td><td>35.92</td><td>9.69</td><td>32.61</td><td>348</td><td>230</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.35	52.35	74.00	-21.65	39.35	35.93	9.68	32.61	348	230	PEAK	2	5467.60	53.19	68.30	-15.11	40.19	35.92	9.69	32.61	348	230	PEAK	Level (dBuV/m) Date: 2024-09-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>101.44</td><td>-----</td><td>-----</td><td>88.44</td><td>35.90</td><td>9.70</td><td>32.60</td><td>348</td><td>230</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.44	-----	-----	88.44	35.90	9.70	32.60	348	230	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5450.35	52.35	74.00	-21.65	39.35	35.93	9.68	32.61	348	230	PEAK																																																																																														
2	5467.60	53.19	68.30	-15.11	40.19	35.92	9.69	32.61	348	230	PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5500.00	101.44	-----	-----	88.44	35.90	9.70	32.60	348	230	PEAK																																																																																														
Avg	Level (dBuV/m) Date: 2024-09-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.80</td><td>44.93</td><td>54.00</td><td>-9.07</td><td>31.93</td><td>35.92</td><td>9.69</td><td>32.61</td><td>348</td><td>230</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.80	44.93	54.00	-9.07	31.93	35.92	9.69	32.61	348	230	AVERAGE	Level (dBuV/m) Date: 2024-09-02 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>93.49</td><td>-----</td><td>-----</td><td>80.49</td><td>35.90</td><td>9.70</td><td>32.60</td><td>348</td><td>230</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	93.49	-----	-----	80.49	35.90	9.70	32.60	348	230	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5459.80	44.93	54.00	-9.07	31.93	35.92	9.69	32.61	348	230	AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5500.00	93.49	-----	-----	80.49	35.90	9.70	32.60	348	230	AVERAGE																																																																																														



Mode	80																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Single RU 106/54_5700MHz																																																																																	
ANT	CDD 14+15																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-09-02 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5731.40</td><td>55.59</td><td>68.30</td><td>-12.71</td><td>42.03</td><td>36.22</td><td>10.03</td><td>32.69</td><td>300</td><td>279 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5731.40	55.59	68.30	-12.71	42.03	36.22	10.03	32.69	300	279 PEAK	Level (dBuV/m) Date: 2024-09-02 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>105.81</td><td>-----</td><td>-----</td><td>92.31</td><td>36.19</td><td>9.99</td><td>32.68</td><td>300</td><td>279 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5700.00	105.81	-----	-----	92.31	36.19	9.99	32.68	300	279 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5731.40	55.59	68.30	-12.71	42.03	36.22	10.03	32.69	300	279 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5700.00	105.81	-----	-----	92.31	36.19	9.99	32.68	300	279 PEAK																																																																									
Avg	Blank	Level (dBuV/m) Date: 2024-09-02 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>97.25</td><td>-----</td><td>-----</td><td>83.75</td><td>36.19</td><td>9.99</td><td>32.68</td><td>300</td><td>279 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5700.00	97.25	-----	-----	83.75	36.19	9.99	32.68	300	279 AVERAGE																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5700.00	97.25	-----	-----	83.75	36.19	9.99	32.68	300	279 AVERAGE																																																																									



Mode	80																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Single RU 106/54_5700MHz																																																																																									
ANT	CDD 14+15																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-09-02 1 57005713.5726573957525765 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5733.80</td><td>55.39</td><td>68.30</td><td>-12.91</td><td>41.81</td><td>36.23</td><td>10.04</td><td>32.69</td><td>316</td><td>228 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5733.80	55.39	68.30	-12.91	41.81	36.23	10.04	32.69	316	228 PEAK	Level (dBuV/m) Date: 2024-09-02 1 10002200.3400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>102.55</td><td>-----</td><td>-----</td><td>89.07</td><td>36.19</td><td>9.97</td><td>32.68</td><td>316</td><td>228 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5700.00	102.55	-----	-----	89.07	36.19	9.97	32.68	316	228 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5733.80	55.39	68.30	-12.91	41.81	36.23	10.04	32.69	316	228 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5700.00	102.55	-----	-----	89.07	36.19	9.97	32.68	316	228 PEAK																																																																																	
Avg	Blank					Level (dBuV/m) Date: 2024-09-02 1 10002200.3400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>94.95</td><td>-----</td><td>-----</td><td>81.47</td><td>36.19</td><td>9.97</td><td>32.68</td><td>316</td><td>228 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5700.00	94.95	-----	-----	81.47	36.19	9.97	32.68	316	228 AVERAGE																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5700.00	94.95	-----	-----	81.47	36.19	9.97	32.68	316	228 AVERAGE																																																																																	