









Mode	164																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full RU_5300MHz																																																																																																																							
ANT	SISO 14																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>47.17</td><td>74.00</td><td>-26.83</td><td>59.67</td><td>38.84</td><td>12.23</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>55.41</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10600.00	47.17	74.00	-26.83	59.67	38.84	12.23	63.57	---	---	Peak	2	15900.00	47.07	74.00	-26.93	55.41	41.02	14.75	64.11	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>48.41</td><td>74.00</td><td>-25.59</td><td>60.91</td><td>38.84</td><td>12.23</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>48.80</td><td>74.00</td><td>-25.20</td><td>57.14</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10600.00	48.41	74.00	-25.59	60.91	38.84	12.23	63.57	---	---	Peak	2	15900.00	48.80	74.00	-25.20	57.14	41.02	14.75	64.11	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10600.00	47.17	74.00	-26.83	59.67	38.84	12.23	63.57	---	---	Peak																																																																																																													
2	15900.00	47.07	74.00	-26.93	55.41	41.02	14.75	64.11	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10600.00	48.41	74.00	-25.59	60.91	38.84	12.23	63.57	---	---	Peak																																																																																																													
2	15900.00	48.80	74.00	-25.20	57.14	41.02	14.75	64.11	---	---	Peak																																																																																																													





		165																																																																																															
Mode		Band Edge																																																																																															
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz																																																																																															
ANT		SISO 14																																																																																															
Pol.	Horizontal										Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-08-14 										Level (dBuV/m) Date: 2024-08-14 																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.78</td><td>53.27</td><td>74.00</td><td>-20.73</td><td>40.54</td><td>35.99</td><td>9.37</td><td>32.63</td><td>300</td><td>152 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5351.78	53.27	74.00	-20.73	40.54	35.99	9.37	32.63	300	152 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>106.93</td><td>-----</td><td>-----</td><td>94.38</td><td>36.01</td><td>9.18</td><td>32.64</td><td>300</td><td>152 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	106.93	-----	-----	94.38	36.01	9.18	32.64	300
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	5351.78	53.27	74.00	-20.73	40.54	35.99	9.37	32.63	300	152 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	5320.00	106.93	-----	-----	94.38	36.01	9.18	32.64	300	152 PEAK																																																																																							
Avg	Level (dBuV/m) Date: 2024-08-14 										Level (dBuV/m) Date: 2024-08-14 																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.20</td><td>45.32</td><td>54.00</td><td>-8.68</td><td>32.58</td><td>35.99</td><td>9.38</td><td>32.63</td><td>300</td><td>152 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5352.20	45.32	54.00	-8.68	32.58	35.99	9.38	32.63	300	152 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>97.12</td><td>-----</td><td>-----</td><td>84.57</td><td>36.01</td><td>9.18</td><td>32.64</td><td>300</td><td>152 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	97.12	-----	-----	84.57	36.01	9.18	32.64	300
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	5352.20	45.32	54.00	-8.68	32.58	35.99	9.38	32.63	300	152 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	5320.00	97.12	-----	-----	84.57	36.01	9.18	32.64	300	152 AVERAGE																																																																																							







Mode	165	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz	
ANT	SISO 14	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-08-14 1 5354.16 55.80 74.00 -18.20 43.05 35.99 9.39 32.63 280 55 PEAK	Level (dBuV/m) Date: 2024-08-14 1 5320.00 111.52 ----- 98.94 36.01 9.21 32.64 280 55 PEAK
	Level (dBuV/m) Date: 2024-08-14 1 5352.20 48.22 54.00 -5.78 35.48 35.99 9.38 32.63 280 55 AVERAGE	Level (dBuV/m) Date: 2024-08-14 1 5320.00 100.95 ----- 88.40 36.01 9.18 32.64 280 55 AVERAGE







Mode	165																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz																																																																																																																			
ANT	SISO 14																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2024-08-09 						Level (dBuV/m) Date: 2024-08-09 																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>46.27</td><td>74.00</td><td>-27.73</td><td>58.70</td><td>38.86</td><td>12.26</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>55.90</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10640.00	46.27	74.00	-27.73	58.70	38.86	12.26	63.55	---	---	Peak	2	15960.00	47.61	74.00	-26.39	55.90	41.07	14.77	64.13	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>45.49</td><td>74.00</td><td>-28.51</td><td>57.92</td><td>38.86</td><td>12.26</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>47.32</td><td>74.00</td><td>-26.68</td><td>55.61</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10640.00	45.49	74.00	-28.51	57.92	38.86	12.26	63.55	---	---	Peak	2	15960.00	47.32	74.00	-26.68	55.61	41.07	14.77	64.13	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10640.00	46.27	74.00	-27.73	58.70	38.86	12.26	63.55	---	---	Peak																																																																																																									
2	15960.00	47.61	74.00	-26.39	55.90	41.07	14.77	64.13	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10640.00	45.49	74.00	-28.51	57.92	38.86	12.26	63.55	---	---	Peak																																																																																																									
2	15960.00	47.32	74.00	-26.68	55.61	41.07	14.77	64.13	---	---	Peak																																																																																																									





Mode	166																																																																																															
	Band Edge																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																															
ANT	SISO 14																																																																																															
Pol.	Horizontal					Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2024-08-14  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5458.75</td><td>54.98</td><td>74.00</td><td>-19.02</td><td>41.98</td><td>35.92</td><td>9.69</td><td>32.61</td><td>100</td><td>234 PEAK</td></tr><tr><td>2 5469.55</td><td>55.48</td><td>68.30</td><td>-12.82</td><td>42.48</td><td>35.92</td><td>9.69</td><td>32.61</td><td>100</td><td>234 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5458.75	54.98	74.00	-19.02	41.98	35.92	9.69	32.61	100	234 PEAK	2 5469.55	55.48	68.30	-12.82	42.48	35.92	9.69	32.61	100	234 PEAK	Level (dBuV/m) Date: 2024-08-14  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>107.87</td><td>-----</td><td>-----</td><td>94.87</td><td>35.90</td><td>9.70</td><td>32.60</td><td>100</td><td>234 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	107.87	-----	-----	94.87	35.90	9.70	32.60	100	234 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 5458.75	54.98	74.00	-19.02	41.98	35.92	9.69	32.61	100	234 PEAK																																																																																							
2 5469.55	55.48	68.30	-12.82	42.48	35.92	9.69	32.61	100	234 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 5500.00	107.87	-----	-----	94.87	35.90	9.70	32.60	100	234 PEAK																																																																																							
Avg	Level (dBuV/m) Date: 2024-08-14  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5459.80</td><td>44.43</td><td>54.00</td><td>-9.57</td><td>31.43</td><td>35.92</td><td>9.69</td><td>32.61</td><td>100</td><td>234 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.80	44.43	54.00	-9.57	31.43	35.92	9.69	32.61	100	234 AVERAGE	Level (dBuV/m) Date: 2024-08-14  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>98.73</td><td>-----</td><td>-----</td><td>85.72</td><td>35.90</td><td>9.71</td><td>32.60</td><td>100</td><td>234 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	98.73	-----	-----	85.72	35.90	9.71	32.60	100	234 AVERAGE										
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 5459.80	44.43	54.00	-9.57	31.43	35.92	9.69	32.61	100	234 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 5500.00	98.73	-----	-----	85.72	35.90	9.71	32.60	100	234 AVERAGE																																																																																							



Mode	166																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																		
ANT	SISO 14																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.90</td><td>57.00</td><td>74.00</td><td>-17.00</td><td>44.00</td><td>35.92</td><td>9.69</td><td>32.61</td><td>287</td><td>57 PEAK</td></tr><tr><td>2</td><td>5460.85</td><td>59.91</td><td>68.30</td><td>-8.39</td><td>46.91</td><td>35.92</td><td>9.69</td><td>32.61</td><td>287</td><td>57 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.90	57.00	74.00	-17.00	44.00	35.92	9.69	32.61	287	57 PEAK	2	5460.85	59.91	68.30	-8.39	46.91	35.92	9.69	32.61	287	57 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>111.70</td><td>-----</td><td>-----</td><td>98.70</td><td>35.90</td><td>9.70</td><td>32.60</td><td>287</td><td>57 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.70	-----	-----	98.70	35.90	9.70	32.60	287
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5458.90	57.00	74.00	-17.00	44.00	35.92	9.69	32.61	287	57 PEAK																																																																																									
2	5460.85	59.91	68.30	-8.39	46.91	35.92	9.69	32.61	287	57 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	111.70	-----	-----	98.70	35.90	9.70	32.60	287	57 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.20</td><td>47.02</td><td>54.00</td><td>-6.98</td><td>34.02</td><td>35.92</td><td>9.69</td><td>32.61</td><td>287</td><td>57 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.20	47.02	54.00	-6.98	34.02	35.92	9.69	32.61	287	57 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>103.48</td><td>-----</td><td>-----</td><td>90.48</td><td>35.90</td><td>9.70</td><td>32.60</td><td>287</td><td>57 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.48	-----	-----	90.48	35.90	9.70	32.60	287	57 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5459.20	47.02	54.00	-6.98	34.02	35.92	9.69	32.61	287	57 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	103.48	-----	-----	90.48	35.90	9.70	32.60	287	57 AVERAGE																																																																																									






Mode	166																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																																							
ANT	SISO 14																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Date: 2024-08-09  Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red line for the peak level and a blue line for the average level. Two vertical blue lines mark the frequencies 11000 MHz and 16500 MHz. The peak level is 70.0 dBuV/m and the average level is 52.5 dBuV/m.						Date: 2024-08-29  Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red line for the peak level and a blue line for the average level. Two vertical blue lines mark the frequencies 11000 MHz and 16500 MHz. The peak level is 70.0 dBuV/m and the average level is 52.5 dBuV/m.																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>47.75</td><td>74.00</td><td>-26.25</td><td>59.65</td><td>39.00</td><td>12.52</td><td>63.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>47.21</td><td>68.30</td><td>-21.09</td><td>55.35</td><td>41.35</td><td>15.17</td><td>64.66</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	47.75	74.00	-26.25	59.65	39.00	12.52	63.42	---	---	Peak	2	16500.00	47.21	68.30	-21.09	55.35	41.35	15.17	64.66	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>49.42</td><td>74.00</td><td>-24.58</td><td>61.32</td><td>39.00</td><td>12.52</td><td>63.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>47.47</td><td>68.30</td><td>-20.83</td><td>55.61</td><td>41.35</td><td>15.17</td><td>64.66</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	49.42	74.00	-24.58	61.32	39.00	12.52	63.42	---	---	Peak	2	16500.00	47.47	68.30	-20.83	55.61	41.35	15.17	64.66	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11000.00	47.75	74.00	-26.25	59.65	39.00	12.52	63.42	---	---	Peak																																																																																																													
2	16500.00	47.21	68.30	-21.09	55.35	41.35	15.17	64.66	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11000.00	49.42	74.00	-24.58	61.32	39.00	12.52	63.42	---	---	Peak																																																																																																													
2	16500.00	47.47	68.30	-20.83	55.61	41.35	15.17	64.66	---	---	Peak																																																																																																													






Mode	167																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																																																																																				
ANT	SISO 14																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg	Level (dBuV/m) Date: 2024-08-09 Frequency (MHz)						Level (dBuV/m) Date: 2024-08-09 Frequency (MHz)																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm deg</td></tr><tr><td>1 11160.00</td><td>49.03</td><td>74.00</td><td>-24.97</td><td>60.76</td><td>39.06</td><td>12.64</td><td>63.43</td><td>--- --- Peak</td></tr><tr><td>2 16740.00</td><td>49.32</td><td>68.30</td><td>-18.98</td><td>57.41</td><td>41.47</td><td>15.35</td><td>64.91</td><td>--- --- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 11160.00	49.03	74.00	-24.97	60.76	39.06	12.64	63.43	--- --- Peak	2 16740.00	49.32	68.30	-18.98	57.41	41.47	15.35	64.91	--- --- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm deg</td></tr><tr><td>1 11160.00</td><td>49.01</td><td>74.00</td><td>-24.99</td><td>60.74</td><td>39.06</td><td>12.64</td><td>63.43</td><td>--- --- Peak</td></tr><tr><td>2 16740.00</td><td>48.09</td><td>68.30</td><td>-20.21</td><td>56.18</td><td>41.47</td><td>15.35</td><td>64.91</td><td>--- --- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 11160.00	49.01	74.00	-24.99	60.74	39.06	12.64	63.43	--- --- Peak	2 16740.00	48.09	68.30	-20.21	56.18	41.47	15.35	64.91
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																													
1 11160.00	49.03	74.00	-24.97	60.76	39.06	12.64	63.43	--- --- Peak																																																																																													
2 16740.00	49.32	68.30	-18.98	57.41	41.47	15.35	64.91	--- --- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																													
1 11160.00	49.01	74.00	-24.99	60.74	39.06	12.64	63.43	--- --- Peak																																																																																													
2 16740.00	48.09	68.30	-20.21	56.18	41.47	15.35	64.91	--- --- Peak																																																																																													





Mode	168																																																																																														
	Band Edge																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																														
ANT	SISO 14																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2024-08-14  57005713.5726.5739.5752.5765 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5726.52</td><td>61.19</td><td>68.30</td><td>-7.11</td><td>47.64</td><td>36.22</td><td>10.02</td><td>32.69</td><td>218</td><td>231</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5726.52	61.19	68.30	-7.11	47.64	36.22	10.02	32.69	218	231	PEAK	Level (dBuV/m) Date: 2024-08-14  10002200.3400.4600.5800.7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5700.00</td><td>110.22</td><td>-----</td><td>-----</td><td>96.74</td><td>36.19</td><td>9.97</td><td>32.68</td><td>218</td><td>231</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5700.00	110.22	-----	-----	96.74	36.19	9.97	32.68	218	231	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5726.52	61.19	68.30	-7.11	47.64	36.22	10.02	32.69	218	231	PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5700.00	110.22	-----	-----	96.74	36.19	9.97	32.68	218	231	PEAK																																																																																				
Avg	Blank						Level (dBuV/m) Date: 2024-08-14  10002200.3400.4600.5800.7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5700.00</td><td>100.67</td><td>-----</td><td>-----</td><td>87.17</td><td>36.19</td><td>9.99</td><td>32.68</td><td>218</td><td>231</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5700.00	100.67	-----	-----	87.17	36.19	9.99	32.68	218	231	AVERAGE																																										
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5700.00	100.67	-----	-----	87.17	36.19	9.99	32.68	218	231	AVERAGE																																																																																				







Mode	168																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																											
ANT	SISO 14																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	 Date: 2024-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.52</td><td>61.94</td><td>68.30</td><td>-6.36</td><td>48.39</td><td>36.22</td><td>10.02</td><td>32.69</td><td>306</td><td>250</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5726.52	61.94	68.30	-6.36	48.39	36.22	10.02	32.69	306	250	PEAK	 Date: 2024-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>112.61</td><td>-----</td><td>-----</td><td>99.13</td><td>36.19</td><td>9.97</td><td>32.68</td><td>306</td><td>250</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	112.61	-----	-----	99.13	36.19	9.97	32.68	306	250	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5726.52	61.94	68.30	-6.36	48.39	36.22	10.02	32.69	306	250	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5700.00	112.61	-----	-----	99.13	36.19	9.97	32.68	306	250	PEAK																																																																																	
Avg	Blank						 Date: 2024-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>102.19</td><td>-----</td><td>-----</td><td>88.71</td><td>36.19</td><td>9.97</td><td>32.68</td><td>306</td><td>250</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	102.19	-----	-----	88.71	36.19	9.97	32.68	306	250	AVERAGE																																								
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5700.00	102.19	-----	-----	88.71	36.19	9.97	32.68	306	250	AVERAGE																																																																																	



Mode	168																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																																																																	
ANT	SISO 14																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>47.80</td><td>74.00</td><td>-26.20</td><td>59.27</td><td>39.16</td><td>12.81</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>49.71</td><td>68.30</td><td>-18.59</td><td>57.61</td><td>41.71</td><td>15.62</td><td>65.23</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	47.80	74.00	-26.20	59.27	39.16	12.81	63.44	---	---	Peak	2	17100.00	49.71	68.30	-18.59	57.61	41.71	15.62	65.23	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>47.67</td><td>74.00</td><td>-26.33</td><td>59.14</td><td>39.16</td><td>12.81</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.41</td><td>68.30</td><td>-19.89</td><td>56.31</td><td>41.71</td><td>15.62</td><td>65.23</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	47.67	74.00	-26.33	59.14	39.16	12.81	63.44	---	---	Peak	2	17100.00	48.41	68.30	-19.89	56.31	41.71	15.62	65.23	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11400.00	47.80	74.00	-26.20	59.27	39.16	12.81	63.44	---	---	Peak																																																																																																																							
2	17100.00	49.71	68.30	-18.59	57.61	41.71	15.62	65.23	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11400.00	47.67	74.00	-26.33	59.14	39.16	12.81	63.44	---	---	Peak																																																																																																																							
2	17100.00	48.41	68.30	-19.89	56.31	41.71	15.62	65.23	---	---	Peak																																																																																																																							







		169																																																																																								
Mode		Band Edge - L																																																																																								
		U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																																																								
ANT		SISO 14																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	 Level (dBuV/m) Date: 2024-08-06 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5000 5038. 5076. 5114. 5152. 5190 Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.21</td><td>55.87</td><td>74.00</td><td>-18.13</td><td>43.91</td><td>36.11</td><td>8.52</td><td>32.67</td><td>100 306 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5144.21	55.87	74.00	-18.13	43.91	36.11	8.52	32.67	100 306 PEAK	 Level (dBuV/m) Date: 2024-08-06 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200. 3400. 4600. 5800. 7000 Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>101.22</td><td>-----</td><td>89.16</td><td>36.08</td><td>8.64</td><td>32.66</td><td>100</td><td>306 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	101.22	-----	89.16	36.08	8.64	32.66	100	306 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5144.21	55.87	74.00	-18.13	43.91	36.11	8.52	32.67	100 306 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5190.00	101.22	-----	89.16	36.08	8.64	32.66	100	306 PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2024-08-06 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5000 5038. 5076. 5114. 5152. 5190 Frequency (MHz) PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.39</td><td>46.02</td><td>54.00</td><td>-7.98</td><td>34.05</td><td>36.11</td><td>8.53</td><td>32.67</td><td>100 306 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5148.39	46.02	54.00	-7.98	34.05	36.11	8.53	32.67	100 306 AVERAGE	 Level (dBuV/m) Date: 2024-08-06 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200. 3400. 4600. 5800. 7000 Frequency (MHz) PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>91.67</td><td>-----</td><td>79.62</td><td>36.08</td><td>8.63</td><td>32.66</td><td>100</td><td>306 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	91.67	-----	79.62	36.08	8.63	32.66	100	306 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5148.39	46.02	54.00	-7.98	34.05	36.11	8.53	32.67	100 306 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5190.00	91.67	-----	79.62	36.08	8.63	32.66	100	306 AVERAGE																																																																																	



Mode	169																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																										
ANT	SISO 14																																										
Pol.	Horizontal					Fundamental																																					
Peak	Date: 2024-08-06 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5429.22</td><td>51.51</td><td>74.00</td><td>-22.49</td><td>38.51</td><td>35.94</td><td>9.67</td><td>32.61</td><td>100</td><td>306 PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5429.22	51.51	74.00	-22.49	38.51	35.94	9.67	32.61	100	306 PEAK	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5429.22	51.51	74.00	-22.49	38.51	35.94	9.67	32.61	100	306 PEAK																																	
Avg	Date: 2024-08-06 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5455.14</td><td>42.27</td><td>54.00</td><td>-11.73</td><td>29.27</td><td>35.93</td><td>9.68</td><td>32.61</td><td>100</td><td>306 AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5455.14	42.27	54.00	-11.73	29.27	35.93	9.68	32.61	100	306 AVERAGE	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5455.14	42.27	54.00	-11.73	29.27	35.93	9.68	32.61	100	306 AVERAGE																																	



Mode	169																																																																																			
	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																																																			
ANT	SISO 14																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.11</td><td>57.74</td><td>74.00</td><td>-16.26</td><td>45.77</td><td>36.11</td><td>8.53</td><td>32.67</td><td>187</td><td>269 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5146.11	57.74	74.00	-16.26	45.77	36.11	8.53	32.67	187	269 PEAK	Level (dBuV/m) Date: 2024-08-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>104.85</td><td>-----</td><td>-----</td><td>92.80</td><td>36.08</td><td>8.63</td><td>32.66</td><td>187</td><td>269 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	104.85	-----	-----	92.80	36.08	8.63	32.66	187	269 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5146.11	57.74	74.00	-16.26	45.77	36.11	8.53	32.67	187	269 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5190.00	104.85	-----	-----	92.80	36.08	8.63	32.66	187	269 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2024-08-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.15</td><td>47.92</td><td>54.00</td><td>-6.08</td><td>35.95</td><td>36.11</td><td>8.53</td><td>32.67</td><td>187</td><td>269 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.15	47.92	54.00	-6.08	35.95	36.11	8.53	32.67	187	269 AVERAGE	Level (dBuV/m) Date: 2024-08-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>95.06</td><td>-----</td><td>-----</td><td>83.06</td><td>36.10</td><td>8.57</td><td>32.67</td><td>187</td><td>269 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	95.06	-----	-----	83.06	36.10	8.57	32.67	187	269 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.15	47.92	54.00	-6.08	35.95	36.11	8.53	32.67	187	269 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5190.00	95.06	-----	-----	83.06	36.10	8.57	32.67	187	269 AVERAGE																																																																										



Mode	169																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																										
ANT	SISO 14																																										
Pol.	Vertical					Fundamental																																					
Peak	Date: 2024-08-06 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5356.05</td><td>51.32</td><td>74.00</td><td>-22.68</td><td>38.56</td><td>35.99</td><td>9.40</td><td>32.63</td><td>187</td><td>269 PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5356.05	51.32	74.00	-22.68	38.56	35.99	9.40	32.63	187	269 PEAK	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5356.05	51.32	74.00	-22.68	38.56	35.99	9.40	32.63	187	269 PEAK																																	
Avg	Date: 2024-08-06 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5363.61</td><td>42.58</td><td>54.00</td><td>-11.42</td><td>29.79</td><td>35.98</td><td>9.44</td><td>32.63</td><td>187</td><td>269 AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5363.61	42.58	54.00	-11.42	29.79	35.98	9.44	32.63	187	269 AVERAGE	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5363.61	42.58	54.00	-11.42	29.79	35.98	9.44	32.63	187	269 AVERAGE																																	





Mode	170																																																																																											
	Band Edge - L																																																																																											
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																																											
ANT	SISO 14																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-08-14 5000 5046 5092 5138 5184 5230 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.81</td><td>56.42</td><td>74.00</td><td>-17.58</td><td>44.45</td><td>36.11</td><td>8.53</td><td>32.67</td><td>100</td><td>293</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5148.81	56.42	74.00	-17.58	44.45	36.11	8.53	32.67	100	293	PEAK	Level (dBuV/m) Date: 2024-08-14 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>103.97</td><td>-----</td><td>-----</td><td>91.88</td><td>36.07</td><td>8.68</td><td>32.66</td><td>100</td><td>293</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5230.00	103.97	-----	-----	91.88	36.07	8.68	32.66	100	293	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5148.81	56.42	74.00	-17.58	44.45	36.11	8.53	32.67	100	293	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5230.00	103.97	-----	-----	91.88	36.07	8.68	32.66	100	293	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-08-14 5000 5046 5092 5138 5184 5230 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.27</td><td>46.62</td><td>54.00</td><td>-7.38</td><td>34.65</td><td>36.11</td><td>8.53</td><td>32.67</td><td>100</td><td>293</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.27	46.62	54.00	-7.38	34.65	36.11	8.53	32.67	100	293	AVERAGE	Level (dBuV/m) Date: 2024-08-14 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>94.14</td><td>-----</td><td>-----</td><td>82.08</td><td>36.07</td><td>8.65</td><td>32.66</td><td>100</td><td>293</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5230.00	94.14	-----	-----	82.08	36.07	8.65	32.66	100	293	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5149.27	46.62	54.00	-7.38	34.65	36.11	8.53	32.67	100	293	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5230.00	94.14	-----	-----	82.08	36.07	8.65	32.66	100	293	AVERAGE																																																																																	



Mode	170																																																																																											
	Band Edge - L																																																																																											
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																																											
ANT	SISO 14																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.96</td><td>59.85</td><td>74.00</td><td>-14.15</td><td>47.87</td><td>36.11</td><td>8.54</td><td>32.67</td><td>287</td><td>58</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.96	59.85	74.00	-14.15	47.87	36.11	8.54	32.67	287	58	PEAK	Level (dBuV/m) Date: 2024-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>108.23</td><td>-----</td><td>-----</td><td>96.08</td><td>36.06</td><td>8.74</td><td>32.65</td><td>287</td><td>58</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5230.00	108.23	-----	-----	96.08	36.06	8.74	32.65	287	58	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5149.96	59.85	74.00	-14.15	47.87	36.11	8.54	32.67	287	58	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5230.00	108.23	-----	-----	96.08	36.06	8.74	32.65	287	58	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.50</td><td>48.55</td><td>54.00</td><td>-5.45</td><td>36.58</td><td>36.11</td><td>8.53</td><td>32.67</td><td>287</td><td>58</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.50	48.55	54.00	-5.45	36.58	36.11	8.53	32.67	287	58	AVERAGE	Level (dBuV/m) Date: 2024-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>99.01</td><td>-----</td><td>-----</td><td>86.83</td><td>36.06</td><td>8.77</td><td>32.65</td><td>287</td><td>58</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5230.00	99.01	-----	-----	86.83	36.06	8.77	32.65	287	58	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5149.50	48.55	54.00	-5.45	36.58	36.11	8.53	32.67	287	58	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5230.00	99.01	-----	-----	86.83	36.06	8.77	32.65	287	58	AVERAGE																																																																																	



Mode	170																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																		
ANT	SISO 14																																																		
Pol.	Vertical						Fundamental																																												
Peak	Date: 2024-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.04</td><td>54.19</td><td>74.00</td><td>-19.81</td><td>41.43</td><td>35.99</td><td>9.40</td><td>32.63</td><td>287</td><td>58</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5356.04	54.19	74.00	-19.81	41.43	35.99	9.40	32.63	287	58	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5356.04	54.19	74.00	-19.81	41.43	35.99	9.40	32.63	287	58	PEAK																																								
Avg	Date: 2024-08-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.88</td><td>45.86</td><td>54.00</td><td>-8.14</td><td>33.09</td><td>35.99</td><td>9.41</td><td>32.63</td><td>287</td><td>58</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5357.88	45.86	54.00	-8.14	33.09	35.99	9.41	32.63	287	58	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5357.88	45.86	54.00	-8.14	33.09	35.99	9.41	32.63	287	58	AVERAGE																																								



Mode	171																																																	
	Band Edge - L																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																	
ANT	SISO 14																																																	
Pol.	Horizontal																																																	
Peak	Fundamental																																																	
	Date: 2024-08-14																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5004.59</td><td>52.55</td><td>74.00</td><td>-21.45</td><td>40.72</td><td>36.20</td><td>8.33</td><td>32.70</td><td>100</td><td>287</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5004.59	52.55	74.00	-21.45	40.72	36.20	8.33	32.70	100	287	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	5004.59	52.55	74.00	-21.45	40.72	36.20	8.33	32.70	100	287	PEAK																																							
Avg <td colspan="11">Date: 2024-08-14</td>	Date: 2024-08-14																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5004.59</td><td>52.55</td><td>74.00</td><td>-21.45</td><td>40.72</td><td>36.20</td><td>8.33</td><td>32.70</td><td>100</td><td>287</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5004.59	52.55	74.00	-21.45	40.72	36.20	8.33	32.70	100	287
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	5004.59	52.55	74.00	-21.45	40.72	36.20	8.33	32.70	100	287	PEAK																																							
Peak <td colspan="11">Date: 2024-08-14</td>	Date: 2024-08-14																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5004.59</td><td>52.55</td><td>74.00</td><td>-21.45</td><td>40.72</td><td>36.20</td><td>8.33</td><td>32.70</td><td>100</td><td>287</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5004.59	52.55	74.00	-21.45	40.72	36.20	8.33	32.70	100	287
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	5004.59	52.55	74.00	-21.45	40.72	36.20	8.33	32.70	100	287	PEAK																																							
Avg <td colspan="11">Date: 2024-08-14</td>	Date: 2024-08-14																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5004.59</td><td>52.55</td><td>74.00</td><td>-21.45</td><td>40.72</td><td>36.20</td><td>8.33</td><td>32.70</td><td>100</td><td>287</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5004.59	52.55	74.00	-21.45	40.72	36.20	8.33	32.70	100	287
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	5004.59	52.55	74.00	-21.45	40.72	36.20	8.33	32.70	100	287	PEAK																																							





Mode	171																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																								
ANT	SISO 14																																								
Pol.	Horizontal					Fundamental																																			
Peak	Date: 2024-08-14 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.51</td><td>53.19</td><td>74.00</td><td>-20.81</td><td>40.46</td><td>35.99</td><td>9.37</td><td>32.63</td><td>100</td><td>287 PEAK</td></tr></tbody></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.51	53.19	74.00	-20.81	40.46	35.99	9.37	32.63	100	287 PEAK	Blank				
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5351.51	53.19	74.00	-20.81	40.46	35.99	9.37	32.63	100	287 PEAK																															
Avg	Date: 2024-08-14 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.94</td><td>45.06</td><td>54.00</td><td>-8.94</td><td>32.33</td><td>35.99</td><td>9.37</td><td>32.63</td><td>100</td><td>287 AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.94	45.06	54.00	-8.94	32.33	35.99	9.37	32.63	100	287 AVERAGE	Blank				
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5350.94	45.06	54.00	-8.94	32.33	35.99	9.37	32.63	100	287 AVERAGE																															



Mode	171	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz	
ANT	SISO 14	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-08-14 1 5045.36 53.36 74.00 -20.64 41.54 36.17 8.34 32.69 278 56 PEAK	Level (dBuV/m) Date: 2024-08-14 1 5270.00 110.14 ----- 97.79 36.04 8.96 32.65 278 56 PEAK
	Level (dBuV/m) Date: 2024-08-14 1 5146.88 43.66 54.00 -10.34 31.69 36.11 8.53 32.67 278 56 AVERAGE	Level (dBuV/m) Date: 2024-08-14 1 5270.00 99.55 ----- 87.20 36.04 8.96 32.65 278 56 AVERAGE







Mode	171																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																				
ANT	SISO 14																																																				
Pol.	Vertical						Fundamental																																														
Peak	Date: 2024-08-14  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5351.70</td><td>58.72</td><td>74.00</td><td>-15.28</td><td>45.99</td><td>35.99</td><td>9.37</td><td>32.63</td><td>278</td><td>56</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5351.70	58.72	74.00	-15.28	45.99	35.99	9.37	32.63	278	56	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5351.70	58.72	74.00	-15.28	45.99	35.99	9.37	32.63	278	56	PEAK																																										
Avg	Date: 2024-08-14  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5350.56</td><td>47.76</td><td>54.00</td><td>-6.24</td><td>35.03</td><td>35.99</td><td>9.37</td><td>32.63</td><td>278</td><td>56</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5350.56	47.76	54.00	-6.24	35.03	35.99	9.37	32.63	278	56	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5350.56	47.76	54.00	-6.24	35.03	35.99	9.37	32.63	278	56	AVERAGE																																										



Mode	172	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	SISO 14	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2024-08-06 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5133.92 53.27 74.00 -20.73 41.31 36.12 8.51 32.67 200 309 PEAK	Level (dBuV/m) Date: 2024-08-06 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5310.00 100.73 ----- 88.15 36.01 9.21 32.64 200 309 PEAK
	Level (dBuV/m) Date: 2024-08-06 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5063.24 43.08 54.00 -10.92 31.23 36.16 8.38 32.69 200 309 AVERAGE	Level (dBuV/m) Date: 2024-08-06 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5310.00 91.38 ----- 78.80 36.01 9.21 32.64 200 309 AVERAGE



Mode	172																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																			
ANT	SISO 14																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5072.85</td><td>52.61</td><td>74.00</td><td>-21.39</td><td>40.75</td><td>36.16</td><td>8.39</td><td>32.69</td><td>300</td><td>283 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5072.85	52.61	74.00	-21.39	40.75	36.16	8.39	32.69	300	283 PEAK	Level (dBuV/m) Date: 2024-08-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>103.83</td><td>-----</td><td>-----</td><td>91.25</td><td>36.01</td><td>9.21</td><td>32.64</td><td>300</td><td>283 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	103.83	-----	-----	91.25	36.01	9.21	32.64	300	283 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5072.85	52.61	74.00	-21.39	40.75	36.16	8.39	32.69	300	283 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5310.00	103.83	-----	-----	91.25	36.01	9.21	32.64	300	283 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2024-08-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.67</td><td>43.11</td><td>54.00</td><td>-10.89</td><td>31.14</td><td>36.12</td><td>8.52</td><td>32.67</td><td>300</td><td>283 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5141.67	43.11	54.00	-10.89	31.14	36.12	8.52	32.67	300	283 AVERAGE	Level (dBuV/m) Date: 2024-08-06 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>95.07</td><td>-----</td><td>-----</td><td>82.52</td><td>36.01</td><td>9.18</td><td>32.64</td><td>300</td><td>283 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	95.07	-----	-----	82.52	36.01	9.18	32.64	300	283 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5141.67	43.11	54.00	-10.89	31.14	36.12	8.52	32.67	300	283 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5310.00	95.07	-----	-----	82.52	36.01	9.18	32.64	300	283 AVERAGE																																																																										



Mode	172																																										
	Band Edge - R																																										
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																										
ANT	SISO 14																																										
Pol.	Vertical					Fundamental																																					
Peak	Date: 2024-08-06 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5356.20</td><td>55.34</td><td>74.00</td><td>-18.66</td><td>42.58</td><td>35.99</td><td>9.40</td><td>32.63</td><td>300</td><td>283</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5356.20	55.34	74.00	-18.66	42.58	35.99	9.40	32.63	300	283	PEAK	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1 5356.20	55.34	74.00	-18.66	42.58	35.99	9.40	32.63	300	283	PEAK																																	
Avg	Date: 2024-08-06 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5350.80</td><td>48.27</td><td>54.00</td><td>-5.73</td><td>35.54</td><td>35.99</td><td>9.37</td><td>32.63</td><td>300</td><td>283</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5350.80	48.27	54.00	-5.73	35.54	35.99	9.37	32.63	300	283	AVERAGE	Blank				
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1 5350.80	48.27	54.00	-5.73	35.54	35.99	9.37	32.63	300	283	AVERAGE																																	







Mode	173																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																											
ANT	SISO 14																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2024-08-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5441.84</td><td>53.96</td><td>74.00</td><td>-20.04</td><td>40.96</td><td>35.93</td><td>9.68</td><td>32.61</td><td>200 303 PEAK</td></tr><tr><td>2</td><td>5463.76</td><td>52.67</td><td>68.30</td><td>-15.63</td><td>39.67</td><td>35.92</td><td>9.69</td><td>32.61</td><td>200 303 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5441.84	53.96	74.00	-20.04	40.96	35.93	9.68	32.61	200 303 PEAK	2	5463.76	52.67	68.30	-15.63	39.67	35.92	9.69	32.61	200 303 PEAK	Level (dBuV/m) Date: 2024-08-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>103.95</td><td>-----</td><td>-----</td><td>90.93</td><td>35.91</td><td>9.71</td><td>32.60</td><td>200 303 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	103.95	-----	-----	90.93	35.91	9.71	32.60	200 303 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5441.84	53.96	74.00	-20.04	40.96	35.93	9.68	32.61	200 303 PEAK																																																																																			
2	5463.76	52.67	68.30	-15.63	39.67	35.92	9.69	32.61	200 303 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5510.00	103.95	-----	-----	90.93	35.91	9.71	32.60	200 303 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2024-08-06 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.28</td><td>45.07</td><td>54.00</td><td>-8.93</td><td>32.07</td><td>35.92</td><td>9.69</td><td>32.61</td><td>200 303 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	45.07	54.00	-8.93	32.07	35.92	9.69	32.61	200 303 AVERAGE	Blank																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5459.28	45.07	54.00	-8.93	32.07	35.92	9.69	32.61	200 303 AVERAGE																																																																																			



Mode	173																																																								
	Band Edge - L																																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																								
ANT	SISO 14																																																								
Pol.	Vertical	Fundamental																																																							
Peak	Level (dBuV/m) Date: 2024-08-06 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5458.48</td><td>56.13</td><td>74.00</td><td>-17.87</td><td>43.13</td><td>35.92</td><td>9.69</td><td>32.61</td><td>305</td><td>284 PEAK</td></tr><tr><td>2</td><td>5464.56</td><td>56.32</td><td>68.30</td><td>-11.98</td><td>43.32</td><td>35.92</td><td>9.69</td><td>32.61</td><td>305</td><td>284 PEAK</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5458.48	56.13	74.00	-17.87	43.13	35.92	9.69	32.61	305	284 PEAK	2	5464.56	56.32	68.30	-11.98	43.32	35.92	9.69	32.61	305	284 PEAK	Level (dBuV/m) Date: 2024-08-06 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>108.52</td><td>-----</td><td>-----</td><td>95.50</td><td>35.91</td><td>9.71</td><td>32.60</td><td>305</td><td>284 PEAK</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5510.00	108.52	-----	-----	95.50	35.91	9.71	32.60	305	284 PEAK
		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																														
1	5458.48	56.13	74.00	-17.87	43.13	35.92	9.69	32.61	305	284 PEAK																																															
2	5464.56	56.32	68.30	-11.98	43.32	35.92	9.69	32.61	305	284 PEAK																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																															
1	5510.00	108.52	-----	-----	95.50	35.91	9.71	32.60	305	284 PEAK																																															
Avg	Level (dBuV/m) Date: 2024-08-06 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5459.44</td><td>48.76</td><td>54.00</td><td>-5.24</td><td>35.76</td><td>35.92</td><td>9.69</td><td>32.61</td><td>305</td><td>284 AVERAGE</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5459.44	48.76	54.00	-5.24	35.76	35.92	9.69	32.61	305	284 AVERAGE	Level (dBuV/m) Date: 2024-08-06 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>99.74</td><td>-----</td><td>-----</td><td>86.72</td><td>35.91</td><td>9.71</td><td>32.60</td><td>305</td><td>284 AVERAGE</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5510.00	99.74	-----	-----	86.72	35.91	9.71	32.60	305	284 AVERAGE											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																															
1	5459.44	48.76	54.00	-5.24	35.76	35.92	9.69	32.61	305	284 AVERAGE																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																															
1	5510.00	99.74	-----	-----	86.72	35.91	9.71	32.60	305	284 AVERAGE																																															



		174																																																																																														
Mode		Band Edge - L																																																																																														
		U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																														
ANT		SISO 14																																																																																														
Pol.		Horizontal						Fundamental																																																																																								
Peak	 Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5350 to 5670 MHz. A red limit line is at 70.0 dBuV/m. A blue trace shows the spectrum with two peaks labeled 1 and 2. Peak 1 is at 5421.36 MHz and Peak 2 is at 5460.08 MHz. A red label 'PART 15.407' is present.						 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red limit line is at 70.0 dBuV/m. A blue trace shows the spectrum with a single peak labeled 1 at 5670.00 MHz. A red label 'PART 15.407' is present.																																																																																									
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5421.36	52.32	74.00	-21.68	39.32	35.95	9.67	32.62	218	292	PEAK	2	5460.08	53.88	68.30	-14.42	40.88	35.92	9.69	32.61	218	292	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	106.69	-----	-----	93.36	36.12	9.87	32.66	218	292	PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5421.36	52.32	74.00	-21.68	39.32	35.95	9.67	32.62	218	292	PEAK																																																																																					
2	5460.08	53.88	68.30	-14.42	40.88	35.92	9.69	32.61	218	292	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5670.00	106.69	-----	-----	93.36	36.12	9.87	32.66	218	292	PEAK																																																																																					
Avg	 Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5350 to 5670 MHz. A red limit line is at 54.00 dBuV/m. A blue trace shows the spectrum with a single peak labeled 1 at 5456.56 MHz. A red label 'PART 15.407 AVG' is present.						 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red limit line is at 54.00 dBuV/m. A blue trace shows the spectrum with a single peak labeled 1 at 5670.00 MHz. A red label 'PART 15.407 AVG' is present.																																																																																									
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5456.56	42.48	54.00	-11.52	29.47	35.93	9.69	32.61	218	292	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	97.76	-----	-----	84.43	36.12	9.87	32.66	218	292	AVERAGE																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5456.56	42.48	54.00	-11.52	29.47	35.93	9.69	32.61	218	292	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5670.00	97.76	-----	-----	84.43	36.12	9.87	32.66	218	292	AVERAGE																																																																																					



Mode	174																																																																																																										
	Band Edge - L																																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																										
ANT	SISO 14																																																																																																										
Pol.	Vertical						Fundamental																																																																																																				
Peak	Level (dBuV/m) Date: 2024-08-15 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5441.20</td><td>51.89</td><td>74.00</td><td>-22.11</td><td>38.88</td><td>35.94</td><td>9.68</td><td>32.61</td><td>277</td><td>265</td><td>PEAK</td></tr><tr><td>2</td><td>5466.80</td><td>51.69</td><td>68.30</td><td>-16.61</td><td>38.69</td><td>35.92</td><td>9.69</td><td>32.61</td><td>277</td><td>265</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5441.20	51.89	74.00	-22.11	38.88	35.94	9.68	32.61	277	265	PEAK	2	5466.80	51.69	68.30	-16.61	38.69	35.92	9.69	32.61	277	265	PEAK	Level (dBuV/m) Date: 2024-08-15 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5670.00</td><td>109.25</td><td>-----</td><td>-----</td><td>95.87</td><td>36.14</td><td>9.91</td><td>32.67</td><td>277</td><td>265</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5670.00	109.25	-----	-----	95.87	36.14	9.91	32.67	277	265	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5441.20	51.89	74.00	-22.11	38.88	35.94	9.68	32.61	277	265	PEAK																																																																																																
2	5466.80	51.69	68.30	-16.61	38.69	35.92	9.69	32.61	277	265	PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5670.00	109.25	-----	-----	95.87	36.14	9.91	32.67	277	265	PEAK																																																																																																
Avg	Level (dBuV/m) Date: 2024-08-15 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5458.16</td><td>42.99</td><td>54.00</td><td>-11.01</td><td>29.98</td><td>35.93</td><td>9.69</td><td>32.61</td><td>277</td><td>265</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5458.16	42.99	54.00	-11.01	29.98	35.93	9.69	32.61	277	265	AVERAGE	Level (dBuV/m) Date: 2024-08-15 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5670.00</td><td>99.49</td><td>-----</td><td>-----</td><td>86.11</td><td>36.14</td><td>9.91</td><td>32.67</td><td>277</td><td>265</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5670.00	99.49	-----	-----	86.11	36.14	9.91	32.67	277	265	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5458.16	42.99	54.00	-11.01	29.98	35.93	9.69	32.61	277	265	AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5670.00	99.49	-----	-----	86.11	36.14	9.91	32.67	277	265	AVERAGE																																																																																																



Mode	175																																																																																										
	Band Edge - L																																																																																										
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																										
ANT	SISO 14																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-08-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5139.44</td><td>54.44</td><td>74.00</td><td>-19.56</td><td>42.47</td><td>36.12</td><td>8.52</td><td>32.67</td><td>101</td><td>310</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5139.44	54.44	74.00	-19.56	42.47	36.12	8.52	32.67	101	310	PEAK	Level (dBuV/m) Date: 2024-08-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>99.82</td><td>-----</td><td>-----</td><td>87.70</td><td>36.07</td><td>8.71</td><td>32.66</td><td>101</td><td>310</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	99.82	-----	-----	87.70	36.07	8.71	32.66	101	310	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5139.44	54.44	74.00	-19.56	42.47	36.12	8.52	32.67	101	310	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5210.00	99.82	-----	-----	87.70	36.07	8.71	32.66	101	310	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-08-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.94</td><td>45.22</td><td>54.00</td><td>-8.78</td><td>33.24</td><td>36.11</td><td>8.54</td><td>32.67</td><td>101</td><td>310</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.94	45.22	54.00	-8.78	33.24	36.11	8.54	32.67	101	310	AVERAGE	Level (dBuV/m) Date: 2024-08-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>90.00</td><td>-----</td><td>-----</td><td>77.95</td><td>36.08</td><td>8.63</td><td>32.66</td><td>101</td><td>310</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	90.00	-----	-----	77.95	36.08	8.63	32.66	101	310	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5149.94	45.22	54.00	-8.78	33.24	36.11	8.54	32.67	101	310	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5210.00	90.00	-----	-----	77.95	36.08	8.63	32.66	101	310	AVERAGE																																																																																



Mode	175																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																										
ANT	SISO 14																																										
Pol.	Horizontal					Fundamental																																					
Peak	Date: 2024-08-15 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.00</td><td>51.87</td><td>74.00</td><td>-22.13</td><td>38.87</td><td>35.93</td><td>9.68</td><td>32.61</td><td>101</td><td>310 PEAK</td></tr></tbody></table>						Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.00	51.87	74.00	-22.13	38.87	35.93	9.68	32.61	101	310 PEAK	Blank				
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5454.00	51.87	74.00	-22.13	38.87	35.93	9.68	32.61	101	310 PEAK																																	
Avg	Date: 2024-08-15 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5358.25</td><td>42.77</td><td>54.00</td><td>-11.23</td><td>30.00</td><td>35.99</td><td>9.41</td><td>32.63</td><td>101</td><td>310 AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.25	42.77	54.00	-11.23	30.00	35.99	9.41	32.63	101	310 AVERAGE	Blank				
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5358.25	42.77	54.00	-11.23	30.00	35.99	9.41	32.63	101	310 AVERAGE																																	



Mode	175																																																																															
	Band Edge - L																																																																															
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																															
ANT	SISO 14																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2024-08-15 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.52</td><td>55.40</td><td>74.00</td><td>-18.60</td><td>43.43</td><td>36.11</td><td>8.53</td><td>32.67</td><td>297</td><td>290 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.52	55.40	74.00	-18.60	43.43	36.11	8.53	32.67	297	290 PEAK	Level (dBuV/m) Date: 2024-08-15 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>103.30</td><td>-----</td><td>-----</td><td>91.24</td><td>36.07</td><td>8.65</td><td>32.66</td><td>297</td><td>290 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	103.30	-----	-----	91.24	36.07	8.65	32.66	297	290 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5149.52	55.40	74.00	-18.60	43.43	36.11	8.53	32.67	297	290 PEAK																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5210.00	103.30	-----	-----	91.24	36.07	8.65	32.66	297	290 PEAK																																																																						
Avg	Level (dBuV/m) Date: 2024-08-15 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.52</td><td>46.22</td><td>54.00</td><td>-7.78</td><td>34.25</td><td>36.11</td><td>8.53</td><td>32.67</td><td>297</td><td>290 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.52	46.22	54.00	-7.78	34.25	36.11	8.53	32.67	297	290 AVERAGE	Level (dBuV/m) Date: 2024-08-15 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>92.60</td><td>-----</td><td>-----</td><td>80.54</td><td>36.07</td><td>8.65</td><td>32.66</td><td>297</td><td>290 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	92.60	-----	-----	80.54	36.07	8.65	32.66	297	290 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5149.52	46.22	54.00	-7.78	34.25	36.11	8.53	32.67	297	290 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5210.00	92.60	-----	-----	80.54	36.07	8.65	32.66	297	290 AVERAGE																																																																						



Mode	175																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																								
ANT	SISO 14																																								
Pol.	Vertical					Fundamental																																			
Peak	Date: 2024-08-15 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.50</td><td>53.75</td><td>74.00</td><td>-20.25</td><td>41.02</td><td>35.99</td><td>9.37</td><td>32.63</td><td>297</td><td>290 PEAK</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.50	53.75	74.00	-20.25	41.02	35.99	9.37	32.63	297	290 PEAK	Blank				
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5351.50	53.75	74.00	-20.25	41.02	35.99	9.37	32.63	297	290 PEAK																															
Avg	Date: 2024-08-15 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.50</td><td>44.33</td><td>54.00</td><td>-9.67</td><td>31.55</td><td>35.98</td><td>9.43</td><td>32.63</td><td>297</td><td>290 AVERAGE</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.50	44.33	54.00	-9.67	31.55	35.98	9.43	32.63	297	290 AVERAGE	Blank				
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5363.50	44.33	54.00	-9.67	31.55	35.98	9.43	32.63	297	290 AVERAGE																															







Mode	176	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz	
ANT	SISO 14	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2024-08-15 1 5017.11 52.90 74.00 -21.10 41.12 36.19 8.29 32.70 200 307 PEAK	Level (dBuV/m) Date: 2024-08-15 1 5290.00 99.70 ----- 87.38 36.04 8.93 32.65 200 307 PEAK
	Level (dBuV/m) Date: 2024-08-15 1 5069.31 43.02 54.00 -10.98 31.16 36.16 8.39 32.69 200 307 AVERAGE	Level (dBuV/m) Date: 2024-08-15 1 5290.00 89.91 ----- 77.47 36.03 9.05 32.64 200 307 AVERAGE



Mode	176																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																				
ANT	SISO 14																																																				
Pol.	Horizontal						Fundamental																																														
Peak	Date: 2024-08-15 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5365.31</td><td>54.62</td><td>74.00</td><td>-19.38</td><td>41.83</td><td>35.98</td><td>9.44</td><td>32.63</td><td>200</td><td>307</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5365.31	54.62	74.00	-19.38	41.83	35.98	9.44	32.63	200	307	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5365.31	54.62	74.00	-19.38	41.83	35.98	9.44	32.63	200	307	PEAK																																										
Avg	Date: 2024-08-15 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5355.62</td><td>46.08</td><td>54.00</td><td>-7.92</td><td>33.33</td><td>35.99</td><td>9.39</td><td>32.63</td><td>200</td><td>307</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5355.62	46.08	54.00	-7.92	33.33	35.99	9.39	32.63	200	307	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5355.62	46.08	54.00	-7.92	33.33	35.99	9.39	32.63	200	307	AVERAGE																																										







Mode	176																																																																																												
	Band Edge - L																																																																																												
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																												
ANT	SISO 14																																																																																												
Pol.	Vertical						Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-08-15  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5030.45</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>41.24</td><td>36.18</td><td>8.31</td><td>32.69</td><td>300</td><td>277</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5030.45	53.04	74.00	-20.96	41.24	36.18	8.31	32.69	300	277	PEAK	Level (dBuV/m) Date: 2024-08-15  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>101.30</td><td>-----</td><td>-----</td><td>88.72</td><td>36.01</td><td>9.21</td><td>32.64</td><td>300</td><td>277</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	101.30	-----	-----	88.72	36.01	9.21	32.64	300	277	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5030.45	53.04	74.00	-20.96	41.24	36.18	8.31	32.69	300	277	PEAK																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5290.00	101.30	-----	-----	88.72	36.01	9.21	32.64	300	277	PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2024-08-15  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5062.64</td><td>43.11</td><td>54.00</td><td>-10.89</td><td>31.27</td><td>36.16</td><td>8.37</td><td>32.69</td><td>300</td><td>277</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5062.64	43.11	54.00	-10.89	31.27	36.16	8.37	32.69	300	277	AVERAGE	Level (dBuV/m) Date: 2024-08-15  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>92.19</td><td>-----</td><td>-----</td><td>79.61</td><td>36.01</td><td>9.21</td><td>32.64</td><td>300</td><td>277</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	92.19	-----	-----	79.61	36.01	9.21	32.64	300	277	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5062.64	43.11	54.00	-10.89	31.27	36.16	8.37	32.69	300	277	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5290.00	92.19	-----	-----	79.61	36.01	9.21	32.64	300	277	AVERAGE																																																																																		







Mode	177																																																																																																										
	Band Edge - L																																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																										
ANT	SISO 14																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																				
Peak	Level (dBuV/m) Date: 2024-08-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5455.12</td><td>53.61</td><td>74.00</td><td>-20.39</td><td>40.61</td><td>35.93</td><td>9.68</td><td>32.61</td><td>200</td><td>247</td><td>PEAK</td></tr><tr><td>2</td><td>5467.18</td><td>54.58</td><td>68.30</td><td>-13.72</td><td>41.58</td><td>35.92</td><td>9.69</td><td>32.61</td><td>200</td><td>247</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5455.12	53.61	74.00	-20.39	40.61	35.93	9.68	32.61	200	247	PEAK	2	5467.18	54.58	68.30	-13.72	41.58	35.92	9.69	32.61	200	247	PEAK	Level (dBuV/m) Date: 2024-08-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>100.79</td><td>-----</td><td>-----</td><td>87.79</td><td>35.90</td><td>9.70</td><td>32.60</td><td>200</td><td>247</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	100.79	-----	-----	87.79	35.90	9.70	32.60	200	247	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5455.12	53.61	74.00	-20.39	40.61	35.93	9.68	32.61	200	247	PEAK																																																																																																
2	5467.18	54.58	68.30	-13.72	41.58	35.92	9.69	32.61	200	247	PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5530.00	100.79	-----	-----	87.79	35.90	9.70	32.60	200	247	PEAK																																																																																																
Avg	Level (dBuV/m) Date: 2024-08-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5459.26</td><td>44.79</td><td>54.00</td><td>-9.21</td><td>31.79</td><td>35.92</td><td>9.69</td><td>32.61</td><td>200</td><td>247</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.26	44.79	54.00	-9.21	31.79	35.92	9.69	32.61	200	247	AVERAGE	Level (dBuV/m) Date: 2024-08-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>91.82</td><td>-----</td><td>-----</td><td>78.72</td><td>35.99</td><td>9.74</td><td>32.63</td><td>200</td><td>247</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	91.82	-----	-----	78.72	35.99	9.74	32.63	200	247	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5459.26	44.79	54.00	-9.21	31.79	35.92	9.69	32.61	200	247	AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5530.00	91.82	-----	-----	78.72	35.99	9.74	32.63	200	247	AVERAGE																																																																																																







Mode	177																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																						
ANT	SISO 14																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.26</td><td>56.88</td><td>74.00</td><td>-17.12</td><td>43.88</td><td>35.92</td><td>9.69</td><td>32.61</td><td>297</td><td>278</td><td>PEAK</td></tr><tr><td>2</td><td>5468.98</td><td>58.00</td><td>68.30</td><td>-10.30</td><td>45.00</td><td>35.92</td><td>9.69</td><td>32.61</td><td>297</td><td>278</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.26	56.88	74.00	-17.12	43.88	35.92	9.69	32.61	297	278	PEAK	2	5468.98	58.00	68.30	-10.30	45.00	35.92	9.69	32.61	297	278	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>105.54</td><td>-----</td><td>-----</td><td>92.50</td><td>35.93</td><td>9.72</td><td>32.61</td><td>297</td><td>278</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	105.54	-----	-----	92.50	35.93	9.72	32.61	297	278	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5459.26	56.88	74.00	-17.12	43.88	35.92	9.69	32.61	297	278	PEAK																																																																																												
2	5468.98	58.00	68.30	-10.30	45.00	35.92	9.69	32.61	297	278	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	105.54	-----	-----	92.50	35.93	9.72	32.61	297	278	PEAK																																																																																												
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.98</td><td>47.72</td><td>54.00</td><td>-6.28</td><td>34.72</td><td>35.92</td><td>9.69</td><td>32.61</td><td>297</td><td>278</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.98	47.72	54.00	-6.28	34.72	35.92	9.69	32.61	297	278	AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>95.70</td><td>-----</td><td>-----</td><td>82.63</td><td>35.96</td><td>9.73</td><td>32.62</td><td>297</td><td>278</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	95.70	-----	-----	82.63	35.96	9.73	32.62	297	278	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5459.98	47.72	54.00	-6.28	34.72	35.92	9.69	32.61	297	278	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	95.70	-----	-----	82.63	35.96	9.73	32.62	297	278	AVERAGE																																																																																												



Mode	178																																																																																																										
	Band Edge - L																																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																										
ANT	SISO 14																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																				
Peak	Level (dBuV/m) Date: 2024-08-15  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5459.72</td><td>56.38</td><td>74.00</td><td>-17.62</td><td>43.38</td><td>35.92</td><td>9.69</td><td>32.61</td><td>222</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>5467.52</td><td>57.81</td><td>68.30</td><td>-10.49</td><td>44.81</td><td>35.92</td><td>9.69</td><td>32.61</td><td>222</td><td>303</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.72	56.38	74.00	-17.62	43.38	35.92	9.69	32.61	222	303	PEAK	2	5467.52	57.81	68.30	-10.49	44.81	35.92	9.69	32.61	222	303	PEAK	Level (dBuV/m) Date: 2024-08-15  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>106.11</td><td>-----</td><td>-----</td><td>92.97</td><td>36.02</td><td>9.75</td><td>32.63</td><td>222</td><td>303</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	106.11	-----	-----	92.97	36.02	9.75	32.63	222	303	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5459.72	56.38	74.00	-17.62	43.38	35.92	9.69	32.61	222	303	PEAK																																																																																																
2	5467.52	57.81	68.30	-10.49	44.81	35.92	9.69	32.61	222	303	PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5610.00	106.11	-----	-----	92.97	36.02	9.75	32.63	222	303	PEAK																																																																																																
Avg	Level (dBuV/m) Date: 2024-08-15  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5456.34</td><td>47.91</td><td>54.00</td><td>-6.09</td><td>34.90</td><td>35.93</td><td>9.69</td><td>32.61</td><td>222</td><td>303</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5456.34	47.91	54.00	-6.09	34.90	35.93	9.69	32.61	222	303	AVERAGE	Level (dBuV/m) Date: 2024-08-15  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>95.93</td><td>-----</td><td>-----</td><td>82.73</td><td>36.06</td><td>9.79</td><td>32.65</td><td>222</td><td>303</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	95.93	-----	-----	82.73	36.06	9.79	32.65	222	303	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5456.34	47.91	54.00	-6.09	34.90	35.93	9.69	32.61	222	303	AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5610.00	95.93	-----	-----	82.73	36.06	9.79	32.65	222	303	AVERAGE																																																																																																



		178																																																																																																								
Mode		Band Edge - L																																																																																																								
		U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																								
ANT		SISO 14																																																																																																								
Pol.		Vertical					Fundamental																																																																																																			
Peak	Level (dBuV/m) Date: 2024-08-15  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5456.34</td><td>57.26</td><td>74.00</td><td>-16.74</td><td>44.25</td><td>35.93</td><td>9.69</td><td>32.61</td><td>336</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>5469.86</td><td>57.15</td><td>68.30</td><td>-11.15</td><td>44.15</td><td>35.92</td><td>9.69</td><td>32.61</td><td>336</td><td>266</td><td>PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2024-08-15  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>106.47</td><td>-----</td><td>-----</td><td>93.22</td><td>36.08</td><td>9.82</td><td>32.65</td><td>336</td><td>266</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5456.34	57.26	74.00	-16.74	44.25	35.93	9.69	32.61	336	266	PEAK	2	5469.86	57.15	68.30	-11.15	44.15	35.92	9.69	32.61	336	266	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	106.47	-----	-----	93.22	36.08	9.82	32.65	336	266	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5456.34	57.26	74.00	-16.74	44.25	35.93	9.69	32.61	336	266	PEAK																																																																																															
2	5469.86	57.15	68.30	-11.15	44.15	35.92	9.69	32.61	336	266	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5610.00	106.47	-----	-----	93.22	36.08	9.82	32.65	336	266	PEAK																																																																																															
Avg	Level (dBuV/m) Date: 2024-08-15  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5456.34</td><td>48.91</td><td>54.00</td><td>-5.09</td><td>35.90</td><td>35.93</td><td>9.69</td><td>32.61</td><td>336</td><td>266</td><td>AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2024-08-15  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>97.66</td><td>-----</td><td>-----</td><td>84.41</td><td>36.08</td><td>9.82</td><td>32.65</td><td>336</td><td>266</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5456.34	48.91	54.00	-5.09	35.90	35.93	9.69	32.61	336	266	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	97.66	-----	-----	84.41	36.08	9.82	32.65	336	266	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5456.34	48.91	54.00	-5.09	35.90	35.93	9.69	32.61	336	266	AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5610.00	97.66	-----	-----	84.41	36.08	9.82	32.65	336	266	AVERAGE																																																																																															



Mode	178																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																																							
ANT	SISO 14																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-08-29 PART 15.407 PART 15.407 AVG						Level (dBuV/m) Date: 2024-08-29 PART 15.407 PART 15.407 AVG																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11220.00</td><td>49.34</td><td>74.00</td><td>-24.66</td><td>61.00</td><td>39.09</td><td>12.68</td><td>63.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16830.00</td><td>49.15</td><td>68.30</td><td>-19.15</td><td>57.23</td><td>41.51</td><td>15.41</td><td>65.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11220.00	49.34	74.00	-24.66	61.00	39.09	12.68	63.43	---	---	Peak	2	16830.00	49.15	68.30	-19.15	57.23	41.51	15.41	65.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11220.00</td><td>47.93</td><td>74.00</td><td>-26.07</td><td>59.59</td><td>39.09</td><td>12.68</td><td>63.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16830.00</td><td>47.85</td><td>68.30</td><td>-20.45</td><td>55.93</td><td>41.51</td><td>15.41</td><td>65.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11220.00	47.93	74.00	-26.07	59.59	39.09	12.68	63.43	---	---	Peak	2	16830.00	47.85	68.30	-20.45	55.93	41.51	15.41	65.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11220.00	49.34	74.00	-24.66	61.00	39.09	12.68	63.43	---	---	Peak																																																																																																													
2	16830.00	49.15	68.30	-19.15	57.23	41.51	15.41	65.00	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11220.00	47.93	74.00	-26.07	59.59	39.09	12.68	63.43	---	---	Peak																																																																																																													
2	16830.00	47.85	68.30	-20.45	55.93	41.51	15.41	65.00	---	---	Peak																																																																																																													





Mode	181									
	Band Edge									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz									
ANT	SISO 14									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2024-08-17 </									



Mode	181																																																																																																																																																																																										
	Band Edge																																																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																																																																																										
ANT	SISO 14																																																																																																																																																																																										
Pol.	Vertical										Fundamental																																																																																																																																																																																
Peak	Level (dBuV/m) Date: 2024-08-17 PEAK_BE(B4)_10-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5622.91</td><td>54.50</td><td>68.30</td><td>-13.80</td><td>41.28</td><td>36.07</td><td>9.80</td><td>32.65</td><td>263</td><td>277</td><td>PEAK</td></tr><tr><td>2</td><td>5650.61</td><td>54.38</td><td>68.75</td><td>-14.37</td><td>41.07</td><td>36.11</td><td>9.86</td><td>32.66</td><td>263</td><td>277</td><td>PEAK</td></tr><tr><td>3</td><td>5706.00</td><td>76.00</td><td>106.88</td><td>-30.88</td><td>62.51</td><td>36.19</td><td>9.98</td><td>32.68</td><td>263</td><td>277</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>81.05</td><td>110.94</td><td>-29.89</td><td>67.52</td><td>36.21</td><td>10.01</td><td>32.69</td><td>263</td><td>277</td><td>PEAK</td></tr></table> Level (dBuV/m) Date: 2024-08-17 PART 15.407 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>117.19</td><td>-----</td><td>-----</td><td>103.60</td><td>36.24</td><td>10.05</td><td>32.70</td><td>263</td><td>277</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5622.91	54.50	68.30	-13.80	41.28	36.07	9.80	32.65	263	277	PEAK	2	5650.61	54.38	68.75	-14.37	41.07	36.11	9.86	32.66	263	277	PEAK	3	5706.00	76.00	106.88	-30.88	62.51	36.19	9.98	32.68	263	277	PEAK	4	5720.06	81.05	110.94	-29.89	67.52	36.21	10.01	32.69	263	277	PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	117.19	-----	-----	103.60	36.24	10.05	32.70	263	277	PEAK	Avg	Blank										Level (dBuV/m) Date: 2024-08-17 PART 15.407 AVG Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>107.20</td><td>-----</td><td>-----</td><td>93.61</td><td>36.24</td><td>10.05</td><td>32.70</td><td>263</td><td>277</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.20	-----	-----	93.61	36.24	10.05	32.70	263	277	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																																																																																			
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	5622.91	54.50	68.30	-13.80	41.28	36.07	9.80	32.65	263	277	PEAK																																																																																																																																																																																
2	5650.61	54.38	68.75	-14.37	41.07	36.11	9.86	32.66	263	277	PEAK																																																																																																																																																																																
3	5706.00	76.00	106.88	-30.88	62.51	36.19	9.98	32.68	263	277	PEAK																																																																																																																																																																																
4	5720.06	81.05	110.94	-29.89	67.52	36.21	10.01	32.69	263	277	PEAK																																																																																																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																		
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																																																																																			
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	5745.00	117.19	-----	-----	103.60	36.24	10.05	32.70	263	277	PEAK																																																																																																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																		
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																																																																																			
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	5745.00	107.20	-----	-----	93.61	36.24	10.05	32.70	263	277	AVERAGE																																																																																																																																																																																






Mode	181																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																																	
ANT	SISO 14																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11490.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>58.82</td><td>39.20</td><td>12.87</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.51</td><td>68.30</td><td>-19.79</td><td>56.23</td><td>41.86</td><td>15.72</td><td>65.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11490.00	47.45	74.00	-26.55	58.82	39.20	12.87	63.44	---	---	Peak	2	17235.00	48.51	68.30	-19.79	56.23	41.86	15.72	65.30	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11490.00</td><td>47.29</td><td>74.00</td><td>-26.71</td><td>58.66</td><td>39.20</td><td>12.87</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.40</td><td>68.30</td><td>-19.90</td><td>56.12</td><td>41.86</td><td>15.72</td><td>65.30</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11490.00	47.29	74.00	-26.71	58.66	39.20	12.87	63.44	---	---	Peak	2	17235.00	48.40	68.30	-19.90	56.12	41.86	15.72	65.30	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11490.00	47.45	74.00	-26.55	58.82	39.20	12.87	63.44	---	---	Peak																																																																																																																							
2	17235.00	48.51	68.30	-19.79	56.23	41.86	15.72	65.30	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11490.00	47.29	74.00	-26.71	58.66	39.20	12.87	63.44	---	---	Peak																																																																																																																							
2	17235.00	48.40	68.30	-19.90	56.12	41.86	15.72	65.30	---	---	Peak																																																																																																																							



Mode	182																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																							
ANT	SISO 14																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-08-09 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6500 8800 11100 13400 15700 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>48.28</td><td>74.00</td><td>-25.72</td><td>59.57</td><td>39.23</td><td>12.93</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>50.01</td><td>68.30</td><td>-18.29</td><td>57.57</td><td>41.99</td><td>15.81</td><td>65.36</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11570.00	48.28	74.00	-25.72	59.57	39.23	12.93	63.45	---	---	Peak	2	17355.00	50.01	68.30	-18.29	57.57	41.99	15.81	65.36	---	---	Peak	Level (dBuV/m) Date: 2024-08-09 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6500 8800 11100 13400 15700 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>47.11</td><td>74.00</td><td>-26.89</td><td>58.40</td><td>39.23</td><td>12.93</td><td>63.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>48.93</td><td>68.30</td><td>-19.37</td><td>56.49</td><td>41.99</td><td>15.81</td><td>65.36</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11570.00	47.11	74.00	-26.89	58.40	39.23	12.93	63.45	---	---	Peak	2	17355.00	48.93	68.30	-19.37	56.49	41.99	15.81	65.36	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11570.00	48.28	74.00	-25.72	59.57	39.23	12.93	63.45	---	---	Peak																																																																																																													
2	17355.00	50.01	68.30	-18.29	57.57	41.99	15.81	65.36	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11570.00	47.11	74.00	-26.89	58.40	39.23	12.93	63.45	---	---	Peak																																																																																																													
2	17355.00	48.93	68.30	-19.37	56.49	41.99	15.81	65.36	---	---	Peak																																																																																																													



Mode	183																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																							
ANT	SISO 14																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak	Level (dBuV/m)  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.63</td><td>59.13</td><td>111.65</td><td>-52.52</td><td>45.18</td><td>36.40</td><td>10.29</td><td>32.74</td><td>214</td><td>297 PEAK</td></tr><tr><td>2 5864.38</td><td>60.78</td><td>108.17</td><td>-47.39</td><td>46.81</td><td>36.41</td><td>10.31</td><td>32.75</td><td>214</td><td>297 PEAK</td></tr><tr><td>3 5924.75</td><td>51.40</td><td>68.48</td><td>-17.08</td><td>37.24</td><td>36.49</td><td>10.44</td><td>32.77</td><td>214</td><td>297 PEAK</td></tr><tr><td>4 5941.63</td><td>53.15</td><td>68.30</td><td>-15.15</td><td>38.94</td><td>36.52</td><td>10.47</td><td>32.78</td><td>214</td><td>297 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5854.63	59.13	111.65	-52.52	45.18	36.40	10.29	32.74	214	297 PEAK	2 5864.38	60.78	108.17	-47.39	46.81	36.41	10.31	32.75	214	297 PEAK	3 5924.75	51.40	68.48	-17.08	37.24	36.49	10.44	32.77	214	297 PEAK	4 5941.63	53.15	68.30	-15.15	38.94	36.52	10.47	32.78	214	297 PEAK	Level (dBuV/m)  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>109.93</td><td>-----</td><td>-----</td><td>96.10</td><td>36.35</td><td>10.21</td><td>32.73</td><td>214</td><td>297 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	109.93	-----	-----	96.10	36.35	10.21	32.73	214	297 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5854.63	59.13	111.65	-52.52	45.18	36.40	10.29	32.74	214	297 PEAK																																																																																																															
2 5864.38	60.78	108.17	-47.39	46.81	36.41	10.31	32.75	214	297 PEAK																																																																																																															
3 5924.75	51.40	68.48	-17.08	37.24	36.49	10.44	32.77	214	297 PEAK																																																																																																															
4 5941.63	53.15	68.30	-15.15	38.94	36.52	10.47	32.78	214	297 PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	109.93	-----	-----	96.10	36.35	10.21	32.73	214	297 PEAK																																																																																																															
Avg	Blank					Level (dBuV/m)  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.50</td><td>-----</td><td>-----</td><td>86.61</td><td>36.37</td><td>10.25</td><td>32.73</td><td>214</td><td>297 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	100.50	-----	-----	86.61	36.37	10.25	32.73	214	297 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	100.50	-----	-----	86.61	36.37	10.25	32.73	214	297 AVERAGE																																																																																																															



Mode	183																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																		
ANT	SISO 14																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak	Level (dBuV/m) Date: 2024-08-17 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>61.68</td><td>111.65</td><td>-49.97</td><td>47.73</td><td>36.40</td><td>10.29</td><td>32.74</td><td>262</td><td>275</td><td>PEAK</td></tr><tr><td>2</td><td>5862.88</td><td>66.00</td><td>108.59</td><td>-42.59</td><td>52.03</td><td>36.41</td><td>10.31</td><td>32.75</td><td>262</td><td>275</td><td>PEAK</td></tr><tr><td>3</td><td>5924.38</td><td>54.21</td><td>68.76</td><td>-14.55</td><td>40.05</td><td>36.49</td><td>10.44</td><td>32.77</td><td>262</td><td>275</td><td>PEAK</td></tr><tr><td>4</td><td>5940.50</td><td>53.64</td><td>68.30</td><td>-14.66</td><td>39.43</td><td>36.52</td><td>10.47</td><td>32.78</td><td>262</td><td>275</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.63	61.68	111.65	-49.97	47.73	36.40	10.29	32.74	262	275	PEAK	2	5862.88	66.00	108.59	-42.59	52.03	36.41	10.31	32.75	262	275	PEAK	3	5924.38	54.21	68.76	-14.55	40.05	36.49	10.44	32.77	262	275	PEAK	4	5940.50	53.64	68.30	-14.66	39.43	36.52	10.47	32.78	262	275	PEAK	Level (dBuV/m) Date: 2024-08-17 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>114.05</td><td>-----</td><td>-----</td><td>100.22</td><td>36.35</td><td>10.21</td><td>32.73</td><td>262</td><td>275</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	114.05	-----	-----	100.22	36.35	10.21	32.73	262	275	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5854.63	61.68	111.65	-49.97	47.73	36.40	10.29	32.74	262	275	PEAK																																																																																																																								
2	5862.88	66.00	108.59	-42.59	52.03	36.41	10.31	32.75	262	275	PEAK																																																																																																																								
3	5924.38	54.21	68.76	-14.55	40.05	36.49	10.44	32.77	262	275	PEAK																																																																																																																								
4	5940.50	53.64	68.30	-14.66	39.43	36.52	10.47	32.78	262	275	PEAK																																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5825.00	114.05	-----	-----	100.22	36.35	10.21	32.73	262	275	PEAK																																																																																																																								
Avg	Blank						Level (dBuV/m) Date: 2024-08-17 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>105.06</td><td>-----</td><td>-----</td><td>91.23</td><td>36.35</td><td>10.21</td><td>32.73</td><td>262</td><td>275</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.06	-----	-----	91.23	36.35	10.21	32.73	262	275	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5825.00	105.06	-----	-----	91.23	36.35	10.21	32.73	262	275	AVERAGE																																																																																																																								






Mode	183	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz	
ANT	SISO 14	
Pol.	Horizontal	Vertical
Peak Avg	Level (dBuV/m) Date: 2024-08-09 11650.00 48.79 74.00 -25.21 59.99 39.26 12.99 63.45 --- --- Peak 17475.00 50.79 68.30 -17.51 58.20 42.12 15.90 65.43 --- --- Peak	Level (dBuV/m) Date: 2024-08-09 11650.00 47.65 74.00 -26.35 58.85 39.26 12.99 63.45 --- --- Peak 17475.00 50.81 68.30 -17.49 58.22 42.12 15.90 65.43 --- --- Peak






Mode	184																																																																																																																																	
	Band Edge - L																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																																	
ANT	SISO 14																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak	Date: 2024-08-17 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5645.11</td><td>56.96</td><td>68.30</td><td>-11.34</td><td>43.67</td><td>36.10</td><td>9.85</td><td>32.66</td><td>221</td><td>300</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>56.33</td><td>68.46</td><td>-12.13</td><td>43.02</td><td>36.11</td><td>9.86</td><td>32.66</td><td>221</td><td>300</td><td>PEAK</td></tr><tr><td>3</td><td>5703.85</td><td>73.78</td><td>106.28</td><td>-32.50</td><td>60.30</td><td>36.19</td><td>9.97</td><td>32.68</td><td>221</td><td>300</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>72.48</td><td>111.09</td><td>-38.61</td><td>58.95</td><td>36.21</td><td>10.01</td><td>32.69</td><td>221</td><td>300</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5645.11	56.96	68.30	-11.34	43.67	36.10	9.85	32.66	221	300	PEAK	2	5650.22	56.33	68.46	-12.13	43.02	36.11	9.86	32.66	221	300	PEAK	3	5703.85	73.78	106.28	-32.50	60.30	36.19	9.97	32.68	221	300	PEAK	4	5720.13	72.48	111.09	-38.61	58.95	36.21	10.01	32.69	221	300	PEAK	Date: 2024-08-17 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>109.68</td><td>-----</td><td>-----</td><td>96.00</td><td>36.28</td><td>10.11</td><td>32.71</td><td>221</td><td>300</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	109.68	-----	-----	96.00	36.28	10.11	32.71	221	300	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5645.11	56.96	68.30	-11.34	43.67	36.10	9.85	32.66	221	300	PEAK																																																																																																																							
2	5650.22	56.33	68.46	-12.13	43.02	36.11	9.86	32.66	221	300	PEAK																																																																																																																							
3	5703.85	73.78	106.28	-32.50	60.30	36.19	9.97	32.68	221	300	PEAK																																																																																																																							
4	5720.13	72.48	111.09	-38.61	58.95	36.21	10.01	32.69	221	300	PEAK																																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5755.00	109.68	-----	-----	96.00	36.28	10.11	32.71	221	300	PEAK																																																																																																																							
Avg	Blank					Date: 2024-08-17 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>101.19</td><td>-----</td><td>-----</td><td>87.60</td><td>36.24</td><td>10.05</td><td>32.70</td><td>221</td><td>300</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	101.19	-----	-----	87.60	36.24	10.05	32.70	221	300	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5755.00	101.19	-----	-----	87.60	36.24	10.05	32.70	221	300	AVERAGE																																																																																																																							



Mode	184																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																							
ANT	SISO 14																																																																																																																							
Pol.	Vertical					Fundamental																																																																																																																		
Peak	Date: 2024-08-17  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5649.91</td><td>60.06</td><td>68.30</td><td>-8.24</td><td>46.75</td><td>36.11</td><td>9.86</td><td>32.66</td><td>279 276 PEAK</td></tr><tr><td>2</td><td>5651.31</td><td>59.44</td><td>69.27</td><td>-9.83</td><td>46.13</td><td>36.11</td><td>9.86</td><td>32.66</td><td>279 276 PEAK</td></tr><tr><td>3</td><td>5702.77</td><td>74.84</td><td>105.98</td><td>-31.14</td><td>61.37</td><td>36.18</td><td>9.97</td><td>32.68</td><td>279 276 PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>79.43</td><td>111.44</td><td>-32.01</td><td>65.90</td><td>36.21</td><td>10.01</td><td>32.69</td><td>279 276 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5649.91	60.06	68.30	-8.24	46.75	36.11	9.86	32.66	279 276 PEAK	2	5651.31	59.44	69.27	-9.83	46.13	36.11	9.86	32.66	279 276 PEAK	3	5702.77	74.84	105.98	-31.14	61.37	36.18	9.97	32.68	279 276 PEAK	4	5720.28	79.43	111.44	-32.01	65.90	36.21	10.01	32.69	279 276 PEAK	Date: 2024-08-17  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>112.92</td><td>-----</td><td>-----</td><td>99.32</td><td>36.24</td><td>10.06</td><td>32.70</td><td>279 276 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	112.92	-----	-----	99.32	36.24	10.06	32.70	279 276 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5649.91	60.06	68.30	-8.24	46.75	36.11	9.86	32.66	279 276 PEAK																																																																																																															
2	5651.31	59.44	69.27	-9.83	46.13	36.11	9.86	32.66	279 276 PEAK																																																																																																															
3	5702.77	74.84	105.98	-31.14	61.37	36.18	9.97	32.68	279 276 PEAK																																																																																																															
4	5720.28	79.43	111.44	-32.01	65.90	36.21	10.01	32.69	279 276 PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5755.00	112.92	-----	-----	99.32	36.24	10.06	32.70	279 276 PEAK																																																																																																															
Avg	Blank					Date: 2024-08-17  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>103.42</td><td>-----</td><td>-----</td><td>89.83</td><td>36.24</td><td>10.05</td><td>32.70</td><td>279 276 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	103.42	-----	-----	89.83	36.24	10.05	32.70	279 276 AVERAGE																																																																						
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5755.00	103.42	-----	-----	89.83	36.24	10.05	32.70	279 276 AVERAGE																																																																																																															






Mode	185																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																											
ANT	SISO 14																																																																																																																											
Pol.	Vertical					Fundamental																																																																																																																						
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5645.83</td><td>54.02</td><td>68.30</td><td>-14.28</td><td>40.73</td><td>36.10</td><td>9.85</td><td>32.66</td><td>239</td><td>277 PEAK</td></tr><tr><td>2</td><td>5650.31</td><td>52.92</td><td>68.53</td><td>-15.61</td><td>39.61</td><td>36.11</td><td>9.86</td><td>32.66</td><td>239</td><td>277 PEAK</td></tr><tr><td>3</td><td>5714.47</td><td>63.64</td><td>109.25</td><td>-45.61</td><td>50.13</td><td>36.20</td><td>10.00</td><td>32.69</td><td>239</td><td>277 PEAK</td></tr><tr><td>4</td><td>5720.32</td><td>63.13</td><td>111.52</td><td>-48.39</td><td>49.60</td><td>36.21</td><td>10.01</td><td>32.69</td><td>239</td><td>277 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5645.83	54.02	68.30	-14.28	40.73	36.10	9.85	32.66	239	277 PEAK	2	5650.31	52.92	68.53	-15.61	39.61	36.11	9.86	32.66	239	277 PEAK	3	5714.47	63.64	109.25	-45.61	50.13	36.20	10.00	32.69	239	277 PEAK	4	5720.32	63.13	111.52	-48.39	49.60	36.21	10.01	32.69	239	277 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>112.85</td><td>-----</td><td>-----</td><td>99.05</td><td>36.33</td><td>10.19</td><td>32.72</td><td>239</td><td>277 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	112.85	-----	-----	99.05	36.33	10.19	32.72	239
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5645.83	54.02	68.30	-14.28	40.73	36.10	9.85	32.66	239	277 PEAK																																																																																																																		
2	5650.31	52.92	68.53	-15.61	39.61	36.11	9.86	32.66	239	277 PEAK																																																																																																																		
3	5714.47	63.64	109.25	-45.61	50.13	36.20	10.00	32.69	239	277 PEAK																																																																																																																		
4	5720.32	63.13	111.52	-48.39	49.60	36.21	10.01	32.69	239	277 PEAK																																																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5795.00	112.85	-----	-----	99.05	36.33	10.19	32.72	239	277 PEAK																																																																																																																		
Avg	Blank																																																																																																																											
						<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>102.23</td><td>-----</td><td>-----</td><td>88.48</td><td>36.31</td><td>10.16</td><td>32.72</td><td>239</td><td>277 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	102.23	-----	-----	88.48	36.31	10.16	32.72	239	277 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5795.00	102.23	-----	-----	88.48	36.31	10.16	32.72	239	277 AVERAGE																																																																																																																		



Mode	186																																																																																																																														
	Band Edge - L																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																														
ANT	SISO 14																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	Date: 2024-08-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5643.40</td><td>62.08</td><td>68.30</td><td>-6.22</td><td>48.79</td><td>36.10</td><td>9.85</td><td>32.66</td><td>276</td><td>276</td><td>PEAK</td></tr><tr><td>2</td><td>5653.73</td><td>65.60</td><td>71.06</td><td>-5.46</td><td>52.27</td><td>36.12</td><td>9.87</td><td>32.66</td><td>276</td><td>276</td><td>PEAK</td></tr><tr><td>3</td><td>5704.30</td><td>73.67</td><td>106.41</td><td>-32.74</td><td>60.18</td><td>36.19</td><td>9.98</td><td>32.68</td><td>276</td><td>276</td><td>PEAK</td></tr><tr><td>4</td><td>5720.75</td><td>75.76</td><td>112.51</td><td>-36.75</td><td>62.23</td><td>36.21</td><td>10.01</td><td>32.69</td><td>276</td><td>276</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5643.40	62.08	68.30	-6.22	48.79	36.10	9.85	32.66	276	276	PEAK	2	5653.73	65.60	71.06	-5.46	52.27	36.12	9.87	32.66	276	276	PEAK	3	5704.30	73.67	106.41	-32.74	60.18	36.19	9.98	32.68	276	276	PEAK	4	5720.75	75.76	112.51	-36.75	62.23	36.21	10.01	32.69	276	276	PEAK	Date: 2024-08-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>108.41</td><td>-----</td><td>-----</td><td>94.83</td><td>36.23</td><td>10.04</td><td>32.69</td><td>276</td><td>276</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	108.41	-----	-----	94.83	36.23	10.04	32.69	276	276	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5643.40	62.08	68.30	-6.22	48.79	36.10	9.85	32.66	276	276	PEAK																																																																																																																				
2	5653.73	65.60	71.06	-5.46	52.27	36.12	9.87	32.66	276	276	PEAK																																																																																																																				
3	5704.30	73.67	106.41	-32.74	60.18	36.19	9.98	32.68	276	276	PEAK																																																																																																																				
4	5720.75	75.76	112.51	-36.75	62.23	36.21	10.01	32.69	276	276	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5775.00	108.41	-----	-----	94.83	36.23	10.04	32.69	276	276	PEAK																																																																																																																				
Avg	Blank						Date: 2024-08-17 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>99.08</td><td>-----</td><td>-----</td><td>85.49</td><td>36.24</td><td>10.05</td><td>32.70</td><td>276</td><td>276</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	99.08	-----	-----	85.49	36.24	10.05	32.70	276	276	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5775.00	99.08	-----	-----	85.49	36.24	10.05	32.70	276	276	AVERAGE																																																																																																																				





Mode	186																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																															
ANT	SISO 14																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5641.65</td><td>56.31</td><td>68.30</td><td>-11.99</td><td></td><td>43.03</td><td>36.10</td><td>9.84</td><td>32.66</td><td>200</td><td>304</td><td>PEAK</td></tr><tr><td>2</td><td>5650.05</td><td>55.59</td><td>68.34</td><td>-12.75</td><td></td><td>42.28</td><td>36.11</td><td>9.86</td><td>32.66</td><td>200</td><td>304</td><td>PEAK</td></tr><tr><td>3</td><td>5704.30</td><td>65.71</td><td>106.41</td><td>-40.70</td><td></td><td>52.22</td><td>36.19</td><td>9.98</td><td>32.68</td><td>200</td><td>304</td><td>PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>66.55</td><td>110.91</td><td>-44.36</td><td></td><td>53.02</td><td>36.21</td><td>10.01</td><td>32.69</td><td>200</td><td>304</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5641.65	56.31	68.30	-11.99		43.03	36.10	9.84	32.66	200	304	PEAK	2	5650.05	55.59	68.34	-12.75		42.28	36.11	9.86	32.66	200	304	PEAK	3	5704.30	65.71	106.41	-40.70		52.22	36.19	9.98	32.68	200	304	PEAK	4	5720.05	66.55	110.91	-44.36		53.02	36.21	10.01	32.69	200	304	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>101.12</td><td>-----</td><td>-----</td><td></td><td>87.53</td><td>36.24</td><td>10.05</td><td>32.70</td><td>200</td><td>304</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5775.00	101.12	-----	-----		87.53	36.24	10.05	32.70	200	304
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5641.65	56.31	68.30	-11.99		43.03	36.10	9.84	32.66	200	304	PEAK																																																																																																																				
2	5650.05	55.59	68.34	-12.75		42.28	36.11	9.86	32.66	200	304	PEAK																																																																																																																				
3	5704.30	65.71	106.41	-40.70		52.22	36.19	9.98	32.68	200	304	PEAK																																																																																																																				
4	5720.05	66.55	110.91	-44.36		53.02	36.21	10.01	32.69	200	304	PEAK																																																																																																																				
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5775.00	101.12	-----	-----		87.53	36.24	10.05	32.70	200	304	PEAK																																																																																																																				
Avg	Blank																																																																																																																															
							<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>92.00</td><td>-----</td><td>-----</td><td></td><td>78.41</td><td>36.24</td><td>10.05</td><td>32.70</td><td>200</td><td>304</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5775.00	92.00	-----	-----		78.41	36.24	10.05	32.70	200	304	AVERAGE																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5775.00	92.00	-----	-----		78.41	36.24	10.05	32.70	200	304	AVERAGE																																																																																																																				



Mode	186																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																														
ANT	SISO 14																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2024-08-17 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/n</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>62.42</td><td>110.86</td><td>-48.44</td><td>48.47</td><td>36.40</td><td>10.29</td><td>32.74</td><td>200</td><td>304</td><td>PEAK</td></tr><tr><td>2</td><td>5871.95</td><td>60.15</td><td>106.05</td><td>-45.90</td><td>46.15</td><td>36.42</td><td>10.33</td><td>32.75</td><td>200</td><td>304</td><td>PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>52.54</td><td>68.32</td><td>-15.78</td><td>38.38</td><td>36.49</td><td>10.44</td><td>32.77</td><td>200</td><td>304</td><td>PEAK</td></tr><tr><td>4</td><td>5929.53</td><td>53.88</td><td>68.30</td><td>-14.42</td><td>39.70</td><td>36.50</td><td>10.45</td><td>32.77</td><td>200</td><td>304</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/n	dB	dB	cm	deg	1	5854.98	62.42	110.86	-48.44	48.47	36.40	10.29	32.74	200	304	PEAK	2	5871.95	60.15	106.05	-45.90	46.15	36.42	10.33	32.75	200	304	PEAK	3	5924.98	52.54	68.32	-15.78	38.38	36.49	10.44	32.77	200	304	PEAK	4	5929.53	53.88	68.30	-14.42	39.70	36.50	10.45	32.77	200	304	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/n	dB	dB	cm	deg																																																																					
1	5854.98	62.42	110.86	-48.44	48.47	36.40	10.29	32.74	200	304	PEAK																																																																				
2	5871.95	60.15	106.05	-45.90	46.15	36.42	10.33	32.75	200	304	PEAK																																																																				
3	5924.98	52.54	68.32	-15.78	38.38	36.49	10.44	32.77	200	304	PEAK																																																																				
4	5929.53	53.88	68.30	-14.42	39.70	36.50	10.45	32.77	200	304	PEAK																																																																				





Mode	187																																																																																																																																																																																																						
	LF																																																																																																																																																																																																						
	WIFI Worse Band I.II.III LF																																																																																																																																																																																																						
ANT	SISO 14																																																																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																																																																
QPI/ Peak	 Date: 2024-08-10						 Date: 2024-08-10																																																																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>23.36</td><td>40.00</td><td>-16.64</td><td>29.74</td><td>24.70</td><td>0.54</td><td>31.62</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>143.49</td><td>22.20</td><td>43.50</td><td>-21.30</td><td>35.30</td><td>17.40</td><td>1.23</td><td>31.73</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>212.36</td><td>27.28</td><td>43.50</td><td>-16.22</td><td>42.49</td><td>14.90</td><td>1.49</td><td>31.60</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>335.55</td><td>28.73</td><td>46.00</td><td>-17.27</td><td>38.20</td><td>20.03</td><td>1.93</td><td>31.43</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>544.10</td><td>27.24</td><td>46.00</td><td>-18.76</td><td>31.40</td><td>24.62</td><td>2.44</td><td>31.22</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>946.65</td><td>33.14</td><td>46.00</td><td>-12.86</td><td>30.04</td><td>30.68</td><td>3.23</td><td>30.81</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.97	23.36	40.00	-16.64	29.74	24.70	0.54	31.62	---	Peak	2	143.49	22.20	43.50	-21.30	35.30	17.40	1.23	31.73	---	Peak	3	212.36	27.28	43.50	-16.22	42.49	14.90	1.49	31.60	---	Peak	4	335.55	28.73	46.00	-17.27	38.20	20.03	1.93	31.43	---	Peak	5	544.10	27.24	46.00	-18.76	31.40	24.62	2.44	31.22	---	Peak	6	946.65	33.14	46.00	-12.86	30.04	30.68	3.23	30.81	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31.94</td><td>24.80</td><td>40.00</td><td>-15.20</td><td>31.79</td><td>24.10</td><td>0.55</td><td>31.64</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>54.25</td><td>25.63</td><td>40.00</td><td>-14.37</td><td>43.91</td><td>12.80</td><td>0.73</td><td>31.81</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>203.63</td><td>27.30</td><td>43.50</td><td>-16.20</td><td>42.39</td><td>15.06</td><td>1.45</td><td>31.60</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>488.81</td><td>25.15</td><td>46.00</td><td>-20.85</td><td>30.49</td><td>23.78</td><td>2.30</td><td>31.42</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>777.87</td><td>30.36</td><td>46.00</td><td>-15.64</td><td>30.20</td><td>28.40</td><td>2.90</td><td>31.14</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>943.74</td><td>32.40</td><td>46.00</td><td>-13.60</td><td>29.45</td><td>30.54</td><td>3.22</td><td>30.81</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	31.94	24.80	40.00	-15.20	31.79	24.10	0.55	31.64	---	Peak	2	54.25	25.63	40.00	-14.37	43.91	12.80	0.73	31.81	---	Peak	3	203.63	27.30	43.50	-16.20	42.39	15.06	1.45	31.60	---	Peak	4	488.81	25.15	46.00	-20.85	30.49	23.78	2.30	31.42	---	Peak	5	777.87	30.36	46.00	-15.64	30.20	28.40	2.90	31.14	---	Peak	6	943.74	32.40	46.00	-13.60	29.45	30.54	3.22	30.81	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																														
1	30.97	23.36	40.00	-16.64	29.74	24.70	0.54	31.62	---	Peak																																																																																																																																																																																													
2	143.49	22.20	43.50	-21.30	35.30	17.40	1.23	31.73	---	Peak																																																																																																																																																																																													
3	212.36	27.28	43.50	-16.22	42.49	14.90	1.49	31.60	---	Peak																																																																																																																																																																																													
4	335.55	28.73	46.00	-17.27	38.20	20.03	1.93	31.43	---	Peak																																																																																																																																																																																													
5	544.10	27.24	46.00	-18.76	31.40	24.62	2.44	31.22	---	Peak																																																																																																																																																																																													
6	946.65	33.14	46.00	-12.86	30.04	30.68	3.23	30.81	---	Peak																																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																														
1	31.94	24.80	40.00	-15.20	31.79	24.10	0.55	31.64	---	Peak																																																																																																																																																																																													
2	54.25	25.63	40.00	-14.37	43.91	12.80	0.73	31.81	---	Peak																																																																																																																																																																																													
3	203.63	27.30	43.50	-16.20	42.39	15.06	1.45	31.60	---	Peak																																																																																																																																																																																													
4	488.81	25.15	46.00	-20.85	30.49	23.78	2.30	31.42	---	Peak																																																																																																																																																																																													
5	777.87	30.36	46.00	-15.64	30.20	28.40	2.90	31.14	---	Peak																																																																																																																																																																																													
6	943.74	32.40	46.00	-13.60	29.45	30.54	3.22	30.81	---	Peak																																																																																																																																																																																													



Mode	188																																																																																																																																																																																																					
	LF																																																																																																																																																																																																					
	WIFI Worse Band IV LF																																																																																																																																																																																																					
ANT	SISO 14																																																																																																																																																																																																					
Pol.	Horizontal					Vertical																																																																																																																																																																																																
QPI/ Peak	Level (dBuV/m) Date: 2024-08-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>23.88</td><td>40.00</td><td>-16.12</td><td>30.26</td><td>24.70</td><td>0.54</td><td>31.62</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>203.63</td><td>27.52</td><td>43.50</td><td>-15.98</td><td>42.61</td><td>15.06</td><td>1.45</td><td>31.60</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>335.55</td><td>26.81</td><td>46.00</td><td>-19.19</td><td>36.28</td><td>20.03</td><td>1.93</td><td>31.43</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>563.50</td><td>27.38</td><td>46.00</td><td>-18.62</td><td>29.56</td><td>26.50</td><td>2.49</td><td>31.17</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>776.90</td><td>30.22</td><td>46.00</td><td>-15.78</td><td>30.07</td><td>28.40</td><td>2.90</td><td>31.15</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>936.95</td><td>32.75</td><td>46.00</td><td>-13.25</td><td>30.25</td><td>30.12</td><td>3.21</td><td>30.83</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.97	23.88	40.00	-16.12	30.26	24.70	0.54	31.62	---	Peak	2	203.63	27.52	43.50	-15.98	42.61	15.06	1.45	31.60	---	Peak	3	335.55	26.81	46.00	-19.19	36.28	20.03	1.93	31.43	---	Peak	4	563.50	27.38	46.00	-18.62	29.56	26.50	2.49	31.17	---	Peak	5	776.90	30.22	46.00	-15.78	30.07	28.40	2.90	31.15	---	Peak	6	936.95	32.75	46.00	-13.25	30.25	30.12	3.21	30.83	---	Peak	Level (dBuV/m) Date: 2024-08-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>24.84</td><td>40.00</td><td>-15.16</td><td>31.22</td><td>24.70</td><td>0.54</td><td>31.62</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>54.25</td><td>24.99</td><td>40.00</td><td>-15.01</td><td>43.27</td><td>12.80</td><td>0.73</td><td>31.81</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>205.57</td><td>26.43</td><td>43.50</td><td>-17.07</td><td>41.50</td><td>15.07</td><td>1.46</td><td>31.60</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>335.55</td><td>24.75</td><td>46.00</td><td>-21.25</td><td>34.22</td><td>20.03</td><td>1.93</td><td>31.43</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>544.10</td><td>28.46</td><td>46.00</td><td>-17.54</td><td>32.62</td><td>24.62</td><td>2.44</td><td>31.22</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>924.34</td><td>31.15</td><td>46.00</td><td>-14.85</td><td>29.23</td><td>29.58</td><td>3.19</td><td>30.85</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.97	24.84	40.00	-15.16	31.22	24.70	0.54	31.62	---	Peak	2	54.25	24.99	40.00	-15.01	43.27	12.80	0.73	31.81	---	Peak	3	205.57	26.43	43.50	-17.07	41.50	15.07	1.46	31.60	---	Peak	4	335.55	24.75	46.00	-21.25	34.22	20.03	1.93	31.43	---	Peak	5	544.10	28.46	46.00	-17.54	32.62	24.62	2.44	31.22	---	Peak	6	924.34	31.15	46.00	-14.85	29.23	29.58	3.19	30.85	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																													
1	30.97	23.88	40.00	-16.12	30.26	24.70	0.54	31.62	---	Peak																																																																																																																																																																																												
2	203.63	27.52	43.50	-15.98	42.61	15.06	1.45	31.60	---	Peak																																																																																																																																																																																												
3	335.55	26.81	46.00	-19.19	36.28	20.03	1.93	31.43	---	Peak																																																																																																																																																																																												
4	563.50	27.38	46.00	-18.62	29.56	26.50	2.49	31.17	---	Peak																																																																																																																																																																																												
5	776.90	30.22	46.00	-15.78	30.07	28.40	2.90	31.15	---	Peak																																																																																																																																																																																												
6	936.95	32.75	46.00	-13.25	30.25	30.12	3.21	30.83	---	Peak																																																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																													
1	30.97	24.84	40.00	-15.16	31.22	24.70	0.54	31.62	---	Peak																																																																																																																																																																																												
2	54.25	24.99	40.00	-15.01	43.27	12.80	0.73	31.81	---	Peak																																																																																																																																																																																												
3	205.57	26.43	43.50	-17.07	41.50	15.07	1.46	31.60	---	Peak																																																																																																																																																																																												
4	335.55	24.75	46.00	-21.25	34.22	20.03	1.93	31.43	---	Peak																																																																																																																																																																																												
5	544.10	28.46	46.00	-17.54	32.62	24.62	2.44	31.22	---	Peak																																																																																																																																																																																												
6	924.34	31.15	46.00	-14.85	29.23	29.58	3.19	30.85	---	Peak																																																																																																																																																																																												



Mode	189																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																	
ANT	SISO 15																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>47.28</td><td>68.30</td><td>-21.02</td><td>60.14</td><td>38.74</td><td>12.06</td><td>63.66</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>48.91</td><td>74.00</td><td>-25.09</td><td>57.59</td><td>40.73</td><td>14.58</td><td>63.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10360.00	47.28	68.30	-21.02	60.14	38.74	12.06	63.66	---	---	Peak	2	15540.00	48.91	74.00	-25.09	57.59	40.73	14.58	63.99	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>46.88</td><td>68.30</td><td>-21.42</td><td>59.74</td><td>38.74</td><td>12.06</td><td>63.66</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>49.38</td><td>74.00</td><td>-24.62</td><td>58.06</td><td>40.73</td><td>14.58</td><td>63.99</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10360.00	46.88	68.30	-21.42	59.74	38.74	12.06	63.66	---	---	Peak	2	15540.00	49.38	74.00	-24.62	58.06	40.73	14.58	63.99	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	10360.00	47.28	68.30	-21.02	60.14	38.74	12.06	63.66	---	---	Peak																																																																																																							
2	15540.00	48.91	74.00	-25.09	57.59	40.73	14.58	63.99	---	---	Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	10360.00	46.88	68.30	-21.42	59.74	38.74	12.06	63.66	---	---	Peak																																																																																																							
2	15540.00	49.38	74.00	-24.62	58.06	40.73	14.58	63.99	---	---	Peak																																																																																																							





Mode	190																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																							
ANT	SISO 15																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-08-29 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6500 8800 11100 13400 15700 18000 Frequency (MHz) PART 15.407 PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>46.52</td><td>68.30</td><td>-21.78</td><td>59.25</td><td>38.78</td><td>12.12</td><td>63.63</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>48.49</td><td>74.00</td><td>-25.51</td><td>57.05</td><td>40.83</td><td>14.64</td><td>64.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10440.00	46.52	68.30	-21.78	59.25	38.78	12.12	63.63	---	---	Peak	2	15660.00	48.49	74.00	-25.51	57.05	40.83	14.64	64.03	---	---	Peak	Level (dBuV/m) Date: 2024-08-29 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6500 8800 11100 13400 15700 18000 Frequency (MHz) PART 15.407 PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>47.62</td><td>68.30</td><td>-20.68</td><td>60.35</td><td>38.78</td><td>12.12</td><td>63.63</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>48.50</td><td>74.00</td><td>-25.50</td><td>57.06</td><td>40.83</td><td>14.64</td><td>64.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10440.00	47.62	68.30	-20.68	60.35	38.78	12.12	63.63	---	---	Peak	2	15660.00	48.50	74.00	-25.50	57.06	40.83	14.64	64.03	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10440.00	46.52	68.30	-21.78	59.25	38.78	12.12	63.63	---	---	Peak																																																																																																													
2	15660.00	48.49	74.00	-25.51	57.05	40.83	14.64	64.03	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10440.00	47.62	68.30	-20.68	60.35	38.78	12.12	63.63	---	---	Peak																																																																																																													
2	15660.00	48.50	74.00	-25.50	57.06	40.83	14.64	64.03	---	---	Peak																																																																																																													





Mode	191																																																																																																									
	Harmonic																																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																									
ANT	SISO 15																																																																																																									
Pol.	Horizontal								Vertical																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-08-29 PART 15.407 PART 15.407 AVG								Level (dBuV/m) Date: 2024-08-29 PART 15.407 PART 15.407 AVG																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 10480.00</td><td>47.35</td><td>68.30</td><td>-20.95</td><td>60.02</td><td>38.79</td><td>12.15</td><td>63.61</td><td>--- Peak</td></tr><tr><td>2 15720.00</td><td>49.61</td><td>74.00</td><td>-24.39</td><td>58.12</td><td>40.88</td><td>14.66</td><td>64.05</td><td>--- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 10480.00	47.35	68.30	-20.95	60.02	38.79	12.15	63.61	--- Peak	2 15720.00	49.61	74.00	-24.39	58.12	40.88	14.66	64.05	--- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 10480.00</td><td>47.55</td><td>68.30</td><td>-20.75</td><td>60.22</td><td>38.79</td><td>12.15</td><td>63.61</td><td>--- Peak</td></tr><tr><td>2 15720.00</td><td>49.71</td><td>74.00</td><td>-24.29</td><td>58.22</td><td>40.88</td><td>14.66</td><td>64.05</td><td>--- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 10480.00	47.55	68.30	-20.75	60.22	38.79	12.15	63.61	--- Peak	2 15720.00	49.71	74.00	-24.29	58.22	40.88	14.66	64.05	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1 10480.00	47.35	68.30	-20.95	60.02	38.79	12.15	63.61	--- Peak																																																																																																		
2 15720.00	49.61	74.00	-24.39	58.12	40.88	14.66	64.05	--- Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1 10480.00	47.55	68.30	-20.75	60.22	38.79	12.15	63.61	--- Peak																																																																																																		
2 15720.00	49.71	74.00	-24.29	58.22	40.88	14.66	64.05	--- Peak																																																																																																		



Mode	192																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																							
ANT	SISO 15																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>10520.00</td><td>46.82</td><td>68.30</td><td>-21.48</td><td>59.43</td><td>38.81</td><td>12.18</td><td>63.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>48.97</td><td>74.00</td><td>-25.03</td><td>57.43</td><td>40.92</td><td>14.69</td><td>64.07</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10520.00	46.82	68.30	-21.48	59.43	38.81	12.18	63.60	---	---	Peak	2	15780.00	48.97	74.00	-25.03	57.43	40.92	14.69	64.07	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>10520.00</td><td>47.45</td><td>68.30</td><td>-20.85</td><td>60.06</td><td>38.81</td><td>12.18</td><td>63.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>48.15</td><td>74.00</td><td>-25.85</td><td>56.61</td><td>40.92</td><td>14.69</td><td>64.07</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10520.00	47.45	68.30	-20.85	60.06	38.81	12.18	63.60	---	---	Peak	2	15780.00	48.15	74.00	-25.85	56.61	40.92	14.69	64.07	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10520.00	46.82	68.30	-21.48	59.43	38.81	12.18	63.60	---	---	Peak																																																																																																													
2	15780.00	48.97	74.00	-25.03	57.43	40.92	14.69	64.07	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10520.00	47.45	68.30	-20.85	60.06	38.81	12.18	63.60	---	---	Peak																																																																																																													
2	15780.00	48.15	74.00	-25.85	56.61	40.92	14.69	64.07	---	---	Peak																																																																																																													





Mode	193																																																															
	Harmonic																																																															
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																															
ANT	SISO 15																																																															
Pol.	Horizontal						Vertical																																																									
Peak Avg	Level (dBuV/m) Date: 2024-08-29 						Level (dBuV/m) Date: 2024-08-29 																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>48.51</td><td>74.00</td><td>-25.49</td><td>61.01</td><td>38.84</td><td>12.23</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>56.33</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	48.51	74.00	-25.49	61.01	38.84	12.23	63.57	---	---	Peak	2	15900.00	47.99	74.00	-26.01	56.33	41.02	14.75	64.11	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																							
1	10600.00	48.51	74.00	-25.49	61.01	38.84	12.23	63.57	---	---	Peak																																																					
2	15900.00	47.99	74.00	-26.01	56.33	41.02	14.75	64.11	---	---	Peak																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>47.88</td><td>74.00</td><td>-26.12</td><td>60.38</td><td>38.84</td><td>12.23</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>48.98</td><td>74.00</td><td>-25.02</td><td>57.32</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	47.88	74.00	-26.12	60.38	38.84	12.23	63.57	---	---	Peak	2	15900.00	48.98	74.00	-25.02	57.32	41.02	14.75	64.11	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																							
1	10600.00	47.88	74.00	-26.12	60.38	38.84	12.23	63.57	---	---	Peak																																																					
2	15900.00	48.98	74.00	-25.02	57.32	41.02	14.75	64.11	---	---	Peak																																																					





Mode	194																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																							
ANT	SISO 15																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Date: 2024-08-29						Date: 2024-08-29																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>10640.00</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>58.67</td><td>38.86</td><td>12.26</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>55.56</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10640.00	46.24	74.00	-27.76	58.67	38.86	12.26	63.55	---	---	Peak	2	15960.00	47.27	74.00	-26.73	55.56	41.07	14.77	64.13	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td><td></td></tr><tr><td>1</td><td>10640.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>58.58</td><td>38.86</td><td>12.26</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>48.59</td><td>74.00</td><td>-25.41</td><td>56.88</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10640.00	46.15	74.00	-27.85	58.58	38.86	12.26	63.55	---	---	Peak	2	15960.00	48.59	74.00	-25.41	56.88	41.07	14.77	64.13	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10640.00	46.24	74.00	-27.76	58.67	38.86	12.26	63.55	---	---	Peak																																																																																																													
2	15960.00	47.27	74.00	-26.73	55.56	41.07	14.77	64.13	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10640.00	46.15	74.00	-27.85	58.58	38.86	12.26	63.55	---	---	Peak																																																																																																													
2	15960.00	48.59	74.00	-25.41	56.88	41.07	14.77	64.13	---	---	Peak																																																																																																													






Mode	195																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																							
ANT	SISO 15																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>48.67</td><td>74.00</td><td>-25.33</td><td>60.57</td><td>39.00</td><td>12.52</td><td>63.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>47.83</td><td>68.30</td><td>-20.47</td><td>55.97</td><td>41.35</td><td>15.17</td><td>64.66</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	48.67	74.00	-25.33	60.57	39.00	12.52	63.42	---	---	Peak	2	16500.00	47.83	68.30	-20.47	55.97	41.35	15.17	64.66	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>47.68</td><td>74.00</td><td>-26.32</td><td>59.58</td><td>39.00</td><td>12.52</td><td>63.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>48.14</td><td>68.30</td><td>-20.16</td><td>56.28</td><td>41.35</td><td>15.17</td><td>64.66</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	47.68	74.00	-26.32	59.58	39.00	12.52	63.42	---	---	Peak	2	16500.00	48.14	68.30	-20.16	56.28	41.35	15.17	64.66	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11000.00	48.67	74.00	-25.33	60.57	39.00	12.52	63.42	---	---	Peak																																																																																																													
2	16500.00	47.83	68.30	-20.47	55.97	41.35	15.17	64.66	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11000.00	47.68	74.00	-26.32	59.58	39.00	12.52	63.42	---	---	Peak																																																																																																													
2	16500.00	48.14	68.30	-20.16	56.28	41.35	15.17	64.66	---	---	Peak																																																																																																													



Mode	196																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																							
ANT	SISO 15																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>48.53</td><td>74.00</td><td>-25.47</td><td>60.26</td><td>39.06</td><td>12.64</td><td>63.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.01</td><td>68.30</td><td>-21.29</td><td>55.10</td><td>41.47</td><td>15.35</td><td>64.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	48.53	74.00	-25.47	60.26	39.06	12.64	63.43	---	---	Peak	2	16740.00	47.01	68.30	-21.29	55.10	41.47	15.35	64.91	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>47.59</td><td>74.00</td><td>-26.41</td><td>59.32</td><td>39.06</td><td>12.64</td><td>63.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.81</td><td>68.30</td><td>-20.49</td><td>55.90</td><td>41.47</td><td>15.35</td><td>64.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	47.59	74.00	-26.41	59.32	39.06	12.64	63.43	---	---	Peak	2	16740.00	47.81	68.30	-20.49	55.90	41.47	15.35	64.91	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11160.00	48.53	74.00	-25.47	60.26	39.06	12.64	63.43	---	---	Peak																																																																																																													
2	16740.00	47.01	68.30	-21.29	55.10	41.47	15.35	64.91	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11160.00	47.59	74.00	-26.41	59.32	39.06	12.64	63.43	---	---	Peak																																																																																																													
2	16740.00	47.81	68.30	-20.49	55.90	41.47	15.35	64.91	---	---	Peak																																																																																																													





Mode	197																																																																												
	Band Edge																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																												
ANT	SISO 15																																																																												
Pol.	Horizontal						Fundamental																																																																						
Peak	 Level (dBuV/m) Date: 2024-09-09 Frequency (MHz) PART 15.407 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5733.35</td><td>58.65</td><td>68.30</td><td>-9.65</td><td>45.07</td><td>36.23</td><td>10.04</td><td>32.69</td><td>100</td><td>16</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5733.35	58.65	68.30	-9.65	45.07	36.23	10.04	32.69	100	16	PEAK	 Level (dBuV/m) Date: 2024-09-09 Frequency (MHz) PART 15.407 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5700.00</td><td>111.43</td><td>-----</td><td>-----</td><td>97.95</td><td>36.19</td><td>9.97</td><td>32.68</td><td>100</td><td>16</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5700.00	111.43	-----	-----	97.95	36.19	9.97	32.68	100	16	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5733.35	58.65	68.30	-9.65	45.07	36.23	10.04	32.69	100	16	PEAK																																																																			
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5700.00	111.43	-----	-----	97.95	36.19	9.97	32.68	100	16	PEAK																																																																			
Avg	Blank						 Level (dBuV/m) Date: 2024-09-09 Frequency (MHz) PART 15.407 AVG <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5700.00</td><td>104.11</td><td>-----</td><td>-----</td><td>90.63</td><td>36.19</td><td>9.97</td><td>32.68</td><td>100</td><td>16</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5700.00	104.11	-----	-----	90.63	36.19	9.97	32.68	100	16	AVERAGE																																	
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 5700.00	104.11	-----	-----	90.63	36.19	9.97	32.68	100	16	AVERAGE																																																																			



Mode	197																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																		
ANT	SISO 15																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5732.44</td><td>58.90</td><td>68.30</td><td>-9.40</td><td>45.33</td><td>36.23</td><td>10.03</td><td>32.69</td><td>100</td><td>56</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5732.44	58.90	68.30	-9.40	45.33	36.23	10.03	32.69	100	56	PEAK	Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.06</td><td>-----</td><td>-----</td><td>96.58</td><td>36.19</td><td>9.97</td><td>32.68</td><td>100</td><td>56</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5700.00	110.06	-----	-----	96.58	36.19	9.97	32.68	100	56	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5732.44	58.90	68.30	-9.40	45.33	36.23	10.03	32.69	100	56	PEAK																																																																								
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	110.06	-----	-----	96.58	36.19	9.97	32.68	100	56	PEAK																																																																								
Avg	Blank						Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.59</td><td>-----</td><td>-----</td><td>90.11</td><td>36.19</td><td>9.97</td><td>32.68</td><td>100</td><td>56</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5700.00	103.59	-----	-----	90.11	36.19	9.97	32.68	100	56	AVERAGE																																				
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5700.00	103.59	-----	-----	90.11	36.19	9.97	32.68	100	56	AVERAGE																																																																								



Mode	197																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																	
ANT	SISO 15																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>58.53</td><td>39.16</td><td>12.81</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>47.61</td><td>68.30</td><td>-20.69</td><td>55.51</td><td>41.71</td><td>15.62</td><td>65.23</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	47.06	74.00	-26.94	58.53	39.16	12.81	63.44	---	---	Peak	2	17100.00	47.61	68.30	-20.69	55.51	41.71	15.62	65.23	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>44.84</td><td>74.00</td><td>-29.16</td><td>56.31</td><td>39.16</td><td>12.81</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>49.10</td><td>68.30</td><td>-19.20</td><td>57.00</td><td>41.71</td><td>15.62</td><td>65.23</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	44.84	74.00	-29.16	56.31	39.16	12.81	63.44	---	---	Peak	2	17100.00	49.10	68.30	-19.20	57.00	41.71	15.62	65.23	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11400.00	47.06	74.00	-26.94	58.53	39.16	12.81	63.44	---	---	Peak																																																																																																																							
2	17100.00	47.61	68.30	-20.69	55.51	41.71	15.62	65.23	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11400.00	44.84	74.00	-29.16	56.31	39.16	12.81	63.44	---	---	Peak																																																																																																																							
2	17100.00	49.10	68.30	-19.20	57.00	41.71	15.62	65.23	---	---	Peak																																																																																																																							



Mode	198																																																																																																																																																																																				
	Band Edge																																																																																																																																																																																				
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																																																																																																				
ANT	SISO 15																																																																																																																																																																																				
Pol.	Horizontal					Fundamental																																																																																																																																																																															
Peak	Level (dBuV/m) Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5000 to 5180 MHz. A red line indicates the limit at 70.0 dBuV/m. A blue line shows the measured signal, which is below the limit until approximately 5144 MHz, where it rises sharply to about 105 dBuV/m. A peak is labeled 'PART 15.407'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.14</td><td>58.59</td><td>74.00</td><td>-15.41</td><td>46.62</td><td>36.11</td><td>8.53</td><td>32.67</td><td>100</td><td>52 PEAK</td></tr></table> Level (dBuV/m) Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red line indicates the limit at 70.0 dBuV/m. A blue line shows the measured signal, which is below the limit until approximately 5180 MHz, where it rises sharply to about 105 dBuV/m. A peak is labeled 'PART 15.407'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.15</td><td>-----</td><td>-----</td><td>90.14</td><td>36.09</td><td>8.58</td><td>32.66</td><td>100</td><td>52 PEAK</td></tr></table> <tr><td rowspan="2">Avg</td><td colspan="10"> Level (dBuV/m) Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5000 to 5180 MHz. A red line indicates the limit at 52.5 dBuV/m. A blue line shows the measured signal, which is below the limit until approximately 5144 MHz, where it rises sharply to about 105 dBuV/m. A peak is labeled 'PART 15.407 AVG'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.94</td><td>46.69</td><td>54.00</td><td>-7.31</td><td>34.71</td><td>36.11</td><td>8.54</td><td>32.67</td><td>100</td><td>52 AVERAGE</td></tr></table> Level (dBuV/m) Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red line indicates the limit at 52.5 dBuV/m. A blue line shows the measured signal, which is below the limit until approximately 5180 MHz, where it rises sharply to about 105 dBuV/m. A peak is labeled 'PART 15.407 AVG'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>95.52</td><td>-----</td><td>-----</td><td>83.52</td><td>36.10</td><td>8.57</td><td>32.67</td><td>100</td><td>52 AVERAGE</td></tr></table> </td></tr>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.14	58.59	74.00	-15.41	46.62	36.11	8.53	32.67	100	52 PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.15	-----	-----	90.14	36.09	8.58	32.66	100	52 PEAK	Avg	Level (dBuV/m) Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5000 to 5180 MHz. A red line indicates the limit at 52.5 dBuV/m. A blue line shows the measured signal, which is below the limit until approximately 5144 MHz, where it rises sharply to about 105 dBuV/m. A peak is labeled 'PART 15.407 AVG'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.94</td><td>46.69</td><td>54.00</td><td>-7.31</td><td>34.71</td><td>36.11</td><td>8.54</td><td>32.67</td><td>100</td><td>52 AVERAGE</td></tr></table> Level (dBuV/m) Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red line indicates the limit at 52.5 dBuV/m. A blue line shows the measured signal, which is below the limit until approximately 5180 MHz, where it rises sharply to about 105 dBuV/m. A peak is labeled 'PART 15.407 AVG'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>95.52</td><td>-----</td><td>-----</td><td>83.52</td><td>36.10</td><td>8.57</td><td>32.67</td><td>100</td><td>52 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.94	46.69	54.00	-7.31	34.71	36.11	8.54	32.67	100	52 AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	95.52	-----	-----	83.52	36.10	8.57	32.67	100	52 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																											
1	5148.14	58.59	74.00	-15.41	46.62	36.11	8.53	32.67	100	52 PEAK																																																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																											
1	5180.00	102.15	-----	-----	90.14	36.09	8.58	32.66	100	52 PEAK																																																																																																																																																																											
Avg	Level (dBuV/m) Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5000 to 5180 MHz. A red line indicates the limit at 52.5 dBuV/m. A blue line shows the measured signal, which is below the limit until approximately 5144 MHz, where it rises sharply to about 105 dBuV/m. A peak is labeled 'PART 15.407 AVG'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.94</td><td>46.69</td><td>54.00</td><td>-7.31</td><td>34.71</td><td>36.11</td><td>8.54</td><td>32.67</td><td>100</td><td>52 AVERAGE</td></tr></table> Level (dBuV/m) Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red line indicates the limit at 52.5 dBuV/m. A blue line shows the measured signal, which is below the limit until approximately 5180 MHz, where it rises sharply to about 105 dBuV/m. A peak is labeled 'PART 15.407 AVG'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>95.52</td><td>-----</td><td>-----</td><td>83.52</td><td>36.10</td><td>8.57</td><td>32.67</td><td>100</td><td>52 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.94	46.69	54.00	-7.31	34.71	36.11	8.54	32.67	100	52 AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	95.52	-----	-----	83.52	36.10	8.57	32.67	100	52 AVERAGE																																																																																											
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																											
1	5149.94	46.69	54.00	-7.31	34.71	36.11	8.54	32.67	100	52 AVERAGE																																																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																											
1	5180.00	95.52	-----	-----	83.52	36.10	8.57	32.67	100	52 AVERAGE																																																																																																																																																																											





Mode	198																																																																																														
	Band Edge																																																																																														
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																														
ANT	SISO 15																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2024-08-15 1548.86 57.93 74.00 -16.07 45.96 36.11 8.53 32.67 100 23 PEAK <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5148.86</td><td>57.93</td><td>74.00</td><td>-16.07</td><td>45.96</td><td>36.11</td><td>8.53</td><td>32.67</td><td>100</td><td>23</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5148.86	57.93	74.00	-16.07	45.96	36.11	8.53	32.67	100	23	PEAK	Level (dBuV/m) Date: 2024-08-15 15180.00 99.83 ----- 87.83 36.10 8.57 32.67 100 23 PEAK <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>99.83</td><td>-----</td><td>-----</td><td>87.83</td><td>36.10</td><td>8.57</td><td>32.67</td><td>100</td><td>23</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5180.00	99.83	-----	-----	87.83	36.10	8.57	32.67	100	23	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5148.86	57.93	74.00	-16.07	45.96	36.11	8.53	32.67	100	23	PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5180.00	99.83	-----	-----	87.83	36.10	8.57	32.67	100	23	PEAK																																																																																				
Avg	Level (dBuV/m) Date: 2024-08-15 15149.76 45.44 54.00 -8.56 33.46 36.11 8.54 32.67 100 23 AVERAGE <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5149.76</td><td>45.44</td><td>54.00</td><td>-8.56</td><td>33.46</td><td>36.11</td><td>8.54</td><td>32.67</td><td>100</td><td>23</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5149.76	45.44	54.00	-8.56	33.46	36.11	8.54	32.67	100	23	AVERAGE	Level (dBuV/m) Date: 2024-08-15 15180.00 93.36 ----- 81.36 36.10 8.57 32.67 100 23 AVERAGE <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>93.36</td><td>-----</td><td>-----</td><td>81.36</td><td>36.10</td><td>8.57</td><td>32.67</td><td>100</td><td>23</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5180.00	93.36	-----	-----	81.36	36.10	8.57	32.67	100	23	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5149.76	45.44	54.00	-8.56	33.46	36.11	8.54	32.67	100	23	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5180.00	93.36	-----	-----	81.36	36.10	8.57	32.67	100	23	AVERAGE																																																																																				



Mode	198	
	Harmonic	
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz	
ANT	SISO 15	
Pol.	Horizontal	Vertical
Peak Avg	Level (dBuV/m) Date: 2024-08-29 10360.00 45.54 68.30 -22.76 58.40 38.74 12.06 63.66 --- --- Peak 15540.00 48.11 74.00 -25.89 56.79 40.73 14.58 63.99 --- --- Peak	Level (dBuV/m) Date: 2024-08-29 10360.00 47.20 68.30 -21.10 60.06 38.74 12.06 63.66 --- --- Peak 15540.00 48.41 74.00 -25.59 57.09 40.73 14.58 63.99 --- --- Peak





Mode	199																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-1_5.15-5.25_802.11n HT20_CH44_5220MHz																																																																																																																							
ANT	SISO 15																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>45.82</td><td>68.30</td><td>-22.48</td><td>58.55</td><td>38.78</td><td>12.12</td><td>63.63</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>48.69</td><td>74.00</td><td>-25.31</td><td>57.25</td><td>40.83</td><td>14.64</td><td>64.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10440.00	45.82	68.30	-22.48	58.55	38.78	12.12	63.63	---	---	Peak	2	15660.00	48.69	74.00	-25.31	57.25	40.83	14.64	64.03	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>46.26</td><td>68.30</td><td>-22.04</td><td>58.99</td><td>38.78</td><td>12.12</td><td>63.63</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>47.79</td><td>74.00</td><td>-26.21</td><td>56.35</td><td>40.83</td><td>14.64</td><td>64.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10440.00	46.26	68.30	-22.04	58.99	38.78	12.12	63.63	---	---	Peak	2	15660.00	47.79	74.00	-26.21	56.35	40.83	14.64	64.03	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10440.00	45.82	68.30	-22.48	58.55	38.78	12.12	63.63	---	---	Peak																																																																																																													
2	15660.00	48.69	74.00	-25.31	57.25	40.83	14.64	64.03	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10440.00	46.26	68.30	-22.04	58.99	38.78	12.12	63.63	---	---	Peak																																																																																																													
2	15660.00	47.79	74.00	-26.21	56.35	40.83	14.64	64.03	---	---	Peak																																																																																																													



Mode	200																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-1_5.15-5.25_802.11n HT20_CH48_5240MHz																																																																																																																							
ANT	SISO 15																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>45.40</td><td>68.30</td><td>-22.90</td><td>58.07</td><td>38.79</td><td>12.15</td><td>63.61</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>48.41</td><td>74.00</td><td>-25.59</td><td>56.92</td><td>40.88</td><td>14.66</td><td>64.05</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10480.00	45.40	68.30	-22.90	58.07	38.79	12.15	63.61	---	---	Peak	2	15720.00	48.41	74.00	-25.59	56.92	40.88	14.66	64.05	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>47.24</td><td>68.30</td><td>-21.06</td><td>59.91</td><td>38.79</td><td>12.15</td><td>63.61</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>48.68</td><td>74.00</td><td>-25.32</td><td>57.19</td><td>40.88</td><td>14.66</td><td>64.05</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10480.00	47.24	68.30	-21.06	59.91	38.79	12.15	63.61	---	---	Peak	2	15720.00	48.68	74.00	-25.32	57.19	40.88	14.66	64.05	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10480.00	45.40	68.30	-22.90	58.07	38.79	12.15	63.61	---	---	Peak																																																																																																													
2	15720.00	48.41	74.00	-25.59	56.92	40.88	14.66	64.05	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10480.00	47.24	68.30	-21.06	59.91	38.79	12.15	63.61	---	---	Peak																																																																																																													
2	15720.00	48.68	74.00	-25.32	57.19	40.88	14.66	64.05	---	---	Peak																																																																																																													







Mode	201																																																																																																									
	Harmonic																																																																																																									
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz																																																																																																									
ANT	SISO 15																																																																																																									
Pol.	Horizontal								Vertical																																																																																																	
Peak Avg																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>10520.00</td><td>44.71</td><td>68.30</td><td>-23.59</td><td>57.32</td><td>38.81</td><td>12.18</td><td>63.60 --- Peak</td></tr><tr><td>2</td><td>15780.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>56.02</td><td>40.92</td><td>14.69</td><td>64.07 --- Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	10520.00	44.71	68.30	-23.59	57.32	38.81	12.18	63.60 --- Peak	2	15780.00	47.56	74.00	-26.44	56.02	40.92	14.69	64.07 --- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>10520.00</td><td>46.08</td><td>68.30</td><td>-22.22</td><td>58.69</td><td>38.81</td><td>12.18</td><td>63.60 --- Peak</td></tr><tr><td>2</td><td>15780.00</td><td>49.16</td><td>74.00</td><td>-24.84</td><td>57.62</td><td>40.92</td><td>14.69</td><td>64.07 --- Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	10520.00	46.08	68.30	-22.22	58.69	38.81	12.18	63.60 --- Peak	2	15780.00	49.16	74.00	-24.84	57.62	40.92	14.69	64.07 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																			
1	10520.00	44.71	68.30	-23.59	57.32	38.81	12.18	63.60 --- Peak																																																																																																		
2	15780.00	47.56	74.00	-26.44	56.02	40.92	14.69	64.07 --- Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																			
1	10520.00	46.08	68.30	-22.22	58.69	38.81	12.18	63.60 --- Peak																																																																																																		
2	15780.00	49.16	74.00	-24.84	57.62	40.92	14.69	64.07 --- Peak																																																																																																		



Mode	202																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz																																																																																																																					
ANT	SISO 15																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg	Level (dBuV/m) Date: 2024-08-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>44.81</td><td>74.00</td><td>-29.19</td><td>57.31</td><td>38.84</td><td>12.23</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>46.48</td><td>74.00</td><td>-27.52</td><td>54.82</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	44.81	74.00	-29.19	57.31	38.84	12.23	63.57	---	---	Peak	2	15900.00	46.48	74.00	-27.52	54.82	41.02	14.75	64.11	---	---	Peak	Level (dBuV/m) Date: 2024-08-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>59.76</td><td>38.84</td><td>12.23</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>48.30</td><td>74.00</td><td>-25.70</td><td>56.64</td><td>41.02</td><td>14.75</td><td>64.11</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	47.26	74.00	-26.74	59.76	38.84	12.23	63.57	---	---	Peak	2	15900.00	48.30	74.00	-25.70	56.64	41.02	14.75	64.11	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	10600.00	44.81	74.00	-29.19	57.31	38.84	12.23	63.57	---	---	Peak																																																																																																											
2	15900.00	46.48	74.00	-27.52	54.82	41.02	14.75	64.11	---	---	Peak																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	10600.00	47.26	74.00	-26.74	59.76	38.84	12.23	63.57	---	---	Peak																																																																																																											
2	15900.00	48.30	74.00	-25.70	56.64	41.02	14.75	64.11	---	---	Peak																																																																																																											





		203																																																																																								
Mode		Band Edge																																																																																								
		U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																								
ANT		SISO 15																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2024-08-15  532053485376540454325460 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.74</td><td>58.47</td><td>74.00</td><td>-15.53</td><td>45.73</td><td>35.99</td><td>9.38</td><td>32.63</td><td>100</td><td>31</td><td>PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2024-08-15  100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>105.64</td><td>-----</td><td>-----</td><td>93.06</td><td>36.01</td><td>9.21</td><td>32.64</td><td>100</td><td>31</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5353.74	58.47	74.00	-15.53	45.73	35.99	9.38	32.63	100	31	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	105.64	-----	-----	93.06	36.01	9.21	32.64	100	31	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5353.74	58.47	74.00	-15.53	45.73	35.99	9.38	32.63	100	31	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5320.00	105.64	-----	-----	93.06	36.01	9.21	32.64	100	31	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2024-08-15  532053485376540454325460 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.60</td><td>47.42</td><td>54.00</td><td>-6.58</td><td>34.68</td><td>35.99</td><td>9.38</td><td>32.63</td><td>100</td><td>31</td><td>AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2024-08-15  100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>98.07</td><td>-----</td><td>-----</td><td>85.52</td><td>36.01</td><td>9.18</td><td>32.64</td><td>100</td><td>31</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5353.60	47.42	54.00	-6.58	34.68	35.99	9.38	32.63	100	31	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	98.07	-----	-----	85.52	36.01	9.18	32.64	100	31	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5353.60	47.42	54.00	-6.58	34.68	35.99	9.38	32.63	100	31	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5320.00	98.07	-----	-----	85.52	36.01	9.18	32.64	100	31	AVERAGE																																																																															



Mode	203																																																																																												
	Band Edge																																																																																												
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																												
ANT	SISO 15																																																																																												
Pol.	Vertical						Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-08-15 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.70</td><td>56.51</td><td>74.00</td><td>-17.49</td><td>43.76</td><td>35.99</td><td>9.39</td><td>32.63</td><td>100</td><td>26</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.70	56.51	74.00	-17.49	43.76	35.99	9.39	32.63	100	26	PEAK	Level (dBuV/m) Date: 2024-08-15 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>103.77</td><td>-----</td><td>-----</td><td>91.22</td><td>36.01</td><td>9.18</td><td>32.64</td><td>100</td><td>26</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.77	-----	-----	91.22	36.01	9.18	32.64	100	26	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5355.70	56.51	74.00	-17.49	43.76	35.99	9.39	32.63	100	26	PEAK																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5320.00	103.77	-----	-----	91.22	36.01	9.18	32.64	100	26	PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2024-08-15 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.18</td><td>45.19</td><td>54.00</td><td>-8.81</td><td>32.45</td><td>35.99</td><td>9.38</td><td>32.63</td><td>100</td><td>26</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.18	45.19	54.00	-8.81	32.45	35.99	9.38	32.63	100	26	AVERAGE	Level (dBuV/m) Date: 2024-08-15 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>96.98</td><td>-----</td><td>-----</td><td>84.43</td><td>36.01</td><td>9.18</td><td>32.64</td><td>100</td><td>26</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	96.98	-----	-----	84.43	36.01	9.18	32.64	100	26	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5353.18	45.19	54.00	-8.81	32.45	35.99	9.38	32.63	100	26	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5320.00	96.98	-----	-----	84.43	36.01	9.18	32.64	100	26	AVERAGE																																																																																		







Mode	203																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																																							
ANT	SISO 15																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10640.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>57.95</td><td>38.86</td><td>12.26</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>55.00</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10640.00	45.52	74.00	-28.48	57.95	38.86	12.26	63.55	---	---	Peak	2	15960.00	46.71	74.00	-27.29	55.00	41.07	14.77	64.13	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10640.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>57.39</td><td>38.86</td><td>12.26</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>48.43</td><td>74.00</td><td>-25.57</td><td>56.72</td><td>41.07</td><td>14.77</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10640.00	44.96	74.00	-29.04	57.39	38.86	12.26	63.55	---	---	Peak	2	15960.00	48.43	74.00	-25.57	56.72	41.07	14.77	64.13	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10640.00	45.52	74.00	-28.48	57.95	38.86	12.26	63.55	---	---	Peak																																																																																																													
2	15960.00	46.71	74.00	-27.29	55.00	41.07	14.77	64.13	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10640.00	44.96	74.00	-29.04	57.39	38.86	12.26	63.55	---	---	Peak																																																																																																													
2	15960.00	48.43	74.00	-25.57	56.72	41.07	14.77	64.13	---	---	Peak																																																																																																													





Mode	204																																																																																																					
	Band Edge																																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																					
ANT	SISO 15																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-08-15 Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5350 to 5500 MHz. A red limit line is at 70.0 dBuV/m. A blue trace shows a peak at 5465.05 MHz. A red label 'PART 15.407' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.80</td><td>57.91</td><td>74.00</td><td>-16.09</td><td>44.91</td><td>35.92</td><td>9.69</td><td>32.61</td><td>104</td><td>23</td><td>PEAK</td></tr><tr><td>2</td><td>5465.05</td><td>63.00</td><td>68.30</td><td>-5.30</td><td>50.00</td><td>35.92</td><td>9.69</td><td>32.61</td><td>104</td><td>23</td><td>PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2024-08-15 Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red limit line is at 70.0 dBuV/m. A blue trace shows a peak at 5500.00 MHz. A red label 'PART 15.407' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>109.14</td><td>-----</td><td>-----</td><td>96.12</td><td>35.91</td><td>9.71</td><td>32.60</td><td>104</td><td>23</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.80	57.91	74.00	-16.09	44.91	35.92	9.69	32.61	104	23	PEAK	2	5465.05	63.00	68.30	-5.30	50.00	35.92	9.69	32.61	104	23	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.14	-----	-----	96.12	35.91	9.71	32.60	104	23	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5459.80	57.91	74.00	-16.09	44.91	35.92	9.69	32.61	104	23	PEAK																																																																																											
2	5465.05	63.00	68.30	-5.30	50.00	35.92	9.69	32.61	104	23	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5500.00	109.14	-----	-----	96.12	35.91	9.71	32.60	104	23	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-08-15 Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 5350 to 5500 MHz. A red limit line is at 52.5 dBuV/m. A blue trace shows a peak at 5458.90 MHz. A red label 'PART 15.407 AVG' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.90</td><td>48.13</td><td>54.00</td><td>-5.87</td><td>35.13</td><td>35.92</td><td>9.69</td><td>32.61</td><td>104</td><td>23</td><td>AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2024-08-15 Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. A red limit line is at 52.5 dBuV/m. A blue trace shows a peak at 5500.00 MHz. A red label 'PART 15.407 AVG' is present. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>101.85</td><td>-----</td><td>-----</td><td>88.83</td><td>35.91</td><td>9.71</td><td>32.60</td><td>104</td><td>23</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.90	48.13	54.00	-5.87	35.13	35.92	9.69	32.61	104	23	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.85	-----	-----	88.83	35.91	9.71	32.60	104	23	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5458.90	48.13	54.00	-5.87	35.13	35.92	9.69	32.61	104	23	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5500.00	101.85	-----	-----	88.83	35.91	9.71	32.60	104	23	AVERAGE																																																																																											





		204																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																		
ANT		SISO 15																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak	 Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue signal line with two peaks labeled 1 and 2. A red limit line is at 70.0 dBuV/m. The x-axis ranges from 5350 to 5500 MHz, and the y-axis ranges from 0 to 140 dBuV/m.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue signal line with a single peak labeled 1. A red limit line is at 70.0 dBuV/m. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 140 dBuV/m.																																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5458.30	53.61	74.00	-20.39	40.60	35.93	9.69	32.61	100		51 PEAK	2	5464.30	56.52	68.30	-11.78	43.52	35.92	9.69	32.61	100		51 PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	102.41	-----	-----	89.41	35.90	9.70	32.60	100		51 PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5458.30	53.61	74.00	-20.39	40.60	35.93	9.69	32.61	100		51 PEAK																																																																																									
2	5464.30	56.52	68.30	-11.78	43.52	35.92	9.69	32.61	100		51 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	102.41	-----	-----	89.41	35.90	9.70	32.60	100		51 PEAK																																																																																									
Avg	 Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a blue signal line with a single peak labeled 1. A red limit line is at 52.5 dBuV/m. The x-axis ranges from 5350 to 5500 MHz, and the y-axis ranges from 0 to 140 dBuV/m.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue signal line with a single peak labeled 1. A red limit line is at 52.5 dBuV/m. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 140 dBuV/m.																																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5458.75	44.31	54.00	-9.69	31.31	35.92	9.69	32.61	100		51 AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	95.09	-----	-----	82.08	35.90	9.71	32.60	100		51 AVERAGE																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5458.75	44.31	54.00	-9.69	31.31	35.92	9.69	32.61	100		51 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	95.09	-----	-----	82.08	35.90	9.71	32.60	100		51 AVERAGE																																																																																									



Mode	204																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																																					
ANT	SISO 15																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>47.80</td><td>74.00</td><td>-26.20</td><td>59.70</td><td>39.00</td><td>12.52</td><td>63.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>46.52</td><td>68.30</td><td>-21.78</td><td>54.66</td><td>41.35</td><td>15.17</td><td>64.66</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	47.80	74.00	-26.20	59.70	39.00	12.52	63.42	---	---	Peak	2	16500.00	46.52	68.30	-21.78	54.66	41.35	15.17	64.66	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>48.20</td><td>74.00</td><td>-25.80</td><td>60.10</td><td>39.00</td><td>12.52</td><td>63.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>48.29</td><td>68.30</td><td>-20.01</td><td>56.43</td><td>41.35</td><td>15.17</td><td>64.66</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	48.20	74.00	-25.80	60.10	39.00	12.52	63.42	---	---	Peak	2	16500.00	48.29	68.30	-20.01	56.43	41.35	15.17	64.66	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	11000.00	47.80	74.00	-26.20	59.70	39.00	12.52	63.42	---	---	Peak																																																																																																											
2	16500.00	46.52	68.30	-21.78	54.66	41.35	15.17	64.66	---	---	Peak																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	11000.00	48.20	74.00	-25.80	60.10	39.00	12.52	63.42	---	---	Peak																																																																																																											
2	16500.00	48.29	68.30	-20.01	56.43	41.35	15.17	64.66	---	---	Peak																																																																																																											






Mode	205																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																																																					
ANT	SISO 15																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11160.00</td><td>47.43</td><td>74.00</td><td>-26.57</td><td>59.16</td><td>39.06</td><td>12.64</td><td>63.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.91</td><td>68.30</td><td>-20.39</td><td>56.00</td><td>41.47</td><td>15.35</td><td>64.91</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	47.43	74.00	-26.57	59.16	39.06	12.64	63.43	---	---	Peak	2	16740.00	47.91	68.30	-20.39	56.00	41.47	15.35	64.91	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11160.00</td><td>48.42</td><td>74.00</td><td>-25.58</td><td>60.15</td><td>39.06</td><td>12.64</td><td>63.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.27</td><td>68.30</td><td>-21.03</td><td>55.36</td><td>41.47</td><td>15.35</td><td>64.91</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	48.42	74.00	-25.58	60.15	39.06	12.64	63.43	---	---	Peak	2	16740.00	47.27	68.30	-21.03	55.36	41.47	15.35	64.91	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	11160.00	47.43	74.00	-26.57	59.16	39.06	12.64	63.43	---	---	Peak																																																																																																											
2	16740.00	47.91	68.30	-20.39	56.00	41.47	15.35	64.91	---	---	Peak																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	11160.00	48.42	74.00	-25.58	60.15	39.06	12.64	63.43	---	---	Peak																																																																																																											
2	16740.00	47.27	68.30	-21.03	55.36	41.47	15.35	64.91	---	---	Peak																																																																																																											



Mode	206																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																			
ANT	SISO 15																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m)Date: 2024-08-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.65</td><td>62.91</td><td>68.30</td><td>-5.39</td><td>49.36</td><td>36.22</td><td>10.02</td><td>32.69</td><td>100</td><td>31</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.65	62.91	68.30	-5.39	49.36	36.22	10.02	32.69	100	31	PEAK	Level (dBuV/m)Date: 2024-08-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.45</td><td>-----</td><td>-----</td><td>95.97</td><td>36.19</td><td>9.97</td><td>32.68</td><td>100</td><td>31</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.45	-----	-----	95.97	36.19	9.97	32.68	100	31	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5726.65	62.91	68.30	-5.39	49.36	36.22	10.02	32.69	100	31	PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5700.00	109.45	-----	-----	95.97	36.19	9.97	32.68	100	31	PEAK																																																																									
Avg	Blank	Level (dBuV/m)Date: 2024-08-15 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.49</td><td>-----</td><td>-----</td><td>89.01</td><td>36.19</td><td>9.97</td><td>32.68</td><td>100</td><td>31</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.49	-----	-----	89.01	36.19	9.97	32.68	100	31	AVERAGE																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5700.00	102.49	-----	-----	89.01	36.19	9.97	32.68	100	31	AVERAGE																																																																									







Mode	206																																																																																										
	Band Edge																																																																																										
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																										
ANT	SISO 15																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-08-15  140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 57005713.5726.5739.5752.5765 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.26</td><td>56.22</td><td>68.30</td><td>-12.08</td><td>42.67</td><td>36.22</td><td>10.02</td><td>32.69</td><td>100</td><td>55</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5726.26	56.22	68.30	-12.08	42.67	36.22	10.02	32.69	100	55	PEAK	Level (dBuV/m) Date: 2024-08-15  140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10002200.3400.4600.5800.7000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.43</td><td>-----</td><td>-----</td><td>87.95</td><td>36.19</td><td>9.97</td><td>32.68</td><td>100</td><td>55</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	101.43	-----	-----	87.95	36.19	9.97	32.68	100	55	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5726.26	56.22	68.30	-12.08	42.67	36.22	10.02	32.69	100	55	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	101.43	-----	-----	87.95	36.19	9.97	32.68	100	55	PEAK																																																																																
Avg	Blank						Level (dBuV/m) Date: 2024-08-15  140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10002200.3400.4600.5800.7000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>94.50</td><td>-----</td><td>-----</td><td>81.02</td><td>36.19</td><td>9.97</td><td>32.68</td><td>100</td><td>55</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	94.50	-----	-----	81.02	36.19	9.97	32.68	100	55	AVERAGE																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	94.50	-----	-----	81.02	36.19	9.97	32.68	100	55	AVERAGE																																																																																



Mode	206																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																																							
ANT	SISO 15																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-08-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>58.74</td><td>39.16</td><td>12.81</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.77</td><td>68.30</td><td>-19.53</td><td>56.67</td><td>41.71</td><td>15.62</td><td>65.23</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	47.27	74.00	-26.73	58.74	39.16	12.81	63.44	---	---	Peak	2	17100.00	48.77	68.30	-19.53	56.67	41.71	15.62	65.23	---	---	Peak	Level (dBuV/m) Date: 2024-08-29 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>48.25</td><td>74.00</td><td>-25.75</td><td>59.72</td><td>39.16</td><td>12.81</td><td>63.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.31</td><td>68.30</td><td>-19.99</td><td>56.21</td><td>41.71</td><td>15.62</td><td>65.23</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	48.25	74.00	-25.75	59.72	39.16	12.81	63.44	---	---	Peak	2	17100.00	48.31	68.30	-19.99	56.21	41.71	15.62	65.23	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11400.00	47.27	74.00	-26.73	58.74	39.16	12.81	63.44	---	---	Peak																																																																																																													
2	17100.00	48.77	68.30	-19.53	56.67	41.71	15.62	65.23	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11400.00	48.25	74.00	-25.75	59.72	39.16	12.81	63.44	---	---	Peak																																																																																																													
2	17100.00	48.31	68.30	-19.99	56.21	41.71	15.62	65.23	---	---	Peak																																																																																																													



Mode	207																																																																																																							
	Band Edge - L																																																																																																							
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																							
ANT	SISO 15																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-08-15  500050385076511451525190 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5143.26</td><td>59.37</td><td>74.00</td><td>-14.63</td><td>47.41</td><td>36.11</td><td>8.52</td><td>32.67</td><td>101</td><td>44</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.26	59.37	74.00	-14.63	47.41	36.11	8.52	32.67	101	44	PEAK	Level (dBuV/m) Date: 2024-08-15  100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>99.93</td><td>-----</td><td>-----</td><td>87.89</td><td>36.08</td><td>8.62</td><td>32.66</td><td>101</td><td>44</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	99.93	-----	-----	87.89	36.08	8.62	32.66	101	44	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5143.26	59.37	74.00	-14.63	47.41	36.11	8.52	32.67	101	44	PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5190.00	99.93	-----	-----	87.89	36.08	8.62	32.66	101	44	PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-08-15  500050385076511451525190 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.06</td><td>48.12</td><td>54.00</td><td>-5.88</td><td>36.15</td><td>36.11</td><td>8.53</td><td>32.67</td><td>101</td><td>44</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.06	48.12	54.00	-5.88	36.15	36.11	8.53	32.67	101	44	AVERAGE	Level (dBuV/m) Date: 2024-08-15  100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>93.13</td><td>-----</td><td>-----</td><td>81.09</td><td>36.08</td><td>8.62</td><td>32.66</td><td>101</td><td>44</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	93.13	-----	-----	81.09	36.08	8.62	32.66	101	44	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5147.06	48.12	54.00	-5.88	36.15	36.11	8.53	32.67	101	44	AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5190.00	93.13	-----	-----	81.09	36.08	8.62	32.66	101	44	AVERAGE																																																																																													





Mode	207																															
	Band Edge - R																															
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																															
ANT	SISO 15																															
Pol.	Horizontal	Fundamental																														
Peak	Date: 2024-08-15 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5447.58</td><td>51.85</td><td>74.00</td><td>-22.15</td><td>38.85</td><td>35.93</td><td>9.68</td><td>32.61</td><td>101</td><td>44 PEAK</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5447.58	51.85	74.00	-22.15	38.85	35.93	9.68	32.61	101	44 PEAK	Blank
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																							
1 5447.58	51.85	74.00	-22.15	38.85	35.93	9.68	32.61	101	44 PEAK																							
Avg	Date: 2024-08-15 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5420.31</td><td>42.84</td><td>54.00</td><td>-11.16</td><td>29.84</td><td>35.95</td><td>9.67</td><td>32.62</td><td>101</td><td>44 AVERAGE</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5420.31	42.84	54.00	-11.16	29.84	35.95	9.67	32.62	101	44 AVERAGE	Blank
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																							
1 5420.31	42.84	54.00	-11.16	29.84	35.95	9.67	32.62	101	44 AVERAGE																							







Mode	207																																																																																											
	Band Edge - L																																																																																											
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																											
ANT	SISO 15																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5123.88</td><td>57.46</td><td>74.00</td><td>-16.54</td><td>45.52</td><td>36.13</td><td>8.49</td><td>32.68</td><td>100</td><td>26</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5123.88	57.46	74.00	-16.54	45.52	36.13	8.49	32.68	100	26	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>98.33</td><td>-----</td><td>-----</td><td>86.29</td><td>36.08</td><td>8.62</td><td>32.66</td><td>100</td><td>26</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	98.33	-----	-----	86.29	36.08	8.62	32.66	100	26	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5123.88	57.46	74.00	-16.54	45.52	36.13	8.49	32.68	100	26	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5190.00	98.33	-----	-----	86.29	36.08	8.62	32.66	100	26	PEAK																																																																																	
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5126.92</td><td>47.22</td><td>54.00</td><td>-6.78</td><td>35.28</td><td>36.12</td><td>8.49</td><td>32.67</td><td>100</td><td>26</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5126.92	47.22	54.00	-6.78	35.28	36.12	8.49	32.67	100	26	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>91.23</td><td>-----</td><td>-----</td><td>79.17</td><td>36.08</td><td>8.64</td><td>32.66</td><td>100</td><td>26</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	91.23	-----	-----	79.17	36.08	8.64	32.66	100	26	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5126.92	47.22	54.00	-6.78	35.28	36.12	8.49	32.67	100	26	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5190.00	91.23	-----	-----	79.17	36.08	8.64	32.66	100	26	AVERAGE																																																																																	



Mode	207																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																		
ANT	SISO 15																																																		
Pol.	Vertical						Fundamental																																												
Peak	Date: 2024-08-15  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5360.10</td><td>52.29</td><td>74.00</td><td>-21.71</td><td>39.52</td><td>35.98</td><td>9.42</td><td>32.63</td><td>100</td><td>26</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5360.10	52.29	74.00	-21.71	39.52	35.98	9.42	32.63	100	26	PEAK	Blank				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5360.10	52.29	74.00	-21.71	39.52	35.98	9.42	32.63	100	26	PEAK																																								
Avg	Date: 2024-08-15  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5435.70</td><td>42.26</td><td>54.00</td><td>-11.74</td><td>29.26</td><td>35.94</td><td>9.67</td><td>32.61</td><td>100</td><td>26</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5435.70	42.26	54.00	-11.74	29.26	35.94	9.67	32.61	100	26	AVERAGE	Blank				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5435.70	42.26	54.00	-11.74	29.26	35.94	9.67	32.61	100	26	AVERAGE																																								



Mode	208																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																																																						
ANT	SISO 15																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-08-15  Frequency (MHz)												Level (dBuV/m) Date: 2024-08-15  Frequency (MHz)																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.50</td><td>57.13</td><td>74.00</td><td>-16.87</td><td>45.16</td><td>36.11</td><td>8.53</td><td>32.67</td><td>100</td><td>38</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.50	57.13	74.00	-16.87	45.16	36.11	8.53	32.67	100	38	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>101.97</td><td>-----</td><td>-----</td><td>89.88</td><td>36.07</td><td>8.68</td><td>32.66</td><td>100</td><td>38</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	101.97	-----	-----	89.88	36.07	8.68	32.66	100	38
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5149.50	57.13	74.00	-16.87	45.16	36.11	8.53	32.67	100	38	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5230.00	101.97	-----	-----	89.88	36.07	8.68	32.66	100	38	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2024-08-15  Frequency (MHz)												Level (dBuV/m) Date: 2024-08-15  Frequency (MHz)																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.96</td><td>45.64</td><td>54.00</td><td>-8.36</td><td>33.66</td><td>36.11</td><td>8.54</td><td>32.67</td><td>100</td><td>38</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.96	45.64	54.00	-8.36	33.66	36.11	8.54	32.67	100	38	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>94.34</td><td>-----</td><td>-----</td><td>82.25</td><td>36.07</td><td>8.68</td><td>32.66</td><td>100</td><td>38</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	94.34	-----	-----	82.25	36.07	8.68	32.66	100	38
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5149.96	45.64	54.00	-8.36	33.66	36.11	8.54	32.67	100	38	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5230.00	94.34	-----	-----	82.25	36.07	8.68	32.66	100	38	AVERAGE																																																																																												





Mode	208																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																		
ANT	SISO 15																																																		
Pol.	Horizontal						Fundamental																																												
Peak	Date: 2024-08-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5358.34</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>40.31</td><td>35.99</td><td>9.41</td><td>32.63</td><td>100</td><td>38</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5358.34	53.08	74.00	-20.92	40.31	35.99	9.41	32.63	100	38	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5358.34	53.08	74.00	-20.92	40.31	35.99	9.41	32.63	100	38	PEAK																																								
Avg	Date: 2024-08-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5357.19</td><td>43.80</td><td>54.00</td><td>-10.20</td><td>31.04</td><td>35.99</td><td>9.40</td><td>32.63</td><td>100</td><td>38</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5357.19	43.80	54.00	-10.20	31.04	35.99	9.40	32.63	100	38	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5357.19	43.80	54.00	-10.20	31.04	35.99	9.40	32.63	100	38	AVERAGE																																								







Mode	208	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz	
ANT	SISO 15	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-08-15 1 5147.43 55.96 74.00 -18.04 43.99 36.11 8.53 32.67 100 26 PEAK	Level (dBuV/m) Date: 2024-08-15 1 5230.00 99.09 ----- 87.00 36.07 8.68 32.66 100 26 PEAK
	Level (dBuV/m) Date: 2024-08-15 1 5149.96 44.91 54.00 -9.09 32.93 36.11 8.54 32.67 100 26 AVERAGE	Level (dBuV/m) Date: 2024-08-15 1 5230.00 92.54 ----- 80.36 36.06 8.77 32.65 100 26 AVERAGE





Mode	208																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																												
ANT	SISO 15																																												
Pol.	Vertical						Fundamental																																						
Peak	Date: 2024-08-15 						Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5366.39</td><td>52.22</td><td>74.00</td><td>-21.78</td><td>39.42</td><td>35.98</td><td>9.45</td><td>32.63</td><td>100</td><td>26</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5366.39	52.22	74.00	-21.78	39.42
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																				
1	5366.39	52.22	74.00	-21.78	39.42	35.98	9.45	32.63	100	26	PEAK																																		
Avg	Date: 2024-08-15 						Blank																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.95</td><td>43.08</td><td>54.00</td><td>-10.92</td><td>30.31</td><td>35.98</td><td>9.42</td><td>32.63</td><td>100</td><td>26</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5359.95	43.08	54.00	-10.92	30.31
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																				
1	5359.95	43.08	54.00	-10.92	30.31	35.98	9.42	32.63	100	26	AVERAGE																																		







Mode	209																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																																						
ANT	SISO 15																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-08-15  Frequency (MHz)												Level (dBuV/m) Date: 2024-08-15  Frequency (MHz)																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.32</td><td>53.10</td><td>74.00</td><td>-20.90</td><td>41.13</td><td>36.12</td><td>8.52</td><td>32.67</td><td>100</td><td>34</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5139.32	53.10	74.00	-20.90	41.13	36.12	8.52	32.67	100	34	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>101.11</td><td>-----</td><td>-----</td><td>88.73</td><td>36.03</td><td>8.99</td><td>32.64</td><td>100</td><td>34</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	101.11	-----	-----	88.73	36.03	8.99	32.64	100	34
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5139.32	53.10	74.00	-20.90	41.13	36.12	8.52	32.67	100	34	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5270.00	101.11	-----	-----	88.73	36.03	8.99	32.64	100	34	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2024-08-15  Frequency (MHz)												Level (dBuV/m) Date: 2024-08-15  Frequency (MHz)																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.15</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>31.35</td><td>36.11</td><td>8.53</td><td>32.67</td><td>100</td><td>34</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5147.15	43.32	54.00	-10.68	31.35	36.11	8.53	32.67	100	34	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>93.90</td><td>-----</td><td>-----</td><td>81.49</td><td>36.03</td><td>9.02</td><td>32.64</td><td>100</td><td>34</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	93.90	-----	-----	81.49	36.03	9.02	32.64	100	34
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5147.15	43.32	54.00	-10.68	31.35	36.11	8.53	32.67	100	34	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5270.00	93.90	-----	-----	81.49	36.03	9.02	32.64	100	34	AVERAGE																																																																																												



Mode	209																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																				
ANT	SISO 15																																																				
Pol.	Horizontal						Fundamental																																														
Peak	Date: 2024-08-15  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5352.65</td><td>53.74</td><td>74.00</td><td>-20.26</td><td>41.00</td><td>35.99</td><td>9.38</td><td>32.63</td><td>100</td><td>34</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5352.65	53.74	74.00	-20.26	41.00	35.99	9.38	32.63	100	34	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5352.65	53.74	74.00	-20.26	41.00	35.99	9.38	32.63	100	34	PEAK																																										
Avg	Date: 2024-08-15  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5353.98</td><td>44.50</td><td>54.00</td><td>-9.50</td><td>31.75</td><td>35.99</td><td>9.39</td><td>32.63</td><td>100</td><td>34</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5353.98	44.50	54.00	-9.50	31.75	35.99	9.39	32.63	100	34	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5353.98	44.50	54.00	-9.50	31.75	35.99	9.39	32.63	100	34	AVERAGE																																										







Mode	209																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																									
ANT	SISO 15																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5029.97</td><td>52.90</td><td>74.00</td><td>-21.10</td><td>41.10</td><td>36.18</td><td>8.31</td><td>32.69</td><td>100</td><td>26</td><td>PEAK</td><td></td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5029.97	52.90	74.00	-21.10	41.10	36.18	8.31	32.69	100	26	PEAK		 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>100.46</td><td>-----</td><td>-----</td><td>88.11</td><td>36.04</td><td>8.96</td><td>32.65</td><td>100</td><td>26</td><td>PEAK</td><td></td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5270.00	100.46	-----	-----	88.11	36.04	8.96	32.65	100	26	PEAK	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5029.97	52.90	74.00	-21.10	41.10	36.18	8.31	32.69	100	26	PEAK																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5270.00	100.46	-----	-----	88.11	36.04	8.96	32.65	100	26	PEAK																																																																															
Avg	 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5142.56</td><td>43.19</td><td>54.00</td><td>-10.81</td><td>31.23</td><td>36.11</td><td>8.52</td><td>32.67</td><td>100</td><td>26</td><td>AVERAGE</td><td></td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5142.56	43.19	54.00	-10.81	31.23	36.11	8.52	32.67	100	26	AVERAGE		 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>93.03</td><td>-----</td><td>-----</td><td>80.68</td><td>36.04</td><td>8.96</td><td>32.65</td><td>100</td><td>26</td><td>AVERAGE</td><td></td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	5270.00	93.03	-----	-----	80.68	36.04	8.96	32.65	100	26	AVERAGE	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5142.56	43.19	54.00	-10.81	31.23	36.11	8.52	32.67	100	26	AVERAGE																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5270.00	93.03	-----	-----	80.68	36.04	8.96	32.65	100	26	AVERAGE																																																																															



Mode	209																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																		
ANT	SISO 15																																																		
Pol.	Vertical						Fundamental																																												
Peak	Date: 2024-08-15 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.39</td><td>52.13</td><td>74.00</td><td>-21.87</td><td>39.12</td><td>35.93</td><td>9.69</td><td>32.61</td><td>100</td><td>26</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5456.39	52.13	74.00	-21.87	39.12	35.93	9.69	32.61	100	26	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5456.39	52.13	74.00	-21.87	39.12	35.93	9.69	32.61	100	26	PEAK																																								
Avg	Date: 2024-08-15 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.88</td><td>43.33</td><td>54.00</td><td>-10.67</td><td>30.57</td><td>35.99</td><td>9.40</td><td>32.63</td><td>100</td><td>26</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5355.88	43.33	54.00	-10.67	30.57	35.99	9.40	32.63	100	26	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5355.88	43.33	54.00	-10.67	30.57	35.99	9.40	32.63	100	26	AVERAGE																																								



Mode	210																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																											
ANT	SISO 15																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	 Level (dBuV/m) Date: 2024-08-15 5000 5062. 5124. 5186. 5248. 5310 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5042.78</td><td>52.65</td><td>74.00</td><td>-21.35</td><td>40.83</td><td>36.17</td><td>8.34</td><td>32.69</td><td>114</td><td>38</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5042.78	52.65	74.00	-21.35	40.83	36.17	8.34	32.69	114	38	PEAK	 Level (dBuV/m) Date: 2024-08-15 1000 2200. 3400. 4600. 5800. 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>101.35</td><td>-----</td><td>-----</td><td>88.85</td><td>36.02</td><td>9.12</td><td>32.64</td><td>114</td><td>38</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	101.35	-----	-----	88.85	36.02	9.12	32.64	114	38	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5042.78	52.65	74.00	-21.35	40.83	36.17	8.34	32.69	114	38	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5310.00	101.35	-----	-----	88.85	36.02	9.12	32.64	114	38	PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2024-08-15 5000 5062. 5124. 5186. 5248. 5310 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.08</td><td>42.89</td><td>54.00</td><td>-11.11</td><td>30.92</td><td>36.11</td><td>8.53</td><td>32.67</td><td>114</td><td>38</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5145.08	42.89	54.00	-11.11	30.92	36.11	8.53	32.67	114	38	AVERAGE	 Level (dBuV/m) Date: 2024-08-15 1000 2200. 3400. 4600. 5800. 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>93.50</td><td>-----</td><td>-----</td><td>81.00</td><td>36.02</td><td>9.12</td><td>32.64</td><td>114</td><td>38</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	93.50	-----	-----	81.00	36.02	9.12	32.64	114	38	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5145.08	42.89	54.00	-11.11	30.92	36.11	8.53	32.67	114	38	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5310.00	93.50	-----	-----	81.00	36.02	9.12	32.64	114	38	AVERAGE																																																																																	



Mode	210																																																																																				
	Band Edge - L																																																																																				
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																				
ANT	SISO 15																																																																																				
Pol.	Vertical						Fundamental																																																																														
Peak																																																																																					
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5112.22	52.82	74.00	-21.18	40.90	36.13	8.47	32.68	100	29	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>97.27</td><td>-----</td><td>-----</td><td>84.80</td><td>36.02</td><td>9.09</td><td>32.64</td><td>100</td><td>29</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	97.27	-----	-----	84.80	36.02	9.09	32.64	100	29
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	5112.22	52.82	74.00	-21.18	40.90	36.13	8.47	32.68	100	29	PEAK																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	5310.00	97.27	-----	-----	84.80	36.02	9.09	32.64	100	29	PEAK																																																																										
Avg																																																																																					
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5127.72	42.90	54.00	-11.10	30.96	36.12	8.49	32.67	100	29	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>90.63</td><td>-----</td><td>-----</td><td>78.08</td><td>36.01</td><td>9.18</td><td>32.64</td><td>100</td><td>29</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	90.63	-----	-----	78.08	36.01	9.18	32.64	100	29
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	5127.72	42.90	54.00	-11.10	30.96	36.12	8.49	32.67	100	29	AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	5310.00	90.63	-----	-----	78.08	36.01	9.18	32.64	100	29	AVERAGE																																																																										