







Mode	249																																																																																													
	Band Edge - L																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full RU_5570MHz+802.11n HT20_CH01_2412 MHz+BLE_CH38_2478MHZ																																																																																													
ANT	CDD 14+15/SISO 10/1																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2024-08-28 12 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.56</td><td>52.61</td><td>74.00</td><td>-21.39</td><td>39.61</td><td>35.92</td><td>9.69</td><td>32.61</td><td>221</td><td>290</td><td>PEAK</td></tr><tr><td>2</td><td>5461.98</td><td>52.36</td><td>68.30</td><td>-15.94</td><td>39.36</td><td>35.92</td><td>9.69</td><td>32.61</td><td>221</td><td>290</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.56	52.61	74.00	-21.39	39.61	35.92	9.69	32.61	221	290	PEAK	2	5461.98	52.36	68.30	-15.94	39.36	35.92	9.69	32.61	221	290	PEAK	Level (dBuV/m) Date: 2024-08-28 PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>100.56</td><td>-----</td><td>-----</td><td>94.15</td><td>33.07</td><td>6.78</td><td>33.44</td><td>221</td><td>290</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	100.56	-----	-----	94.15	33.07	6.78	33.44	221	290	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5459.56	52.61	74.00	-21.39	39.61	35.92	9.69	32.61	221	290	PEAK																																																																																			
2	5461.98	52.36	68.30	-15.94	39.36	35.92	9.69	32.61	221	290	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5570.00	100.56	-----	-----	94.15	33.07	6.78	33.44	221	290	PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2024-08-28 PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5416.44</td><td>44.76</td><td>54.00</td><td>-9.24</td><td>31.77</td><td>35.95</td><td>9.66</td><td>32.62</td><td>221</td><td>290</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5416.44	44.76	54.00	-9.24	31.77	35.95	9.66	32.62	221	290	AVERAGE	Level (dBuV/m) Date: 2024-08-28 PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>90.21</td><td>-----</td><td>-----</td><td>83.80</td><td>33.07</td><td>6.78</td><td>33.44</td><td>221</td><td>290</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	90.21	-----	-----	83.80	33.07	6.78	33.44	221	290	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5416.44	44.76	54.00	-9.24	31.77	35.95	9.66	32.62	221	290	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5570.00	90.21	-----	-----	83.80	33.07	6.78	33.44	221	290	AVERAGE																																																																																			







Mode	249	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full RU_5570MHz+802.11n HT20_CH01_2412 MHz+BLE_CH38_2478MHZ	
ANT	CDD 14+15/SISO 10/1	
Pol.	Vertical	Fundamental
Peak	Date: 2024-08-28 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor cm deg MHz dBuV/m dBuV/m dB dB/m dB dB cm deg 1 5726.78 59.91 68.30 -8.39 46.36 36.22 10.02 32.69 221 290 PEAK	Blank







Mode	249																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full RU_5570MHz+802.11n HT20_CH01_2412 MHz+BLE_CH38_2478MHZ																																																																																			
ANT	CDD 14+15/SISO 10/1																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-28  PEAK_BE_74 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.59</td><td>51.98</td><td>74.00</td><td>-22.02</td><td>49.41</td><td>30.70</td><td>5.46</td><td>33.59</td><td>358</td><td>0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2487.59	51.98	74.00	-22.02	49.41	30.70	5.46	33.59	358	0 PEAK	Level (dBuV/m) Date: 2024-08-28  PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>99.99</td><td>-----</td><td>-----</td><td>97.43</td><td>30.70</td><td>5.45</td><td>33.59</td><td>358</td><td>0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	99.99	-----	-----	97.43	30.70	5.45	33.59	358	0 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2487.59	51.98	74.00	-22.02	49.41	30.70	5.46	33.59	358	0 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2478.00	99.99	-----	-----	97.43	30.70	5.45	33.59	358	0 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2024-08-28  AVG_BE_54 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.79</td><td>43.40</td><td>54.00</td><td>-10.60</td><td>40.83</td><td>30.70</td><td>5.46</td><td>33.59</td><td>358</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.79	43.40	54.00	-10.60	40.83	30.70	5.46	33.59	358	0 AVERAGE	Level (dBuV/m) Date: 2024-08-28  AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>98.62</td><td>-----</td><td>-----</td><td>96.06</td><td>30.70</td><td>5.45</td><td>33.59</td><td>358</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	98.62	-----	-----	96.06	30.70	5.45	33.59	358	0 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.79	43.40	54.00	-10.60	40.83	30.70	5.46	33.59	358	0 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2478.00	98.62	-----	-----	96.06	30.70	5.45	33.59	358	0 AVERAGE																																																																										



Mode	249																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full RU_5570MHz+802.11n HT20_CH01_2412 MHz+BLE_CH38_2478MHZ																																																																																					
ANT	CDD 14+15/SISO 10/1																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-08-28  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.08</td><td>51.59</td><td>74.00</td><td>-22.41</td><td>49.02</td><td>30.70</td><td>5.46</td><td>33.59</td><td>359</td><td>229</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2488.08	51.59	74.00	-22.41	49.02	30.70	5.46	33.59	359	229	PEAK	Level (dBuV/m) Date: 2024-08-28  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>100.29</td><td>-----</td><td>-----</td><td>97.73</td><td>30.70</td><td>5.45</td><td>33.59</td><td>359</td><td>229</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	100.29	-----	-----	97.73	30.70	5.45	33.59	359	229	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2488.08	51.59	74.00	-22.41	49.02	30.70	5.46	33.59	359	229	PEAK																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2478.00	100.29	-----	-----	97.73	30.70	5.45	33.59	359	229	PEAK																																																																											
Avg	Level (dBuV/m) Date: 2024-08-28  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.87</td><td>42.13</td><td>54.00</td><td>-11.87</td><td>39.56</td><td>30.70</td><td>5.46</td><td>33.59</td><td>359</td><td>229</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.87	42.13	54.00	-11.87	39.56	30.70	5.46	33.59	359	229	AVERAGE	Level (dBuV/m) Date: 2024-08-28  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>98.39</td><td>-----</td><td>-----</td><td>95.83</td><td>30.70</td><td>5.45</td><td>33.59</td><td>359</td><td>229</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	98.39	-----	-----	95.83	30.70	5.45	33.59	359	229	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2483.87	42.13	54.00	-11.87	39.56	30.70	5.46	33.59	359	229	AVERAGE																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2478.00	98.39	-----	-----	95.83	30.70	5.45	33.59	359	229	AVERAGE																																																																											



Mode	249																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full RU_5570MHz+802.11n HT20_CH01_2412 MHz+BLE_CH38_2478MHZ																																																																																					
ANT	CDD 14+15/SISO 10/1																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-08-28  231023362362238824142440 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.69</td><td>49.30</td><td>74.00</td><td>-24.70</td><td>46.75</td><td>30.72</td><td>5.36</td><td>33.53</td><td>300</td><td>308</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	49.30	74.00	-24.70	46.75	30.72	5.36	33.53	300	308	PEAK	Level (dBuV/m) Date: 2024-08-28  100014001800220026003000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>96.92</td><td>-----</td><td>-----</td><td>94.37</td><td>30.72</td><td>5.38</td><td>33.55</td><td>300</td><td>308</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	96.92	-----	-----	94.37	30.72	5.38	33.55	300	308	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2389.69	49.30	74.00	-24.70	46.75	30.72	5.36	33.53	300	308	PEAK																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2412.00	96.92	-----	-----	94.37	30.72	5.38	33.55	300	308	PEAK																																																																											
Avg	Level (dBuV/m) Date: 2024-08-28  231023362362238824142440 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>37.96</td><td>54.00</td><td>-16.04</td><td>35.41</td><td>30.72</td><td>5.36</td><td>33.53</td><td>300</td><td>308</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	37.96	54.00	-16.04	35.41	30.72	5.36	33.53	300	308	AVERAGE	Level (dBuV/m) Date: 2024-08-28  100014001800220026003000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>89.46</td><td>-----</td><td>-----</td><td>86.90</td><td>30.72</td><td>5.39</td><td>33.55</td><td>300</td><td>308</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	89.46	-----	-----	86.90	30.72	5.39	33.55	300	308	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2389.95	37.96	54.00	-16.04	35.41	30.72	5.36	33.53	300	308	AVERAGE																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2412.00	89.46	-----	-----	86.90	30.72	5.39	33.55	300	308	AVERAGE																																																																											



Mode	249																																									
	Band Edge																																									
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full RU_5570MHz+802.11n HT20_CH01_2412 MHz+BLE_CH38_2478MHZ																																									
ANT	CDD 14+15/SISO 10/1																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2024-08-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2389.95</td><td>47.87</td><td>74.00</td><td>-26.13</td><td>45.32</td><td>30.72</td><td>5.36</td><td>33.53</td><td>387</td><td>231 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2389.95	47.87	74.00	-26.13	45.32	30.72	5.36	33.53	387	231 PEAK	Level (dBuV/m) Date: 2024-08-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2412.00</td><td>95.10</td><td>-----</td><td>-----</td><td>92.55</td><td>30.72</td><td>5.37</td><td>33.54</td><td>387</td><td>231 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2412.00	95.10	-----	-----	92.55	30.72	5.37	33.54	387	231 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 2389.95	47.87	74.00	-26.13	45.32	30.72	5.36	33.53	387	231 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2412.00	95.10	-----	-----	92.55	30.72	5.37	33.54	387	231 PEAK																																	
Avg	Level (dBuV/m) Date: 2024-08-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2389.95</td><td>36.90</td><td>54.00</td><td>-17.10</td><td>34.35</td><td>30.72</td><td>5.36</td><td>33.53</td><td>387</td><td>231 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2389.95	36.90	54.00	-17.10	34.35	30.72	5.36	33.53	387	231 AVERAGE	Level (dBuV/m) Date: 2024-08-28 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2412.00</td><td>87.91</td><td>-----</td><td>-----</td><td>85.36</td><td>30.72</td><td>5.37</td><td>33.54</td><td>387</td><td>231 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2412.00	87.91	-----	-----	85.36	30.72	5.37	33.54	387	231 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2389.95	36.90	54.00	-17.10	34.35	30.72	5.36	33.53	387	231 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2412.00	87.91	-----	-----	85.36	30.72	5.37	33.54	387	231 AVERAGE																																	



Mode	249																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full RU_5570MHz+802.11n HT20_CH01_2412 MHz+BLE_CH38_2478MHZ																																																																																																																																																										
ANT	CDD 14+15/SISO 10/1																																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																																									
Peak Avg	Data: 1 Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>48.76</td><td>-25.24</td><td>74.00</td><td>36.20</td><td>36.42</td><td>8.88</td><td>32.74</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>49.70</td><td>-24.30</td><td>74.00</td><td>37.25</td><td>36.63</td><td>8.53</td><td>32.71</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>45.11</td><td>-28.89</td><td>74.00</td><td>31.70</td><td>36.77</td><td>10.17</td><td>33.53</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>11140.00</td><td>47.73</td><td>-26.27</td><td>74.00</td><td>59.77</td><td>38.77</td><td>12.62</td><td>63.43</td><td>---</td><td>Peak</td></tr><tr><td>5 *</td><td>16710.00</td><td>47.79</td><td>-26.51</td><td>68.30</td><td>55.24</td><td>42.10</td><td>15.33</td><td>64.88</td><td>---</td><td>Peak</td></tr></table> Data: 2 Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>47.74</td><td>-26.26</td><td>74.00</td><td>35.18</td><td>36.42</td><td>8.88</td><td>32.74</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>48.59</td><td>-25.41</td><td>74.00</td><td>36.14</td><td>36.63</td><td>8.53</td><td>32.71</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>44.43</td><td>-29.57</td><td>74.00</td><td>31.02</td><td>36.77</td><td>10.17</td><td>33.53</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>11140.00</td><td>46.56</td><td>-27.44</td><td>74.00</td><td>58.60</td><td>38.77</td><td>12.62</td><td>63.43</td><td>---</td><td>Peak</td></tr><tr><td>5 *</td><td>16710.00</td><td>47.95</td><td>-26.35</td><td>68.30</td><td>55.40</td><td>42.10</td><td>15.33</td><td>64.88</td><td>---</td><td>Peak</td></tr></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	48.76	-25.24	74.00	36.20	36.42	8.88	32.74	---	Peak	2	4956.00	49.70	-24.30	74.00	37.25	36.63	8.53	32.71	---	Peak	3	7434.00	45.11	-28.89	74.00	31.70	36.77	10.17	33.53	---	Peak	4	11140.00	47.73	-26.27	74.00	59.77	38.77	12.62	63.43	---	Peak	5 *	16710.00	47.79	-26.51	68.30	55.24	42.10	15.33	64.88	---	Peak		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	47.74	-26.26	74.00	35.18	36.42	8.88	32.74	---	Peak	2	4956.00	48.59	-25.41	74.00	36.14	36.63	8.53	32.71	---	Peak	3	7434.00	44.43	-29.57	74.00	31.02	36.77	10.17	33.53	---	Peak	4	11140.00	46.56	-27.44	74.00	58.60	38.77	12.62	63.43	---	Peak	5 *	16710.00	47.95	-26.35	68.30	55.40	42.10	15.33	64.88	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	4824.00	48.76	-25.24	74.00	36.20	36.42	8.88	32.74	---	Peak																																																																																																																																																	
2	4956.00	49.70	-24.30	74.00	37.25	36.63	8.53	32.71	---	Peak																																																																																																																																																	
3	7434.00	45.11	-28.89	74.00	31.70	36.77	10.17	33.53	---	Peak																																																																																																																																																	
4	11140.00	47.73	-26.27	74.00	59.77	38.77	12.62	63.43	---	Peak																																																																																																																																																	
5 *	16710.00	47.79	-26.51	68.30	55.24	42.10	15.33	64.88	---	Peak																																																																																																																																																	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	4824.00	47.74	-26.26	74.00	35.18	36.42	8.88	32.74	---	Peak																																																																																																																																																	
2	4956.00	48.59	-25.41	74.00	36.14	36.63	8.53	32.71	---	Peak																																																																																																																																																	
3	7434.00	44.43	-29.57	74.00	31.02	36.77	10.17	33.53	---	Peak																																																																																																																																																	
4	11140.00	46.56	-27.44	74.00	58.60	38.77	12.62	63.43	---	Peak																																																																																																																																																	
5 *	16710.00	47.95	-26.35	68.30	55.40	42.10	15.33	64.88	---	Peak																																																																																																																																																	



Mode	250																																																																																										
	Band Edge - L																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz+802.11n HT20_CH01_2412 MHz+BLE_CH38_2478MHZ																																																																																										
ANT	SISO 14/SISO 10/1																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5451.92</td><td>52.24</td><td>74.00</td><td>-21.76</td><td>39.24</td><td>35.93</td><td>9.68</td><td>32.61</td><td>220</td><td>298</td><td>PEAK</td></tr><tr><td>2 5468.82</td><td>53.20</td><td>68.30</td><td>-15.10</td><td>40.20</td><td>35.92</td><td>9.69</td><td>32.61</td><td>220</td><td>298</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5451.92	52.24	74.00	-21.76	39.24	35.93	9.68	32.61	220	298	PEAK	2 5468.82	53.20	68.30	-15.10	40.20	35.92	9.69	32.61	220	298	PEAK	Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5610.00</td><td>103.94</td><td>-----</td><td>-----</td><td>97.53</td><td>33.07</td><td>6.78</td><td>33.44</td><td>220</td><td>298</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5610.00	103.94	-----	-----	97.53	33.07	6.78	33.44	220	298	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5451.92	52.24	74.00	-21.76	39.24	35.93	9.68	32.61	220	298	PEAK																																																																																	
2 5468.82	53.20	68.30	-15.10	40.20	35.92	9.69	32.61	220	298	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5610.00	103.94	-----	-----	97.53	33.07	6.78	33.44	220	298	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5456.34</td><td>45.16</td><td>54.00</td><td>-8.84</td><td>32.15</td><td>35.93</td><td>9.69</td><td>32.61</td><td>220</td><td>298</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5456.34	45.16	54.00	-8.84	32.15	35.93	9.69	32.61	220	298	AVERAGE	Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5610.00</td><td>94.44</td><td>-----</td><td>-----</td><td>88.03</td><td>33.07</td><td>6.78</td><td>33.44</td><td>220</td><td>298</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5610.00	94.44	-----	-----	88.03	33.07	6.78	33.44	220	298	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5456.34	45.16	54.00	-8.84	32.15	35.93	9.69	32.61	220	298	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5610.00	94.44	-----	-----	88.03	33.07	6.78	33.44	220	298	AVERAGE																																																																																	



Mode	250																													
	Band Edge - R																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz+802.11n HT20_CH01_2412 MHz+BLE_CH38_2478MHZ																													
ANT	SISO 14/SISO 10/1																													
Pol.	Horizontal	Fundamental																												
Peak	Date: 2024-08-28 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 5728.58</td><td>57.18</td><td>68.30</td><td>-11.12</td><td>43.62</td><td>36.22</td><td>10.03 32.69</td></tr></table> Blank	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 5728.58	57.18	68.30	-11.12	43.62	36.22	10.03 32.69	
Limit	Read	Ant	Cable	Preamp	APos	TPos																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																								
1 5728.58	57.18	68.30	-11.12	43.62	36.22	10.03 32.69																								



Mode	250																																																																																													
	Band Edge - L																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz+802.11n HT20_CH01_2412 MHz+BLE_CH38_2478MHZ																																																																																													
ANT	SISO 14/SISO 10/1																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.60</td><td>56.49</td><td>74.00</td><td>-17.51</td><td>43.48</td><td>35.93</td><td>9.69</td><td>32.61</td><td>300</td><td>273</td><td>PEAK</td></tr><tr><td>2</td><td>5468.30</td><td>56.66</td><td>68.30</td><td>-11.64</td><td>43.66</td><td>35.92</td><td>9.69</td><td>32.61</td><td>300</td><td>273</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.60	56.49	74.00	-17.51	43.48	35.93	9.69	32.61	300	273	PEAK	2	5468.30	56.66	68.30	-11.64	43.66	35.92	9.69	32.61	300	273	PEAK	Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>106.61</td><td>-----</td><td>-----</td><td>93.37</td><td>36.08</td><td>9.81</td><td>32.65</td><td>300</td><td>273</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	106.61	-----	-----	93.37	36.08	9.81	32.65	300	273	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5456.60	56.49	74.00	-17.51	43.48	35.93	9.69	32.61	300	273	PEAK																																																																																			
2	5468.30	56.66	68.30	-11.64	43.66	35.92	9.69	32.61	300	273	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5610.00	106.61	-----	-----	93.37	36.08	9.81	32.65	300	273	PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.34</td><td>48.51</td><td>54.00</td><td>-5.49</td><td>35.50</td><td>35.93</td><td>9.69</td><td>32.61</td><td>300</td><td>273</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.34	48.51	54.00	-5.49	35.50	35.93	9.69	32.61	300	273	AVERAGE	Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>97.95</td><td>-----</td><td>-----</td><td>91.54</td><td>33.07</td><td>6.78</td><td>33.44</td><td>300</td><td>273</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	97.95	-----	-----	91.54	33.07	6.78	33.44	300	273	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5456.34	48.51	54.00	-5.49	35.50	35.93	9.69	32.61	300	273	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5610.00	97.95	-----	-----	91.54	33.07	6.78	33.44	300	273	AVERAGE																																																																																			







Mode	250																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz+802.11n HT20_CH01_2412 MHz+BLE_CH38_2478MHZ																																									
ANT	SISO 14/SISO 10/1																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2024-08-28 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.68</td><td>59.48</td><td>68.30</td><td>-8.82</td><td>45.92</td><td>36.22</td><td>10.03</td><td>32.69</td><td>300</td><td>273</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5731.68	59.48	68.30	-8.82	45.92	36.22	10.03	32.69	300	273	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5731.68	59.48	68.30	-8.82	45.92	36.22	10.03	32.69	300	273	PEAK																															



Mode	250																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz+802.11n HT20_CH01_2412 MHz+BLE_CH38_2478MHZ																																																																																			
ANT	SISO 14/SISO 10/1																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-08-28 PEAK_BE_74 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2484.03</td><td>46.72</td><td>74.00</td><td>-27.28</td><td>44.15</td><td>30.70</td><td>5.46</td><td>33.59</td><td>314</td><td>298</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2484.03	46.72	74.00	-27.28	44.15	30.70	5.46	33.59	314	298	PEAK	Level (dBuV/m) Date: 2024-08-28 PEAK_74 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>104.78</td><td>-----</td><td>-----</td><td>102.22</td><td>30.70</td><td>5.45</td><td>33.59</td><td>314</td><td>298</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2478.00	104.78	-----	-----	102.22	30.70	5.45	33.59	314	298	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2484.03	46.72	74.00	-27.28	44.15	30.70	5.46	33.59	314	298	PEAK																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2478.00	104.78	-----	-----	102.22	30.70	5.45	33.59	314	298	PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-08-28 AVG_BE_54 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.92</td><td>38.70</td><td>54.00</td><td>-15.30</td><td>36.13</td><td>30.70</td><td>5.46</td><td>33.59</td><td>314</td><td>298</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2483.92	38.70	54.00	-15.30	36.13	30.70	5.46	33.59	314	298	AVERAGE	Level (dBuV/m) Date: 2024-08-28 AVG_54 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>103.50</td><td>-----</td><td>-----</td><td>100.94</td><td>30.70</td><td>5.45</td><td>33.59</td><td>314</td><td>298</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	2478.00	103.50	-----	-----	100.94	30.70	5.45	33.59	314	298	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.92	38.70	54.00	-15.30	36.13	30.70	5.46	33.59	314	298	AVERAGE																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2478.00	103.50	-----	-----	100.94	30.70	5.45	33.59	314	298	AVERAGE																																																																									



Mode	250																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz+802.11n HT20_CH01_2412 MHz+BLE_CH38_2478MHZ																																																																																					
ANT	SISO 14/SISO 10/1																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	Date: 2024-08-28  Level (dBuV/m) Frequency (MHz) PEAK_BE_74 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2489.31</td><td>45.42</td><td>74.00</td><td>-28.58</td><td>42.84</td><td>30.70</td><td>5.47</td><td>33.59</td><td>353</td><td>258</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2489.31	45.42	74.00	-28.58	42.84	30.70	5.47	33.59	353	258	PEAK	Date: 2024-08-28  Level (dBuV/m) Frequency (MHz) PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>98.36</td><td>-----</td><td>-----</td><td>95.80</td><td>30.70</td><td>5.45</td><td>33.59</td><td>353</td><td>258</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	98.36	-----	-----	95.80	30.70	5.45	33.59	353	258	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2489.31	45.42	74.00	-28.58	42.84	30.70	5.47	33.59	353	258	PEAK																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2478.00	98.36	-----	-----	95.80	30.70	5.45	33.59	353	258	PEAK																																																																											
Avg	Date: 2024-08-28  Level (dBuV/m) Frequency (MHz) AVG_BE_54 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.12</td><td>37.01</td><td>54.00</td><td>-16.99</td><td>34.44</td><td>30.70</td><td>5.46</td><td>33.59</td><td>353</td><td>258</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.12	37.01	54.00	-16.99	34.44	30.70	5.46	33.59	353	258	AVERAGE	Date: 2024-08-28  Level (dBuV/m) Frequency (MHz) AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>97.09</td><td>-----</td><td>-----</td><td>94.53</td><td>30.70</td><td>5.45</td><td>33.59</td><td>353</td><td>258</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	97.09	-----	-----	94.53	30.70	5.45	33.59	353	258	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2484.12	37.01	54.00	-16.99	34.44	30.70	5.46	33.59	353	258	AVERAGE																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2478.00	97.09	-----	-----	94.53	30.70	5.45	33.59	353	258	AVERAGE																																																																											



Mode	250																																																																											
	Band Edge																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz+802.11n HT20_CH01_2412 MHz+BLE_CH38_2478MHZ																																																																											
ANT	SISO 14/SISO 10/1																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.56</td><td>49.88</td><td>74.00</td><td>-24.12</td><td>47.33</td><td>30.72</td><td>5.36</td><td>33.53</td><td>343</td><td>326 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.56	49.88	74.00	-24.12	47.33	30.72	5.36	33.53	343	326 PEAK	Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>95.78</td><td>-----</td><td>-----</td><td>93.22</td><td>30.72</td><td>5.39</td><td>33.55</td><td>343</td><td>326 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2412.00	95.78	-----	-----	93.22	30.72	5.39	33.55	343	326 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2389.56	49.88	74.00	-24.12	47.33	30.72	5.36	33.53	343	326 PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2412.00	95.78	-----	-----	93.22	30.72	5.39	33.55	343	326 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.95</td><td>38.16</td><td>54.00</td><td>-15.84</td><td>35.61</td><td>30.72</td><td>5.36</td><td>33.53</td><td>343</td><td>326 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.95	38.16	54.00	-15.84	35.61	30.72	5.36	33.53	343	326 AVERAGE	Level (dBuV/m) Date: 2024-08-28 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>88.67</td><td>-----</td><td>-----</td><td>86.11</td><td>30.72</td><td>5.39</td><td>33.55</td><td>343</td><td>326 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2412.00	88.67	-----	-----	86.11	30.72	5.39	33.55	343	326 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2389.95	38.16	54.00	-15.84	35.61	30.72	5.36	33.53	343	326 AVERAGE																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 2412.00	88.67	-----	-----	86.11	30.72	5.39	33.55	343	326 AVERAGE																																																																			



Mode	250																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz+802.11n HT20_CH01_2412 MHz+BLE_CH38_2478MHZ																																																																																									
ANT	SISO 14/SISO 10/1																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-08-28 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>44.91</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>229</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	47.46	74.00	-26.54	44.91	30.72	5.36	33.53	400	229	PEAK	Level (dBuV/m) Date: 2024-08-28 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>90.18</td><td>-----</td><td>-----</td><td>87.62</td><td>30.70</td><td>5.45</td><td>33.59</td><td>400</td><td>229</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	90.18	-----	-----	87.62	30.70	5.45	33.59	400	229	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2389.95	47.46	74.00	-26.54	44.91	30.72	5.36	33.53	400	229	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2412.00	90.18	-----	-----	87.62	30.70	5.45	33.59	400	229	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2024-08-28 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>35.84</td><td>54.00</td><td>-18.16</td><td>33.29</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>229</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	35.84	54.00	-18.16	33.29	30.72	5.36	33.53	400	229	AVERAGE	Level (dBuV/m) Date: 2024-08-28 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>83.70</td><td>-----</td><td>-----</td><td>81.14</td><td>30.70</td><td>5.45</td><td>33.59</td><td>400</td><td>229</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	83.70	-----	-----	81.14	30.70	5.45	33.59	400	229	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2389.95	35.84	54.00	-18.16	33.29	30.72	5.36	33.53	400	229	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2412.00	83.70	-----	-----	81.14	30.70	5.45	33.59	400	229	AVERAGE																																																																															




Mode	250																																																																																																																																																																														
	Harmonic																																																																																																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz+802.11n HT20_CH01_2412 MHz+BLE_CH38_2478MHZ																																																																																																																																																																														
ANT	SISO 14/SISO 10/1																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																								
Peak Avg	Data: 1 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 Frequency (MHz) 3000 6000 9000 12000 15000 18000 Date: 2024-08-28 15.407 15.407 AVG <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>49.59</td><td>-24.41</td><td>74.00</td><td>37.03</td><td>36.42</td><td>8.88</td><td>32.74</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>49.58</td><td>-24.42</td><td>74.00</td><td>37.13</td><td>36.63</td><td>8.53</td><td>32.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>43.67</td><td>-30.33</td><td>74.00</td><td>30.26</td><td>36.77</td><td>10.17</td><td>33.53</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>11220.00</td><td>48.03</td><td>-25.97</td><td>74.00</td><td>59.52</td><td>38.06</td><td>12.68</td><td>63.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>* 16830.00</td><td>49.87</td><td>-18.43</td><td>68.30</td><td>57.27</td><td>42.18</td><td>15.42</td><td>65.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	49.59	-24.41	74.00	37.03	36.42	8.88	32.74	---	---	Peak	2	4956.00	49.58	-24.42	74.00	37.13	36.63	8.53	32.71	---	---	Peak	3	7434.00	43.67	-30.33	74.00	30.26	36.77	10.17	33.53	---	---	Peak	4	11220.00	48.03	-25.97	74.00	59.52	38.06	12.68	63.43	---	---	Peak	5	* 16830.00	49.87	-18.43	68.30	57.27	42.18	15.42	65.00	---	---	Peak	Data: 2 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 Frequency (MHz) 3000 6000 9000 12000 15000 18000 Date: 2024-08-28 15.407 15.407 AVG <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>48.91</td><td>-25.09</td><td>74.00</td><td>36.35</td><td>36.42</td><td>8.88</td><td>32.74</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>50.06</td><td>-23.94</td><td>74.00</td><td>37.61</td><td>36.63</td><td>8.53</td><td>32.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>43.00</td><td>-31.00</td><td>74.00</td><td>29.59</td><td>36.77</td><td>10.17</td><td>33.53</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>11220.00</td><td>46.20</td><td>-27.80</td><td>74.00</td><td>58.09</td><td>38.86</td><td>12.68</td><td>63.43</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>* 16830.00</td><td>48.44</td><td>-19.86</td><td>68.30</td><td>55.84</td><td>42.18</td><td>15.42</td><td>65.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	48.91	-25.09	74.00	36.35	36.42	8.88	32.74	---	---	Peak	2	4956.00	50.06	-23.94	74.00	37.61	36.63	8.53	32.71	---	---	Peak	3	7434.00	43.00	-31.00	74.00	29.59	36.77	10.17	33.53	---	---	Peak	4	11220.00	46.20	-27.80	74.00	58.09	38.86	12.68	63.43	---	---	Peak	5	* 16830.00	48.44	-19.86	68.30	55.84	42.18	15.42	65.00	---	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																					
1	4824.00	49.59	-24.41	74.00	37.03	36.42	8.88	32.74	---	---	Peak																																																																																																																																																																				
2	4956.00	49.58	-24.42	74.00	37.13	36.63	8.53	32.71	---	---	Peak																																																																																																																																																																				
3	7434.00	43.67	-30.33	74.00	30.26	36.77	10.17	33.53	---	---	Peak																																																																																																																																																																				
4	11220.00	48.03	-25.97	74.00	59.52	38.06	12.68	63.43	---	---	Peak																																																																																																																																																																				
5	* 16830.00	49.87	-18.43	68.30	57.27	42.18	15.42	65.00	---	---	Peak																																																																																																																																																																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																					
1	4824.00	48.91	-25.09	74.00	36.35	36.42	8.88	32.74	---	---	Peak																																																																																																																																																																				
2	4956.00	50.06	-23.94	74.00	37.61	36.63	8.53	32.71	---	---	Peak																																																																																																																																																																				
3	7434.00	43.00	-31.00	74.00	29.59	36.77	10.17	33.53	---	---	Peak																																																																																																																																																																				
4	11220.00	46.20	-27.80	74.00	58.09	38.86	12.68	63.43	---	---	Peak																																																																																																																																																																				
5	* 16830.00	48.44	-19.86	68.30	55.84	42.18	15.42	65.00	---	---	Peak																																																																																																																																																																				

Appendix D. Duty Cycle Plots


MIMO Mode(Antenna 14+15)

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
11a	98.57	-	-	10Hz
11n HT20	100.00	-	-	10Hz
11n HT40	100.00	-	-	10Hz
11ac VHT80	100.00	-	-	10Hz
11ac VHT160	100.00	-	-	10Hz
11ax HE20	100.00	-	-	10Hz
11ax HE40	100.00	-	-	10Hz
11ax HE80	100.00	-	-	10Hz
11ax HE160	100.00	-	-	10Hz
11be EHT20	100.00	-	-	10Hz
11be EHT40	100.00	-	-	10Hz
11be EHT80	100.00	-	-	10Hz
11be EHT160	100.00	-	-	10Hz
11be EHT20 Small RU 106+26	94.71	3.22	0.311	1KHz
11be EHT20 Small RU 52+26	94.76	5.06	0.198	300Hz
11be EHT80 Large RU484+242_OFDMA	94.79	0.91	1.099	3KHz
11be EHT160 Large RU996+484_OFDMA	94.57	0.87	1.149	3KHz
11be EHT80 Puncturing 20M	99.63	-	-	10Hz
11be EHT160 Puncturing 40M	100	-	-	10Hz
11be EHT160 Puncturing 20M	99.63	-	-	10Hz


802.11a




802.11n HT20




802.11n HT40




802.11ac VHT80




802.11ac VHT160




802.11ax HE20




802.11ax HE40




802.11ax HE80




802.11ax HE160




802.11be EHT20




802.11be EHT40




802.11be EHT80




802.11be EHT160




802.11be EHT20 Small RU 106+26




802.11be EHT20 Small RU 52+26




802.11be EHT80 Large RU484+242_OFDMA




802.11be EHT160 Large RU996+484_OFDMA




802.11be EHT80 Puncturing 20M



802.11be EHT160 Puncturing 40M




802.11be EHT160 Puncturing 20M




SISO Mode(Antenna 14)


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
11a	98.56	-	-	10Hz
11n HT20	100.00	-	-	10Hz
11n HT40	100.00	-	-	10Hz
11ac VHT80	100.00	-	-	10Hz
11ac VHT160	100.00	-	-	10Hz
11ax HE20	100.00	-	-	10Hz
11ax HE40	100.00	-	-	10Hz
11ax HE80	100.00	-	-	10Hz
11ax HE160	100.00	-	-	10Hz

802.11a



802.11n HT20




802.11n HT40



802.11ac VHT80




802.11ac VHT160




Date: 3.AUG.2024 00:20:08


802.11ax HE20




802.11ax HE40



802.11ax HE80




802.11ax HE160




SISO Mode(Antenna 15)

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
11a	98.56	-	-	10Hz
11n HT20	100.00	-	-	10Hz
11n HT40	100.00	-	-	10Hz
11ac VHT80	100.00	-	-	10Hz
11ac VHT160	100.00	-	-	10Hz
11ax HE20	100.00	-	-	10Hz
11ax HE40	100.00	-	-	10Hz
11ax HE80	100.00	-	-	10Hz
11ax HE160	100.00	-	-	10Hz


802.11a




802.11n HT20




802.11n HT40



802.11ac VHT80




802.11ac VHT160




Date: 3.AUG.2024 00:20:19


802.11ax HE20



802.11ax HE40



802.11ax HE80



802.11ax HE160

