











Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	Ru Size	Ru Index	FreqRange [Mhz]	RefLevel [dBm/100KHZ]	Result [dBm/100KHZ]	Limit [dBm/100KHZ]	Verdict
11AX20MI MO	Ant0	2412	26Tone	RU0	30~1000	0.81	-45.56	≤-19.19	PASS
				RU0	1000~26500	0.81	-35.78	≤-19.19	PASS
			52Tone	RU37	30~1000	0.98	-45.01	≤-19.02	PASS
				RU37	1000~26500	0.98	-36.06	≤-19.02	PASS
			106Tone	RU53	30~1000	1.78	-45.26	≤-18.22	PASS
				RU53	1000~26500	1.78	-35.84	≤-18.22	PASS
	Ant1	2412	26Tone	RU0	30~1000	0.55	-45.45	≤-19.45	PASS
				RU0	1000~26500	0.55	-35.40	≤-19.45	PASS
			52Tone	RU37	30~1000	0.94	-45.09	≤-19.06	PASS
				RU37	1000~26500	0.94	-36.52	≤-19.06	PASS
			106Tone	RU53	30~1000	1.33	-45.27	≤-18.67	PASS
				RU53	1000~26500	1.33	-36.03	≤-18.67	PASS
	Ant0	2462	26Tone	RU8	30~1000	1.37	-45.84	≤-18.63	PASS
				RU8	1000~26500	1.37	-36.26	≤-18.63	PASS
			52Tone	RU40	30~1000	0.91	-45.55	≤-19.09	PASS
				RU40	1000~26500	0.91	-35.17	≤-19.09	PASS
			106Tone	RU54	30~1000	2.03	-45.45	≤-17.97	PASS
				RU54	1000~26500	2.03	-35.68	≤-17.97	PASS
	Ant1	2462	26Tone	RU8	30~1000	1.40	-45.00	≤-18.6	PASS
				RU8	1000~26500	1.40	-36.08	≤-18.6	PASS
			52Tone	RU40	30~1000	1.73	-45.56	≤-18.27	PASS
				RU40	1000~26500	1.73	-35.97	≤-18.27	PASS
			106Tone	RU54	30~1000	1.51	-45.00	≤-18.49	PASS
				RU54	1000~26500	1.51	-35.79	≤-18.49	PASS
11BE20MI MO	Ant0	2412	26Tone	RU0	30~1000	0.81	-45.23	≤-19.19	PASS
				RU0	1000~26500	0.81	-36.11	≤-19.19	PASS
			52Tone	RU37	30~1000	1.05	-44.85	≤-18.95	PASS
				RU37	1000~26500	1.05	-36.01	≤-18.95	PASS
			106Tone	RU53	30~1000	1.83	-46.05	≤-18.17	PASS
				RU53	1000~26500	1.83	-36.22	≤-18.17	PASS
	Ant1	2412	26Tone	RU0	30~1000	0.70	-45.10	≤-19.3	PASS
				RU0	1000~26500	0.70	-35.88	≤-19.3	PASS






			52Tone	RU37	30~1000	0.79	-44.31	≤-19.21	PASS
				RU37	1000~26500	0.79	-35.72	≤-19.21	PASS
			106Tone	RU53	30~1000	1.35	-45.46	≤-18.65	PASS
				RU53	1000~26500	1.35	-36.01	≤-18.65	PASS
	Ant0	2462	26Tone	RU8	30~1000	1.22	-45.96	≤-18.78	PASS
				RU8	1000~26500	1.22	-36.98	≤-18.78	PASS
			52Tone	RU40	30~1000	1.84	-46.08	≤-18.16	PASS
				RU40	1000~26500	1.84	-36.16	≤-18.16	PASS
			106Tone	RU54	30~1000	1.27	-45.83	≤-18.73	PASS
				RU54	1000~26500	1.27	-36.38	≤-18.73	PASS
	Ant1	2462	26Tone	RU8	30~1000	0.91	-45.54	≤-19.09	PASS
				RU8	1000~26500	0.91	-35.92	≤-19.09	PASS
			52Tone	RU40	30~1000	1.64	-45.75	≤-18.36	PASS
				RU40	1000~26500	1.64	-35.64	≤-18.36	PASS
			106Tone	RU54	30~1000	1.00	-45.28	≤-19	PASS
				RU54	1000~26500	1.00	-35.91	≤-19	PASS





Test Graphs









































































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Yuki Tang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15C_QP LISN_2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.15	33.09	-22.65	55.74	13.30	9.60	10.19	Average
2 *	0.15	45.59	-20.15	65.74	25.80	9.60	10.19	QP
3	0.18	25.19	-29.09	54.28	5.20	9.81	10.18	Average
4	0.18	38.49	-25.79	64.28	18.50	9.81	10.18	QP
5	0.28	23.58	-27.14	50.72	3.60	9.78	10.20	Average
6	0.28	35.78	-24.94	60.72	15.80	9.78	10.20	QP
7	0.49	24.00	-22.14	46.14	3.70	10.06	10.24	Average
8	0.49	35.40	-20.74	56.14	15.10	10.06	10.24	QP
9	0.62	22.50	-23.50	46.00	2.60	9.66	10.24	Average
10	0.62	33.20	-22.80	56.00	13.30	9.66	10.24	QP
11	8.64	26.18	-23.82	50.00	6.30	9.68	10.20	Average
12	8.64	32.68	-27.32	60.00	12.80	9.68	10.20	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	ZhangXu	Relative Humidity :	48~49%
		Temperature :	24℃-25℃

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 19	2400-2483.5	0+1	802.11b	01	2412	1Mbps	-	-
Mode 20	2400-2483.5	0+1	802.11b	06	2437	1Mbps	-	-
Mode 21	2400-2483.5	0+1	802.11b	11	2462	1Mbps	-	-
Mode 22	2400-2483.5	0+1	802.11g	01	2412	6Mbps	-	-
Mode 23	2400-2483.5	0+1	802.11g	06	2437	6Mbps	-	-
Mode 24	2400-2483.5	0+1	802.11g	11	2462	6Mbps	-	-
Mode 25	2400-2483.5	0+1	802.11n HT20	01	2412	MCS0	-	-
Mode 26	2400-2483.5	0+1	802.11n HT20	06	2437	MCS0	-	-
Mode 27	2400-2483.5	0+1	802.11n HT20	11	2462	MCS0	-	-
Mode 28	2400-2483.5	0+1	802.11n HT40	03	2422	MCS0	-	-
Mode 29	2400-2483.5	0+1	802.11n HT40	09	2452	MCS0	-	-
Mode 30	2400-2483.5	0+1	802.11ax HE20	01	2412	MCS0	-	-
Mode 31	2400-2483.5	0+1	802.11ax HE20	06	2437	MCS0	-	-
Mode 32	2400-2483.5	0+1	802.11ax HE20	11	2462	MCS0	-	-
Mode 33	2400-2483.5	0+1	802.11ax HE40	03	2422	MCS0	-	-
Mode 34	2400-2483.5	0+1	802.11ax HE40	09	2452	MCS0	-	-
Mode 35	2400-2483.5	0+1	802.11ax HE20	01	2412	MCS0	Partial RU	-
Mode 36	2400-2483.5	0+1	802.11ax HE20	11	2462	MCS0	Partial RU	-
Mode 37	2400-2483.5	0+1	802.11be EHT20	01	2412	MCS0	-	-
Mode 38	2400-2483.5	0+1	802.11be EHT20	06	2437	MCS0	-	-
Mode 39	2400-2483.5	0+1	802.11be EHT20	11	2462	MCS0	-	-
Mode 40	2400-2483.5	0+1	802.11be EHT40	03	2422	MCS0	-	-
Mode 41	2400-2483.5	0+1	802.11be EHT40	09	2452	MCS0	-	-
Mode 42	2400-2483.5	0+1	802.11be EHT20	01	2412	MCS0	Single RU	-
Mode 43	2400-2483.5	0+1	802.11be EHT20	11	2462	MCS0	Single RU	-
Mode 44	2400-2483.5	0+1	802.11be EHT20	01	2412	MCS0	Small RU	-
Mode 45	2400-2483.5	0+1	802.11be EHT20	11	2462	MCS0	Small RU	-
Mode 46	2400-2483.5	0	802.11b	01	2412	1Mbps	-	-
Mode 47	2400-2483.5	0	802.11b	06	2437	1Mbps	-	-
Mode 48	2400-2483.5	0	802.11b	11	2462	1Mbps	-	-
Mode 49	2400-2483.5	0	802.11g	01	2412	6Mbps	-	-
Mode 50	2400-2483.5	0	802.11g	06	2437	6Mbps	-	-
Mode 51	2400-2483.5	0	802.11g	11	2462	6Mbps	-	-
Mode 52	2400-2483.5	0	802.11n HT20	01	2412	MCS0	-	-
Mode 53	2400-2483.5	0	802.11n HT20	06	2437	MCS0	-	-
Mode 54	2400-2483.5	0	802.11n HT20	11	2462	MCS0	-	-
Mode 55	2400-2483.5	0	802.11n HT40	03	2422	MCS0	-	-



Mode 56	2400-2483.5	0	802.11n HT40	09	2452	MCS0	-	-
Mode 57	2400-2483.5	0	802.11ax HE20	01	2412	MCS0	-	-
Mode 58	2400-2483.5	0	802.11ax HE20	06	2437	MCS0	-	-
Mode 59	2400-2483.5	0	802.11ax HE20	11	2462	MCS0	-	-
Mode 60	2400-2483.5	0	802.11ax HE40	03	2422	MCS0	-	-
Mode 61	2400-2483.5	0	802.11ax HE40	09	2452	MCS0	-	-
Mode 62	2400-2483.5	0	802.11ax HE20	01	2412	MCS0	Partial RU	-
Mode 63	2400-2483.5	0	802.11ax HE20	11	2462	MCS0	Partial RU	-
Mode 73	2400-2483.5	1	802.11b	01	2412	1Mbps	-	-
Mode 74	2400-2483.5	1	802.11b	06	2437	1Mbps	-	-
Mode 75	2400-2483.5	1	802.11b	11	2462	1Mbps	-	-
Mode 76	2400-2483.5	1	802.11g	01	2412	6Mbps	-	-
Mode 77	2400-2483.5	1	802.11g	06	2437	6Mbps	-	-
Mode 78	2400-2483.5	1	802.11g	11	2462	6Mbps	-	-
Mode 79	2400-2483.5	1	802.11n HT20	01	2412	MCS0	-	-
Mode 80	2400-2483.5	1	802.11n HT20	06	2437	MCS0	-	-
Mode 81	2400-2483.5	1	802.11n HT20	11	2462	MCS0	-	-
Mode 82	2400-2483.5	1	802.11n HT40	03	2422	MCS0	-	-
Mode 83	2400-2483.5	1	802.11n HT40	09	2452	MCS0	-	-
Mode 84	2400-2483.5	1	802.11ax HE20	01	2412	MCS0	-	-
Mode 85	2400-2483.5	1	802.11ax HE20	06	2437	MCS0	-	-
Mode 86	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	-	-
Mode 87	2400-2483.5	1	802.11ax HE40	03	2422	MCS0	-	-
Mode 88	2400-2483.5	1	802.11ax HE40	09	2452	MCS0	-	-
Mode 89	2400-2483.5	1	802.11ax HE20	01	2412	MCS0	Partial RU	-
Mode 90	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	Partial RU	-
Mode 91	2400-2483.5	1	802.11n HT20	11	2462	MCS0	-	LF
Mode 92	2400-2483.5	1	Bluetooth-LE_GSFK	00	2402	2Mbps	-	-
	2400-2483.5	1	802.11n HT20	11	2462	MCS0	-	-
Mode 93	2400-2483.5	0+1	802.11g	10	2457	6Mbps	-	-
Mode 94	2400-2483.5	0+1	802.11n HT20	02	2417	MCS0	-	-
Mode 95	2400-2483.5	0+1	802.11n HT20	10	2457	MCS0	-	-
Mode 96	2400-2483.5	0+1	802.11n HT40	04	2427	MCS0	-	-
Mode 97	2400-2483.5	0+1	802.11n HT40	05	2432	MCS0	-	-
Mode 98	2400-2483.5	0+1	802.11n HT40	06	2437	MCS0	-	-
Mode 99	2400-2483.5	0+1	802.11n HT40	08	2447	MCS0	-	-
Mode 100	2400-2483.5	0+1	802.11n HT40	07	2442	MCS0	-	-
Mode 101	2400-2483.5	0+1	802.11ax HE40	06	2437	MCS0	-	-
Mode 102	2400-2483.5	0+1	802.11ax HE40	04	2427	MCS0	-	-
Mode 103	2400-2483.5	0+1	802.11ax HE40	05	2432	MCS0	-	-
Mode 104	2400-2483.5	0+1	802.11ax HE40	08	2447	MCS0	-	-
Mode 105	2400-2483.5	0+1	802.11be EHT40	06	2437	MCS0	-	-
Mode 106	2400-2483.5	0+1	802.11be EHT40	04	2427	MCS0	-	-
Mode 107	2400-2483.5	0+1	802.11be EHT40	08	2447	MCS0	-	-
Mode 108	2400-2483.5	0	802.11g	10	2457	6Mbps	-	-
Mode 109	2400-2483.5	0	802.11g	09	2452	6Mbps	-	-



Mode 110	2400-2483.5	0	802.11n HT20	02	2417	MCS0	-	-
Mode 111	2400-2483.5	0	802.11n HT20	03	2422	MCS0	-	-
Mode 112	2400-2483.5	0	802.11n HT20	10	2457	MCS0	-	-
Mode 113	2400-2483.5	0	802.11n HT20	09	2452	MCS0	-	-
Mode 114	2400-2483.5	0	802.11n HT40	04	2427	MCS0	-	-
Mode 115	2400-2483.5	0	802.11n HT40	05	2432	MCS0	-	-
Mode 116	2400-2483.5	0	802.11n HT40	06	2437	MCS0	-	-
Mode 117	2400-2483.5	0	802.11n HT40	08	2447	MCS0	-	-
Mode 118	2400-2483.5	0	802.11n HT40	07	2442	MCS0	-	-
Mode 119	2400-2483.5	0	802.11ax HE40	04	2427	MCS0	-	-
Mode 120	2400-2483.5	0	802.11ax HE40	08	2447	MCS0	-	-
Mode 121	2400-2483.5	1	802.11n HT40	04	2427	MCS0	-	-
Mode 122	2400-2483.5	1	802.11n HT40	05	2432	MCS0	-	-
Mode 123	2400-2483.5	1	802.11n HT40	06	2437	MCS0	-	-
Mode 124	2400-2483.5	1	802.11n HT40	08	2447	MCS0	-	-
Mode 125	2400-2483.5	1	802.11n HT40	07	2442	MCS0	-	-
Mode 126	2400-2483.5	1	802.11ax HE40	04	2427	MCS0	-	-
Mode 127	2400-2483.5	1	802.11ax HE40	08	2447	MCS0	-	-
Mode 128	2400-2483.5	1	802.11g	02	2417	6Mbps	-	-
Mode 129	2400-2483.5	1	802.11g	10	2457	6Mbps	-	-
Mode 130	2400-2483.5	1	802.11n HT20	02	2417	MCS0	-	-
Mode 131	2400-2483.5	1	802.11n HT20	03	2422	MCS0	-	-
Mode 132	2400-2483.5	1	802.11n HT20	10	2457	MCS0	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
19	802.11b	01	2389.95	48.10	54.00	-5.90	V	AVERAGE	Pass	Band Edge
19	802.11b	01	4824.00	46.11	74.00	-27.89	V	Peak	Pass	Harmonic
20	802.11b	06	-	-	-	-	-	-	-	Band Edge
20	802.11b	06	7311.00	46.23	74.00	-27.77	V	Peak	Pass	Harmonic
21	802.11b	11	2483.55	48.60	54.00	-5.40	V	AVERAGE	Pass	Band Edge
21	802.11b	11	7386.00	46.78	74.00	-27.22	V	Peak	Pass	Harmonic
22	802.11g	01	2389.95	48.35	54.00	-5.65	V	AVERAGE	Pass	Band Edge
22	802.11g	01	4824.00	44.33	74.00	-29.67	H	Peak	Pass	Harmonic
23	802.11g	06	-	-	-	-	-	-	-	Band Edge
23	802.11g	06	7311.00	46.44	74.00	-27.56	V	Peak	Pass	Harmonic
24	802.11g	11	2483.51	48.42	54.00	-5.58	V	AVERAGE	Pass	Band Edge
24	802.11g	11	7386.00	44.51	74.00	-29.49	H	Peak	Pass	Harmonic
25	802.11n HT20	01	2389.95	48.54	54.00	-5.46	V	AVERAGE	Pass	Band Edge
25	802.11n HT20	01	4824.00	44.46	74.00	-29.54	H	Peak	Pass	Harmonic
26	802.11n HT20	06	-	-	-	-	-	-	-	Band Edge
26	802.11n HT20	06	7311.00	44.89	74.00	-29.11	V	Peak	Pass	Harmonic
27	802.11n HT20	11	2483.51	48.95	54.00	-5.05	V	AVERAGE	Pass	Band Edge
27	802.11n HT20	11	7386.00	44.72	74.00	-29.28	H	Peak	Pass	Harmonic
28	802.11n HT40	03	2389.97	48.41	54.00	-5.59	V	AVERAGE	Pass	Band Edge
28	802.11n HT40	03	-	-	-	-	-	-	-	Harmonic
29	802.11n HT40	09	2483.54	47.91	54.00	-6.09	V	AVERAGE	Pass	Band Edge
29	802.11n HT40	09	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	01	2389.95	44.48	54.00	-9.52	V	AVERAGE	Pass	Band Edge
30	802.11ax HE20	01	4824.00	42.45	74.00	-31.55	H	Peak	Pass	Harmonic
31	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE20	06	4874.00	43.70	74.00	-30.30	V	Peak	Pass	Harmonic
32	802.11ax HE20	11	2483.55	42.92	54.00	-11.08	V	AVERAGE	Pass	Band Edge
32	802.11ax HE20	11	7386.00	43.36	74.00	-30.64	H	Peak	Pass	Harmonic
33	802.11ax HE40	03	2389.52	44.72	54.00	-9.28	V	AVERAGE	Pass	Band Edge
33	802.11ax HE40	03	-	-	-	-	-	-	-	Harmonic
34	802.11ax HE40	09	2483.54	39.37	54.00	-14.63	V	AVERAGE	Pass	Band Edge
34	802.11ax HE40	09	-	-	-	-	-	-	-	Harmonic
35	802.11ax HE20	01	2389.95	35.58	54.00	-18.42	V	AVERAGE	Pass	Band Edge
35	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
36	802.11ax HE20	11	2488.83	35.05	54.00	-18.95	V	AVERAGE	Pass	Band Edge
36	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
37	802.11be EHT20	01	2389.95	45.96	54.00	-8.04	V	AVERAGE	Pass	Band Edge
37	802.11be EHT20	01	4824.00	43.36	74.00	-30.64	H	Peak	Pass	Harmonic
38	802.11be EHT20	06	-	-	-	-	-	-	-	Band Edge
38	802.11be EHT20	06	4874.00	44.42	74.00	-29.58	H	Peak	Pass	Harmonic
39	802.11be EHT20	11	2483.74	41.71	54.00	-12.29	V	AVERAGE	Pass	Band Edge
39	802.11be EHT20	11	7386.00	43.63	74.00	-30.37	V	Peak	Pass	Harmonic



40	802.11be EHT40	03	2389.30	44.67	54.00	-9.33	V	AVERAGE	Pass	Band Edge
40	802.11be EHT40	03	-	-	-	-	-	-	-	Harmonic
41	802.11be EHT40	09	2483.54	42.80	54.00	-11.20	V	AVERAGE	Pass	Band Edge
41	802.11be EHT40	09	-	-	-	-	-	-	-	Harmonic
42	802.11be EHT20	01	2389.82	35.40	54.00	-18.60	V	AVERAGE	Pass	Band Edge
42	802.11be EHT20	01	-	-	-	-	-	-	-	Harmonic
43	802.11be EHT20	11	2488.64	34.96	54.00	-19.04	V	AVERAGE	Pass	Band Edge
43	802.11be EHT20	11	-	-	-	-	-	-	-	Harmonic
44	802.11be EHT20	01	2389.95	35.73	54.00	-18.27	V	AVERAGE	Pass	Band Edge
44	802.11be EHT20	01	-	-	-	-	-	-	-	Harmonic
45	802.11be EHT20	11	2483.58	36.57	54.00	-17.43	V	AVERAGE	Pass	Band Edge
45	802.11be EHT20	11	-	-	-	-	-	-	-	Harmonic
46	802.11b	01	2389.95	46.28	54.00	-7.72	V	AVERAGE	Pass	Band Edge
46	802.11b	01	4824.00	44.46	74.00	-29.54	H	Peak	Pass	Harmonic
47	802.11b	06	-	-	-	-	-	-	-	Band Edge
47	802.11b	06	7311.00	46.35	54.00	-7.65	V	Average	Pass	Harmonic
48	802.11b	11	2483.93	48.99	54.00	-5.01	V	AVERAGE	Pass	Band Edge
48	802.11b	11	7386.00	47.35	54.00	-6.65	V	Average	Pass	Harmonic
49	802.11g	01	2389.95	48.73	54.00	-5.27	V	AVERAGE	Pass	Band Edge
49	802.11g	01	4824.00	42.62	74.00	-31.38	V	Peak	Pass	Harmonic
50	802.11g	06	-	-	-	-	-	-	-	Band Edge
50	802.11g	06	7311.00	46.78	74.00	-27.22	V	Peak	Pass	Harmonic
51	802.11g	11	2483.51	48.64	54.00	-5.36	V	AVERAGE	Pass	Band Edge
51	802.11g	11	7386.00	43.34	74.00	-30.66	V	Peak	Pass	Harmonic
52	802.11n HT20	01	2389.95	48.97	54.00	-5.03	V	AVERAGE	Pass	Band Edge
52	802.11n HT20	01	4824.00	42.65	74.00	-31.35	V	Peak	Pass	Harmonic
53	802.11n HT20	06	-	-	-	-	-	-	-	Band Edge
53	802.11n HT20	06	7311.00	45.61	74.00	-28.39	V	Peak	Pass	Harmonic
54	802.11n HT20	11	2483.51	48.41	54.00	-5.59	V	AVERAGE	Pass	Band Edge
54	802.11n HT20	11	7386.00	45.07	74.00	-28.93	V	Peak	Pass	Harmonic
55	802.11n HT40	03	2389.97	48.90	54.00	-5.10	V	AVERAGE	Pass	Band Edge
55	802.11n HT40	03	-	-	-	-	-	-	-	Harmonic
56	802.11n HT40	09	2484.45	47.92	54.00	-6.08	V	AVERAGE	Pass	Band Edge
56	802.11n HT40	09	-	-	-	-	-	-	-	Harmonic
57	802.11ax HE20	01	2389.56	41.91	54.00	-12.09	V	AVERAGE	Pass	Band Edge
57	802.11ax HE20	01	4824.00	43.33	74.00	-30.67	V	Peak	Pass	Harmonic
58	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
58	802.11ax HE20	06	7311.00	44.77	74.00	-29.23	V	Peak	Pass	Harmonic
59	802.11ax HE20	11	2483.58	47.00	54.00	-7.00	V	AVERAGE	Pass	Band Edge
59	802.11ax HE20	11	7386.00	42.72	74.00	-31.28	V	Peak	Pass	Harmonic
60	802.11ax HE40	03	2389.97	39.06	54.00	-14.94	V	AVERAGE	Pass	Band Edge
60	802.11ax HE40	03	-	-	-	-	-	-	-	Harmonic
61	802.11ax HE40	09	2483.73	42.91	54.00	-11.09	V	AVERAGE	Pass	Band Edge
61	802.11ax HE40	09	-	-	-	-	-	-	-	Harmonic
62	802.11ax HE20	01	2389.95	34.21	54.00	-19.79	V	AVERAGE	Pass	Band Edge
62	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic



63	802.11ax HE20	11	2484.57	34.18	54.00	-19.82	V	AVERAGE	Pass	Band Edge
63	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
73	802.11b	01	2389.95	45.64	54.00	-8.36	V	AVERAGE	Pass	Band Edge
73	802.11b	01	4824.00	43.76	74.00	-30.24	V	Peak	Pass	Harmonic
74	802.11b	06	-	-	-	-	-	-	-	Band Edge
74	802.11b	06	7311.00	45.78	74.00	-28.22	H	Peak	Pass	Harmonic
75	802.11b	11	2483.58	46.39	54.00	-7.61	V	AVERAGE	Pass	Band Edge
75	802.11b	11	7386.00	45.20	74.00	-28.80	H	Peak	Pass	Harmonic
76	802.11g	01	2389.95	48.65	54.00	-5.35	V	AVERAGE	Pass	Band Edge
76	802.11g	01	4824.00	44.16	74.00	-29.84	V	Peak	Pass	Harmonic
77	802.11g	06	-	-	-	-	-	-	-	Band Edge
77	802.11g	06	7311.00	44.61	74.00	-29.39	V	Peak	Pass	Harmonic
78	802.11g	11	2483.51	43.99	54.00	-10.01	H	AVERAGE	Pass	Band Edge
78	802.11g	11	7386.00	43.62	74.00	-30.38	V	Peak	Pass	Harmonic
79	802.11n HT20	01	2389.95	48.71	54.00	-5.29	V	AVERAGE	Pass	Band Edge
79	802.11n HT20	01	4824.00	45.14	74.00	-28.86	H	Peak	Pass	Harmonic
80	802.11n HT20	06	-	-	-	-	-	-	-	Band Edge
80	802.11n HT20	06	7311.00	44.61	74.00	-29.39	V	Peak	Pass	Harmonic
81	802.11n HT20	11	2483.55	49.00	54.00	-5.00	V	AVERAGE	Pass	Band Edge
81	802.11n HT20	11	7386.00	44.98	74.00	-29.02	V	Peak	Pass	Harmonic
82	802.11n HT40	03	2389.18	48.82	54.00	-5.18	V	AVERAGE	Pass	Band Edge
82	802.11n HT40	03	-	-	-	-	-	-	-	Harmonic
83	802.11n HT40	09	2483.73	48.51	54.00	-5.49	V	AVERAGE	Pass	Band Edge
83	802.11n HT40	09	-	-	-	-	-	-	-	Harmonic
84	802.11ax HE20	01	2389.69	46.13	54.00	-7.87	V	AVERAGE	Pass	Band Edge
84	802.11ax HE20	01	4824.00	44.03	74.00	-29.97	V	Peak	Pass	Harmonic
85	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
85	802.11ax HE20	06	7311.00	44.15	74.00	-29.85	H	Peak	Pass	Harmonic
86	802.11ax HE20	11	2483.62	43.32	54.00	-10.68	V	AVERAGE	Pass	Band Edge
86	802.11ax HE20	11	4924.00	43.79	74.00	-30.21	V	Peak	Pass	Harmonic
87	802.11ax HE40	03	2388.18	45.72	54.00	-8.28	V	AVERAGE	Pass	Band Edge
87	802.11ax HE40	03	-	-	-	-	-	-	-	Harmonic
88	802.11ax HE40	09	2484.40	37.91	54.00	-16.09	V	AVERAGE	Pass	Band Edge
88	802.11ax HE40	09	-	-	-	-	-	-	-	Harmonic
89	802.11ax HE20	01	2389.95	36.32	54.00	-17.68	V	AVERAGE	Pass	Band Edge
89	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
90	802.11ax HE20	11	2484.19	34.77	54.00	-19.23	V	AVERAGE	Pass	Band Edge
90	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
91	802.11n HT20	11	30.00	29.62	-40.00	-10.38	V	Peak	Pass	LF
92	Bluetooth-LE_GSKF	00	2388.44	40.56	54.00	-13.44	V	AVERAGE	Pass	Band Edge
	802.11n HT20	11	2483.77	48.50	54.00	-5.50	V	AVERAGE	Pass	Band Edge
	802.11n HT20	11	7386.00	46.22	74.00	-27.78	H	Peak	Pass	Harmonic
93	802.11g	10	2483.75	47.12	54.00	-6.88	V	AVERAGE	Pass	Band Edge
93	802.11g	10	-	-	-	-	-	-	-	Harmonic
94	802.11n HT20	02	2389.95	46.74	54.00	-7.26	V	AVERAGE	Pass	Band Edge
94	802.11n HT20	02	-	-	-	-	-	-	-	Harmonic



95	802.11n HT20	10	2483.53	48.77	54.00	-5.23	V	AVERAGE	Pass	Band Edge
95	802.11n HT20	10	-	-	-	-	-	-	-	Harmonic
96	802.11n HT40	04	2389.41	48.91	54.00	-5.09	V	AVERAGE	Pass	Band Edge
96	802.11n HT40	04	-	-	-	-	-	-	-	Harmonic
97	802.11n HT40	05	2389.38	47.94	54.00	-6.06	V	AVERAGE	Pass	Band Edge
97	802.11n HT40	05	-	-	-	-	-	-	-	Harmonic
98	802.11n HT40	06	2389.88	48.05	54.00	-5.95	V	AVERAGE	Pass	Band Edge
98	802.11n HT40	06	-	-	-	-	-	-	-	Harmonic
99	802.11n HT40	08	2484.93	48.80	54.00	-5.20	V	AVERAGE	Pass	Band Edge
99	802.11n HT40	08	-	-	-	-	-	-	-	Harmonic
100	802.11n HT40	07	2483.56	48.89	54.00	-5.11	V	AVERAGE	Pass	Band Edge
100	802.11n HT40	07	-	-	-	-	-	-	-	Harmonic
101	802.11ax HE40	06	2483.68	44.99	54.00	-9.01	V	AVERAGE	Pass	Band Edge
101	802.11ax HE40	06	-	-	-	-	-	-	-	Harmonic
102	802.11ax HE40	04	2389.41	48.46	54.00	-5.54	V	AVERAGE	Pass	Band Edge
102	802.11ax HE40	04	-	-	-	-	-	-	-	Harmonic
103	802.11ax HE40	05	2388.99	44.86	54.00	-9.14	V	AVERAGE	Pass	Band Edge
103	802.11ax HE40	05	-	-	-	-	-	-	-	Harmonic
104	802.11ax HE40	08	2483.54	45.32	54.00	-8.68	V	AVERAGE	Pass	Band Edge
104	802.11ax HE40	08	-	-	-	-	-	-	-	Harmonic
105	802.11be EHT40	06	2483.62	44.53	54.00	-9.47	V	AVERAGE	Pass	Band Edge
105	802.11be EHT40	06	-	-	-	-	-	-	-	Harmonic
106	802.11be EHT40	04	2389.30	49.05	54.00	-4.95	V	AVERAGE	Pass	Band Edge
106	802.11be EHT40	04	-	-	-	-	-	-	-	Harmonic
107	802.11be EHT40	08	2483.54	45.66	54.00	-8.34	V	AVERAGE	Pass	Band Edge
107	802.11be EHT40	08	-	-	-	-	-	-	-	Harmonic
108	802.11g	10	2483.62	48.87	54.00	-5.13	V	AVERAGE	Pass	Band Edge
108	802.11g	10	-	-	-	-	-	-	-	Harmonic
109	802.11g	09	2483.58	45.31	54.00	-8.69	V	AVERAGE	Pass	Band Edge
109	802.11g	09	-	-	-	-	-	-	-	Harmonic
110	802.11n HT20	02	2389.95	48.87	54.00	-5.13	V	AVERAGE	Pass	Band Edge
110	802.11n HT20	02	-	-	-	-	-	-	-	Harmonic
111	802.11n HT20	03	2389.82	47.20	54.00	-6.80	V	AVERAGE	Pass	Band Edge
111	802.11n HT20	03	-	-	-	-	-	-	-	Harmonic
112	802.11n HT20	10	2483.53	48.40	54.00	-5.60	V	AVERAGE	Pass	Band Edge
112	802.11n HT20	10	-	-	-	-	-	-	-	Harmonic
113	802.11n HT20	09	2483.54	47.42	54.00	-6.58	V	AVERAGE	Pass	Band Edge
113	802.11n HT20	09	-	-	-	-	-	-	-	Harmonic
114	802.11n HT40	04	2389.41	48.91	54.00	-5.09	V	AVERAGE	Pass	Band Edge
114	802.11n HT40	04	-	-	-	-	-	-	-	Harmonic
115	802.11n HT40	05	2389.76	48.50	54.00	-5.50	V	AVERAGE	Pass	Band Edge
115	802.11n HT40	05	-	-	-	-	-	-	-	Harmonic
116	802.11n HT40	06	2389.88	47.97	54.00	-6.03	V	AVERAGE	Pass	Band Edge
116	802.11n HT40	06	-	-	-	-	-	-	-	Harmonic
117	802.11n HT40	08	2484.30	48.70	54.00	-5.30	V	AVERAGE	Pass	Band Edge
117	802.11n HT40	08	-	-	-	-	-	-	-	Harmonic



118	802.11n HT40	07	2483.56	48.93	54.00	-5.07	V	AVERAGE	Pass	Band Edge
118	802.11n HT40	07	-	-	-	-	-	-	-	Harmonic
119	802.11ax HE40	04	2389.52	45.98	54.00	-8.02	V	AVERAGE	Pass	Band Edge
119	802.11ax HE40	04	-	-	-	-	-	-	-	Harmonic
120	802.11ax HE40	08	2483.54	46.99	54.00	-7.01	V	AVERAGE	Pass	Band Edge
120	802.11ax HE40	08	-	-	-	-	-	-	-	Harmonic
121	802.11n HT40	04	2389.41	48.46	54.00	-5.54	V	AVERAGE	Pass	Band Edge
121	802.11n HT40	04	-	-	-	-	-	-	-	Harmonic
122	802.11n HT40	05	2389.50	48.89	54.00	-5.11	V	AVERAGE	Pass	Band Edge
122	802.11n HT40	05	-	-	-	-	-	-	-	Harmonic
123	802.11n HT40	06	2389.88	48.47	54.00	-5.53	V	AVERAGE	Pass	Band Edge
123	802.11n HT40	06	-	-	-	-	-	-	-	Harmonic
124	802.11n HT40	08	2484.16	48.32	54.00	-5.68	V	AVERAGE	Pass	Band Edge
124	802.11n HT40	08	-	-	-	-	-	-	-	Harmonic
125	802.11n HT40	07	2483.68	48.38	54.00	-5.62	V	AVERAGE	Pass	Band Edge
125	802.11n HT40	07	-	-	-	-	-	-	-	Harmonic
126	802.11ax HE40	04	2389.52	48.00	54.00	-6.00	V	AVERAGE	Pass	Band Edge
126	802.11ax HE40	04	-	-	-	-	-	-	-	Harmonic
127	802.11ax HE40	08	2484.98	40.95	54.00	-13.05	V	AVERAGE	Pass	Band Edge
127	802.11ax HE40	08	-	-	-	-	-	-	-	Harmonic
128	802.11g	02	2389.56	47.61	54.00	-6.39	V	AVERAGE	Pass	Band Edge
128	802.11g	02	-	-	-	-	-	-	-	Harmonic
129	802.11g	10	2483.83	48.13	54.00	-5.87	V	AVERAGE	Pass	Band Edge
129	802.11g	10	-	-	-	-	-	-	-	Harmonic
130	802.11n HT20	02	2389.95	48.91	54.00	-5.09	V	AVERAGE	Pass	Band Edge
130	802.11n HT20	02	-	-	-	-	-	-	-	Harmonic
131	802.11n HT20	03	2389.82	46.32	54.00	-7.68	V	AVERAGE	Pass	Band Edge
131	802.11n HT20	03	-	-	-	-	-	-	-	Harmonic
132	802.11n HT20	10	2483.75	48.45	54.00	-5.55	V	AVERAGE	Pass	Band Edge
132	802.11n HT20	10	-	-	-	-	-	-	-	Harmonic



Mode	19																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																	
ANT	0+1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>54.55</td><td>74.00</td><td>-19.45</td><td>52.55</td><td>30.78</td><td>5.36</td><td>34.14</td><td>388 213 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	54.55	74.00	-19.45	52.55	30.78	5.36	34.14	388 213 PEAK	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.13</td><td>-----</td><td>-----</td><td>102.11</td><td>30.78</td><td>5.38</td><td>34.14</td><td>388 213 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.13	-----	-----	102.11	30.78	5.38	34.14	388 213 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.56	54.55	74.00	-19.45	52.55	30.78	5.36	34.14	388 213 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	104.13	-----	-----	102.11	30.78	5.38	34.14	388 213 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>44.74</td><td>54.00</td><td>-9.26</td><td>42.74</td><td>30.78</td><td>5.36</td><td>34.14</td><td>388 213 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	44.74	54.00	-9.26	42.74	30.78	5.36	34.14	388 213 AVERAGE	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.43</td><td>-----</td><td>-----</td><td>99.41</td><td>30.78</td><td>5.38</td><td>34.14</td><td>388 213 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.43	-----	-----	99.41	30.78	5.38	34.14	388 213 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.56	44.74	54.00	-9.26	42.74	30.78	5.36	34.14	388 213 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	101.43	-----	-----	99.41	30.78	5.38	34.14	388 213 AVERAGE																																																																									





Mode	19																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11b_CH01_2412MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>57.41</td><td>74.00</td><td>-16.59</td><td>55.41</td><td>30.78</td><td>5.36</td><td>34.14</td><td>300</td><td>156 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	57.41	74.00	-16.59	55.41	30.78	5.36	34.14	300	156 PEAK	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.05</td><td>-----</td><td>-----</td><td>105.03</td><td>30.78</td><td>5.38</td><td>34.14</td><td>300</td><td>156 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.05	-----	-----	105.03	30.78	5.38	34.14	300	156 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2389.95	57.41	74.00	-16.59	55.41	30.78	5.36	34.14	300	156 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2412.00	107.05	-----	-----	105.03	30.78	5.38	34.14	300	156 PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>48.10</td><td>54.00</td><td>-5.90</td><td>46.10</td><td>30.78</td><td>5.36</td><td>34.14</td><td>300</td><td>156 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.10	54.00	-5.90	46.10	30.78	5.36	34.14	300	156 AVERAGE	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.48</td><td>-----</td><td>-----</td><td>102.45</td><td>30.78</td><td>5.38</td><td>34.13</td><td>300</td><td>156 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.48	-----	-----	102.45	30.78	5.38	34.13	300	156 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2389.95	48.10	54.00	-5.90	46.10	30.78	5.36	34.14	300	156 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2412.00	104.48	-----	-----	102.45	30.78	5.38	34.13	300	156 AVERAGE																																																																																		



Mode	19																																																																																											
	Harmonic																																																																																											
	2400-2483.5_802.11b_CH01_2412MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>43.17</td><td>74.00</td><td>-30.83</td><td>62.71</td><td>36.42</td><td>8.88</td><td>64.84</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	43.17	74.00	-30.83	62.71	36.42	8.88	64.84	---	---	Peak	Level (dBuV/m) Date: 2025-02-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>65.65</td><td>36.42</td><td>8.88</td><td>64.84</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	46.11	74.00	-27.89	65.65	36.42	8.88	64.84	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	4824.00	43.17	74.00	-30.83	62.71	36.42	8.88	64.84	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	4824.00	46.11	74.00	-27.89	65.65	36.42	8.88	64.84	---	---	Peak																																																																																	



Mode	20																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>43.65</td><td>74.00</td><td>-30.35</td><td>63.26</td><td>36.50</td><td>8.72</td><td>64.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>62.84</td><td>36.89</td><td>10.18</td><td>65.01</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	43.65	74.00	-30.35	63.26	36.50	8.72	64.83	---	---	Peak	2	7311.00	44.90	74.00	-29.10	62.84	36.89	10.18	65.01	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>64.01</td><td>36.50</td><td>8.72</td><td>64.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>64.17</td><td>36.89</td><td>10.18</td><td>65.01</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	44.40	74.00	-29.60	64.01	36.50	8.72	64.83	---	---	Peak	2	7311.00	46.23	74.00	-27.77	64.17	36.89	10.18	65.01	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4874.00	43.65	74.00	-30.35	63.26	36.50	8.72	64.83	---	---	Peak																																																																																																					
2	7311.00	44.90	74.00	-29.10	62.84	36.89	10.18	65.01	---	---	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4874.00	44.40	74.00	-29.60	64.01	36.50	8.72	64.83	---	---	Peak																																																																																																					
2	7311.00	46.23	74.00	-27.77	64.17	36.89	10.18	65.01	---	---	Peak																																																																																																					



Mode	21																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11b_CH11_2462MHz																																																																																			
ANT	0+1																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Date: 2025-02-27 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2462 2469.6 2477.2 2484.8 2492.4 2500 Frequency (MHz) PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.70</td><td>56.26</td><td>74.00</td><td>-17.74</td><td>54.11</td><td>30.80</td><td>5.46</td><td>34.11</td><td>400</td><td>210 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.70	56.26	74.00	-17.74	54.11	30.80	5.46	34.11	400	210 PEAK	Date: 2025-02-27 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) PEAK_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.23</td><td>-----</td><td>-----</td><td>101.12</td><td>30.79</td><td>5.44</td><td>34.12</td><td>400</td><td>210 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.23	-----	-----	101.12	30.79	5.44	34.12	400	210 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.70	56.26	74.00	-17.74	54.11	30.80	5.46	34.11	400	210 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	103.23	-----	-----	101.12	30.79	5.44	34.12	400	210 PEAK																																																																										
Avg	Date: 2025-02-27 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2462 2469.6 2477.2 2484.8 2492.4 2500 Frequency (MHz) AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>45.84</td><td>54.00</td><td>-8.16</td><td>43.69</td><td>30.80</td><td>5.46</td><td>34.11</td><td>400</td><td>210 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	45.84	54.00	-8.16	43.69	30.80	5.46	34.11	400	210 AVERAGE	Date: 2025-02-27 Level (dBuV/m) 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) AVG_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.31</td><td>-----</td><td>-----</td><td>98.20</td><td>30.79</td><td>5.44</td><td>34.12</td><td>400</td><td>210 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.31	-----	-----	98.20	30.79	5.44	34.12	400	210 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.51	45.84	54.00	-8.16	43.69	30.80	5.46	34.11	400	210 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	100.31	-----	-----	98.20	30.79	5.44	34.12	400	210 AVERAGE																																																																										







		21																																																																																
Mode		Band Edge																																																																																
		2400-2483.5_802.11b_CH11_2462MHz																																																																																
ANT		0+1																																																																																
Pol.		Vertical					Fundamental																																																																											
Peak	Level (dBuV/m) Date: 2025-02-27 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 24622469.62477.22484.82492.42500 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.58</td><td>58.30</td><td>74.00</td><td>-15.70</td><td>56.15</td><td>30.80</td><td>5.46</td><td>34.11</td><td>400 114 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.58	58.30	74.00	-15.70	56.15	30.80	5.46	34.11	400 114 PEAK	Level (dBuV/m) Date: 2025-02-27 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 100014001800220026003000 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2462.00</td><td>106.27</td><td>-----</td><td>-----</td><td>104.16</td><td>30.79</td><td>5.44</td><td>34.12</td><td>400 114 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	106.27	-----	-----	104.16	30.79	5.44	34.12	400 114 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 2483.58	58.30	74.00	-15.70	56.15	30.80	5.46	34.11	400 114 PEAK																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 2462.00	106.27	-----	-----	104.16	30.79	5.44	34.12	400 114 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-02-27 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 24622469.62477.22484.82492.42500 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.55</td><td>48.60</td><td>54.00</td><td>-5.40</td><td>46.45</td><td>30.80</td><td>5.46</td><td>34.11</td><td>400 114 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.55	48.60	54.00	-5.40	46.45	30.80	5.46	34.11	400 114 AVERAGE	Level (dBuV/m) Date: 2025-02-27 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 100014001800220026003000 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2462.00</td><td>103.53</td><td>-----</td><td>-----</td><td>101.42</td><td>30.79</td><td>5.44</td><td>34.12</td><td>400 114 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	103.53	-----	-----	101.42	30.79	5.44	34.12	400 114 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 2483.55	48.60	54.00	-5.40	46.45	30.80	5.46	34.11	400 114 AVERAGE																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 2462.00	103.53	-----	-----	101.42	30.79	5.44	34.12	400 114 AVERAGE																																																																										



Mode	21																																																																																																																	
	Harmonic																																																																																																																	
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																	
ANT	0+1																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>43.74</td><td>74.00</td><td>-30.26</td><td>63.41</td><td>36.58</td><td>8.57</td><td>64.82</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>44.87</td><td>74.00</td><td>-29.13</td><td>62.86</td><td>36.81</td><td>10.18</td><td>64.98</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	43.74	74.00	-30.26	63.41	36.58	8.57	64.82	---	---	Peak	2	7386.00	44.87	74.00	-29.13	62.86	36.81	10.18	64.98	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>43.34</td><td>74.00</td><td>-30.66</td><td>63.01</td><td>36.58</td><td>8.57</td><td>64.82</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>64.77</td><td>36.81</td><td>10.18</td><td>64.98</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	43.34	74.00	-30.66	63.01	36.58	8.57	64.82	---	---	Peak	2	7386.00	46.78	74.00	-27.22	64.77	36.81	10.18	64.98	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	4924.00	43.74	74.00	-30.26	63.41	36.58	8.57	64.82	---	---	Peak																																																																																																							
2	7386.00	44.87	74.00	-29.13	62.86	36.81	10.18	64.98	---	---	Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	4924.00	43.34	74.00	-30.66	63.01	36.58	8.57	64.82	---	---	Peak																																																																																																							
2	7386.00	46.78	74.00	-27.22	64.77	36.81	10.18	64.98	---	---	Peak																																																																																																							





Mode	22																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11g_CH01_2412MHz																																																																																	
ANT	0+1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-02-25  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.04</td><td>56.55</td><td>74.00</td><td>-17.45</td><td>54.55</td><td>30.78</td><td>5.36</td><td>34.14</td><td>400</td><td>228 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2389.04	56.55	74.00	-17.45	54.55	30.78	5.36	34.14	400	228 PEAK	Level (dBuV/m) Date: 2025-02-25  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>99.20</td><td>-----</td><td>-----</td><td>97.16</td><td>30.78</td><td>5.39</td><td>34.13</td><td>400</td><td>228 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2412.00	99.20	-----	-----	97.16	30.78	5.39	34.13	400	228 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2389.04	56.55	74.00	-17.45	54.55	30.78	5.36	34.14	400	228 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2412.00	99.20	-----	-----	97.16	30.78	5.39	34.13	400	228 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-02-25  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.43</td><td>43.80</td><td>54.00</td><td>-10.20</td><td>41.80</td><td>30.78</td><td>5.36</td><td>34.14</td><td>400</td><td>228 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2389.43	43.80	54.00	-10.20	41.80	30.78	5.36	34.14	400	228 AVERAGE	Level (dBuV/m) Date: 2025-02-25  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>92.17</td><td>-----</td><td>-----</td><td>90.16</td><td>30.78</td><td>5.37</td><td>34.14</td><td>400</td><td>228 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2412.00	92.17	-----	-----	90.16	30.78	5.37	34.14	400	228 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2389.43	43.80	54.00	-10.20	41.80	30.78	5.36	34.14	400	228 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2412.00	92.17	-----	-----	90.16	30.78	5.37	34.14	400	228 AVERAGE																																																																									





		22																																																																																								
Mode		Band Edge																																																																																								
		2400-2483.5_802.11g_CH01_2412MHz																																																																																								
ANT		0+1																																																																																								
Pol.		Vertical					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-02-25 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>60.48</td><td>74.00</td><td>-13.52</td><td>58.48</td><td>30.78</td><td>5.36</td><td>34.14</td><td>400 320 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	60.48	74.00	-13.52	58.48	30.78	5.36	34.14	400 320 PEAK	Level (dBuV/m) Date: 2025-02-25 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.22</td><td>-----</td><td>-----</td><td>99.21</td><td>30.78</td><td>5.37</td><td>34.14</td><td>400 320 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.22	-----	-----	99.21	30.78	5.37	34.14	400 320 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2389.95	60.48	74.00	-13.52	58.48	30.78	5.36	34.14	400 320 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2412.00	101.22	-----	-----	99.21	30.78	5.37	34.14	400 320 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-02-25 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>48.35</td><td>54.00</td><td>-5.65</td><td>46.35</td><td>30.78</td><td>5.36</td><td>34.14</td><td>400 320 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.35	54.00	-5.65	46.35	30.78	5.36	34.14	400 320 AVERAGE	Level (dBuV/m) Date: 2025-02-25 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>94.21</td><td>-----</td><td>-----</td><td>92.20</td><td>30.78</td><td>5.37</td><td>34.14</td><td>400 320 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.21	-----	-----	92.20	30.78	5.37	34.14	400 320 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2389.95	48.35	54.00	-5.65	46.35	30.78	5.36	34.14	400 320 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2412.00	94.21	-----	-----	92.20	30.78	5.37	34.14	400 320 AVERAGE																																																																																	



Mode	22																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
	Harmonic																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
ANT	0+1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Peak Avg																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>44.33</td><td>74.00</td><td>-29.67</td><td>63.87</td><td>36.42</td><td>8.88</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	4824.00	44.33	74.00	-29.67	63.87	36.42	8.88																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1	4824.00	44.33	74.00	-29.67	63.87	36.42	8.88																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				</																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							



Mode	23																																																																																																																	
	Harmonic																																																																																																																	
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																	
ANT	0+1																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>44.10</td><td>74.00</td><td>-29.90</td><td>63.71</td><td>36.50</td><td>8.72</td><td>64.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>44.68</td><td>74.00</td><td>-29.32</td><td>62.62</td><td>36.89</td><td>10.18</td><td>65.01</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	44.10	74.00	-29.90	63.71	36.50	8.72	64.83	---	---	Peak	2	7311.00	44.68	74.00	-29.32	62.62	36.89	10.18	65.01	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>44.23</td><td>74.00</td><td>-29.77</td><td>63.84</td><td>36.50</td><td>8.72</td><td>64.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>46.44</td><td>74.00</td><td>-27.56</td><td>64.38</td><td>36.89</td><td>10.18</td><td>65.01</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	44.23	74.00	-29.77	63.84	36.50	8.72	64.83	---	---	Peak	2	7311.00	46.44	74.00	-27.56	64.38	36.89	10.18	65.01	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	4874.00	44.10	74.00	-29.90	63.71	36.50	8.72	64.83	---	---	Peak																																																																																																							
2	7311.00	44.68	74.00	-29.32	62.62	36.89	10.18	65.01	---	---	Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	4874.00	44.23	74.00	-29.77	63.84	36.50	8.72	64.83	---	---	Peak																																																																																																							
2	7311.00	46.44	74.00	-27.56	64.38	36.89	10.18	65.01	---	---	Peak																																																																																																							





		24																																																																																							
Mode		Band Edge																																																																																							
		2400-2483.5_802.11g_CH11_2462MHz																																																																																							
ANT		0+1																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-25 PEAK_BE_74					Level (dBuV/m) Date: 2025-02-25 PEAK_74																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>57.54</td><td>74.00</td><td>-16.46</td><td>55.39</td><td>30.80</td><td>5.46</td><td>34.11</td><td>400 45 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	57.54	74.00	-16.46	55.39	30.80	5.46	34.11	400 45 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>96.23</td><td>-----</td><td>-----</td><td>94.11</td><td>30.79</td><td>5.44</td><td>34.11</td><td>400 45 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	96.23	-----	-----	94.11	30.79	5.44	34.11
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.58	57.54	74.00	-16.46	55.39	30.80	5.46	34.11	400 45 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2462.00	96.23	-----	-----	94.11	30.79	5.44	34.11	400 45 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-02-25 AVG_BE_54					Level (dBuV/m) Date: 2025-02-25 AVG_54																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>44.95</td><td>54.00</td><td>-9.05</td><td>42.80</td><td>30.80</td><td>5.46</td><td>34.11</td><td>400 45 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	44.95	54.00	-9.05	42.80	30.80	5.46	34.11	400 45 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>89.32</td><td>-----</td><td>-----</td><td>87.20</td><td>30.79</td><td>5.44</td><td>34.11</td><td>400 45 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	89.32	-----	-----	87.20	30.79	5.44	34.11
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.51	44.95	54.00	-9.05	42.80	30.80	5.46	34.11	400 45 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2462.00	89.32	-----	-----	87.20	30.79	5.44	34.11	400 45 AVERAGE																																																																																



Mode	24																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11g_CH11_2462MHz																																																																																	
ANT	0+1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-02-25 PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.89</td><td>62.04</td><td>74.00</td><td>-11.96</td><td>59.89</td><td>30.80</td><td>5.46</td><td>34.11</td><td>278 314 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.89	62.04	74.00	-11.96	59.89	30.80	5.46	34.11	278 314 PEAK	Level (dBuV/m) Date: 2025-02-25 PEAK_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>99.78</td><td>-----</td><td>-----</td><td>97.68</td><td>30.79</td><td>5.43</td><td>34.12</td><td>278 314 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	99.78	-----	-----	97.68	30.79	5.43	34.12	278 314 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.89	62.04	74.00	-11.96	59.89	30.80	5.46	34.11	278 314 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	99.78	-----	-----	97.68	30.79	5.43	34.12	278 314 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-02-25 AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>48.42</td><td>54.00</td><td>-5.58</td><td>46.27</td><td>30.80</td><td>5.46</td><td>34.11</td><td>278 314 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	48.42	54.00	-5.58	46.27	30.80	5.46	34.11	278 314 AVERAGE	Level (dBuV/m) Date: 2025-02-25 AVG_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>93.25</td><td>-----</td><td>-----</td><td>91.15</td><td>30.79</td><td>5.43</td><td>34.12</td><td>278 314 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	93.25	-----	-----	91.15	30.79	5.43	34.12	278 314 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.51	48.42	54.00	-5.58	46.27	30.80	5.46	34.11	278 314 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	93.25	-----	-----	91.15	30.79	5.43	34.12	278 314 AVERAGE																																																																									



Mode	24																																																																						
	Harmonic																																																																						
	2400-2483.5_802.11g_CH11_2462MHz																																																																						
ANT	0+1																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>43.52</td><td>74.00</td><td>-30.48</td><td>63.19</td><td>36.58</td><td>8.57</td><td>64.82</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>62.50</td><td>36.81</td><td>10.18</td><td>64.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	43.52	74.00	-30.48	63.19	36.58	8.57	64.82	---	---	Peak	2	7386.00	44.51	74.00	-29.49	62.50	36.81	10.18	64.98	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	4924.00	43.52	74.00	-30.48	63.19	36.58	8.57	64.82	---	---	Peak																																																												
2	7386.00	44.51	74.00	-29.49	62.50	36.81	10.18	64.98	---	---	Peak																																																												
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>44.50</td><td>74.00</td><td>-29.50</td><td>64.17</td><td>36.58</td><td>8.57</td><td>64.82</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>43.39</td><td>74.00</td><td>-30.61</td><td>61.38</td><td>36.81</td><td>10.18</td><td>64.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	44.50	74.00	-29.50	64.17	36.58	8.57	64.82	---	---	Peak	2	7386.00	43.39	74.00	-30.61	61.38	36.81	10.18	64.98	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	4924.00	44.50	74.00	-29.50	64.17	36.58	8.57	64.82	---	---	Peak																																																												
2	7386.00	43.39	74.00	-30.61	61.38	36.81	10.18	64.98	---	---	Peak																																																												



Mode	25																																									
	Band Edge																																									
	2400-2483.5_802.11n HT20_CH01_2412MHz																																									
ANT	0+1																																									
Pol.	Horizontal	Fundamental																																								
Peak	Level (dBuV/m) Date: 2025-02-25 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2389.95</td><td>54.75</td><td>74.00</td><td>-19.25</td><td>52.75</td><td>30.78</td><td>5.36</td><td>34.14</td><td>400</td><td>235 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2389.95	54.75	74.00	-19.25	52.75	30.78	5.36	34.14	400	235 PEAK	Level (dBuV/m) Date: 2025-02-25 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2412.00</td><td>96.18</td><td>-----</td><td>-----</td><td>94.15</td><td>30.78</td><td>5.38</td><td>34.13</td><td>400</td><td>235 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2412.00	96.18	-----	-----	94.15	30.78	5.38	34.13	400	235 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 2389.95	54.75	74.00	-19.25	52.75	30.78	5.36	34.14	400	235 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2412.00	96.18	-----	-----	94.15	30.78	5.38	34.13	400	235 PEAK																																	
Avg	Level (dBuV/m) Date: 2025-02-25 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2389.95</td><td>41.79</td><td>54.00</td><td>-12.21</td><td>39.79</td><td>30.78</td><td>5.36</td><td>34.14</td><td>400</td><td>235 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2389.95	41.79	54.00	-12.21	39.79	30.78	5.36	34.14	400	235 AVERAGE	Level (dBuV/m) Date: 2025-02-25 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 2412.00</td><td>88.88</td><td>-----</td><td>-----</td><td>86.84</td><td>30.78</td><td>5.39</td><td>34.13</td><td>400</td><td>235 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 2412.00	88.88	-----	-----	86.84	30.78	5.39	34.13	400	235 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2389.95	41.79	54.00	-12.21	39.79	30.78	5.36	34.14	400	235 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 2412.00	88.88	-----	-----	86.84	30.78	5.39	34.13	400	235 AVERAGE																																	



Mode	25																																																																													
	Band Edge																																																																													
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																													
ANT	0+1																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-02-25 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2388.91</td><td>61.91</td><td>74.00</td><td>-12.09</td><td>59.91</td><td>30.78</td><td>5.36</td><td>34.14</td><td>400</td><td>145 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2388.91	61.91	74.00	-12.09	59.91	30.78	5.36	34.14	400	145 PEAK	Level (dBuV/m) Date: 2025-02-25 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>98.49</td><td>-----</td><td>-----</td><td>96.47</td><td>30.78</td><td>5.38</td><td>34.14</td><td>400</td><td>145 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2412.00	98.49	-----	-----	96.47	30.78	5.38	34.14	400	145 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2388.91	61.91	74.00	-12.09	59.91	30.78	5.36	34.14	400	145 PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2412.00	98.49	-----	-----	96.47	30.78	5.38	34.14	400	145 PEAK																																																																					
Avg	Level (dBuV/m) Date: 2025-02-25 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.95</td><td>48.54</td><td>54.00</td><td>-5.46</td><td>46.54</td><td>30.78</td><td>5.36</td><td>34.14</td><td>400</td><td>145 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2389.95	48.54	54.00	-5.46	46.54	30.78	5.36	34.14	400	145 AVERAGE	Level (dBuV/m) Date: 2025-02-25 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>91.60</td><td>-----</td><td>-----</td><td>89.58</td><td>30.78</td><td>5.38</td><td>34.14</td><td>400</td><td>145 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2412.00	91.60	-----	-----	89.58	30.78	5.38	34.14	400	145 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2389.95	48.54	54.00	-5.46	46.54	30.78	5.36	34.14	400	145 AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2412.00	91.60	-----	-----	89.58	30.78	5.38	34.14	400	145 AVERAGE																																																																					



Mode	25																																																																																											
	Harmonic																																																																																											
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-03-04 PEAK_74 AVG_54 Frequency (MHz)						Level (dBuV/m) Date: 2025-03-04 PEAK_74 AVG_54 Frequency (MHz)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>44.46</td><td>74.00</td><td>-29.54</td><td>64.00</td><td>36.42</td><td>8.88</td><td>64.84</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	44.46	74.00	-29.54	64.00	36.42	8.88	64.84	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>42.17</td><td>74.00</td><td>-31.83</td><td>61.71</td><td>36.42</td><td>8.88</td><td>64.84</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	42.17	74.00	-31.83	61.71	36.42	8.88	64.84	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	4824.00	44.46	74.00	-29.54	64.00	36.42	8.88	64.84	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	4824.00	42.17	74.00	-31.83	61.71	36.42	8.88	64.84	---	---	Peak																																																																																	



Mode	26																																																																																															
	Harmonic																																																																																															
	2400-2483.5_802.11n HT20_CH06_2437MHz																																																																																															
ANT	0+1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz)								Level (dBuV/m) Date: 2025-03-04 Frequency (MHz)																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4874.00</td><td>42.63</td><td>74.00</td><td>-31.37</td><td>62.24</td><td>36.50</td><td>8.72 64.83</td></tr><tr><td>2</td><td>7311.00</td><td>44.29</td><td>74.00</td><td>-29.71</td><td>62.23</td><td>36.89</td><td>10.18 65.01</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	1	4874.00	42.63	74.00	-31.37	62.24	36.50	8.72 64.83	2	7311.00	44.29	74.00	-29.71	62.23	36.89	10.18 65.01	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4874.00</td><td>41.99</td><td>74.00</td><td>-32.01</td><td>61.60</td><td>36.50</td><td>8.72 64.83</td></tr><tr><td>2</td><td>7311.00</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>62.83</td><td>36.89</td><td>10.18 65.01</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	1	4874.00	41.99	74.00	-32.01	61.60	36.50	8.72 64.83	2	7311.00	44.89	74.00	-29.11	62.83	36.89	10.18 65.01
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB																																																																																									
1	4874.00	42.63	74.00	-31.37	62.24	36.50	8.72 64.83																																																																																									
2	7311.00	44.29	74.00	-29.71	62.23	36.89	10.18 65.01																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB																																																																																									
1	4874.00	41.99	74.00	-32.01	61.60	36.50	8.72 64.83																																																																																									
2	7311.00	44.89	74.00	-29.11	62.83	36.89	10.18 65.01																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4874.00</td><td>42.63</td><td>74.00</td><td>-31.37</td><td>62.24</td><td>36.50</td><td>8.72 64.83</td></tr><tr><td>2</td><td>7311.00</td><td>44.29</td><td>74.00</td><td>-29.71</td><td>62.23</td><td>36.89</td><td>10.18 65.01</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	1	4874.00	42.63	74.00	-31.37	62.24	36.50	8.72 64.83	2	7311.00	44.29	74.00	-29.71	62.23	36.89	10.18 65.01	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4874.00</td><td>41.99</td><td>74.00</td><td>-32.01</td><td>61.60</td><td>36.50</td><td>8.72 64.83</td></tr><tr><td>2</td><td>7311.00</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>62.83</td><td>36.89</td><td>10.18 65.01</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	1	4874.00	41.99	74.00	-32.01	61.60	36.50	8.72 64.83	2	7311.00	44.89	74.00	-29.11	62.83	36.89	10.18 65.01	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB																																																																																									
1	4874.00	42.63	74.00	-31.37	62.24	36.50	8.72 64.83																																																																																									
2	7311.00	44.29	74.00	-29.71	62.23	36.89	10.18 65.01																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB																																																																																									
1	4874.00	41.99	74.00	-32.01	61.60	36.50	8.72 64.83																																																																																									
2	7311.00	44.89	74.00	-29.11	62.83	36.89	10.18 65.01																																																																																									



Mode	27																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																			
ANT	0+1																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-25 PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.27</td><td>59.95</td><td>74.00</td><td>-14.05</td><td>57.80</td><td>30.80</td><td>5.46</td><td>34.11</td><td>400</td><td>42 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.27	59.95	74.00	-14.05	57.80	30.80	5.46	34.11	400	42 PEAK	Level (dBuV/m) Date: 2025-02-25 PEAK_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>94.95</td><td>-----</td><td>-----</td><td>92.85</td><td>30.79</td><td>5.43</td><td>34.12</td><td>400</td><td>42 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	94.95	-----	-----	92.85	30.79	5.43	34.12	400	42 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2484.27	59.95	74.00	-14.05	57.80	30.80	5.46	34.11	400	42 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	94.95	-----	-----	92.85	30.79	5.43	34.12	400	42 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-02-25 AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>46.49</td><td>54.00</td><td>-7.51</td><td>44.34</td><td>30.80</td><td>5.46</td><td>34.11</td><td>400</td><td>42 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	46.49	54.00	-7.51	44.34	30.80	5.46	34.11	400	42 AVERAGE	Level (dBuV/m) Date: 2025-02-25 AVG_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>87.74</td><td>-----</td><td>-----</td><td>85.62</td><td>30.79</td><td>5.44</td><td>34.11</td><td>400</td><td>42 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	87.74	-----	-----	85.62	30.79	5.44	34.11	400	42 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.58	46.49	54.00	-7.51	44.34	30.80	5.46	34.11	400	42 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	87.74	-----	-----	85.62	30.79	5.44	34.11	400	42 AVERAGE																																																																										







Mode	27																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11n_HT20_CH11_2462MHz																																																																									
ANT	0+1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-02-25 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2462 2469.6 2477.2 2484.8 2492.4 2500 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.51</td><td>62.08</td><td>74.00</td><td>-11.92</td><td>59.93</td><td>30.80</td><td>5.46</td><td>34.11</td><td>400 114 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.51	62.08	74.00	-11.92	59.93	30.80	5.46	34.11	400 114 PEAK	Level (dBuV/m) Date: 2025-02-25 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2462.00</td><td>98.20</td><td>-----</td><td>-----</td><td>96.10</td><td>30.79</td><td>5.43</td><td>34.12</td><td>400 114 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	98.20	-----	-----	96.10	30.79	5.43	34.12	400 114 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2483.51	62.08	74.00	-11.92	59.93	30.80	5.46	34.11	400 114 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2462.00	98.20	-----	-----	96.10	30.79	5.43	34.12	400 114 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-02-25 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2462 2469.6 2477.2 2484.8 2492.4 2500 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.51</td><td>48.95</td><td>54.00</td><td>-5.05</td><td>46.80</td><td>30.80</td><td>5.46</td><td>34.11</td><td>400 114 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.51	48.95	54.00	-5.05	46.80	30.80	5.46	34.11	400 114 AVERAGE	Level (dBuV/m) Date: 2025-02-25 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2462.00</td><td>89.94</td><td>-----</td><td>-----</td><td>87.83</td><td>30.79</td><td>5.44</td><td>34.12</td><td>400 114 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	89.94	-----	-----	87.83	30.79	5.44	34.12	400 114 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2483.51	48.95	54.00	-5.05	46.80	30.80	5.46	34.11	400 114 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 2462.00	89.94	-----	-----	87.83	30.79	5.44	34.12	400 114 AVERAGE																																																																		



Mode	27																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>43.25</td><td>74.00</td><td>-30.75</td><td>62.92</td><td>36.58</td><td>8.57</td><td>64.82</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>44.72</td><td>74.00</td><td>-29.28</td><td>62.71</td><td>36.81</td><td>10.18</td><td>64.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	43.25	74.00	-30.75	62.92	36.58	8.57	64.82	---	---	Peak	2	7386.00	44.72	74.00	-29.28	62.71	36.81	10.18	64.98	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.52</td><td>74.00</td><td>-32.48</td><td>61.19</td><td>36.58</td><td>8.57</td><td>64.82</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>43.76</td><td>74.00</td><td>-30.24</td><td>61.75</td><td>36.81</td><td>10.18</td><td>64.98</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	41.52	74.00	-32.48	61.19	36.58	8.57	64.82	---	---	Peak	2	7386.00	43.76	74.00	-30.24	61.75	36.81	10.18	64.98	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4924.00	43.25	74.00	-30.75	62.92	36.58	8.57	64.82	---	---	Peak																																																																																																					
2	7386.00	44.72	74.00	-29.28	62.71	36.81	10.18	64.98	---	---	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4924.00	41.52	74.00	-32.48	61.19	36.58	8.57	64.82	---	---	Peak																																																																																																					
2	7386.00	43.76	74.00	-30.24	61.75	36.81	10.18	64.98	---	---	Peak																																																																																																					



Mode	28																																																																																											
	Band Edge - L																																																																																											
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Horizontal					Fundamental																																																																																						
Peak	 Date: 2025-02-25 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.52</td><td>54.74</td><td>74.00</td><td>-19.26</td><td>52.74</td><td>30.78</td><td>5.36</td><td>34.14</td><td>300</td><td>24 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.52	54.74	74.00	-19.26	52.74	30.78	5.36	34.14	300	24 PEAK	 Date: 2025-02-25 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>90.46</td><td>-----</td><td>-----</td><td>88.40</td><td>30.79</td><td>5.40</td><td>34.13</td><td>300</td><td>24 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	90.46	-----	-----	88.40	30.79	5.40	34.13	300	24 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2389.52	54.74	74.00	-19.26	52.74	30.78	5.36	34.14	300	24 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2422.00	90.46	-----	-----	88.40	30.79	5.40	34.13	300	24 PEAK																																																																																		
Avg	 Date: 2025-02-25 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.97</td><td>44.74</td><td>54.00</td><td>-9.26</td><td>42.74</td><td>30.78</td><td>5.36</td><td>34.14</td><td>300</td><td>24 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.97	44.74	54.00	-9.26	42.74	30.78	5.36	34.14	300	24 AVERAGE	 Date: 2025-02-25 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>83.45</td><td>-----</td><td>-----</td><td>81.39</td><td>30.79</td><td>5.40</td><td>34.13</td><td>300</td><td>24 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	83.45	-----	-----	81.39	30.79	5.40	34.13	300	24 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2389.97	44.74	54.00	-9.26	42.74	30.78	5.36	34.14	300	24 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2422.00	83.45	-----	-----	81.39	30.79	5.40	34.13	300	24 AVERAGE																																																																																		



Mode	28																																										
	Band Edge - R																																										
	2400-2483.5_802.11n HT40_CH03_2422MHz																																										
ANT	0+1																																										
Pol.	Horizontal	Fundamental																																									
Peak	Date: 2025-02-25 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.29</td><td>43.68</td><td>74.00</td><td>-30.32</td><td>41.53</td><td>30.80</td><td>5.46</td><td>34.11</td><td>300</td><td>24 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2487.29	43.68	74.00	-30.32	41.53	30.80	5.46	34.11	300	24 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2487.29	43.68	74.00	-30.32	41.53	30.80	5.46	34.11	300	24 PEAK																																	
Avg	Date: 2025-02-25 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.48</td><td>33.41</td><td>54.00</td><td>-20.59</td><td>31.26</td><td>30.80</td><td>5.46</td><td>34.11</td><td>300</td><td>24 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.48	33.41	54.00	-20.59	31.26	30.80	5.46	34.11	300	24 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	2484.48	33.41	54.00	-20.59	31.26	30.80	5.46	34.11	300	24 AVERAGE																																	



Mode	28																																																																																			
	Band Edge - L																																																																																			
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																																			
ANT	0+1																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-25 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.41</td><td>58.06</td><td>74.00</td><td>-15.94</td><td>56.06</td><td>30.78</td><td>5.36</td><td>34.14</td><td>298</td><td>293 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.41	58.06	74.00	-15.94	56.06	30.78	5.36	34.14	298	293 PEAK	Level (dBuV/m) Date: 2025-02-25 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>96.40</td><td>-----</td><td>-----</td><td>94.34</td><td>30.79</td><td>5.40</td><td>34.13</td><td>298</td><td>293 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	96.40	-----	-----	94.34	30.79	5.40	34.13	298	293 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.41	58.06	74.00	-15.94	56.06	30.78	5.36	34.14	298	293 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2422.00	96.40	-----	-----	94.34	30.79	5.40	34.13	298	293 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-02-25 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.97</td><td>48.41</td><td>54.00</td><td>-5.59</td><td>46.41</td><td>30.78</td><td>5.36</td><td>34.14</td><td>298</td><td>293 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.97	48.41	54.00	-5.59	46.41	30.78	5.36	34.14	298	293 AVERAGE	Level (dBuV/m) Date: 2025-02-25 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>89.27</td><td>-----</td><td>-----</td><td>87.21</td><td>30.79</td><td>5.40</td><td>34.13</td><td>298</td><td>293 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	89.27	-----	-----	87.21	30.79	5.40	34.13	298	293 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.97	48.41	54.00	-5.59	46.41	30.78	5.36	34.14	298	293 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2422.00	89.27	-----	-----	87.21	30.79	5.40	34.13	298	293 AVERAGE																																																																										



Mode	28																																								
	Band Edge - R																																								
	2400-2483.5_802.11n HT40_CH03_2422MHz																																								
ANT	0+1																																								
Pol.	Vertical	Fundamental																																							
Peak	Date: 2025-02-25 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2488.14</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>42.47</td><td>30.80</td><td>5.46</td><td>34.10</td><td>298</td><td>293</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2488.14	44.63	74.00	-29.37	42.47	30.80	5.46	34.10	298	293	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																
1	2488.14	44.63	74.00	-29.37	42.47	30.80	5.46	34.10	298	293	PEAK																														
Avg	Date: 2025-02-25 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.05</td><td>33.99</td><td>54.00</td><td>-20.01</td><td>31.84</td><td>30.80</td><td>5.46</td><td>34.11</td><td>298</td><td>293</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2487.05	33.99	54.00	-20.01	31.84	30.80	5.46	34.11	298	293	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																
1	2487.05	33.99	54.00	-20.01	31.84	30.80	5.46	34.11	298	293	AVERAGE																														